



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### **Usage guidelines**

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### **About Google Book Search**

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



3 2044 011

✓ 608.26



HARVARD  
COLLEGE  
LIBRARY





**THE  
NEW AMERICAN  
PRACTICAL NAVIGATOR:**  
BEING AN  
**EPITOME OF NAVIGATION;**  
CONTAINING ALL THE TABLES NECESSARY TO BE USED WITH THE  
**NAUTICAL ALMANAC,**  
IN DETERMINING  
**THE LATITUDE, AND THE LONGITUDE**  
BY  
**LUNAR OBSERVATIONS:**  
AND  
**KEEPING A COMPLETE RECKONING AT SEA:**  
ILLUSTRATED BY  
PROPER RULES AND EXAMPLES:  
**THE WHOLE EXEMPLIFIED IN A JOURNAL,**  
**KEPT FROM BOSTON TO MADEIRA,**  
IN WHICH ALL THE RULES OF NAVIGATION ARE INTRODUCED.  
ALSO,  
THE DEMONSTRATION OF THE USUAL RULES OF TRIGONOMETRY:  
**PROBLEMS**  
IN MENSURATION, SURVEYING AND GAUGING:  
DICTIONARY OF SEA-TERMS:  
AND THE MANNER OF  
PERFORMING THE MOST USEFUL EVOLUTIONS AT SEA.  
WITH AN  
**APPENDIX,**  
CONTAINING  
METHODS OF CALCULATING ECLIPSES OF THE SUN AND MOON, AND OCCULTATIONS OF THE  
FIXED STARS: RULES FOR FINDING THE LONGITUDE OF A PLACE BY OBSERVATIONS  
OF ECLIPSES OR OCCULTATIONS: AND A NEW METHOD FOR FINDING THE  
LATITUDE BY TWO ALTITUDES.

---

BY NATHANIEL BOWDITCH, LL. D.

*Prizes of the Royal Societies of London, Edinburgh, and Dublin; of the American Philosophical Society,  
held at Philadelphia; of the American Academy of Arts and Sciences; of the Connecticut Academy  
of Arts and Sciences; of the Literary and Philosophical Society of New-York, &c.*

---

SIXTH STEREOTYPE EDITION.

NEW-YORK:

PUBLISHED BY EDMUND M. BLUNT, PROPRIETOR,  
AND AUTHOR OF THE AMERICAN COAST PILOT,  
No. 202, WATER-STREET.

John Gray & Co. Print.

1826.

Jan 608. 26

AUG. 1836.

**STANDARD WORKS,**  
**PUBLISHED BY EDMUND M. BLUNT,**  
*Author of the American Coast Pilot, &c.*

**202**

**WATER, CORNER OF FULTON STREET—NEW-YORK,**  
**[OLD ESTABLISHED STAND.]**  
**BOOKS.**

**BOWDITCH'S PRACTICAL NAVIGATOR**, 6th edition, stereotyped. *This work has been re-published in London, and has a decided preference to any extant.*

**BLUNT'S AMERICAN COAST PILOT**, 10th edition, greatly improved.

**THE MERCHANTS' AND SHIP MASTERS ASSISTANT**, comprehending all the necessary mercantile information for Merchants and Shipmasters. *[In this work all recent commercial regulations are introduced, and the most experienced will find something new.]*

**THE EXPEDITIOUS MEASURER**, containing a set of tables, which show at one view the solid contents of all kinds of packages and casks, according to their several lengths, breadths, and depths; also rules for determining the contents of all sorts of casks, in wine and beer measure. *A stereotype edition.*

**NAUTICAL ALMANACS**, from the year 1811 to 1828, both inclusive—to be continued annually. Explanation stereotyped, and English copy corrected. Errors in the English copies of the Nautical Almanac.

In { 1826, Over Fifty errors } Corrected in BLUNT'S EDITIONS ONLY.  
    { 1827, Over Fifty errors }  
    { 1828, Over Twenty errors }

**SEAMANSHIP AND NAVAL TACTICS**, Second Edition, with Plates.

**WARD'S LUNAR TABLES**, 2d. edition.

**CHARTS :**

**A NEW CHART**, extending from New-York to Havana, including Bahama Banks and Channels, improved by actual surveys of the *Chesapeake Bay*, by order of the Navy Department, and of *Capes Hatteras, Look Out and Fear Shoals*, in conformity to an act of Congress of the United States, and conducted under the direction of J. D. ELLIOT, Esq. Capt. in the U. S. Navy, and by permission of Hon. SMITH THOMPSON, Secretary of the Navy, copied, and contains all the Surveys made on the Coast of *North Carolina* to the present time (1826.) This Chart has since been improved by a survey from *Sandy Hook* to *Cape May*, under direction of Capt. JONATHAN COLESWORTHY, and EDMUND BLUNT, hydrographer, in the sloop *New Packet*. It has also several **PLANS of HARBOURS**, from actual surveys.

\_\_\_\_\_ of the *Mississippi River*, extending to *New Orleans*, including *Mobile*, &c. with sailing directions, and *Plan of Mobile*, on a large scale, from actual survey, published in 1825.

\_\_\_\_\_ of *Bahama Bank*, from actual survey made in sloop *Orbit* in 1820, with sailing directions, by the direction and at the expense of E. M. BLUNT, by E. C. WARD, U. S. Navy, and EDMUND BLUNT, hydrographer. [It is worthy of remark, that nineteen vessels were lost on the *Bahama Bank* the year previous to this survey, since which, accidents have rarely occurred, and the correctness of the Chart admits not a question, but has received the approbation of thousands, as being the most correct Chart of *Bahama Bank* extant.]

\_\_\_\_\_ from *New-York* to *Nova Scotia*, extending from latitude 38° N. to latitude 47° N. longitude 68° W. to longitude 74° W. including the whole of *St. George's Bank*, improved to August 1821, by government and other surveys.

\_\_\_\_\_ of the *Atlantic or Western Ocean*, improved to 1820, with an Analysis of the authorities upon which the dangers have been inserted on the Chart. The Tracks extend to the *Equator*, and are continued on the Chart of the *South Atlantic Ocean*.

\_\_\_\_\_ of the *South Atlantic Ocean*, containing more authentic information than any extant, part of which describes dangers lately discovered, with original Plans of Harbours and Views.

\_\_\_\_\_ of the *North Coast of Brazil*, showing the entrances and courses of the Rivers *Parna* and *Amazon*.

\_\_\_\_\_ of the *West Indies*, on six sheets, which may be had separate.

\_\_\_\_\_ of *River La Platte*, according to late Surveys, with Sailing Directions on the Chart. —of the *Coast of Guayana*.—of the *Coast of Brazil*.—of the *Island of Bermudas*, with Sailing Directions.—of *Long-Island Sound*, improved to 1825.—of the *Coast of Labrador*.—of *Newfoundland*.—of the *Coast of Brazil*, from *Maranham* to the river *La Platte*, &c. &c. the sailing Directions for which are in Blunt's *American Coast Pilot*.

\_\_\_\_\_ PLAN of *New-London Harbour*, surveyed by CHARLES MORRIS, Esq. of the United States Navy, by order of Commodore RODGERS, and to him respectfully dedicated.

**SOUTHERN DISTRICT OF NEW-YORK, SS.**

BE IT REMEMBERED, That on the twenty-second day of June, A. D. 1826, in the fiftieth year of the Independence of the United States of America, Edmund M. Blunt, of the said district, hath deposited in this office the title of a book, the right whereof he claims as proprietor, in the words following, to wit:

“The *New American Practical Navigator*: being an Epitome of Navigation: containing all the Tables necessary to be used with the *Nautical Almanac*, in determining the Latitude, and the Longitude by Lunar Observations; and keeping a complete Reckoning at Sea; illustrated by proper Rules and Examples: the whole exemplified in a Journal, kept from Boston to Madefra, in which all the rules of Navigation are introduced. Also, the Demonstration of the usual Rules of Trigonometry; Problems in Mensuration, Surveying, and Gauging; Dictionary of Sea-Terms; and the manner of performing the most useful Evolutions at Sea. With an Appendix, containing Methods of calculating Eclipses of the Sun and Moon and Occultations of the Fixed Stars; Rules for finding the Longitude of a place by Observations of Eclipses or Occultations: and a new method for finding the latitude by two altitudes. By Nathaniel Bowditch, LL. D. Fellow of the Royal Societies at London, Edinburgh, and Dublin; of the American Philosophical Society, held at Philadelphia; of the American Academy of Arts and Sciences; of the Connecticut Academy of Arts and Sciences; of the Literary and Philosophical Society of New-York, &c. Sixth stereotype edition.”

In conformity to the act of Congress of the United States, entitled “An Act for the encouragement of learning, by securing the copies of Maps, Charts, and Books, to the Authors and Proprietors of such copies, during the time therein mentioned.” And also to an act, entitled “an act supplementary to an act, entitled an act for the encouragement of learning, by securing the copies of Maps, Charts, and Books, to the authors and proprietors of such copies, during the times therein mentioned, and extending the benefits thereof to the arts of designing, engraving, and etching historical and other prints.”

JAMES DILL,  
Clerk of the Southern District of New-York.





## PREFACE.



IN the preface to the first edition of this work, it was observed, that the object of the publication was to collect into one volume all the rules, examples and tables necessary for forming a complete system of *practical navigation*. To do this, those authors were consulted whose writings afforded the best materials for the purpose,\* and such additions and improvements were introduced as were suggested by a close attention to the subject; and the accuracy of the tables accompanying the work was ensured by actually going through all the calculations necessary to a complete examination of them, making the last figure exact to the nearest unit. In performing this, above eight thousand errors were discovered and corrected in Moore's *Practical Navigator*, and above two thousand in the second edition of Maskelyne's *Requisite Tables*.† Almost all the errors in Maskelyne's collection were in the last decimal place, and in most cases would but little affect the result of any *nautical* calculation; but when it is considered that most of those tables are useful in *other* calculations, where great accuracy is required, it will not be deemed an unnecessary improvement to have corrected so great a number of small errors.

Several articles were added in the second edition, particularly the description and use of the circular instrument of reflection, methods of surveying harbours, new tables, &c. In the third and subsequent editions, several improvements have been made, particularly in the method of correcting the dead reckoning, and in the articles of surveying. An Appendix is given, containing methods of projecting and calculating eclipses of the moon and sun, and occultations of the fixed stars or planets by the moon; rules for deducing the longitude of a place from observations of eclipses of the sun or occultations; a new and short method of calculating the altitude and longitude of the *nonagesimal* degree of the ecliptic; solutions of several useful problems of *Nautical Astronomy*, and an improvement of Napier's rules for the solution of *spheric triangles*. Several new tables were added. The table of latitudes and longitudes is much increased and corrected.

Also an entirely new article is given in this edition on the method of finding the latitudes by two altitudes of the same, or of different objects: the solutions being direct and simple, embracing all the cases of the problem: a point which has not been attended to in some works of celebrity. This is an important addition to the present work, and it is recommended to the consideration of navigators.

The tables published separately in the Appendix of the first edition are introduced into the body of this work, and are extended so as to render the use of them more simple. The short and easy method of working a lunar observation, published in that Appendix, which has one great advantage over all other approximate methods, in the manner of applying the corrections (all them being additive) is here explained and illustrated by several examples.‡ Two other methods of correcting the apparent distance are given; one being that invented by the author of this work in the year 1795;

\* The works chiefly consulted were those published by Maskelyne, Robertson, Patoun, Rios, &c. and a treatise on "Seamanship," published at London in 1795. In this new edition, the work of the Chevalier de Borda, entitled "Description et Usage du Cercle de Reflexion," &c. has also been used.

† In the third edition of that work the errors of the table of proportional logarithms are corrected.

‡ This method was communicated to Mr. De Lambre, who published an account of it in the "Connaissance des temps pour l'année, 1806."

the other an improvement of Witchell's method, in which, without altering materially the calculation, the number of cases is considerably reduced.

To promote the accuracy of the successive editions of this work, all the tables (which admit of it) have been stereotyped, namely, Tables I. II. III. V. VII. IX. X. XI. XII. XIII. XIV. XV. XVI. XVII. XVIII. XIX. XX. XXI. XXII. XXIII. XXIV. XXV. XXVI. XXVII. XXVIII. XXIX. XXX. XXXI. XXXII. XXXIII. XXXIV. XXXV. XXXVI. XXXVIII. XXXIX. XL. XLI. XLII. XLIII. XLIV. and XLV. Since the publication of the first stereotype edition, these Tables have been carefully examined by the author, and the few mistakes which were discovered, have been corrected in the plates.

Any person who wishes to examine the tables, may do it by the methods used for that purpose, which will here be explained with some additional remarks.

TABLES I. and II. were calculated by the natural sines taken from the fourth edition of Sherwin's logarithms, which were previously examined, by differences; when the proof-sheets of the first edition were examined, the numbers were again calculated by the natural sines in the second edition of Hutton's logarithms; and if any difference was found, the numbers were calculated a third time by Taylor's logarithms.

TABLE III. contains the meridional parts for every degree and minute of the quadrant, calculated by the following rule, viz.

$$M = T \times 0.0007915704468.$$

in which T is the log-tangent less radius of half the latitude increased by  $45^\circ$  taken to seven places of figures, reckoned as integers, and M is the meridional parts of that latitude in miles.

TABLE IV. contains the declination of the sun, which was compared with the Nautical Almanacs for the years 1824, 1825, 1826, and 1827, and marked to the nearest minute.

TABLE IV. A. The Equation of Time, for the years 1824, 1825, 1826, and 1827.

TABLE V. contains the correction of the sun's declination, as published by Dr. Maskelyne. The correction taken from this table will rarely differ more than 16 or 17 seconds from the truth.

TABLE VI. contains the mean of the sun's right ascension, taken from the Nautical Almanacs for the years 1824, 1825, 1826, and 1827.

TABLE VI. A. contains the correction for the daily variation of the Equation of Time.

TABLE VII. contains the amplitudes of the sun for various latitudes and declinations calculated by Taylor's logarithms by this rule:

$$\text{Log. sec. lat.} + \text{Log. sine declination} - 10.0000000 = \text{Log. sine amplitude.}$$

TABLE VIII. contains the right ascensions and declinations of 76 stars of the first and second magnitudes, with their annual variations, adapted to the beginning of the year 1820. This table was formed from that published by the Astronomer Royal at Greenwich (Mr. Pond) in the Nautical Almanac for 1823, with the addition of a number of stars from the Catalogue of Baron Von Zach.

TABLE IX. contains the time of the sun's rising and setting, calculated by Taylor's logarithms by this rule:

$$\text{Log. cos. hour} = \text{Log. tang. declin.} + \text{Log. tang. latitude} - 10.0000000.$$

Table X. contains the distances at which any object is visible at sea, calculated by the rule given in § 195 of Vince's Astronomy, in which the terrestrial refraction was noticed: this circumstance was neglected by Robertson, Moore, and others, and of course their tables are erroneous. The rule given by Mr. Vince, expressed in logarithms, is this:

$$0.12155 + \text{Half log. of height in feet} = \text{Log. of dist. in statute miles.}$$

In reducing the rule to logarithms, the radius of the earth was called 20911790 feet, which agrees nearly with the mean value given in De La Lande's Astronomy.

TABLE XI. is a common table of proportional parts, the construction of which does not need any explanation.

Prop. log.  $T=4.0334758$ —log. of  $T$  in seconds, neglecting the three right hand figures of the remainder.

TABLE XXIII. was first constructed by Mr. Douwes of Amsterdam, about the year 1740, for which he received £.50 of the Commissioners of Longitude in England. This table was published in the first and second editions of the Requisite Tables; in the former of which it was carried as far as six hours; in the latter the table of Log. Rising was extended to 9 hours; in the present edition of this work it is extended to 12 hours. The numbers in this table are easily deduced from the log. sines, log. co-secants, and log. versed sines of the hour to which they correspond. Thus, if the time, opposite to any number of these tables turned into degrees, is  $H$ , we shall have

Log.  $\frac{1}{2}$  elapsed time of  $H = \log. \text{co-secant } H - 10.0000000$

Log. middle time  $= \log. \text{sine } H - 4.6989700$

Log. rising  $H \left\{ \begin{array}{l} = \log. \text{versed sine } H - 5.0000000 \\ = 2 \times \log. \text{sine } \frac{1}{2} H - 14.6989700 \end{array} \right.$

By means of these formulæ, the numbers of Table XXIII. were calculated by Sherwin's, Hutton's and Taylor's logarithms, and above a thousand errors were discovered in the second edition of the Requisite Tables, most of which were in the additional three hours (from six to nine hours) not published in the first edition. About two thirds of these additional numbers differ from their true values by one or two units.

TABLE XXIV. was compared with Sherwin's and Hutton's Tables, and a few errors corrected.

TABLE XXV. contains the log. sines, log. tangents, &c. corresponding to points and quarter points of the compass. This was compared with Sherwin's, Hutton's, and Taylor's logarithms.

TABLE XXVI. contains the common logarithms of numbers, which was compared with Sherwin's, Hutton's and Taylor's logarithms.

TABLE XXVII. contains the common log. sines, tangents, secants, &c. This was compared with Sherwin's, Hutton's and Taylor's tables. Two additional columns are given in this table, which are very convenient in finding the time from an altitude of the sun. The degrees are marked to  $180^\circ$ , which saves the trouble of subtracting the given angle from  $180^\circ$  when it exceeds  $90^\circ$ .

TABLE XXVIII. was calculated by proportioning the daily variation of the time of the moon's passing the meridian.

TABLE XXIX. contains the correction of the moon's altitude for parallax and refraction, corresponding to the parallax  $57' 30''$ .

TABLES XXX. and XXXI. are tables of proportional parts, taken from the Requisite Tables, with a few corrections.

TABLE XXXII. contains the variation of the altitude of any heavenly body for one minute of time from noon, for various degrees of latitude and declination. The following method was used in constructing the table:— $A$  and  $B$  were calculated for each degree of declination by these formulæ.

Log.  $A = \log. 1''.96349 + 2 \log. \cos. \text{declination} - 20.00000.$

Log.  $B = \log. A. + \log. \text{tang. declination} - 10.00000.$

and then the correction of the table corresponding to the zenith distance  $Z$  ( $= \text{Lat.} + \text{Dec.}$ ) was found by this formulæ.  $A \times \text{co-tang. } Z \div B$ . To fa-

cilitate the computation of these numbers, a table of the products of  $A$  by the whole numbers from 1 to 9 was calculated.

TABLE XXXIII. contains the squares of the minutes and parts of a minute corresponding to every second from  $0''$  to  $12' 59''$ . This requires no explanation.

TABLE XXXIV. contains the error of an observed angle arising from a deviation of  $1'$  in the parallelism of the surfaces of the central mirror, those surfaces being supposed to be perpendicular to the plane of the instrument. The correction in the fifth column of this table corresponding to any angle

TABLE XLV. The arguments at the side being B and  $12-B$  hours, and the second difference at the top A, the correction of this table will be  $A \times B(12-B)$

288

TABLE XLVI. contains the Latitudes and Longitudes of the most remarkable ports, harbours, &c. in the world. Great alterations were made in this table in the fifth edition, particularly by the insertion of more than thirteen hundred additional places in the India Seas and in the Pacific Ocean, besides various corrections in other parts of the world, consulting the latest and best authorities. Several corrections and additions have also been made in the present edition.

TABLE XLVII. contains the times of high water on the full and change of the moon, with the vertical rise of the tide, at many ports, harbours, &c. in the world. This table (like the preceding) depending wholly on observations, is therefore liable to be erroneous, though great pains have been taken to make it as correct as possible.

TABLE XLVIII. (Appendix, pages 616 and 617) contains the variation of the altitude of an object arising from a change of 100 seconds in the declination.

Most of the tables of this collection have been republished in London in several editions of a work having the following title: "*The Improved Practical Navigator, originally written and calculated by NATHANIEL BOWDITCH; revised, recalculated, and newly arranged, by THOMAS KIRBY.*" But a number of mistakes have been made in printing the Tables of Mr. Kirby's first edition, some of which have been taken notice of by Dr. Mackay, in the preface of his "*Complete Navigator*;" and as the manner in which those mistakes are mentioned might lead the reader to suppose that the same errors existed in the American Tables, it is thought proper explicitly to state, that *not one* of the "*many errors and contradictions,*" Doctor Mackay has mentioned, is to be found therein.

It may be observed that the first method of working double altitudes, given in page 133, is an improvement of a method published by Mr. Ivory.

	Page.		Page.
To find the distance of the land in order to calculate the dip	109	Second method of finding the apparent time at sea	156
To find the sun's declination	110	Third method of finding the apparent time at sea	158
Variation of the compass	111	To find the apparent time by an altitude of a fixed star	158
To observe an amplitude or azimuth by the compass	112	To regulate a watch by equal altitudes of the sun	160
To calculate the true amplitude	112	To find the longitude at sea by lunar observations	162
To calculate the true azimuth	113	Method of finding the stars used in lunar observations	163
Questions to exercise the learner in calculating an azimuth	114	General observations on the taking a lunar observation	164
Having the true and magnetic amplitude or azimuth, to find the variation	114	To work a lunar observation	166
To calculate the variation by azimuths observed at equal altitudes before and after passing the meridian	115	Examples of lunar observations	168
Variation observed	117	Second method of working a lunar observation	174
On the dip of the magnetic needle	119	Witchell's improved method of finding the true distance	175
To find the latitude by a meridian altitude of the sun or fixed star	120	Method of taking a lunar observation when you have only one observer	176
To find the time of the moon's passing the meridian	123	To calculate the sun's altitude at any time	178
To find the moon's declination	124	To calculate the altitude of any star	178
To find the latitude by the moon's meridian altitude	125	To calculate the altitude of the moon	180
To find the latitude by the meridian altitude of a planet	127	To find the longitude by the eclipses of Jupiter's satellites	181
To find the latitude by double altitudes	128	To find the longitude by an eclipse of the moon	181
— of the sun	128	To find the longitude by a time-keeper or chronometer	182
— of a star	129	To regulate a chronometer by lunar observations	185
— of a planet	129	To find the longitude by a variation chart	185
— of the moon	130	Problems useful in navigation	186
— of two different objects, taken within a few minutes of each other, by one observer	130	To find the difference between the true and apparent directions of the wind	191
— of two different objects, taken at different times	131	To determine the height of a mountain by barometers	192
First method	133	Mensuration	193
Second method	138	Gauging	197
Third method	142	Surveying	199
Questions to exercise the learner in working double altitudes	143	To find the content of a field by the table of diff. lat. and departure	201
To find the latitude by one altitude of the sun, having your watch previously regulated	148	To survey a coast in sailing along shore	203
To find the latitude by the mean of several altitudes of the sun taken near noon by a sextant or circle	150	To survey a harbour by observations on shore	205
To find the latitude on shore by means of an artificial horizon	152	Methods of surveying a small bank or shoal where great accuracy is required	207
To find the latitude by the polar star	156		
To find the time at sea and regulate a watch	154		
Examples to exercise the learner in finding the apparent time	166		

## ARRANGEMENT OF THE TABLES.

Table.	Table.
DIFFERENCE of latitude and departure for points I	To find the time of the moon's passing the meridian XXVIII
Ditto, for degrees II	Correction of the moon's altitude for parallax and refraction XXIX
Meridional parts III	To find the moon's declination XXX
Sun's declination IV	To find the sun's right ascension XXXI
Equation of Time IV	Variation of the sun's altitude in one minute from noon XXXII
For reducing the Sun's declination V	To reduce the numbers of Table XXXII. to other given intervals from noon XXXIII
Sun's right ascension VI	Errors arising from a deviation of one minute in the parallelism of the surfaces of the central mirror XXXIV
Correction for the daily variation of the Equation of Time VI	Error arising from a deviation of the telescope from a plane parallel to the plane of the instrument XXXV
Amplitudes VII	Correction of the mean refraction for various heights of the thermometer and barometer XXXVI
Right ascensions and declinations of the fixed stars VIII	Longitudes and Latitudes of the fixed stars XXXVII
Sun's rising and setting IX	Reduction of latitude and horizontal parallax XXXVIII
For finding the distance of terrestrial objects at sea X	Aberration of the planets in longitude XXXIX
Proportional parts XI	Equation of the equinoxes in longitude XL
Refraction of the heavenly bodies XII	Aberration of the fixed stars in latitude and longitude XLI
Dip of the horizon XIII	Aberration of the fixed stars in right ascension and declination XLII
Sun's parallax in altitude XIV	Nutation in right ascension and declination XLIII
Augmentation of the moon's semidiameter XV	Augmentation of the moon's semidiameter, found by nonagesimal XLIV
Dip for different heights and distances XVI	Equation of second differences XLV
To find the correction and logarithm of a lunar observation when a star is used XVII	Table of latitudes and longitudes XLVI
To find the correction and logarithm of a lunar observation when the sun is used XVIII	Tide Table XLVII
To find the correction and logarithm of a lunar observation depending on the moon's altitude XIX	Table, shewing the variation of the altitude of an object arising from a change of 100 seconds in its declination, (page 616) XLVIII
For finding the third correction of a lunar observation XX	
(New Form) Corrections in seconds additive. See Appendix, page 618 XX	
For turning degrees and minutes into time, and the contrary XXI	
Proportional logarithms XXII	
For finding the latitude by two altitudes of the sun XXIII	
Natural sines and co-sines XXIV	
Log. sines, tangents, &c. to points and quarter points XXV	
Logarithms of numbers XXVI	
Logarithmic sines, tangents, and secants XXVII	

## SIGNS AND ABBREVIATIONS USED IN THIS WORK.

- +** Is the sign of addition, and denotes that whatever number or quantity follows the sign, must be added to those that go before it, thus  $9+8$  signifies that 8 is to be added to 9. Or  $A+B$  implies that the quantities represented by A and B are to be added. The sign  $+$  is called the *positive sign*.
- The sign of subtraction; and denotes that the number following it must be subtracted from those going before it, thus  $7-5$ , signifies that 5 must be subtracted from 7. The sign  $-$  is called the *negative sign*.
- ×** Is the sign of multiplication, and shows that the numbers placed before and after it are to be multiplied, thus,  $7 \times 9$  signifies 7 multiplied by 9, which makes 63; and  $7 \times 8 \times 2$  signifies the continued product of 7 by 8 and by 2, which makes 112. Multiplication is also denoted by placing a point between the quantities to be multiplied; thus  $A.B$  signifies that A is to be multiplied by B.
- ÷** Is the sign of division, and signifies that the number that stands before it is to be divided by the number following it, as  $72 \div 12$  shows that 72 is to be divided by 12. Division may also be denoted by placing two points between the numbers, thus,  $72 : 12$  represents 72 divided by 12 or by placing the numbers thus,  $\frac{72}{12}$  which signifies 72 divided by 12.
- ()** or       . Either of these marks is used for connecting numbers together, thus,  $3+4 \times 6$ , or  $(3+4) \times 6$ , signifies that the sum of 3 and 4 is to be multiplied by 6.
- =** Is the sign of equality, and shows that the numbers or quantities placed before it are equal to those following it: thus  $3 \times 12 = 36$ . Or 8 multiplied by 12 are equal to 96, and  $7+2 \times 4 = 36$ .
- :::** Is the sign of proportion, and is marked thus,  $7 : 14 :: 10 : 20$ , that is, as 7 is to 14, so is 10 to 20. Or  $A : B :: C : D$ , that is, as A is to B, so is C to D.
- °** Signifies degrees; thus,  $45^\circ$  represents 45 degrees.
- '** Signifies minutes; thus,  $24'$  or 24 minutes,
- "** Signifies seconds; thus,  $44''$ , or 44 seconds.
- '''** Signifies thirds or sixtieth parts of seconds; thus,  $44'''$ , or 44 thirds.
- S.** Signifies sine. **N. S.** Signifies Natural sine.
- Sec.** Signifies Secant.
- Tan.** Signifies Tangent.
- Co-sine, Co-tangent, or Co-secant** of an arch signifies the sine, tangent or secant of the complement of that arch respectively.
- <** Signifies Angle; with an s at top Angles,  $\sphericalangle$ .
- ∠** Angled,
- △** Signifies Triangle.  $\triangle$ 's Triangles.
- Signifies a square.
- ☉** or **☽** the Sun. **☾** or **☾** the Moon. **\*** a Star. **L. L.** Lower Limb. **U. L.** Upper Limb. **N. L.** Nearest Limb. **S. D.** Semi-diameter. **P. L.** Proportional Logarithm. **N. A.** Nautical Almanac. **Z. D.** Zenith Distance. **D. R.** Dead Reckoning.

**DIRECTIONS FOR THE BINDER.**

<b>PLATE</b>	<b>I.</b>	<b>TO FRONT THE TITLE PAGE.</b>
_____	<b>II.</b>	<b>TO FRONT PAGE 20.</b>
_____	<b>III.</b>	<b>TO FRONT PAGE 44.</b>
_____	<b>IV.</b>	<b>TO FRONT PAGE 46.</b>
_____	<b>V.</b>	<b>TO FRONT PAGE 50.</b>
_____	<b>VI.</b>	<b>TO FRONT PAGE 52.</b>
_____	<b>VII.</b>	<b>TO FRONT PAGE 96.</b>
_____	<b>VIII.</b>	<b>TO FRONT PAGE 106.</b>
_____	<b>IX.</b>	<b>TO FRONT PAGE 110.</b>
_____	<b>X.</b>	<b>TO FRONT PAGE 203.</b>
_____	<b>XI.</b>	<b>TO FRONT PAGE 205.</b>
_____	<b>XII.</b>	<b>TO FRONT PAGE 582.</b>



## DECIMAL ARITHMETIC.

MANY persons who have acquired considerable skill in common Arithmetic, are unacquainted with the method of calculating by decimals, which is of great use in Navigation; for which reason it was thought proper to prefix the following brief explanation.

*Fractions or Vulgar Fractions* are expressions for any assignable part of an unit; they are usually denoted by two numbers, placed the one above the other, with a line between them: thus,  $\frac{1}{4}$  denotes the fraction one-fourth, or one part out of four of some whole quantity, considered as divisible into four equal parts. The lower number 4 is called the *denominator* of the fraction, showing into how many parts the whole or integer is divided; and the upper number 1, is called the *numerator*, and shows how many of those equal parts are contained in the fraction. And it is evident that if the numerator and denominator be varied in the same ratio, the value of the fraction will remain unaltered: thus if the numerator and denominator of the fraction  $\frac{1}{4}$  be multiplied by 2, 3, or 4, &c. the fractions arising will be  $\frac{2}{8}$ ,  $\frac{3}{12}$ ,  $\frac{4}{16}$ , &c. which are evidently equal to  $\frac{1}{4}$ .

*Decimal Fraction* is a fraction whose denominator is always an unit with some number of ciphers annexed, the numerators of which may be any numbers whatever; as  $\frac{1}{10}$ ,  $\frac{1}{100}$ ,  $\frac{1}{1000}$ , &c. And as the denominator of a decimal is always one of the numbers 10, 100, 1000, &c. the inconvenience of writing these denominators may be avoided, by placing a point between the integral and the fractional part of the number; thus  $\frac{3}{10}$  is written .3; and  $\frac{14}{100}$  is written .14; the *mixed* number  $3\frac{14}{100}$ , consisting of whole numbers and fractional ones is written 3.14.

In setting down a decimal fraction, the numerator must consist of as many places as there are ciphers in the denominator; and if it has not so many figures the defect must be supplied by placing ciphers before them; thus,  $\frac{16}{100} = .16$ ,  $\frac{16}{1000} = .016$ ,  $\frac{16}{10000} = .0016$ , &c. And as ciphers on the right hand side of integers increase their value in a tenfold proportion, as 2, 20, 200, &c. so when set on the left hand of decimal fractions, they decrease their value in a tenfold proportion, as .2, .02, .002, &c. but ciphers set on the right hand of these fractions make no alteration in their value, neither of increase or decrease; thus, .2 is the same as .20 or .200. The common arithmetical operations are performed the same way in decimals, as they are integers; regard being had only to the particular notation, to distinguish the integral from the fractional part of a sum.

### ADDITION OF DECIMALS.

Addition of decimals is performed exactly like that of whole numbers, placing the numbers of the same denomination under each other, in which case the decimal separating points will range straight in one column.

#### EXAMPLES.

	Miles.	Feet.	Inches.
	26.7	1.26	272.8267
	32.15	2.31	.0154
	145.206	1.785	2.1576
	.005	2.0	51.4
<b>Sum</b>	202.059	7.355	805.8977
		C	

## DECIMAL ARITHMETIC.

**SUBTRACTION OF DECIMALS.**

Subtraction of decimals is performed in the same manner as in whole numbers, by observing to set the figures of the same denomination and the separating points directly under each other.

**EXAMPLES.**

From \$1.267	36.75	1.254	1364.2
Take 2.63	.026	.316	25.163
Diff. 28.637	36.724	.938	1339.037

**MULTIPLICATION OF DECIMALS.**

Multiply the numbers together the same as if they were whole numbers, and point off as many decimals from the right hand as there are decimals in both factors together; and when it happens that there are not so many figures in the product as there must be decimals, then prefix as many ciphers to the left hand as will supply the defect.

**EXAMPLE I.**

Multiply 3.25 by 4.5

$$\begin{array}{r} 3.25 \\ 4.5 \\ \hline \end{array}$$

$$\begin{array}{r} 1.625 \\ 13.00 \\ \hline \end{array}$$

Answer 14.625

In one of the factors is one decimal and in the other two, their sum 3 is the number of decimals of the product.

**EXAMPLE II.**

Multiply 0.5 by 0.7

$$\begin{array}{r} 0.5 \\ 0.7 \\ \hline \end{array}$$

0.35 Answer.

**EXAMPLE III.**

Multiply 3.25 by .05

$$\begin{array}{r} 3.25 \\ .05 \\ \hline \end{array}$$

.1625 Product.

**EXAMPLE IV.** Multiply .17 by .06
$$\begin{array}{r} .17 \\ .06 \\ \hline \end{array}$$

Answer .0102

In each of the factors are two decimals, the product ought therefore to contain 4, and there being only three figures in the product I prefix a cipher.

**EXAMPLE V.** Multiply .18 by 24.
$$\begin{array}{r} .18 \\ 24 \\ \hline \end{array}$$

$$\begin{array}{r} 72 \\ 36 \\ \hline \end{array}$$

Answer 4.32

**EXAMPLE VI.** Multiply 36.1 by 2.5
$$\begin{array}{r} 36.1 \\ 2.5 \\ \hline \end{array}$$

$$\begin{array}{r} 18.05 \\ 72.2 \\ \hline \end{array}$$

Answer 90.25

**DIVISION OF DECIMALS.**

Division of decimals is performed in the same manner as in whole numbers; only observing that the number of decimals in the quotient must be equal to the excess of the number of decimals of the dividend above those of the divisor.—When the divisor contains more decimals than the dividend, ciphers must be affixed to the right hand of the latter to make the number equal or exceed that of the divisor.

**EXAMPLE I.**

Divide 14.625 by 3.25

3.25)14.625(4.5

1300

$$\begin{array}{r} 1625 \\ 1625 \\ \hline \end{array}$$

In this example there are 2 decimals in the divisor, and 3 in the dividend, hence there is one decimal in the quotient.

**EXAMPLE II.**

Divide 0.35 by 0.7

.7).35(.5

.35

**EXAMPLE III.**

Divide 3.1 by .0062

Previous to the division I affix a number of ciphers to the right hand of 3.1, which does not alter its value.

.0062)3.100000(500.00

310

0000

Therefore the answer is 500.00 or 500.

DECIMAL ARITHMETIC.

**EXAMPLE IV.**

Divide 9.6 by .06  
 $06 \overline{) 9.60}$

160 Answer.

Here by affixing a cipher to 9.6 it becomes 9.60, and has then 2 decimals in it, which is the same number as is in the divisor, therefore the quotient is an integer number.

**EXAMPLE V.**

Divide 17.286 by 1.16  
 $1.16 \overline{) 17.2860}$

116  
 565  
 464  
 1016  
 928  
 890  
 812  
 690  
 580  
 100

**REDUCTION OF DECIMALS.**

If you wish to reduce a vulgar fraction to a decimal, you may add any number of ciphers to the numerator, and divide it by the denominator, the quotient will be the decimal fraction; the decimal point must be so placed that there may be as many figures to the right hand of it as you added ciphers to the numerator; if there are not as many figures in the quotient, you must place ciphers to the left hand to make up the number.

**EXAMPLE I.** Reduce  $\frac{1}{3}$  to a decimal.

$3 \overline{) 1.0}$

.3 Answer.

**EXAMPLE II.** Reduce  $\frac{3}{8}$  to a decimal.

$8 \overline{) 3.000}$

.375 Answer.

**EXAMPLE III.** Reduce 3 inches to the decimal of a foot.

Since 12 inches = 1 foot, this fraction is  $\frac{3}{12}$ .

$12 \overline{) 3.00}$

.25 Answer.

**EXAMPLE IV.** Reduce  $3\frac{1}{2}$  inches to the decimal of a foot.

$3\frac{1}{2} = \frac{7}{2}$ : this divided by 12 is  $\frac{7}{24}$ .

$24 \overline{) 7.000}$  .291 Answer.

48  
 220  
 216  
 40  
 24  
 16

**EXAMPLE V.** Reduce 1 foot and 6 inches to the decimal of a yard.

Here 1 foot 6 inches = 18 inches. And 1 yard = 36 inches, therefore this fraction is  $\frac{18}{36}$ .

$36 \overline{) 18.0}$  .5 Answer.

180

If you have any decimal fraction, it is easy to find its value in the lower denominations of the same quantity; thus if the fraction was the decimal of a yard, by multiplying it by 3 we have its value in feet and parts; if we multiply this by 12, the product is its value in inches and parts; and in the same manner the values may be obtained in other cases.

**EXAMPLE VI.**

Required the value of 3.25 yards.

$3 \overline{) 3.25}$   
 .75  
 12  
 9.00

Answer 3 yards, 0 feet, 9 inches.

**EXAMPLE VII.**

Required the value of 7.251 days.

$7 \overline{) 7.251}$   
 .24  
 .924  
 462  
 5.544  
 60  
 32.640  
 60  
 33.400

Answer 7 days, 5 hours, 32 minutes, and 38 seconds.

## GEOMETRY.

**GEOMETRY** is the Science which treats of the description, properties, and relations of magnitudes in general, of which there are three kinds or species, viz. a line which has only length without either breadth or thickness; a superficies, comprehended by length and breadth, and a solid, which has length, breadth, and thickness.

I.

A **POINT** considered mathematically has no length, breadth, or thickness.

II.

A **STRAIGHT LINE OR RIGHT LINE** is the shortest distance between the two points which limits its length, as

A———C

III.

A **PLANE SUPERFICES** is that in which any two points being taken, the straight line between them lies wholly in that surface.

IV.

**PARALLEL LINES** are such as are in the same plane and which extended infinitely do never meet, as AB, DC.

A———B  
D———C

V.

A **CIRCLE** is a plane figure, bounded by an uniform curve line; it is commonly described with a pair of compasses; one point of which is fixed, whilst the other is turned round to the place where the motion first began; the fixed point is called the **CENTRE**, and the line described by the other point is called the **CIRCUMFERENCE**.

VI.

The **RADIUS** of a circle, or **SEMIDIAMETER**, is a right line drawn from the centre to the circumference, as AC; or it is that line which is taken between the points of the compasses to describe the circle.

A **DIAMETER** of a circle is a right line drawn through the centre and terminated at both ends by the circumference, as ACB, and is the double of the radius AC. A diameter divides the circle, and its circumference into two equal parts.

VII.

AN **ARCH** of a circle is any part or portion of the circumference, as DFE.

VIII.

The **CHORD** of an arch is a straight line joining the ends of the arch; it divides the circle into two unequal parts, called **SEGMENTS**, and is a chord to them both, as DE is the chord of the arches DFE and DGE.

IX.


A **SEMICIRCLE**, or half circle, is a figure contained under a diameter and the arch terminated by that diameter, as AGB or AFB. Any part of a circle contained between two radii and an arch, is called a **SECTOR**.

X.

A **QUADRANT** is half a semicircle, or one-fourth part of a whole circle, as the figure CAG.

**NOTE.** All circles, whether great or small, are supposed to have their circumference divided into 360 equal parts, called degrees, and each degree into 60 equal parts, called minutes; and each minute into 60 equal parts, called seconds, and so on into thirds, fourths,\* &c. and an arch is said to be of as many degrees as it contains parts of the 360, into which the circumference is divided.

\* A new division of the circumference of the circle has lately been adopted by several eminent French mathematicians, in which the quadrant is divided into 100°, each degree into 100', each minute into 100'', &c. and tables of logarithms have been published conformable thereto. The general adoption of this division would tend greatly to facilitate most of the calculations of navigation and astronomy.




## GEOMETRY.

### XI.


An **ANGLE** is the inclination of two lines which meet, but not in the same direction.

An angle is usually expressed by the letter placed at the angular point, as the angle A. But when two or more angles are at the same point, it is then necessary to express each by three letters, and the letter at the angular point is placed between the two. Thus, the angle formed by the lines AB, AC, is called the angle BAC or CAB, and that formed by AB, AD, is called the angle BAD, or DAB.




An angle is measured by the arch of a circle comprehended between the two legs that form the angle, the centre of the circle being the angular point.

Thus the angle A is measured by the arch BC described round the point A as a centre, and the angle is said to be of as many degrees as the arch is, that is, if the arch BC is 30°, then the angle BAC, is said to be an angle of 30° degrees.




### XII.

If a right line AB, fall upon another DC, so as to incline neither to the one side nor the other, but makes the angles ABC, ABD, equal to each other; then the line AB is said to be *perpendicular* to the line DC, and each of these angles is called a *right angle*, being each equal to a quadrant or 90°; because the sum of the two angles ABC, ABD, is measured by the semicircle DAC, described on the diameter DC, and centre B.



### XIII.


An **ACUTE ANGLE** is less than a right angle, as ABC.



### XIV.


An **OBTUSE ANGLE** is greater than a right angle, as GEH.

The least number of right lines that can include a space, are three which form a figure called a *Triangle*, consisting of six parts, viz. three sides and three angles: it is distinguished into three sorts, viz. a right angled triangle, an obtuse-angled triangle, and an acute angled triangle.




### XV.

A **RIGHT-ANGLED TRIANGLE** has one of its angles right: the side opposite the right angle is called the *hypotenuse*; and the other two sides are called legs; that which stands upright, is called the *perpendicular*, and the other the *base*; thus BC is the hypotenuse, AC the perpendicular, and AB the base; the angles opposite the two legs are both acute.



### XVI.


An **ACUTE-ANGLED TRIANGLE** has each of its angles acute, as DEG.



XVII.




AN **OBTUSE-ANGLED TRIANGLE** has one of its angles obtuse, or greater than a right angle, as **RAF**; the other two angles are acute.

**NOTE.** All triangles that are not right angled, whether they are acute or obtuse, are in general terms called *oblique-angled triangles*, without any other distinction.



XVIII.

A **QUADRILATERAL** figure is one bounded by four sides, as **ACDB**. If the opposite sides are parallel they are called **PARALLELOGRAMS**. Thus if **AC** be parallel to **BD**, and **AB** parallel to **CD**, the figure **ACDB** is a parallelogram. A parallelogram having all its sides equal, and its angles right, is called a **SQUARE**, as **B**. When the angles are right, and the opposite sides only equal, it is called a **RECTANGLE**, as **A**.



XIX.

The **SINE** of an arch is a line drawn from one end of the arch perpendicular to a diameter drawn through the other end of the same arch; thus **RS** is the sine of the arch **AS**, **RS** being a line drawn from one end **S** of that arch, perpendicular to **DA** which is the diameter passing through the other end **A** of the arch.



XX.

The **CO-SINE** of an arch is the sine of the *complement* of that arch, or of what that arch wants of a quadrant; thus **AH** being a quadrant, the arch **SH** is the complement of the arch **AS**; **SZ** is the sine of the arch **SH**; or the co-sine of the arch **AS**.

XXI.

The **VERSED SINE** of an arch is that part of the diameter contained between the sine and the arch; thus **RA** is the versed sine of the arch **AS**, and **DCR** is the versed sine of the arch **DHS**.

XXII.

The **TANGENT** of an arch is a right line drawn perpendicular to the diameter passing through one end of the arch, and terminated by a line drawn from the centre through the other end of the arch; thus **AT** is the tangent of the arch **AS**.

XXIII.

The **CO-TANGENT** of an arch is the tangent of the complement of the arch to a quadrant; thus **HG** is the tangent of the arch **HS**, or the co-tangent of the arch **AS**.

XXIV.

The **SECANT** of an arch is a right line drawn from the centre through one end of the arch to meet the tangent drawn from the other end; thus **CT** is the secant of the arch **AS**.

GEOMETRY.

XXV.

The **CO-SECANT** of an arch is the secant of the complement of that arch to a quadrant, thus  $CG$  is the secant of the arch  $SH$ , or co-secant of the arch  $AS$ .


XXVI.

What an arch wants of a semicircle is called the **SUPPLEMENT** of the arch, thus, the arch  $DHS$  is the supplement of the arch  $AS$ . The sine, tangent, or secant of an arch, is the same as the sine, tangent, or secant of its supplement; thus, the sine of  $80^\circ = \text{sine of } 100^\circ$ , and the sine of  $70^\circ = \text{sine of } 110^\circ$ , &c.

XXVII.

If one line  $AB$  fall any way upon another  $CD$ , the sum of the two angles  $ABD, ABC$  is always equal to two right angles.


For on the point  $B$  as a centre, describe the circular arch  $CAD$ , cutting the line  $CD$  in  $C$  and  $D$ ; then (by art. 6) this arch is equal to a semicircle, but it is also equal to the sum of the arches  $CA$  and  $AD$ , the measures of the two angles  $ABC, ABD$ : therefore the sum of the two angles is equal to a semicircle, or two right angles. Hence it is evident that all the angles which can be made from a point in any line, towards one side of the line, are equal to two right angles, and that all the angles which can be made about a point, are equal to four right angles.



XXVIII.

If a line  $AC$  cross another  $BD$  in the point  $E$ , the opposite angles will be equal, viz.  $BEA = CED$ , and  $BEC = AED$ .


Upon the point  $E$  as a centre, describe the circle  $ABCD$ : then it is evident that  $ABC$  is a semicircle, as also  $BCD$  (by the 6th) therefore the arch  $ABC = \text{arch } BCD$ , taking from both the common arch  $BC$ , there remains  $AB = CD$ , that is, the angle  $BEA$  equal to the angle  $CED$ . After the same manner we may prove that the angle  $BEC$  is equal to the angle  $AED$ .



XXIX.

If a line  $GH$  cross two parallel lines,  $AB, CD$ , it makes the external opposite angles equal to each other, viz.  $GEB = CFH$  and  $AEG = HFD$ .

For since  $AB$  and  $CD$  are parallel to each other, they may be considered as one broad line, and  $GH$  crossing it; then the vertical or opposite angles  $GEB, CFH$  are equal (by art. 28) as also  $AEG = HFD$ .



XXX.

If a line  $GH$  cross two parallel lines  $AB, CD$  (see the figure) the alternate angles  $AEF$  and  $EFD$ , or  $CFE$  and  $FEB$  are equal.

For  $GEB = AEF$  (art. 28) as also  $CFH = EFD$  (by the same art.) but  $GEB = CFH$  by the last. Therefore  $AEF$  is equal to  $EFD$ ; in the same way may we prove  $FEB = CFE$ .

XXXI.

If a line  $GH$  cross two parallel lines  $AB, CD$  (see the preceding figure) the external angle  $GEB$  is equal to the internal opposite one  $EFD$ , or  $AEG$  equal to  $CFE$ .

For the angle  $AEF$  is equal to the angle  $EFD$  by the last, and  $AEF = GEB$  (by art. 28) therefore  $GEB = EFD$ ; in the same way we may prove  $AEG = CFE$ .

XXXII.

If a line  $GH$  cross two parallel lines  $AB, CD$  (see the preceding figure) the sum of the two internal angles  $BEF$  and  $DFE$ , or  $AEF$  and  $CFE$  is equal to two right angles.


For since the angle  $GEB$  is equal to the angle  $EFD$  (by the last) to both

add the angle BEF, and we have  $GEB + BEF = BEF + EFD$ , but  $GEB + BEF = \text{two right angles}$  (art. 27.) Hence  $BEF + EFD = \text{two right angles}$ ; and in the same manner we may prove  $AEF + CFE = \text{two right angles}$ .

XXXIII.

*In any triangle ABC, one of its legs, as BC being produced towards D, the external angle ACD is equal to the sum of the internal and opposite angles ABC, BAC.*


To prove this, through C draw CE parallel to AB; then since CE is parallel to AB and the lines AC, BD cross them, the angle  $ECD = ABC$  (by article 31) and  $ACE = BAC$  (by article 30) B adding these together we have  $ECD + ACE = ABC + BAC$ ; but  $ECD + ACE = ACD$ , therefore  $ACD = ABC + BAC$ .



XXXIV.

*Hence it may be proved that if any two lines AB and CD, be crossed by a third line EF, and the alternate angles AEF and EFD be equal, the lines AB and CD will be parallel.*

For if they are not parallel, they must meet each other on one side of the line EF (suppose at G) and so form the triangle EGF, one of whose sides, GE being produced to A, the exterior angle AEF must (by the preceding article) be equal to the sum of the two angles EFG and EGF; but by supposition it is equal to the angle EFG alone; therefore the angle AEF must be equal to the sum of the two angles EFG and EGF, and at the same time equal to EFG alone, which is absurd; therefore the lines AB, CD cannot meet, and must be parallel.



XXXV.

*In any right lined triangle ABC, the sum of the three angles is equal to two right angles.*

To prove this, you must produce BC (in the fig. art. 33.) towards D, then (by art. 33) the external angle  $ACD = ABC + BAC$ , to both add the angle ACB and we have  $ACD + ACB = ABC + BAC + ACB$ , but  $ACD + ACB = \text{two right angles}$  (by art. 27.) Hence  $ABC + BAC + ACB = \text{two right angles}$ ; therefore the sum of the three angles of any plain triangle ACB is equal to two right angles.

XXXVI.

*Hence in any plain triangle, if one of its angles be known, the sum of the other two will be also known.*

For by the last article the sum of all three angles is equal to two right angles or  $180^\circ$ , hence, by subtracting the given angle from  $180^\circ$ , the remainder will be the sum of the other two.

*In any right angled triangle, the two acute angles taken together are just equal to a right angle:* for all three angles being equal to two right angles, and one angle being right by supposition, the sum of the other two must be equal to a right angle, consequently any one of the acute angles being given, the other one may be found, by subtracting the given one from 90 degrees.

XXXVII.


*If in any two triangles ABC, DEF, two legs of the one, AB, AC, be equal to two legs of the other DE, DF, each to each respectively, that is  $AB = DE$  and*



**XXI.**

*An angle at the circumference is measured by half the arch it subtends.*


For an angle at the centre standing on the same arch is measured by the whole arch (*by art. 11*); but since an angle at the centre is double that at the circumference, (*art. 40*) it is evident that an angle at the circumference must be measured by half the arch it stands upon. Hence all angles  $ACB$ ,  $ADB$ ,  $AEB$ , &c. at the circumference of a circle standing on the same chord  $AB$  are equal to each other; for they are all measured by the same arch, viz. half the arch  $AB$ .



**XXII.**


*An angle in a segment greater than a semicircle is less than a right angle.*

Thus if  $ABC$  be a segment greater than a semicircle, the arch  $AC$  on which it stands must be less than a semicircle, and the half of it less than a quadrant or a right angle; but the angle  $ABC$  in the segment is measured by half the arch  $AC$ ; therefore it is less than a right angle.




*An angle in a semicircle is a right angle.*

For since  $DEF$  is a semicircle, the arch  $DKF$  must also be a semicircle; but the angle  $DEF$  is measured by half the arch  $DKF$ , that is, by half a semicircle or by a quadrant; therefore the angle  $DEF$  is a right one.



*An angle in a segment less than a semicircle is greater than a right angle.*


Thus if  $GHI$  be a segment less than a semicircle, the arch  $GLI$  on which it stands must be greater than a semicircle, and its half greater than a quadrant or right angle: therefore the angle  $GHI$  which is measured by half the arch  $GLI$  is greater than a right angle.



**XXIII.**

*If from the centre  $C$  of the circle  $ABE$ , there be let fall the perpendicular  $CD$  on the chord  $AB$ ; it will bisect the chord in the point  $D$ .*

Draw the radii  $CA$ ,  $CB$ , then (*by art. 39*) the angle  $CBA =$  the angle  $CAB$ , and as the angles at  $D$  are right, the angle  $ACD$  must be equal to the angle  $BCD$  (*by art. 36.*) Hence in the triangles  $ACD$ ,  $BCD$ , we have the angle  $ACD$  equal to the angle  $BCD$ ,  $CA = CB$  and  $CD$  common to both triangles, consequently (*by art. 37*)  $AD = DB$ , that is,  $AB$  is bisected at  $D$ .



**XXIV.**

*If from the centre  $C$  of the circle  $ABE$  there be drawn a perpendicular  $CD$ , to the chord  $AB$ , and it be continued to meet the circle in  $F$ , it will bisect the arch  $AFB$  in  $F$ . (See the preceding figure.)*

For in the last article it was proved that the angle  $ACD =$  the angle  $BCD$ , hence (*by art. 11*) the arch  $AF =$  the arch  $FB$ .

**XXV.**

*Any line bisecting a chord at right angles is a diameter.*

For since (*by art. 43*) a line drawn from the centre perpendicular to a chord, bisects that chord at right angles, therefore conversely a line bisecting a chord at right angles, must pass through the centre, and consequently be a diameter.

XLVI.


The sine of any arch is equal to half the chord of twice that arch.

For (in the last scheme) AD is the sine of the arch AF, and AF is equal to half the arch AFB and AD half the chord AB, whence the proposition is manifest.

XLVII.

If two equal and parallel lines AB, CD, be joined by A two others, AC, BD, these will be also equal and parallel.

To demonstrate this, join the two opposite angles A and D with the line AD; then it is evident that the line AD divides the quadrilateral ACDB into two triangles ABD, ACD, in which AB is equal to CD by supposition, and AD is common to both triangles; and since AB is parallel to CD, the angle BAD is equal to the angle ADC (by art. 30), therefore in the two triangles, the sides AB, AD, and the angle BAD are equal respectively to the sides CD, AD, and the angle ADC; hence (by art. 37) BD is equal to AC, and the angle DAC equal to the angle ADB; therefore (by art. 34) the lines BD, AC, must be parallel.



Cor. Hence it follows that the quadrilateral ABDC is a parallelogram, since the opposite sides are parallel. It is also evident that in any parallelogram, the line joining the opposite angles (called the diagonal) as AD, divides the figure into two equal parts, since it has been proved that the triangles ABD, ACD, are equal to each other.

XLVIII.

It follows also from the preceding article, that a triangle ACD (see the preceding figure) on the same base, and between the same parallels with a parallelogram ABDC, is the half of that parallelogram.

XLIX.

From the same article it also follows, that the opposite sides of a parallelogram are equal. For it has been proved, that ABDC being a parallelogram, AB is equal to CD, and AC equal to BD.

L.

All parallelograms on the same or equal bases, and between the same parallels, are equal to each other; that is, if BD and GH be equal, and the lines BH, AF be parallel, the parallelograms ABDC, BDFE and EFHG will be equal to each other.

For AC is equal to EF each being equal to BD (by art. 49) to both add CE and we have AE equal to CF; therefore in the two triangles ABE, CDF; AB is equal to CD, and AE is equal to CF, and the angle BAE is equal to DCF (by art. 31,) therefore



the two triangles ABE, CDF are equal (by art. 37) and taking the triangle CKE from both, the figure ABKC is equal to the figure KDFE, to both which add the little triangle KBD, and we have the parallelogram ABDC equal to the parallelogram BDFE. In the same way it may be proved that the parallelogram EFHG is equal to the parallelogram BDFE; therefore the three parallelograms ABDC, BDFE, and EFHG are equal to each other.


Cor. Hence it follows, that triangles on the same base and between the same parallels are equal, since they are the half of the parallelograms on the same base and between the same parallels (by art. 48.)

LI.

In any right angled triangle, the square of the hypotenuse is equal to the sum of the squares of the two sides. Thus if BAC be a right angled triangle the square of the hypotenuse BC, viz. BCMH, is equal to the sum of the squares made on the two sides AB and AC, viz. to ABDE and ACGF.

To demonstrate this, through the point A draw AKL perpendicular to the hypotenuse BC. Join AH, AM, DC, and BG; then it is evident, that DB

is equal to BA (by art. 18) and BH equal to BC, therefore in the triangles DBC, ABH, the two legs DB, BC of the one are equal to the two legs AB, BH, of the other; and the included angles DBC and ABH are also equal, (for DBA is equal to CBH being both right, to each add ABC and we have DBC equal to ABH) therefore the triangles DBC, ABH are equal (by art. 37) but the triangle DBC is half of the square ABDE (by art. 48) and the triangle ABH is half the parallelogram BKLH (by the same art.) consequently the square ABDE is equal to the parallelogram BKLH. In the same way it may be proved that the square ACGF is equal to the parallelogram KCML. Therefore the sum of the squares ABDE and ACGF is equal to the sum of the parallelograms BKLH and KCML; but the sum of these parallelograms is equal to the square BCMH, therefore the sum of the squares on AB and AC is equal to the square on BC.



*Cor.* Hence in any right angled triangle, if we have the hypotenuse and one of the legs, we may easily find the other leg, by taking the square of the given leg from the square of the hypotenuse, the square root of the remainder will be the sought leg. Thus if the hypotenuse was 13, and one leg was 5, the other leg would be 12, for the square of 5 is 25, and the square of 13 is 169, subtracting 25 from 169 leaves 144, the square root of which is 12. If both legs are given, the hypotenuse may also be found by extracting the square root of the sum of the squares of the legs; thus if one leg was 6, and the other 8, the square of the first is 36, the square of the second is 64, adding 36 and 64 together gives 100, whose square root is 10, which is the sought hypotenuse.

LII.


Four quantities are said to be proportional, when the magnitude of the first compared with the second is the same as the magnitude of the third compared with the fourth.

Thus 4, 8, 12 and 24, are proportional, because 4 is half of 8, and 12 is half of 24; and if we take equi-multiples  $A \times a$ ,  $A \times b$ , of the quantities  $a$  and  $b$ , and other equi-multiples  $B \times a$ ,  $B \times b$ , of the same quantities  $a$  and  $b$ , the four quantities  $A \times a$ ,  $A \times b$ ,  $B \times a$ ,  $B \times b$  will be proportional, for  $A \times a$  compared with  $A \times b$  is of the same magnitude as  $a$  compared with  $b$ , and  $B \times a$  compared with  $B \times b$  is also of the same magnitude as  $a$  compared with  $b$ .

LIII.

In any triangle AGg if a line Ee be drawn parallel to either of the sides as Gg, the side Ag will be to AE, as Ag to Ae, or as Gg to Ee.


To demonstrate this, upon the line AG take the line AB so that a certain multiple of it may be equal to AE, and another multiple of it may be equal to AG; this may be always done accurately when AE and AG are commensurable; if they are not accurately commensurable, the quantity AB may be taken so small that certain multiples of it may differ from AE and AG respectively by quantities less than any assignable. On the line AG, take BC, CD, DE, EF, &c. each equal to AB, and through these points draw the lines Bb, Cc &c. parallel to Gg, cutting the line Ag in the points b, c, d, e, &c. draw also the lines BM, CL, DK, &c. parallel to Ag, cutting the former parallels in the points N, O, P, &c. and the line Gg in the points M, L, K, &c. Then the triangles ABB, BCN, CDO, &c. are similar and equal to each other: for the lines Bb, CN are parallel, therefore the angle  $ABB = BCN$  (by art. 31) and



therefore since in the two triangles CDF, cdf, the two angles FCD, CDF of the one, are equal to the two angles fcd, cdf, of the other, each to each, the remaining angle CFD is also equal to the remaining angle cfd, (*by art. 36*;) consequently the triangles CFD, cfd, are similar. The triangles BCD, bcd are also similar, for the angle CBD is equal to the angle CDB, being each subtended by the radius; therefore (*by art. 36*) each of these angles is equal to half the supplement of the angle BCD; and in the same manner the angle cbd or cdb is equal to half the supplement of the angle bcd, and since the angle BCD is equal to bcd, the angles of these two triangles must be equal, consequently they are similar. The triangles BCE, bce are also similar, because BE is parallel to FD, and be parallel to fd. Hence we obtain (*by art. 54*) the following analogies.  $CD : cd :: FD : fd$ ;  $CD : cd :: BD : bd$ ;  $CB : cb :: BE : be$ , &c.

LVI.


Let ABD be a quadrant of a circle, described by the radius CD, BD any arch of it, BA its complement, BG or CF the sine, CG or BF the co-sine, DE the tangent, AH the co-tangent, CE the secant, and CH the co-secant of that arch BD. Then since the triangles CDE, CGB, are similar or equi-angular we shall have (*by art. 54*)  $DE : CE :: BG : CB$ , that is, the tangent of an arch, is to secant of the same, as the sine of it is to radius. Also,  $CE : CD :: CB : CG$ ; that is, the secant is to radius as the radius to the co-sine of an arch. Also,  $CF : CA :: CB : CH$ , that is, the sine is to radius as radius to the co-secant of an arch; and since the triangle CAH is similar to the triangle CDE, we have  $AH : CA :: CD : DE$ , that is, the co-tangent is to the radius as the radius to the tangent of an arch.



LVII.

In all circles, the sine of  $90^\circ$ , the tangent of  $45^\circ$ , and the chord of  $60^\circ$ , are each equal to the radius.

For in the circle DFAEB, let the arch BE be  $45^\circ$ , the arch BA  $60^\circ$ , and BF  $90^\circ$ . Draw through the centre C the diameter DCB and perpendicular thereto the tangent BG meeting CE produced in G; draw the chord BA, and join CF, CA.—Then since the arch BF is  $90^\circ$ , DF must be  $90^\circ$ , whence (*by art. 12 & 19*) the radius CF is equal to the sine of the arch BF, or sine of  $90^\circ$ . Again, in the triangle CBG, since the angle CBG is  $90^\circ$ , and BCG is  $45^\circ$  by supposition, the angle CGB is also  $45^\circ$  (*by art. 36*) therefore (*by art. 39*) BG is equal to CB, that is, the tangent of  $45^\circ$  is equal to the radius. Again, the angle ACB is  $60^\circ$  (being measured by the arch BA) and the angle CBA is also  $60^\circ$  (being measured by half the arch AD =  $120^\circ$  by art. 40) therefore (*by art. 39*)  $CA = AB$ , that is, the chord of  $60^\circ$  is equal to the radius.




The four following propositions contain the demonstration of the rules by which all the calculations of trigonometry may be made; they were inserted here in order to prevent any embarrassment of the young calculator, from the introduction of the demonstrations among the precepts for calculation.


LVIII.

In any plune triangle, the sides are proportional to the sines of the opposite angles.

Let ABC be the triangle; produce the lesser side AB to F, making AF equal to BC; from B and F let fall the perpendiculars BD, FE, upon AC (produced if necessary); then FE is the sine of the angle A, and BD is the sine of the angle C, the



radius being BC equal to AF; now the triangles ABD, AFE, having the angle A common to both, and the angle D equal to the angle E (being each equal to a right angle) are similar; hence (by art. 54) as AF (or its equal BC) is to AB, so is FE to BD; that is, BC is to AB as the sine of the angle A is to the sine of the angle C.




LIX.



In any triangle (supposing any side to be the base, and calling the other two the sides) the sum of the sides is to their difference, as the tangent of half the sum of the angles at the base is to the tangent of half the difference of the same angles.

Thus, in the triangle ABC, if we call AB the base, it will be as the sum of AC and CB is to their difference, so is the tangent of half the sum of the angles ABC, BAC, to the tangent of half their difference.

*Dem.* With the longest leg CB as radius, describe a circle about the centre C, meeting the shorter side AC (produced on each side) in the points D and E, join EB, DB; draw AH perpendicular to DB, and AF perpendicular to EB; then (by art. 42) the angle EBD, being in a semi-circle, is a right angle; and the triangles AHD, AFE, are similar, and AF is equal to HB. Moreover, since CB is equal to CD or CE, AD is the sum and AE is the difference of the legs AC, CB; likewise (by art. 33) the angle BCD is equal to the sum of the angles BAC, ABC, and therefore (by art. 40) the angle DEB, or its equal DAH, is equal to half the sum of the angles at the base ABC, BAC. Again (by art. 33) the angle BAC is equal to the sum of the angles CEB (or CBE) and ABE, and therefore is equal to the sum of the angle ABC, and twice the angle ABE; hence the angle ABE or its equal BAH, is equal to half the difference of the angles at the base. But in the right angled triangles AHD, AHB, making AH radius, the legs DH, HB are the tangents of the angles DAH, BAH, or the tangents of half the sum and half the difference of the angles at the base; but by reason of the similar triangles AHD, AFE, we have  $AD : AE :: DH : AF$  or HB; that is, AD, the sum of the legs AC and CB, is to AE their difference, as DH the tangent of half the sum of the angles at the base (the radius being AH) is to HB the tangent of half the difference of the same angles, (to the same radius,) and therefore (by art. 55) as the tabular tangent of half the sum of the angles at the base is to the tabular tangent of half the difference of the same angles.



LX.




In any plane triangle ABC, if the line CD be drawn perpendicular to the base AB, dividing it into two segments, AD, DB, and the base AB be bisected in the point H, we shall have,

*As the base AB is to the sum of the sides, AC, BC, so is the difference of the sides to twice the distance DH of the perpendicular from the middle of the base.*

*Dem.* With the greater side CB as radius, describe about the centre C the circle BFGE, meeting the other side produced in the points E and F, and the base AB produced in G; join GF and BE. Then AE is the sum, and AF the difference of the sides AC, CB; and since CD is perpendicular to GB, the line GB is bisected in D (by art. 43) and as AB is bisected in H, the line AG is equal to twice DH. Now in the triangles BAE, GAF, the angles ABE, GFA are equal (by art. 41) and the angle BAE is equal to GAF (by art. 28) therefore the remaining angles AEB, AGF, are equal, and the triangles BAE, GAF, are similar; consequently (by art. 54) AB : AE :: AF : AG, or twice HD, which is the proposition to be demonstrated. Having thus obtained HD, we may find the segments AD, DB, by adding HD to the half base HA or HB and by taking their difference.

LXI.

*In any plane triangle, the square of radius is to the square of the co-sine of half of either of the angles, as the rectangle contained by the two sides including that angle is to the rectangle contained by the half sum of the sides, and that half sum decreased by the side opposite to that angle.*



Thus in the triangle CBE, the square of radius is to the square of the co-sine of half the angle C, as the rectangle  $CB \times CE$  is to  $\frac{CB+CE+BE}{2} \times \frac{CB+CE-BE}{2}$ .

For continue EC to A, making CA=CB, draw BD perpendicular to CE, bisect CE in H, and join AB. Then (supposing CB to be greater than EB) we have (by art. 60)  $CE : CB+BE :: CB-BE : 2HD$ ; by adding

half this to half the base=CH, we have the segment  $CD = \frac{CB^2 - BE^2 + CE^2}{2 \cdot CE}$

to this adding CA or CB, we have  $AD = \frac{CB^2 - BE^2 + CE^2 + 2 \cdot CE \cdot CB}{2 \cdot CE}$

Again,  $AD = AC + CD = CB + CD$ ;

hence  $AD^2 = CB^2 + 2 \cdot CB \cdot CD + CD^2$ ; also,  $BD^2 = CB^2 - CD^2$ ; hence  $AB^2 = AD^2 + BD^2 = 2 \cdot CB^2 + 2 \cdot CB \cdot CD = 2 \cdot CB \times CB + CD = 2 \cdot CB \cdot AD$ ; hence  $AB^2 : AD^2 ::$

$2 \cdot CB : AD = \frac{CB+CE+BE}{2 \cdot CE} \cdot \frac{CB+CE-BE}{2 \cdot CE}$ ; but AB being radius, AD is the co-sine

of the angle A, which is equal to half the angle C (by art. 40;) therefore the square of radius is to square of the co-sine of half the angle C, as the rectangle  $CE \cdot CB$  is to the rectangle  $\frac{CB+CE+BE}{2} \times \frac{CB+CE-BE}{2}$


The other cases of this proposition may be demonstrated in the same manner.

## GEOMETRICAL PROBLEMS.

### PROBLEM I.

To draw a Right Line  $CD$  parallel to a given Right Line  $AB$ , at any given distance, as at the point  $D$ .


WITH a pair of compasses take the nearest distance between the point  $D$  and the given right line  $AB$ ; with that distance set one foot of the compasses any where on the line  $AB$ , as at  $A$ , and draw the arch  $C$  on the same side of the line  $AB$  as the point  $D$ , from the point  $D$  draw a line so as just to touch the arch  $C$ , and it is done; for the line  $CD$  will be parallel to the line  $AB$ , and at the distance of the point given  $D$ , as was required.



### PROBLEM II.

To bisect or divide a given line  $AB$  into two equal parts.


Take any distance in your compasses greater than half the line  $AB$ , then with one foot in  $B$ , describe the arch  $CFD$ ; with the same distance, and one foot in  $A$ , describe the arch  $CGD$ , cutting the former arch in  $C$  and  $D$ ; draw the line  $CD$ , and it will bisect  $AB$  in the point  $E$ .



### PROBLEM III.


To erect a perpendicular  $BA$  on the end of a given Right Line  $DB$ .

Take any extent in your compasses, and with one foot in  $B$  fix the other in any point  $C$  without the given line; then with one point of the compasses in  $C$ , describe with the other the circle  $ABD$ ; through  $D$  and  $C$  draw the diameter  $DCA$  meeting the circle in  $A$ ; join  $B$  and  $A$  and it is done; for  $BA$  will be the required line (by art. 42 Geom.)



Or thus,


Take any convenient distance as  $BH$  in your compasses, and with one foot in  $B$  describe the arch  $HFG$ , upon which set off the same distance as a chord from  $H$  to  $F$ , and from  $F$  to  $G$ , upon  $F$  and  $G$  describe two arches intersecting each other in  $A$ ; draw a line from  $B$  to  $A$  and it is done; for  $BA$  will be the perpendicular required.



### PROBLEM IV.

From a given point as  $C$ , to let fall a perpendicular  $CO$ , on a given Right Line  $AB$ .


Take any extent in your compasses greater than the least distance between  $C$  and the given line  $AB$ ; with one foot in  $C$ , describe an arch to cut the given line  $AB$  in  $F$  and  $G$ ;—with one foot in  $G$  describe an arch, and with the same distance, and one foot in  $F$ , describe another arch cutting the former in  $D$ ; from  $C$  to  $D$  draw the line  $COD$ , cutting  $AB$  in  $O$ ; then  $CO$  will be the perpendicular required.



**PROBLEM V.**

From a given point *C* to let fall a perpendicular *CB* on a given Line *AB*, when the perpendicular is to fall so near the end of the given line that it cannot be done as above.

Upon any point *A* of the line *AB* as a centre, and with the distance *AC* describe an arch *E*; choose any other point in the line *AB*, as *D*, and with the distance *DC* describe another arch intersecting the former in *E*, join *CE* cutting *AB* in *B*, and it is done, for *CB* will be the perpendicular required.




**PROBLEM VI.**

To make an angle that shall contain any proposed number of degrees, from a given point in a given line.


**CASE 1.** When the given angle is right, or contains  $90^\circ$  let *CA* be the given line, and *C* the given point.

On *C* erect a perpendicular *CD*, and it is done; for the angle *DCA* is an angle of  $90^\circ$ . Or thus, on the point *C* as a centre, with the chord of  $60^\circ$ \* describe an arch *GH*, and set off thereon from *G* to *H* the distance of the chord of  $90^\circ$  and from *C* through *H* draw *CHD*, which will form the angle *DCA* of  $90^\circ$  required.




**CASE 2.** When the angle is acute, as for example  $36^\circ 30'$  let *CB* be the given line and *C* the point at which the angle is to be made.

With the chord of  $60^\circ$  in your compasses, and one foot on *C*, as a centre, draw the arch *FB*, on which set off from *B* to *F*, the given angle  $36\frac{1}{2}^\circ$  taken from the line of chords; through *F* and the centre *C* draw the right line *AC*, and it is done; for the angle *ACB* will be an angle of  $36^\circ 30'$  as was required.



**CASE 3.** When the given angle is obtuse, as for example  $127^\circ 20'$  let *CB* be the given line and *C* the angular point.

Take the chord of  $60^\circ$  in your compasses, and with one foot on *C* as a centre, describe an arch *BGHE*, upon which set off the chord of  $60^\circ$  (which you already have in your compasses) from *B* to *G*, and from *G* to *H*; then set off from *G* to *E*, the excess of the given angle above  $60^\circ$ , which is  $67\frac{1}{2}^\circ$  taken from the line of chords; or you may set off from *H* to *E*, the excess of the given angle above  $120^\circ$ , which is  $7\frac{1}{2}^\circ$ ; draw the line *CE*, and it is done, for the angle *ECB* will be an angle of  $127^\circ 20'$ .




Were it required to measure a given angle, the process would have been nearly the same, by sweeping an arch as *BE*, and measuring it on the line of chords, as is evident.

**PROBLEM VII.**

To bisect a given arch of a circle *AB*, whose centre is *C*.

Take in your compasses any extent greater than the half of *AB*, and with one foot in *A*, describe an arch; with the same extent and one foot in *B*, describe another arch cutting the former in *D*; join *CD* and it is done, for this line will bisect the arch *AB* in the point *E*. It is also evident that the line *CD* bisects the angle *BCA*, or divides it into two equal parts.




\* For a description of the line of Chords see page 20



**PROBLEM VIII.**

*To find the centre of a given Circle.*


With any radius, and one foot in the circumference as at A, describe an arch of a circle, as CBD, cutting the given circle in B; with the same extent, and one foot in B, describe another arch CAD, cutting the former in C and D; through C and D draw the line CD, which will pass through the centre of the circle; in like manner may another right line be drawn, as EFG, which shall cross the first right line at the centre required. This construction depends upon article 43 of Geometry.



**PROBLEM IX.**

*To draw a Circle through any three given points not situated in a Right Line.*


Let A, B and D be the given points. Take in your compasses any distance greater than half AB, and with one foot in A describe an arch EF; with the same extent, and one foot in B, describe another arch cutting the former in the points E, F, through which draw the indefinite right line EFC; then take in your compasses any extent greater than half BD, and with one foot in B, describe an arch GH; with the same extent, and one foot in D, describe another arch cutting the former in the points G, H, through which draw the right line GHC, cutting the former right line EFC, in the point C; upon the point C as a centre, with an extent equal to CA, CB, or CD, as radius, describe the sought circle.



**PROBLEM X.**

*To divide a Circle into 2, 4, 8, 16, or 32, equal parts.*


Draw a diameter through the centre, dividing the circle into two equal parts; bisect this diameter by another drawn perpendicular thereto, and the circle will be divided into four equal parts or quadrants; bisect each of these quadrants again by right lines drawn through the centre, and the circle will be divided into eight equal parts; and so you may continue the bisections any number of times. This problem is useful in constructing the mariner's compass.



**PROBLEM XI.**

*To divide a given Line into any number of equal parts.*

Let it be required to divide the line AB into five equal parts.—From the point A draw any line AD, making an angle with the line AB; then through the point B draw a line BC parallel to AD; and from A, with any small opening in your compasses, set off a number of equal parts on the line AD, less by one than the proposed number (which number of equal parts in this example is 4:) then from B set off the same number of the same parts on the line BC, then join 4 and 1, 3 and 2, 2 and 3, 1 and 4, and these lines will cut the given line as required.



## CONSTRUCTION OF THE PLANE SCALE.

1st. WITH the radius you intend for your scale, describe a semicircle ADB, (Plate II. fig. 1.) and from the centre C draw CD perpendicular to AB, which will divide the semicircle into two quadrants, AD, BD; continue CD towards S, draw BT perpendicular to CB, and join BD and AD.

2dly. Divide the quadrant BD into 9 equal parts, then will each of these be 10 degrees; subdivide each of these parts into single degrees, and if your radius will admit of it, into minutes or some aliquot parts of a degree greater than minutes.

3dly. Set one foot of the compasses in B and transfer each of the divisions of the quadrant BD to the right line BD, then will BD be a line of chords.

4thly. From the points 10, 20, 30, &c. in the quadrant BD draw right lines parallel to CD, to cut the radius CB, and they will divide that line into a line of sines which must be numbered from C towards B.

5thly. If the same line of sines be numbered from B towards C, it will become a line of versed sines, which may be continued to  $180^\circ$ , if the same divisions be transferred on the same line on the other side of the centre C.

6thly. From the centre C, through the several divisions of the quadrant BD, draw right lines till they cut the tangent BT, so will the line BT become a line of tangents.

7thly. Setting one foot of the compasses in C, extend the other to the several divisions 10, 20, 30, &c. in the tangent line BT, and transfer these extents severally to the right line CS, then will that line be a line of secants.


8thly. Right lines drawn from A to the several divisions 10, 20, 30, &c. in the quadrant BD, will divide the radius CD into a line of semi-tangents.

9thly. Divide the quadrant AD into eight equal parts, and from A as a centre transfer these divisions severally into the line AD, then will AD be a line of Rhumbs, each division answering to  $11^\circ 15'$  upon the line of chords. The use of this line is for protracting and measuring angles, according to the common division of the mariner's compass. If the radius AC be divided into 100 or 1000, &c. equal parts, and the lengths of the several sines, tangents, and secants, corresponding to the several arches of the quadrant, be measured thereby, and these numbers be set down in a table,\* each in its proper column, you will by these means have a collection of numbers by which the several cases in trigonometry may be solved. Right lines graduated as above, being placed severally upon a ruler, form the instrument called the Plane Scale, (see Plate II. fig. 2.) by which the lines and angles of all triangles may be measured. All right lines, as the sides of plain triangles, &c. when they are considered simply as such without having any relation to a circle, are measured by scales of equal parts, one of which is subdivided equally into 10, and this serves as a common division to all the rest. In most scales an inch is taken for a common measure, and what an inch is divided into is generally set at the end of the scale. By any common scale of equal parts, divided in this manner, any number less than 100 may be readily taken; but if the number should consist of three places of figures, the value of the third figure cannot be exactly ascertained, and in this case it is better to use a diagonal scale, by which any number consisting of three places of figures, may be exactly found. The figure of this scale is given in Plate II. fig. 3: its construction is as follows.

Having prepared a ruler of convenient breadth for your scale, draw near the edges thereof two right lines, *af*, *cg*, parallel to each other; divide one of these lines as *af*, into equal parts, according to the size of your scale; † and

\* In table XXIV. is given the sine and co-sine to every minute of the quadrant, to five places of decimals.

† The length of one of these equal parts at the end of the scale to which this description refers is *ab* or *cd*. The length of one of the equal parts of the scale of the other end being the half of *ab*.



Plane Scale, Fig. 2.

Hum.	1	2	3	4	5	6	7	8
Clac.	30	30	30	40	50	60	70	80
Sine.	30	30	30	40	50	60	70	80
Tang.	30	30	30	40	50	60	70	80
S.T.	30	30	30	40	50	60	70	80

Diagonal Scale Fig. 3.

$p$	1	2	3	4	5	6	7	8	$d$	$c$
$f$	1	2	3	4	5	6	7	8	9	10



through each of these divisions draw right lines perpendicular to  $af$ , to meet  $cg$ , then divide the breadth into 10 equal parts, and through each of these divisions draw right lines parallel to  $af$  and  $cg$ ; divide the lines  $ab$ ,  $cd$ , into 10 equal parts, and from the point  $a$  to the first division in the line  $cd$ , draw a diagonal line; then parallel to that line, draw diagonal lines through all the other divisions, and the scale is complete. Then, if any number, consisting of three places of figures, as 256, be required from the larger scale  $gd$ , you must place one foot of the compasses on the figure 2 on the line  $gd$ , then the extent from 2 to the point  $d$  will represent 200. The second figure being 5, count five of the smaller divisions from  $d$  towards  $e$ , and the extent from 2 to that point will be 250. Move both points of the compasses downwards till they are on the sixth parallel line below  $gd$ , and open them a little till the one point rests on the vertical line drawn through 2, and the other on the diagonal line drawn through 5; the extent then in the compasses will represent 256. In the same way the quantities 25, 8; 2, 56; 0, 256, &c. are measured.

Besides the lines already mentioned, there is another on the Plane Scale marked  $ML$ , which is joined to a line of chords, and shows how many miles of easting or westing correspond to a degree of longitude in every latitude.\* These several lines are generally put on one side of a ruler, two feet long; and on the other side is laid down a scale of the logarithms of the sines, tangents, and numbers, which is commonly called Gunter's Scale, and as it is of general use, it requires a particular description.



## GUNTER'S SCALE.

ON GUNTER'S SCALE are eight lines, viz.

1st. Sine Rhumbs, marked (SR) corresponding to the logarithms† of the natural sines of every point of the mariner's compass, numbered from the left hand towards the right, with 1, 2, 3, 4, 5, 6, 7, to 8, where is a brass pin. This line is also divided, where it can be done, into halves and quarters.

2d. Tangent rhumbs, marked (TR) correspond to the logarithms of the tangents of every point of the compass, and are numbered 1, 2, 3, to 4, at the right hand where there is a pin, and thence towards the left hand with 5, 6, 7; it is also divided, where it can be done, into halves and quarters.

3d. The line of numbers, marked (Num.) corresponds to the logarithms of numbers, and is marked thus: near the left hand it begins at 1, and towards the right hand are 2, 3, 4, 5, 6, 7, 8, 9; and 1 in the middle, at which is a brass pin. Then 2, 3, 4, 5, 6, 7, 8, 9, and 10 at the end, where there is another pin. The values of these numbers and their intermediate divisions depend on the estimated values of the extreme numbers 1 and 10; and as this line is of great importance, a particular description of it will be given. The first 1 may be counted for 1, 10, 100, or 1000, &c. and then the next 2, will be 2, 20, 200, or 2000, &c. respectively. Again, the first 1 may be reckoned 1 tenth, 1 hundredth, or 1 thousandth part, &c. then the next will be 2 tenths, or 2 hundredths, or 2 thousandths parts, &c. so that if the first 1 be esteemed 1, the middle 1 will be 10; 2 to its right 20; 3, 30; 4, 40; and 10 at the end 100; again, if the first 1 is 10, the next 2 is 20, 3 is 30, and so on, making the middle 1, 100, the next 2 is 200, 3 is 300, 4 is 400, and 10 at the end is 1000. In like manner, if the first 1 be esteemed 1 tenth part, the next 2 will be 2

\* As it would confuse the adjoined figure to describe on it the line of longitudes, it is neglected, but the construction is as follows: divide the line  $CB$  into 60 equal parts (if it can be done) and through each point draw lines parallel to  $CD$  to intersect the arch  $BD$ : about  $B$ , as a centre, transfer the several points of intersection to the line  $BD$ , and then number it from  $D$ , towards  $B$ , from 0 to 60, and it will be the line of longitudes.

† The description and use of logarithms are given in page 29, et seq. The logarithms, tangents, &c. are marked on these scales by means of a line of equal parts, corresponding to the size of the scale.

tenth parts, and the middle 1 will be 1; the next 2, 2; and 10 at the end will be 10. Again, if the first 1 be counted 1 hundredth part, the next 2 hundredth parts, the middle 1 will be 10 hundredth parts, or one tenth part, and the next 2 two tenth parts, and 10 at the end will be but one whole number or integer.

As the figures are increased or diminished in their value, so in like manner must all the intermediate strokes or subdivisions be increased or diminished: that is, if the first 1 at the left hand be counted 1, then 2 (next following it) will be 2, and each subdivision between them will be 1 tenth part, and so all the way to the middle 1, which will be 10, the next 2, 20, and the longer strokes between 1 and 2 are to be counted from 1 thus, 11, 12, (where is a brass pin) then 13, 14, 15, sometimes a longer stroke than the rest, then 16, 17, 18, 19, 20, at the figure 2; and in the same manner the short strokes between the figures 2 and 3, 3 and 4, 4 and 5, &c. are to be reckoned as units. Again, if 1 at the left hand be 10, the figures between it and the middle 1 will be common tens; and the subdivisions between each figure will be units; from the middle 1 to 10 at the end, each figure will be so many hundreds; and between these figures each longer division will be 10. From this description it will be easy to find the divisions representing any given number, thus: Suppose the point representing the number 12, were required; take the division at the figure 1 in the middle, for the first figure of 12; then for the second figure count two tenths, or longer strokes to the right hand, and this will be the point representing 12, where the brass pin is.

Again, suppose the number 22 were required; the first figure 2 is to be found on the scale, and for the second figure 2, count 2 tenths onwards, and that is the point representing 22.

Again, suppose 1728 were required; for the first figure 1, I take the middle 1, for the second figure 7, count onwards as before, and that will be 1700. And as the remaining figures are 28 or nearly 30, I note the point which is nearly  $\frac{3}{5}$  of the distance between the marks 7 and 8, and this will be the point representing 1728.

If the point representing 435 was required; from the 4 in the second interval count towards 5 on the right, three of the larger divisions and one of the smaller (this smaller division being midway between the marks 3 and 4) and that will be the division expressing 435. In a similar manner other numbers may be found.

All fractions found in this line must be decimals; and if they are not, they must be reduced into decimals, which is easily done by extending the compasses from the denominator to the numerator; that extent laid the same way, from 1 in the middle or right hand, will reach to the decimal required.

**EXAMPLE.** Required the decimal fraction equal to  $\frac{3}{4}$ : Extend from 4 to 3; that extent will reach from 1 on the middle to .75 towards the left hand. The like may be observed of any other vulgar fraction.

Multiplication is performed on this line, by extending from 1 to the multiplier: that extent will reach from the multiplicand to the product.

Suppose, for example, it were required to find the product of 16 multiplied by 4, extend from 1 to 4; that extent will reach from 16 to 64, the product required.

Division being the reverse of multiplication, therefore extend from the divisor to unity; that extent will reach from the dividend to the quotient.

Suppose 64 to be divided by 4; extend from 4 to 1, that extent will reach from 64 to 16, the quotient.

Questions in the Rule of Three are solved by this line as follows: Extend from the first term to the second, that extent will reach from the third term\* to the fourth. And it ought to be particularly noted, that if you extend to the left, from the first number to the second, you must also extend to the left, from the third number to the fourth; and the contrary.

---

\* Or you may extend from the first to the third, for that extent will reach from the second to the fourth. This method must be adopted when using the lines of sines, tangents, &c. if the first and third terms are of the same name, and different from the second and fourth.

## DESCRIPTION AND USE OF GUNTER'S SCALE. 23

**EXAMPLE.** If the diameter of a circle be 7 inches, and the circumference 22, what is the circumference of another circle, the diameter of which is 14 inches? Extend from 7 to 22, that extent will reach from 14 to 44 the same way.

The superficial content of any parallelogram is found by extending from 1 to the breadth; that extent will reach from the length to the superficial content.

**EXAMPLE.** Suppose a plank or board, 15 inches broad and 27 feet long, the content of which is required: Extend from 1 to 1 foot 3 inches (or 1,25;) that extent will reach from 27 feet to 33,75 feet, the superficial content. Or extend from 12 inches to 15, &c.

The solid content of any bale, box, chest, &c. is found by extending from 1 to the breadth; that extent will reach from the depth to a fourth number, and the extent from 1 to that fourth number will reach from the length to the solid content.

**EXAMPLE 1st.** What is the content of a square pillar, whose length is 21 feet 9 inches, and breadth 1 foot 3 inches? The extent from 1 to 1,25 will reach from 1,25 to 1,56, the content of one foot in length; again, the extent from 1 to 1,56 will reach from the length 21,75 to 33,9, or 34, the solid content in feet.

**EXAMPLE 2d.** Suppose a square piece of timber, 1,25 feet broad, .56 deep, and 36 long, be given to find the content: extend from 1 to 1,25; that extent will reach from .56 to .7; then extend from 1 to .7; that extent will reach from 36 to 25,2 the solid content. In like manner may the contents of bales, &c. be found, which divided by 40 will give the tonnage.

4thly. The line of sines marked (Sin.) corresponding to the log-sines of the degrees of the quadrant, begins at the left hand, and is numbered to the right thus: 1, 2, 3, 4, 5, &c. to 10; then 20, 30, 40, &c. ending at 90 degrees, where is a brass centre pin, as there is at the right end of all the lines.

5thly. The line of versed sines, marked (V. S.) corresponding to the log versed sines of the degrees of the quadrant, begins at the right hand against 90° on the sines, and from thence is numbered towards the left hand thus: 10, 20, 30, 40, &c. ending at the left hand at about 169°; each of the subdivisions, from 10 to 30, is in general two degrees, from thence to 90 is single degrees, from thence to the end, each degree is divided into 15 minutes.

6thly. The line of tangents, marked (Tang.) corresponding to the log-tangents of the degrees of the quadrant, begins at the left hand, and is numbered towards the right thus: 1, 2, 3, &c. to 10, and so on 20, 30, 40, and 45. where is a brass pin under 90° on the sines; from thence it is numbered backwards, 50, 60, 70, 80, &c. to 89, ending at the left hand where it began at 1 degree. The subdivisions are nearly similar to those of the sines. When you have any extent in your compasses, to be set off from any number less than 45° on the line of tangents, towards the right, and it is found to reach beyond the mark of 45°, you must see how far it extends beyond that mark, and set it off from 45° towards the left, and see what degree it falls upon, which will be the number sought, which must exceed 45°; if, on the contrary, you are to set off such a distance to the right from a number greater than 45°, you must proceed as before, only remembering, that the answer must be less than 45°, and you must always consider the degrees above 45° as if they were marked on the continuation of the line to the right hand of 45°.

7thly. The line of the meridional parts, marked (Mer.) begins at the right hand, and is numbered thus; 10, 20, 30, &c. to the left hand, where it ends at 87 degrees. This line, with the line of equal parts, marked (E. P.) under it, are used together, and only in Mercator's Sailing. The upper line contains the degrees of the meridian, or latitude in a Mercator's chart, corresponding to the degrees of longitude on the lower line.

The use of this Scale in solving the usual problems of Trigonometry, Plane Sailing, Middle Latitude Sailing, and Mercator's Sailing, will be given in the course of this work; but it will be unnecessary to enter into an explanation of its use in calculating the common problems of Nautical Astronomy, as it is much more accurate to perform those calculations by logarithms.

## ON THE SLIDING RULE.

THE Sliding Rule consists of a *fixed part* and a *slider*, and is of the same dimensions, and has the same lines marked on it as on a common Gunter or Plane Scale, which may be used with a pair of compasses in the same manner as those scales; and as a description of those lines has already been given, it will be unnecessary to repeat it here, it being sufficient to observe, that there are two lines of numbers, a line of log-sines and a line of log-tangents on the slider, and that it may be shifted so as to fix any face of it on either side of the fixed part of the scale, according to the nature of the question to be solved.

In solving any problem in Arithmetic, Trigonometry, Plane Sailing, &c. let the proposition be so stated that the first and third terms may be alike, and of course the second and fourth terms alike; then *bring the first term of the analogy on the fixed part, against the second term on the slider, and against the third term on the fixed part will be found the fourth term on the slider;*\* or if necessary the first and third terms may be found on the slider, and the second and fourth on the fixed part. Multiplication and Division are performed by this rule, in considering unity as one of the terms of the analogy.

Thus, to perform multiplication, set 1 on the line of numbers of the fixed part against one of the factors on the line of numbers of the slider, then against the other factor on the fixed part will be found the product on the slider.

**EXAMPLE.** To find the product of 4 by 12 draw out the slider till 1 on the fixed part coincides with 4 on the slider, then opposite 12 on the fixed part will be found 48 on the slider.

To perform Division, set the divisor on the line of numbers of the fixed part against 1 on the slider, then against the dividend, on the fixed part, will be found the quotient on the slider.

**EXAMPLE.** To divide 48 by 4—set 4 on the fixed part against 1 on the slider, then against 48 on the fixed part will be found 12 on the slider.

### EXAMPLES IN THE RULE OF THREE.

If a ship sail 25 miles in 4 hours, how many miles will she sail in 12 hours at the same rate?


Bring 4 on the line of numbers of the fixed part against 25 on the line of numbers of the slider, then against 12 on the fixed part will be found 75 on the slider, which is the answer required.

**EXAMPLE.** If 3 pounds of sugar cost 21 cents, what will 27 pounds cost?

Bring 3 on the line of numbers of the fixed part, against 21 on the line of numbers of the slider, then against 27 on the fixed part, will be found 189 on the slider.

### EXAMPLE IN TRIGONOMETRY.

In the oblique-angled triangle ABC, let there be given  $AB=56$ ,  $AC=64$ , angle  $ABC=46^\circ 30'$  to find the other angles and the side BC.



In this case we have (*by art. 58 Geometry*) the following canons.—

$AC (64) : \text{sine } \angle B (46^\circ 30') :: AB (56) : \text{sine } \angle C$ , and  $\text{sine } \angle B : AC :: \text{sine } \angle A : BC$ . Therefore, to work the first proposition by the sliding rule.

---

\* If the first and second terms are alike, instead of the first and third, you must bring the first term on the slider against the third on the fixed part, and against the second term on the slider, will be found the fourth term on the fixed part. Or, if necessary, the first and second terms may be found on the fixed part, and the third and fourth on the slider.



we must bring 64 on the line of numbers of the fixed part, against  $46^{\circ} 30'$  on the line of sines of the slider, then against 56 on the former will be  $39^{\circ} 24'$  on the latter, which will be the angle C. The sum of the angles B and C being subtracted from  $180^{\circ}$  leaves the angle  $A=94^{\circ} 6'$ . Then, by the second canon, bring the angle  $B=46^{\circ} 30'$  on the line of sines of the slider against  $AC=64$  on the line of numbers of the fixed part, then against the angle  $A=94^{\circ} 6'$  (or its supplement  $85^{\circ} 54'$ ) on the slider will be found the side  $BC=88$  on the fixed part.

In a similar manner may the other propositions in trigonometry be solved.

From what has been said, it will be easy to work all the problems in Plane, Middle Latitude, and Mercator's Sailing, as in the three following examples, which the learner may pass over until he can solve the same problems by the Scale. If any one wishes to know the use of the sliding rule in problems of Spherical Trigonometry, he may consult the treatises written expressly on that subject: but it may be observed, that in such calculations the sliding rule is rather an object of curiosity than of real use, as it is much more accurate to make use of logarithms.

**EXAMPLE 1.** Given the course sailed 1 point, and the distance 85 miles—required the difference of Latitude and Departure?

By Case 1st of Plane Sailing, we have these canons:

Radius (8 points) : Distance (85) :: Sine. Co. Course (7 points) : Diff. Lat.;  
and Radius (8 points) : Distance (85) :: Sine Course (1 point) : Departure.

Hence we must bring the radius 8 points on the fixed part of the Sine Rhumbs against 85 on the line of numbers on the slider, then against 7 points on the sine rhumbs will be found the diff. of lat.  $83\frac{1}{2}$  on the slider, and against one point will be found the departure 16 $\frac{1}{2}$  miles.

If the course is given in degrees, you must use the line marked *Sin.*

**EXAMPLE 2.** Given the diff. of lat. 40 miles, and departure 30 miles—required the course and distance?

By case 6, of Plane Sailing, we have this canon:—

Diff. Lat. (40) : Radius  $45^{\circ}$  :: Departure (30) : Tang. Course.

Hence we must bring 40 on the line of numbers of the slider against  $45^{\circ}$  on the line of tangents on the fixed part, then against 30 on the slider will be found the course  $37^{\circ}$  nearly.

Again, the canon for the distance gives:

Sine Course ( $37^{\circ}$ ) : Departure (30) :: Radius ( $90^{\circ}$ ) : Distance.

Hence we must bring  $37^{\circ}$  on the line of sines of the fixed part against 30 on the line of numbers on the slider, then against  $90^{\circ}$  on the line of sines of the fixed part will be found the distance 50 on the slider.

**EXAMPLE 3.** Given the Middle Lat.  $40^{\circ}$  and the departure 30 miles—required the Diff. of Long.?

By case 6, of Middle Latitude Sailing, we have this canon:—

Sine Comp. Mid. Lat. ( $50^{\circ}$ ) : Departure (30) :: Radius ( $90^{\circ}$ ) : Diff. Long.

Hence by bringing  $50^{\circ}$  on the line of sines of the fixed part against 30 on the line of numbers on the slider, then against  $90^{\circ}$  on the fixed part, we shall find 39 on the slider, which will be the difference of longitude required.

## DESCRIPTION AND USE OF THE SECTOR.


THIS instrument consists of two rules or legs, moveable round an axis or joint, as a centre, having several scales drawn on the faces, some single, others double; the single scales are like those upon a common Gunter's Scale; the double scales are those which proceed from the centre, each being laid twice on the same face of the instrument, viz. once on each leg. From these scales, dimensions or distances are to be taken, when the legs of the instrument are set in an angular position.

The single scales being used exactly like those on the common Gunter's Scale, it is unnecessary to notice them particularly; we shall therefore only enumerate a few of the uses of the double scale, the number of which is seven, viz. the scale of Lines, marked Lin. or L. the scale of chords, marked Cho. or C. the scale of Sines, marked Sin. or S. the scale of Tangents to  $45^\circ$ , and another scale of tangents from  $45^\circ$  to about  $76^\circ$ , both of which are marked Tan. or T. the scale of Secants, marked Sec. or S. and the scale of Polygons, marked Pol.

The scale of lines, chords, sines, and tangents, under  $45^\circ$ , are all of the same radius, beginning at the centre of the instrument, and terminating near the other extremity of each leg, viz. the lines at the division 10, the chords at  $60^\circ$ , the sines at  $90^\circ$ , and the tangents at  $45^\circ$ ; the remainder of the tangents, or those above  $45^\circ$ , are on other scales, beginning at a quarter of the length of the former, counted from the centre, where they are marked with  $45^\circ$ , and extend to about 76 degrees. The secants also begin at the same distance from the centre, where they are marked with 0, and are from thence continued to  $75^\circ$ . The scales of polygons are set near the inner edge of the legs, and where these scales begin, they are marked with 4, and from thence are numbered backward or towards the centre, to 12.

In describing the use of the sector, the terms *lateral distance* and *transverse distance* often occur. By the former is meant the distance taken with the compasses on one of the scales only, beginning at the centre of the sector; and by the latter, the distance taken between any two corresponding divisions of the scales of the same name, the legs of the sector being in an angular position.

The use of the sector depends upon the porportionability of the corresponding sides of similar triangles, (*demonstrated in art. 53, Geometry.*) For if in the triangle ABC we take  $AB=AC$  and  $AD=AE$ , and draw DE, BC, it is evident that DE and BC will be parallel; therefore by the above-mentioned proposition  $AB:BC :: AD:DE$ ; so that whatever part AD is of AB, the same part DE will be of BC; hence, if DE be the chord, sine, or tangent of any arch to the radius AD, BC will be the same to the radius AB.



### Use of the line of Lines.

The line of lines is useful to divide a given line into any number of equal parts, or in any proportion, or to find 3d and 4th proportionals, or mean proportionals, or to increase a given line in any proportion.

**EXAMPLE 1.** To divide a given line into any number of equal parts, as suppose 9: make the length of the given line a transverse distance to 9 and 9, the number of parts proposed; then will the transverse distance of 1 and 1 be one of the parts, or the ninth part of the whole; and the transverse distance of 2 and 2 will be 2 of the equal parts or  $\frac{2}{9}$  of the whole line, &c.

**EXAMPLE 2.** If a ship sails 52 miles in 8 hours, how much would she sail in 3 hours at the same rate?

Take 52 in your compasses as a transverse distance, and set it off from 3 to 3, then the transverse distance 3 and 3 being measured laterally, will be found equal to 19 and a half, which is the number of miles required.

**EXAMPLE 3.** Having a chart constructed upon a scale of 6 miles to an inch, it is required to open the sector, so that a corresponding scale may be taken from the line of lines?


Make the transverse distance 6 and 6, equal to 1 inch, and this position of the sector will produce the given scale.

**EXAMPLE 4.** It is required to reduce a scale of 6 inches to a degree, to another of 3 inches to a degree?

Make the transverse distance 6 and 6, equal to the lateral distance 3 and 3: then set off any distance from the chart laterally, and the corresponding transverse distance will be the reduced distance required.

**EXAMPLE 5.** One side of any triangle being given, of any length, to measure the other two sides on the same scale.

Suppose the side AB of the triangle ABC measures 50, what are the measures of the other two sides?




Take AB in your compasses, and apply it transversely to 50 and 50; to this opening of the sector apply the distance AC in your compasses to the same number on both sides of the rule transversely; and where the two points fall will be the measure on the line of lines of the distance required; the distance AC will fall against 63, 63, and BC against 45, 45, on the line of lines.

*Use of the line of Chords on the Sector.*

The line of chords upon the sector is very useful for protracting any angle, when the paper is so small that an arch cannot be drawn upon it with the radius of a common line of chords.

Suppose it was required to set off an arch of 30°, from the point C of the small circle ABC.

Take the radius DC in your compasses, and set it off transversely from 60° to 60° on the chords, then take the transverse extent from 30° to 30° on the chords; and place one foot of the compasses in C, the other will reach to E, and CE will be the arch required. And by the converse operation any angle or arch may be measured, viz. with any radius describe an arch about the angular point; set that radius transversely from 60° to 60°; then take the distance of the arch, intercepted between the two legs, and apply it transversely to the chords, which will show the degrees of the given angle.



**NOTE.** When the angle to be protracted exceeds 60°, you must lay off 60°, and then the remaining part; or if it be above 120°, lay off 60° twice, and then the remaining part. And in a similar manner any arch above 60° may be measured.

*Uses of the lines of Sines, Tangents, and Secants.*

By the several lines disposed on the sector, we have scales of several radii, so that,

1st. Having a length or radius given, not exceeding the length of the sector when opened, we can find the chord, sine, &c. of an arch to that radius; thus, suppose the chord, sine, or tangent of 20 degrees to a radius of 2 inches be required. Make 2 inches the transverse opening to 60° and 60° on the chords; then will the same extent reach from 45° to 45° on the tangents, and

from  $90^\circ$  to  $90^\circ$  on the sines; so that to whatever radius the line of chords is set, to the same are all the others set also. In this disposition, therefore, if the transverse distance between  $20^\circ$  and  $20^\circ$  on the chords be taken with the compass, it will give the chord of  $20$  degrees; and if the transverse of  $20^\circ$  and  $20^\circ$  be in like manner taken on the sines, it will be the sine of  $20$  degrees; and lastly, if the transverse distance of  $20^\circ$  and  $20^\circ$  be taken on the tangents, it will be the tangent of  $20$  degrees to the same radius of two inches.

2dly. If the chord or tangent of  $70^\circ$  were required. For the chord you must first set off the chord of  $60^\circ$  (or the radius) upon the arch, and then set off the chord of  $10^\circ$ . To find the tangent of  $70$  degrees, to the same radius, the scale of upper tangents must be used, the under one only reaching to  $45^\circ$ ; making therefore  $2$  inches the transverse distance to  $45^\circ$  and  $45^\circ$  at the beginning of that scale, the extent between  $70^\circ$  and  $70^\circ$  on the same will be the tangent of  $70$  degrees to  $2$  inches radius.

3dly. To find the secant of any arch; make the given radius the transverse distance between  $0$  and  $0$  on the secants; then will the transverse distance of  $20^\circ$  and  $20^\circ$ , or  $70^\circ$  and  $70^\circ$ , give the secant of  $20^\circ$  or  $70^\circ$  respectively.

4thly. If the radius and any line representing a sine, tangent, or secant, be given, the degrees corresponding to that line may be found by setting the sector to the given radius, according as a sine, tangent, or secant is concerned; then taking the given line between the compasses, and applying the two feet transversely to the proper scale, and sliding the feet along till they both rest on like divisions on both legs; then the divisions will show the degrees and parts corresponding to the given line.

#### *Use of the line of Polygons.*

The use of this line is to inscribe a regular polygon in a circle. For example, let it be required to inscribe an octagon in a circle. Open the sector till the transverse distance  $6$  and  $6$  be equal to the radius of the circle; then will the transverse distance of  $8$  and  $8$  be the side of the inscribed polygon.

#### *Use of the sector in Trigonometry.*

All proportions in trigonometry are easily worked by the double lines on the sector; observing that the sides of triangles are taken off the line of lines, and the angles are taken off the sines, tangents, or secants, according to the nature of the proportion. Thus, if in the triangle ABC we have given  $AB=56$ ,  $AC=64$ , and the angle  $ABC=46^\circ 30'$  to find the rest. In this case we have (*by art. 58, Geometry*) the following proportions, as  $AC (64) : \text{sine } \angle B (46^\circ 30') :: AB (56) : \text{sine } \angle C$ , and as  $\text{sine } B : AC :: \text{sine } A : BC$ . Therefore to work these proportions by the sector, take the lateral distance  $64=AC$  from the line of lines, and open the sector to make this a transverse distance of  $46^\circ 30'=\angle B$  on the sines; then take the lateral distance  $56=AB$  on the lines, and apply it transversely on the sines, which will give  $39^\circ 24'=\angle C$ . Hence the sum of the angles B and C is  $85^\circ 54'$ , which taken from  $180^\circ$ , leave the angle  $A=94^\circ 6'$ . Then to work this second proportion, the sector being set at the same opening as before, take the transverse distance of  $94^\circ 6'=\text{the angle } A$  on the sines, or, which is the same thing, the transverse distance of its supplement  $85^\circ 54'$ ; then this applied laterally to the lines, gives the sought side  $BC=88$ . In the same manner we might solve any problem in trigonometry, where the tangents and secants occur, by only measuring the transverse distances on the tangents or secants, instead of measuring them on the sines, as in the preceding example. All the problems that occur in Nautical Astronomy may be solved by the sector, but as the calculation by logarithms is much more accurate, it will be useless to enter into a further detail on this subject.



## LOGARITHMS.

IN order to abbreviate the tedious operations of multiplication and division with large numbers, a series of numbers, called logarithms, were invented by Lord Napier, Baron of Marchinston in Scotland, and published in Edinburgh in 1614; by means of which the operation of multiplication may be performed by addition, and division by subtraction; numbers may be involved to any power by simple multiplication, and the root of any power extracted by simple division.

In Table XXVI. are given the logarithms of all numbers from 1 to 9999; to each one ought to be prefixed an index, with a period or dot to separate it from the other part, as in decimal fractions; the numbers from 1 to 100 are published in that table with their indices; but from 100 to 9999 the index is left out for the sake of brevity, but it may be supplied by this general rule, viz. *the index of the logarithm of any integer, or mixed number, is always one less than the number of integer places in the natural number.* Thus the index of the logarithm of any number (integer or mixed) between 10 and 100 is 1, from 100 to 1000 it is 2, from 1000 to 10000 is 3, &c. the method of finding the logarithms from this table will be evident from the following examples.

*To find the logarithms of any number less than 100.*

**RULE.** Enter the first page of the table, and opposite the given number will be found the logarithm with its index prefixed.

Thus, opposite 71 is 1.85126, which is its logarithm.

*To find the logarithm of any number between 100 and 1000.*

**RULE.** Find the given number in the left hand column of the table of logarithms, and immediately under 0 in the next column, is a number, to which must be prefixed the number 2 as an index (because the number consists of three places of figures) and you will have the sought logarithm.

Thus, if the logarithm of 649 was required; this number being found in the left hand column, against it in the column marked 0 at the top (or bottom) is found 81224, to which prefixing the index 2, we have the logarithm of  $649 = 2.81224$ .

*To find the logarithm of any number between 1000 and 10000.*

**RULE.** Find the three left hand figures of the given number, in the left hand column of the table of logarithms, opposite to which, in the column that is marked at the top (or bottom) with the fourth figure, is to be found the sought logarithm; to which must be prefixed the index 3, because the number contains 4 places of figures.

Thus, if the logarithm of 6495 was required; opposite to 649, and in the column marked 5 at the top (or bottom) is 81258, to which prefix the index 3 and we have the sought logarithm 3.81258.

*To find the logarithm of any number above 10000.*

**RULE.** Find the three first figures of the given number, in the left hand column of the table, and the fourth figure at the top or bottom, and take out the corresponding number as in the preceding rule; take also the difference between this logarithm and the next greater, and multiply it by the given number exclusive of the four first figures, cross off at the right hand of the product as many figures as you had figures of the given number to multiply by; then add the remaining left hand figures of this product to the logarithm taken from the table, and to the sum prefix an index equal to one less than the number of integer figures in the given number, and you will have the sought logarithm.

Thus, if the logarithm of 64957 was required: opposite to 649 and under 5 is 81258, the difference between this and the next greater number 81265 is 7. this multiplied by 7 (the last figure of the given number) gives 49, crossing off the right hand figure leaves 4.9 or 5 to be added to 81258, which makes 81263, to this prefixing the index 4, we have the sought logarithm 4.81263.

Again, if the logarithm of 6495738 was required; the logarithm corresponding to 649 at the left. and 5 at the top, is as in the last example 3.81258,

the difference between this and the next greater is 7, which multiplied by 738 (which is equal to the given number excluding the four first figures) gives 5166, crossing off the three right hand figures of this product (because the number 738 consists of three figures) we have the correction 5 to be added to 81258; and the index to be prefixed is 6 because the given number consists of 7 places of figures, therefore the sought logarithm is 6.81263.

*To find the logarithm of any mixed decimal number.*

**RULE.** Find the logarithm of the number as if it was an integer by the last rule, to which prefix the index of the integer part of the given number.

Thus, if the logarithm of the mixed decimal 649.5738 was required;—find the logarithm of 6495738 without noticing the decimal point; this, in the last example, was found to be 81263, to this we must prefix the index 2, corresponding to the integer part 649; the logarithm sought will therefore be 2.81263.

*To find the logarithm of any decimal fraction less than unity.*

The index of the logarithm of any number less than unity is negative, but to avoid the mixture of positive and negative quantities, it is common to borrow 10 or 100 in the index, which must afterwards be neglected in summing them with other indices; thus instead of writing the index  $-1$ , it is generally written  $+9$  or  $+99$ ; but in general it is sufficient to borrow 10 in the index, and it is what we shall do in the rest of this work. In this way we may find the logarithm of any decimal fraction by the following rules.

**RULE.** Find the logarithm of a fraction as if it was a whole number;—see how many ciphers precede the first figure of the decimal fraction, subtract that number from 9 and the remainder will be the index of the given fraction.

Thus the log. of 0.0391 is 8.59218; the log. of 0.25 is 9.39794; the log. of 0.000025 is 4.39794, &c.

*To find the logarithm of a vulgar fraction.*

**RULE.** Subtract the logarithm of the denominator from the logarithm of the numerator (borrowing 10 in the index when the denominator is the greatest) the remainder will be the logarithm of the fraction sought.

**EXAMPLE I.**

Required the log. of  $\frac{3}{8}$ ?

From log. of 3

0.47712

Take log. of 8

0.90309

Rem. log.  $\frac{3}{8}$  or .375

9.57403

**EXAMPLE II.**

Required the log. of  $3\frac{1}{4}$  or  $1\frac{3}{4}$ ?

From log. of 13

1.11394

Take log. of 4

0.60206

Rem. log. of  $3\frac{1}{4}$  or 3.25

0.51188

*To find the number corresponding to any logarithm.*

**RULE.** In the column marked 0 at the top (and bottom) of the table, seek for the next less logarithm, neglecting the index; note the number against it, and carry your eye along that line until you find the nearest less logarithm to the given one, and you will have the fourth figure of the given number at the top, which is to be placed to the right of the three other figures; if you wish for greater accuracy, you must take the difference between this tabular logarithm and the next greater, also the difference between that least tabular logarithm and the given one; to the latter difference annex 2 or more ciphers at the right hand, and divide it by the former difference, and place the quotient\* to the right hand of the four figures already found; and you will have the number sought expressed in a mixed decimal, the integer part of which will consist of a number of figures (at the left hand) equal to the index of the logarithm increased by unity.†

Thus, if the number corresponding to the logarithm 1.52634 was required; I look for 52634 in the column marked 0 at the top or bottom, and find it standing opposite to 336; now the index being 1, the sought number must consist of two integer places, therefore it is 33.6.

\* This quotient must consist of as many places of figures as there were ciphers annexed, conformable to the rules of the division of decimals. Thus, if the divisor was 40, and the number to which two ciphers were annexed was 2, making 200, the quotient must not be estimated as 5, but as 05, and then two figures must be placed to the right of the four figures before found.

† If the index corresponds to a fraction less than unity, you must place as many ciphers to the left of that number as are equal to the index subtracted from 9, the decimal point being placed to the left of these ciphers; in this manner you will obtain the sought number.

If the given logarithm was 2.32838; I find that 32838 stands in the column marked 0 at the top or bottom, directly opposite to 213 which is the number sought, because the index being 2, the number must consist of 3 places of figures.

If the number corresponding to the logarithm 2.57345 was required; I look in the column 0, and find in it, against the number 374, the logarithm 57287, and guiding my eye along that line, I find the given logarithm 57345 in the column marked 5; therefore the mixed number sought is 3745, and since the index is 2, the integer part must consist of 3 places, therefore the number sought is 374,5. If the index had been 1, the number would have been 37,45; and if the index had been 0, the number would have been 3,745. If the index had been 3 corresponding to a number less than unity, the answer would have been 0,03745, &c.

Again, if the number corresponding to the logarithm 5,57811 was required; I look in the column 0, and find in it against 378, and under 5, the logarithm 57807, the difference between this and the next greater logarithm 57818 being 11, and the difference between 57807 and the given number 57811 being 4, to this 4 I affix two ciphers, which make 400, and divide it by 11, the quotient is 36 nearly; this number connected with the former four figures make 578536, which is the number required, since the index being 5 the number must consist of six places of figures.

**MULTIPLICATION BY LOGARITHMS.**

**RULE.** Add the logarithms of the two numbers to be multiplied, and the sum will be the logarithm of their product.

**EXAMPLE I.**

Multiply 25 by 35.	
25 log.	1.39794
35 log.	1.54407
<b>Product 875 log.</b>	<b>2.94201</b>

**EXAMPLE II.**

Multiply 22,4 by 1,8.	
22,4 log.	1.35025
1,8 log.	0.25527
<b>Product 40,32 log.</b>	<b>1.60552</b>

**EXAMPLE III.**

Multiply 3,26 by 0,0025.	
3,26 log.	0.51322
0,0025 log.	7.39794
<b>Product 0,00815 log.</b>	<b>7.91116</b>

**EXAMPLE IV.**

Multiply 0,25 by 0,003.	
0,25 log.	9.39794
0,003 log.	7.47712
<b>Product 0,00075 log.</b>	<b>6.87506</b>

In the last example the sum of the two indices is 16, but since 10 was borrowed in each number, I have neglected 10 in the sum, and the remainder 6 being less than the other 10, is evidently the index of the logarithm of a fraction less than unity.

**DIVISION BY LOGARITHMS.**

**RULE.** From the logarithm of the dividend subtract the logarithm of the divisor, the remainder will be the logarithm of the quotient.

**EXAMPLE I.**

Divide 875 by 35.	
875 log.	2.94201
35 log.	1.39794
<b>Quotient 25 log.</b>	<b>1.54407</b>

**EXAMPLE II.**

Divide 40,32 by 22,4.	
40,32 log.	1.60552
22,4 log.	1.35025
<b>Quotient 1,8 log.</b>	<b>0.25527</b>

**EXAMPLE III.**

Divide 0,00815 by 0,0025.	
0,00815 log.	7.91116
0,0025 log.	7.39794
<b>Quotient 3,26 log.</b>	<b>0,51322</b>

**EXAMPLE IV.**

Divide 0,00075 by 0,025.	
0,00075 log.	6.87506
0,025 log.	8.39794
<b>Quotient 0,03 log.</b>	<b>8.47712</b>

In Example III. both the divisor and dividend are fractions less than unity, and the divisor is the least, consequently the quotient is greater than unity. In Example IV. both fractions are less than unity, and since the divisor is the greatest, its logarithm is greater than that of the dividend; for that reason it was necessary to borrow 10 in the index previous to making the subtraction, hence the quotient is less than unity.

## INVOLUTION BY LOGARITHMS.

**RULE.** Multiply the logarithm of the number given, by the index of the power to which the quantity is to be raised, the product will be the logarithm of the power sought. But in raising the powers of any decimal fraction it must be observed, that the first significant figure of the power must be put as many places below the place of units as the index of its logarithm wants of 10 multiplied by the index of the power.

**EXAMPLE I.**  
Required the square of 13?  
18 log.

1.25527  
2  
2.51054

Answer 324 log.

**EXAMPLE III.**  
Required the square of 6,4?  
6,4 log.

0.80618  
2  
1.61236

Answer 40,96 log.

In the last example the index 28 wants 2 of 30 (the product of 10 by the power 3) therefore the first significant figure of the answer, viz. 1, is placed two figures distant from the place of units.

**EXAMPLE II.**  
Required the cube of 13?  
13 log.

1.11394  
3  
3.34182

Answer 2197 log.

**EXAMPLE IV.**  
Required the cube of 0,25?  
0,25 log.

9.39794  
3  
28.19382

Answer 0,015625.

## EVOLUTION BY LOGARITHMS.

**RULE.** Divide the logarithm of the number by the index of the power, the quotient will be the logarithm of the root sought. But if the power whose root is to be extracted is a decimal fraction less than unity, prefix to the index of its logarithm a figure less by one than the index of the power,\* and divide the whole by the index of the power, the quotient will be the logarithm of the root sought.

**EXAMPLE I.**  
What is the square root of 324?  
324 log.

2)2.51055  
1.25527

Answer 18 log.

**EXAMPLE III.**  
Required the square root of 40,96?  
40,96 log.

2)1.61236  
0.80618

Answer 6,4

**EXAMPLE II.**  
Required the cube root of 2197?  
2197 log.

3)3.34183  
1.11394

Answer 13

**EXAMPLE IV.**  
Required the cube root of 0,015625?  
0,015625 log.

8.19382  
3)28.19382  
9.39794

Prefix 2 to the index

Answer 0,25

## TO WORK THE RULE OF THREE BY LOGARITHMS.

When three numbers are given to find a fourth proportional in arithmetic, we make a statement and say, as the first number is to the second so is the third to the fourth; and by multiplying the second and third together, and dividing the product by the first, we obtain the fourth number sought. To obtain the same result by logarithms, we must *add the logarithms of the second and third numbers together, and from the sum subtract the logarithm of the first number, the remainder will be the logarithm of the sought fourth number.*

**EXAMPLE I.**  
If 6 yards of cloth cost 5 dollars, what will 20 yards cost?

As 6 log. 0.77815  
Is to 5 log. 0.69897  
So is 20 log. 1.30103  
Sum of 2d. and 3d. 2.00000  
Subtract first 0.77815  
To 16.67 log. 1.22185

The answer therefore is 16 dollars and 67-100ths or 16 dollars and 67 cents.

**EXAMPLE II.**  
If a ship sails 20 miles in 7 hours, how much will she sail in 21 hours at the same rate?

As 7 log. 0.84510  
Is to 20 log. 1.30103  
So is 21 log. 1.32222  
Sum of 2d. and 3d. 2.62325  
Subtract the first 0.84510  
To 60 log. 1.77815  
The answer is 60 miles.

\* In this rule it is supposed that 10 was borrowed in finding the index of the decimal according to the rule page 30.



*To calculate COMPOUND INTEREST by Logarithms.*

To 100 dollars add its interest for one year; find the logarithm of this sum and reject 2 in the index, then multiply it by the number of years and parts of a year, for which the interest is to be calculated; to the product add the logarithm of the sum put at interest; the sum of these two logarithms will be the logarithm of the amount of the given sum for the given time.

**EXAMPLE.**

Required the amount of the principal and interest of 355 dollars, let at 6 per cent. compound interest for 7 years?

Adding 6 to 100 gives 106, whose logarithm, rejecting 2 in the index, is		0.02531	
	Multiplied by		7
	Product.		0.17717
Principal 355 dollars	log.		2.55023
Sum gives the log. of 533,93	log.		2.72740

Therefore the amount of principal and interest is 533 dollars and 83 cents.

*To find the Logarithm-sine, Tangent, or Secant, corresponding to any number of Degrees and Minutes, by Table XXVII.*

The given number of degrees must be found at the bottom of the page when between 45° and 135°, otherwise at the top, the minutes being found in the column marked M, which stands on the side of the page on which the degrees are marked; thus, if the degrees are less than 45, the minutes are to be found in the left hand column, &c. and it must be noted that if the degrees are found at the top, the names of hour, sine, co-sine, tangent, &c. must also be found at the top; and if the degrees are found at the bottom, the names sine, co-sine, &c. must also be found at the bottom. Then opposite to the number of the minutes will be found the log-sine, log-secant, &c. in the column marked sine, secant, &c. respectively.

**EXAMPLE I.**

Required the log. sine of 28° 37'?

Find 28° at the top of the page, directly, in the left hand column, find 37' against which in the column marked sine is 9.69029, the log. sine of the given number of degrees; and in the same manner the tangents, &c. are found.

**EXAMPLE II.**

Required the log. secant of 126° 20'?

Find 126° at the bottom of the page, directly above which, in the left hand column, find 20'; against which, in the column marked secant, is 10.22732 required.

*To find the Logarithm-sine, Co-sine, &c. for Degrees, Minutes, and Seconds, by Table XXVII.*

Find the numbers corresponding to the even minutes next above and below the given degrees and minutes, and take their difference; then say, as 60" is to the number of seconds in the proposed number, so is that difference to a correction to be applied to the number corresponding to the least number of degrees and minutes; additive if it is the least of the two numbers taken from the table, otherwise subtractive.

**EXAMPLE I.**

Required the log. sine of 24° 16' 48"?

Sine of 24° 16'	9.61382
Sine of 24 17	9.61411

Diff. 29

Then, as 60" : 48" :: 29 : 23, which, added to the number corresponding to 24° 16', gives 9.61405 the log. sine of 24° 16' 48".

**EXAMPLE II.**

Required the log. secant of 105° 20' 16"?

Secant of 105.20 log.	10.57768
105.21	10.57722

Diff. 46

Then as 60" : 16" :: 46 : 12, which, subtracted from the number corresponding to 105° 20', gives 10.57756, the log. sec. of 105° 20' 16".

If the given seconds be  $\frac{1}{2}$ ,  $\frac{1}{3}$ ,  $\frac{1}{5}$ , or  $\frac{1}{6}$ , or any other even parts of a minute, the like parts may be taken of the difference of the logarithms, and added or subtracted as above, which may be frequently done by inspection.

LOGARITHMS.

*To find the Degrees, Minutes, and Seconds, corresponding to any given Logarithm-sine, Co-sine, &c. by Table XXVII.*

Find the two nearest numbers to the given logarithm-sine, co-sine, &c. in the column marked sine, co-sine, &c. respectively, one being greater and the other less, and take their difference; take also the difference between the given logarithm and the logarithm corresponding to the least number of degrees and minutes: then say, as the first found difference is to the second found difference, so is 60" to a number of seconds to be annexed to the smallest number of degrees and minutes before found.

EXAMPLE I.

Find the degrees, minutes, and seconds (less than 90°) corresponding to the log. sine 9.61405.			
Next less log. 24° 16'	9.61382	Log. of least numb. 24° 16' is	9.61382
Greater 24 17	9.61411	Given log.	9.61405
	29		23

Then say, as 29 : 23 :: 60" : 48" which annexed to 24° 16' give 24° 16' 48" answering to log. sine 9.61405. Subtracting 24° 16' 48" from 180°, there remains 155° 43' 12", the log. sine of which is also 9.61405.

EXAMPLE II.

Find the degrees, minutes, and seconds (above 90°) corresponding to the log. secant 10.56703.			
Secant 105° 43' log.	10.56722	Log. of the least numb. 105° 43'	10.56722
Secant 105 44	10.56677	Given log.	10.56703
	45		19

Then as 45 is to 19, so is 60" to 25", which annexed to 105° 43', gives 105° 43' 25", the degrees, minutes, and seconds required.

*To find the Arithmetical Complement of any Logarithm.*

The arithmetical complement of any logarithm, is what it wants of 10,00000 and is used to avoid subtraction. For when working any proportion by logarithms, you may add the arithmetical complement of the logarithm of the first term, instead of subtracting the logarithm itself, observing to neglect 10 in the index of the sum of the logarithms. The arithmetical complement of any logarithm is thus found:—Begin at the index, and write down what each figure wants of 9, except the last significant figure, which take from 10\*.

EXAMPLE.

Required the arithmetical complement of 9.62595?

For the first figure 9, write 0; for 6, 3; for 2, 7; for 5, 4; for 9, 0; and for the last figure 5, write 5; thus the arithmetical complement is 0,97405.

In the same manner the arithmetical complement of 1.86568 is 8.13437, the ar. co. of 10.39133 is 9.66867, and the ar. co. of 1.22800 is 8.77200. To illustrate the method of using the arithmetical complement of any logarithm, I shall here calculate the examples as given in page 32.

EXAMPLE I.		EXAMPLE II.	
As 6	log. ar. co.	As 7	log. ar. co.
Is to 5	log.	Is to 20	log.
So is 20	log.	So is 21	log.
	1.22185		1.32222
To 16,67	log.	To 60	log.
	1.22185		1.77815

\* When the index of the given logarithm is greater than 10, as in some of the numbers of Table XXVII. the left hand figure of it must be neglected; and when there are any ciphers to the right hand of the last significant figure, you may place the same number of ciphers to the right hand of the other figures of the arithmetical complement.


## PLANE TRIGONOMETRY.

PLANE TRIGONOMETRY is the science which shows how to find the measures of the sides and angles of plane triangles, some of them being already known. It is divided into two parts, right-angled and oblique-angled: in the former case, one of the angles is a right angle or  $90^\circ$ ; in the latter they are all oblique.

In every plane triangle there are six parts, viz. three sides and three angles; any three of which being given (except the three angles) the other three may be found by various methods, viz. by Gunter's Scale, by the sliding rule, by the sector, by geometrical construction, or by arithmetical calculation. We shall explain each of these methods;\* but the latter is by far the most accurate; it is performed by the help of a few theorems, and a trigonometrical canon, exhibiting the natural or the logarithmic sines, tangents, and secants, to every degree and minute of the quadrant.† The theorems alluded to are the following:

## THEOREM I.

*In any right angled triangle, if the hypotenuse be made radius, one side will be the sine of the opposite angle, and the other its co-sine; but if either of the legs be made radius, the other leg will be the tangent of the opposite angle, and the hypotenuse will be the secant of the same angle.*



1st. If in the right-angled plane triangle ACB (fig. 1) we make the hypotenuse AB radius, and upon the centre A describe the arch BE, to meet AC produced in E; then it is evident that BC is the sine of the arch BE (or the sine of the angle BAC) and that AC is the co-sine of the same angle: and if the arch AD be described about the centre B, AC will be the sine of the angle ABC, and BC its co-sine.

2dly. If the leg AC (fig. 2) be made radius, and the arch CD be described about the centre A; CB will be the tangent of that arch, or the tangent of the angle CAB; and AB will be its secant.

3dly. If the leg BC (fig. 3.) be made radius, and the arch CD be described about the centre B; CA will be the tangent of that arch, or the tangent of the angle B; and AB will be its secant.

Now it has been already demonstrated (*in art. 55. Geom.*) that the sine, tang. sec. &c. of any arch in one circle, is to the sine, tang. sec. &c. of a similar arch in another circle as the radius of the former circle to the radius of the latter. And since in any right-angled triangle there are given either two sides, or the angles and one side, to find the rest; we may, if we wish to find

\* It will not be necessary to add any further description of the uses of the sector or sliding rule, for what we have already given will be sufficient for any one, tolerably well versed in the use of Gunter's Scale. † See Tables XXIV. and XXVII.

a side, make any side radius; then say, as the tabular number of the same name as the given side is to the given side of the triangle, so is the tabular number of the same name as the required side, to the required side of the triangle. If we wish to find an angle, one of the given sides must be made radius; then say, as the side of the triangle made radius, is to the tabular sine, tangent, secant, &c. by it represented; which being sought for in the table of sines, &c. will correspond to the degrees and minutes of the required angle.

**THEOREM II.**

*In all plane triangles, the sides are in direct proportion to the sines of their opposite angles* (by art. 58, Geom.)

Hence, to find a side, we must say, as the sine of an angle is to its opposite side, so is the sine of either of the other angles to the side opposite thereto. But if we wish to find an angle, we must say, as any given side is to the sine of its opposite angle, so is either of the other sides to the sine of its opposite angle.

**THEOREM III.**

*In every plane triangle, it will be, as the sum of any two sides is to their difference, so is the tangent of half the sum of the two opposite angles to the tangent of half their difference* (by art. 59, Geom.)

**THEOREM IV.**


*As the base of any plane triangle is to the sum of the two sides, so is the difference of the two sides to twice the distance of a perpendicular (let fall upon the base from the opposite angle) from the middle of the base* (by art. 60, Geom.)

**THEOREM V.**

*In any plane triangle, as the rectangle contained by any two sides including a sought angle, is to the rectangle contained by the half sum of the sides and the half sum decreased by the other side, so is the square of radius to the square of the co-sine of half the sought angle* (by art. 61, Geom.)

[In addition to these theorems, it will not be amiss for the learner to recall to mind the following articles, most of which have been already demonstrated.]


1. In every triangle, the greatest side is opposite to the greatest angle; and the greatest angle opposite to the greatest side.
2. In every triangle equal sides subtend equal angles. (*Art. 39, Geom.*)
3. The three angles of any plane triangle are equal to  $180^\circ$ . (*Art. 35, Geom.*)
4. If one angle of a triangle be obtuse, the rest are acute; and if one angle be right, the other two together make a right angle, or  $90^\circ$ ; therefore, if one of the acute angles of a right-angled triangle be known, the other is found by subtracting the known angle from  $90^\circ$ . If one angle of any triangle be known, the sum of the other two is found by subtracting the given angle from  $180^\circ$ ; and if two of the angles be known, the third is found by subtracting their sum from  $180^\circ$ .
5. The complement of an angle is what it wants of  $90^\circ$ , and the supplement of an angle is what it wants of  $180^\circ$ .



In the two following tables we have collected all the rules necessary for solving the various cases of Right-Angled and Oblique-Angled Trigonometry.

**RIGHT-ANGLED TRIGONOMETRY.**

Case.	Given.	Sought.	Solutions.
1	Hyp. AC. Angles.	Leg BU. Leg AB.	Rad. : hyp. AC. : : sine A. : leg BC. Rad. : hyp. AC. : : sine C. : leg AB.
2 & 3	Leg BC. Angles.	Leg AB. Hyp. AC.	Rad. : leg BC. : : tang. C. : leg AB. Rad. : leg BC. : : sec. C. : hyp. AC. Or Sine A : leg BC. : : rad. : hyp. AC.
4 & 5	Hyp. AC. Leg AB.	Angles. Leg BC.	Hyp. AC. & rad. : : leg AB. : sine C. whose comp. is A. Rad. : hyp. AC. : : sine A. : leg BC.
6	Both legs. AB & BC.	Angles. Hyp. AC.	Leg BC. : rad. : : leg AB. : tang. C. whose comp. is A. Sine C. : leg AB. : : rad. : hyp. AC. Or rad. : leg BC. : : sec. C. : hyp. AC.



Case	Given.	Sought.	Solutions.
1	The angles and side A B.	Side B C. Side A C.	Sine C : side A B :: sine A : side B C. Sine C : side A B :: sine B : side A C.
2 & 3	Two sides A B, B C, and angle C opposite to one of them.	Angle A. Angle B. Side A C.	Side A B : sine C :: side B C : sine A, which added to C, and the sum subtracted from 180° gives B. Sine C : side A B :: sine B : side A C.
4 & 5	Two sides A C, A B and the included angle A	Angles B and C. Side B C.	Subtract half the given angle A from 90°, the remainder is half the sum of the other angles. Then say, as the sum of the sides A C, A B is to their difference, so is the tangent of the half sum of the other angles to the tangent of half their difference; which added to and subtracted from the half sum, will give the two angles B and C the greatest angle being opposite to the greatest side. Sine B : side A C :: sine A : side B C.
6	All three sides.	All the angles.  Either angle as A.	Let fall a perpendicular B D opposite to the required angle; then as A C : sum of A B, B C :: their difference : twice D G, the distance of the perpendicular from the middle of the base; hence, A D, C D are known, and the triangle A B C is divided into two right-angled triangles B C D, B A D. then by cases 4 and 5 of right-angled trigonometry, we may find the angle A or C.  Either of the angles, as A, may also be found by the following rule. From half the sum of the three sides subtract the side B C opposite to the sought angle; take the logarithms of the half sum and remainder, to which add the arithmetical complements of the logarithms of the sides A B, A C (including the sought angle;) half the sum of these four logarithms will be the logarithmic co-sine of half the sought angle.

In working by logarithms with any of the preceding rules, you must remember, that the logarithm of the first term of the analogy is to be subtracted from the sum of the logarithms of the second and third terms, the remainder will be the logarithm of the sought fourth term.  
When the first term is radius (whose logarithm is 10,0000) you need only reject an unit in the second left hand figure of the index of the second and third terms. But when the radius occurs in the second or third term, you must suppose an unit to be added to the second left hand figure of the index of the other term, and subtract therefrom the logarithm of the first term.



## RIGHT-ANGLED TRIGONOMETRY.

Solution of the six cases in right-angled Trigonometry.


### CASE I.

The angles and hypotenuse given, to find the legs.

Given the hypotenuse AC 250 leagues, and the angle C opposite to the side AB = 35° 30' to find the base CB and perpendicular AB.

#### BY PROJECTION.

Draw the base CB of any length; with an extent equal to the chord of 60° and on C as a centre, describe the arch DE; from E to D lay off 35° 30' taken from the line of chords,\* through C and D draw the line AC, which make equal to 250; from A let fall the perpendicular AB, to cut CB in B, and it is done; for CB will be 203.5, and AB = 145.2.



\* In all projections of this kind the angles are measured from the line of chords, the radius used for describing arches by which the angles are to be measured, being equal to the chord of 60°, the sides of the triangles are measured by scales of equal parts as was before observed.

RIGHT-ANGLED TRIGONOMETRY.

BY LOGARITHMS.

By making the hypotenuse CA radius, it will be,  
To find the base BC.

As radius	10.00000	As radius	10.00000
Is to the hypot. AC 250	2.39794	Is to the hypot. AC 250	2.39794
So is the sine ang. A $54^{\circ} 30'$	9.91069	So is sine ang. C $35^{\circ} 30'$	9.76395
To the base BC 203.5	2.30863	To the per. AB 145.2	2.16189

BY GUNTER'S SCALE.

In all proportions wrought by Gunter's Scale, when the first and second terms are of the same kind, the extent from the first term to the second, will reach from the third to the fourth.

Or when the first and third terms are of the same kind.

The extent from the first term to the third will reach from the second to the fourth; that is, set one point of the compasses on the division expressing the first term, and extend the other point to the division expressing the third term; then, without altering the opening of the compasses, set one point on the division representing the second term, and the other point will fall on the division showing the fourth term or answer.

In the present example the work will be as follows:

Extend from radius or  $90^{\circ}$ , to  $54^{\circ} 30'$  on the line of sines; that extent will reach from 250, the hypotenuse, to 203.5, the base on the line of numbers; and the extent from radius, or  $90^{\circ}$ , to  $35^{\circ} 30'$  on the line of sines, will reach from 250 to 145.2 on the line of numbers.

Observe the like in all that follows, except in those proportions where the word secant is mentioned, which cases must be wrought by considering the hypotenuse radius,\* there being no line of secants on the common Gunter's Scale, although it might easily be marked on the line of sines.

*Note.* The radius, according to the nature of the proportion, may be either of the following quantities.

- 8 points on the line of rhumbs.
- 4 points on the line of tan-rhumbs.
- $90^{\circ}$  on the line of sines.
- $45^{\circ}$  on the line of tangents.


CASES II. AND III.

The angles and one leg given, to find the hypotenuse and other leg.

The angle ACB  $33^{\circ} 15'$ , the leg BC 325 miles, given, to find the hypotenuse and the other leg.

BY PROJECTION.

Draw the line BC, which make equal to 325 miles; on B erect the perpendicular BA; on C, as a centre, with the chord of  $60^{\circ}$  sweep the arch BD, which make equal to  $33^{\circ} 15'$ ; draw CD, and continue it to cut AB in A, and it is done; for AB being measured on the same scale that BC was, will be 213.1, and AC 388.6 miles.



BY LOGARITHMS.

By making the base BC radius, it will be,  
To find the perpendicular AB.

As radius $45^{\circ}$	10.00000	As radius $90^{\circ}$	10.00000
Is to the base BC 325	2.51188	Is to the base BC 325	2.51188
So is tang. ang. C $33^{\circ} 15'$	9.81666	So is sec. ang. C $33^{\circ} 15'$	10.07765
To the perpen. AB 213.1	2.32854	To the hypot. AC 388.6	2.58953

BY GUNTER.

Extend from  $45^{\circ}$  to  $33^{\circ} 15'$  on the line of tangents; that extent will reach from the base 325 to the perpendicular 213.1 on the line of numbers.

2dly. Extend from  $56^{\circ} 45'$  to radius on the line of sines; that extent will reach from the base 325 to the hypotenuse 388.6 on the line of numbers.

\* Or by using in the analogy radius : cos. angle instead of secant angle : Radius and radius : sine angle instead of co-secant angle : Radius.


CASES IV. AND V.

The hypotenuse and one leg given, to find the angles and other leg.

The leg AB 91, the hypotenuse AC 170, given, to find the angle ACB, or BAC, and the leg BC.

BY PROJECTION.

Draw BC at pleasure; on B erect the perpendicular BA, which make equal to 91; take 170 in your compasses, and with one foot on A, describe an arch to cut BC in C; join A and C, and it is done; for the angle C will be  $32^{\circ} 22'$ , the angle A  $57^{\circ} 38'$ , and BC 143.6.



BY LOGARITHMS.

By making the hypotenuse radius it will be,

To find the angle C.		To find the base BC.*	
As the hypotenuse 170	2.23045	As radius	10.00000
Is to radius	10.00000	Is to the hypotenuse 170	2.23045
So is the perpendicular 91	1.95904	So is sine ang. A $57^{\circ} 38'$	9.92667
<hr/>		<hr/>	
To sine angle C $32^{\circ} 22'$	9.72859	To the base BC 143.6	2.15712

BY GUNTER.

Extend from the hypotenuse 170 to the perpendicular 91 on the line of numbers; that extent will reach from radius to the angle C, or the complement of angle A  $= 32^{\circ} 22'$  on the line of sines.

2dly. Extend from radius to the angle A  $57^{\circ} 38'$  on the line of sines: that extent will reach from the hypotenuse 170 to the base 143.6, on the line of numbers.


CASE VI.

The legs given, to find the angles and hypotenuse.

The legs AB 890, BC 707, given, to find the angle BAC or ACB, and the hypotenuse AC.

BY PROJECTION.

Make BC = 707, and on B erect the perpendicular BA, which make equal to 890; join AC, and it is done; for the angle C will be  $51^{\circ} 32'$ ; consequently the angle A  $38^{\circ} 28'$ , and the hypotenuse 1137.



BY LOGARITHMS.

By making the base radius, it will be,

To find the angle C.		To find the hypotenuse AC.†	
As the base 707	2.84942	As radius	10.00000
Is to radius	10.00000	Is to the base 707	2.84942
So is the perpendicular 890	2.94939	So is the sec. ang. C $51^{\circ} 32'$	10.20617
<hr/>		<hr/>	
To tan. ang. C $= 51^{\circ} 32'$	10.09997	To the hyp. AC = 1137	3.05559

BY GUNTER.

The extent from 707 to 890 on the line of numbers will reach from radius, or 45 degrees, to the angle C  $51^{\circ} 32'$  on the line of tangents.

2dly. The extent from the angle C  $51^{\circ} 32'$  to radius, or  $90^{\circ}$ , on the line of sines, will reach from the base 890 to the hypotenuse 1137, on the line of numbers.

\* When you take the log. sines, or tangents to the nearest minute only, it is best to use this canon for finding BC, which is more correct than the one found by making the perpendicular radius; because the variation of the log. sine of an arch is less than the corresponding variation of the log. tangent.

† When you are finding AC it is best to make the greatest side radius, for the reason mentioned in the last note.

## QUESTIONS

To exercise the learner in Right-Angled Plane Trigonometry.

Quest. 1. The hypotenuse 496 miles, and the angle opposite to the base  $56^{\circ} 15'$ , given, to find the base and perpendicular.

Ans. Base 412.4, and the perpendicular 275.6 miles.

Quest. 2. The perpendicular 275 leagues, and the angle opposite to the base  $56^{\circ} 15'$ , given, to find the hypotenuse and base.

Ans. The hypotenuse 495, and base 411.6 leagues.

Quest. 3. The base 33 yards, and the angle opposite to the perpendicular  $53^{\circ} 26'$ , given, to find the hypotenuse and perpendicular.

Ans. Hypotenuse 55.39, and the perpendicular 44.49 yards.

Quest. 4. The hypotenuse 575, and perpendicular 50 miles, given, to find the base.

Ans. Base 572.8 miles.

Quest. 5. The hypotenuse 59, and the base 33 miles, given, to find the perpendicular.

Ans. Perpendicular 48.9 miles.

Quest. 6. The base 33, and perpendicular 52 leagues given, to find the hypotenuse.

Ans. Hypotenuse 61.59 leagues.




## OBLIQUE TRIGONOMETRY.

## CASE I.

Two angles and one side given, to find either of the legs.

Given the angle  $BAC=100^{\circ}$   
the angle  $ACB=54^{\circ}$  and the  
leg  $AB=220$  to find the sides.



## BY PROJECTION.

Subtract the sum of the angles A and C from  $180^{\circ}$ , the remainder will be the angle  $B=26^{\circ}$ . Draw the indefinite line BE, also the line BH, making the angle  $EBH=26^{\circ}$ , on BH set off BA 220. On A make the angle  $BAC 100^{\circ}$ ; then AC will intersect the line BE in the point C, which completes the triangle, and BC will measure (on the same scale from which BA was laid down) 268 nearly, and AC 119.

## BY LOGARITHMS by Theorem II.

To find BC.		To find DC.	
As the sine of the angle C $54^{\circ}$	9.90796	As sine ang. C $54^{\circ}$	9.90796
Is to the side AB 220	2.34242	Is to the side AB 220	2.34242
So is the sine of the ang. A $100^{\circ}$	9.99335	So is the sine ang. B $26^{\circ}$	9.64184
	<hr/>		<hr/>
	12.33577		11.98426
	9.90796		9.90796
	<hr/>		<hr/>
To the side BC 267.8	2.42781	To side AC 119.2	2.07630

## BY GUNTER.

The extent from the angle  $C=54^{\circ}$  to the angle A or its supplement  $80^{\circ}$  on the sines, will reach from  $AB=220$  to  $BC=268$  on the line of numbers.


2dly. The extent from the angle  $C=54^{\circ}$  to the angle  $B=26^{\circ}$ , on the sines, will reach from  $AB=220$  to  $AC=119$  on the line of numbers.



CASES II. AND III.

Two sides and an angle opposite to one of them being given, to find the other angles and the third side.

**NOTE.** It may be proper to observe, that if the given angle be obtuse, the angle sought will be acute: but when the given angle is acute and opposite to a lesser given side, then it is doubtful whether the required angle is acute or obtuse; it ought therefore to be given by the conditions of the problem.



**EXAMPLE.** Let there be given the side BC 410, the side AB 640, and the angle A  $23\frac{1}{2}^\circ$ , to find the other side AC, and the angles ABC, BCA.

BY PROJECTION.

Draw the indefinite line FE, make the angle DAE =  $23\frac{1}{2}^\circ$ , on AD set off AB = 640, then on B, with 410 in your compasses taken from the same scale, describe an arch cutting FE in the points C and G, join BC, BG, and it is done; for the triangle may be either ACB, or AGB, according as the angle C, or G, is acute or obtuse; if that angle be acute, the triangle will be ABC; the side AC will measure 908, the angle ACB will measure  $38\frac{1}{2}^\circ$ , and the angle ABC will measure  $118^\circ$  nearly; but if the angle at the base be obtuse, the triangle will be AGB; the side AG will measure 266, the angle AGB will measure  $141\frac{1}{2}^\circ$  and the angle ABG  $15^\circ$ .

If the side BC had been given greater than AB, there could have been only one answer to this problem; for in that case, the point G would have fallen on the continuation of the line CA towards F, in which case the angle A of the triangle would become equal to FAB, instead of being equal to its supplement, as is required by the conditions of the problem.

BY LOGARITHMS, by Theorem II.

To find the angle C or G.		To find AC.	
As the side BC 410	2.61278	As sine angle C $38^\circ 30'$	9.79319
Is to the sine of angle A $23\frac{1}{2}^\circ$	9.60070	Is to AB 640	2.80618
So is the side AB 640	2.80618	So is sine angle ABC $118^\circ$	9.94593
	12.40698		12.75211
	9.79410		9.79410
To sine ang. C $38^\circ 30'$ or G $141^\circ 30'$	9.79410	To the side AC 907,8	2.95801
Angle A add $23^\circ 30'$	23 30		
Subtract 62 0 or 165 0		To find AG.	
From 190 0 180 0		As sine angle G $141^\circ 30'$	9.79410
		Is to AB 640	2.80618
		So is sine angle ABG $15^\circ$	9.41300
Ang. ABC $118^\circ$ 0 ABG $15^\circ$ 0			12.21918
			9.79410
		To the side AG 266,1	2.42508

BY GUNTER.

1<sup>st</sup>. The extent from BC = 410 to AB = 640, on the line of numbers, will reach from A =  $23\frac{1}{2}^\circ$ , to  $38\frac{1}{2}^\circ$ , on the line of sines, which is equal to the angle C; its supplement  $141^\circ 30'$  being equal to the angle G.

2<sup>dly</sup>. The extent from the angle C =  $38^\circ 30'$  to  $62^\circ 0'$  (the supplement of the angle ABC,  $118^\circ 0'$ ) on the sines, will reach from AB = 640 to 908, on the line of numbers; therefore the side AC = 908.

Or, the extent from  $38^\circ 30'$  (the supplement of the angle G) to the angle ABG =  $15^\circ 0'$  on the sines, will reach from AB = 640 to 266, on the line of numbers: hence AG = 266.


CASES IV. AND V.

Two sides and their contained angle being given, to find either of the other angles and the third side.

Given the side AB 110 m. AC 80 m. and angle BAC  $96^{\circ} 0'$  to find the angles BCA and CBA.

BY PROJECTION.

Draw the indefinite right line AD, on which set off AB=110; make the angle EAB= $96^{\circ}$ ; and on AE set off AC=80; join BC, and it is done; for BC will measure on the former scale 143, and the angles B and C will measure  $33^{\circ} 55'$  and  $50^{\circ} 5'$  respectively on the line of chords.



BY LOGARITHMS.

To find the angles B and C by Th. III.		To find the side BC by Theorem II.	
As sum of sides AC and AB 190	2.27875	As sine ang. B $33^{\circ} 55'$	9.74662
Is to their difference 30	1.47712	Is to AC 80	1.90309
So is tang. $\frac{1}{2}$ sum op. $\angle$ 's } $42^{\circ}$	9.95444	So is sine ang. A $96^{\circ} 0'$	} 9.99761
or comp. $\frac{1}{2}$ ang. A. }		or its sup. 84 0 }	
	11.43156		11.90070
	2.27875		9.74662
	<hr/>		<hr/>
To tang. half diff. $8^{\circ} 5' = 9.15281$		To side BC 142.6	2.15408
Sum is angle C	50 5		
Diff. is angle B	33 55		

BY GUNTER.

1st. The extent from the sum of the sides 190 to their difference 30 on the line of numbers, will reach from the half sum of the angles B and C  $42^{\circ}$  to their half difference  $8^{\circ} 5'$  on the line of tangents. The sum of which half sum and half difference gives the angle C  $50^{\circ} 5'$  and their difference the angle B  $33^{\circ} 55'$ ; the greatest angle being opposite to the greatest side.

2dly. The extent from the angle B  $33^{\circ} 55'$ , to the angle A  $96^{\circ}$  (or its supplement  $84^{\circ}$ ) on the line of sines, will reach from the side AC 80 to the side BC 142,6 on the line of numbers.


CASE VI.

The three sides of a plane triangle given, to find the angles.

The sides AB 85, BC 57, AC 108 given, to find the angles ABC, BAC, BCA.

BY PROJECTION.

Draw the line AC, and make it equal to 108; take 85 in your compasses, and with one foot on the point A, describe an arch; then take the distance 57 in your compasses, and with one foot on C, describe another arch intersecting the former arch in the point B; join AB, CB, and it is done. For the angle A being measured will be found  $= 31\frac{1}{2}^{\circ}$ , B  $= 97^{\circ}$ , and the angle C  $= 51\frac{1}{2}^{\circ}$  nearly.



OBLIQUE TRIGONOMETRY.

BY LOGARITHMS, by Theorem IV.

Suppose BD to be drawn perpendicular to AC, and that AG=GC.

Side AB=85	As the base AC 108	2.03342
Side BC=57	Is to the sum of the sides AB and BG 142	2.15229
	So is diff. of the sides AB and BC 28	1.44716
Sum of the sides	142	
Diff. of the sides	28	3.59945
Half base AC	54	2.03342
DG	19.4	
	To twice DG	36.8
	Its half=DG	18.4
Sum is greater seg. AD	72.4	1.56603
Diff. is least seg. DC	35.6	

Having divided the triangle into two right-angled triangles, the hypotenuses and bases of which are given, we may find the angles by Theorem I.

		To find the angle BCD.
		As the hypotenuse BC 57
		Is to radius 90°
		So is the lesser seg. DC 35.6
		1.75587
		10.00000
To find the angle BAD.	1.92942	To co-sine of BCD=51° 21'
As the hypotenuse AB 85	10.00000	BAD=31 36
Is to radius 90°	1.85974	
So is the greater seg. AD 72.4		Sum 82 57
		Subtract from 190
To co-sine BAD=31° 36'	9.93032	Remains angle ABC 97 3

BY GUNTER.

1st. The extent from the base AC=108, to the sum of the sides 142, on the line of numbers, will reach from the difference of the sides 28, to twice DG 36.8 on the same line of numbers.

2dly. The extent from the hypotenuse AB=85, to the greater segment AD 72.4, on the line of numbers, will reach on the sines from the radius 90° to 58° 24' which is the complement of the angle BAD.

3dly. The extent from the hypotenuse CB 57, to the lesser segment DC 35.6 on the line of numbers, will reach on the sines from the radius 90° to 38° 39', which is the complement of the angle BCA.

This case may be solved without dividing the triangle into two right-angled triangles by Theorem V.

To find the angle A.		Having the angle A, we may find the angle C by Theorem II.
BC= 57		As BC 57
AB= 85 log. co. ar.	8.07058	Is to sine angle A 31° 36'
AC=108 log. co. ar.	7.96659	So is AB 85
		1.75587
		9.71932
		1.93943
Sum 250		
Half sum 125 log.	2.09691	
Half sum less BC 68 log.	1.83251	
		11.64874
		1.75587
	Sum) 19.96659	To the sine of angle C 51° 23'
		9.89287
Half sum 15° 48'	Co-sine	9.98329
2		
Doubled is 31 36=angle A.		

## ASTRONOMY AND GEOGRAPHY.

**ASTRONOMY** is the science which treats of the motions and distances of the heavenly bodies, and of the appearances thence arising.

**Geography** is the science which treats of the situations and distances of the various parts of the surface of the earth.

The common opinion of astronomers of the present day is, that the universe is composed of an infinite number of systems or worlds; that in every system there are certain bodies moving in free space, and revolving at different distances round a sun, placed in or near the centre of the system; and that these suns and other bodies are the stars which are seen in the heavens.

The **SOLAR SYSTEM**, so called, is that in which our earth is placed, and in which the sun is supposed to be fixed near the centre, with several bodies, similar to our earth, revolving round at different distances. This hypothesis, which is fully confirmed by observation, is called the **Copernican System**, from Nicholas Copernicus, a Polish Philosopher, who revived it about the year 1500, after it had been buried in oblivion many ages.

Stars are distinguished into two kinds, *fixed* and *wandering*. The former are supposed to be suns in the centres of their systems, shining with their own light, and preserving nearly the same situation with respect to each other. They are usually distinguished by their brightness, the largest being called of the first magnitude, and the smallest visible to the naked eye being of the sixth or seventh magnitude. A *Constellation* is a number of stars lying in the neighbourhood of one another on the surface of a celestial sphere, which astronomers, for the sake of remembering with greater ease, suppose to be circumscribed by the outlines of some animal or other figure. The wandering stars are those bodies within our system, or celestial sphere, which revolve round the sun; they appear luminous by reflecting the light of the sun, and are of three kinds, namely *primary planets*, *secondary planets*, and *comets*.

The *Primary Planets* are bodies which revolve round the sun, as the centre of their courses, the motions being regularly performed in tracks or paths (called *orbits*) that are nearly circular and concentric with each other. A *Secondary Planet*, *Satellite*, or *Moon*, is a body which, while it is carried round the sun, revolves also round a primary planet. *Comets* are a sort of planets moving round the sun in very eccentric orbits, with vast atmospheres about them, and tails derived from the same.

There are eleven primary planets, which, reckoned in order from the sun, are as follows: Mercury, Venus, the Earth, Mars, Vesta, Juno, Pallas, Ceres, Jupiter, Saturn, and Uranus.

Mercury and Venus are called *inferior planets*, because their orbits are within the earth's; the others are called *superior planets*, as their orbits include that of the earth.

The **SUN**, the first and greatest object of astronomical knowledge, is placed near the centre of the orbits of all the planets, and turns round its axis in 24 $\frac{1}{4}$  days; its diameter is 883,000 English miles, and its mean distance from the earth 95 millions of miles.

**MERCURY** is the least of all the planets, known before the discovery of Vesta, Juno, Pallas, and Ceres, and is the nearest to the sun, his mean distance from that luminary being 37 millions of miles. His periodic revolution in his orbit round the sun is performed in 87 days 23 hours, and his diameter is about 3200 miles.

**VENUS** is the brightest of all the planets. Her diameter is 7687 miles; her mean distance from the sun 68 millions of miles; and her periodic revolution is performed in 224 days 17 hours. When this planet is in that part of her orbit which is west of the sun, she rises before him in the morning, and is called the *morning star*; when she is in the eastern part of her orbit, she shines in the evening, after he sets, and is called the *evening star*.

The next planet is the **EARTH**, the diameter of which is 7964 miles, the from the sun 95 millions of miles, and the time of revolution round

THE SOLAR SYSTEM.



- |   |         |   |         |
|---|---------|---|---------|
| 1 | Mercury | 4 | Jupiter |
| 2 | Venus   | 5 | Saturn  |
| 3 | Earth   | 6 | Uranus  |
| 4 | Mars    | 7 | Neptune |
| 5 | Comet A | 8 | Comet B |
| 6 | Comet C |   |         |
| 7 | Comet D |   |         |
| 8 | Comet E |   |         |

Each of the two elliptical curves represents the orbit of a Comet.



the sun one year. The earth turns round its axis from west to east in 23h. 56m. which occasions the apparent diurnal motion of the sun and all the heavenly bodies round it from east to west in the same time, and is, of course, the cause of their rising and setting, of day and night. The axis of the earth is inclined about  $23^{\circ} 28'$  to the plane of its orbit,\* and keeps nearly in a direction parallel to itself, throughout its annual course, which causes the return of spring and summer, autumn and winter. Thus the diurnal motion gives us the grateful vicissitude of night and day, and the annual motion the regular succession of the seasons. The earth is attended by a satellite called the Moon, whose diameter is 2161 miles; her distance from the centre of the earth is 240,000 miles: she goes round her orbit in 27 days 8 hours; but, reckoning from change to change, in  $29\frac{1}{2}$  days. Her orbit is inclined to the ecliptic in an angle of  $5^{\circ} 9'$ , cutting it in two points diametrically opposite to each other, called her *nodes*. As the moon shines only by the reflected light of the sun, she must appear different when in different situations with respect to that luminary. When she is in conjunction with the sun, her dark side is turned towards the earth, which renders her invisible; this is called *new moon*: when she is in opposition, her light side is wholly visible from the earth; this is called *full moon*.

If at the time of new moon she is near to either of her nodes, she may intercept a part of the sun's light, and thus cause an *eclipse of the sun*; and if she is near either of her nodes at the time of full moon, she may pass into the shadow of the earth, and cause an *eclipse of the moon*. In a similar manner, when the moon passes between an observer on the earth and a star, it is called an *Occultation* of the star. The instant when the moon's limb first covers the star is called the *Immersion*, and the moment of its re-appearance is called the *Emersion*. When Mercury or Venus passes between the sun and an observer, and appears to pass over the sun's disk, it is called a *Transit* of Mercury or Venus. Eclipses, Occultations and Transits, are of great importance in ascertaining the longitudes of places on the earth. Eclipses of the moon furnish a convincing proof of the rotundity of the earth, since the shadow of the earth, seen upon the moon when eclipsed, is always circular. This is farther confirmed by the appearance of objects at sea; for when a ship is making towards the land, the mariners first descry the tops of steeples, trees, &c. pointing above the water; the lower parts being hid, by reason of the curvature of the earth.

The earth is not a perfect globe or sphere, but is a little flatted at the poles, being nearly of the figure of an oblate spheroid, the equatorial diameter being about 26 miles longer than the polar: but since this difference bears but a small comparison to the whole diameter, we may, for all the practical purposes of navigation, consider the earth as a perfect sphere, as will be done in the rest of this work. The natural divisions of the earth will be given hereafter.

Mars is the next planet to the earth; his diameter is 4189 miles, his distance from the sun 144 millions of miles, and his periodic revolution is performed in about 687 days. He revolves round his axis in 24 hours 40 minutes, appearing of a dusky reddish hue, and is supposed to be encompassed with a very great atmosphere.

Between Mars and Jupiter are situated the four lately discovered planets, Vesta, Juno, Pallas, and Ceres, named Asteroids by Doctor Herschel. The elements of their orbits have not been accurately ascertained, but are nearly as in the following description.

VESTA, was discovered by Doctor Olbers of Bremen, on the 29th of March, 1807. Its mean distance from the sun is about 205 millions of miles; its periodic revolution is performed in about 3 1-6 years.

JUNO, was discovered by Mr. Harding, of Lilienthal (near Bremen) on the first of September, 1804. It appears like a star of the eighth magnitude. Its distance from the sun is about 255 millions of miles; its periodic revolution is performed in 1582 days. The inclination of its orbit to the ecliptic is  $13^{\circ} 56'$  and the eccentricity of the orbit  $\frac{1}{10}$ .

\* The inclination decreases at present about  $50''$  in 100 years, by reason of the attraction of the planets on the earth. It is also affected by the Nutation given in Table XLIII, which sometimes amounts to  $50''$ .  
† In estimating the eccentricities of the planets, their mean distance from the sun is put equal to unity.

**PALLAS**, was also discovered by Dr. Olbers, March 28, 1802. Its diameter, according to Doctor Herschel, is only 110 miles; it appears like a star of the eighth magnitude. Its mean distance from the sun is about 268 millions of miles. Its periodic revolution is performed in 1683 days. The inclination of its orbit to the ecliptic is  $34^{\circ} 39'$  and the eccentricity of the orbit 0.2463.

**CERES**, was discovered by Mr. Piazzi of Palermo on the first of January, 1801. Its diameter, according to Dr. Herschel, is only 160 miles. It appears like a star of the seventh or eighth magnitude. Its distance from the sun is about 266 millions of miles, and its periodic revolution is performed in 1683 days, being at nearly the same distance from the sun as Pallas. The inclination of the orbit of Ceres to the ecliptic is  $10^{\circ} 37'$  and the eccentricity 0.097. The situations of the nodes of the two planets Ceres and Pallas, and the inclinations of their orbits, are very different from each other, so that when those planets are in the same plane, they are at a great distance from each other, notwithstanding their mean distances from the sun are nearly equal. It has been supposed by some, that these small bodies are fragments of a former planet.

**JUPITER** is situated still higher in the system, and is the largest of all the planets, being easily distinguished from them by his peculiar magnitude and light. His diameter is 89,170 miles, his distance from the sun 490 millions of miles, and the time of his periodic revolution is 4332 $\frac{1}{2}$  days. Though Jupiter is the largest of all the planets, yet his diurnal revolution is the swiftest, being only 9 hours and 56 minutes.

Jupiter is attended by four satellites, invisible to the naked eye, but through a telescope they make a beautiful appearance. In speaking of them, we distinguish them according to their places, into the first, second, and so on; by the first we mean that which is nearest to the planet. The appearance of these satellites is marked in the XIIth. page of the Nautical Almanac, for some particular hour of the night; the times when they are eclipsed, by passing into the shadow of Jupiter, are also given in the Nautical Almanac; these eclipses are of considerable use in determining the longitudes of places on the earth.

Before the discovery of the planet Uranus, **SATURN** was reckoned the most remote planet of our system. He shines with but a pale and feeble light. His diameter is 79,042 miles, his distance from the sun 900 millions of miles, and his periodic revolution in his orbit is performed in about 29 years 167 days. This planet is surrounded with a broad flat ring, has a diurnal revolution round its axis, and is attended by seven satellites.


By some observations made by Dr. Herschel, it appeared that the largest diameter of Saturn corresponds to the latitude of  $45^{\circ}$ , but from later observations he has been induced to believe, that this irregularity is owing to an optical deception, arising from the refraction of the light in passing through the atmosphere of the ring.

**URANUS**, Herschel, or Georgium Sidus, is the most remote planet of our system. It was discovered in the year 1781, by Dr. Herschel, though it had been seen several times, but had been considered as a fixed star. Its diameter is 35,109 miles, its distance from the sun 1800 millions of miles, and its periodic revolution in its orbit is performed in 83 $\frac{1}{2}$  years. Dr. Herschel has also discovered six satellites attending this planet.

The astronomy of comets is yet in its infancy. The return of one of them in the year 1758 was foretold by Dr. Halley, and it happened nearly as he predicted. He also foretold the return of another in the year 1790, but it never appeared. This was owing to the inaccuracy of the observations of the comet at its former appearance; for Mr. Mechain, having collected all the observations, and calculated the orbit again, found it to differ essentially from that determined by Dr. Halley. Olber's comet, which appeared in 1815, has a revolution of 72 years; and Encke's comet, which has been observed in several successive approaches to the perihelion, completes its revolution in the short period of 1204 days.

Comets move round the sun in all directions, but the planets and satellites, except one of the satellites of Uranus, move from west to east when seen from the sun; but if viewed from any other of the planets, as the earth, they would appear to revolve round it as a centre; but the sun would be the only one that moved uniformly the same way, for the other planets would some-







times appear to move from west to east, and then to stand still; then they would seem to move from east to west; and after standing some time, they would again move from west to east; and so on continually. The motion of a planet from west to east is called the *direct* motion, or *according to the order of the signs*. The contrary motion from east to west, is called *retrograde*. When the planet appears to stand still, it is said to be *stationary*.

To illustrate what has already been said relative to the motions and distances of the planets and satellites, we have given the adjoining Plates III. and IV. which require no explanation.

In noting the situations of the stars and planets, astronomers have been under the necessity of imagining various lines and circles on the sphere; and geographers have done the same for fixing the situation of places on the earth. The most remarkable of these are the following.

A *great circle* is that whose plane passes through the centre of the sphere; and a *small circle* is that whose plane does not pass through that centre.

A diameter of a sphere, perpendicular to any great circle, is called the *axis* of that circle; and the extremities of a diameter are called its *poles*. Hence the pole of a great circle is  $90^\circ$  from every point of it upon the surface of the sphere; but as the axis is perpendicular to the circle when it is perpendicular to any two radii, a point on the surface of a sphere  $90^\circ$  distant from any two points of a great circle will be the pole.

All angular distances on the surface of a sphere, to an eye at the centre, are measured by arcs of *great circles*. Hence all triangles formed upon the surface of a sphere, for the solution of spherical problems, must be formed by the arcs of great circles.

*Secondaries* to a great circle are great circles which pass through its poles, and consequently must be perpendicular to their great circles.

The *axis* of the earth is that diameter about which it performs its diurnal motion; and the extremities of this diameter are called the poles.

The *terrestrial equator* is a great circle of the earth perpendicular to its axis. Hence the axis and poles of the earth are the axis and poles of its equator. That half of the earth which lies on the side of the equator, in which Europe and the United States of America are situated, is called the *northern hemisphere*, and the other the *southern*; and the poles are respectively called the *north* and *south* poles.

The *latitude* of a place upon the earth's surface is its angular distance from the equator, measured upon a secondary to it. These secondaries to the equator are called *meridians*.

The *longitude* of a place on the earth's surface is an arc of the equator intercepted between the meridian passing through the place, and another, called the *first meridian*, passing through that place from which you begin to measure, or it is the angle formed at the pole by these two meridians. The Americans and English generally place the first meridian at London or Greenwich, the French place it at Paris, the Spaniards at Cadiz; some Geographers place it at Teneriffe, and others at other places. Throughout this work Greenwich will be reckoned as the first meridian. The longitude is counted from the first meridian, both eastward and westward, till it meets at the same meridian on the opposite point; therefore the longitude (and also the difference of longitude between any two places) can never exceed  $180^\circ$ .

If the plane of the *terrestrial equator* be produced to the sphere of the fixed stars, it marks out a circle called the *celestial equator*; and if the axis of the earth be produced in like manner, the points of the heavens, to which it is produced, are called poles, being the *poles* of the celestial equator. The star nearest to each pole is called the *pole star*.

Secondaries to the celestial equator are called *circles of declination*; of these 24, which divide the equator into equal parts, each containing  $15^\circ$ , are called *hour circles*.

Small circles parallel to the celestial equator are called *parallels of declination*.

The *sensible horizon* is that circle in the heavens whose plane touches the earth at the spectator. The *rational horizon* is a great circle in the heavens, passing through the earth's centre, parallel to the sensible horizon.

If the radius drawn from the centre of the earth to the place where the spectator stands be produced both ways to the heavens, the point vertical to him is called the *zenith*, and the point opposite, the *nadir*. Hence the *zenith* and *nadir* are the poles of the rational horizon.

Secondaries to the horizon are called *vertical* circles, because they are perpendicular to the horizon. On these circles, therefore, the altitude of a heavenly body is measured.

The secondary common to the celestial equator, and the horizon of any place, is the *celestial meridian* of that place. This meridian corresponds with the *terrestrial meridian* of the same place, which passes through the poles of the earth, the *zenith* and *nadir* crossing the equator at right angles, and cutting the horizon in the north and south points; that point being called *north* which passes through the north pole, and the opposite direction is called *south*. The vertical circle which cuts the meridian of any place at right angles is called the *prime vertical*; the points where it cuts the horizon are called the *east* and *west* points, and to an observer, with his face directed towards the south, the *east* point will be to his left hand, and the *west* to his right hand. Hence the *east* and *west* points are  $90^\circ$  distant from the north and south. These four are called the *cardinal* points. The meridian of any place divides the heavens into two hemispheres lying to the east and west; that lying to the east is called the *eastern hemisphere*, and the other the *western hemisphere*. When the sun is at its greatest altitude on the meridian of any place, it is noon or mid-day.

The *azimuth* of a heavenly body is its distance on the horizon, when referred to it by a secondary, from the north or south points. The *amplitude* is its distance from the east or west points, at the time of rising or setting.

The *ecliptic* is that great circle in the heavens which the sun appears to describe in the course of a year. The ecliptic and equator, being great circles, must bisect each other, and their angle of inclination is called the *obliquity of the ecliptic*; and the points where they intersect are called the *equinoctial points*. The times when the sun comes to these points are called the *equinoxes*. The ecliptic is divided into 12 equal parts, called *signs*:—viz. Aries  $\Upsilon$ , Taurus  $\mathcal{T}$ , Gemini  $\mathcal{H}$ , Cancer  $\mathcal{C}$ , Leo  $\mathcal{L}$ , Virgo  $\mathcal{M}$ , Libra  $\mathcal{L}$ , Scorpio  $\mathcal{M}$ , Sagittarius  $\mathcal{S}$ , Capricornus  $\mathcal{V}$ , Aquarius  $\mathcal{Z}$ , Pisces  $\mathcal{X}$ . The order of these is according to the apparent motion of the sun. The first point of Aries coincides with one of the equinoctial points, and the first point of Libra with the other. The first six signs are called *northern*, lying on the north side of the equator; and the last six are called *southern*, lying on the south side.

The *zodiac* is a space extending eight degrees on each side the ecliptic, within which the motion of all the planets is contained, except the newly discovered planets.

The *right ascension* of a body is an arc of the equator intercepted between the first point of Aries and a circle of declination passing through the body, measured according to the order of the signs.

*Right ascension of the meridian or mid-heaven*, is the distance of the meridian, from the first point of Aries, and is found by adding the apparent time past noon, to the sun's right ascension.

The *ascensional difference* of any object is the difference between the right ascension of the object and that point of the equator which rises or sets with it.

The *declination* of a star or any celestial object is its angular distance from the equator, measured upon a secondary to it passing through the object.

The *longitude* of a star or any celestial object is an arc of the ecliptic intercepted between the first point for Aries and a secondary to the ecliptic passing through the body, measured according to the order of the signs.—If the observer be on the earth, the longitude is called the *geocentric* longitude; but if seen from the sun it is called the *heliocentric* longitude; the body in each case being referred perpendicularly to the ecliptic in a plane passing through the eye.

*Nonagesimal* degree of the ecliptic is its highest point at any given time, and is  $90^\circ$  from the points where the ecliptic intersects the horizon.

The *latitude* of a star or any celestial object is its angular distance from the ecliptic, measured upon a secondary to it drawn through the body.—If the body be observed from the earth, its angular distance from the ecliptic is called the *geocentric* latitude; but if observed from the sun it is called the

*heliocentric latitude.* The secondary circle drawn perpendicular to the ecliptic is called a *circle of latitude*.

The *tropics* are two parallels of declination touching the ecliptic. One, touching it at the beginning of cancer, is called the *tropic of cancer*; and the other, touching it at the beginning of capricorn, is called the *tropic of capricorn*. The two points, where the tropics cut the ecliptic, are called the *solstitial points*.

*Colures* are two secondaries to the celestial equator, one passing through the equinoctial points, called the *equinoctial colure*; and the other passing through the solstitial points, are called the *solstitial colure*. The times when the sun comes to the solstitial points are called the *solstices*.

*Aberration of a star* or any heavenly body, is a small apparent motion, occasioned by the progressive velocity of light. This is calculated by means of Tables XXXIX. XLI. or XLII.

*Nutation* is a small apparent motion of the heavenly bodies, occasioned by a real motion of the earth's axis, arising from the attractions of the sun and moon on the spheroidal form of the earth. The effect of this on the right ascension and declination is given in Table XLIII. and on the longitude in Table XL. The correction in this last Table being generally called the equation of the equinoxes in longitude.

*Precession of the equinoctial points* is a small motion of about 50" per year, occasioned by the same cause as the nutation. By this motion the equinoctial points are carried backward from east to west; consequently, the heavenly bodies appear to move forward the same quantity from west to east. The annual variations of the places of the stars from precession, and the secular equations arising from the change of the earth's orbit by the attraction of the planets, are given in Tables VIII. and XXXVII.

The *arctic* and *antarctic* circles are two parallels of declination, the former about the north, and the latter about the south pole, the distance of which from the two poles is equal to the distance of the tropics from the equator, which is about  $23^{\circ} 28'$ . These are also called polar circles. The two tropics and two polar circles, when referred to the earth, divide it into five parts, called *zones*; the two parts within the polar circles are called the *frigid zones*; the two parts between the polar circles and tropics are called the *temperate zones*; and the part between the tropics is called the *torrid zone*.

Besides the imaginary divisions of the earth, there are various natural divisions of its surface, formed by nature, such as continents, oceans, islands, seas, rivers, &c.

A *Continent* is a large tract of land, wherein are several empires, kingdoms, and countries conjoined—as Europe, Asia, Africa, and America.

An *Island* is a part of the earth that is environed or encompassed round by the sea, as Long Island, Block Island, &c.

A *Peninsula* is a portion of land almost surrounded with water, save one narrow neck which joins it to the continent, as the Morea.

An *Isthmus* is a narrow neck of land joining a peninsula to the adjacent land, by which the people may pass from one to the other, as the isthmus of Darien.

A *Promontory* is a high part of land stretching itself into the sea, the extremity of which is called a Cape or Headland.

A *Mountain* is a rising part of dry land, over-topping the adjacent country, and appearing first at a distance.

An *Ocean* is a vast collection of water, separating continents from one another, and washing their borders or shores, as the Atlantic and Pacific Oceans.

A *Sea* is part of the ocean, to which we must sail through some strait, as the Mediterranean and Baltic seas. This term is sometimes used for the whole body of salt water on the globe.

A *Strait* is a narrow part of the ocean lying between two shores, and opening a way into some sea, as the Straits of Gibraltar that lead into the Mediterranean Sea.

A *Creek* is a small narrow part of the sea or river, that goes up but a little way into the land.

A *Bay* is a great inlet of the land, as the Bay of Biscay, and the Bay of Mexico; otherwise a bay is a station or road for ships to anchor in.

A *River* is a considerable stream of water issuing out of one or various springs, and continually gliding along in one or more channels, till it discharges itself into the ocean: the lesser streams are called rivulets.

A *Lake* is a large collection of waters in an inland place, as the lakes Superior and Huron in America.

A *Gulf* is a part of the ocean or sea, nearly surrounded by the land, except where it communicates with the sea, as the Gulf of Venice.

Thus we have given the most useful definitions of Astronomy and Geography, and to assist the learner there is also given Plate V. in which those terms are explained at one view. We may farther observe, that as the latitude of any place upon the earth is counted from the equator upon an arch of the meridian, the difference of latitude between two places, both north, or both south, is found by *subtracting the less latitude from the greater*; but if one latitude be north, and the other south, the difference is found by *adding both latitudes together*.

1. Consequently, if a ship in north latitude sails northerly, or in south latitude southerly, she increases her latitude; but in north latitude sailing southerly, or in south latitude sailing northerly, she decreases her latitude, because she sails nearer to the equator, from whence the latitude is reckoned.

2. Wherefore, in north latitude sailing northerly, or in south latitude sailing southerly, the difference of latitude, added to the latitude left, gives the latitude in.

3. In north latitude sailing southerly, or in south latitude sailing northerly, the difference of latitude, subtracted from the latitude left, gives the latitude in.

4. When the latitude decreases, and the difference of latitude is greater than the latitude sailed from, subtract the latitude left from the difference of latitude, and the remainder will be the latitude in, but of a different name, for it is evident in this case, that the ship has crossed the equator.

5. The difference of longitude between two places, being both east or west, is found by *subtracting the less longitude from the greater*: but if one be east longitude and the other in west, their sum is the difference of longitude, when it does not exceed 180°, but if it exceeds 180°, that sum must be subtracted from 360°, and the remainder will be the difference of longitude.

6. Therefore in east longitude sailing easterly, or in west longitude sailing westerly, the difference of longitude added to the longitude left, gives the longitude in, when that sum does not exceed 180°; but if it exceeds 180°, the sum, subtracted\* from 360°, leaves the longitude in, but of a different name from that left.

7. In east longitude sailing westerly, or in west longitude sailing easterly, the difference of longitude, subtracted from the longitude left, gives the longitude in, but when the difference of longitude is greatest, the longitude left must be subtracted from that difference, and the remainder will be the longitude in, but of a different name from the longitude left.

What has been said will be rendered familiar to the learner by the following examples.

<p><b>EXAM. I.</b> What is the difference of latitude between Boston, in the latitude of 42° 23' N. and Richmond (Virginia) in the lat. of 37° 30' N.?</p> <table border="0"> <tr> <td>From Boston's lat.</td> <td style="text-align: right;">42° 23' N.</td> </tr> <tr> <td>Subtract Richmond's lat.</td> <td style="text-align: right;">37 30 N.</td> </tr> <tr> <td></td> <td style="text-align: right; border-top: 1px solid black;">4 53</td> </tr> <tr> <td>Remains the diff. of lat.</td> <td style="text-align: right;">60</td> </tr> <tr> <td></td> <td style="text-align: right; border-top: 1px solid black;">293</td> </tr> </table> <p>In Miles</p>	From Boston's lat.	42° 23' N.	Subtract Richmond's lat.	37 30 N.		4 53	Remains the diff. of lat.	60		293	<p><b>EXAM. II.</b> A ship from latitude 59° 27' sails southward until her difference latitude is 374 miles; what latitude is she come to?</p> <table border="0"> <tr> <td>Latitude sailed from</td> <td style="text-align: right;">59° 27' E</td> </tr> <tr> <td>Diff. of lat. 374 ÷ 60 =</td> <td style="text-align: right;">6 14 E</td> </tr> <tr> <td></td> <td style="text-align: right; border-top: 1px solid black;">65 41 E</td> </tr> </table> <p>Lat. in</p>	Latitude sailed from	59° 27' E	Diff. of lat. 374 ÷ 60 =	6 14 E		65 41 E
From Boston's lat.	42° 23' N.																
Subtract Richmond's lat.	37 30 N.																
	4 53																
Remains the diff. of lat.	60																
	293																
Latitude sailed from	59° 27' E																
Diff. of lat. 374 ÷ 60 =	6 14 E																
	65 41 E																


\* In this rule it is supposed, that the sum of the longitude left, and the difference of longitude, is less than 360°, which is always the case when the difference of longitude is less than 180°, which we are generally supposed to be the case in these rules.




**THE CIRCLES, ZONES, &c. OF  
THE ARTIFICIAL GLOBE OR SPHERE**



**EXPLANATION OF GEOGRAPHICAL TERMS.**







**Ex. III.** Required the difference of latitude between Georgetown and Cape Frio?

Georgetown's lat.	33° 25' N.
Cape Frio's lat.	23 1 S.
<b>Diff. of lat.</b>	56 24
	60
<b>In miles</b>	3384

**Ex. IV.** A ship from latitude 28° 25' N. sails south 1800 miles; what latitude is she in?

From diff. of lat. 1800 miles, or	30° 00' S.
Sub. lat. left	28 25 N.
<b>Diff. = lat. in</b>	1 35 S.

In the last example it is evident that as the difference of latitude is more than the latitude left, the ship must have crossed the equator, and consequently come into south latitude.

**NOTE.** When one of the places has no latitude, or is on the equator, the latitude of the other place is their difference of latitude.

**Ex. V.** What is the difference of longitude between Cape Ann light-house and Lisbon?

Cape Ann light-house's long.	70° 34' W.
Lisbon's long.	9 9 W.
<b>Diff. of long.</b>	61 25
	60
<b>In miles</b>	3685

**Ex. VI.** A ship from Cape Charles, in Virginia, sails eastward till her difference of longitude is 400 miles; what longitude is she in?

Cape Charles' long.	76° 04' W.
Diff. of long. 400 miles =	6 40 E.
<b>Long. in</b>	69 24 W.

**Ex. VII.** What is the difference of longitude between Barcelona and Salem?

Barcelona's long.	2° 12' E.
Salem's long.	70 52 W.
<b>Diff. of long.</b>	73 4 W.

**Ex. VIII.** A ship from 15° 40' E. long. sails westward till her diff. of long. is 27° 15', what longitude is she in?

Long. left	15° 40' E.
Diff. of long.	27 15 W.
<b>Long. in</b>	11 35 W.

**Ex. IX.** What is the difference of longitude between Manilla and New-York light-house?

Manilla's long.	121° 02' E.
New-York light-house	74 01 W.
<b>Sum exceeds 180°</b>	195 03
<b>Subtract it from</b>	360 00
<b>Diff. of long.</b>	164 57

**Ex. X.** A ship from longitude 160° 20' W. sails westward until she differs her longitude 41° 20'; what longitude is she in?

Long. left	160° 20' W.
Diff. of long.	41 20 W.
	201 40
	360 00
<b>Long. in</b>	159 20 E.

In the last example the ship has crossed the opposite meridian, and therefore has come into a longitude of a different name.

PLANE SAILING.

**PLANE SAILING** is the art of navigating a ship upon principles deduced from the supposition of the earth's being an extended plane, on which the meridians are all parallel to each other.\* A map of the several parts of the earth, constructed upon these principles, is called a **PLANE CHART**. When the parts of the earth are thus delineated on a plane, it is easy to see the track by which a ship may go from one place to another, and also what angle this track makes with the meridian.† Ships at sea are kept in this track by means of an instrument called the mariner's compass.

The **MARINER'S COMPASS** is an artificial representation of the horizon of any place. It consists of a circular piece of paper (see Plate VI. fig. 1) called a card, divided (like the horizon) into 360 degrees or 32 points. This is fixed on a piece of steel, called a needle, to which the magnetic virtue has been communicated by means of a loadstone, which has the property of pointing steadily towards the north, and carrying the card with it, when turning freely on a pivot or any thing to support it. Thus all the points of the card will be

\* The explanations of Plane Sailing, and the definitions of this page (and in the former editions of this work) are nearly the same as those given by Moore, in his *Practical Navigator*; by Robertson in his *Elements of Navigation*, and by most writers on Navigation.

† The method of calculating this angle on the true principles of sailing on the spherical surface of the earth, will be given hereafter.

directed towards their corresponding points of the horizon, consequently, by help of the compass a ship may be kept in any proposed track or course.

The **COURSE** is the angle which the line described by a ship makes with the meridian, being sometimes reckoned in points, half points, &c. and sometimes in degrees.

**DISTANCE** is the way or length a ship has gone on a direct course in a given time. The method of measuring this distance by the log will be explained hereafter.

**DIFFERENCE OF LATITUDE** is the distance which the ship has made north or south of the place sailed from, or the portion of the meridian contained between the parallels of latitude sailed from and come to.

**DEPARTURE** is the east or west distance a ship has made from the meridian, or the whole easting or westing made by the ship.

If a ship sails due north or south, she sails on a meridian, makes no departure, and her distance and difference of latitude are the same. If she sails due east or west, she goes on a parallel of latitude, makes no difference of latitude, and her departure and distance are the same.

The difference of latitude and departure make the legs of a right-angled triangle, the hypotenuse of which is the distance the ship has sailed; the perpendicular is the difference of latitude counted on the meridian; the base is the departure, which is easting or westing counted from the meridian; the angle opposite to the base is the course, or angle, that the ship makes with the meridian; and the angle opposite the perpendicular is the complement of the course, which being taken together, make always 8 points or 90 degrees.

In constructing figures relating to a ship's course, let the upper part of the paper, or what the figure is drawn upon, always represent the north; the lower part will be the south; the right hand east, and the left west.

Draw the north and south line to represent the meridian of the place the ship sails from; then, if the ship's course is to the southward, mark the upper end of the line for the place sailed from; but if the course is northward, mark the lower end for that place.

When the course is easterly, describe the arch, and lay off the course and departure on the right hand side of the meridian; but when westerly, on left hand side.

When the course is given in degrees, they must be taken from the line of chords; but when in points, from the line of rhumbs, and must always be laid off upon the arch, beginning at the meridian.

When the course is given in points, the log-sine, log. co-sine, &c. may be found in Table XXV. otherwise in Table XXVII.

In all cases, where the complement of course, or co-sine, &c. is used, the degrees or points put down, are the course itself, but the logarithms belonging to the complement or co-sine, &c. of that course are taken.

*A Table of the Angles which every Point of the Compass makes with the Meridian.*

North.	South.	Point.	D. M.	North.	South.
		$\frac{1}{4}$	2.49		
		$\frac{1}{2}$	5.37		
		$\frac{3}{4}$	8.26		
N. by E.	S. by E.	1	11.15	N. by W.	S. by W.
		$1\frac{1}{4}$	14.4		
		$1\frac{1}{2}$	16.52		
		$1\frac{3}{4}$	19.41		
N. N. E.	S. S. E.	2	22.30	N. N. W.	S. S. W.
		$2\frac{1}{4}$	25.19		
		$2\frac{1}{2}$	28.7		
		$2\frac{3}{4}$	30.56		
N. E. by N.	S. E. by S.	3	33.45	N. W. by N.	S. W. by S.
		$3\frac{1}{4}$	36.34		
		$3\frac{1}{2}$	39.22		
		$3\frac{3}{4}$	42.11		
N. E.	S. E.	4	45.0	N. W.	S. W.
		$4\frac{1}{4}$	47.49		
		$4\frac{1}{2}$	50.37		
		$4\frac{3}{4}$	53.26		
N. E. by E.	S. E. by E.	5	6.15	N. W. by W.	S. W. by W.
		$5\frac{1}{4}$	59.4		
		$5\frac{1}{2}$	61.52		
		$5\frac{3}{4}$	64.41		
E. N. E.	E. S. E.	6	67.30	W. N. W.	W. S. W.
		$6\frac{1}{4}$	70.19		
		$6\frac{1}{2}$	73.7		
		$6\frac{3}{4}$	75.56		
E. by N.	E. by S.	7	78.45	W. by N.	W. by S.
		$7\frac{1}{4}$	81.34		
		$7\frac{1}{2}$	84.22		
		$7\frac{3}{4}$	87.11		
	East.	8	90.0	West.	

\* It is here supposed that the needle points to the true north, but if it varies therefrom, allowance must be made for the variation by the rules which will be given in this work.




Fig. 1.



Fig. 1.




Fig. 3.



Fig. 2.




Fig. 5.

AZIMUTH

COMPASS.

Howe Eng.

PLANE SAILING.

In the following Table, the rules for solving the various cases of Plane Sailing are collected.

PLANE SAILING.


Case	Given	Required	Solutions
1	Course and Distance	Diff. of Lat. Departure.	Rad. : Dist. : : Cos Course : Diff. of Lat. Rad. : Dist. : : Sine Course : Departure.
2	Course and Diff. of Lat.	Distance Departure	Co-sine Course : Diff. Lat. : : Rad. : Distance. Radius : Diff. Lat. : : Tang. Course : Departure.
3	Course and Departure.	Distance Diff. of Lat.	Sine Course : Departure : : Rad. : Distance. Radius : Departure : : Co-tang. Course : Diff. Lat.
4	Distance and Diff. of Lat.	Course Departure	Distance : Radius : : Diff. Lat. : Cos. Course. Radius : Distance : : Sine Course : Departure.
5	Distance and Departure.	Course Diff. of Lat.	Distance : Radius : : Departure : Sine Course. Radius : Distance : : Cos. Course : Diff. Lat.
6	Diff. of Lat. and Departure.	Course Distance.	Diff. Lat. : Radius : : Dep. : Tang. Course. Sine Course : Departure : : Rad : Distance. Radius : Diff. Lat. : : Secant Course : Distance.

CASE I.

Course and distance sailed given, to find the difference of latitude and departure from the meridian.

A ship from the latitude of  $49^{\circ} 57' N.$  sails S. W. by W. 488 miles; required the latitude she is in, and her departure from the meridian sailed from?

BY PROJECTION.



Draw the line CA to represent the meridian of the place C, from whence the ship sailed. With the chord of  $60^{\circ}$  in your compasses, and one foot in C as a centre, describe the compass N. W. S. E. Take 5 points in your compasses from the line of rhumbs on the plane scale, and set it off on the arch from S. towards W. for the course; through this point and C draw the line CB, which make equal to the distance 488; draw BA parallel to the E. and W. points W. E. to cut the meridian in A. Then will CA be the difference of latitude 271.1, and AB the departure 405.8.

BY LOGARITHMS.

By making the distance radius.

To find the departure.

As radius 8 points	10.00000
Is to the distance 488	2.68842
So is the sine course 5 points	9.91985
To the departure 405.8	2.60827

To find the difference of latitude.

As radius 8 points	10.00000
Is to the distance 488	2.68842
So is co-sine course 5 points	9.74474
To the difference of lat. 271.1	2.43316

Now as the ship is in north latitude sailing southerly; from the latitude left  $49^{\circ} 57' N.$  Take the difference of latitude  $271.1 = 4^{\circ} 31' S.$

Gives the latitude in  $45^{\circ} 26' N.$

And the departure from the meridian is 405.8 miles.

## BY GUNTER.

Extend from radius or 8 points\* to 5 points on the line marked SR; that extent will reach from the distance 488 to the departure 405.8 on the line of numbers.

Edly. Extend from radius or 8 points to 3 points, the complement of the course, on the line SR; that extent will reach from the distance 488 to the difference of latitude 271 on the line of numbers.

Thus may all the operations be performed in the several cases of Navigation.

By this case are calculated the tables of latitude and departure (TABLES I. and II.) for every degree, point, and quarter point of the mariner's compass, to the distance of 300 miles. By the inspection of these Tables, a day's work may be calculated in a much more expeditious manner than by logarithms or by Gunter's Scale. In consequence of this, the method by inspection is generally used at sea in preference to every other method.

## BY INSPECTION.

Find the given course at the top or bottom of the tables, either among the points or degrees, and in that page, against the distance taken in its column, will stand the difference of latitude and departure in their columns.†

It must be observed, that in using these tables, the names Dist. Lat. Dep. must be found at the top if the course is found there, but if the course is found at the bottom, those names must be found at the bottom.

Thus the course S. W. by W. or 5 points, is found at the bottom of the table of difference of latitude and departure for points; and as the distance 488 is too great to be found in the tables, divide it by 2 (or any other convenient number) and that gives 244, which look for in the distance column, and against it stand 135.5 for the difference of latitude, and 202.9 for the departure, which being doubled (because divided by 2) give 271 for the difference of latitude, and 405.8 for the departure, the same as before.

## CASE II.


*Course and difference of latitude given, to find the distance run, and departure from the meridian.*

If a ship runs S. E. by E. from  $1^{\circ} 45'$  north latitude, and then by observation is in  $2^{\circ} 46'$  south latitude, what is her distance and departure?

In this case, as the ship has crossed the equator, the sum of the two latitudes  $1^{\circ} 45'$  and  $2^{\circ} 46'$  is the difference of latitude  $4^{\circ} 31' = 271$  miles.

## BY PROJECTION.

Draw  $BC = 271$ , and  $BA$  making an angle with  $BC$  equal to the course 5 points, or  $56^{\circ} 15'$ ; draw  $CA$  perpendicular to  $BC$  to cut  $BA$  in  $A$ , and it is done: for  $CA$  will be the departure = 406, and  $AB$  the distance = 488.



## BY LOGARITHMS.

By making diff. of lat.  $BC$  radius.

By making the Dep.  $AB$  radius.‡

To find the departure.

To find the distance.

As radius 4 points

10.00000 As co-sine course 5 points

9.74474

Is to diff. of lat. 271

2.43297 Is to the diff. of lat. 271

2.43297

So is tang. course 5 pts.

10.17511 So is radius

10.00000

To the departure 405.6

2.60808 To the distance 487.3

2.68823

\* When the course is given in points, make use of the lines marked sine rhumbs, and tangent rhumbs, on the upper side of the scale; when in degrees, make use of the lines marked sine and tangent.

† When the distance is too great to be found in the tables, you must divide it by 2, 3, 4, or any convenient number, the numbers corresponding to the quotient being multiplied by the divisor will give the sought numbers.

‡ By making  $BC$  radius you would have Rad. : Diff. Lat. : Secant Course : Distance but you would not do for a common scale on which there is no line of secants. The same thing is to be observed in the following cases.

Hence the ship's distance run is 487.8 miles, and her departure from the meridian is 405.6 easterly.

BY GUNTER.

Extend from radius or 4 points to the course 5 points on the line marked TR, that extent will reach from the difference of latitude 271 to the departure 405.6 on the line of numbers.

2dly. Extend from the complement of the course 3 points to the radius 8 points on the line SR, that extent will reach from the difference of latitude 271 to the distance 488 on the line of numbers.

BY INSPECTION.

Find the course among the points or degrees, and the difference of latitude in its column, against which will stand the distance and departure in their columns.


Now, as the difference of latitude 271 is too great to be found in the tables, I divide it by 2, and that gives 135.5 which I find over S. E. by E. or 5 points in the latitude column; against that stand 244, for the distance, and 202.9 for the departure, which multiplied by 2 give the distance 488, and the departure 405.8.

CASE III.

Course and departure from the meridian given, to find the distance and difference of latitude.

If a ship sails N. E. by E.  $\frac{1}{4}$  E. from a port in  $5^{\circ} 15'$  south latitude, until she depart from her first meridian 406 miles, I demand the distance sailed, and the latitude she is in?

BY PROJECTION.



A: then AC measured on the same scale before used, gives the distance 449, and AB 192, the difference of latitude.

BY LOGARITHMS.

By making the departure BC radius.	By making the distance AC radius.		
As radius 4 points	10.00000	As sine course $5\frac{1}{4}$ pts.	9.95616
Is to the departure 406	2.60853	Is to the departure 406	2.60853
So is co-tang. course $5\frac{1}{4}$ pts.	9.67483	So is radius	10.00000
<hr/>		<hr/>	
To the diff. of lat. 192	2.28336	To the distance 449,1	2.65237
From the latitude left			$3^{\circ} 15' S.$
Subtract the difference of latitude 192 miles, or			<hr/>
			3 12 N.
			<hr/>
The remainder being 3, shows the ship is in the latitude of			0 3 S.

BY GUNTER.

Extend from radius or 4 points to the co-course  $2\frac{1}{4}$  points on the line marked TR; that extent will reach from the departure 406 to the difference of latitude 192 on the line of numbers.

2dly. Extend from the course  $5\frac{1}{4}$  points to radius on the sines, that extent will reach from the departure 406 to the distance 449 miles on the line of numbers.

BY INSPECTION.

Find the course either among the points or degrees, and the departure in its column, against which will stand the distance and difference of latitude in their respective columns.

Thus with the course 5½ points, and half the departure 203. I find 221.5 for the distance, and 96.0 for the difference of latitude, which, being doubled, give the distance 449, and the difference of latitude 192.0, as before.

## CASE IV.


*Distance and difference of latitude given, to find the course and departure.*

Suppose a ship sails 488 miles, between the south and the east, from a port in  $2^{\circ} 52'$  south latitude, and then by observation is in  $7^{\circ} 23'$  south latitude; what course has she steered, and what departure has she made?

From the latitude by observation  $7^{\circ} 23'$  take  $2^{\circ} 52'$  the latitude left, the remainder  $4^{\circ} 31' = 271$  miles, is the difference of latitude.

## BY PROJECTION.

Draw the meridian  $AB = 271$ ; upon which erect the perpendicular  $BC$ ; take 488 in your compasses, and with one foot on  $A$ , as a centre, describe an arch cutting  $BC$  in  $C$ ; join  $A$  and  $C$ ; then will  $BC$  be the departure 406, and the angle  $BAC$  the course  $= 56^{\circ} 16'$  or five points nearly.



## BY LOGARITHMS.

To find the course.		To find the departure.	
As the distance 488	2.68842	As radius	10.00000
Is to radius	10.00000	Is to the distance 488	2.68842
So is the diff. of lat. 271	2.43297	So is sine course $56^{\circ} 16'$	9.91993
<hr/>		<hr/>	
To co-sine course $56^{\circ} 16'$	9.74455	To the departure 405.8	2.60335
Hence the course is S. E. by E. and the departure 405.8.			

## BY GUNTER.

The extent from the distance 488, to the difference of latitude 271 on the line of numbers, will reach from radius, or  $90^{\circ}$  to  $33^{\circ} 44'$ , the co-course on the line of sines.

And the extent from radius, to  $56^{\circ} 16'$  on the line of sines, will reach from the distance 488 to the departure 405.8 on the line of numbers.

## BY INSPECTION.

Seek in the tables till against the distance taken in its column is found the given difference of latitude in one of the following columns, adjoining to it will stand the departure; which, if less than the difference of latitude, the course is to be found at the top; † but if greater, the course is to be found at the bottom,

Thus half the distance 244, and half the difference of latitude 135.5, are found to correspond to a course of 5 points or S. E. by E. and to the departure 202.9, which being doubled, gives 405.8, as before.

## CASE V.

*Distance and departure given, to find the course and difference of latitude.*

Suppose a ship sails 488 miles between the north and west, from the latitude of  $32^{\circ} 25'$  north, until her departure is 405 miles, what course has she steered, and what latitude is she in?


\* The nearest numbers in the table are 202.5 and 203.4, and as the number 203 is nearly a mean of these two values, I take the mean 224.5 of the corresponding distances 224, 225, and the mean 96 of the corresponding departures 95.8 and 96.2; these doubled give the true distance 449, and departure 192.

† It may also be known whether the course be marked at the top or bottom of the table, by observing whether the difference of latitude and departure correspond with the marks at the top or bottom. Thus the half distance 244, and half difference of latitude 135.5 correspond to the course 5 points, because the column in which 135.5 is found, is marked latitude at the bottom; the same may be observed in the following cases.

PLANE SAILING.

BY PROJECTION.

Draw the line AB equal to the departure 405. and perpendicular thereto the line BC to represent the meridian, then take the distance 488 in your compasses, and fixing one foot in A as a centre. describe an arch cutting BC in C. join AC and it is done: for the angle ACB will be the course, and BC the difference of latitude.



BY LOGARITHMS.

To find the course.		To find the difference of latitude.	
As the distance 488	2.68842	As radius	10.00000
Is to radius	10.00000	Is to the distance 488	2.68842
So is the departure 405	2.60746	So is co-sine course 56° 6'	9.74644
<hr/>		<hr/>	
To the sine of course 56° 6'	9.91904	To the diff. of latitude 272.2	2.43486

Hence the course is N. 56° 6' W. or N. W. by W. nearly.

To the latitude sailed from 32° 25' add the difference of latitude 272. or 4° 32', the sum 36° 57' is the latitude the ship is in.

BY GUNTER.

Extend from the distance 488 to the departure 405 on the line of numbers, that extent will reach from radius to the course 56° 6' on the line of sines.

2dly. Extend from radius to the complement of the course 33° 54' on the line of sines, that extent will reach from the distance 488 to the difference of latitude 272 on the line of numbers.

BY INSPECTION.

Seek in the tables till against the distance, taken in its column, is found the given departure in one of the following columns; adjoining to it will stand the difference of latitude: which, if greater than the departure, the course is to be found at the top; but if less, the course is to be found at the bottom.

Thus half the distance 244, and half the departure 202.5, agree nearly to a course of 5 points or N. W. by W. and a difference of latitude 135.5, which being doubled, is 271, the difference of latitude, nearly as before.


CASE VI.

*Difference of Latitude and Departure given to find the Course and Distance.*

A ship sails between the north and west till her difference of latitude is 271 miles, and her departure is 106 miles; I demand her course and distance!

BY PROJECTION.

Draw AB=271, and perpendicular to it BC=106; join C and A; then will the angle CAB be the course=56° 17'. and AC the distance=488 miles.



BY LOGARITHMS.

To find the course.		To find the distance.	
As the diff. of latitude 271	2.43297	As radius	10.00000
Is to radius	10.00000	Is to the diff. of latitude 271	2.43297
So is the departure 106	2.60853	So is sec. of course 56° 17'	10.25564
<hr/>		<hr/>	
To tang. of course 56° 17'	10.17556	To the distance 488.2	2.68861

Hence her course is N. 56° 17' W. or N. W. by W. and the distance sailed is 488.2 miles.



## BY GUNTER.

Extend from the difference of latitude 271 to the departure 406 on the line of numbers, that extent will reach from radius to  $56^{\circ} 17'$  the course on the line of tangents.

2dly. For the distance we must consider it as radius (unless there is a line of secants on the scale) and extend from the course  $56^{\circ} 17'$  to the radius or  $90^{\circ}$  on the line of sines, that extent will reach from the departure 406, to the distance 488 on the line of numbers.

## BY INSPECTION.

Seek in the tables till the given difference of latitude and departure are found together in their respective columns, then against them will be the distance in its column, and the course will be found at the top of that table if the departure be less than the difference of latitude, otherwise at the bottom.

Thus with half the difference of latitude 135.5, and half the departure 208, enter the tables, and these numbers will be found to correspond nearly to 5 points or N. W. by W. course, and a distance equal to 244 miles, which being doubled gives the sought distance, 488.

*Questions to exercise the learner in the foregoing Rules.*

**Question I.** A ship in  $2^{\circ} 10'$  south latitude, sails N. by E. 89 leagues; what latitude is she in, and what is her departure?

**Answer.** Latitude in  $2^{\circ} 12' N.$  and departure 17,36 leagues.

**Question II.** A ship sails S. S. W. from a port in  $41^{\circ} 30'$  north latitude, and then by observation is in  $36^{\circ} 57'$  north latitude; I demand the distance run and departure?

**Answer.** Distance run 98,5 leagues, departure 37,7 leagues.

**Question III.** A ship sails S. S. W.  $\frac{1}{2}$  W. from a port in  $2^{\circ} 30'$  south latitude, until her departure be 59 leagues; I demand her distance run and latitude in?

**Answer.** Distance run 125,2 leagues, latitude in  $8^{\circ} 1'$  south.

**Question IV.** If a ship sail 360 miles south westward from  $21^{\circ} 59'$  south latitude, until by observation she be in  $24^{\circ} 49'$  south latitude, what is her course and departure?

**Answer.** The course is S. W. by W. half W. or S.  $61^{\circ} 49'$  W. and her departure from the meridian is 317,3 miles.

**Question V.** Suppose a ship sails 354 miles north eastward from  $2^{\circ} 8'$  south latitude, until her departure be 150 miles, what is her course and latitude in?

**Answer.** Her course is N.  $25^{\circ} 4'$  E. or N. N. E.  $\frac{1}{2}$  E. nearly, and she is in latitude  $3^{\circ} 12' N.$

**Question VI.** Sailing between the north and the west, from a port in  $1^{\circ} 59'$  south latitude, and then arriving at another port in  $4^{\circ} 8'$  north latitude, which is 209 miles to the westward of the first port—I demand the course and distance from the first port to the second?

**Answer.** The course is N.  $29^{\circ} 40'$  W. or N. N. W.  $\frac{1}{4}$  W. nearly, and the distance of the ports is 422,4 miles, or 140,8 leagues.

**Question VII.** Four days ago we were in lat.  $3^{\circ} 25'$  S. and have since that time sailed in a direct course N. W. by N. at the rate of 3 miles an hour; required our present latitude and departure?

**Answer.** Latitude in  $7^{\circ} 14' N.$  Departure 426,7 miles.

**Question VIII.** A ship in the latitude of  $3^{\circ} 52'$  S. is bound to a port bearing N. W. by W.  $\frac{1}{2}$  W. in the latitude of  $4^{\circ} 30'$  N. how far does that port lie to the westward, and what is the ship's distance from it?

**Answer.** The port lies 939,2 miles to the westward, and the direct distance 1065 miles.

**Question IX.** A ship from the latitude of  $48^{\circ} 17'$  N. sails S. W. by S. until she has depressed the north pole 2 degrees; what direct distance has she sailed, and how many miles has she got to the westward?

**Answer.** Distance run 144,3 miles, and has got to the westward 80,2 miles.

## TRAVERSE SAILING.



A **TRAVERSE** is an irregular track which a ship makes by sailing on several different courses; these are reduced to a single course by means of two or more cases of Plane Sailing, either by geometrical construction, or by arithmetical calculation.\*

The geometrical construction is performed as follows: Describe a circle with the chord of  $60^\circ$ , to represent the compass, and lay off on its circumference the various courses sailed. From the centre, upon the first course set off the first distance, and mark its extremity: through this extremity, and parallel to the second course, draw the second distance of its proper length; through the extremity of the second distance, and parallel to the third course, draw the third distance of its proper length; and thus proceed till all the distances are drawn. A line, drawn from the extremity of the last distance to the centre of the circle, will represent the distance made good; a line, drawn from the same point, perpendicular to the meridian, will represent the departure; and the part of the meridian intercepted between this and the centre, will represent the difference of latitude.

The arithmetical calculation to work a traverse is as follows; Make a traverse table consisting of six columns; title them, Course, Dist. N. S. E. W. begin at the left side, and write the given courses and distances in their respective columns. Find the difference of latitude and departure for each of these courses, by Gunter's Scale, or by Tables I. or II. (as in Case I. Plane Sailing) and write them in their proper columns: that is, when the course is southerly, the difference of latitude must be set in the column S. when northerly in the column N. The departure, when westerly, in the column W. and when easterly in the column E. Add up the columns of northing, southing, easting, and westing; take the difference between the northing and southing, and also between the easting and westing; the former difference will be the difference of latitude, which will be of the same name as the greater; and the latter will be the departure, which will be also of the same name as the greater. With this difference of latitude and departure, the course and distance made good are to be found as in Case VI. Plane Sailing.

### EXAMPLE I.


Suppose a ship takes her departure from Block Island, in the latitude of  $41^\circ 10'$  N. the middle of it bearing N. N. W. distance by estimation 5 leagues. and sails S. E. 34. W. by S. 16, W. N. W. 39, and S. by E. 40 miles; required the latitude she is in, and her bearing and distance from Block Island!

\* This method of reducing compound courses to a single one is perfectly accurate in sailing on a plane, and is nearly so in sailing a short distance on the spherical surface of the earth; and though in this case it is liable to a small error in high latitudes, yet in general the rule is sufficiently accurate for reducing the several courses and distances sailed in one day to a single course and distance.

TRAVERSE SAILING.

BY PROJECTION.

Let L represent the middle of Block-Island; and draw the meridian LM, and on L as a centre, with a chord of  $60^\circ$ , describe a circle to represent the compass, on which mark the various courses sailed, and the bearing of the land at the time of taking the departure; opposite to this bearing draw the S. S. E. line LA, which make equal to 15 miles, the estimated distance of the land; then will A represent the place of the ship at the time of taking the departure: through A draw AB = 34 miles parallel to the S. E. line; then will B be the place of the ship after sailing her first course; in like manner draw BC = 16 miles parallel to the W. by S. line: CD = 39 miles parallel to the W. N. W. line, and DE = 40 miles parallel to the S. by E. line; then will E represent the place of the ship after sailing her several courses. Join EL, and draw EM perpendicular to LM; then will LE be the distance of Block-Island 66.8 miles, and the angle ELM =  $12^\circ 16'$  will be the course made good, LM the difference of latitude, and EM the departure.



then will E represent the place of the ship after sailing her several courses. Join EL, and draw EM perpendicular to LM; then will LE be the distance of Block-Island 66.8 miles, and the angle ELM =  $12^\circ 16'$  will be the course made good, LM the difference of latitude, and EM the departure.

TO FIND THE SAME BY LOGARITHMS.

For the first course S. S. E. 15 miles.

To find the difference of latitude.

For departure.

As radius $90^\circ$	10.00000	As radius $90^\circ$	10.00000
Is to distance 15	1.17609	Is to distance 15	1.17609
So is co-sine course $2$ points	9.96562	So is sine course $2$ points	9.58284
<hr/>		<hr/>	
To Diff. lat. 13.9	1.14171	To departure 5.7	0.75893

Second course S. E. 34 miles.

For difference of latitude.

For departure.

As radius $90^\circ$	10.00000	As radius $90^\circ$	10.00000
Is to co-sine course $45^\circ$	9.84949	Is to sine course $45^\circ$	9.84949
So is distance 34	1.53148	So is distance 34	1.53148
<hr/>		<hr/>	
To diff. latitude 24	1.38097	To departure 24	1.38097

Third course W. by S. 16 miles.

For difference of latitude.

For departure.

As radius $90^\circ$	10.00000	As radius $90^\circ$	10.00000
Is to co-sine course $78^\circ 45'$	9.29024	Is to sine-course $78^\circ 45'$	9.99157
So is distance 16	1.20412	So is distance 16	1.20412
<hr/>		<hr/>	
To diff. latitude 3.1	0.49436	To departure 15.7	1.19569

## TRAVERSE SAILING.

6)

Fourth course W. N. W. 39 miles.

For difference of latitude.		For departure.	
As radius 90°	10.00000	As radius 90°	10.00000
Is to co-sine course 67° 30'	9.78284	Is to sine course 67° 30'	9.96562
So is distance 39	1.59106	So is distance 39	1.59106
To diff. lat. 14.9	1.17390	To departure 36	1.55669

Fifth course S. by E. 40 miles.

For difference of latitude.		For departure.	
As radius 90°	10.00000	As radius 90°	10.00000
Is to co-sine course 11° 15'	9.99157	Is to sine course 11° 15'	9.29024
So is distance 40	1.60206	So is distance 40	1.60206
To diff. lat. 39.2	1.59363	To departure 7.8	0.89230

Though this method of finding the difference of latitude and departure by logarithms is accurate, yet the calculations may be more easily made by the tables of difference of latitude and departure, as in Case I. Plane Sailing.

### TRAVERSE TABLE.

Place all these courses, distances, &c. in the traverse table, then add up all the westings, eastings, northings, and southings, separately, and set down their respective sums at the bottom of each column; and as the westing is greater than the easting subtract the easting therefrom; the difference 14.2 shews that the ship's departure is so much west of her first meridian.

Courses.	Dist.	Diff. Lat.			Departure.
		N.	S.	E.	
S. S. E.	15		13.9	5.7	
S. E.	34		24.0	24.0	
W. by S.	16		3.1		15.7
W. N. W.	39	14.9			36.0
S. by E.	40		39.2	7.8	
From sum	—	—	80.2	37.5	51.7
Take	—	—	14.9	—	37.5
Rests	—	—	65.3		14.2

Again, the southing being greater than the northing, subtract the northing from it, and the remainder 65.3 shews how far the ship is to the southward of her first place.

To find the direct course or bearing of Block Island from the ship.	To find the distance of the Island.
As the diff. lat. 65.3	1.91491
Is to radius 45°	10.00000
So is the departure 14.2	1.15229
To tang. course 12° 16'	9.33738
	As sine of course 12° 16'
	Is to the departure 14.2
	So is radius 90°
	10.00000
	To the distance 66.8
	1.82501

Which, because the difference of latitude is southerly, and the departure westerly, is S. 12° 16' W. Whence Block Island bears from the ship N. 12° 16' E. or N. by E. 1° 1' E.

**BY INSPECTION.**  
Find the course and distance by Case VI. of Plane Sailing.

### EXAMPLE II.

A ship from Mount-Desert Rock, in the latitude of 43° 52' N. sails for Cape Cod in the latitude of 42° 5' N. its departure from the meridian of Mount-Desert Rock being supposed to be 84 miles west; but by reason of contrary winds, she is obliged to sail on the following courses, viz. South 10 miles, W. S. W. 25 miles, S. W. 30 miles, and W. 20 miles. Required the bearing and distance of the two places, the course and distance sailed by the ship, and the bearing and distance of her intended port ?

TRAVERSE SAILING.


BY PROJECTION.

Lat. Mount-Desert Rock 43° 52' N.  
Lat. of Cape Cod 42° 5' N.

Diff. of lat. 1 47 = 107 miles.

Let C represent Mount-Desert Rock, draw the meridian CF, which make equal to 107 miles the difference of latitude between the two places;

and perpendicular thereto the line FE equal to the departure 84 miles, then is E the place of Cape Cod. With the chord of 60° sweep about the centre C, a circle E. S. W. to represent the compass, & upon it note the various courses sailed. The first course being South the distance 10 miles is set off from C towards F upon the meridian, and this point represents the place of the ship after sailing her first course; continue setting off the various courses and distances as in the last example, viz. W. S. W. 25 miles, S. W. 30 miles, and West 20 miles to the point A; then will A represent the place of the ship after sailing these courses. Join CE, AC, AE; draw AB perpendicular to the meridian CF, and AD parallel thereto; then will AC = 76.2 miles be the distance made good, AE = 69.1 miles the distance of Cape Cod from the ship; CE the distance of the two places = 136 miles; ACB = 57° 36', the course made good; EAD = 16° 34' the course to Cape Cod, and ECF the course from Mount-Desert Rock to Cape Cod = 38° 5', &c.



BY LOGARITHMS.

To find the bearing and distance of the two places by Case VI. Plane Sailing.

To find the bearing.		To find the distance.	
As diff. of lat. 107	2.02938	As radius 90°	10.00000
Is to radius 45°	10.00000	Is to diff. of lat. 107	2.02938
So is departure 84	1.92428	So is sec. course 38° 5'	10.10496
To tang. course 38° 8'	9.89490	To the distance 136	2.13361

Whence the course from Mount-Desert Rock to Cape Cod is S. 38° 8' W. distance 136 miles. The same may be found by the scale or by inspection.

TRAVERSE TABLE.

The difference of latitude and departure for the several courses being calculated, by Case I. Plane Sailing, and arranged in the traverse table, it appears that the difference of latitude made good by the ship is 40.8 miles; and the departure 64.3 miles; then by Case VI. Plane Sailing, these numbers are found to correspond to a course of S. 57° 36' W. and distance 76.2 miles.

Courses.	Dist.	Diff. Lat.		Departure	
		N.	S.	E.	W.
South.	10		10.0		
W. S. W.	25		9.6		23.1
S. W.	30		21.2		21.2
W.	20				30.0
Diff.			Lat. 40.8		Dep. 64.3

Subtract the difference of latitude made good by the ship 40,8 miles, from the whole difference of latitude 107 miles, and there remain 66,2 miles, which is the difference of latitude between the ship and Cape Cod. In the same manner by subtracting the ship's departure, 64,3 miles, from the whole departure, 84 miles, there remain 19,7 miles for the departure between the ship and Cape Cod. With this difference of latitude, 66,2, and departure, 19,7, the bearing of Cape Cod is found, by Case VI. Plane Sailing, S. 16° 54' W. and its distance 69,1 miles.

All the preceding calculations may be made by logarithms, by the scale, or by inspection. But we shall leave them to exercise the learner; and for the same purpose shall add the following example.

EXAMPLE III.

A ship in the latitude of 37° 10' N. is bound to a port in the latitude of 53° 0' N. which lies 180 miles west of the meridian of the ship; but by reason of contrary winds she sails the following courses, viz. S. W. by W. 27 miles—W. S. W. ¼ W. 30 miles—W. by S. 25 miles—W. by N. 18 miles—S. S. E. 32 miles—S. S. E. ¾ E. 27 miles—S. by E. 25 miles—S. 31 miles, and S. S. E. 39 miles. Required the latitude the ship is in, and her departure from the meridian, with the course and distance to her intended port?


TRAVERSE TABLE.

Courses.	Dist.	Diff. Lat.		Departure.	
		N.	S.	E.	W.
S. W. by W.	27		15.0		22.4
W. S. W. ¼ W.	30		8.7		28.7
W. by S.	25		4.9		24.5
W. by N.	18	3.5			17.7
S. S. E. *	32		29.6	12.2	
S. S. E. ¾ E.	27		23.2	13.9	
S. by E.	25		24.5	4.9	
South	31		31.0		
S. S. E. *	39		36.0	14.9	
		3.5	172.9	45.9	93.3
			3.5		45.9
		Diff. Lat. 169.4		Dep. 47.4	

The difference of latitude and departure made on each course, are given in the adjoining traverse table; hence it appears that the difference of latitude made good is 169.4 miles, the departure 47.4 miles, and by Case VI. Plane Sailing, the course S. 15° 58' W. and distance 175.9 miles; and the course to the intended port S. 58° 42' W. distance 155.2 miles; the latitude being in 54° 21' N.

PARALLEL SAILING.

IN Plane Sailing the earth is considered as an extended plane, but this supposition is very erroneous, because the earth is nearly of a spherical figure, in which the meridians all meet at the poles, consequently the distance of any two meridians measured on a parallel of latitude (which distance is called the meridian distance) decreases in proceeding from the equator to the poles. To illustrate this, let PB represent the semi-axis of the earth, B the centre, P the pole, PCA a quadrant of the meridian, AB the radius of the equator, and CD (parallel thereto) the radius of a parallel of latitude. Then it is evident that CD will be the co-sine of AC or the co-sine of the latitude of the point C, to the radius AB: now if the quadrantal arch PCA be supposed to revolve round A the axis PB, the point A will describe the circumference of the equator, and C the circumference of a parallel of latitude; and the former circumference will be to the latter as AB to CD (as may easily be deduced



\* Instead of putting the course S. S. E. 32 miles, and S. S. E. 39 miles, you might make one entry each, calling it S. S. E. 71 miles.

from Art. LV. Geometry;) that is, as radius to the co-sine of the latitude or the point C: hence it follows, that the length of any arch of the equator intercepted between two meridians, is to the length of a corresponding arch of any parallel intercepted between the same meridians, as radius is to the co-sine of the latitude of that parallel. Hence we obtain the following theorems.

#### THEOREM I.

*The circumference of the equator is to the circumference of any other parallel of latitude, as radius is to the co-sine of that latitude.*

#### THEOREM II.

*As the length of a degree of the equator is to the meridian distance corresponding to a degree on any other parallel of latitude, so is radius to the co-sine of that parallel of latitude.*

#### THEOREM III.

*As radius is to the co-sine of any latitude, so are the miles of difference of longitude between two meridians (or their distance in miles upon the equator) to the distance of these two meridians on that parallel of latitude in miles.*

#### THEOREM IV.

*As the co-sine of any latitude is to radius, so is the length of any arch on that parallel of latitude (intercepted between two meridians) in miles to the length of a similar arch on the equator, or miles of difference of longitude.*

#### THEOREM V.

*As the co-sine of any latitude is to the co-sine of any other latitude, so is the length of any arch on the first parallel of latitude in miles, to the length of the same arch on the other in miles.*

By means of Theorem II. the following Table was calculated, which shows the meridian distance corresponding to a degree of longitude in every latitude: and may be made to answer for any degree or minute by taking proportional parts.

*The following Table shews for every degree of latitude how many miles distant the two meridians are, whose difference of longitude is one degree.*

D. L.	MILES.	D. L.	MILES.	D. L.	MILES.	D. L.	MILES.	D. L.	MILES.
1	59. 99	19	56. 73	37	47. 92	55	34. 41	73	17. 54
2	59. 96	20	56. 58	38	47. 28	56	33. 55	74	16. 54
3	59. 92	21	56. 01	39	46. 63	57	32. 68	75	15. 53
4	59. 85	22	55. 65	40	45. 96	58	31. 80	76	14. 52
5	59. 77	23	55. 23	41	45. 28	59	30. 90	77	13. 50
6	59. 67	24	54. 81	42	44. 59	60	30. 00	78	12. 47
7	59. 55	25	54. 38	43	43. 88	61	29. 09	79	11. 45
8	59. 42	26	53. 93	44	43. 16	62	28. 17	80	10. 42
9	59. 28	27	53. 46	45	42. 43	63	27. 24	81	9. 39
10	59. 09	28	52. 98	46	41. 68	64	26. 30	82	8. 35
11	58. 90	29	52. 48	47	40. 92	65	25. 36	83	7. 31
12	58. 69	30	51. 96	48	40. 15	66	24. 40	84	6. 27
13	58. 46	31	51. 43	49	39. 38	67	23. 44	85	5. 23
14	58. 22	32	50. 88	50	38. 57	68	22. 48	86	4. 19
15	57. 98	33	50. 32	51	37. 76	69	21. 50	87	3. 14
16	57. 68	34	49. 74	52	36. 94	70	20. 52	88	2. 09
17	57. 38	35	49. 15	53	36. 11	71	19. 53	89	1. 05
18	57. 06	36	48. 54	54	35. 27	72	18. 54	90	0. 00


When a ship sails east or west on the surface of the earth supposed to be spherical, she describes a parallel of latitude, and this is called *Parallel Sailing*. In this case, the distance sailed (or departure) is equal to the distance between the meridians sailed from and arrived at in that parallel, and it is easy, by Theorem IV. (preceding) to find the difference of longitude from the distance, or the distance from the difference of longitude, as will appear plain by the following examples.

CASE I.

The difference of longitude between two places in the same parallel of latitude being given, to find the distance between them.

Suppose a ship in the latitude of  $49^{\circ} 30'$  north or south, sails directly east or west until her difference of longitude be  $3^{\circ} 30'$ , required the distance sailed?

BY PROJECTION.



Take the sine of  $90^{\circ}$  from the Plane Scale, and with one foot of the compasses on P (Fig. 1) as a centre, describe the arch EQ; with the difference of longitude 210 miles in the compasses, and one foot in E, as a centre, describe an arch cutting EQ in Q; join PE, PQ. Take the sine of the complement of the latitude  $40^{\circ} 30'$  in your compasses, and with one foot in P, as a centre, describe the arch FG, cutting PE, PQ, in FG; then the length of the chord FG being measured on the scale of equal parts will be the departure 136.4 miles.

Or this projection may be made in the following manner. Draw AD (Fig. 2) of an indefinite length, make the angle DAC equal to the latitude  $49^{\circ} 30'$ , and AC equal to the difference of longitude 210 miles; draw CD perpendicular to AD; then will the line AD be the distance or departure required.

BY LOGARITHMS.

To find the departure or distance.

As radius $90^{\circ}$	10.00000
Is to the difference of longitude 210	2.32222
So is co-sine latitude $49^{\circ} 30'$	9.81254
	2.13476
To the distance or departure 136,4	

BY GUNTER.

The extent from radius to the complement of the latitude  $40^{\circ} 30'$  on the line of sines, will reach from the difference of longitude 210 to the distance 136,4 on the line of numbers.

BY INSPECTION.

Find the latitude among the degrees in Table II. and in the distance column the difference of longitude, opposite to which in the column of latitude will be the distance required.

In the present example the latitude is  $49^{\circ} 30'$ , and as the table is only calculated to single degrees, I find the numbers in the tables of  $49^{\circ}$  and  $50^{\circ}$ , and take the mean of them; the former is 137,8, the latter 135,0, the mean of which is the sought distance or departure 136,4.

CASE II.

The distance between two places on the same parallel of latitude given, to find their difference of longitude.

Suppose a ship in the latitude of  $49^{\circ} 30'$  N. or S. and long.  $36^{\circ} 40'$  W. sails directly west 136,4 miles; required the difference of longitude, and longitude in?



## BY PROJECTION.

With the sine of the complement of the latitude  $40^{\circ} 30'$  in your compasses, and one foot in P, as a centre, (Fig. 1st. of the preceding case) describe the arch FG, upon which set off the departure 136.4 miles upon the chord FG, and through the points F and G draw the lines PE and PQ—then with the sine of  $90^{\circ}$  in the compasses, and one foot on P as a centre, describe an arch to cut PE, PQ, in E and Q; then the chord EQ being measured upon the same scale of equal parts that the departure was, will be the difference of longitude 210 miles.

Or thus, draw the line AD (Fig. 2d.) which make equal to the given distance 136.4, at D erect DC perpendicular to DA, make the angle DAC equal to the latitude; then will AC be the sought difference of longitude 210 miles.

## BY LOGARITHMS.

As co-sine of latitude $49^{\circ} 30'$	9.81254	Long. left	$36^{\circ} 40' W.$
Is to the distance 136.4	2.13481	Diff. long.	$3 \quad 30 W.$
So is radius	10.00000		
	2.32227	Long. in	$40 \quad 10 W.$
To the diff. of long. 210			

## BY INSPECTION.

Look for the latitude among the degrees, as if it was a course, and the departure in the column of latitude; against which will stand the difference of longitude in the distance column.

Thus in the course  $49^{\circ}$ , I seek for 136.4 in the latitude column, and find it corresponds to the distance 203; and in the course  $50^{\circ}$ , I find it nearly corresponds to 212; half the sum of 203 and 212 is 207.5, which is the sought difference of longitude.

## QUESTIONS TO EXERCISE THE LEARNER.

*Question I.* A ship in the latitude of  $52^{\circ} N.$  sails due east till her difference of longitude is 374 miles; required the distance sailed!

*Answer.* 325.7 miles.

*Question II.* A ship from the latitude of  $55^{\circ} 37' S.$  longitude  $10^{\circ} 18' E.$  sails due west 236 miles—required her present longitude?

*Answer.*  $3^{\circ} 40' E.$

*Question III.* If two ships in the latitude of  $44^{\circ} 50' N.$  distant 216 miles, should sail directly south until they were in the latitude of  $32^{\circ} 17' N.$  what distance are they from each other?

*Answer.* By Theorem V. 256 miles.

*Question IV.* A ship having run due east for three days, at the rate of 5 knots an hour, finds she has altered her longitude  $3^{\circ} 16'$ ; what parallel of latitude did she sail in?

*Answer.*  $45^{\circ} 23' N.$  or  $S.$



## MIDDLE LATITUDE SAILING.

IN sailing north or south (or on a meridian) the difference of longitude is nothing, and the difference of latitude is equal to the distance sailed; but in sailing east or west (or on a parallel of latitude) the difference of longitude is nothing, and the difference of latitude may be calculated by the foregoing Theorems of Parallel Sailing. In sailing on any other course, the ship changes both her latitude and longitude; in this case, the difference of latitude, departure, and difference of longitude may be calculated by a proper application of the principles of Plane Sailing to the sailing on a spherical surface; to do which, the surface of the globe may be supposed to be divided into an indefinite number of small surfaces, as square miles, furlongs, yards, &c. which on account of their smallness, in comparison with the whole surface of the earth, may be esteemed as plane surfaces, and the difference of latitude and departure (or meridian distance) made in sailing over each of these surfaces, may be calculated by the common rules of Plane Sailing, and by summing up all the differences of latitude and departures made on these different planes, we shall obtain the whole difference of latitude and departure nearly.\* Now, by Case I. of Plane Sailing, the distance described on any one of these small surfaces is to the corresponding difference of latitude as radius is to the co-sine of the course, and as the course is

\* The error arising from this supposition will be decreased by increasing the number of the planes, so that by increasing the number indefinitely, the error may be made less than any assignable quantity.

The same on all these surfaces, it follows that the sum of all the distances described thereon is to the sum of the corresponding differences of latitude as radius is to the co-sine of the course; that is, the whole distance sailed on the globe is to the corresponding difference of latitude as radius is to the co-sine of the course. In a similar manner it appears, that the distance described on the globe is to the sum of all the corresponding departures (or meridian distances) described on these different surfaces, as radius is to the sine of the course. So that the canons for calculating the whole difference of latitude and departure from the course and distance are the same, whether the earth be esteemed as an extended plane or a spherical surface, and the same is to be observed with respect to the other cases of Plane Sailing.

We shall, therefore, in all the calculations of sailing on the spherical surface of the earth, in which the course, distance, difference of latitude and departure occur, make use of the canons already taught in Plane Sailing, and shall construct the schemes exactly in the same manner. The only additional calculation in sailing on a spherical surface consists in determining the longitude from the departure: for in sailing on a plane, the departure and longitude are the same, but in sailing on a spherical surface, *the whole departure (as was observed above) is equal to the sum of all the meridian distances made in sailing over the indefinite number of small surfaces, into which we have supposed the spherical surface to be divided, and the whole difference of longitude corresponding is equal to the sum of all the differences of longitude, deduced from each of these small meridian distances by Theorem IV. of Parallel Sailing.\** Several methods have been proposed for abridging the calculation of the difference of longitude from the departure, the most noted of which are those known by the names of *Middle Latitude Sailing* and *Mercator's Sailing*, the latter (which will be hereafter explained) is perfectly accurate,† the former is only an approximation, but it is very much used in calculating short runs and days work, but in calculating large distances across d's ant parallels it is liable to error. The principle on which the calculations of Middle Latitude Sailing is founded, is this:—Instead of calculating the difference of longitude corresponding to the departure made on each of the small surfaces, into which we have supposed the sphere to be divided, and adding them together, the whole departure (or sum of the meridian distances) is calculated, and the longitude deduced therefrom by the rules of Parallel Sailing, using for the latitude the arithmetical mean between the latitude sailed from and that arrived to. On this supposition, we have the two first of the following theorems for calculating the departure from the difference of longitude, or the difference of longitude from the departure, which are the same as Theo. III. and IV. of Parallel Sailing, except in writing departure for distance, and middle latitude for latitude: the other theorems are easily obtained by combining the two first with the common theorems of Plane Sailing: *observing that the Middle Latitude is half the sum of the two latitudes, if they are of the same name, or half their difference if of contrary names.*

#### THEOREM I.

*As radius is to the co-sine of the middle latitude, so is the difference of longitude to the departure.*

#### THEOREM II.

*As the co-sine of the middle latitude is to the radius, so is the departure to the difference of longitude.*

Now by case I. of Plane Sailing, the radius is to the sine of the course, as the distance sailed is to the departure, and, if we combine this analogy with Theorem II. we shall have,

\* Using (in estimating the difference of longitude corresponding to each of these small meridian distances) the latitude corresponding to the middle point of the surface on which these small meridian distances are respectively made.

† This is true in theory, and would be so in practice, if the meridional difference of latitude in Table III. were given to a sufficient number of decimals, but being only given to the nearest mile or minute, the error arising from this cause, when the difference of latitude is small, is greater than the error in middle latitude sailing; in consequence of this, the method by middle latitude is almost exclusively used in the common operations on shipboard.

**THEOREM III.**

*As the co-sine of the middle latitude is to the sine of the course, so is the distance sailed to the difference of longitude.*

By Case II. of Plane Sailing, we have this analogy; as radius is tangent of the course, so is the difference of latitude to the departure combining this with Theorem II. we have

**THEOREM IV.**

*As the co-sine of the middle latitude is to the tangent of the course, so the difference of latitude to the difference of longitude.*

Whence we easily deduce the following,

**THEOREM V.**

*As the difference of latitude is to the difference of longitude, so is the of the middle latitude to the tangent of the course.*

By means of the preceding theorems we have formed the following which contains all the rules necessary for solving the various cases of Latitude Sailing.

**MIDDLE LATITUDE SAILING.**

Case.	Given.	Sought.	SOLUTION.
1	Both Latitude and Longitude.	Departure. Course. Distance.	Rad. : Diff. Long. :: Co-sine Mid. Lat. : Dep. { Diff. Lat. : Rad. :: Dep. : Tang. Course. } Diff. Lat. : Diff. Long. :: Cos. Mid. Lat. : Tang. Course. { Rad. : Diff. Lat. :: Secant Course : Distance. } Sine Course : Depart. :: Rad. : Distance.
2	Both Latitude and Departure.	Course. Distance. Diff. Long.	Diff. Lat. . Rad. :: Dep. : Tang. Course. Sine Course : Dep. :: Rad. : Distance. Co sine Mid. Lat. : Dep. :: Rad. : Diff. Long
3	One Latitude, Course and Distance.	Diff. Lat. Departure. Diff. Long.	Rad. : Dist. :: Co-sine Course : Diff. Lat. Hence the other Latitude and Middle Latitude are found. Rad. : Dist. :: Sine Course : Departure. { Co-Sine Mid. Lat. : Dep. :: Rad. : Diff. Long. } Co-Sine Mid. Lat. : Sine Course :: Dist. : Diff. Long.
4	Both Latitudes and Course.	Departure Distance. Diff. Long.	Rad. : Diff. Lat. :: Tang. Course : Departure. Co-sine Course : Diff. Lat. :: Rad. : Distance. { Co-sine Mid. Lat. : Dep. :: Rad. : Diff. Long. } Cos. Mid. Lat. : Tang. Course :: Diff. Lat. : Diff. Long.
5	Both Latitudes and Distance.	Course. Departure. Diff. Long	Dist. : Rad. :: Diff. Lat. : Co-sine Course. Rad. : Dist. :: Sine Course : Departure. Co-sine Mid. Lat. : Dep. :: Rad. : Diff. Long.
6	One Latitude, Course and Departure.	Diff. Lat. Distance. Diff. Long.	Rad. : Dep. :: Co-tang. Course : Diff. Lat. Hence the other Latitude and Middle Latitude are known. Sine Course : Departure :: Rad. : Distance. Co-sine Mid. Lat. : Dep. :: Rad. : Diff. Long.
7	One Latitude, Distance and Departure.	Course. Diff. Lat. Diff. Long.	Dist. : Rad. :: Dep. : Sine Course. Rad. : Dist. :: Co-sine Course : Diff. Lat. Hence we obtain latitude and middle latitude. Co-sine Mid. Lat. : Dep. :: Rad. : Diff. Long.

We shall now proceed to illustrate these rules, by working an example every case.

**CASE I.**


*The latitudes and longitudes of two places given, to find their bearing and distance.*

Required the bearing and distance between Cape Cod light-house, latitude of 42° 5' N. longitude 70° 4' W. and the island of St. Mary, (the Western Islands) in the latitude of 36° 59' N. and longitude 25° 1'

Cape Cod's lat.	42° 5' N.		42° 5'		Long. 70°
St. Mary's lat.	36 59 N.		36 59		Long. 25 1'
	<u>5 6</u>		<u>79 4</u>		<u>44 5</u>
Diff. lat.	60				60
		Mid. lat.	39 32		
In miles	306			Diff. long.	2694

MIDDLE LATITUDE SAILING.

BY PROJECTION.



Draw the east and west line DC, with the chord of  $60^\circ$  describe the arch QS about the centre D, to cut DC in Q; upon this arch, set off, from Q to S, the middle latitude  $39^\circ 32'$ ; through D and S draw the line DB, which make equal to the difference of longitude 2694 miles; from B let fall upon DC the perpendicular BC, which continue towards A making AC equal to the difference of latitude 306 miles;\* join AD, and it is done. For by this method of construction, on the principles before explained, A will be the situation of Cape Cod, D the situation of St. Mary; CD will be the departure, which being measured will be found to be 2078 miles; the distance will be represented by AD, which being measured will be found to be 2099 miles, and the course from Cape Cod to St. Mary, will be represented by the angle CAD= $81^\circ 37'$ ; therefore the course will be S.  $81^\circ 37'$  E. or E.  $\frac{1}{4}$  S. nearly.

*Notz.* The course is put S.  $81^\circ 37'$  E. because St. Mary being in a less northern latitude than Cape Cod, is to the southward of it; it is also to the eastward of Cape Cod, because it is in a less western longitude.

BY LOGARITHMS.

To find the departure (by Theorem I.)	To find the course.
As radius $90^\circ$	As diff. of lat. 306
Is to diff. of long. 2694	Is to radius $45^\circ$
So is co-sine mid. lat. $39^\circ 32'$	So is the departure 2078
To the departure 2078	To tang. of course $81^\circ 37'$
To find the distance.	<i>NOTE.</i> The course may be found without the departure, by Theo. V. Middle Latitude Sailing.
As radius $90^\circ$	As the diff. of lat. 306
Is to the diff. of lat. 306	Is to the diff. of long. 2694
So is sec. of course $81^\circ 37'$	So is co-sine mid. lat. $39^\circ 32'$
To the distance 2099	
<i>Notz.</i> The log. of the departure above found 3.31760 is rather less than the log. of 2078=3.31765; but in finding the course by the departure, I have used the quantity found at the first operation, and shall do the same in all future calculations.	To tang. of course $81^\circ 37'$

BY GUNTER.

Extend from the radius or  $90^\circ$  to  $50^\circ 28'$  the complement of the middle latitude, on the line of sines; that extent will reach from the difference of longitude 2694, to the departure 2078, on the line of numbers.

*2dly.* Extend from the difference of latitude 306, to the departure 2078,

\* If the place A be to the southward of D, the line AC should be set off upon the line CB, from C towards B.

on the line of numbers; that extent will reach from radius or  $45^\circ$ , to the course  $81^\circ 37'$  on the line of tangents.

3dly. Extend from the course  $81^\circ 37'$  to the radius  $90^\circ$  on the line of sines; that extent will reach from the departure 2078 to the distance 2099 miles on the line of numbers.

#### BY INSPECTION.

**RULE.** Look for the middle latitude, as if it was a course in Plane Sailing, and the difference of longitude in the distance column, opposite to which, in the column of latitude, will stand the departure; having the difference of latitude and departure, the course and distance are found (as in Case VI. Plane Sailing) by seeking in Tab. II. with the difference of latitude and departure, until they are found to agree in their respective columns; opposite to them will be found the distance in its column, and the course will be found at the top of that table, if the departure be less than the difference of latitude, otherwise at the bottom.

Thus with one tenth of the difference of longitude 269.4 or 269, I enter Table II. and opposite to it, in the distance column of the Tables of  $39^\circ$  and  $40^\circ$ , I find 209.1 and 206.1 in the latitude column: now the middle latitude being nearly  $39\frac{1}{2}^\circ$ , I take the mean of these, 207.6 for the departure, which being multiplied by 10, gives the whole departure 2076. Again, I enter Table I, with one tenth of the departure 207.6, and one tenth of the difference of latitude 30.6 and find that they agree nearly to a course of  $7\frac{1}{2}$  points, and a distance of 210, which multiplied by 10, gives the sought distance 2100 miles nearly.

#### CASE II.


*Both latitudes and departure from the meridian given, to find the course, distance, and difference of longitude.*

A ship in the latitude of  $49^\circ 57'$  N. and longitude of  $15^\circ 16'$  W. sails south-westerly till her departure is 789 miles, and latitude in  $39^\circ 26'$  N. Required the course, distance and longitude in?

Latitude left	$49^\circ 57'$ N.
Latitude in	$39 20$ N.
Diff. of lat.	$10 37 = 637$ miles
Sum of lats.	$79 17$
Middle lat.	$44 38$

#### BY PROJECTION.

Draw the meridian ACD, on which take AC equal to the difference of latitude 637 miles; draw CB perpendicular to AC, and make it equal to the departure 789 miles; about B as a centre describe an arch ab, on which set off the middle latitude  $44^\circ 38'$ ; through B and b draw the line BD, meeting ACD in D; join AB and it is done; for AB will be the distance sailed, which being measured will be found = 1014 miles; BD will be the difference of longitude = 1109 miles, and the angle CAB will represent the course from the meridian  $51^\circ 5'$ .



#### BY LOGARITHMS.

To find the course.		To find the distance.	
As the diff. of lat. 637	2.80414	As sine course $51^\circ 5'$	9.89101
Is to radius $45^\circ$	10.00000	Is to the departure 789	2.89708
So is the departure 789	2.89708	So is radius $90^\circ$	10.00000
To tang. course $51^\circ 5'$	10.09294	To the distance 1014	3.00607
To find the difference of longitude.			
As co-sine mid. latitude $44^\circ 38'$	9.85225	Longitude sailed from	$15^\circ 16'$ W.
Is to the departure 789	2.89708	Diff. Long. 1109 miles	$18 29$ W.
So is radius $90^\circ$	10.00000	Longitude in	$33 45$ W.
To diff. of long. 1109	3.04483		

## MIDDLE LATITUDE SAILING.

71

### BY GUNTER.

1<sup>st</sup>. The extent from the difference of latitude 637 to the departure 789, on the line of numbers, will reach from radius, or  $45^\circ$ , to the course  $51^\circ 5'$  on the line of tangents.

2<sup>dly</sup>. The extent from  $51^\circ 5'$  to radius, or  $90^\circ$ , on the line of sines, will reach from the departure 789, to the distance 1014 on the line of numbers.

3<sup>dly</sup>. The extent from the complement of middle latitude  $45^\circ 22'$ , to radius, or  $90^\circ$ , on the line of sines, will reach from the departure 789 to the difference of longitude 1109 on the line of numbers.

### BY INSPECTION.

**RULE.** With the difference of latitude and departure, find the course and distance (as in Case VI. of Plane Sailing) by seeking in Tab. II. until the difference of latitude and departure are found to correspond, against which in the distance column will be the distance; and if the departure be less than the difference of latitude, the course will be found at the top of that table, otherwise at the bottom.

Then take the middle latitude as a course, and find the departure in the latitude column, the number corresponding in the distance column will be the difference of longitude.

In the present example, I take one tenth of the difference of latitude 637, and the departure 789; that is 63,7 and 78,9 the nearest numbers to these are 63,6 and 78,5, standing together over  $51^\circ$ , against the distance 101, which being multiplied by 10 gives 1010; whence the course by inspection is S.  $51^\circ$  W. and the distance 1010. Then I take one tenth of the departure, 78,9 and seek it in the column of latitude of  $45^\circ$  (which is the nearest to the middle latitude  $44^\circ 38'$ ), the nearest number I find is 79,2, opposite which in the distance column stands 112, which being multiplied by 10 gives 1120 for the difference of longitude; this value differs a little from that found by logarithms, owing to the miles of middle latitude neglected, for if we were also to find the difference of longitude for the middle latitude  $44^\circ$  and proportion for the minutes, the result would come out nearly the same as by logarithms.


### CASE III.

*The latitude, course and distance given, to find the difference of latitude and difference of longitude.*

A ship in the latitude of  $42^\circ 30'$  N. and longitude  $53^\circ 51'$  W. sails S. E. by S. 691 miles. Required the latitude and longitude in?

#### BY PROJECTION.

Draw the meridian ADE (as in case I. Plane Sailing) upon A as a centre describe an arch with the chord of  $60^\circ$ , and upon it set off, from where it cuts AD, the course S. E. by S. or 3 points, through that point of the arch, and the point A, draw the line AC, which make equal to the distance 691 miles; from C let fall upon AD the perpendicular CD; then will CD be the departure 328 miles, and AD the difference of latitude 491 miles. Hence we obtain the latitude arrived at, and the middle latitude; draw the line CE, making an angle with DC of  $38^\circ 24'$  = the middle latitude; and the distance CE will be the difference of longitude 419 miles. hence the longitude in is obtained.



MIDDLE LATITUDE SAILING.

BY LOGARITHMS.

To find the difference of latitude.		To find the departure.	
As radius 8 pts.	10.00000	As radius 8 pts.	10.00000
Is to the distance 591	2.77159	Is to the distance 591	2.77159
So is co-sine course 3 pts.	9.91983	So is sine course 3 pts.	9.74474
To the diff. of lat. 491.4	2.69144	To the departure 328.3	2.51633
Latitude left	42° 30' N.	To find diff. long. with departure.	
Diff. of lat.	8 11 S.	As co-sine mid. lat. 38° 24'	9.89415
Latitude in	34 19 N.	Is to the departure 328.3*	2.51633
Sum of lats.	76 49	So is radius 90°	10.00000
Middle lat.	38 24	To diff. of long. 419 miles	2.62218
Long. left	58° 51' W.	Without the departure.	
Diff. of long. 419=6 59 E.		As co-sine mid. lat. 38° 24' ar. co.	0.10583
Longitude in	51 52 W.	Is to sine course 3 pts.	9.74474
		So is distance 591	2.77159
		To diff. of long. 419 miles	2.62218

BY GUNTER.

1st. The extent from radius 8 points to the complement of the course 5 points on the line marked SR, will reach from the distance 591 to the difference of latitude 491 on the line of numbers.

2dly. The extent from radius 8 points to the course 3 points on the line SR. will reach from the distance 591 to the departure 328 on the line of numbers.

3dly. The extent from the complement of middle latitude 51° 36' to radius 90° on the line of sines, will reach from the departure 328 to the difference of longitude 419 on the line of numbers.

BY INSPECTION.

RULE. With the course and distance find the difference of latitude and departure (as in Case I. of Plane Sailing) by finding the given course at the top or bottom of the Tables, either among the points or degrees; in that page and opposite the distance taken in its column, will stand the difference of latitude and departure in their columns. Then take the middle latitude as a course and find the departure in the latitude column, against it, in the distance column will stand the difference of longitude.


Thus, under the course three points, or S. E. by S. and against the tenth on the distance 591=59,1 or 59 stand 49,1 and 32,8; these multiplied by 10 give 491 for the difference of latitude and 328 for the departure. Now take the middle latitude 38° 24' or 38° as a course, and a tenth of the departure 328=32,8 in the column of difference of latitude (the nearest is 33,1) again which stands 42 in the distance column; this multiplied by 10 gives 420 the difference of longitude nearly.

CASE IV.

Both latitudes and course given, to find the departure, distance and difference of longitude.

Suppose a ship sailing from a place in the latitude of 49° 57' N. and longitude of 30° W. makes a course good of S. 39° W. and then by observation is in the latitude of 45° 31' N.—it is required to find the distance run, and longitude in?

Latitude from	49° 57' N.
Lat. by observation	45 31 N.
	<hr/>
	4 26
	60
	<hr/>
Diff. lat.	268
	<hr/>
Sum of lats.	95° 28'
Mid. lat.	47 44



\* The logarithm of the departure was found by the preceding canon to be 2.51633, differing from the logarithm of 328.3.

BY PROJECTION.

Draw the meridian ACD, on which set off AC equal to the difference of latitude 266 miles; draw CB perpendicular to AC; draw the line AB, making an angle equal to the course 39° with AC, and meeting BC in B; through B draw BD, making an angle equal to the middle latitude 47° 44' with the line BC, and it is done; for AB will be the distance 342.3 miles, BC the departure 215.4 miles, and BD the difference of longitude 320.3 miles.

BY LOGARITHMS.

To find the departure.	10.00000	To find the difference of longitude by the departure.	
As radius 45°	2.42488	As co-sine mid. lat. 47° 44'	9.82775
Is to the diff. of lat. 266	9.90337	Is to the departure 215.4	2.33325
So is tang. course 39°		So is radius 90°	10.00000
To the departure 215.4	2.33325	To the diff. of long. 320.3	2.50550
To find the distance.	9.89050	The diff. of long. may be found without the departure, by Theo IV. mid. lat. sailing, thus:	
As co-sine of the course 39°	2.42488	As co-sine mid. lat. 47° 44'	9.82775
Is to the diff. of lat. 266	10.00000	Is to tang. of course 39°	9.90837
So is radius 90°		So is the diff. of lat. 266	2.47488
To the distance 342.3	2.53438		
To find the longitude in.	30° 0' W.		
Longitude sailed from	5 20 W.		12.33325
Diff. long. 320 miles or			9.82775
Longitude in	35 20		
		To the diff. of long. 320.3	2.50550

BY GUNTER.

- 1st. The extent from radius 45° to the course 39° on the line of tangents, will reach from the difference of lat. 266 to the departure 215.4 on the line of numbers.
- 2dly. The extent from the complement of the course 51° to the radius 90° on the line of sines, will reach from the difference of latitude 266 to the distance 342.3 on the line of numbers.
- 3dly. The extent from the complement of the middle latitude 42° 16' to radius 90° on the line of sines, will reach from the departure 215.4 to the difference of longitude 320.3 on the line of numbers.

BY INSPECTION.

Find the course among the points or degrees (in Tab. I. or II. as in Case II. Plane Sailing) and the difference of latitude in its column, against which will stand the distance and departure in their columns; then take the middle latitude as a course, and find the departure in the latitude column, against which, in the distance column, will stand the difference of longitude.

Thus, with the course 39°, and half the difference of latitude 133, I enter Table II. the nearest number in the table is 132.9, which corresponds to the distance 171, and to the departure 107.6; these doubled give the distance 342, and the departure 215.2 miles.


Then with the mid. lat. 47° 44' or 48° as a course, I enter Table II. and seek for half the departure 107.6 in the lat. col. the nearest number to which is 107.7, which corresponds to the distance 161; this doubled gives the diff. of long. 322 miles nearly.

CASE V.

Both latitudes and distance given, to find the course, departure, and difference of longitude.

Suppose a ship sails 300 miles north-westerly, from a place in the latitude of 37° N. and the longitude of 32° 16' W. until she is in the latitude of 41° N.—required her course and longitude in?

Latitude left	37° 0' N.	37° 0' N.
Latitude in	41 0	41 0
	4 0	Sum 78 0
	60	Mid. lat. 39 0
Diff. lat.	240	M





## BY PROJECTION.

Draw the meridian ACD, on which set off DC equal to the difference of latitude 240 miles; draw the line CB perpendicular to DC; take the distance 300 in your compasses, and with one foot in D, as a centre, sweep an arch cutting CB in B; join DB; make the angle CBA equal to the middle latitude  $59^\circ$  and draw BA cutting DCA in A, and it is done; for BC will be the departure 180 miles, BA the difference of longitude 231.6 miles, and the angle BDC will represent the angle of the ship's course with the meridian, which will therefore be N.  $86^\circ 52'$  W.

## BY LOGARITHMS.

To find the course.		To find the difference of longitude by the	
As the distance 300	2.47712	departure.	
Is to radius $90^\circ$	10.00000	As co-sine mid. lat. $39^\circ$	9.89050
So is diff. lat. 240	2.38021	Is to the departure 180.0	4.25524
To co-sine course $36^\circ 52'$	9.90309	So is radius $90^\circ$	10.00000
To find the departure.		To diff. of long. 231.6	2.36474
As radius $90^\circ$	10.00000	To find the longitude in.	
Is to the distance 300	2.47712	Longitude left	$32^\circ 16'$ W.
So is sine course $36^\circ 52'$	9.77812	Diff. of long.	3 52 W.
To the departure 180.0	2.25524	Longitude in	36 8 W.

## BY GUNTER.

1st. The extent from the distance 300 to the difference of latitude 240 on the line of numbers, will reach from radius  $90^\circ$  to the complement of the course  $= 53^\circ 8'$ , on the line of sines.

2dly. The extent from radius  $90^\circ$  to the course  $36^\circ 52'$  on the line of sines, will reach from the distance 300 to the departure 180 on the line of numbers.

3dly. The extent from the complement of the middle latitude  $51^\circ$  to the radius  $90^\circ$  on the line of sines, will reach from the departure 180 to the difference of longitude 231.6 on the line of numbers.

## BY INSPECTION.

Find the course (as in Case IV. Plane Sailing) by seeking in Table II. till against the distance taken in its column, is found the difference of latitude in one of the following columns; adjoining to it will stand the departure; which if less than the difference of latitude, the course is to be found at the top of the Table, but if greater, at the bottom; then take the middle latitude as a course, and find the departure in the column of difference of latitude, against which, in the distance column, will stand the difference of longitude.

Thus the distance 300, and the difference of latitude 240, are found to correspond nearly to a course of  $87^\circ$ , and a departure of 180.5: then taking the middle latitude  $59^\circ$  as a course, I seek the departure 180.5 in the latitude column, corresponding to which, in the distance column, is the difference of longitude 232.


## CASE VI.

One latitude, course, and departure given, to find the difference of latitude, distance, and difference of longitude.

A ship in the latitude of  $50^\circ 10'$  S. and longitude of  $30^\circ 00'$  E. sails E. S. E. until her departure is 957 miles; required her distance sailed, and latitude and longitude in?

## BY PROJECTION.

Draw the meridian ACD, and parallel thereto at a distance equal to the departure 957 miles, draw the line EB; make the angle CAB equal to the course 6 points, and draw AB meeting EB in B; from B let fall upon AD the perpendicular BC; then will AC be the difference of latitude 396.4 miles, and AB the distance sailed 1036 miles; having thus obtained the middle latitude  $53^\circ 29'$ , make the angle CBD equal thereto, and draw BD meeting ACD in D; then will BD be the difference of longitude 1608 miles.



\* This logarithm, by the preceding operation, was found equal to 2.25524, differing a little from the logarithm of 180.0.

BY LOGARITHMS.

To find the diff. of latitude.		To find the distance.	
As radius 4 points	10.00000	As sine course 6 points	9.96562
Is to the departure 957	2.98091	Is to the departure 957	2.98091
So is co-tang. course 6 points	9.61722	So is radius 8 points	10.00000
To the diff. of lat. 396.4	2.59813	To the distance 1036	3.01529
Latitude left	50° 10' S.	To find the diff. of longitude.	
Diff. of lat. 396 miles	6 36 S.	As co-sine mid. lat. 53° 28'	9.77473
Latitude in	56 46 S.	Is to the departure 957	2.98091
Sum of latitudes	106 56	So is radius 90°	10.00000
Middle latitude	53 28	To the diff. of long. 1608	3.2061*
Longitude left		30° 00' E.	
Diff. of long. 1608	=	26 48 E.	
Long. in		56 48 E.	

BY GUNTER.

1st. The extent from the course 6 points to the radius 4 points, on the line marked TR, will reach from the departure 957, to the difference of latitude 396.4 on the line of numbers.

2dly. The extent from 6 points to the radius or 8 points, on the line marked SR, will reach from the departure 957, to the distance 1036, on the line of numbers.

3dly. The extent from the complement of the middle latitude 36° 32' to the radius 90°, on the sines, will reach from the departure 957, to the difference of longitude 1608, on the line of numbers.

BY INSPECTION.

Find the course among the points or degrees, Tab. I. or Tab. II. (as in Case III. Plane Sailing) and the departure in its column, corresponding to which, in the columns of distance and difference of latitude, will be found the distance and difference of latitude respectively; then with the middle latitude as a course, seek the departure in the column of latitude, corresponding to which, in the distance column, will stand the difference of longitude.

Thus, I enter Table I. above E. S. E. or 6 points, and seek for one-tenth of the departure 95.7, the nearest to which is 98.1, and the corresponding numbers are 104 and 39.8, which multiplied by ten gives the distance 1040 and the difference of latitude 398 nearly; the middle latitude being nearly 53°, I seek in the Table of 53° for the distance corresponding to a tenth of the departure = 95.7 and find it to be 159; then I seek for the same number 95.7 in the Table of 54°, and find the number corresponding in the distance column to be 163, half the sum of these two numbers is 161, which multiplied by 10 gives the difference of longitude 1610 nearly.


CASE VII.

One latitude, distance sailed, and departure from the meridian given, to find the course, difference of latitude, and difference of longitude.

A ship in the latitude of 49° 30' N. and longitude of 25° 0' W. sails south-easterly 645 miles until her departure from the meridian be 500 miles; required the course steered, and the latitude and longitude the ship is in?

BY PROJECTION.

Draw the line BD equal to the departure 500 miles, and perpendicular thereto draw the meridian line ABC; take an extent equal to the distance 645 in your compasses, and with one foot in D as a centre, describe an arch cutting AB in A. join AD, then will AB be the difference of latitude 407.5 miles, and BAD the course, S. 56° 48' E. Hence we have the latitude in, and middle latitude; make the angle BDC equal to the middle latitude and draw DC cutting ABC in C, then DC will be the difference of longitude 721.1 miles.



## MIDDLE LATITUDE SAILING.

### BY LOGARITHMS.

To find the course.		Latitude left	
As the distance 645	2.50966	Diff. of lat. 496	
As the radius 90°	10.00000		
As the departure 500	2.69597	Latitude in	
To sine-course 50° 49'	9.59741	Sum of the latitudes	
To find the difference of latitude.		Middle latitude	
As radius 90°	10.00000		
As to the distance 645	2.50956		
As in co-sine course 50° 49'	9.59756		
To the diff. of lat. 497.5	2.61014		
To find the difference of longitude.		Longitude left	
As co-sine mid. lat. 46° 6'	9.54796	Diff. long. 721	=
As to the departure 500	2.69547		
As in radius 90°	10.00000	Longitude in	
To the diff. of long. 721.1	2.55799		

### BY GUNTER.

1st. The extent from the distance 645, to the departure 500 of numbers, will reach from the radius 90°. to the course 50° 4 of sines.

2dly. The extent from radius 90°. to the complement of the 11', on the line of sines, will reach from the distance 645 to 1 of latitude 497.5 on the line of numbers.

3dly. The extent from the complement of the middle latitude to the radius 90° on the line of sines, will reach from the departure 500 to the difference of longitude 721.1, on the line of numbers.

### BY INSPECTION.

As in Case V. *Plane Sailing*, find the course by seeking in against the distance, in its column, is found the given departure following columns, adjoining to which in the other column will come of latitude, which if greater than the departure the course top, but if less the course will be found at the bottom. Then take the latitude as a course, and find the departure in the column of latitude, against which, in the distance column, will be found the of longitude.

Thus, one-third of the distance, 215, and one-third of the departure found nearly to correspond to a course of 51 degrees, and of latitude of 135.3, which multiplied by 3 gives the sought latitude 406 nearly; then with the middle latitude, 46°, as a course the Table, and seek for one-fifth of the departure = 100, in the column, the distance corresponding, 144, being multiplied by 5 gives of longitude 720 nearly.

### QUESTIONS FOR EXERCISE.

**Question I.** Required the bearing and distance between two in the latitude of 37° 55' N. and longitude of 54° 23' W. the latitude of 32° 38' N. and longitude of 17° 5' W.?

*Answer.* S. 80° 9' E. and N. 80° 9' W. distance 1854 miles

**Question II.** Required the direct course and distance, from latitude of 36° 55' S. and longitude of 20° 0' E. to another latitude of 32° 38' S. and longitude of 8° 54' W.?

*Answer.* N. 79° 46' W. distance 1447 miles.

**Question III.** A ship from the latitude of 37° 30' S. and long E. sails N. 79° 56' W. 202 miles; required the latitude and long

*Answer.* Latitude 36° 55' S. longitude 55° 50' E.

**Question IV.** A ship from the latitude of 34° 35' N. and 45° 18' W. sails S. 85° 36' E. 101 miles; required her latitude and

*Answer.* Latitude 34° 24' N. longitude 43° 14' W.

## MERCATOR'S SAILING.

THE calculations by Middle Latitude Sailing are sufficiently exact for a short run, or a day's work, and are to be preferred in all cases where the difference of latitude is small in comparison of the difference of longitude; but this method is liable to great errors in calculating the situations of places differing greatly in latitude and longitude, particularly in high latitudes; to remedy this inconvenience, a chart was invented and published in the year 1568. by GERARD MERCATOR, a Flemish Geographer, in which all the meridians are parallel to each other, but proportionally lengthened so as to conform to the spherical figure of the earth. The principles on which this chart is constructed were first explained in the year 1599, by Edward Wright, an Englishman, and are as follows.

By Theorem II. of Parallel Sailing, the distance of two meridians corresponding to a degree or mile of longitude, in any latitude, is to the length of a corresponding degree or mile of the meridian, as the co-sine of the latitude is to the radius, that is (*by Art. LVI. Geo.*) as radius is to the secant of the latitude. Hence, if the meridians are supposed to be parallel to each other, or the distance of the meridians to remain the same in every latitude, the degree or mile of latitude must be increased in proportion to the secant of the latitude. Therefore, if the radius be supposed to be equal to one mile, the length of the first mile of latitude from the equator will be represented by the secant of 1', the second mile by the secant of 2', the third mile by the secant of 3', &c. Therefore the length of the expanded arch of the meridian may be found by a continual addition of secants, to every degree and minute of the quadrant, as in Table III. by means of which the chart (called Mercator's chart) may be constructed, and all the cases of Mercator's Sailing may be projected and calculated.\*

In using this table, the degrees are to be found at the top or the bottom, and the miles at the side; in the angle of meeting will be the length of the corresponding expanded arch, usually called the *meridional parts*. If you wish to find the arch of the expanded meridian intercepted between any two parallels, or, as it is usually called, the *meridional difference of latitude*, you must, when both places are on the same side of the equator, subtract the meridional parts of the lesser latitude from the meridional parts of the greater, the remainder will be the meridional difference of latitude: but if they are on different sides of the equator, the sum of the meridional parts of both latitudes will be the meridional difference of latitude required.

### EXAMPLE I.

Required the meridional parts corresponding to the latitude of  $42^{\circ} 34'$ ?

Look in the bottom or top of the table for  $42^{\circ}$ , marked 42 d. and in the right or left hand column marked (M) for 34', under the former and opposite the latter stand 2828, the meridional parts corresponding to  $42^{\circ} 34'$ .

**EXAMPLE II.** Required the Meridional difference of latitude between Cape Cod, in the lat. of  $42^{\circ} 5' N.$  and the Island of St. Mary, in the latitude of  $36^{\circ} 59' N.$  ?  
 Cape Cod's lat.  $42^{\circ} 5' N.$  Mer. parts 2788  
 St. Mary's lat.  $36^{\circ} 59' N.$  Mer. parts 2391

**EXAMPLE III.** Required the meridional difference of latitude between a place in the lat. of  $35^{\circ} 12' N.$  and the Cape of Good Hope, in the latitude of  $34^{\circ} 26' S.$  ?  
 Lat.  $35^{\circ} 12' N.$  Mer. par. 2259  
 C. of G. Hope's lat.  $34^{\circ} 26' S.$  Mer. par. 2283

Meridional difference of latitude 397      Sum is meridional difference of lat. 4462

From these principles it follows, that in sailing upon any course, the true proper difference of latitude is to the departure as the meridional difference of latitude is to the difference of longitude. Hence if MI (in the figure of case I. following) be the proper difference of latitude, IO the departure,

\* The manner of constructing this chart will be particularly explained hereafter. It may be observed, that the smaller the subdivisions of the arch of the meridian are, the greater will be the accuracy of the calculated length of the expanded arch of the meridian. To be perfectly accurate the arch ought to be divided into the smallest quantities possible. Attention was paid to this circumstance in calculating the above-mentioned Table.

MERCATOR'S SAILING.

MO the distance, the angle IMO the course, and we take MT equal to the meridional difference of latitude, and draw TH parallel to IO to cut MO continued in H; the line TH will represent the difference of longitude: for (by Art. LIII. Geom.) MI : IO :: MT : TH. Now in the triangle MTH, by making MT radius, we have MT : radius :: TH : tang. TMH, that is the meridional difference of latitude is to radius, as the difference of longitude is to the tangent of the course. By making MH or TH radius we shall have other analogies, which combined with those in Plane Sailing, furnish the solutions of the various cases of Mercator's Sailing contained in the following table.

MERCATOR'S SAILING.

Case.	Given.	Sought.	SOLUTIONS.
1	Both Latitudes and Longitudes.	Course. Distance. Departure	Having both lats. the mer. diff. lat. is found by Table III. Mer. Diff. Lat. : Rad. :: Diff. Long. : Tang. Course. { Rad. : Prop. Diff. Lat. :: Secant Course : Distance. { Co-Sine Course : Prop. Diff. Lat. :: Rad. : Distance. { Rad. : Prop. Diff. Lat. :: Tang. Course : Departure. { Mer. Diff. Lat. : Diff. Long. :: Prop. Diff. Lat. : Depart.
2	Both Latitudes and Departure.	Course. Distance. Diff. Long	Merid. Diff. Lat. being found by Table III. we have Prop. Diff. Lat. : Radius :: Departure : Tang. Course. { Radius : Prop. Diff. Lat. :: Sec. Course : Distance. { Sine Course : Departure :: Radius : Distance. { Rad. : Mer. Diff. Lat. :: Tang. Course : Diff. Long. { Prop. Diff. Lat. : Dep. :: Mer. Diff. Lat. : Diff. Long.
3	One Latitude, Course and Distance.	Departure. Diff. Lat. Diff. Long.	Radius : Distance :: Sine Course : Departure. Rad. : Dist. :: Co-sine Course : Prop. Diff. Lat. Hence we have the other latitude and mer. diff. lat. by Table III. Rad. : Mer. Diff. Lat. :: Tang. Course : Diff. Long.
4	Both Latitudes and Course.	Distance. Departure. Diff. Long.	Co-sine Course : Prop. Diff. Lat. :: Rad. : Dist. Rad. : Prop. Diff. Lat. :: Tang. Course : Departure. Mer. diff. lat. being found in Table III. we have Rad. : Mer. Diff. Lat. :: Tang. Course : Diff. Long.
5	Both Latitudes and Distance.	Course. Departure. Diff. Long.	Dist. : Rad. :: Prop. Diff. Lat. : Co-sine Course. Radius : Distance :: Sine Course : Departure. Rad. : Mer. Diff. Lat. :: Tang. Course : Diff. Long.
6	One Latitude, Course and Departure.	Diff. Lat. Distance. Diff. Long.	Rad. : Dep. :: Co-tang. Course : Prop. Diff. Lat. Hence we have the other latitude and mer. diff. latitude. Sine Course : Departure :: Radius : Distance. { Rad. : Mer. Diff. Lat. :: Tang. Course : Diff. Long. { Prop. Diff. Lat. : Dep. :: Mer. Diff. Lat. : Diff. Long.
7	One Latitude, Distance and Departure.	Course. Diff. Lat. Diff. Long.	Dist. : Rad. :: Dep. : Sine Course. Rad. : Dist. :: Co-sine Course : Diff. Lat. Hence we obtain the other latitude and meridian difference latitude. { Rad. : Mer. Diff. Lat. :: Tang. Course : Diff. Long. { Prop. Diff. Lat. : Dep. :: Mer. Diff. Lat. : Diff. Long.

CASE I.

The latitudes and longitudes of two places given, to find the direct course and distance between them.


Required the bearing and distance from Cape Cod Light House in the latitude of 42° 5' N. and longitude 70° 4' W. to the island of St. Mary, one of the Western Islands, in the latitude of 36° 59' N. and longitude of 25° 10' W. ?

Cape Cod's lat. 42° 5' N.	Meridional parts 2788	Long. 70° 4' W.
St. Mary's lat. 36 59 N.	Meridional parts 2391	25 10 W.
5 6	Mer. diff. lat. 397	44 54
60		60

Distance of lat. 306 miles.

Diff. of long. 2694 miles.

BY PROJECTION.



MERCATOR'S SAILING.

Draw the meridian *MT* equal to the meridional difference of latitude 597 miles, set off also upon it *MI* equal to the proper difference of latitude 506 miles; perpendicular to *MT* draw *TH* and *IO*, make *TH* equal to the difference of longitude 2694 miles, draw *MH* cutting *IO* in *O*; then will the angle *TMH* be the course S. 81° 37' E. and *OM* the distance 2099 miles.

BY LOGARITHMS.

To find the course.		To find the distance.	
As the mer. diff. of lat. 397	2.59879	As radius 90°	10.00000
Is to radius 45°	10.00000	Is to the proper diff. of lat. 306	2.48573
So is the diff. of long. 2694	3.43040	So is secant of course 81° 37'	10.83626
To tang. of course 81° 37'	10.83161	To the distance 2099 miles	3.32198

BY GUNTER.

1st. Extend from the meridional difference of latitude 397 to the difference of longitude 2694 on the line of numbers; that extent will reach from the radius or 45°, to the course 81° 37' on the line of tangents.

2dly. Extend from the complement of the course 8° 23' to radius 90° on the line of sines, that extent will reach from the proper difference of latitude 306, to the distance 2099 on the line of numbers.

BY INSPECTION.

With the meridional difference of latitude and difference of longitude used as difference of latitude and departure, find the course, by inspecting the tables until those numbers are found to correspond; with this course and the proper difference of latitude, find the corresponding distance.

Thus one tenth of the merid. diff. lat. and diff. long. are found to agree nearly to a course of 7½ points; this course and one tenth of the proper difference of latitude 30,6 is found to correspond to the distance 209; this multiplied by 10 gives the distance 2090, differing a little from the result by logarithms, owing to the neglect of a few minutes in the course.


CASE II.

Both latitudes and the departure given, to find the course, distance, and difference of longitude.

A ship in the latitude of 49° 57' N. and longitude of 15° 16' W. sails south-westerly until her departure is 789 miles, and then by observation is in the latitude of 39° 20' N. required her course, distance and longitude in?

Lat. left 49° 57' N. Mer. parts 3470  
Lat. in 39 20 N. Mer. parts 9571

Diff. lat. 10 37 = 637 m. Mer. diff. lat. 899



BY PROJECTION.

With the proper difference of latitude and departure, project as in Case VI. Plane Sailing, by drawing the meridian *AEB*, on which take *AE* equal to the proper difference of latitude 637 miles; erect *ED* perpendicular to *AE* and make it equal to the departure 789 miles; join *AD* and continue it towards *C*: make *AB* equal to the meridional difference of latitude 899 miles, and draw *BC* perpendicular to *AB*, to cut *AC* in *C*, and it is done. For *AD* will be the distance 1014 miles, *BC* the difference of longitude 1114 miles, and the angle *BAC* will be the course S. 51° 5' W.

BY LOGARITHMS.

To find the course.		To find the distance.	
As the proper diff. of lat. 637	2.80414	As radius	10.00000
Is to radius 45°	10.00000	Is to prop. diff. of lat. 637	2.80414
So is the departure 789	2.89708	So is sec. course 51° 5'	10.20191
To tang. course 51° 5'	10.09294	To the distance 1014	3.00605
To find the diff. of long.		Longitude left	15° 16' W.
As radius 45°	10.00000	Diff. of long. 1114	=
Is to mer. diff. of lat. 899	2.95376	Longitude in	33 50 W.
So is tang. course 51° 5'	10.09294	The diff. of long. may also be found by	
To diff. of long. 1114	3.04670	saying, as prop. diff. of lat. : dep. :: mer. diff. lat. : diff. of long.	

MERCATOR'S SAILING,

BY GUNTER.

1st. The extent from the diff. of lat. 637 to the dep. 739 on the line of numbers, will reach from radius 45° to the course 51° 5' on the line of tangents.

2dly. The extent from the course 51° 5' to radius 90° on the sines, will reach from the departure 739 to the distance 1014 on the line of numbers.

3dly. The extent from the radius 45° to the course 51° 5' on the line of tangents, will reach from the merid. diff. of lat. 899 to the difference of longitude 1114 on the line of numbers.

BY INSPECTION.

Find the course by Plane Sailing, Case VI. by seeking in the tables with the proper difference of latitude and departure till they are found to agree in their respective columns, corresponding to which will be the distance in its column, and the course will be found at the top of that column if the departure is less than the proper difference of latitude, otherwise at the bottom; with the same course, find the meridional difference of latitude in the latitude column, corresponding to which in the departure column will be the true difference of longitude.

Thus with one tenth of the true difference of latitude and departure 63.7 and 73.9, I find the course 51°, and the distance 101, which multiplied by 10 gives nearly the true distance 1010; in the same table, opposite to one tenth of the meridional difference of latitude 89.9 I find the departure 111.1, which multiplied by 10 gives the difference of longitude 1111 miles.


CASE III.

One latitude, course and distance given, to find the difference of latitude and difference of longitude.

A ship in the latitude of 42° 30' N. and longitude of 58° 51' W. sails S. W. by S. 591 miles; required the latitude and longitude in!

BY PROJECTION.

Draw the meridian ABC, and ADF, making an angle with it equal to the course 3 points, make AD equal to the distance sailed, 591 miles, and from D let fall upon AB the perpendicular BD: then will BD be the departure, and AB the difference of latitude, 491 miles. Hence we have both latitudes, and the meridional difference of latitude, to which make AC equal, and draw CE parallel to BD meeting ADE in E, then will CE be the difference of longitude, 419.6 miles.



BY LOGARITHMS.

To find the diff. of latitude.		To find the diff. of longitude.	
As radius 8 points	10.00000	As radius 4 points	10.00000
Is to the distance 591	2.77159	Is to the mer. diff. of lat. 628	2.79796
So is co-sine course 3 points	9.91985	So is tang. course 3 points	9.82489
To prop. diff. lat. 491.4	2.69144	To diff. of long. 419.6	2.62285
Lat. left 42° 30' N. Mer. parts 2922		Long. left 58° 51' W.	
Diff. Lat. 491 = 8 11 S.		Diff. of long. 420 = 7 00 W.	
Lat. in 34 19 N. Mer. parts 2194		Long. in 65 51 W.	
Mer. diff. lat. 628			

BY GUNTER.

1st. The extent from radius 8 points to the complement of the course 5 points, on the line marked SR, will reach from the distance 591 to the difference of latitude 491.4 on the line of numbers.

2dly. The extent from the radius 4 points to the course 3 points, on the line marked TR, will reach from the meridional difference of latitude 628 to the difference of longitude 419.6 on the line of numbers.

BY INSPECTION.

As in Case I. Plane Sailing, find the course at the top or bottom of the tables, either among the points or degrees, and in that page, opposite the distance, will be found the difference of latitude and departure in their respective columns. Then in the same table find the meridional difference of latitude in the latitude column; corresponding to which, in the departure column, will be the difference of longitude.


Thus, under the course S. W. by S. or 3 points, and opposite one third of the distance 197, stands 183,8 in the latitude column, which multiplied by 3 gives the difference of latitude 491,4 miles; then find one fourth of the meridional difference of latitude 157 in the latitude column, against which stands 105 in the departure column, which multiplied by 4 gives 420 the difference of longitude.

CASE IV.

Both latitudes and course given, to find the distance and difference of longitude.

A ship from the latitude of  $49^{\circ} 57' N.$  and longitude of  $30^{\circ} W.$  sails S.  $39^{\circ} W.$  till she arrives in the latitude of  $45^{\circ} 31' N.$  Required the distance run and longitude in ?

Lat. left $49^{\circ} 57' N.$	Mer. parts	3470
Lat. in $45^{\circ} 31' N.$	Mer. parts	3074
<hr/>		
Dif. lat. $4^{\circ} 26' = 266 m.$	Mer. diff. lat.	396 miles.



BY PROJECTION.

Draw the meridian AEB, on which take AE equal to the proper difference of latitude 266 miles, and AB equal to the meridional difference of latitude 396 miles; make the angle BAC equal to the course  $39^{\circ}$ , and draw ED, EC, perpendicular to AB, cutting ADC in D and C; then will AD be the distance 342 miles, and BC the difference of longitude 321 miles.

BY LOGARITHMS.

To find the distance.		To find the diff. of longitude.	
As the co-sine course $39^{\circ}$	9.89050	As radius $45^{\circ}$	10.00000
Is to the prop. diff. of lat. 266	2.42488	Is to mer. diff. of lat. 396	2.59770
So is radius $90^{\circ}$	10.00000	So is tang. course $39^{\circ}$	9.90837
<hr/>		<hr/>	
To the distance 342.3	2.53438	To the diff. of long. 320.7	2.50607
	Longitude left $30^{\circ} 0' W.$		
	Dif. of long. $321 = 5^{\circ} 21' W.$		
	Longitude in, $35^{\circ} 21' W.$		

BY GUNTER.

1st. The extent from the complement of the course  $51^{\circ}$  to the radius  $90^{\circ}$  on the sines, will reach from the proper difference of latitude 266, to the distance 342,3 on the line of numbers.

2dly. The extent from radius  $45^{\circ}$  to the course  $39^{\circ}$  on the line of tangents, will reach from the meridional difference of latitude 396, to the difference of longitude 321 on the line of numbers.

BY INSPECTION.

As in case II. Plane Sailing, find the course among the points or degrees and the proper difference of latitude in its column, adjoining to which will be the distance and departure in their respective columns; then in the same table, find the merid. diff. of lat. in the lat. column, adjoining to which in the departure column, will be the difference of longitude.

Thus, under the course  $39^{\circ}$  and opposite the half diff. of lat. 133 (the



## MERCATOR'S SAILING.

nearest to which is 132.9) stand 171 and 107.6, these doubled give the distance 342 and departure 215.2; and in the same table opposite the mer. diff. of lat. 198 found in the latitude column, stands 160.5 in the departure column, which doubled gives the difference of longitude 321 miles, near as before.


## CASE V.

Both latitudes and distance given, to find the course, and difference of longitude.

A ship from the latitude of  $37^{\circ}$  N. and longitude of  $32^{\circ} 16'$  W. sails 300 miles north-westerly, until she is in the latitude of  $41^{\circ}$  N. Required the course steered and longitude in?

Lat. left  $37^{\circ}$  N. Mer. parts 2393  
 Lat. in  $41^{\circ}$  N. Mer. parts 2702

Diff. lat.  $4^{\circ} = 240$  miles. Mer. diff. lat. 309 miles.



## BY PROJECTION.

Draw the meridian ABC; make AB equal to the proper difference of latitude 240, and AC equal to the meridional difference of latitude 309 miles; draw BD and CE perpendicular to ABC; with an extent equal to the distance 300 in your compasses, and one foot in A as a centre, describe an arc cutting BD in D; draw AD, which continue to cut CE in E, and it is done for the angle BAD is equal to the course of  $36^{\circ} 52'$ , BD is the departure and CE is the difference of longitude 231.7 miles.

## BY LOGARITHMS.

To find the course.		To find the diff. of longitude.	
As the distance 300	2.47712	As radius $45^{\circ}$	10.00
Is to radius $90^{\circ}$	10.00000	Is to the mer. diff. of lat. 309	2.48
So is prop. diff. of lat. 240	2.38021	So is tang. course $36^{\circ} 52'$	9.87
<hr/>		<hr/>	
To co-sine course $36^{\circ} 52'$	9.90309	To the diff. long. 231.7	2.36
Longitude left	$32^{\circ} 16' W.$		
Diff. of longitude 232 = 3 52 W.			
Longitude in	36 08 W.		

## BY GUNTER.

1st. The extent from the distance 300 to the proper difference of latitude 240, on the line of numbers, will reach from the radius or  $90^{\circ}$  to  $58^{\circ}$  the complement of the course on the line of sines.

2dly. The extent from radius  $45^{\circ}$  to the course  $36^{\circ} 52'$  on the line tangents, will reach from the meridional difference of latitude 309 to difference of longitude 231.7, on the line of numbers.

## BY INSPECTION.


As in Case IV. Plane Sailing, seek in the table till against the distance taken in its column is found the given difference of latitude in one of the following columns; adjoining to it will stand the departure, which if less than the difference of latitude, the course will be found at the top, otherwise at the bottom; in the same table find the meridional difference of latitude in the latitude column, adjoining to which in the departure column will stand the difference of longitude.

Thus the distance 300 and the difference of latitude 240, are found correspond to a course of  $37^{\circ}$ , and a departure of 180.5; and in the latitude column, opposite half the meridional difference of latitude 154.5 (the nearest to which is 154.1) stands 116.2 in the departure column, which doubled gives the difference of longitude 232.4.

CASE VI.

One latitude, course and departure given, to find the distance, difference of latitude, and difference of longitude.

A ship from the latitude of  $56^{\circ} 10'$  S. and longitude of  $30^{\circ}$  E. sails E. S. E. until her departure is 957 miles; required the distance sailed, and the latitude and longitude in?



BY PROJECTION.

Draw the meridian ABC, and at a distance from it equal to the departure 957 miles, draw the line FD parallel to ABC; make the angle BAD equal to the course 6 points, draw AD to cut FD in D; from D let fall upon AB the perpendicular DB; then will AD be the distance 1036 miles, AB the difference of latitude 396 miles; hence we have both latitudes, and the meridional difference of latitude 667 miles, make the line AC equal thereto, and draw CE perpendicular to AC meeting AD continued in E; then will CE be the difference of longitude 1610 miles.

BY LOGARITHMS.

To find the distance.	Lat. left	$50^{\circ} 10'$ S.	Mer. parts	3490
As the sine course 6 points	9.96562	Diff. lat. $396' = 6$	$36$ S.	
Is to the departure 957	2.98091	Lat. in	$56$ $46$ S.	Mer. parts 4157
So is radius 8 points	10.00000			
To the distance 1036	3.01529			Merid. diff. of lat. 667
To find the diff. of lat.		As radius 4 points		10.00000
As radius 4 points	10.00000	Is to the merid. diff. of lat. 667		2.82413
Is to the departure 957	2.98091	So is tang. course 6 points		10.38278
So is co-tang course 6 points	9.61722	To diff. long. $1610' = 26^{\circ}$	$50'$ E.	3.20691
To prop. diff. of lat. 396.4 miles	2.59813	Long. left	$30$ $00$ E.	
		Long. in	$56$ $50$ E.	

BY GUNTER.

- 1st. The extent from the course 6 points to radius 8 points on the line marked S. R. will reach from the departure 957 to the distance 1036 on the line of numbers.
- 2dly. The extent from radius 4 points to the complement of the course 2 points, on the line marked T. R. will reach from the departure 957 to the difference of latitude 396 on the line of numbers.
- 3dly. The same extent (from the radius 4 points to the course 6 points on the line marked T. R.) will reach from the meridional difference of latitude 667, to the difference of longitude 1610, on the line of numbers.

BY INSPECTION.

As in Case III. Plane Sailing, find the course either in Table I. or Table II. and the departure in its column, corresponding to which will stand the distance and difference of latitude in their respective columns: in the same Table find the meridional difference of latitude, in the latitude column, corresponding to which, in the departure column, will be found the difference of longitude.

Thus, over the course E. S. E. or 6 points, and against one-fifth of the departure 191.4 stand 79.2 and 207, which multiplied by 5 give the difference of latitude 396 miles, and the distance 1035 miles; then in the latitude column find a tenth of the meridional difference of latitude 66.7, the nearest to that is 66.8, against which, in the departure column, stands 160.8, which multiplied by 10 gives 1608, the difference of longitude.


## CASE VII.

One latitude, distance sailed, and departure given, to find the course, difference of latitude, and difference of longitude.

A ship in the latitude of  $49^{\circ} 30'$  N. and the longitude of  $25^{\circ}$  W. sails south-easterly 645 miles, making 500 miles departure; required the course steered, and the latitude and longitude in ?

## BY PROJECTION.

Draw the meridian ABC, and on A any point of it draw BD perpendicular thereto, and make it equal to the departure 500 miles; with an extent equal to the distance 645 miles in your compasses, and one foot on D as a centre describe an arch to cut AB in A, join AD; then will AB be the proper difference of latitude 407.5 miles, and the angle BAD will be the course  $50^{\circ} 49'$ ; hence we have the other latitude, and the meridional difference of latitude, to which C make AC equal; and draw CE parallel to BD, meeting AD produced in E; then will CE be the difference of longitude, 722.6 miles.



## BY LOGARITHMS.

To find the course.		To find the diff. of lat.	
As the distance 645	2.80956	As radius $90^{\circ}$	10.00000
Is to radius $90^{\circ}$	10.00000	Is to the distance 645	2.80956
So is the departure 500	2.69897	So is co-sine course $50^{\circ} 49'$	9.80058
To sine of course $50^{\circ} 49'$	9.88941	To diff. l. $407.5 = 6^{\circ} 48' S.$	2.61014
To find the diff. of long.		Lat. left	49 30 N. M. par. 3428
As radius $45^{\circ}$	10.00000	Lat. in	42 42 N. M. par. 2839
Is to mer. diff. of lat. 589	2.77012	Mer. diff. lat.	589
So is tang. course $50^{\circ} 49'$	10.08879	Long. left	25 00 W.
To diff. of long. 722.6	2.85891	Diff. long.	12 3 E.
Or thus :		Long. in	12 57 W.
As prop. diff. of lat. $407.5^*$	2.61014	Hence the ship's course is S. $50^{\circ} 49'$ E.	
Is to the departure 500	2.69897	Lat. in $42^{\circ} 42'$ N. Long. in $12^{\circ} 57'$ W.	
So is the mer. diff. of lat. 589	2.77012		
	5.46909		
	2.61014		
To diff. of long. 722.7	2.85895		

## BY GUNTER.

1st. The extent from the distance 645 to the departure 500 on the line of numbers, will reach from the radius  $90^{\circ}$  to the course  $50^{\circ} 49'$  on the line of sines.

2dly. The extent from radius  $90^{\circ}$  to the complement of the course  $39^{\circ} 11'$  on the line of sines, will reach from the distance 645 to the difference of latitude 407.5 on the line of numbers.

3dly. The extent from the radius  $45^{\circ}$  to the course  $50^{\circ} 49'$  on the line of tangents, will reach from the mer. diff. of lat. 589 to the difference of longitude 722.6 on the line of numbers. Or, the extent from the proper difference of latitude 407.5 to the departure 500, will reach from the meridional difference of latitude 589 to the difference of longitude 722.7 on the line of numbers.

## BY INSPECTION.

Find the course and difference of latitude, as in Case V. Plane Sailing, by seeking in Tab. II. till the distance and departure are found to correspond in their respective columns, adjoining to which, in the column of latitude, will

\* This log. was found above—it differs a little from the log. of 407.5.

be found the true difference of latitude, which if greater than the departure the course will be found at the top; but if less, the course will be found at the bottom: with this course seek the meridional difference of latitude in the latitude column, adjoining to which in the departure column will be found the difference of longitude.

Thus one-third of the distance 215, and one-third of the departure 166.7 are found nearly to correspond to a course of 51 degrees, and a difference of latitude of 135.3, which multiplied by 3, gives the true difference of latitude 406 nearly. Then one-fourth of the meridional difference of latitude 147, in the latitude column, is found nearly to correspond to the departure 131.9; this multiplied by 4, gives 727.6 the difference of longitude nearly.

Having explained the method of calculating single courses by Middle Latitude and Mercator's Sailing, it now remains to explain the method of calculating compound courses. To do this, you must construct a Traverse Table, and find the difference of latitude and departure for each course and distance, as in Traverse Sailing, and from thence the whole difference of latitude, departure, and latitude in, with the departure and latitudes, find the difference of longitude and longitude in, as in Case II. of Middle Latitude or Mercator's Sailing.

This method is exact enough for working any single day's work at sea, except in high latitudes, where it will be a little erroneous; in this case the difference of longitude and longitude in, may be calculated for every single course and short distance; but in general this nicety in calculation may be neglected.

To illustrate the method of working compound courses, we shall here work an example, by Middle Latitude and Mercator's Sailing.

EXAMPLE.

TRAVERSE TABLE.

A ship from Cape Henlopen, in the latitude of 38° 47' N. longitude 75° 17' W. sails the following true courses, viz. E. by S. 20 miles, E. N. E. 15 miles, S. E. 26 miles, South 16 miles, W. S. W. 6 miles, N. W. 10 miles, and East 30 miles: required her latitude and longitude!

By constructing the Traverse Table with these courses and distances, it appears that the ship has made 27.8 miles of southing, and 69.3 miles of easting; and by subtracting the southing from the latitude of Cape Henlopen there remains the latitude in 35° 19' N.

Courses.	Dis.	Diff.		Lat.		Departure.	
		N.	S.	E.	W.		
E. by S.	20		3.9	19.6			
E. N. E.	15	5.7		13.9			
S. E.	26		18.4	18.4			
South.	16		16.0				
W. S. W.	6		2.3			5.5	
N. W.	10	7.1				7.1	
East.	30			30.0			
			12.8	10.6	81.9	12.6	
				12.8	12.6		
			D.Lat. 27.8	69.3	Dep.		

Cape Henlopen's latitude	38° 47' N.	Meridional parts	2523
Latitude in	35 19 N.	Meridional parts	2492
Sum of latitudes	77 6		36
Middle latitude	39 33		

By inspection of Table II. it appears that the difference of latitude 27.8 and departure 69.3 correspond to a course of 68° nearly, and a distance of 75 miles; and in the same page of the Table opposite to the meridional difference of latitude, found in the column of latitude, stands the difference of longitude 89 miles in the departure column; this subtracted from the longitude of Cape Henlopen 75° 17' W. leaves the longitude in 73° 38' W. by Mercator's Sailing. Or, with the Middle Latitude 38° 33' to 39° as a course, find the departure 69.3 in the latitude column, opposite to which is 89 in the distance column, which is the difference of longitude by Middle Latitude Sailing; consequently the longitude in is 73° 38' W. as above.

Thus we see that such examples are performed as in Traverse Sailing and Case II. of Mercator's or Middle Latitude Sailing, either by Inspection. as above, or by the scale of logarithms.

Having gone through the necessary problems in Mercator's Sailing, we shall now show how Mercator's Chart may be constructed by means of the Table of Meridional Parts.

*To construct a Mercator's Chart to commence at the Equator.*

Suppose it was required to construct the Chart in the Plate prefixed to this work which begins at the equator, and reaches to the parallel of 50 degrees, and contains 95 degrees of longitude west from the meridian of Greenwich!

Draw the line AD representing the equator, then take from any scale of equal parts the number of minutes contained in 95 degrees, viz. 5700, which set off from A to D; subdivide this line into 95 equal parts representing degrees of longitude. Through A and D draw the lines AB, DC perpendicular to AD, and make each of them equal to 3474 which are the meridional parts, corresponding to 50 degrees. Join BC which must be subdivided in the same manner as the line AD; and through the corresponding points of the lines AD, BC must be drawn (at the distance of  $10^{\circ}$  or  $20^{\circ}$ ) the lines parallel to AB, representing meridians of the earth; these lines must be numbered 0, 10, 20, &c. beginning at the line AB which represents the meridian of Greenwich. Set off in like manner upon the meridians AB, DC, (beginning from the equator AD) the meridional parts corresponding to each degree of latitude from  $0^{\circ}$  to  $50^{\circ}$ ; and through the corresponding points (at the distance of  $10^{\circ}$  or  $20^{\circ}$ ) draw lines parallel to the equator AD, to represent the parallels of latitude. Then the upper part of the chart will represent the north, the lower the south, the right hand the east, and the left hand the west (which is generally supposed in charts, unless the contrary is expressly mentioned.)

If the Chart does not commence at the equator, but is to serve for a certain portion of the globe contained between two parallels of latitude on the same side of the equator, you must draw the meridians as directed in the last example; then subtract the meridional parts of the least latitude of the chart from the meridional parts of the other latitudes, and set off these differences on the extreme meridians, draw lines through the corresponding points, and they will be the parallels of latitude on the chart.

If the chart is to be bounded by parallels of latitude on different sides of the equator, you must draw a line representing the equator, and perpendicular to it draw the lines to represent the meridians, continuing them on both sides of the equator; then set off the parallels of latitude on both sides of the equator, in the same manner as in the first example.

Take from the Table of latitudes and longitudes of places the latitude and longitude of each particular place contained within the bounds of the chart, and lay a ruler over its latitude and another crossing that over its longitude: the point where these meet will represent the proposed place upon the chart. The most remarkable point of a sea coast being thus laid down, lines may be drawn from point to point which will form the outlines of the sea coast, islands, &c. to which may be annexed the depths of water expressed in common Arabian numbers, the time of high water on the full and change days expressed in Roman numbers: the setting of the tide expressed by an arrow; and whatever else may be thought convenient for the chart to contain.

This chart is not to be considered as a just representation of the earth's surface, for the figures of islands and countries are distorted towards the poles, as is evident from the construction; but the degrees of latitude and longitude are increased in the same proportion, so that the bearings between places will be the same on the chart as on the globe: and as the meridians are right lines, it follows, that the rhumbs, which form equal angles with the meridians, will be straight lines, which render this projection of the earth's surface much more easy and proper for the mariner's use than any other.

*Having the latitude and longitude of a ship or place, to find the corresponding point on the chart.*

**RULE.** Lay a ruler across the chart in the given parallel of latitude: take

in your compasses the nearest distance between the given longitude and the nearest meridian drawn across the chart; put one foot of the compasses in the point of intersection of the ruler and meridian, and extend the other along the edge of the ruler on the same side of the meridian as the place lies, and that point will represent the place of the ship.

If the longitude on the chart be counted from a different meridian from that you reckon from, you must reduce the given longitude to the longitude of the chart, by adding or subtracting the difference of longitude of those meridians, and then mark off the ship's place as before directed. Or, you may draw a meridian line through the place you reckon your longitude from; then measure off the ship's longitude on the equator, and apply it to the edge of the ruler, from this meridian, and you will obtain the ship's place.

*To find the bearing of any place from the ship.*

**RULE.** Lay a ruler across the given place and the place of the ship; set one foot of the compasses in the centre of some compass near the ruler, and take the nearest distance to the edge of the ruler; slide one foot of the compasses along that edge keeping the other extended to the greatest distance from the ruler, and observe what point of the compass it comes nearest to, for that will be the bearing required.

*To find the distance of any place from the ship.*

**RULE.** Take the distance between the ship and given place in your compasses and apply it to the side of the chart or graduated meridian, setting one foot as much above one place as the other is below the other place, the number of degrees between the points of the compasses will be the distance nearly.

When the places bear north and south of each other this rule is accurate; but when they bear nearly east and west, and the distance is large, it will err considerably; but in general it is exact enough for common purposes; if greater accuracy is required, it is best to find the distance by calculation.

If any one wishes to estimate the distance accurately by the chart, he must proceed in the following manner:

1. If the place be in the same longitude that the ship is in, then the preceding rule is accurate.

2. If the place be in the same latitude as the ship, or bear east or west, the distance cannot be obtained without calculating it by Case I. of Parallel Sailing.

3. If the place be neither in the same latitude, nor in the same longitude as the ship, the distance must be found in the following manner: Lay a ruler over both places, and draw through one of them a parallel to the equator; take the difference of latitude between both places in your compasses from the equator; slide one foot on that parallel, keeping the other extended so that both points shall be on the same meridian, and note the point of the ruler which is touched by the other foot of the compasses, take the distance from this point to the given place through which the parallel was drawn and apply it to the equator, and you will have the sought distance.

The bearing and distance of any two places from each other may be found in the same manner as the bearing and distance of any place from the ship.

**EXAMPLE.**

Required the bearing and distance between the east end of Long-Island and the north part of Bermudas?

A ruler being laid over both places as directed in the preceding rule, it will be found to lay parallel to the N. W. by N. and S. E. by S. line; and the distance between the two places being taken in the compasses, and applied to the graduated meridian, will measure about 10 degrees or 600 miles; therefore these places bear from each other N. W. by N. and S. E. by S. and their distance is 600 miles nearly.

The Half-Minute Glass is of the same form as an Hour Glass, (see P Fig. 2) and contains such a quantity of sand as will run through the its neck in half a minute of time.

The making of the experiment to find the velocity of the ship heaving the log, which is thus performed. One man holds the reel another the half-minute glass; an officer of the watch throws the line to the ship's stern, on the lee side, and when he observes the stray line off (which is about ten fathoms, this distance being usually allowed for the log out of the eddy of the ship's wake) and the first mark (which is generally a red rag) is going off, he cries *turn!* the glass holder *done!* who watching the glass, the moment it is run out says *st* reel being immediately stopt, the last mark run off shows the number of knots, and the distance of that mark from the reel is estimated in fathoms. Then the knots and fathoms together, show the distance the ship sailed in the preceding hour, if the wind has been constant. But if the gale has been the same during the whole hour, or time between heaving the log there has been more sail set or handed, a proper allowance must be made. Sometimes when the ship is before the wind, and a great sea setting off it will bring home the log; in such cases it is customary to allow one knot in 10, and less in proportion if the sea be not so great: allowance out to be made if there be a head sea.

This practice of measuring a ship's rate of sailing is founded upon the following principle: That the length of each knot is the same part of a mile, as half a minute is of an hour. Therefore the length of a knot ought to be  $\frac{1}{120}$  of a sea mile; but by various admeasurements it has been found that the length of a sea mile is about 6120 feet; hence the length of a knot should be 51 feet: each of these knots is divided into 10 fathoms about 5 feet each. If the glass be only 28 seconds in running out, the length of the knot ought to be 47 feet and 6 tenths. These are the lengths recommended in books of navigation, but it may be observed, that in trials it has been found, that a ship will generally over-run her reckoning a log-line thus marked; and since it is best to err on the safe side, it is generally recommended to shorten the above measures by 3 or 4 feet, the length of a knot about  $7\frac{1}{2}$  fathoms of 6 feet each, to correspond to a glass that runs 28 seconds.

In heaving the log you must be careful to veer out the line as fast as will take it; for if the log is left to turn the reel itself, the log will come in and deceive you in your reckoning. You must also be careful to mea-

be corrected in the following manner, supposing that a 30" glass requires 50 feet to a knot.

(1.) If the glass only is faulty, you must say, *as the seconds run by the glass are to 30 seconds, so is the distance given by the log to the true distance.*

Thus if a ship sails  $8\frac{1}{2}$  knots per hour, by a glass of 33 seconds, the true number of knots per hour will be 7.1; for,  $36 : 30 :: 8,5 : 7,1$ .

(2.) If the log-line only is faulty, you must say, *as 50 feet is to the distance of a knot on the line, so is the distance run by the log to the true distance.* Thus, if a ship sails 7 knots per hour, by a log-line measuring 53 feet, her true distance will be 7,4 miles per hour, because,  $50 : 53 :: 7 : 7,4$ .

(3.) If the log-line and glass are both faulty, you must say, *as 50\* multiplied by the length of the glass is to 30 multiplied by the length of the line, so is the measured to the true distance.* Thus, if a ship sails 6 knots per hour with a glass of 24 seconds, and a log-line of 60 feet per knot, her true velocity will be 9 miles per hour, because  $50 \times 24 : 30 \times 60 :: 6 : 9$ .



## DESCRIPTION AND USE

OF A

## QUADRANT OF REFLECTION.

MR. JOHN HADLEY was the first who published a description of the *Quadrant of Reflection*, for measuring angular distances, and the instrument still bears his name, although it has been ascertained that Sir Isaac Newton invented a similar one some years before, but never made it public: one of our countrymen, Mr. Thomas Godfrey, of Philadelphia, had also contrived an instrument on the same principles some time before Mr. Hadley made known his discovery.

Figure 1, Plate VII. represents a Quadrant of Reflection, the principal parts of which are, the frame ABC, the graduated arch BC, the index D, the nonius or vernier scale E, the index glass F, the horizon glasses G and H, the dark glasses or screens I, and the sight vanes K and L.

The graduated arch BC is an octant or eighth part of a circle, but on account of the double reflection is divided into  $90^{\circ}$  numbered from  $0^{\circ}$  towards the left, and each degree is commonly divided into three equal parts of 20 minutes each. The graduation on the limb is continued a few degrees to the right of  $0^{\circ}$ ; this portion is called the *arch of excess*, and is found very convenient for several purposes.

The index D is a flat bar commonly made of brass, moveable round the centre of the instrument, and broader towards the axis of motion, where is fixed the index glass F; at the other end is fixed the nonius or vernier scale, used in estimating the subdivisions of the arch; at the bottom or end of the index there is a piece of brass which leads under the arch, having a spring to make the vernier lie close to the limb, and a screw to fasten it in any position. Some quadrants have a tangent screw affixed to the lower part of the index to adjust its motion. The vernier is a small narrow slip of brass or ivory fixed to that part of the index which slides over the graduated arch, and usually contains a space equal to 21 or 19 divisions of the limb, and is divided into 20 equal parts; hence the difference between a division on the limb, and a division on the dividing scale, is one twentieth of a division of the limb, or one minute; therefore, if any division on the vernier is in the same straight line with a division of the limb, then no other division on the

\* Instead of multiplying the length of the glass by 50, and the line by 20, you may multiply the former by 5, and the latter by 2. If any one chooses to mark the log line at less than 50 feet for a glass of 20 seconds he must put the estimated length of the knot instead of 50, in all the above rules.



vernier can coincide with a division of the limb, the extreme divisions excepted. Some time ago it was usual to reckon the divisions on the vernier from its middle towards the right, and from the left towards the middle: but this being found inconvenient, a more commodious method has been introduced of numbering from right to left: hence the degree and minute, pointed out by the vernier, may be found thus: observe what minute on the vernier coincides with a division on the limb, then this minute, being added to the degree and parts of a degree on the limb immediately preceding the first division on the vernier, will be the degree and minute required. Thus, suppose 10' on the vernier coincided with a division on the limb, and that the division on the limb preceding the first division of the vernier, was  $2^{\circ} 20'$ , the division pointed out by the vernier would be  $2^{\circ} 30'$ .

The *index glass* F, is a plane speculum or mirror of glass, quicksilvered and set in a brass frame; it is so placed that the face of it is perpendicular to the plane of the instrument, and is fixed to the index by the screw M; the other screw N serves to replace it in a perpendicular position, if by any accident it has been put out of order. The use of this mirror is to receive the rays from the sun, or other object observed, and reflect them towards the horizon glasses.

The *horizon glasses* G and H, are two small speculums—G is called the *fore horizon glass*, from its being used in the common or *fore observation*, where the observer's face is turned towards the object; and H the *back horizon glass*, being used in the *back observation*, where the observer's back is turned towards the object; these mirrors receive the reflected rays from the index glass and reflect them to the eye of the observer. The horizon glasses are not entirely quicksilvered: the fore-horizon glass G is only quicksilvered on the lower half, the other part being transparent, and the back part of the frame cut away, that the horizon or any other object may be seen through it; the back-horizon glass H, is silvered at both ends; in the middle is a transparent slit, through which the horizon may be seen: these two glasses are set in brass frames similar to that of the index glass, and fixed on moveable bases, which are adjusted by screws so as to set the glasses in their true positions. In general there are three *dark glasses* or screens I, two of red ones of different shades, and one green; each is set in a brass frame, which turns on a centre that they may be used separately or together: they serve to defend the eye from the rays of the sun during an observation. The green glass is peculiarly adapted to take off the glare of the moon, but may be used for the sun when much obscured by clouds. When these glasses are used for a fore-observation, they are to be fixed as in fig. I, but when used for a back-observation they are to be placed at O.

The *sight vanes*, K and L, are pieces of brass standing perpendicular to the plane of the instrument; the vane K is called the *fore-sight vane*, and L the *back-sight vane*. There are two holes in the fore-sight vane, the lower of which, and the upper edge of the silvered part of the fore-horizon glass are equi-distant from the plane of the instrument, and the other hole is opposite to the middle of the transparent part of that glass. The back-sight vane has one perforation which is exactly opposite to the middle of the transparent slit in the back-horizon glass.

The *adjusting-lever*, (fig. 2,) which is fixed on the back of the quadrant, serves to adjust the horizon glass, by placing it parallel to the index glass; when this lever is to be made use of, the screw B must be first loosened, and when by the adjuster A the horizon glass is sufficiently moved, the screw B must be fastened again, by which means the horizon glass will be kept from changing its position.

#### To adjust a quadrant.

As the quadrant, from various accidents, is liable to be out of order, it is necessary that the mariner should be able to ascertain the errors, and that the several parts before he proceeds to make his observations. He must suppose he must examine whether the index glass and the fore-horizon glass be perpendicular to the plane of the instrument, and whether the fore-horizon glass be parallel, and that of the back-horizon glass

perpendicular to the plane of the index glass, when 0 on the vernier stands against 0 on the limb.

1st. *To ascertain whether the index glass be perpendicular to the plane of the Quadrant.*

Place the index on the middle of the arch, and hold the index glass near the eye, look into it, in a direction parallel to the plane of the instrument, and see if the reflected arch appear exactly in a line with the arch seen direct, or if the image of any point of the arch near B appear of the same height as the corresponding part of the arch near C seen direct, if so, the index glass is perpendicular to the plane of the quadrant: if not, the error must be rectified by the screws on the base behind the frame, by loosening the screw M, and tightening the screw N, or by loosening the screw N, and tightening the screw M.

2d. *To ascertain whether the fore-horizon glass be perpendicular to the plane of the Quadrant.*

Having adjusted the index glass, hold the instrument in a vertical position: look through the fore-sight vane, and move the index till the reflected and direct images of the horizon, seen in the horizon glass, coincide; then incline the instrument till its plane is nearly parallel to the horizon; if the images still coincide, the horizon glass stands perpendicular, otherwise it does not, and must be adjusted by the screws placed before and behind it, loosening one of them and tightening the other.

This adjustment may be made by the sun, moon, or star, by holding the quadrant in a vertical position, and observing if the object seen by reflection appears to the right or left of the object seen direct; and moving the screws as above till both images coincide.

After having made the horizon and index glasses parallel, according to the directions in the following article, it will be best to re-examine this adjustment.

3d. *To make the horizon glass parallel to the index glass when 0 on the vernier stands on 0 on the arch.*

Having fixed the index so that 0 on the vernier stands on 0 on the arch, look at any distant object and see if the image on it coincides with the object itself: if it does, the adjustment is complete: if not, they must be made to coincide by means of the adjusting lever. The horizon may be used for this purpose in the following manner: hold the plane of the instrument vertical, look through the lower hole in the vane K, and direct the sight through the transparent part of the Glass G to the horizon; then if the horizon line, seen in the silvered and transparent part, coincide, or makes one straight line, the horizon glass is said to be adjusted: but if the horizon lines do not coincide, slacken the screw B (fig. 2) in the middle of the adjusting lever, and turn the horizon glass on its axis until the horizon lines coincide, then fix the lever firmly by tightening the screw B. If this adjustment be again examined, it will perhaps be found imperfect; in this case, therefore, it remains either to repeat the adjustment, or find the error of it usually called *the index error*, which may be done thus.—Let the horizon glass remain fixed, and move the index till the image and object coincide, then the difference between 0 on the vernier and 0 on the arch is the index error, which is to be added to the angle or altitude observed, if the 0 on the vernier be to the right hand of 0 on the arch, otherwise to be subtracted. Thus if the horizon was used, the instrument being held in a vertical position, you must look through the lower hole of the vane K, towards the horizon; then move the index till the reflected and direct images of the horizon coincide, the difference between 0 on the vernier and 0 on the arch will be the index error.

4th. *To adjust the back-horizon glass, that it may be perpendicular to the plane of the index glass, when 0 on the vernier stands on 0 on the arch.*

Set the index as far to the right of 0 on the arch, as twice the dip of the horizon (taken from Table XIII.) hold the quadrant in a vertical position,

look towards the horizon through the hole in the back horizon vane *L*, and the transparent slit of the back horizon glass *H*, then if the reflected horizon, which will appear inverted, coincide with that seen direct, the glass is truly adjusted, otherwise the screw, in the centre of the lever on the under side of the quadrant, must be slackened, and the glass turned on its axis till both horizons coincide, when the lever should be fixed by tightening the screw.

5th. *To adjust the back horizon glass that it may be perpendicular to the plane of the quadrant.*

Put the index on 0: hold the quadrant nearly parallel to the horizon; look through the hole on the back sight vane, and if the true and reflected horizons appear in the same straight line, the glass is perpendicular to the plane of the instrument; but if they do not coincide, the sunk screws before and behind the glass must be turned till both appear to form one straight line.

*To take an altitude of the Sun by a Fore Observation.*

If the sun is bright, turn down one or more of the dark glasses; hold the instrument in a vertical position; apply the eye to the upper hole in the fore-sight vane, when the image is so bright as to be seen in the transparent part of the fore-horizon glass, otherwise to the lower hole; direct the sight to that part of the horizon beneath the sun, and move the index till you bring the image of his lower limb to touch the horizon directly under him; but as this point cannot be exactly ascertained, the observer should move his instrument round to the right and left a little, keeping as nearly as possible the sun always in that part of the horizon glass, which is at the same distance as the eye from the plane of the quadrant,\* by which motion the sun will appear to sweep the horizon, and must be made to touch it at the lowest part of the arch; the degrees and minutes pointed out by the index will be the observed altitude of the sun's lower limb at that instant.

*To take an altitude of the Moon by a Fore Observation.*

In the night when the moon is bright, her image may be seen in the transparent part of the fore-horizon glass, and the observation may be taken exactly in the same manner as an observation of the sun. If the image is so faint as not to be seen in the transparent part of the horizon glass, you must set the index to 0, hold the plane of the quadrant in a vertical position, direct the sight to the moon, and at the same time look for her reflected image in the silvered part of the horizon glass; move the index forward till the moon's image, which will appear to descend, just touches the horizon, then sweep the quadrant as in observing the sun, and bring her round limb into contact with the horizon, whether it be her upper or lower. The degrees and minutes pointed out by the index will be the observed altitude of that limb which was brought in contact with the horizon.

*To take an altitude of a Star by a Fore Observation.*

This is done exactly in the same manner as in observing the moon's altitude when her image is so faint as not to be seen in the transparent part of the horizon glass.

*To take the Sun's altitude by a Back Observation.*

Put the dark glasses in the hole *O*, and turn one or more of them down, according to the brightness of the sun; then, holding the instrument in a vertical position, look through the back sight vane towards that part of the horizon opposite the sun; move the index till the sun's image is seen in the silvered part of the glass; give the quadrant a slow vibratory motion and the sun will appear to describe an arch with its convex side upward; bring the upper limb, when in the upper part of this arch, in contact with that part of the horizon seen through the transparent slit, and the degrees and minutes

\* In common quadrants, if the upper hole be looked through, the sun's image must be made to appear in the middle of the transparent part of the horizon glass, but if the lower hole be looked through, the image must be made to appear on the line joining the silvered and transparent parts of the horizon glass, as these parts of the horizon glass are at the same distances from the plane of the instrument as the holes of the sight vanes respectively.

pointed out by the index, will be the altitude of the sun's lower limb. The altitude of the moon or a star, may be obtained in the same manner, only observing to bring the round edge of the moon to the horizon.

The back observation is but little used on account of the difficulty of adjusting and observing: various remedies have been proposed for these defects, but none have yet been generally adopted. The back observation of the altitude of any object is useful only when there is not an open horizon for the fore observation; but even in that case the fore observation might often be used, if the distance of the horizon was known, as will be explained farther on.

*To take the meridian altitude of any celestial object by a Fore Observation.*

When the object rises and sets, it comes to the meridian above the horizon only once in 24 hours, and is then at its greatest altitude, by observing which, the latitude may be easily determined. The sun comes to the meridian exactly at noon or 12 o'clock: the moon and stars at various hours. To observe the meridian altitude, begin a few minutes before the time of passing the meridian; bring the object to sweep the horizon according to the preceding directions; this must be repeated until the object begins to descend below the edge of the sea: the degrees and minutes then shewn by the index will be the meridian altitude.

If the object does not set, it comes to the meridian below the pole, and is then at its least altitude; this altitude may be observed as above directed with this difference, that you must continue sweeping till the object begins to rise above the edge of the sea, instead of descending below it.

The meridian altitude of any object may be taken in a similar manner by a back observation.

Strictly speaking, this method of finding the meridian altitude is absolutely accurate, only when the ship is at rest and the sun's declination constant. For if the ship is sailing towards the sun, the altitude will be increased, and it will be decreased if sailing from the sun; but the correction of altitude arising from this source is very small, and may be neglected in all nautical calculations, as will be shown hereafter.

*Advice to Seamen in the choice of a Quadrant.*

The joints of the frame must be close, without the least opening or looseness, and the ivory on the arch inlaid and fixed, so as not to rise in any place above the plane of the instrument; all the divisions of the arch and vernier must be exceedingly fine and straight, so that no two divisions of the vernier (except the first and last) coincide at the same time with the divisions of the arch. All the glasses belonging to the quadrant should have their surfaces perfectly plane, and their fore and back surfaces exactly parallel; the first of these requisites in the horizon glass and index glass may be thus verified by means of two distant objects: move the index till both objects are exactly in contact, at the upper edge of the silvered part of the horizon glass, then move the quadrant in its own plane so as to make the united images move along the line, separating the silvered from the transparent part of the horizon glass, and if in this motion the images continue united, the reflecting surfaces are good planes, otherwise the planes are imperfect. The parallelism of the two surfaces of the reflecting glasses may also be examined by viewing the image of some object reflected very obliquely, for if that image appears single and well defined about the edges, it is a proof that the surfaces are parallel; on the contrary, if the edge of the reflected image appears as if it threw a faint shadow from it, or separated like two edges, it is evident that the two surfaces of the glass are inclined to each other; if the image be the sun, and viewed through a small telescope, the examination will be more perfect. To examine the dark glasses, you must bring the image of a distant object to coincide with the object seen direct; then turn the coloured glass so that the plane which was next to the index glass may now be next to the horizon glass, and if the direct and reflected images still coincide, the surfaces of the glass are parallel.

## DESCRIPTION AND USE

OF A

## SEXTANT OF REFLECTION.

A SEXTANT is constructed on the same principles, and may be used for measuring altitudes, in the same manner, as a quadrant.\* The arch of a sextant, as its name implies, contains  $60^{\circ}$ , but by reason of the double reflection, is divided into  $120^{\circ}$ . This instrument is particularly intended to measure the distance of the moon from the sun, or a fixed star, and as that distance is wanted as accurately as possible, to determine the longitude of the place of observation, the instrument is constructed with more care, and is provided with some additional appendages that are wanting in the quadrant. Fig. 3, Plate VII. represents a sextant, the frame of which is generally made of brass, or other hard metal, the handle at its back is made of wood; by this, when observing, the instrument is to be held with one hand, while the other is moving the index. The arch AA, is divided into  $120^{\circ}$ , each degree into three parts of 20 minutes each, and the vernier scale is in general so divided as to shew half minutes. In some sextants, the degree is divided into 6 equal parts of  $10'$  each, and the vernier shows  $10''$ .

In order to observe with accuracy, and make the images come precisely in contact, a *tangent screw* B is fixed to the index, by which it may be moved with greater regularity than it can be by hand; but this screw does not act until the index is fixed by the screw C at the back of the sextant. Care should be taken not to force the tangent screw when it arrives at either extremity of its arch. When the index is to be moved any considerable quantity, the screw C must be loosened; but when the index is brought nearly to the division required, the back screw C should be tightened, and then the index moved gradually by the tangent screw.

In many sextants, the lower part of the index glass, or that next the plane of the instrument, is silvered as usual, and the back surface of the upper part painted black; a screen, painted black, is fixed by its axis to the base of the index glass, and may be placed over the silvered part when the rays are strong; in which case the image is to be reflected from the outer surface of the upper part, and the error which might probably arise from the planes of the glass not being parallel, is thereby avoided.

The coloured glasses are similar to those applied to a common quadrant, and are usually four in number, placed at D, to screen the eye from the solar rays and the glare of the moon; they may be used separately or together, as occasion requires. In addition to these, there are three similar glasses placed behind the horizon glass, to be used in finding the index error by means of the sun, and in observing the sun's altitude by an artificial horizon on land. The paler glass is sometimes used in observing altitudes at sea, to take off the strong glare of the horizon.

A sextant is generally furnished with a tube without glasses, and two tel-

---

\* There is not in general any apparatus for the back observation fixed to a sextant, but if the altitude of any celestial object be greater than  $90^{\circ}$ , the supplement of the altitude may be obtained by a back observation with a sextant with care and accuracy, and as this method may be often used with advantage when a fore observation cannot be obtained, we shall here point out the method of taking the observation, and shall hereafter give the calculations for determining the latitude from a meridian observation, taken in this manner.—The back of the observer being turned to the sun, he must move the index till the image of the sun touches the edge of the back horizon, and then move the sextant a little to the right and left (as in a fore observation), and the image will describe an arch with the convex side upward; move the index till the lower limb of the image, when in the upper part of the arch, just touches the horizon, and the observation will be complete; observing that, if the telescope be used, the image must be brought in the middle between the two parallel wires; but if the telescope be not used, the image of the sun must be seen in the horizon glass at the same distance from the plane of the instrument as the observer. The altitude thus obtained will be the supplement of the altitude of the sun's upper meridian to be applied to obtain the true central altitude, will be given hereafter.

scopes, the one representing the objects erect or in their natural situation, the other inverting them, the eye glass being fixed in a moveable tube in order to adjust the telescope to a proper focus. By means of these telescopes the line of sight may be rendered parallel to the plane of the instrument, and the contact of the limbs of any two objects more accurately observed. The tube, or either telescope, is to be screwed into a brass ring, which is connected with another brass ring, by means of two screws, and by loosening one and tightening the other, the axis of the tube, or telescope, may be set parallel to the plane of the instrument. One of these rings is fixed to a brass stem that slides in a socket, and by means of the screw *L* at the back of the sextant, it may be raised or lowered so as to move the axis of the telescope to point to that part of the horizon glass judged the most fit for observation.

A circular head, containing a plate, in which there are three coloured glasses, and a part that is open, sometimes accompanies the sextant: this head is to be screwed on the eye end of the tube, or on that of either telescope. The edge of the plate projects a little beyond the head on one side, and is moveable by the finger, so that the open ring or any of the coloured glasses, may be brought between the eye glass of the telescope and the eye; this answers the purpose of the dark glasses placed at *E*, in adjusting by the sun, or observing by an artificial horizon on land.

To these are added a small screw driver, to adjust the screws, and a magnifying glass to read off the observation with greater accuracy.

The adjustments of a sextant are similar to those of a quadrant; the index and horizon glasses must be perpendicular to the plane of the instrument, and their planes parallel to each other when the index stands on 0; also the axis of the telescope must be set parallel to the plane of the instrument: each of these particulars must be examined before an observation is taken, and the adjustments, if requisite, made according to the following directions.

*1st. To set the index glass perpendicular to the plane of the instrument.*

Move the index forward to about 60°, and proceed exactly in the manner prescribed for the adjustment of the index glass of a quadrant, page 91.

*2d. To make the horizon glass perpendicular to the plane of the Sextant.*

This adjustment is made exactly in the same manner, as that of the quadrant described in page 91, except that instead of looking through the sight vane, you may use the tube or a telescope.

*To make the horizon glass and index glass parallel when the index is on 0.*

Having made the foregoing adjustments, set the first division on the index to 0 on the limb, fasten the index in this position, and make the coincidence of these divisions as perfect as possible, by means of the tangent screw, the eye being assisted by the magnifying glass; screw the tube, or telescope, into its support, and turn the screw *L* at the back of the instrument, till the line which separates the transparent and silvered parts of the horizon glass appears in the middle of the tube or telescope; having done this, hold the plane of the sextant vertically and direct the sight through the tube or telescope to the horizon; then if the reflected and true horizons do not coincide, turn the tangent screw at the back of the horizon glass till they are made to appear in the same straight line. Then will the horizon glass be adjusted.

After the screw that retains the horizon glass in its place, is fastened, it will be proper to re-examine this adjustment; if the coincidence of the horizons is not perfect, the adjustment must be repeated till it is so; but as it is difficult to obtain a perfect coincidence by this means, the horizons may be brought to coincide by turning the tangent screw of the index, and the difference between the 0 on the arch and the 0 on the vernier will be the index error, which is additive to all observations, if the 0 of the index stand on the

extra arch, otherwise subtractive. The index error may also be found, very accurately, by measuring the diameter of the sun twice, with a motion of the index in contrary directions; that is, first bring the upper limb seen by reflection to coincide with the lower limb seen directly, then bring the lower limb by reflection to coincide with the upper seen directly. If both these measures are taken either to the right or left of 0 on the limb, half their sum will be the index error; additive if to the right of 0; subtractive, if to the left; but if one of the measures be taken to the right, and the other to the left of 0, half their difference will be the index error, which will be additive when the diameter measured to the right of 0 exceeds that measured to the left, otherwise subtractive. Thus if the measures were  $58'$  to the left of 0 on the arch, and  $28'$  to the right\* on the extra arch, half the difference or  $6'$  would be the correction, subtractive. In some sextants the horizon glass cannot be adjusted; the index error must in that case be found, and must be considered as a constant quantity to be applied to all angles measured with the same instrument.

*To set the axis of the telescope parallel to the plane of the Sextant.*

In measuring angular distances, the line of sight, or axis of the telescope, should be parallel to the plane of the instrument, as a deviation in that respect, in measuring large angles, would occasion a considerable error: to avoid which, a telescope is made use of, in which are placed two wires, parallel to each other, and equidistant from the centre of the telescope, by means of which, the adjustment may be made in the following manner.—Screw on the telescope and turn the tube containing the eye glass, till the wires are parallel to the plane of the instrument; then take two objects, as the sun and moon, whose angular distance must not be less than  $90^\circ$ , because the error is more easily discovered when the distance is great; bring them exactly into contact at the wire nearest the plane of the sextant, and fix the index; then, by altering a little the position of the instrument, make the image appear on the other wire: if the contact still remains perfect, the axis of the telescope is in its right situation; but, if the limbs of the two objects appear to separate or lap over, at the wire which is farthest from the plane of the sextant, the telescope is not parallel, and it must be rectified by turning one of the two screws of the ring into which the telescope is screwed and fixed, having previously unturned the other screw: by repeating this operation a few times, the contact will be precisely the same at both wires, and the axis of the telescope will be parallel to the plane of the instrument.†

In order to estimate the error committed in not observing the contact of the objects in the middle between the two parallel wires of the telescope, it is necessary to know the angular distance of these wires: this may be found as follows: Turn round the eye piece of the telescope, till the wires are perpendicular to the plane of the instrument: hold the instrument in a vertical position, and move the index till the direct and reflected images of the horizon appear in the same line, which will happen when the index is at 0 if the instrument be well adjusted; then move the index till the reflected image of the horizon be at one wire and the directed image at the other; the angle moved through by the index, as shown by the divisions of the arch, will be the an-

\* In reading off the measure on the extra arch, you must reckon the minutes on the vernier from left to right, counting 19 as 1, 38 as 2, &c. or else take the difference between the minutes denoted by the vernier and 20. Thus if the angle on the extra arch appeared by the nonius to be  $14'$  the real angle would be only  $6'$ .

† This adjustment may be made in a manner similar to that by which the graduation on the frame of the telescope of a circular instrument is verified by using the adjusting tools of a circle or a ruler whose surfaces are perfectly parallel to each other. Thus, lay the sextant horizontally on a table, and place the ruler on the limb or plane of the instrument, and, at about 12 or 15 feet distance, let a well defined mark be placed in a range with the telescope, so as to be in the same straight line with the top of the ruler, then raise or lower the telescope by means of the screw L, till the centre of the eye piece of the telescope be at the same height as the top of the ruler, then if the mark be seen in the middle between the wires of the telescope, it is well adjusted: if not, it must be altered by means of the screws turning into which the telescope is screwed.

QUADRANT  
and  
SEXTANT  
of  
REFLECTION.




Fig. 1.



Fig. 2.




Fig. 3.





gular distance of the two wires. This angular distance being obtained, the observer may, by means of it, estimate, at each observation, how much the place where the contact was observed, was elevated above, or depressed below, the plane passing through the eye and the middle line between the two parallel wires; the correction in Table XXXV. corresponding to this angle, is to be subtracted from the observed angular distance of the objects; thus if the distance between the wires was  $3^{\circ}$ , one of them would be elevated above the plane  $1^{\circ} 30'$ , and the other depressed as much below it; and if in taking an observation, the point of contact was estimated to be one-third part of the distance from the middle towards either wire, the angle of elevation or depression would be one-third part of  $1^{\circ} 30'$  or  $30'$ ; and if the observed distance was  $100^{\circ}$ , the correction in Table XXXV. would be  $19'$ , subtractive from the observed angle, which would therefore be  $100^{\circ} - 19' = 99^{\circ} 59' 41''$ . In general it will not be necessary to attend to this correction.

*To measure the distance between the Sun and Moon.*

Screw on the telescope, and place the wires parallel to the plane of the instrument; then if the index glass is half silvered and half blacked, and the sun very bright, raise the plate before the silvered part of the glass, and with the screw L raise the telescope to the transparent part of the horizon glass; turn down one or more of the dark glasses according to the brightness of the sun; then hold the sextant so that its plane may pass through the sun and moon; if the sun be to the right hand of the moon, the sextant is to be held with its face upwards; if to the left hand, the face is to be held downwards; with the instrument in this position, look directly at the moon through the telescope, and move the index forward till the sun's image is brought nearly into contact with the moon's nearest limb; then fix the index by the screw under the sextant, and make the contact perfect by means of the tangent screw; at the same time move the sextant slowly, making the axis of the telescope the centre of motion, by which means the objects will pass each other, and the contact be more accurately made, observing that the point of contact of the limbs must always be observed in the middle between the parallel wires. The observation being thus made, the index will point out the distance of the nearest limbs of the sun and moon.

*To measure the distance between the Moon and a Star.*

Turn down the green screen if the moon is bright, and direct the plane of the instrument through both objects, with its face upwards, if the moon is to the right of the star; but if to the left, the face is to be held downwards; look at the star through the telescope and transparent part of the horizon glass, and move the index till the moon's image appears nearly in contact with the star: fasten the index, move the sextant round the axis of the telescope as in measuring the distance of the sun and moon, and turn the tangent screw, till the coincidence of the star and the enlightened or round limb of the moon is perfect; observing that the point of contact of the limb of the moon and star must always be in the middle between the parallel wires. The observation being thus made, the index will point out the distance of the enlightened limb of the moon from the star, whether it be the farthest or nearest limb.

If the observer suspect that the mirrors, or coloured glasses, have not their surfaces exactly parallel, he may verify them as follows:—

*Verification of the parallelism of the Index glass.*

This verification is to be made ashore, by observing the angular distance of two well defined objects, whose distance exceeds  $90^{\circ}$  or  $100^{\circ}$  (having previously well adjusted the instrument) then taking out the central mirror and turning it, so that the edge which was formerly uppermost may now be nearest the plane of the instrument; rectify its position and again measure the distance of the two objects; half the difference between these two distances will be the error of the observed angle arising from the defect of pa-

parallelism of the central mirror. If the first distance exceeds the second, the error is subtractive, otherwise additive, the mirror being in its first position; but the contrary when in its second position. Thus, if the first distance was  $119^{\circ} 59' 21''$  and the second  $120^{\circ} 0' 38''$ , the error would be  $39''$ , additive when the mirror was in its first position, subtractive for the second. The error for any other angle may be found by means of col. 2d. Table XXXIV. when the inclination of the plane of the horizon glass to the axis of the telescope is  $80^{\circ}$ , by saying, as the tabular correction corresponding to  $120^{\circ}$  ( $=4' 5''$ ) is to the error of the glass  $59''$ , so is the tabular error for any other angle as  $85^{\circ}$  ( $=1' 15''$ ) to the corresponding error of the glass  $12''$ . In this manner a table of errors may be made for all angles.\*

The angle between the plane of the horizon glass and axis of the telescope produced, being constant in all observations and adjustments of the sextant, no error can arise from the want of parallelism of its surfaces.

*Verification of the parallelism of the surfaces of the coloured glasses.*

Turn down the glass at D, which is to be examined, and another at E, to defend the eye from the sun; direct the telescope to the sun and move the index till its direct and reflected images coincide; then turn the dark glass at D, so that the surface which was farthest from the horizon glass may now be nearest to it, and if the contact of the same two limbs be complete, the surfaces of this glass are parallel, but if they lap over, or separate, the index must be moved to bring them again in contact, then half the arch passed over by the index will be the error, arising from the want of parallelism of the glass at D.



## DESCRIPTION AND USES

OF THE

## CIRCLE OF REFLECTION.

THE Circle of Reflection was invented by the celebrated professor MAYER of Groningen, and has since been greatly improved by the CHEVALIER DE BORDA, MR. TROUGHTON, and MR. MENDOZA Y RIOS. In its present improved state it has a decided superiority over the sextant in measuring the distance of the moon from the sun, or a star, on account of its correcting, in a great measure, the errors arising from a faulty division of the limb, want of parallelism in the surfaces of the mirrors and coloured glasses, and entirely avoiding the error which might arise in a sextant from the mirrors not being parallel when the index is on 0.

Fig. 1. Plate VIII. represents the Circle of Reflection, as given by DE BORDA; in fig. 2 is a section of the same instrument, marked with the same letters of reference as in fig. 1. The principal parts of this instrument are, the circular limb LMV; the central index EF; the horizon index MD; the central glass or mirror A; the horizon glass or mirror B; the telescope GH; the coloured glasses fig. 3, 4; the handle fig. 5; the ventelle fig. 6; and the adjusting tool fig. 7.

The limb of the instrument LMV, is a complete circle of metal, and is connected with a perforated central plate by six radii; it is divided into  $720^{\circ}$  because of the double reflection; each degree is generally divided into three equal parts, and the division is carried to minutes, or lower, by means of the verniers of the two indices.

The two indices are moveable round the same axis, which passes exactly through the centre of the instrument; the central index EF carries the cen-

\* The method of calculating the above tabular numbers when the angle of inclination of the telescope and horizon glass differs from  $59^{\circ}$  is given in the explanation of Table XXXIV. prefixed to the tables.

tral mirror A; and the horizon index MD carries the telescope GH and the horizon mirror B; both indices are furnished with verniers and tangent screws at O and N.

The *central mirror* A is placed on the central index immediately above the centre of the instrument; the plane of this mirror makes an angle of about  $50^\circ$  with the middle line of the index, and is adjusted perpendicular to the plane of the instrument, by means of the screws placed on the back part of the frame of the mirror.

The *horizon glass* B is placed on the horizon index near the limb, so as to interfere as little as possible with the rays proceeding from objects situated on the opposite side of that index with respect to the central mirror. The horizon glass is adjusted perpendicular to the plane of the instrument in a similar manner to that of the horizon glass of a sextant: and in some circles this mirror is moveable about an axis perpendicular to the plane of the instrument, by which means the situation with respect to the telescope may be adjusted.

The *telescope* GH, attached to the other end of the horizon index, is an astronomical one inverting the observed objects, and has two parallel wires in the common focus of the glasses, distant from each other between two and three degrees. These wires, at the time of observation, must be placed parallel to the plane of the instrument: To effect this, marks are made on the eye-piece, and on the tube at G, and by making them coincide, the wires may be brought to their proper position. The telescope may be raised or depressed by two screws I, K, so as to be directed to any part of the horizon glass; and, by means of the graduations on the two standards *i, k*, the telescope may be rendered parallel to the plane of the instrument.

There are two sets of *coloured glasses* (fig. 3, 4) each set usually containing four glasses of different shades; the glasses of the larger set (fig. 4) which are placed before the central mirror at *a, a*, should have each about half the degree of shade with which the corresponding glasses (fig. 3) of the other set, placed at C, are tinged, because the rays from the luminous object pass twice through the coloured glass placed before the central mirror, and only once through the other. The glasses placed at *a, a*, are kept tight in their places by small pressing screws at their ends, or by slides passing in front, through perforations in the stems of their frames: when fixed for observation they make an angle of about  $35^\circ$  with the plane of the instrument, by which means the image from the coloured glass is not reflected to the telescope. When the angle to be measured is between  $5^\circ$  and  $35^\circ$ , one of the largest set is to be fixed at *a, a*; in other cases, one of the smaller set is to be placed in the socket C. The reason of using the large glass is this—when the small glass is placed at C, it intercepts the direct light of the luminous object in its passage towards the central mirror, if the object happens to be situated within the angular space, included by the lines from the centre A, by the sides of the frame of the glass placed at C. This is avoided by using the larger glasses.

The *handle* (fig. 5) is of wood, and is fixed to the back of the instrument immediately under the centre. By this it is held during the time of observation.

The *ventelle* (fig. 6.) is used in terrestrial observations to diminish the light of the object seen directly, to render it equal in brightness to that of the objects seen by reflection: this is performed by putting the ventelle in the socket D, and raising or depressing it till the objects appear of equal brightness.

There are two *adjusting tools* of the form represented in fig. 7; they are exactly of the same size, and their height is nearly equal to that of the central mirror; they may be used in adjusting the central mirror perpendicular to the plane of the instrument, and in making the axis of the telescope parallel to that plane.

The instrument, as we have now described it, is the same as it was left by De Borda: Mr. Troughton has since suggested the improvement of fixing to the horizon index the arch WSPR, and providing it with two sliding pieces U, X, in order to facilitate the fixing the indices at their proper

angles with each other in taking successive observations. When the central and horizon glasses are parallel, the central index covers the space *SP* of the arch, and the spaces *SW*, *PR*, are each divided into degrees from *S* to *W*, and from *P* to *R*, and numbered 0 at *S* and *P*, and continued to  $150^{\circ}$  towards *W* and *R*. The use of this arch and sliding pieces will be explained hereafter.\*

That ingenious mathematician and navigator, *M. Mendoza y Rios*, has further improved the circular instrument by the substitution of a circular ring (moving round the centre of the instrument over or adjacent to the limb *TMV*) for a vernier instead of those attached to the indices by *De Borda*: and by fixing this circular vernier alternately to each of the indices it serves as a vernier for both, and after any number of observations, gives the compound motion of both indices, and thus double the number of distances are obtained by this instrument that can be obtained by *De Borda's* circle with the same number of observations. *Mr. Rios* has also improved the form of the handle for holding the instrument. In theory the instrument, as improved by *Mr. Rios*, appears to be superior to that of *De Borda*, but not having used one of the former kind, I cannot, from my own experience, decide whether it is so much superior in practice; but *Mr. Rios* says that he found it answered his expectations. As the method of taking the observation is nearly the same with both instruments, I shall confine myself to the explanation of the uses of *De Borda's*, from which the method of using the other will be easily discovered.

#### *Adjustments of the Circle of Reflection.*

Before entering upon an explanation of the adjustments of this instrument, it will be proper to premise that there are three different methods of observing the angular distance of two objects with this instrument, viz. (1) by what is called an observation to the right, (2) by an observation to the left, and (3) by a cross observation.

An observation to the right is that, where the object, whose image is to be reflected and the central mirror are on the same side of the telescope. An observation to the left, when the object to be reflected and the central mirror are on opposite sides of the telescope, which in both cases is supposed to be directed to the other object; and a cross observation is a combination of the fore-mentioned observations; the first being generally taken to the left, and the second to the right.

The adjustments of a circle consist in placing the mirrors perpendicular to the plane of the instrument, and in making the axis of the telescope parallel to that plane. These are all the adjustments necessary in measuring an angular distance by cross observations; but if one observation only be taken to the right, or to the left, it will be necessary to find the division, on which the horizon index must be placed, to make the horizon glass parallel to the central glass, when the central index stands on 0. These adjustments are similar to those of a sextant, but a particular explanation of each will here be given.

#### *To set the central glass perpendicular to the plane of the instrument.*

This adjustment may be made by placing the eye in front of the central glass at *L*, a little above the plane of the instrument, and observing if the reflected image of that part of the limb nearest the eye appears to make one continued circular line with the parts of the limb towards *T*, seen to the

---

\* *Mr. Troughton* suggested another alteration in the circle, but (as *Mr. Rios* justly observes) the instrument thus altered may be considered as a sextant, the limb of which is completed to the whole circumference. A circle of this description is usually furnished with three indices and verniers, by each of which every observation must be read off. This is very troublesome, particularly in the night. It is true that this method corrects in a very great degree the error of not having the index fixed exactly on the centre, or that of not having an instrument perfectly circular; but errors of this kind in *Borda's* circle may be reduced in any ratio by taking a number of observations, and the error will in general be extremely small in taking a sufficient number to bring the index nearly to the point set out from; so that in those important points I should, on the whole, prefer an instrument of *Borda's* construction.

right and left of the central glass; for in this case the glass is perpendicular to the plane of the instrument; otherwise it must be adjusted by means of the screws till the two images coincide.\*

By examining this adjustment in different parts of the limb, it will be known if the limb be in the same plane. If any difference should be found, the central glass must be so fixed that the reflected image of the limb may appear as much above the direct image in some places as below it in others.

*To set the horizon glass perpendicular to the plane of the instrument.*

The central glass being previously adjusted, and the telescope directed to the line separating the silvered from the transparent part of the horizon glass, hold the instrument nearly vertical, and move either index till the direct and reflected image of the horizon, seen through the telescope, coincide; then incline the instrument till it is nearly horizontal, and if the images do not separate, the horizon glass is perpendicular to the plane of the instrument; but if they do separate, the position of the glass must be rectified by means of the screws in its pedestal.

This adjustment may be also made by directing the sight through the telescope to any well defined object; then, if by moving the central index, the reflected image passes exactly over the object seen directly, the glass is perpendicular, otherwise its position must be adjusted by means of the screws attached to the pedestal of the glass.

A planet, or star of the first magnitude, will be a good object for this purpose. If the sun is used, one of the coloured glasses must be placed at C and another at D.

*To make the axis of the telescope parallel to the plane of the instrument.*

The telescope may be raised or depressed by means of two screws attached to the standards *i*, *k*, (fig. 2) and passing through two pieces of brass connected with the tube of the telescope. On each of these pieces is a mark or index by which the telescope is to be adjusted, for, by bringing the indices to the same mark on each standard, the telescope will be parallel to the plane of the instrument.†

*To find that division to which the horizon index must be placed to render the mirrors parallel when the central index is on 0.*

Place the central index on 0; direct the telescope to the horizon glass, so that the line joining the silvered and transparent parts of that glass may appear in the middle of the telescope; hold the instrument vertically, and move the horizon index, till the direct and reflected horizons agree, and the division shown by the horizon index will be that required.

This adjustment may also be made by measuring the diameter of the sun in contrary directions; thus, the central index being fixed on 0, place a dark glass at C and another at D; direct the telescope (through the transparent part of the horizon glass) to the sun, and move the horizon index, till his reflected image appear in the telescope; bring the upper edge of the direct image to coincide with the lower of the other, and note the angle shown by the index; then, by moving the horizon index, bring the lower edge of the

\* When the instrument is furnished with adjusting tools, this adjustment may be made in the following manner. Set the two tools on opposite parts of the limb at T and L; place the eye at *e*, at nearly the same height as the upper edge of the tools, so that part of the tool at T may be hid by the central glass; move the central index till the reflected image of the tool nearest the eye appears in the central glass at the side of the other tool seen directly; then if the upper edges of the tools are apparently in the same straight line, the central glass is perpendicular to the plane of the instrument, otherwise its position must be adjusted by the screws at the back of the frame.

† If you suspect that the marks on the standards are inaccurate, you may examine them in the following manner. Lay the circle horizontally on a table; place the two adjusting tools on opposite parts of the limb at T and L; and at about 12 or 15 feet distance let a well defined mark be placed, so as to be in the same straight line with the tops of the tools; then raise or lower the telescope till the mark is apparently in the middle between the two wires; then the axis of the telescope will be parallel to the plane of the instrument, and the difference (if any) between the divisions pointed out by the indices on the graduation of the standards *i*, *k*, (fig. 2) will be the error of the indices, by knowing which, it will be easy in future adjustments to make allowance for the error.

direct image to coincide with the upper edge of the reflected one, and note also the angle pointed out by the index; half the sum of these two angles will be the point of the limb where the horizon index must be placed to render the mirrors parallel. Thus, if the index in the first observation stood on  $473^{\circ} 30'$ , and in the second on  $474^{\circ} 34'$ , the half sum of the two  $474^{\circ} 2'$  would be the point where the horizon index must be placed to make the mirrors parallel.

*These are all the adjustments necessary to be made\* preparatory to measuring any angular distance.* When the angle is measured by cross observations, the error arising from the want of parallelism of the surfaces of the mirrors, and screens, will in general be very small; however, the method of verifying those glasses and making allowance for any error in them will be given hereafter.

*To observe the meridian altitude of any celestial object, either by an observation to the right or to the left.*

The method of observing the meridian altitude of an object with a circle is exactly similar to that with a quadrant or sextant. The central index must be fixed on 0, and the horizon index on the point which renders the two mirrors parallel; then the altitude may be taken either by an observation to the right or to the left; but the former method, in which the large coloured glasses are not necessary, is in general to be preferred; because those large glasses are more liable to cause an error in the observation than the small ones.

*If an observation to the right* is to be taken, a small dark glass must be placed at C, if the object be bright, then hold the instrument in the right hand in a vertical position; move the central index, according to the order of the divisions of the limb, till the reflected image of the object, seen in the telescope, nearly touches the direct image of the horizon; tighten the index by the screw at the back of the instrument; make the contact complete in the middle between the parallel wires of the telescope, by the tangent screw, and by sweeping, exactly in the same manner, as when observing with a quadrant, and the central index will point out the altitude of the object.

*If an observation to the left* is taken, and the object be bright, a large dark glass must be placed at a, if the altitude be between  $5^{\circ}$  and  $35^{\circ}$ ; otherwise a small glass at C; hold the instrument in the left hand, in a vertical position, move the central index contrary to the order of the divisions, and bring the reflected image in contact with the horizon as above: the angle shown by the central index being subtracted from  $720^{\circ}$ , will be the sought altitude.

In both these methods of observing the meridian altitude of an object, the circle, the radius of which is only five inches, will hardly be so accurate as a good sextant of a larger radius; but, by the help of a well regulated watch, the meridian altitude may be obtained, by the circle, to a much greater degree of accuracy than by a sextant, by observing in the following manner. A few minutes before the object passes the meridian, begin to observe the altitude by cross observations (in the manner to be described in the next article) and note the time of each observation by the watch: continue to observe till a few minutes after the object has passed the meridian: then the angles shown by the central index being divided by the whole number of observations, will give the approximate meridian altitude; the correction to be applied to it to obtain the true meridian altitude, may be found by means

\* In some instruments there is an adjustment of the horizon glass, to place it at its proper angle with the axis of the telescope; if an adjustment of this kind is necessary, it ought to be made before the other adjustments, in such manner, that if a coloured glass be fixed at C, none of the rays from the central glass can be reflected to the telescope from the horizon glass without passing the coloured glass. To effect this, the *ventile* must be placed at D, and lowered so as to intercept the direct light entirely; then place the coloured glass at C, and direct the telescope to the silvered part of the horizon glass; move the central index, and if no uncoloured images appear (reflected from the central glass) but all have the same tinge as that of the coloured glass used, the horizon glass is in its proper position; otherwise it must be turned on its axis till the uncoloured images disappear.

Tables XXXII. and XXXIII. by a method which will be explained hereafter, when treating of finding the latitude by a single altitude of the sun.

In this article the meridian altitude has only been spoken of, though it is evident that the method is applicable to an object not on the meridian; but in this case the cross observations, which give to the circle all its advantages, may be used, and the mean of the altitudes taken instead of a single altitude: this method is peculiarly adapted to the taking of altitudes for regulating a watch, for which reason it will be particularly explained in the following article:—

*To take altitudes of the sun or any celestial object, by cross observations, for regulating a watch.*

Fix the central index on 0, and if the object be bright and the altitude between  $5^{\circ}$  and  $35^{\circ}$  place a large coloured glass before the central glass, at a *a*. otherwise a small one at C: hold the instrument in the left hand, in a vertical position: move the horizon index till the image of the reflected object be brought in complete contact with the horizon, in the middle between the two parallel wires of the telescope, as directed in the preceding article, and note the time of observation by the watch: then fasten the horizon index: hold the instrument in the right hand, in a vertical position, move the central index according to the order of the divisions, till the reflected image be again brought into complete contact with the horizon\* as above, and note the time of observation. Then half the sum of the times, and half the angle shown by the index, will be a mean time, and a mean altitude corresponding thereto.

Times of obs.		Angle.
4h. 20.	0.	6)60° 24'
4.	21. 10.	
4.	22. 15.	
4.	23. 0.	
4.	24. 45.	
4.	25. 30.	
6)26.	16. 40.	10. 4'
	4. 22. 47.	

If greater accuracy be required, the observation must be repeated, setting out from the points where the indices then are, and observing in the same manner by moving first the horizon index, then the central one: continue taking as many of these cross observations as are judged necessary, and note the times of each observation: Then the sum of the times, divided by the whole number of observations, will be a mean time; and the angle shown by the central index, divided by the number of observations, will be a mean altitude corresponding thereto. Thus, if six observations were taken, and the times noted as in the adjoined table, the angle shown by the index being  $60^{\circ} 24'$ , the mean time would be obtained by dividing the sum of the times  $26h. 16' 10''$  by 6, and the mean altitude by dividing  $60^{\circ} 24'$  by 6; therefore the mean time would be  $4h. 22' 17''$  and the mean altitude corresponding  $10^{\circ} 4'$ .

*To measure the distance between the sun and moon, by a circular instrument.*

The instrument being well adjusted, fix the central index on 0, and if the object be bright, place a small dark glass at C: hold the instrument so that its plane may be directed to the objects, with its face downwards when the sun is to the right of the moon: otherwise, with its face upwards: direct the sight through the telescope to the moon; move the horizon index according to the order of the divisions of the limb, till the reflected image of the sun appears in the telescope, and the nearest limbs of the sun and moon are almost in contact; fasten the index, and make the coincidence of the

\* The arch described on the limb by the central index will be equal to twice the altitude of the object, or twice the angle passed over by the other index: if more cross observations be taken, each of the indices, when moved, will describe an arch equal to double the altitude of the object: the same is to be observed in measuring any other angular distance. If the instrument is furnished with the arch WSR, and sliding pieces U, X, you must bring the slide X to the central index after taking the first observation: to the left, and place the slide U at the same degree on the arch SW that X is on the arch PR: then, in the next observation, the central index is to be brought to touch the scale U: in the next observation to the left the slide X is to be brought to the central index, and so on for the other observations. Thus, by means of the slides, the indices may be placed at nearly their proper angles with each other at the beginning of the observation, which will save considerable time. After being thus fixed, the contact must be completed by means of the tangent screw of the index, which is to be moved.



limbs perfect, in the middle between the two parallel wires of the telescope, by means of the tangent screw of the horizon glass, and note the time of observation, then invert the instrument, and move the central index, according to the order of the divisions of the limb, by a quantity equal to twice the arch passed over by the horizon index (or twice the distance of the sun and moon;\*) direct the plane of the instrument to the objects; look directly at the moon, and the sun will be seen in the field of the telescope: fasten the central index, and make the contact of their nearest limbs complete, in the middle between the two parallel wires of the telescope, by means of the tangent screw of the central index, and note the time of observation; then half the arch shown by the central index will be the distance of the nearest limbs of the sun and moon, and half the sum of the times will be the mean time of observation.

Having finished these two observations, two others may be taken in the same manner, setting out from the points where the indices then are, and moving first the horizon index, then the central index: proceed thus, till as many observations as are judged necessary be taken, always observing that the number of them be even; then the angles shown by the central index (or that angle increased by  $720^\circ$ , or  $1440^\circ$ , &c. if the index has been moved once or twice, &c. round the limb) being divided by the whole number of observations, will give the mean distance, and the sum of all the times divided in like manner will be the mean time of observation.

*To measure the distance between the moon and star, by a circular instrument.*

Fix the central index on 0, and if the moon be bright, and the distance between  $5^\circ$  and  $35^\circ$ , place a large green glass before the central mirror at *a a*, otherwise a small one at *C*; hold the instrument so that its plane may be directed to the objects, with its face downwards when the moon is to the right of the star, otherwise with its face upwards; direct the sight through the telescope to the star; move the horizon index, according to the order of the divisions of the limb, till the reflected image of the moon appears in the telescope, and the enlightened limb of the moon be nearly in contact with the star: fasten the index, and make the coincidence perfect, in the middle between the parallel wires of the telescope, by means of the tangent screw belonging to that index, and note the time of observation; then invert the instrument, and move the central index, according to the order of the divisions of the limb, by a quantity equal to twice the arch passed over by the horizon index;† direct the plane of the instrument to the objects, look directly at the star, and the moon will be seen in the field of the telescope: fasten the central index, and make the contact of the enlightened limb of the moon and the star complete, in the middle between the two parallel wires of the telescope, by means of the tangent screw of that index, and note the time; then half the arch shown by the central index will be the distance of the star from the enlightened limb of the moon, and half the sum of the times will be the mean time of observation; these two observations being completed, others may be taken in the same manner, according to the directions above given for measuring the distance of the sun from the moon.

In continuing to take these cross observations by a circle furnished with the arch WSR, and slides U, X, it will be very easy to bring the reflected image into the field of the telescope; but if the instrument is not thus furnished, it will be often difficult to bring the image into the field of the telescope, and much time will be lost, and the observations rendered tedious by that means; to remedy this, a small table of the angles at which each index should be placed, ought to be made before beginning the observation: this table is easily formed, as follows: find roughly according to the directions heretofore given, the point at which the horizon glass must be placed to be parallel to the central glass, when the central index is on 0; then find what point of the arch the horizon index stands upon after measuring the first distance, as directed above; the difference between these

\* This may be done expeditiously by means of the slides U, X, as was explained in the preceding use.

two points will be the angular distance of the objects; the double of this distance being successively added to  $0^\circ$ , and to the angle pointed out by the horizon index after the first observation, will give the points of the arch where the indices must be placed at the 2d. 3d. 4th. &c. observations. Thus, if the point of parallelism was  $471^\circ$  and the point where the horizon index was at the first observation, was  $525^\circ$ , the difference or  $54^\circ$  would be the angular distance; the double of which, or  $108^\circ$ , being added to  $525^\circ$  gives  $633^\circ$ , which is the point of the arch where that index must be placed at the third observation;  $633^\circ$  added to  $108^\circ$  gives  $741^\circ$  or  $21^\circ$  (because the divisions recommence at  $720^\circ$ ) which is the point where the index must be placed at the fifth observation, &c. as in the adjoined Table. The central index being at first on  $0^\circ$ , after the second observation it will be on  $108^\circ$ , at the fourth on  $108^\circ + 108^\circ = 216^\circ$ , at the sixth on  $216^\circ + 108^\circ = 324^\circ$ , &c. Thus, by constantly adding  $108^\circ$ , or twice the distance of the objects, the angles, at which the indices must be placed, will be obtained; and by fixing them at these angles, the reflected image will be brought into the field of view without any trouble.\*

Central Index.	Horizon Index.
$0^\circ$	525
108	633
216	21
324	129
432	237
540	&c.
&c.	

Having explained the methods of adjusting and using the circle of reflection, it remains to show how to calculate the error arising from not observing the contact of the objects in the middle between the parallel wires of the telescope, and also to estimate the errors arising from the want of parallelism of the mirrors and coloured glasses. These verifications are much more necessary in a sextant than in a circle, and they may be in general neglected.

*To estimate the error arising from not observing the contact of the objects in the middle between the parallel wires of the telescope.*

To estimate that error, it is necessary to know the angular distance of the wires of the telescope, which may be thus determined.

Turn round the eye-piece of the telescope, till the wires are perpendicular to the plane of the instrument, and put the central index on 0; direct the telescope to any well defined object, at least 12 feet distant, and move the horizon index till the direct and reflected image of the object coincide; then make one of the wires coincide with the object, and turn the central index till the reflected image of the object coincides with the other wire—and the arch passed over by that index will be the angular distance between the wires. This angle being obtained, the observer must, by means of it, estimate, at each observation, how much the place where the contact was observed was elevated above, or depressed below the plane passing through the eye and the middle line between the two parallel wires of the telescope: the correction in Table XXXV. corresponding to this angle, is to be subtracted from the observed angular distance of the objects: thus if the distance between the wires was  $2^\circ$ , one of them would be elevated above that plane  $1^\circ$  and the other depressed below it, by the same quantity; if, in taking an observation, the point of contact was estimated to be one-third part of the distance from the middle towards either wire, the angle of elevation or depression would be one-third part of  $1^\circ$  or  $20'$ ; and if the observed distance was  $120^\circ$  the correction in Table XXXV. would be  $12''$  subtractive from the observed distance.

The correction for each observed distance being ascertained, in the above manner, the sum of them must be subtracted from the whole angle shown

\* If the distance of the object varies during the observation, these angles will require correction as you proceed with the observations. Thus if the distance was increasing, and at the sixth observation it was found that the central index was on  $326^\circ$  instead of  $324^\circ$ , the increase being  $2'$ , you must add  $2'$  to the rest of the numbers in the Table, and place the horizon index at the seventh observation on  $129^\circ + 2' = 131^\circ$  and the central index at the eighth observation at  $432^\circ + 2' = 434^\circ$ , &c.

by the central index, and the remainder, divided by the whole number observations, will be the mean distance.

*Verification of the parallelism of the surfaces of the central mirror.*

This verification is to be made ashore, by observing the angular distance of two well defined objects, whose distance exceeds  $90^\circ$  or  $100^\circ$ , having previously well adjusted the instrument; after taking several cross observations and finding the mean distance, take out the central mirror and turn it that the edge which was formerly uppermost may now be nearest the plane of the instrument; rectify its position, and take an equal number of cross observations of the angular distance of the same two objects; half the difference between the mean of these, and that of the former, will be the error of the observed angle, arising from the defect of parallelism of the central mirror. If the first mean exceeds the second, the error is subtractive, otherwise additive, the mirror being in its first position; but the contrary when in its second position. Thus, if 10 observations were taken at each operation, and in the first the angle shown by the index, was  $1199^\circ 53\frac{1}{2}'$ , and the second  $1200^\circ 6\frac{1}{2}'$ ; by dividing by 10 the mean angles are found to be  $119^\circ 59' 21''$  and  $120^\circ 0' 39''$ , the difference of which is  $78''$ , the half of which or  $39''$  is the error of the mirror additive when it is in its first position, or subtractive in the second. The error for any other angle may be found by consulting Table XXXIV. when the inclination of the plane of the horizon glass to the axis of the telescope is  $18^\circ$ , by saying, as the tabular error corresponding to  $120^\circ$  that is  $1' 30''$  is to the error found in the glass  $39''$  so is the tabular error for any other at  $85^\circ$  which is  $0' 28''$ , to the error of the glass corresponding  $12''$ ; and in this manner a table of errors may be made, not only for the cross observations, but also for the observations to the right and left.\*

It may be remarked that the errors are much less in the cross observations than in the observations to the right, which are those made with a quadrant or sextant, so that the circle has, in this respect, greatly the advantage over those instruments.

The angle between the plane of the horizon glass and axis of the telescope produced, being nearly the same in all observations and adjustments of the circle, no sensible error can arise from the want of parallelism in the surfaces of that glass.

*Verification of the parallelism of the coloured glasses.*

Place one of the dark coloured glasses at C and another at D, fix the central index at 0, direct the telescope to the sun, and move the horizon index till the limbs of the direct and reflected image coincide; then turn the dark glass placed at C, so that the surface which was farthest from the horizon glass may now be nearest to it, and if the contact of the same two limbs is complete, the surfaces of the glass placed at C are parallel: but if the limbs lap over or separate, the central index must be moved to bring them again in contact, then half the arch passed over by that index will be the error arising from the want of parallelism of the glass C. If great accuracy is required the operation may be repeated, by setting out from the point where the limbs then are, and taking 4 or 6, &c. observations, then the arch passed over by the central index being divided by 4, 6, &c. will be the sought error. The other small glasses may be verified in the same manner; and by placing one of the larger glasses before the central index at *aa*, and one of the smaller ones at D, the former may be verified as above. The green glass may be verified by observing the diameter of the full moon, or by some bright terrestrial object.

It may be remarked as one of the greatest advantages of the circle, that in measuring an angle by the cross observations, no error can arise from the

\* If the inclination of the plane of the horizon glass and the axis of the telescope differ from  $90^\circ$ , may find the tabular numbers by the method given in the explanation of Table XXXIV. prefixed to the Tables.

Fig. 1.





Fig. 5.

Fig. 3.



Fig. 4.



Fig. 6.



Fig. 7.





want of parallelism in the surfaces of the smaller dark glasses; for if those glasses give too great an angle by an observation to the right, they give too little by the same quantity by an observation to the left. It is not so with the larger glasses placed at  $a$ , because the incidence of the rays on those glasses is more oblique in one observation than in the other, so that the errors do not wholly balance each other; however, as those glasses are used only in measuring angles less than  $35^\circ$ , in which the errors are nearly the same as if the incidence of the rays was perpendicular, the errors of those glasses will also nearly compensate each other in the cross observations; and if those observations only were used, it would be unnecessary to verify the dark glasses:—Even when taking observations to the right, or observations to the left, the error of the dark glasses would be destroyed, if the glass was turned at each observation, and the number of observations was even; but there are some cases in which an angle can only be measured by one observation, then it would be necessary to allow for the error of the dark glass, if the distance was required to be found within a few seconds.



## ON PARALLAX, REFRACTION,

AND

## DIP OF THE HORIZON.

**PARALLAX** (or diurnal parallax) is the difference between the true altitude of the sun, moon, or star, if it were observed at the centre of the earth, and the apparent altitude observed at the same instant by a spectator at any point on the surface of the earth.

Thus in Plate IX. fig. 3, let ABC be the earth, C its centre, A the place of a spectator, EDF part of the moon's orbit,  $e d G$  part of the orbit of a planet, and KZ part of the starry heavens. Then if at any time the moon be at D, she will be referred to the point H by a spectator supposed to be placed at the centre of the earth, and this is called the true place of the moon, but the spectator at A will refer the moon to the point  $b$ , and this is called the apparent place of the moon, the difference H  $b$  (or the angle HD $b$ =ADC) is called the moon's parallax in altitude, which is evidently greatest when the moon is in the horizon at E, being then equal to the arch K I, and decreases from the horizon to the zenith and is there nothing. The parallax is less as the objects are farther from the earth: thus the parallax of a planet at  $d$  is represented by  $a b$ , being less than that of the moon at D; and the horizontal parallax K  $f$  of the planet is less than the horizontal parallax KI of the moon. As the parallax makes the objects appear lower than they really are, it is evident that the parallax must be added to the apparent altitude to obtain the true altitude. Having the horizontal parallax, the parallax in altitude is easily found by the following rule—As radius is to the co-sine of the apparent altitude, so is the horizontal parallax to the parallax in altitude. This rule may be easily proved: for in the triangle CAE we have CE : CA :: radius : sine CEA; and in the triangle CDA we have CD (or CE) : CA :: sine CAD : sine CDA; hence we have, radius : sine CEA :: sine CAD : sine CDA, but CEA=horizontal parallax, CDA=parallax in altitude, and sine CAD=co-sine app. alt. Hence we have radius : co-sine app. alt. :: sine hor. par. : sine par. in alt. but the parallaxes of the heavenly bodies being very small, the sines are nearly proportional to the parallaxes, hence we may say, as radius : co-sine app. alt. :: hor. par. : par. in alt.

The sun's mean parallax in altitude is given in Table XIV. for each  $5^\circ$  or  $10^\circ$  of altitude. The moon's horizontal parallax is given in the 7th page of the month of the Nautical Almanac, for every noon and midnight at the meridian of Greenwich.

## REFRACTION OF THE HEAVENLY BODIES.

It is known by various experiments that the rays of light deviate from their rectilinear course in passing obliquely out of one medium into another of a different density, and if the density of the latter medium continually increase, the rays of light in passing through it will deviate more and more from the right lines in which they were projected towards the perpendicular to the surface of the medium: This may be illustrated by the following experiment: make a mark at the bottom of any bason or other vessel, and place yourself in such a situation that the higher edge of the bason may just hide the mark from your sight, then keep your eye steady, and let another person fill the bason gently with water: as the bason is filled, you will perceive the mark come into view, and appear to be elevated above its former situation. In a similar manner, the light in passing from the heavenly bodies through the atmosphere of the earth deviates from its rectilinear course, by which means those objects appear higher than they really are, except when in the zenith; this apparent elevation of the heavenly bodies above their true places, is called the refraction of those bodies. To illustrate this, let ABC (Fig. 2, Plate IX.) represent the atmosphere surrounding the earth DEF, and let an observer be at D, and a star at *a*, then if there were no refraction, the observer would see the star according to the direction of the right line D *a*, but as the light is refracted, it will, when entering the atmosphere near A, be bent from its rectilinear course, and will describe a curve line from A to D, and at entering the eye of the observer at D will appear in the line D *b*, which is a tangent to the curve at the point D, and the arch *ab* will be the refraction in altitude or simply the refraction, which must be subtracted from the observed altitude to obtain the true.

At the zenith the refraction is nothing, and the lesser the altitude the more obliquely the rays will enter the atmosphere, and the greater will be the refraction: at the horizon the refraction is greatest. In consequence of the refraction, any heavenly body may be actually below the horizon, when appearing above it. Thus when the sun is at T below the horizon, a ray of light TI proceeding from T comes straight to I, and is there, on entering the atmosphere, turned out of its rectilinear course, and is so bent down towards the eye of the observer at D, that the sun appears in the direction of the refracted ray above the horizon at S.

The mean quantity of the refraction of the heavenly bodies is given in Table XII. All observed altitudes of the sun, moon, planets, or other heavenly bodies, must be decreased by the numbers taken from that Table corresponding to the observed altitude of the object. The refraction varies with the temperature and density of the air, increasing by cold or greater density, and decreasing by heat and rarity of the atmosphere. The corrections to be applied to the numbers taken from Table XII. for different heights of Fahrenheit's Thermometer and the Barometer, are given in Table XXXVI.\* Thus, if the refraction was required for the apparent altitude  $5^{\circ}$ , when the thermometer was at  $20^{\circ}$  and the barometer at 30,67 inches, we should have the mean refraction by Table XII. equal to  $9' 59''$ , and by Table XXXVI. the correction corresponding to the height of the thermometer  $20^{\circ}$  equal to  $+48''$ , and for the barometer 30,67 equal to  $+22''$ , hence the true refraction will be  $9' 53'' + 48'' + 22'' = 11' 5''$ .

There is sometimes an irregular refraction near the horizon caused by the vapours near the surface of the earth; the only method of avoiding the error arising from this source, which is sometimes very great, is to take the observations at a time when the object which is observed is more than  $10^{\circ}$  above the horizon.

The refraction makes any terrestrial object appear more elevated than it really is: the quantity of this elevation varies at different times from  $\frac{1}{2}$  to  $\frac{1}{3}$

\* This table is to be entered with the height of the Thermometer or Barometer at the top, and the apparent altitude at the side, under the former, and opposite the latter, will be the correction corresponding to the Thermometer or Barometer, which is to be applied to the mean refraction by addition or subtraction according to the signs of the top of the column respectively.

of the angle formed at the centre of the earth, between the object and the observer, but in general this refraction is about  $\frac{1}{4}$  of that angle.

## DIP OF THE HORIZON.

Dip of the horizon is the angle of depression of the visible horizon below the true or sensible horizon (touching the earth at the observer) arising from the elevation of the eye of the observer above the level of the sea. Thus in Plate IX. Fig. 1. let ABC represent a section of the earth, whose plane produced passes through the observer and the object, and let AE be the height of the eye of the observer above the surface of the earth, then FEG drawn parallel to the tangent to the surface at A, will represent the true horizon, and EIH, touching the earth at I, will represent the apparent horizon;—therefore the angle FEH will be the dip of the horizon. Let M be an object whose altitude is to be observed by a fore observation by bringing the image in contact with the apparent horizon at H; then will the angle MEH be the observed altitude, which is greater than the angle MEF (the altitude independent of the dip) by the quantity of the angle FEH; so that in taking a fore observation the dip must be subtracted from the observed altitude to obtain the altitude corrected for the dip. In a back observation the apparent horizon is in the direction EK, and by continuing this line in the direction EL we shall have the observed altitude MEL, and it is evident that to this the dip LEF (=KEG) must be added to obtain the altitude corrected for the dip.

In Table XIII. is given the dip for every probable height of the observer expressed in feet. In calculating this table, attention was paid to the terrestrial refraction which decreases the dip a little, because IE becomes a curve line instead of a straight one, and EH is a tangent to that curve in the point E.

What has been said concerning the dip of the horizon supposes it free from all incumbrances of land or other objects; but as it often happens when ships are sailing along shore, or are at anchor in a harbour, that an observation is wanted when the sun is over the land, and the shore nearer the ship than the visible horizon would be if it were unconfined; in this case the dip of the horizon will be different from what it otherwise would have been, and greater the nearer the ship is to that part of the shore to which the sun is brought down. For this reason Table XVI. has been inserted, which contains the dip of the sea at different heights of the eye, and at different distances of the ship from the land. This table is to be entered at the top with the height of the eye of the observer above the level of the sea in feet, and in the left hand side column with the distance of the ship from the land in sea miles and parts; under the former, and opposite the latter, stands the dip of the horizon, which is to be subtracted from the altitude observed by a fore observation instead of the numbers in Table XIII.

The distance of the land requisite in finding the dip from Table XVI. may be found nearly in the following manner—Let two observers, one placed as high on the main-mast as he can conveniently be, and the other on the deck immediately beneath him, observe at the same instant the altitude of the sun or other object that may be wanted, and let the height of the eye of the upper observer above that of the lower be measured in feet and multiplied by 0.56, and the product, divided by the difference of the observed altitudes of the sun in minutes, will be the distance in sea miles, nearly.

Thus, if the eye of the upper observer was 68 feet higher than that of the lower, and the two observed altitudes of the sun  $20^{\circ} 0'$  and  $20^{\circ} 12'$  the distance of the land in sea miles would be 3.2. For  $68 \times 0.56 = 38.08$  and this divided by the difference of the two observed altitudes of the sun  $12'$  gives 3.2 nearly. Now if the lower observer was 25 feet above the level of the sea, the dip corresponding to this height and the distance 3.2 miles would be  $6'$ , which subtracted from  $20^{\circ} 0'$  leaves  $19^{\circ} 54'$  the altitude corrected for the dip.

The dip may be calculated in this kind of observations to a sufficient degree of accuracy without using Table XVI. in the following manner—Divide



the difference of the heights of the two observers in feet by the difference of the observed altitude in minutes, and reserve the quotient. Divide the height of the lower observer in feet by this reserved number, and to the quotient add one quarter of the reserved number, and the sum will be the dip in minutes corresponding to the lower observer. Thus in the above example  $\frac{4\frac{1}{2}}{3} = 1.5$  is the reserved number, and  $\frac{3\frac{1}{2}}{1.5} = 2.3$ , to this add one fourth of  $1.5$  or  $0.4$  and the sum will be the dip  $2.7$  or nearly  $3'$  corresponding to the lower observer, being the same as was found by the table.



## TO FIND THE SUN'S DECLINATION.

THE declination of the sun is given to the nearest minute in Tab. IV. for every noon at Greenwich, from the year 1824 to 1838; and this table will answer for some years beyond that period, without any material error; if great accuracy is required, the declination may be taken from the second page of the month of the Nautical Almanac.\* This declination may be reduced to any other meridian, by means of Table V. in the following manner.

*To find the sun's declination at noon, at any place.*

**RULE.** Take out the declination at noon at Greenwich from Table IV. (or from the Nautical Almanac;) then find the longitude from Greenwich in the top column of Table V. and the day of the month in the side column; under the former, and opposite to the latter, will be a correction in minutes and seconds, to be applied to the declination taken from Table IV: to know whether this correction be additive or subtractive, you must look at the top of the column where you found the day of the month, and you will see it noted whether to add or subtract, according as the longitude is east or west. This correction being applied, you will have the declination at noon at the given place.

### EXAMPLE I.

Required the declination of the sun at the end of the sea-day, October 10, 1824, in the longitude of  $114^{\circ}$  E. from Greenwich!

Sun's declination Oct. 10, at Greenwich, at the end of the sea-day  
or beginning of the day in the N. A. by Tab. IV. . . . .  $0^{\circ} 41' S.$   
Variation of Dec. Tab. V. Oct. 10, in  $114^{\circ}$  E. long. sub. . . . .  $0 \quad 7$

True dec. noon, Oct. 10, in long.  $114^{\circ}$  E. . . . .  $0 \quad 34 \quad S.$

### EXAMPLE II.




Required the sun's declination at noon ending the sea-day of March 12, 1824, in the longitude of  $75^{\circ}$  W. from Greenwich!

Sun's declination March 12, by Tab. IV. . . . .  $3^{\circ} 15' S.$   
Var. Tab. V. March 12, long.  $75^{\circ}$  W. sub. . . . .  $5$

True declination, noon, March 12, long.  $75^{\circ}$  W. . . . .  $3 \quad 10 \quad S.$

The preceding correction ought always to be applied to the declination used in working a meridian observation to determine the latitude, though many mariners are in the habit of neglecting it.

\* In finding the declination, or any other quantity, in the Nautical Almanac, you must be careful to note the difference between the civil, nautical, and astronomical account of time. The civil day begins at midnight, and ends the following midnight, the interval being divided into 24 hours, and is reckoned in numeral succession from 1 to 12, then beginning again at 1 and ending at 12. The nautical or sea day begins at noon, 12 hours before the civil day, and ends the following noon; the first 12 hours are marked P. M. the latter A. M. The astronomical day begins at noon, 12 hours after the civil day, and ends 24 hours after the sea day, and is divided into 24 hours, numbered in numeral succession from 1 to 24, beginning at noon, and ending the following noon. All the calculations of the Nautical Almanac are referred to astronomical time; the declination marked in the Nautical Almanac, or in Table IV, is referred to the beginning of the astronomical day, or to the end of the sea-day, it being at the end of the sea-day when mariners want the declination to determine their latitude. It would be much better if mariners would adopt the astronomical day, and wholly neglect the old method of counting by the sea-day.





## TO FIND THE SUN'S DECLINATION.

*To find the sun's declination at any time under any meridian.*

**RULE.** Reduce the sun's declination at noon at Greenwich to noon under the given meridian, by the preceding rule. Then enter Table V. with the time from noon at the top, and the day of the month in the side column; under the former, and opposite the latter, will be the correction to be applied to that reduced declination. To know whether this correction be additive or subtractive, you must look at the top of the column where you found the day of the month, and you will find it noted whether to add or subtract, according as the time is before or after noon.

### EXAMPLE III.

Required the sun's declination October 10, 1824, sea account, at 8h. 21' in the forenoon, in the longitude of  $114^{\circ}$  E. from Greenwich ?

Sun's declination Oct. 10, at Greenwich at noon, by Tab. IV. . . . .  $6^{\circ} 44' S.$   
 Variation for  $114^{\circ}$  E. long. . . . . sub. . . . . 7

Declination at noon, October 10, in long.  $114^{\circ}$  E. . . . .  $6 \ 57 \ S.$   
 Variation of dec. for 3h. 39' from noon\* Oct. 10, . . . sub. . . . . 3

True dec. Oct. 10, sea acc. in long.  $97^{\circ}$  E. at 8h. 21' A. M. . . . .  $6 \ 54 \ S.$

### EXAMPLE IV.

Required the sun's declination May 10, 1824, sea account, at 5h. 30' P. M. in the longitude of  $17^{\circ} 30'$  E. from Greenwich ?

Variation of declination, May 10, in long.  $17^{\circ} 30'$  E. . . sub. . . . .  $48''$   
 Variation of declination for 5h. 30' P. M. additive . . . . .  $3' 44''$

Diff. is additive because the greatest number is so . . . . .  $2 \ 56$   
 May 10, sea account, is May 9, by N. A. at which time sun's declination . . . . .  $17^{\circ} 25 \ 10$

True declination May 10, 5h. 30' P. M. sea account in long.  $17^{\circ} 30'$  E. . . . .  $17 \ 28 \ 6 \ N.$

### EXAMPLE V.

Required the sun's declination March 26, 1824, sea account, at 3h. P. M. in the longitude of  $120^{\circ}$  E. from Greenwich ?

Variation of declination, March 26, in long.  $120^{\circ}$  E. . . sub. . . . .  $7' 50''$   
 Variation for 3h. P. M. . . . . add . . . . .  $2 \ 56''$

Diff. is subtractive because the greatest number is so . . . . .  $0 \ 4 \ 54$   
 March 26, sea acc. is Mar. 25, by N. A. at which time sun's dec.  $1 \ 54 \ 41 \ N.$

True declination March 26, 3h. P. M. sea account . . . . .  $1 \ 49 \ 47 \ N.$



## VARIATION OF THE COMPASS.

It was many years after the discovery of the compass, before it was suspected that the magnetic needle did not point accurately to the north pole of the world; but about the middle of the sixteenth century, observations were made in England and France, which fully proved that the needle pointed to the eastward of the true north. This difference is called the *variation of the compass*, and is named *east* when the north point of the compass (or magnetic north) is to the eastward of the true north; but *west* when the north point of the compass is to the westward of the true north. The quantity of the variation may be found by observing with a compass the bearing of any celestial object when in the horizon (or, as it is called, the *magnetic amplitude*) the difference between this and the true amplitude found by calculation, will be the variation. The same may be obtained by observ-

\* In the present example, the time is Oct. 10, 8h. 21' A. M. which evidently wants 3h. 39' of the end of the sea day Oct 10, for which time the declination is marked in Table IV.

ing the *magnetic azimuth* of any celestial object (that is, its bearing by a compass when elevated above the horizon;) the difference between this and the true azimuth found by calculation will be the variation.

Some years after the discovery of the variation, it was found that it did not remain constant: for the easterly variation observed in England gradually decreased till the needle pointed to the true north, and then increased to the westward, and is now above two points.

As all the courses steered by a compass must be corrected for the variation to obtain the true courses, it is of great importance to the navigator to know how to find the variation at any time; to do this it is necessary to find the magnetic amplitude or azimuth of a celestial object, which may be done as follows:

*To observe an amplitude by an azimuth compass.\**

When the centre of the sun is about one of his diameters† above the horizon, turn the compass round in the box, until the centre of the sun is seen through the narrow slit which is in one of the sight vanes, exactly on the thread which bisects the slit in the other;‡ at that instant push the stop which is in the side of the box against the edge of the card, and the degree and parts of a degree which stand against the middle line on the top will be the magnetic amplitude of the sun at that time, which is generally reckoned from the east or west point of the compass.

*To observe an azimuth by an azimuth compass.*

Turn the compass round in the box until the centre of the sun is seen through the narrow slit which is in one of the sight vanes, exactly on the thread which bisects the slit on the other, or until the shadow of the thread falls directly along the line of the horizontal bar,‡ the card is then to be stopped, and the degree and parts of a degree which stand against the middle line of the stop, will be the magnetic azimuth of the sun at that time, which is generally reckoned from the north in north latitude, and from the south in south latitude.§ At the time of making this observation, you must also observe the altitude of the sun, in order to obtain the true azimuth.

What is here said of the sun, is alike applicable to the moon, planets, and stars.

## TO FIND THE TRUE AMPLITUDE.

### RULE.

BY LOGARITHMS.—*To the log-secant of the latitude (rejecting 10 in the index) add the log. sine of the sun's declination;|| the sum will be the log. sine of the true amplitude or distance of the sun from the east or west point, towards the north in north declination, but towards the south in south declination.*

BY INSPECTION.—*Find the declination at the top of Table VII. and the latitude in the side column; under the former, and opposite the latter, will be the true amplitude.* When great accuracy is required, you may proportion for the minutes of latitude and declination.

\* The figure of an azimuth compass, furnished with sight vanes, is given in Plate VI. fig. 5. The card of this compass is similar to that of a common compass.

† The observation is to be taken at that altitude on account of the dip, refraction and parallax, the correction of altitude depending on these causes being in general nearly equal to the sun's diameter.

‡ If the instrument is furnished with a magnifying glass fixed to one of the vanes, you may (instead of proceeding as above) turn the compass-box until the vane is directed towards the sun, and when the bright speck (or rays of the sun collected by the magnifying glass) falls upon the slit of the other vane, or upon the line in the horizontal bar, the card is to be stopped, and the divisions read off as above.

§ If the compass vibrate considerably at the time of making the observations, it would be conducive to accuracy to take several azimuths and altitudes, and to take the mean of all the azimuths and all the altitudes, and work the observation with the mean azimuth and altitude. The same is to be observed in taking an amplitude.

¶ The declination of the sun at noon is given in the Nautical Almanac, and in Table IV. and must be corrected for the longitude of the ship and the hour of the day, by means of Table V.

EXAMPLE I.

Required the sun's true amplitude at rising, in the latitude of  $39^{\circ} 0' N.$  on the 22d of December, 1820?

BY LOGARITHMS.		BY INSPECTION.	
Latitude.....	$39^{\circ} 0'$ log. sec. 0.10956	Under the declination	$23^{\circ} 28'$ and opposite the latitude $39^{\circ}$ stands the true amplitude $30^{\circ} 49'$ .
Sun's declin. ...	$23^{\circ} 28'$ log. sine 9.60315		
True ampli. ....	$30^{\circ} 49'$ log. sine 9.7096:		

Hence the true bearing or amplitude of the sun at rising is  $E. 30^{\circ} 49' S.$  and at setting it is  $W. 30^{\circ} 49' S.$

EXAMPLE II.

Required the moon's true amplitude at setting, in the latitude of  $35^{\circ} 8' N.$  when her declination is  $13^{\circ} N.?$

BY LOGARITHMS.		BY INSPECTION.	
Latitude .....	$35^{\circ} 8'$ log. sec. 0.08734	Under the declination	$13^{\circ}$ , and opposite the latitude $35^{\circ}$ stands $15^{\circ} 56'$ , which is nearly the true amplitude; the exact value may be found by finding the amplitude for $36^{\circ}$ latitude, and proportioning the difference for the miles in the latitude.
Moon's declin. ...	$13^{\circ} 0'$ log. sine 9.35209		
True ampli. ....	$15^{\circ} 58'$ log. sine 9.43943		

Hence the true amplitude at setting is  $W. 15^{\circ} 58' N.$  and at rising  $E. 15^{\circ} 58' N.$

EXAMPLE III.

Required the sun's true amplitude in the latitude of  $42^{\circ} 30' N.$  when his declination was  $20^{\circ} N.?$

BY LOGARITHMS.		BY INSPECTION.	
Latitude .....	$42^{\circ} 30'$ log. sec. 0.13237	Under the declination	$20^{\circ}$ and opposite the latitudes $42^{\circ}$ and $43^{\circ}$ , stand $27^{\circ} 24'$ and $27^{\circ} 53'$ ; the mean of these gives the true amplitude for the latitude of $42^{\circ} 30'$ = $27^{\circ} 39'$ .
Sun's declin. ...	$20^{\circ} N.$ log. sine 9.53403		
True ampli. ....	$27^{\circ} 33'$ log. sine 9.66642		

Hence the amplitude at setting is  $W. 27^{\circ} 33' N.$  and at rising  $E. 27^{\circ} 33' N.$

To find the true azimuth at any time.

At the time of observing the magnetic azimuth, you must also observe the altitude of the object; this altitude must be corrected as usual for the dip, parallax, refraction,\* &c. in order to obtain the true altitude; you must also find the declination of the object.† and the latitude of the place of observation, and then the true azimuth may be calculated by the following

**RULE.** Add together the polar distance,‡ the latitude, and the true altitude, take the difference the half sum and the polar distance, and note the remainder. Then add together the log. secant of the latitude, the log. secant of the altitude (rejecting 10 in each index) the log. co-sine of the half sum, and the log. co-sine of the remainder; half the sum of these four logarithms will be the log. co-sine of half the true azimuth, which being doubled will give the true azimuth, reckoned from the north in north latitude, or from the south in south latitude.

\* In observations of the altitude of the sun's lower limb (by a fore-observation) it is usual to add 12 the effect of dip, parallax, and semi-diameter. The refraction is to be subtracted from the sum, and remainder will be the true altitude nearly.  
 † The declination is to be found according to the directions in the note, in the last page.  
 ‡ The polar distance of the sun, moon, or star, is the distance from the elevated pole, and is found by subtracting the declination of the object from  $90^{\circ}$ , when the latitude and declination are of the same name, but by adding to  $90^{\circ}$  when of different names.

## VARIATION OF THE COMPASS.

### EXAMPLE I.

In latitude  $51^{\circ} 32'$  N. the sun's true altitude was found to be  $39^{\circ} 23'$ , his declination being then  $16^{\circ} 38'$  N.—required the true azimuth?

Polar distance.....	73° 22'				
Latitude .....	51 32	secant .....	0.20617		
Altitude.....	39 28	secant .....	0.11239		
	164 22				
Sum .....					
Half sum.....	82 11	co-sine .....	9.13355		
Polar distance.....	73 22				
	8 49				
Remainder .....		co-sine .....	9.99484		
			2)19.44695		
			9.72347		
Half sum log. co-sine	58° 4'				
	2				

True Azimuth .....116 8 from the north.

The logarithm 9.72347 of this example is also the co-sine of  $121^{\circ} 56'$ , which doubled gives another azimuth  $243^{\circ} 52'$ , the former being  $116^{\circ} 8'$ . One of these corresponds to an observation in the forenoon, the other to an afternoon observation.

### EXAMPLE II.

In latitude  $42^{\circ} 16'$  S. the sun's true altitude was found to be  $18^{\circ} 40'$ , his declination being then  $7^{\circ} 38'$  N.—required the true azimuth?

Polar distance.....	97° 38'				
Latitude .....	42 16	secant.....	0.13076		
Altitude.....	18 40	secant.....	0.02347		
	158 34				
Sum.....					
Half sum .....	79 17	co-sine .....	9.26940		
Polar distance .....	97 38				
	19 21				
Remainder .....		co-sine .....	9.97734		
			19.40097		
		sum.....	19.40097		
Half sum log. co-sine ..	59 53				
	2				

True Azimuth .....119 46 from the south.

### QUESTIONS TO EXERCISE THE LEARNER.

*Question I.* Given the sun's altitude corrected for dip, refraction, &c.  $30^{\circ} 46'$ , his declination  $17^{\circ} 10'$  S. and the latitude of the place  $40^{\circ} 38'$  N. Required the true azimuth?

*Answer.*  $137^{\circ} 50'$  from the north.

*Question II.* What is the sun's azimuth in the latitude of  $26^{\circ} 30'$  N. in the forenoon, when his correct central altitude is  $24^{\circ} 28'$  and his declination  $22^{\circ} 40'$  N.?

*Answer.*  $75^{\circ} 44'$  from the north.

*Question III.* At the Island of St. Helena the sun's true central altitude was found to be  $30^{\circ} 27'$  in the forenoon, his declination being then  $22^{\circ} 58'$  S. Required the azimuth at that time?

*Answer.*  $72^{\circ} 21'$  from the south.

*Question IV.* What point of the compass did the star Aldebaran bear on, in the latitude of  $34^{\circ} 23'$  S. on January 1, 1804, when the correct altitude of that star was  $22^{\circ} 26'$ ?

*Answer.*  $130^{\circ} 16'$  from the south.

*Having the true magnetic amplitude or azimuth, to find the variation.*

Having found the true and magnetic amplitude or azimuth, the variation may be easily deduced therefrom by the following rule, in which the amplitude is reckoned from the east or west point of the horizon, and is called north when to the northward of those points, but south when to the south-

ward. The azimuth is reckoned from the north in north latitudes, but from the south in south latitudes, and is named east when falling on the east side of the meridian, otherwise west. If the observed and true amplitudes be both north or both south, their difference will be the variation; but if one be north and the other south, their sum will be the variation. If the true and observed azimuths be both east or both west, their difference will be the variation, otherwise their sum; and the variation will be easterly when the point representing the true bearing is to the right hand of the point representing the magnetic bearing, but westerly when to the left hand; the observer being supposed to look directly towards the point representing the magnetic bearing.

EXAMPLE I.

Suppose the sun's magnetic amplitude at rising is E.  $26^{\circ} 12'$  N. and the true amplitude E.  $14^{\circ} 20'$  N. Required the variation?

From the greater	E. $26^{\circ} 12'$ N.
Take the lesser	E. $14^{\circ} 20'$ N.
Remains variation	$11^{\circ} 52'$ E.

The variation in this example is easterly, because the true amplitude falls to the right of the magnetic.

EXAMPLE II.

The moon's true amplitude at rising was found to be E.  $15^{\circ} 20'$  N. and her magnetic amplitude E.  $10^{\circ} 0'$  S. Required the variation?

True amplitude	..... E. $15^{\circ} 20'$ N.
Magnetic amplitude	.... E. $10^{\circ} 0'$ S.
The sum is the variation	.. $25^{\circ} 20'$ W.

EXAMPLE IV.

The star Aldebaran was observed at rising to bear by compass E. N. E. when the true amplitude was N. E. by E.—Required the variation?

True amp. N. E. by E. or E.	$33^{\circ} 45'$ N.
Mag. amp. E. N. E. or E.	$22^{\circ} 30'$ N.
Difference is the variation	.. $11^{\circ} 15'$ W.

EXAMPLE III.

The sun's true azimuth being N.  $30^{\circ}$  E. and his magnetic azimuth N.  $60^{\circ}$  E. it is required to find the variation?

True azimuth	..... N. $30^{\circ}$ E.
Magnetic azimuth	..... N. $60^{\circ}$ E.
Diff. is the variation	..... $30^{\circ}$ E.

EXAMPLE V.

The true amplitude of the planet Jupiter was E.  $10^{\circ}$  N. when his magnetic amplitude was E.  $20^{\circ}$  S.—Required the variation?

True amplitude	..... E. $10^{\circ}$ N.
Magnetic amplitude	..... E. $20^{\circ}$ S.
Sum is variation	..... $30^{\circ}$ W.

To calculate the variation by observing the sun's azimuth when at equal altitudes in the forenoon and afternoon.

The variation of the compass may also be determined by observing the magnetic azimuths of the sun in the morning and evening when at the same altitude, the observer being supposed to be at the same place at both observations; for it is evident that if the declination of the sun did not vary during the time elapsed between the observations, the middle point of the compass between the two bearings would be the bearing of the true north or south point of the horizon, at the place of observation, and the difference between that bearing and the north or south point of the compass would be the variation.

In this kind of observations it will be convenient always to estimate the magnetic azimuths from the south point of the compass, calling them east or west, as before directed, and this method is supposed to be made use of in the following rule. Then, if one azimuth be east and the other west, half their difference will be the variation, otherwise their half sum, and the variation will be of the same name as their greater azimuth, excepting, however, where the half sum is taken and exceeds  $90^{\circ}$ , in which case its supplement will be the variation of a different name from the azimuth. The variation being always supposed less than  $90^{\circ}$ .

If the declination of the sun varies during the elapsed time between the observations, (as is generally the case) an allowance may be made for that variation by applying a correction to the afternoon azimuth, calculated by the following rule.\*

\* The rule given in Doctor Mackay's "Complete Navigator" is inaccurate.



**RULE.** Find from Table IV. the daily variation of the sun's declination on the day of observation. Then to the constant logarithm 9.1249 add the log. co-sine of the latitude of the place, the log. sine corresponding to the elapsed time between the observations found in the column P. M. the Prop. Log. of the daily variation of the sun's declination, and the Prop. Log. of the elapsed time\*, estimating hours and minutes as minutes and seconds, the sum, rejecting 30 in the index, will be the Prop. Log. of the correction to be applied to the western azimuth, by subtracting when the sun is approaching towards the northern hemisphere, otherwise by adding.† The azimuth thus corrected is to be used in estimating the variation instead of the observed azimuth.

It is not necessary in this calculation to find the latitude or declination to any great degree of accuracy, which is the greatest advantage of the method; another of the advantages consists in being able to take a great number of observations, and applying the correction at one operation to the variation deduced from the mean of all the observations, so that, when great accuracy is required, as in taking observations ashore, this method may be used with success; and it is evident that it is alike applicable to the moon or any heavenly body, but the observations must be taken in the same place, as it would increase the calculation considerably, to make an allowance for the change of place, as well for the change of declination; and it would be better in this case to calculate each observation separately by the rules before given.

#### EXAMPLE.

Suppose that on the 10th of April, 1820, in the latitude of  $42^{\circ} 29' N.$  long.  $50^{\circ} W.$  the sun's morning azimuth was observed to be  $S. 54^{\circ} 24' E.$  and in the evening, when the sun was at the same altitude, was  $S. 39^{\circ} 46' W.$  the elapsed time between the observations being 6h. 20m.—Required the variation?

Constant logarithm .....	9.1249
Latitude $42^{\circ} 29'$ co-sine .....	9.8677
Elapsed time 6h. 20m. Sine .....	9.8676
Daily variation of declination $22' P. L.$ .....	.9128
Elapsed time 6h. 20m. taken as $6^{\circ} 20' P. L.$ .....	1.4536

Corr. western azimuth $11'$ nearly P. L. ....	1.2266
Western azimuth $S. 39^{\circ} 46' W.$	

Corrected azimuth $S. 39^{\circ} 35' W.$
Morning azimuth $S. 54^{\circ} 24' E.$

Difference 14 49 The half of which  $7^{\circ} 24'$  is the variation, which is easterly, because the greater azimuth  $S. 54^{\circ} 24' E.$  is easterly.

The variation, thus found, is to be allowed on all courses steered by the compass to obtain the true courses. To make this allowance, you must look towards the point of the compass the ship is sailing upon, and allow the variation from it towards the right hand, if the variation be east, but to the left hand, if the variation be west. Thus, if a ship steer  $S. E.$  with one point westerly variation, the true course will be  $S. E. by E.$  If the variation is one point easterly, the course will be  $S. E. by S.$

In the following Table are collected a few observations of the variation, made at different times, and in different places.

\* The elapsed time may be determined by any common watch, but if none was used in the observations, it may be determined as follows. If one of the observed azimuths was east and the other west, take half their sum, otherwise half their difference, and to the log. sine of this half sum (or half difference) add the log. secant of the sun's declination, and the log. co-sine of the sun's correct altitude at the time of taking the azimuth, the sum (rejecting 20 in the index) will be the log. sine to be used in the above calculation, and this logarithm will correspond to the elapsed time, marked in the column P. M. of Table XXVII.

† In this rule it is supposed that the bearing of the sun, by the afternoon observation, is to the westward of the meridian by compass; but if there be a great variation, that bearing might be to the eastward of the meridian by the compass, and in that case the correction of the western azimuth must be applied in a contrary manner to the above directions.

VARIATION OF THE COMPASS.

Places observed at.	Latitude.	Longitude from Greenwich.	Year of Observation.	Variation Observed.
Cambridge, (Mass.)	42° 29' N.	71° 8' W.	1708	9 0' W.
			1742	8 0' W.
			1757	7 20' W.
			1761	7 14' W.
			1763	7 0' W.
Boston.	42 23 N.	71 4 W.	1782	6 46 W.
			1742	8 0 W.
			1781	7 2 W.
Beverly (town.)	42 36 N.	70 52 W.	1805	5 57 W.
Salem.	42 33 N.	70 52 W.	1808	5 20 W.
London.	51 31 N.	0 5 W.	1580	11 15 E.
			1672	2 30 W.
			1780	22 41 W.
Paris.	48 50 N.	2 20 E.	1550	8 0 E.
			1660	0 0
			1769	20 0 W.
Funchal Road.	32 38 N.	17 5 W.	1792	18 35 W.
St. Croix Road.	28 27 N.	16 16 W.	1792	17 35 W.
Bonavista.	16 6 N.	22 53 W.	1792	12 36 W.
St. Jago (Praya Bay.)	14 52 N.	23 30 W.	1769	11 10 W.
Isle of May.	15 4 N.	22 46 W.	1792	12 00 W.
	Ascension.	7 56 S.	14 21 W.	1678
St. Helena.	15 55 S.	5 51 W.	1776	10 45 W.
			1677	0 40 E.
			1776	13 15 W.
Tristan d'Acunha.	37 7 S.	11 38 W.	1794	16 16 W.
			1792	7 0 W.
			1776	21 0 W.
			1600	0 0
Cape of Good Hope.	34 26 S.	18 23 E.	1692	11 0 W.
Cape Lagullas.	34 53 S.	20 10 E.	1776	21 40 W.
Island St. Paul.	37 56 S.	77 28 E.	1790	23 30 W.
			1677	23 30 W.
			1803	19 30 W.
Isle of Bourbon.	20 52 S.	55 31 E.	1795	15 33 W.
Java Head.	6 46 S.	104 50 E.	1676	3 10 W.
Batavia.	6 10 S.	106 51 E.	1786	0 54 W.
At Sea.	29 10 N.	28 52 W.	1793	0 30 W.
At Sea.	27 00 N.	23 43 W.	1795	15 00 W.
At Sea.	27 00 N.	23 43 W.	1795	15 44 W.
At Sea.	15 28 N.	20 48 W.	1795	12 5 W.
At Sea.	12 14 N.	20 5 W.	1795	11 39 W.
At Sea.	9 47 N.	20 15 W.	1795	11 48 W.
At Sea.	8 54 N.	20 15 W.	1795	10 50 W.
At Sea.	5 46 N.	20 54 W.	1795	11 00 W.
At Sea.	3 16 N.	21 27 W.	1795	10 47 W.
At Sea.	0 0	24 20 W.	1795	8 43 W.
At Sea.	2 33 S.	24 54 W.	1795	7 5 W.
At Sea.	5 48 S.	26 54 W.	1795	5 24 W.
At Sea.	7 59 S.	27 54 W.	1795	4 14 W.
At Sea.	9 27 S.	27 55 W.	1795	3 33 W.
At Sea.	13 19 S.	26 58 W.	1795	3 54 W.
At Sea.	19 47 S.	25 56 W.	1795	2 50 W.
At Sea, near Trinidad.	20 28 S.	28 44 W.	1796	2 35 W.
At Sea.	21 32 S.	25 27 W.	1795	2 25 W.
At Sea.	23 43 S.	23 45 W.	1795	2 31 W.
At Sea.	28 11 S.	18 45 W.	1795	5 28 W.
At Sea.	35 5 S.	6 0 W.	1795	11 10 W.
At Sea.	36 38 S.	0 15 E.	1795	13 40 W.
At Sea.	36 12 S.	4 16 E.	1795	15 19 W.
At Sea.	37 20 S.	7 25 E.	1795	16 57 W.
At Sea.	36 45 S.	19 27 E.	1795	24 33 W.
At Sea.	21 54 S.	53 41 E.	1795	13 59 W.
At Sea.	0 0	32 35 W.	1795	3 0 W.

By the preceding table it appears that the variation at Cambridge, in the state of Massachusetts, is decreasing at the rate of about  $1\frac{1}{2}$  minutes per year, and by late observations at Salem, the needle there appears to be still approaching towards the true meridian. At London and Paris the variation formerly increased 10 or 11 minutes per year, but by some late observations made in London, it appears to be nearly stationary. Off the Cape of Good Hope the annual increase is about 7 minutes.

Besides this annual change of the variation, there is also a small *diurnal* change, which at London, Paris and Cambridge (Mass.) is from  $10'$  to  $15'$ . By this quantity the absolute variation at those places increases from about 3 A. M. to 2 P. M. when the needle becomes stationary for some time; after that, the variation decreases, and the needle comes back again to its former situation, or nearly so, in the night or by the next morning.

In addition to the observations contained in the preceding table, it may be observed, that the variation which (at present) is less than  $\frac{1}{2}$  point W. near Cape Cod, decreases in going to the westward along the coast of the United States of America, so that near Cape Hatteras it is scarcely sensible, and farther to the westward becomes easterly. In the leeward West India islands it is about  $\frac{1}{2}$  point E. and in the windward islands  $\frac{1}{2}$  point E. Along the northern shore of the Brazils there is a small easterly variation which decreases in proceeding to the eastward towards Cape Roque, where it is scarcely sensible; in proceeding farther to the southward along the coast of America, the easterly variation increases so as to be above 2 points E. near Cape Horn, and from thence gradually decreases along the coast of Chili and Peru, so as to be about  $\frac{1}{2}$  point E. under the equator near Quito; but in proceeding to the northward toward the N. W. coast of America, the easterly variation increases to more than 2 points.

On the contrary in proceeding to the eastward of the United States of America, the westerly variation increases, being nearly 1 point W. a little to the eastward of Cape Sable (Nova Scotia) and about 2 points W. on the E. part of Newfoundland, and at the Western Islands. At the Orkney islands it is  $2\frac{1}{2}$  points westerly and is nearly the same in the English Channel, and on the coasts of England, Scotland and Ireland. On the coast of Holland, it is from 2 to  $2\frac{1}{2}$  points W. In the Cattegat and Sound about  $1\frac{1}{2}$  points W. In the Western part of the Baltic about  $1\frac{1}{2}$  points. At the entrance of the Gulf of Finland 1 point W. In the Bay of Biscay about  $2\frac{1}{2}$  points W. Near Cape St. Vincents 2 points W. In the Mediterranean from  $1\frac{1}{2}$  to  $1\frac{1}{2}$  points W. Near Cape Verd (Africa)  $1\frac{1}{2}$  point W. and from thence gradually increases along the western shore of Africa towards the Cape of Good Hope, and is there above 2 points W. and from thence increases towards Cape Lagullas and a little to the eastward to  $2\frac{1}{2}$  points or  $2\frac{3}{4}$  points W. and then decreases in proceeding along the eastern shore of Africa, and is about 1 point westerly at the entrance of the Red Sea. In the Arabian Sea, Bay of Bengal, Java Sea, China Sea, and off the coast of Sumatra, it is very small, and on the S. E. part of New Holland is about  $\frac{1}{2}$  point E.

Ships sailing for India generally cross the equator between the longitude of  $18^\circ$  and  $24^\circ$  west. The variation at the latter place was about  $8^\circ 48'$  W. in the year 1795, as I have found by repeated observations, and the annual increase is about 6 minutes. If, in crossing the equator, you should find a greater variation, you would probably be to the eastward of  $24^\circ$  W. but if less, to the westward of  $24^\circ$  W. The alteration in the longitude is in that place about 2 degrees for 1 degree of variation. But there is always a great uncertainty attending this kind of observations, made with a common compass, since it is not uncommon to find 2 or 3 degrees difference between an azimuth in the morning and evening, when the ship during that time has been nearly stationary; the same difference will sometimes be found merely from making the observation when the ship is on a different tack. This is owing to the iron in the ship which attracts the compass by a force which is generally situated in a point near the centre of the ship. When this point is

The compass are in the magnetic meridian of the compass, the true variation is obtained, but as soon as the position of the ship is changed so as to bring this point to the eastward or westward of the magnetic meridian passing through the compass, a corresponding change or observation in the variation to the eastward or westward head is immediately perceived. This deviation sometimes amounted to  $8^{\circ}$  or  $9^{\circ}$  in the surveys of New Holland. This has since been confirmed by various observations in different places, particularly in the voyages towards the north pole lately made by order of the English government. The method which was at first used to correct this error, which is sometimes of considerable importance in nautical surveys, where great accuracy is required, was to place the compass always in the same part of the ship, and to find by actual observation, the greatest deviation arising from this local attraction, which is when the ship's head is directed east or west. The deviation when the ship's head is in any other direction, is found by entering Table I. or Table II. in the page corresponding to that direction as a course, and with that greatest error in minutes in the distance column, the corresponding number in the departure column will be the required correction nearly. Thus if the deviation was  $2^{\circ} 8'$  or  $128'$  when the ship's head was directed towards the east, the deviation when in the direction of one point from the meridian, (that is N. by E. N. by W. S. by E. or S. by W.) would be found by entering Table I. in the page for one point, or with the distance  $128'$ , the corresponding departure  $25'$  would be the correction to be applied on all bearings taken by the compass when in that situation. Mr. Barlow has invented a method of correcting this error, making use of a curious property of the attractive force of iron on the compass, it having been found that this force depends on the attractive surface, and not wholly on the quantity of iron; so that a solid globe of iron 30 inches in diameter, would affect the compass exactly in the same manner as a hollow shell of iron of the same diameter made of sheet iron only one tenth of an inch in thickness, though this shell could not contain but one hundredth part the quantity of iron which the globe does. Mr. Barlow therefore proposed to have a sheet of iron placed abaft the compass of such dimensions, and at such a distance, as should be found by experiment to bring the needle back to the magnetic meridian when the ship's head was east or west, then keeping the iron in that position it could correct the error of the local attraction of the ship in every direction of the ship's head. This method has been tested by experiment and found to succeed admirably. It has also been attended with the great advantage of leaving the compass free to act by the natural magnetism of the earth in high latitudes, where the force is much enfeebled by the obliquity of its direction on account of the greatness of the dip. In the voyages above named it was found that the compasses thus furnished traversed freely and accurately, when those of the common form moved very irregular, and were in some cases almost useless.

#### *On the Dip of the Magnetic Needle.*

If the needle of a compass be exactly balanced on its point in a horizontal position, and then the magnetic virtue be communicated, the needle will point towards the north, and will also be inclined to the horizon, the north point of the needle tending downwards, and the south point upwards in northern climates, and the contrary in southern climates. This inclination of the needle to the horizon is called *The Dip of the Magnetic Needle*, which is different in different places, though it has been found to remain nearly the same in the same place, since its discovery in the year 1576, in which year at London the dip was  $71^{\circ} 50'$ , in 1723 it was  $74^{\circ}$  or  $75^{\circ}$ , and at present is about  $72\frac{1}{2}^{\circ}$ . Messrs. Humbolt and Biot published a method by which the dip may be calculated for any given place in north latitudes to a considerable degree of accuracy. This method is explained in the 22d vol. of Tilloch's Magazine, and is in substance as follows:

According to their theory there are two magnetic poles, one in the latitude of  $79^{\circ} 1' N.$  and in the longitude of  $27^{\circ} 42' W.$ \* from Greenwich, the other diametrically opposite, in the latitude of  $79^{\circ} 1' S.$  and in the longitude of

\* Capt. Parry, in his voyage to the north, found the northern pole to be nearly in  $70^{\circ} N.$  and  $50^{\circ} W.$

$152^{\circ} 18' E$ . The great circle of the earth  $90^{\circ}$  distant from these poles is called the *magnetic equator*. On the magnetic equator the dip is nothing, and at the poles is  $90^{\circ}$ , at any other point on the surface of the earth the dip varies with the distance from the magnetic pole: This distance may be calculated by common spherical trigonometry, or, (which is much more simple and sufficiently accurate for this purpose) by measuring the distance on a terrestrial globe from the magnetic pole to the place for which the dip is to be calculated; then to the log. co-tangent of this distance add the constant logarithm 0.30103, the sum will be the log. tangent of the dip. The dip was calculated on these principles for twenty-eight places in Europe, Asia, Africa and America, and in ten places the theory did not differ  $1^{\circ}$  from actual observations, and in five places did not differ  $2^{\circ}$ , but at Spitzbergen the difference was between  $4^{\circ}$  and  $5^{\circ}$ . Considering the difficulty of observing the dip with accuracy, the difference between the theory and observation may be considered as nearly within the limits of the errors of observation, and this difference may be rendered less by introducing a small correction depending on the longitude of the place of observation referred to the magnetic equator.

The methods proposed for finding the longitude by the variation and by the dip, will be hereafter explained.



## TO FIND THE LATITUDE BY OBSERVATION.

THE latitude of a place being its distance from the equator, is measured by an arch of the meridian contained between the zenith and the equator: hence, if the distance of any heavenly body from the zenith when on the meridian, and the declination of the object be given, the latitude may be thence found.

The meridian zenith distance of any object may be found by observing its altitude when on the meridian, or by observing one altitude taken at a given hour from passing the meridian, or by two altitudes taken out of the meridian and the elapsed time between the observations—each of these methods will be explained by proper examples.

Altitudes of the sun and moon taken at sea require four corrections in order to obtain the true altitude of their centres; these are for Semi-diameter, Dip, Refraction, and Parallax.\* When a planet or star is observed, the corrections for dip and refraction only are to be applied, as the semi-diameter and parallax of a planet are but a few seconds, and may be neglected in finding the latitude at sea.

In a fore-observation with a quadrant, sextant or circle, the semi-diameter is to be added if the lower limb was observed, but subtracted if the upper limb was observed. The dip and refraction are to be subtracted and the parallax to be added, and the central altitude will be thus obtained, which being subtracted from  $90^{\circ}$  will give the true zenith distance.

In a back-observation with a quadrant, the semi-diameter is to be subtracted if the lower limb was observed, but added if the upper limb was observed. The dip and parallax are to be added, and the refraction subtracted, and the central altitude will be obtained, which being subtracted from  $90^{\circ}$  will give the true zenith distance.

In a back-observation with a sextant or circle, by measuring the supplement of the altitude by bringing the lower limb of the image of the object to touch the back horizon, the semi-diameter and refraction must be added to

\* The semi diameter of the sun may be found in the 3d page of the month of the Nautical Almanac and is nearly  $16'$ . The sun's parallax is to be found in Table XIV. The refraction in Table XII. The dip in Table XIII. The semi-diameter and parallax of the moon may be found from the Nautical Almanac, as will be explained hereafter. It may also be observed, that it is usual to add  $12'$  for the correction for semi-diameter, dip and parallax, in a fore-observation of the sun's lower limb, taken on the deck of a common sized vessel, and by subtracting the refraction from the sum, the true altitude will be obtained nearly, and it ought always to be kept in mind that the refraction at low altitudes is of too much importance to be neglected.

TO FIND THE LATITUDE BY OBSERVATION. 121

the altitude given by the instrument, and the dip and parallax subtracted therefrom, and by subtracting  $90^\circ$  from the remainder, the true zenith distance will be obtained.

To find the Latitude by the meridian altitude of any object.

Having obtained the true meridian zenith distance by either of these methods, you must then find the declination of the object at the time of observation. This may be found for the sun by the Nautical Almanac or by means of Tables IV. and V. in the manner before explained. The declination of a fixed star may be easily found by inspection in Table VIII. The declination of the moon or a planet may be found in the Nautical Almanac in a manner which will be hereafter explained. Having the meridian zenith distance and declination, the latitude is to be found by the following rules.

CASE I.

When the object rises and sets.

RULE. If the object bear south, when upon the meridian, call the zenith distance north;\* but if the bearing be north you must call the zenith distance south. Place the zenith distance under the declination, and if they are of the same name add them together, but if they are of different names, take their difference; this sum or difference will be the latitude which will be of the same name as the greatest number.

CASE II.

When the object does not set, but comes to the meridian above the horizon twice in 24 hours.

Many stars are always above the horizon of certain places of the earth, and in high latitudes the sun is sometimes above the horizon for several days, in which case the meridian altitude may be observed twice in 24 hours; that is, once at the greatest height above the pole, and again at the lowest height upon the meridian below the pole. In the former case, the latitude is to be found by the preceding rule, but in the latter, by the following

RULE. Add the complement of the declination to the meridian altitude; the sum will be the latitude, of the same name as the declination.

NOTE. When the sun or star is on the equator, or has no declination, the zenith distance will be equal to the latitude of the place, which will be of the same name as the zenith distance.

When the sun or star is in the zenith, the declination will be equal to the latitude, and it will be of the same name as the declination.

To find the latitude by the meridian altitude of the sun or star.

EXAMPLE I.

Suppose that at the end of the sea day, June 21, 1824, in the longitude of  $60^\circ$  W. the meridian altitude of the sun's lower limb bearing south, was found by a fore-observation to be  $40^\circ 6'$ —required the latitude, supposing the correction of the observed altitude for parallax, dip, and semi-diameter to be 12 miles?

Observed altitude.....	$40^\circ 6'$
Par. dip, and semi-diam. add	12
Sum.....	$40 18$
Refraction..... subtract	1
True altitude.....	$40 17$
Subtract from.....	$90 00$
True zenith distance.....	$49 43$ N.
Sun's declination, Tab. IV.....	$23 28$ N.
Latitude.....	$73 11$ N.

EXAMPLE II.

Suppose that at the end of the sea day, April 14, 1824, in the longitude of  $140^\circ$  E. from Greenwich, the altitude of the sun's lower limb by a fore-observation was  $60^\circ 25'$  when on the meridian and bearing south, the correction for dip, semi-diameter and parallax being 12 miles—required the latitude?

Observed altitude.....	$60^\circ 25'$
Correction..... add	12
True altitude.....	$60 37$
Subtract from.....	$90 00$
True zenith distance.....	$29 23$ N.
Sun's declination, Tab. IV. } cor. by Tab. V. for long. }	$9 21$ N.
Latitude.....	$38 44$ N.

In this rule the sun is supposed to be the fixed point, and the zenith is referred to it. Thus, if the bearing south from an observer (or from his zenith) the zenith bears north from the sun, and it is  $90^\circ$  bearing which is used in the rule. The refraction being small is here neglected.

122 TO FIND THE LATITUDE BY OBSERVATION.

EXAMPLE III.

Suppose that at the end of the sea day, May 15, 1824, in the meridian of Greenwich, the meridian altitude of the sun's lower limb bearing north was found by a fore-observation to be  $30^{\circ} 6'$ , the correction for parallax, dip and semi-diam. being 12 miles—required the latitude?

Observed altitude.....	$30^{\circ} 6'$
Par. dip, and semi-diam.... add	12
Sum .....	$30 18$
Refraction .....	subtract 2
True altitude .....	$30 16$
Subtract from.....	$90 00$
True zenith distance .....	$59 44$ S.
Sun's declination .....	$18 55$ N.
Latitude.....	$40 49$ S.

EXAMPLE IV.

Suppose that at the end of the sea day, Nov. 17, 1824, in the longitude of  $60^{\circ}$  E. from Greenwich, by a fore-observation the meridian altitude of the sun's lower limb was  $50^{\circ} 6'$ , bearing south; the eye of the observer being 17 feet above the surface of the sea—required the latitude?

Observed altitude.....	$50^{\circ} 6'$
Sun's semi-diam. .... add	16
	$50 22$
Subtract dip and refraction.....	5
True altitude* .....	$50 17$
Subtract from.....	$90 0$
True zenith distance.....	$39 43$ N.
Sun's dec. cor. by Tab. V.....	$19 1$ S.
Latitude .....	$20 42$ N.

EXAMPLE V.

By a fore-observation, the meridian altitude of the sun's lower limb was found to be  $40^{\circ} 20'$  bearing south of the observer, the declination being  $9^{\circ} 56'$  N. and the eye 26 feet above the horizon—required the latitude of the place?

Observed altitude.....	$40^{\circ} 20'$
Semi-diameter .....	add 16
	$40 36$
Dip $5'$ , refraction $1'$ ,..... sub.	6
True altitude sun's centre*.....	$40 30$
Subtract from.....	$90 00$
Zenith distance.....	$49 30$ N.
Declination .....	$9 56$ N.
Latitude.....	$59 26$ N.

EXAMPLE VI.

By a back-observation with a quadrant of reflection, the meridian altitude of the sun's lower limb was  $25^{\circ} 12'$  when the declination was  $21^{\circ} 14'$  S. and the eye of the observer 4 feet above the horizon, the sun bearing S.—required the lat. of the place of observation

Observed altitude .....	$25^{\circ} 12'$
Semi-diameter..... sub.	16
	$24 56$
Dip .....	add 6
	$25 2$
Refraction .....	sub. 2
True alt. of sun's centre*.....	$25 0$
True zenith distance .....	$65 0$ N
Declination .....	$21 14$ S
Latitude .....	$43 46$ N

EXAMPLE VII.

Suppose that on January 1, 1824, an observer 17 feet above the water finds by a fore-observation that the altitude of Sirius is  $53^{\circ} 33'$  when passing the meridian to the southward; required the latitude of the place of observation?

Observed altitude .....	$53^{\circ} 33'$
Dip of horizon .....	sub. 4
	$53 29$
Refraction .....	sub. 1
	$53 28$
True zenith distance .....	$36 32$ N
Sirius' declin. Tab. VIII.†.....	$16 29$ S
Latitude .....	$20 3$ N

EXAMPLE VIII.

Suppose that on the 13th June, 1824, second account, an observer in a high northern latitude and in the longitude of  $65^{\circ}$  W. from Greenwich, his eye being 20 feet above the surface of the water, observed by a fore-observation the altitude of the sun's lower limb on the meridian below the pole  $8^{\circ} 14'$  required the latitude?

Observed alt. sun's lower limb	$8^{\circ} 14'$
Semi-diameter .....	add 16
	$8 30$
Dip..... sub.	4
	$8 26$
Refraction .....	sub. 6
True alt. of sun's centre†.....	$8 20$
Complement of declination .....	$66 47$ N
Latitude.....	$75 7$ N

\* The parallax being small is here neglected, and the sun's semi-diameter is supposed to be  $16'$ .  
 † The north polar distances of these bright stars are given for every 10 days in the Nautical Almanac. when great accuracy is required, the declinations deduced from these may be used instead of the numbers in Table VIII.  
 ‡ The parallax being small is neglected.

TO FIND THE LATITUDE BY OBSERVATION. 123

EXAMPLE IX.

Suppose that on January 10, 1824, an observer 18 feet above the water, finds the altitude of the north star, when on the meridian below the pole, to be  $36^{\circ} 23'$  by a fore-observation; required the latitude of the place of observation?

Observed altitude .....	36° 23'
Subtract dip. 4'. ref. 1' .....	5
<b>True altitude</b> .....	<b>36 18</b>
Comp. declin. Tab. VIII.* .....	1 38 N.
<b>Latitude</b> .....	<b>37 56 N.</b>

EXAMPLE X.

Suppose that by a back-observation with a sextant the lower limb of the sun's image was brought to the back horizon, and the angle shown by the index was  $110^{\circ} 10'$ , the sun being then on the meridian and bearing south, the declination being  $20^{\circ} 5' N.$  the sun's semi-diameter  $16'$  and the observer 20 feet above the horizon; required the latitude?

Observed angle .....	110° 10'
Semi-diameter .....	add 16
	110 26
Dip .....	sub. 4
	110 22
Subtract .....	90 0
Zenith distance† .....	20 22 N.
Declination .....	20 5 N.
<b>Latitude</b> .....	<b>40 27 N.</b>

EXAMPLE XI.

Suppose that by a back-observation with a sextant the lower limb of the sun's image was brought to the back horizon, and the angle shown by the index was  $106^{\circ} 12'$ , the altitude of the observer being 22 feet and the correction for semi-diameter, parallax, and dip being (as usual) about  $12'$ ; required the true latitude, supposing the declination to be  $20^{\circ} S.$  and that the sun bore north at the time of observation?

Observed angle .....	106° 12'
Dip and semi-diam. ....	add 12
	106 24
Subtract . . . . .	90 0
Zenith distance! .....	16 24 S.
Sun's declination .....	20 0 S.
<b>Latitude</b> .....	<b>36 24 S.</b>

It was observed in the directions for finding the meridian altitude of an object, that an error would arise if the ship were in motion, or the sun's declination should vary. The amount of this correction may be estimated in the following manner.

Find the number of miles and tenths of a mile *northing* or *southing* made by the ship in one hour, and also the variation of the sun's declination in an hour expressed also in miles and tenths. Add these together, if they both conspire to elevate or depress the sun, otherwise take their difference, which call the arch A. Find in Table XXXII. the arch B, expressed in seconds, corresponding to the latitude and declination; then the arch A, divided by *twice* the arch B, will express the time in *minutes from noon* when the greatest (or least) altitude was observed. Moreover, the square of the arch A, divided by five times the arch B, will be the number of *seconds* to be applied to the observed altitude to obtain the true altitude which would have been observed if the ship had been at rest.

Thus if the ship sailed towards the sun south 12 miles per hour, the declination increasing northerly  $1'$  per hour, we should have  $A=11+1=12$ . If the latitude was  $42^{\circ} N.$  declination  $20^{\circ} S.$  we should have by Tab. XXXII.  $B=2''$ . In this case the time from noon is  $\frac{1}{2}=3$  minutes, and the correction of altitude  $\frac{1}{4}''=13$  seconds only.

\* The north polar distances of these bright stars are given for every 10 days in the Nautical Almanac; when great accuracy is required, the declinations deduced from these may be used instead of the numbers in Table VIII.  
 † The refraction and parallax being only a few seconds are neglected.  
 ‡ The refraction being small is neglected.



## TO FIND THE LATITUDE

BY THE

## MERIDIAN ALTITUDE OF THE MOON.

THE latitude may be found at sea by the moon's meridian altitude more accurately than by any other method, except by the meridian altitude of the sun; but to do this it is necessary to find the time of her passing the meridian, and her declination at that time. To facilitate these calculations we have given the Tables XXVIII. XXIX. and XXX. The uses of which will evidently appear from the following rules and examples.

*To find the true time of the moon's passing the meridian.*

In the sixth page of the Nautical Almanac, find the time of the moon's coming to the meridian of Greenwich for one day earlier than the sea account;\* and also the time of her coming to the meridian of Greenwich the next day, when you are in west longitude, but the preceding day when in east longitude; take the difference between these times, with which you must enter the top column of Table XXVIII. and against the ship's longitude in the side column will be a number of minutes to be applied to the time taken from the Nautical Almanac, for the day immediately preceding the sea account, by adding when in west longitude, but subtracting when in east longitude; the sum or difference will be the true time of passing the meridian of the given place.

### EXAMPLE.

Required the time of the moon's passing the meridian of Philadelphia, April 19, 1820, sea account?

The day preceding the sea account is April 18, on which day the moon passed the meridian of Greenwich at 5h. 3m.; and being in west longitude, I find also the time of her passing the meridian the next day, 5h. 55m.; the difference of these two numbers is 52m.; with this I enter Table XXVIII. and at the top find 52'; under this and opposite 75° (the longitude of Philadelphia) is the correction 11', to be added to 5h. 3m.; therefore the time of passing the meridian of Philadelphia is April 19d. 5h. 14m. sea account; or April 18d. 5h. 14m. P. M. civil account.

*To find the moon's declination when on the meridian.*

Find the time of the moon's coming to the meridian as above; turn the ship's longitude into time, (by Table XXI.) and add it thereto if in west longitude, but subtract it in east, the sum or difference will be the time at Greenwich.—Take out the moon's declination from page 6th of the Nautical Almanac, for the nearest noon and midnight;‡ and note the difference of the declinations if of the same name, but their sum if of different names; enter Table XXX. with this sum or difference at the top, and the time at Greenwich in the side column, under the former and opposite the latter will be the correction to be applied to the declination which stands first in the

\* Taking the time one day earlier than the sea account reduces it to astronomical time used in the Nautical Almanac.

† Longitude may be turned into time without the help of Table XXI. by multiplying by 4 sexagesimally, and putting the product one denomination lower; and by dividing by 4, time may be turned into degrees, &c. Thus  $39^{\circ} \times 4 = 156 = 2^{\text{h.}} 36^{\text{m.}}$  and  $15^{\circ} 16' \times 4 = 61' 4'' = 1^{\text{h.}} 1^{\text{m.}} 4''$ ; in like manner 1h. 20m. or 80m. divided by 4, gives 20°, 3h. 16m. or 196m. divided by 4, gives 49°, which agree with the Table If the ship be furnished with a chronometer regulated to Greenwich or mean time, this part of the operation will be saved, for by applying the equation of time, Table IV. A., with a contrary sign to that in the Table, the apparent time at Greenwich will be obtained, as in the explanation prefixed to the Tables

‡ If the time at Greenwich be exactly noon or midnight, the true declination will be given by the Nautical Almanac, without the trouble of referring to Table XXX.

## TO FIND THE LATITUDE BY THE MOON. 125

Nautical Almanac; additive, if that declination be increasing; subtractive, if decreasing; the sum or difference will be the true declination at the time of passing the meridian.

### NOTES.

1. By the above rule, the day of the month on which the moon passes the meridian must be taken one less than the sea account: and when you add the longitude (turned into time) to the time of passing the meridian, and the hours of the sum exceed 24, you must subtract 24h. and add one to the day of the month; if the longitude be subtractive and greater than the time of passing the meridian, you must, previous to the subtraction, add 24 hours to the time of passing the meridian, and subtract one from the day of the month; the sum or difference will be the time at Greenwich. If this time be less than 12 hours, you must take out the declination for the preceding noon and the following midnight: but if the time exceed 12 hours, you must take out the declination for the preceding midnight and the following noon.
2. When one of the declinations taken from the Nautical Almanac is north and the other south, the difference between the correction of Table XXX. and that declination which stands first in the Nautical Almanac, will be the true declination, which will be of the same name as that first declination, when the correction of Table XXX. is less than the first declination, but if greater of a contrary name.
3. In the same manner we may find the declination for any time in the day, by making use of the given time instead of the time of the moon's passing the meridian.
4. In the above rules the second differences of the moon's motion are neglected. In cases where very great accuracy is required, the calculation may be made as in Problem I. of the Appendix.

### EXAMPLE.

Required the moon's declination at the time of her passing the meridian of Philadelphia, April 19, 1820, sea account?

The time of passing the meridian of Philadelphia was found in the preceding Example to be April 19d. 5h. 14m. sea account, or April 18th. 5h. 14m. by Nautical Almanac account; this being added to the longitude of Philadelphia, in time 5h. 1m. nearly, the sum is the time at Greenwich, April 18th. 10h. 15m. The declination April 18th. at noon, was  $28^{\circ} 26'$  N. and on April 18th. at midnight  $27^{\circ} 48'$  N. the difference being  $38'$ , this being found at the top of Table XXX. and the time 10h. 15m. in the side column, the number corresponding is  $35'$ , which subtracted from the first declination  $28^{\circ} 26'$  leaves the declination required  $27^{\circ} 53'$  N.

At the time of the moon's passing the meridian you must observe the altitude of her upper or lower limb, and correct this altitude for semi-diameter, dip, parallax, and refraction, and you will obtain the central altitude, with which and the declination you may find the latitude by the rules before given. Or you may correct the observed altitude by the following approximate method which shortens the calculation, and is sufficiently accurate, especially when the dip is about  $1'$  or  $2'$ , which is nearly the value in common observations at sea.

*To find the latitude by the moon's meridian altitude, obtained by a fore-observation.*

To the observed altitude of the moon's lower limb add 12 minutes, but if her upper limb was observed, subtract 20 minutes; with this altitude enter Table XXIX. and take out the minutes corresponding and add thereto, the sum will be the central altitude of the moon;\* with this altitude and the moon's declination found as above, the latitude may be found as by a meridian altitude of the sun.

\* In calculating accurately the moon's central altitude, you must proceed in the following manner: Find the time of the moon's passing the meridian reduced to Greenwich time as above, take out the moon's horizontal parallax and semi-diameter for this time, from the seventh page of the month of the Nautical Almanac, increase the semi-diameter by the correction in Table XV. and this augmented semi-diameter to, or subtract it from the observed altitude according as the lower or upper limb was observed by a fore-observation) subtract the dip of the horizon taken from Table XIII. and add the correction for parallax and refraction (which may be easily found by Table XIX. by subtracting the correction for the fore-table from  $53' 12''$ ) and the sum will be the correct central altitude.

## TO FIND THE LATITUDE BY THE MOON. 127

<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;"></td> <td style="text-align: right; font-size: small;">D. H. M.</td> </tr> <tr> <td>☽ passes merid. Nov.....</td> <td style="text-align: right;">29 19 37</td> </tr> <tr> <td>Long. 150° W. in time .....</td> <td style="text-align: right;">10 0</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black;"></td> </tr> <tr> <td>Time at Greenwich Nov.....</td> <td style="text-align: right;">29 5 37</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black;"></td> </tr> <tr> <td>☽'s decl. Nov. 29 at noon .....</td> <td style="text-align: right;">0° 27' N.</td> </tr> <tr> <td style="padding-left: 2em;">at midnight ..</td> <td style="text-align: right;">2 22 S.</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black;"></td> </tr> <tr> <td style="padding-left: 2em;">Sum .....</td> <td style="text-align: right;">2 49</td> </tr> <tr> <td colspan="2">With this sum 2° 49', and the time at Greenwich 5h. 37m. I enter Table XXX. and find the corr. of decl. .... 1° 19'</td> </tr> <tr> <td>Decl. Nov. 29 at noon.....</td> <td style="text-align: right;">0 27 N.</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black;"></td> </tr> <tr> <td>True declination .....</td> <td style="text-align: right;">0 52 S.</td> </tr> </table>		D. H. M.	☽ passes merid. Nov.....	29 19 37	Long. 150° W. in time .....	10 0			Time at Greenwich Nov.....	29 5 37			☽'s decl. Nov. 29 at noon .....	0° 27' N.	at midnight ..	2 22 S.			Sum .....	2 49	With this sum 2° 49', and the time at Greenwich 5h. 37m. I enter Table XXX. and find the corr. of decl. .... 1° 19'		Decl. Nov. 29 at noon.....	0 27 N.			True declination .....	0 52 S.	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">Obs. alt. ☽'s upper limb ..</td> <td style="text-align: right;">60° 26'</td> </tr> <tr> <td style="padding-left: 2em;">subtract .....</td> <td style="text-align: right;">20</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black;"></td> </tr> <tr> <td></td> <td style="text-align: right;">60 6</td> </tr> <tr> <td>Corr. Tab. XXIX. add .....</td> <td style="text-align: right;">28</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black;"></td> </tr> <tr> <td>☽'s corr. alt.....</td> <td style="text-align: right;">60 31</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black;"></td> </tr> <tr> <td>☽'s zen. dist.....</td> <td style="text-align: right;">29 26 S.</td> </tr> <tr> <td>☽'s declination.....</td> <td style="text-align: right;">0 52 S.</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black;"></td> </tr> <tr> <td>Latitude .....</td> <td style="text-align: right;">30 18 S.</td> </tr> </table> <p style="font-size: small; margin-top: 10px;">In this example you must refer to notes 1. and 2. page 125.</p>	Obs. alt. ☽'s upper limb ..	60° 26'	subtract .....	20				60 6	Corr. Tab. XXIX. add .....	28			☽'s corr. alt.....	60 31			☽'s zen. dist.....	29 26 S.	☽'s declination.....	0 52 S.			Latitude .....	30 18 S.
	D. H. M.																																																				
☽ passes merid. Nov.....	29 19 37																																																				
Long. 150° W. in time .....	10 0																																																				
Time at Greenwich Nov.....	29 5 37																																																				
☽'s decl. Nov. 29 at noon .....	0° 27' N.																																																				
at midnight ..	2 22 S.																																																				
Sum .....	2 49																																																				
With this sum 2° 49', and the time at Greenwich 5h. 37m. I enter Table XXX. and find the corr. of decl. .... 1° 19'																																																					
Decl. Nov. 29 at noon.....	0 27 N.																																																				
True declination .....	0 52 S.																																																				
Obs. alt. ☽'s upper limb ..	60° 26'																																																				
subtract .....	20																																																				
	60 6																																																				
Corr. Tab. XXIX. add .....	28																																																				
☽'s corr. alt.....	60 31																																																				
☽'s zen. dist.....	29 26 S.																																																				
☽'s declination.....	0 52 S.																																																				
Latitude .....	30 18 S.																																																				



## TO FIND THE LATITUDE

BY THE

### MERIDIAN ALTITUDE OF A PLANET.

FROM page 4th of the month of the Nautical Almanac, take out the time of the planet's passing the meridian on the day nearest to that on which the observation was made; this will be nearly the time of passing the meridian of the place of observation.\*

Turn the ship's longitude into time, and add it to the time of passing the meridian, when in west longitude, but subtract in east, the sum or difference will be the time at Greenwich nearly.† Take out the planet's declination, from the Nautical Almanac, for the times immediately preceding and following the day of observation, and note the difference of the declinations when they are of the same name, but their sum when of different names, and find the interval between these times marked in the Nautical Almanac; take also the difference between the time first marked in the Nautical Almanac and the time of observation at Greenwich (remarking that this time is one day less than the sea account;) then as the former interval of time is to the latter, so is the sum, or difference of declinations, to the correction of the declination taken first from the Nautical Almanac, additive if that declination be increasing, but subtractive if decreasing; the sum or difference will be the declination of the planet at the time of observation. But you must observe that if the correction of declination be greater than the declination first marked in the Nautical Almanac, their difference will be the sought declination, which will be of a different name from the first declination.

From the observed altitude of the planet (taken by a fore observation) subtract the refraction and dip, the latter being in general about four minutes, and the remainder subtracted from 90° will give the correct zenith distance nearly; with which, and the declination, the latitude may be found as by an observation of the sun.

\* If you wish to find the time of passing the meridian more accurately, you must take a proportional part of the difference of the times of coming to the meridian given in the Nautical Almanac, in the same manner as in finding the declination of the planet.

† This time is also given by a chronometer, as in note page 124, or in the explanation prefixed to the tables.

## EXAMPLE.

Suppose that on the 23d October, 1820, in long.  $65^{\circ}$  W. Jupiter passed the meridian to the southward; his meridian altitude being observed was  $45^{\circ} 20'$ , and the dip  $4'$ ; required the true latitude?

October 23, sea account, is October 22, by the Nautical Almanac; now on October 19,	
by the N. A. Jupiter passes the meridian at .....	9h. 26m.
To this add the long. $65^{\circ}$ W. in time .....	4 20
<hr/>	<hr/>
Time at Greenwich, October 22d. ....	13 46
Jupiter's declination, October 19 $7^{\circ} 39'$ S.	
<hr/>	<hr/>
October 25 $7^{\circ} 46'$ S.	

Difference ..... 7

Then say, as 6 days (which is the interval between October 19 and October 25) is to 3 days  $13\frac{1}{2}$  hours (which is the time elapsed between October 19th and October 22d.  $13\frac{1}{2}$  h.) so is 7 minutes to 4 minutes, which added to  $7^{\circ} 39'$  S. gives  $7^{\circ} 43'$  S. the true declination at the time of observation.

Jupiter's observed altitude .....	$45^{\circ} 20'$
Subtract 4 minutes for dip and $1'$ for refraction	5
<hr/>	<hr/>
True altitude .....	$45 15$
<hr/>	<hr/>
Zenith distance .....	$44 45$ N.
Declination .....	$7 43$ S.
<hr/>	<hr/>
Latitude .....	$37 2$ N.



## TO FIND THE LATITUDE BY DOUBLE ALTITUDES.

## FORM I.—By double altitudes of the Sun.

WHEN by reason of clouds, or from other causes, a meridian altitude cannot be obtained, the latitude may be found by two altitudes of the sun, taken at any time of the day, the interval or elapsed time between the observations being measured by a good watch or chronometer, noticing the seconds, if possible, or estimating the times to a third or a quarter of a minute, if the watch is not furnished with a second-hand. The observed altitudes of the sun must be corrected, as usual, for the semi-diameter, dip, refraction and parallax, in the same manner as in finding the latitude by a meridian altitude. When great accuracy is required, the declination must be found at the time of each observation, using the *third* method of solution hereafter given, but when the sun's declination varies slowly, or the elapsed time is small, it will in general be sufficiently accurate to find the sun's declination for the *middle time between two observations*, and to consider it as invariable during the observations, computing the latitude by the first or second method.

This manner of finding the latitude is in general most to be depended upon where the sun's meridian zenith distance is great. If the sun passes the meridian near to the zenith, much greater care must be taken in measuring the altitudes and noting the times, than would be necessary under other circumstances. The nearer the sun is to the meridian at the time of one of the observations, the more correct the result will commonly be. In general the elapsed time ought to be as great or greater than the time of the nearest observation from noon. Similar remarks may be made upon every one of the following forms.

In all these observations it is supposed that the watch moves uniformly according to *apparent* time, measuring twenty-four hours from the time of the sun's passing the meridian on two successive days at the same place of observation. If the watch gain or lose on apparent time, supposing the observer

## TO FIND THE LATITUDE BY DOUBLE ALTITUDES. 129

be at rest, a correction must be applied for the gain or loss during the time elapsed between the observations, so as to obtain accurately the *elapsed time* or *hour angle*. It is not required that the watch should be regulated so as to give precisely the *hour* of observation; the only thing required is to find the *elapsed time* with all possible accuracy.

### FORM II.—*Double Altitudes of a Star.*

Double altitudes of a fixed star may be used in finding the latitude, and the calculation is almost identical with that of double altitudes of the sun: the only difference consists in adding a small correction to the elapsed apparent time between the observations, on account of the daily acceleration of  $3' 56''$  in  $24$  hours time a star comes to the meridian on successive days. This correction is obtained to a sufficient degree of accuracy by adding *one second* for every *six minutes* of the elapsed time; the sums will be the *corrected elapsed time* or *hour angle*, to be used in the calculation, either by the *first, second or third method*. Thus if the elapsed time was  $3h. 0'$  or  $180m.$  the correction would be  $29''$  or  $30''$ , making the corrected elapsed time or hour angle  $3h. 0' 30''$ . If great accuracy is required, find the correction in Table XXXI. in the column marked at top  $3' 56''$ , and at the side with the elapsed time. In the preceding example, this Table would give  $29''$  for the correction, instead of  $30''$ .

In observations of a fixed star the altitudes are to be corrected for dip and refraction, as in finding the latitude by a meridian altitude. The declination of the star is to be found in Table VIII.\* With these altitudes, the declination and the hour angle, the calculation is to be made by either of the three methods hereafter given.

The chief difficulty in observations of this kind with a fixed star is the want of a good horizon in the night time. The method, however, might sometimes be used with success, soon after the dawn of day, or late in the evening twilight, at a time when the horizon is well defined, and the star sufficiently bright to bring its reflected image to the horizon. Sometimes a good horizon is produced by the aurora borealis, in which case a good observation might be made with stars in the northern horizon, but a single observation of the polar star will answer the same purpose, and be much more simple.

### FORM III.—*Double Altitudes of a Planet.*

Double altitudes of a planet (particularly Jupiter and Venus, on account of their great brightness) might sometimes be used with success. The observed altitudes must be corrected for dip and refraction. The parallax and semi-diameter being small may be neglected, except in cases where extreme accuracy is required. The declination of the planet is to be found in page IV. of the Nautical Almanac, for the supposed time at Greenwich. The daily variation of the time of coming to the meridian is also to be found in the same page where the hour is marked at intervals of 6 days, and thus the time elapsed between the passage of the planet over the meridian on two successive days is found; then the corrected elapsed time or hour angle is obtained by the following

**RULE.** As the interval of time between two successive passages of the object over the meridian is to 24 hours, so is the apparent elapsed time between the observations, to the corrected elapsed time or hour angle: Or more simply by means of Table XXXI. finding the daily variation in the time of coming to the meridian at the top† and the elapsed time at the side, the corresponding correction is to be added to the elapsed time when the time of coming to the meridian is earlier on successive days, as is generally the case, but subtracted if later, the sum or difference will be the corrected elapsed time or hour angle nearly.

With this hour angle, the declination and corrected altitudes, the latitude may be found by either of the three following methods of calculation.

\* Or more accurately in the Nautical Almanac, if any one of the twenty-four bright stars is observed, whose place is given in that work.

† If the daily variation be less than 3 1-2 minutes, which is the smallest in the table, you may multiply the daily variation by 2 or 3, &c. and divide the result by the same number, and the correction will be obtained.

## TO FIND THE LATITUDE BY DOUBLE ALTITUDES. 151

two minutes, the half sum of the two altitudes of the first object may be taken for the altitude corresponding to the time of observing the second altitude, and the calculation may then be made as in Form V. Thus, suppose at 10h. 2m. A. M. per watch, the altitude of Sirius was  $17^{\circ} 54'$ , at 10h. 4m. per watch the altitude of Capella  $60^{\circ} 45'$ , and at 10h. 6m. per watch the altitude of Sirius was again observed and found to be  $17^{\circ} 55'$ . In this case the intervals of time are exactly two minutes, therefore the half sum of the altitudes of Sirius is to be taken  $17^{\circ} 55'$ , and combined with the altitude of Capella  $60^{\circ} 45'$ , supposing both to have been observed at 10h. 4m. per watch. This is the most simple form in which an observation of this kind can be made by one observer.

If, from any cause whatever, the observations cannot be taken at exactly equal intervals, the altitude of the first object, at the time of observing the second object, may be found by proportion, supposing the altitudes to vary uniformly during the few minutes of the observations. Thus in the preceding example, suppose the altitudes and the two first noted times to remain unaltered, but the last observation of Sirius to have been at 10h. 10m. per watch, (instead of 10h. 6m.) In this case, during the 3 minutes of time elapsed between 10h. 2m. and 10h. 10m. Sirius would have risen  $1'$  (from  $17^{\circ} 54'$  to  $17^{\circ} 58'$ ), therefore, by proportion, it is found that in 2 minutes (the time elapsed between 10h. 2m. and 10h. 4m.) the star would have risen  $1'$ , and the altitude would have increased from  $17^{\circ} 54'$  to  $17^{\circ} 55'$ : therefore at the time 10h. 4m. per watch, the altitude of Sirius must be taken at  $17^{\circ} 55'$ , the altitude of Capella  $60^{\circ} 45'$ , and with these quantities considered as observed at this last mentioned time 10h. 4m. the calculation must be made as in Form V.

There are several advantages attending these two last Forms V. VI. since no allowance is necessary for the change of place of the ship; the observations can be immediately made, in a short interval of fair weather, when the common method of double altitudes might fail from the intervention of clouds; the time can also be obtained at the same operation, &c.

### FORM VII.—By altitudes of two different objects, taken at different times.

This method differs but very little from the two last: the altitudes are to be corrected in the same manner for dip and refraction, also for parallax and semi-diameter when necessary. The right ascension and declination of each object is to be found for the supposed time of observing that object reduced to the meridian of Greenwich. Then the apparent elapsed time between the observations, is to be turned into sidereal time, which may be done with sufficient accuracy as in the Form II. by adding *one second* for every *six minutes* of the elapsed time, the time thus corrected is to be added to the right ascension of the body first observed: the difference between this sum and the right ascension of the body last observed is the *hour angle*. This, with the declinations and corrected altitudes, are to be used in finding the latitude by the *third* of the following methods of calculation, it being very rarely the case that the first or second methods can be used on account of the difference of the declinations. These three last forms, when a fixed star or planet is used, are restricted very much from the want of a good horizon in the night; they are best adapted to the morning and evening twilight.

### GENERAL REMARKS.

Having thus explained several of the different forms of making these observations, and the manner of finding in each form the *hour angle*, the *declinations* and the *correct central altitudes*, we shall now give three different methods of calculating the latitude, and shall illustrate the rules by proper examples. In the *first* and *second* methods the declination is supposed to be the *same* at both observations, which is true as it respects observations of a fixed star, and is in general sufficiently correct for common observations of double altitudes of the sun. The first of these methods is direct and simple, not embarrassed with much variety of cases, requiring only ten openings of the Table XXVII. without any halving or doubling of the logarithms, or the use

\* If this difference exceed 12 hours, subtract it from 24 hours, and use the remainder as in Form I.

## 152 TO FIND THE LATITUDE BY DOUBLE ALTITUDES.

of natural or versed sines. This method is in fact nearly, if not fully, as short as the *second* or approximative method invented by Mr. Douwes, and which was exclusively used in the former editions of this work. This *second*, or Douwes' method, is liable to the objection, that the calculation must sometimes be repeated several times before a true solution can be obtained, and then it becomes extremely troublesome. This difficulty does not occur in the first method, and on this account, as well as for its remarkable simplicity, it is always to be preferred.

The *third* method embraces the general solution of the problem in the case where the variation of declination is noticed. This increases the labour considerably, and renders the solution more complex in its cases. It is, however, believed, that this method (drawn up in its present form by the author of this work) will be easily understood by navigators, and that they will thus be enabled to determine the latitude with considerable accuracy in cases where it might be of the utmost importance to know it, and where other methods could not be resorted to on account of bad weather. This method is nearly, if not quite, as short as that published by Dr. Brinkley in the *Nautical Almanac* of 1825, and does not require, like his method, a second or third, or even a greater number of operations.

If the observer should change his place or station during the elapsed time between the observations, a correction must be applied to one of the altitudes on this account. The manner of doing this is shown in the following examples V. and VI.

It may be observed, that in like manner as there are two latitudes corresponding to the *same* meridian altitude of the sun, according as the zenith is north or south of the sun when on the meridian; so in double altitudes there are generally two latitudes, corresponding to the proposed altitudes, according as the zenith and north pole are on the same side or on different sides of the *arc* or *great circle* passing through the two observed bodies, or through the two places of the same body; and it therefore becomes necessary to notice (at the time of observation) how the zenith and north pole are situated with respect to this great circle.

### *To estimate the effect of small errors in the observations.*

When running in with the land, or crossing a dangerous parallel with no other means of obtaining the latitude than by double altitudes, it becomes a matter of great importance to ascertain the possible error of the latitude thus computed, arising from supposed errors in the observed altitudes, or in the elapsed time. The differential expressions in spherical trigonometry afford methods of doing this, but they are not adapted to the nature of this work, on account of the complication and variety of cases. The following method, though long, is general and infallible, and was once used by the writer in a case of great anxiety and danger.

**RULE.** After having computed the latitude by either of the three following methods, using the observed altitudes\* and elapsed time, *repeat the operation*, varying the altitude you suspect may be erroneous by  $2'$  or  $3'$ , (whatever you suppose the limit of the error in that altitude may be) the difference between this *second* latitude and that first computed, is the effect of the supposed error in that altitude. If you suspect the second altitude to be erroneous, the operation may be again repeated, varying this *second* altitude  $2'$  or  $3'$  (or whatever the limit may be supposed) but using the *first* observed altitude and elapsed time, comparing this *third* computed latitude with the *first*, the difference is the effect of this supposed error in the *second* altitude. Finally, if the elapsed time is supposed to be erroneous, the operation may be again repeated, using the observed altitudes and varying the elapsed time by 20 or 30 seconds (or whatever the limit of this error may be supposed) the difference between this *fourth* latitude and that *first* computed is the effect of this supposed error of the elapsed time.

Thus, suppose the first computed latitude was  $50^{\circ}$ , the second  $50^{\circ} 1'$ , t

\* Meaning the observed altitudes, corrected as usual for dip, refraction, parallax and semi-diameter necessary.

**TO FIND THE LATITUDE BY DOUBLE ALTITUDES. 135**

third  $30^{\circ} 3'$ , the fourth  $30^{\circ} 2'$ . The error arising from the first altitude would be  $1'$ , that from the second altitude  $3'$  and that from the elapsed time  $2'$ . If all these errors existed at the same time, the greatest limit of the error would be the sum of these quantities or  $6'$ , so that the true latitude would be  $30^{\circ} \pm 6'$  or between  $29^{\circ} 54'$  and  $30^{\circ} 6'$ . In this way the limit of the error may be obtained in any case, and the degree of confidence that may be placed in the observation obtained. This examination is sometimes very necessary, because the objects may be so situated, that a small error in the observations might produce a considerable change in the computed latitude. It may be observed that the error of one observation is frequently corrected in whole or in part, by the error of the other; the one tending to increase the latitude, the other to decrease it.

*To find the Latitude by Double Altitudes of the Sun (or any other object) the declination being invariable.*

**FIRST METHOD.**

In this method the log-sines, co-sines, &c. of Table XXVII. are used, and for brevity the word log. is omitted in the rule. For the convenience of writing down at once in the same line all the logarithms which occur at the same opening of the book, they are arranged in three columns, as in the following formula, and it will be very convenient to have one of these blanks prepared at the commencement of the operation, and then the logarithms may be written down in their proper places with great rapidity.

**FORMULA.**

Col. 1.		Col. 2.		Col. 3.
Elapsed time [P. M.] co-sec.				.....co-sec.
Declination ..... sec.				
A .....co-sec.		co-sine		.....co-sine
$\frac{1}{2}$ sum alts. ....co-sine		co-sec.	B	co-sec. ....
$\frac{1}{2}$ diff. alts. ....sine		sec.		[B less than $90^{\circ}$ , like decl. N. or S.]
C .....sine		co-sine		.....co-sine
Z [Less than $90^{\circ}$ , north or south like bearing of Zenith.]			Z	
[E is Sum of R, Z, of same name, difference if of different name.]			E	sine
			Latitude..	sine

**RULE. (Using Table XXVII.)**

1. Find the elapsed time\* in column P. M. take out the corresponding co-secant and put it in Col. 1.
2. Put the secant of the declination in Col. 1, its co-secant in Col. 3.
3. The sum of the logarithms in Col. 1, (rejecting 10 in the index) is the co-secant of the angle A, whose co-sine is to be put in Col. 2 and Col. 3.†
4. The sum of the logarithms in Col. 3. (rejecting 10 in the index) is the co-secant of the angle B (less than  $90^{\circ}$ ) which is to be named north or south, like the declination.
5. Find half the sum of the two altitudes; place its co-sine in Col. 1, its co-secant in Col. 2. Find also half the difference of the two altitudes; place its sine in Col. 1, its secant in Col. 2.
6. The sum of the three lower logarithms of Col. 1. (rejecting 20 in the index) is the sine of the angle C, whose co-sine is to be placed in Col. 2, and Col. 3.‡
7. The sum of the logarithms in Col. 2. (rejecting 30 in the index) is the secant of the zenith angle Z, which is to be taken out (less than  $90^{\circ}$ ) and placed under B in Col. 3, naming it north if the zenith and north pole be

\* If any other object than the sun is observed, the corrected elapsed time or hour angle, found as before, is to be used.

† The co-sines of A and C are each written down twice, which reduces the number of logarithms in each example from 17 to 15.



134 TO FIND THE LATITUDE BY DOUBLE ALTITUDES.

situated on the *same* side of the arch or great circle passing through the two observed places (or objects), but *south* if the zenith and north pole be situated on *different* sides of that great circle.\*

2. The angle E is found by taking the *sum* of the angles B, Z, if they are of the *same* name, or their *difference* if of *different* names, marking E *north* or *south*, like the greatest of the two angles B or Z.†

9. Put the sine of E in Col. 3. and the sum of the two last written logarithms of Col. 3. (rejecting 10 in the index) is the sine of the latitude, of the same name as E.

If the time of observation were required, it might be found by the following rule (still using Table XXVII.)

RULE.—Add the tangent of C to the secant of E, the sum (rejecting 10 in the index) is the tangent of an angle. Take out half the corresponding time in Col. P. M. (or in Col. A. M. increased by 12 hours) and this will represent the horary distance of the object from the meridian, (upper or lower) at the middle time between the two observations. Take the sum and difference between this and half the elapsed time, or hour angle, and they will be the hours and minutes distance from the meridian corresponding to both observations, expressed in apparent solar time if the sun be observed, sidereal time if a star is observed, &c.

EXAMPLE I.

Being at sea in latitude  $46^{\circ} 30'$  N. by account, when the sun's declination was  $11^{\circ} 17'$  N. at 10h. 2m. per watch, in the forenoon, the sun's correct central altitude was  $46^{\circ} 55'$ , and at 11h. 27m. per watch, in the forenoon the correct central altitude was  $54^{\circ} 9'$ . Required the true latitude?

Subtracting 10h. 2m. from 11h. 27m. gives the elapsed time 1h. 25m.

	COL. 1.	COL. 2.	COL. 3.
Elap. time [P.M.] 1h. 25m. co-sec.	10.73430		
Declination $11^{\circ} 17'$ N. . . . . sec.	10.00848		co-sec. 10.70851
A . . . . . co-sec.	10.74278	co-sine 9.99278	co-sine 9.99278
∫ sum alts. 50 32 . . . . . co-sine	9.80320	co-sec. 10.11259	B $11^{\circ} 28'$ N. co-sec. 10.70121
∫ diff. alts. 3 37 . . . . . sine	8.79970	sec. 10.00087	[B less than $90^{\circ}$ , name N. or S. like decl.]
C . . . . . sine	9.34568	co-sine 9.93907	co-sine 9.98907
Z [Less than $90^{\circ}$ and N. or S. like bearing of Zenith.]		sec. 10.09511	Z 36 33 N.
[E is sum of B, Z, if of same name, difference if of different name.]			E 48 01 N. sine . . . 9.87115
			Latitude 46 27 N. sine . . . 9.86024

If the sun had passed the meridian to the north of the observer, Z would have been  $36^{\circ} 33'$  S. and E.  $25^{\circ} 5'$  S. whose sine 9.62730 added to cos. C 9.98907 gives the sine of the latitude 9.61637, corresponding to  $24^{\circ} 25'$  S.

In the first case (in north latitude) the tangent of C 9.35640 added to the secant E 10.17463 gives 9.53103, which, in the tangents, corresponds to 2h. 30m. nearly, whose half 1h. 15m. is the time of the middle observation from noon; adding and subtracting half the elapsed time 42m. 30s. gives the times from noon 1h. 57m. 30s. and 0h. 32m. 30s. of the observations, a small difference would be found if the calculation had been made to seconds instead of the nearest minute.

EXAMPLE II.

At sea in the latitude of  $47^{\circ} 19'$  N. by account, when the sun's declination was  $12^{\circ} 18'$  N. at 10h. 24m. A. M. per watch, the sun's correct central alti-

\* In observations of the sun the angle Z may in general be called *north*, if the zenith be *north* of the sun when on the meridian at its greatest altitude, but *south* if the zenith be then *south* of the sun. When the object passes the meridian near the zenith, it may be doubtful whether it be *north* or *south* in which case the latitude may be computed upon both suppositions, and that one selected which agree best with the estimated place of the ship, and this extra labour is very small. But observations on an object passing near the zenith, are liable to great errors, and had better be rejected.

† This case is easily remembered, because s is the first letter of *same* and *sum*, and d the first letter of *different* and *difference*.

TO FIND THE LATITUDE BY DOUBLE ALTITUDES. 133

☞ ~~made~~ was  $49^{\circ} 9'$ , at 1h. 14m. P. M. per watch, his correct central altitude was  $1^{\circ} 59'$ . Required the latitude?  
 ☞ Subtracting 10h. 24m. from 1h. 14m. increased by 12h. leaves the elapsed time 2h. 50m.

	COL. 1.	COL. 2.	COL. 3.
☞ Elap. time [P.M.] 2h. 50m. co-sec.	10.44077		
☞ Declination $12^{\circ} 16' N.$ ..sec.	10.01003		co-sec. 0.67272
A .....	co-sec. 10.45080	co-sine 9.97087	co-sine 9.97087
☞ sun alts. 50 34 .....	co-sine 9.80290	co-sec. 10.11218	B $13^{\circ} 08' N.$ co-sec. 10.64359
☞ diff. alts. 1 25 .....	sine 8.39310	sec. 10.00013	[B less than $90^{\circ}$ , named N. or S. like decl.]
C .....	sine 8.64650	co-sine 9.99959	co-sine 9.99959
Z [Less than $90^{\circ}$ and N. or S. like bearing of Zenith.]	sec. 10.08276		Z 34 16 N.
[E is sum of B, Z, if of same name, difference if of different name.]			E 47 24 N. sine... 9.86694
			Latitude 47 20 N. sine... 9.86652

If the sun had passed the meridian to the north of the observer, Z would have been  $34^{\circ} 16' S.$  E.  $21^{\circ} 08' S.$  its sine 9.55895 added to cos. C 9.99959 gives 9.55853, the sine of the latitude  $21^{\circ} 7' S.$

If the observed object in this example had been a fixed star, with the same declination  $12^{\circ} 16' N.$  the same altitudes  $49^{\circ} 9'$ ,  $51^{\circ} 59'$ , but the elapsed time 2h. 49m. 32s., the calculation would have been exactly as above. For by adding, according to the rule heretofore given, one second for every six minutes of elapsed time, which in this case would be 28 seconds, the corrected elapsed time would be 2h. 50m. and every part of the work would be as above.

If the planet Mars had been observed, at the same corrected altitudes, on the 19th June, 1820, in a place where his declination at the middle time between the two observations was, by the Nautical Almanac,  $12^{\circ} 16' N.$  and the elapsed time 2h. 49m. 46s. the calculation would still be the same. For, by the Nautical Almanac, it appears that Mars passes the meridian on the 19th and 25th of June, at 4h. 21m. and 4h. 9m. accelerating 2 minutes per day. This being less than the numbers in Table XXXI. is to be doubled (as in note to Form III.) and the elapsed time being found at the side, the corresponding correction 23" halved and added to the elapsed time 2h. 49m. 46s. gives the hour angle 2h. 50m. to be used as above, all the work being the same. Proceed in like manner if the moon was observed at a time when the declination varies but little.

EXAMPLE III.

Being at sea, in latitude  $50^{\circ} 40' N.$  by account, when the sun's declination was  $20^{\circ} 0' S.$  at 10h. 17m. A. M. per watch, the sun's correct central altitude was found to be  $17^{\circ} 15'$ , at 11h. 17m. per watch, the correct central altitude was found to be  $19^{\circ} 41'$ . Required the latitude?

Subtracting 10h. 17m. from 11h. 17m. gives the elapsed time 1h.

	COL. 1.	COL. 2.	COL. 3.
☞ Elap. ti. [P.M.] 1h. 0m. co-sec.	10.98430		
☞ Declination $20^{\circ} 0' S.$ ..sec.	10.02701		co-sec. 10.46595
A .....	co-sec. 10.91131	co-sine 9.99670	co-sine 9.99670
☞ sun alts. 18 27 .....	co-sine 9.97708	co-sec. 10.49966	B $20^{\circ} 10' S.$ co-sec. 10.46265
☞ diff. alts. 1 14 .....	sine.. 8.33292	sec. .. 10.00010	[B less than $90^{\circ}$ named N. or S. like dec.]
C .....	sine.. 9.22131	co-sine 9.99390	co-sine 9.99390
Z [Less than $90^{\circ}$ and N. or S. like bearing of Zenith.]	sec. .. 10.49036		Z 71 8 N.
[E is sum of B, Z, of same name, difference if of different name.]			E 50 58 N. sine.. 9.89030
			Latitude 50 00 N. sine.. 9.88420

## 136 TO FIND THE LATITUDE BY DOUBLE ALTITUDES

If the sun had passed the meridian to the north of the observer,  $Z$  would have been  $71^{\circ} 03' S.$  and  $E 91^{\circ} 18' S.$  whose sine 9.99989 added to 8.99379 gives the sine of the latitude 9.99379, corresponding to  $80^{\circ} 20' S.$

### EXAMPLE IV.

Being at sea in the latitude of  $60^{\circ} 0' N.$  by account, when the sun was on the equator (or had no declination) at 1h. 0m. P. M. per watch, his correct central altitude was  $23^{\circ} 53'.$  and at 3h. 0m. P. M. per watch, the correct central altitude was  $20^{\circ} 42'.$  Required the true latitude?

	COL. 1.		COL. 2.		COL. 3.
Elap. time [P. M.] 2h. 0m. co-sec.	10.58700				
Declination 0..... sec.	10.00000				[co-sec. Infinite.]
A..... $30^{\circ} 0'$ co-sec.	10.58700	co-sine	9.98494		[co-sine 9.98494]
$\frac{1}{2}$ sum. alts. .. 24 47 $\frac{1}{2}$ co-sine	9.95801	co-sec.	10.37745	B $0^{\circ} 0'$	[co-sec. Infinite.]
$\frac{1}{2}$ diff. alts. ... 4 5 $\frac{1}{2}$ sine ..	8.85340	sec. ..	10.00110	[B less than $90^{\circ}$ named N. or like dec.]	
C..... sine ..	9.39841	co-sine	9.98594		co-sine 9.98594
Z [Less than $90^{\circ}$ , and N. or S. like bearing of Zenith.]		sec. ..	10.34943	Z $63^{\circ} 26' N.$	
[E is sum of B, Z, if of same name, difference of diff. name]				E 63 26 N. sine	9.95154

Latitude 59 59 N. sine 9.93748

The calculations would have been the same for south latitude, which would be  $59^{\circ} 59' S.$  The computation of A and B might have been dispensed with, for when the declination is nothing, B is nothing, and A is equal to the elapsed time 2h. turned into degrees by Table XXI. being in this example  $30^{\circ}$ ; in this case all the terms included between the brackets [ ] might be omitted.

In the preceding examples both altitudes were supposed to be taken at the same place or station; but as that is seldom the case at sea, the necessary correction for any change of place must be made in the following manner.

Let the bearing of the sun be observed by the compass at the instant of the first observation; take the number of points between that bearing and the ship's course, corrected for lee-way, if she makes any; with which, if less than eight, or with what it wants of 16 points, if more than eight, enter the traverse table, and take out the difference of latitude corresponding to the distance run between the observations. Add this difference of latitude to the first altitude, if the number of points between the sun's bearing and the ship's course were less than eight: but subtract the difference of latitude from the first altitude, if the number of points were more than eight, and that altitude will be reduced to what it would have been if observed at the same place where the second was.\* This corrected altitude is to be used with the second observed altitude in finding the latitude by the above rule. The latitude resulting will be that of the ship at the time of taking the second altitude, and must be reduced to noon by means of the log.

### EXAMPLE V.

In a ship running N. by E.  $\frac{1}{2}$  E. per compass, at the rate of 9 knots per hour, at 10h. 0m. A. M. per watch, the sun's correct central altitude was found to be  $13^{\circ} 18'$  bearing S.  $\frac{3}{4}$  E. by compass, and at 1h. 40m. P. M. per watch, the sun's central altitude was found to be  $14^{\circ} 15'.$  the latitude by account being  $49^{\circ} 17' N.$  and the sun's declination  $23^{\circ} 28' S.$  Required the true latitude?

\* This is the only correction necessary to make full allowance for the run of the ship; and the unexperienced calculator must take care not to fall into the error of applying a correction to the elapsed time, as is directed in several works of note, particularly in the "Complete Navigator," by Dr. Mackay. This will appear evident by supposing in the above Example V. that a second observer, with a watch regulated exactly like that used by the first, was at rest at the place of the second observation. Then at the first observation at the same moment of time by both watches, the first observer would find the sun's altitude  $13^{\circ} 18'.$  and the second observer  $12^{\circ} 49'.$  At the second observation the times and altitudes would be alike, so that the elapsed time found by both observers would be the same, and the observations would require no correction, except what arises from reducing the altitude from  $13^{\circ} 18'$  to  $12^{\circ} 49'.$  because the second observer is supposed to be at rest, and his observation requires no correction.

TO FIND THE LATITUDE BY DOUBLE ALTITUDES. 137

The correction to the first altitude.

The time elapsed between the observations was 3h. 40m. and in that time the ship sailed 33 miles upon the course N. by E.  $\frac{1}{2}$  E. which makes an angle of 13 $\frac{1}{2}$  points with the sun's bearing at the first observation S.  $\frac{1}{2}$  E. the complement of which to 16 points is 2 $\frac{1}{2}$  points. Now in Table I. the course 2 $\frac{1}{2}$  points, and distance 33m. give 29 miles difference of latitude, which must be subtracted from the first altitude 13 $^{\circ}$  18' because the ship sailed above 8 points from the sun; therefore the first altitude corrected will be 12 $^{\circ}$  49', which must be used in the rest of the work.

	COL. 1.	COL. 2.	COL. 3.
Exp. time [P.M.] 3h. 40m. co-sec.	10.33559		
Declination 23 $^{\circ}$ 28' S. sec.	10.03749		co-sec. 10.39988
A..... co-sec.	10.37308	co-sine 9.95704	co-sine 9.95704
$\frac{1}{2}$ sun alts. 13 32 ... co-sine	9.98777	co-sec. 10.63076	B 26 $^{\circ}$ 05' S. co-sec. 10.35692
$\frac{1}{2}$ dif. alts. 0 43 ... sine	8.09718	sec. 10.00003	[B less than 90 $^{\circ}$ and named N. or S. like declination.]
C..... sine	8.45803	co-sine 9.99982	co-sine 9.99982
Z [Less than 90 $^{\circ}$ and N. or S. like bearing of Zenith.]	Z sec. 10.58765	Z 75 01 N.	
[E is sum of B, Z, if of same name, difference if of different name.]		E 48 56 N. sine	9.97734
		Latitude 48 54 N. sine	9.87716

If the sun had passed the meridian to the north of the observer, Z would have been 75 $^{\circ}$  01' S. and E 101 $^{\circ}$  06' S. whose sine 9.99160 added to 9.99982 gives the sine of the latitude 9.99162 corresponding to 78 $^{\circ}$  47' S.

EXAMPLE VI.

Sailing N. E.  $\frac{1}{2}$  E. by compass, at the rate of 9 knots an hour, at 0h. 31' 40" P. M. per watch, the altitude of the sun's lower limb, was 28 $^{\circ}$  20' above the horizon of the sea, the eye being elevated 20 feet above the surface of the water, and the sun's bearing by compass S. by W. and at 2h. 58m. 20s. P. M. by watch, the altitude of the sun's lower limb was 16 $^{\circ}$  41' above the horizon, the eye being elevated as before, the latitude by account, at the time of the last observation, 48 $^{\circ}$  0' north, and the declination 13 $^{\circ}$  17' south. Required the true latitude at taking the last observation?

The correction of these altitudes for semi-diameter, parallax and dip, was 12 miles additive, which makes them 28 $^{\circ}$  32' and 16 $^{\circ}$  53'; the refraction corresponding to the first was 2 miles, and for the second 3 miles, by subtracting which we have the true central altitudes 28 $^{\circ}$  30' and 16 $^{\circ}$  50'. Now the elapsed time between the observations was 2h. 26m. 40s. during which the ship sailed 22 miles (at 9 miles per hour) in the direction of N. E.  $\frac{1}{2}$  E. per compass, the bearing of the sun at the first observation S. by W. being 12 $\frac{1}{2}$  points distant from the ship's course, and as 12 $\frac{1}{2}$  points want 3 $\frac{1}{2}$  of 16 points, I enter Table I. and find the course 3 $\frac{1}{2}$  points and distance 22, corresponding to which in the latitude column is 17 miles, which subtracted from the first altitude 28 $^{\circ}$  30' leaves the corrected first altitude 28 $^{\circ}$  13'; with this and the second altitude 16 $^{\circ}$  50', I calculate the latitude in the following manner:

	COL. 1.	COL. 2.	COL. 3.
Exp. ti [P.M.] 2h. 26' 40" co-sec.	10.50232		
Declination 13 $^{\circ}$ 17' S. sec.	10.01178		co-sec. 10.63871
A..... co-sec.	10.51410	co-sine 9.97861	co-sine 9.97861
$\frac{1}{2}$ sun alts. 22 31 $\frac{1}{2}$ ..co-sine	9.96553	co-sec. 10.41670	B 13 $^{\circ}$ 58' S. co-sec. 10.61732
$\frac{1}{2}$ dif. alts. 5 41 $\frac{1}{2}$ ... sine	8.99643	sec. 10.00215	[B less than 90 $^{\circ}$ , and named N. or S. like decl.]
C..... sine	9.47603	co-sine 9.97962	co-sine 9.97962
Z [Less than 90 $^{\circ}$ , and N. or S. like bearing of Zenith.]	Z sec. 10.37708	Z 65 11 N.	
[E is sum of B, Z, if of same name, difference if of dif. name.]		E 51 13 N. sine	9.89183
		Latitude 48 03 N. sine	9.87145

If the sun had passed the meridian to the north of the observer, Z would have been 65 $^{\circ}$  11' S. and E 79 $^{\circ}$  09' S. whose sine 9.99217 added to co-sine of C 9.97962 gives the sine of the latitude 9.97179, corresponding to 69 $^{\circ}$  31' S.

138 TO FIND THE LATITUDE BY DOUBLE ALTITUDES.

EXAMPLE VII.—(Same as Dr. Brinkley's Nautical Almanac for 18

The latitude by account  $6^{\circ} 30'$  N. sun's declination  $5^{\circ} 30'$  N. the 2 correct central altitudes were found to be  $55^{\circ} 21'$  and  $70^{\circ} 01'$ , with an elapsed time between the observations of 2h. 20'. Required the latitude, the passing the meridian south of the observer?

Elap. time [P.M.] 2h. 20m. co-sec. 10.52186			
Declination $5^{\circ} 30'$ N. sec. .. 10.00900	.....		co-sec. 11.0
A..... co-sec. 10.52386	co-sine 9.97962	.....	co-sine 9.9
$\frac{1}{2}$ sum alts. 52 41 ..... co-sine 9.78263	co-sec. 10.09947	B $5^{\circ} 46'$ N. co-sec. 10.9	
$\frac{1}{2}$ diff. alts. 17 20 ..... sine .. 9.47411	sec. .. 10.02018	[B less than $90^{\circ}$ , if N. or S. like	
C..... sine .. 9.78060	co-sine 9.90170	.....	co-sine 9.9
Z [Less than $90^{\circ}$ , and N. or S. like bearing of Zenith.]	Z sec. 10.00097	Z 3 50 N.	
[E is sum of B, Z, if of same name, difference if of diff. name.]		E 9 36 N. sine .. 9.1	
	Latitude 7 38 N. sine .. 9.1		

If the sun had passed to the meridian north of the observer, Z would be  $3^{\circ} 50'$  S. and  $E = 1^{\circ} 58'$  N. whose sine 8.52810 added to the co-sine C 9.90170 is 8.42980, which is the sine of the other latitude  $1^{\circ} 32'$  N. so in this example both latitudes are north.

SECOND METHOD

of finding the latitude by double altitudes of the sun, when the variation declination is neglected.

This method of finding the latitude depends on a set of tables, marked XXIII. in this collection, first prepared by Mr. Douwes, containing the logarithms titled Half Elapsed time, Middle time, and Log. rising. The former are arranged together as far as six hours, the latter is placed at end of the table, and is extended in the present edition as far as 12 hours. The table with the proper title must be entered at the top with the hour, at side with the minute, and in the column marked at the top with the second the corresponding number will be the sought logarithm, to which must be prefixed the index of the log. under 0" in the same horizontal line. To the time 3h. 52' 10" correspond the log. half-elapsed time 0.07138, middle time 5.22985, and log. rising 4.67274. In general it will be sufficiently exact to take these logarithms to the nearest 10 seconds, particularly when the sun's zenith distance is great; but if the log. to the nearest second is required, it may be found by taking the difference of the tabular logarithm corresponding to the next greater and next less time, and saying as 10" that difference, so are the odd seconds of time to the correction of the tabular logarithm, additive, if increasing, subtractive, if decreasing. Thus the log.  $\frac{1}{2}$  El. time corresponding to 3h. 52' 18" were required: the logarithm corresponding to 3h. 52' 10" and 3h. 52' 20" are 0.07138 and 0.07119, whose difference is 19, then  $10" : 19 :: 8" : 15$ .—This subtracted from 0.07138 leaves 0.07123, the sought logarithm. By inverting the process we may find the nearest second corresponding to any given logarithm. We shall now give the rule for calculating the latitude adapted to double altitudes of the sun.

RULE.

To the log. secant of the latitude by account (Table XXVII.) add the log. secant of the sun's declination (Table XXVII.) rejecting 10 in each in the sum is to be called the log. ratio.

From the natural sine of the greatest altitude (Table XXIV.) subtract the natural sine of the least altitude (Table XXIV.) find the logarithm\* of the difference (in Table XXVI.) and place it under the log. ratio.

Subtract the time of taking the first observation from the time of taking the second, having previously increased the latter by 12 hours when the observations are on different sides of noon by the watch; take half the remainder, which call half the elapsed time.

With half the elapsed time enter Table XXIII. and from the column half elapsed time take out the logarithm answering thereto, and write it under the log. ratio.

\* The index of this logarithm being as usual now less than the number of figures contained in the difference of those natural sines. You must also observe that the altitudes to be used are the central altitudes: that is, the observed altitudes corrected for dip, semi-diameter, parallax and refraction.

TO FIND THE LATITUDE BY DOUBLE ALTITUDES. 139

Add these three logarithms together, and with their sum enter Table XXIII. in the column of middle time, where, having found the logarithm nearest thereto, take out the time corresponding, and put it under half the elapsed time. The difference between these times will be the time from noon when the greater altitude was taken.

With this time enter Table XXIII. and from the column of log. rising, take out the logarithm corresponding, from which logarithm subtract the log. ratio, the remainder will be the logarithm of a natural number, which being found in Table XXVI.\* and added to the natural sine of the greater altitude, will give the natural co-sine of the sun's meridian zenith distance, which may be found in Table XXIV. Hence the latitude may be obtained by the rules of page 121.

NOTES.

1. If this computed latitude should differ considerably from the latitude by account, it will be proper to repeat the operation, using the latitude last found instead of the latitude by account, till the result gives a latitude nearly agreeing with the latitude used in the computation.

2. This method is best suited to situations where the sun's meridian zenith distance is not much less than half the latitude; for in latitudes where the sun approaches near to the zenith, the observations must be taken much nearer to noon: and the preceding rule, instead of approximating, will in some cases give the results of successive operations, wider and wider from the truth. To remedy this difficulty, a set of tables was published by Dr. Brinkley, at the end of the Nautical Almanac for 1799; but the great variety of cases incident to his method will hinder it from being generally used. Instead of Dr. Brinkley's method, we may generally use the method of arithmetical computation, called *Double Position*, which will frequently give, in a more simple manner, the required latitude, as will be shown in Example X. and in general it may be observed, that where Douwes' rule does not approximate, the object is most commonly so situated, as not to furnish the necessary observations to obtain a correct latitude, whatever method of computation might be used.

3. The operation is the same whether the sun has north or south declination; and also whether the ship is in north or south latitude. When the sun has no declination, the log. secant of the latitude (rejecting 10 in the index) will be the log. ratio: and when the latitude by account is nothing, the secant of the declination (rejecting 10 in the index) will be the log. ratio. This rule, as well as the former, is founded on the supposition that the declination is taken for the middle time between the observations, and that it does not vary during the elapsed time, which, however, rarely happens, and a correction ought to be applied to the latitude on this account, but this correction is generally small, and if it is large, the third method must be used, or the new method in the Appendix of this work.

EXAMPLE VIII.—(Same as Example I. preceding.)

Being at sea in latitude  $46^{\circ} 30'$  N. by account, when the sun's declination was  $11^{\circ} 17'$  N. at 10h. 2m. in the forenoon, the sun's correct central altitude was  $48^{\circ} 55'$ , and at 11h. 27m. in the forenoon, his correct central altitude was  $54^{\circ} 9'$ . Required the true latitude, and true time of the day when the greater altitude was taken?

Times.					
	H. M. S.	Alt.	Nat. Si.	Lat. by acc. ...	46° 30' Sec. 0.16219
2 obs.	11 27 0	$54^{\circ} 9'$	81055	Dec. ....	11 17 Sec. 0.00848
1 obs.	10 2 0	46 55	73036	Log. ratio .....	0.17067
Elap. time	1 25 0	Diff. Nat. Sines	8019	Log. Diff. Nat. Sines .....	3.90412
$\frac{1}{2}$ Elap. time	0 42 30			Log. $\frac{1}{2}$ Elap. time .....	0.73429
		H. M. S.			
	Middle time	1 15 10			4.80908
	$\frac{1}{2}$ Elap. time	42 30			
	2 Obs. from noon	0 32 40		Its log. rising	3.00608
				Log. ratio sub.	0.17067
					<hr/>
	Nat. numb.		685	corresponding to log.	2.83541
	Nat. sine greatest alt.		81055		
					<hr/>
	Sum is nat. co-sine $\odot$ 's zen. dist.		81740	equal to $35^{\circ} 10'$ N.	
	$\odot$ 's declination .....		11 17	N.	
					<hr/>
	Latitude in .....		46 27	N.	

\* Taking as usual a number of figures equal to the index of that logarithm increased by unity.

## 140 TO FIND THE LATITUDE BY DOUBLE ALTITUDES:

The latitude  $46^{\circ} 27'$  differing only  $3'$  from the latitude by account, may be assumed as the true latitude.

By means of the time of the second observation from noon above found  $32' 40''$ , the error of the watch may be found; for in the present example, by subtracting  $32' 40''$  from 12h. we have the time of the second observation 11h.  $27' 20''$ ; but the time of the watch was 11h.  $27' 0''$ ; therefore the watch was 20 seconds too slow; a small difference would be found in these numbers, if we were to proportion the logarithms of Tab. XXIII. to seconds. In the same manner the error of the watch may be found in the following examples.\*

### EXAMPLE IX.—(Same as Example V. before given.)

In this example the latitude by account was  $49^{\circ} 17' N.$  The sun's declination  $23^{\circ} 28' S.$  The first altitude corrected as before taught  $12^{\circ} 46'$ , the second altitude  $14^{\circ} 15'$ . From which the true latitude is required?

	H.	M.	S.	Alt.	Nat. Si.	Lat. by acc.	$49^{\circ} 17'$	Sec.	<b>0.19554</b>
2 Obser.	13	40	0	$14^{\circ} 15' = 24615$	24615	Declination	$23 28$	Sec.	<b>0.03749</b>
1 Obser.	10	0	0	$12 49 = 22183$					
	<hr/>					Log. ratio .....			<b>0.22303</b>
Elap. time	3	40	0	Diff. nat. si.	2432	Its log. ....			<b>3.38596</b>
$\frac{1}{2}$ Elap. time	1	50	0			Its log. ....			<b>0.33559</b>
	<hr/>								
	0	10	10	Time corresponding to .....					<b>3.94459</b>
	<hr/>								
	1	39	50	Its log. in col. of rising is .....					<b>3.97098</b>
				Log. ratio .....					<b>0.22303</b>
				5588 Nat. number of .....		log.			<b>3.74725</b>
				<u>24615</u>					

Nat. co-sine ☉'s mer. zen. dist.  $30203 = 72^{\circ} 25' N.$   
 Declination .....  $23 28 S.$

Latitude .....  $48 57 N.$

But as the latitude by computation differs considerably from that by account, the work must be repeated.

				Lat. last found	$48^{\circ} 57'$	Sec.	<b>0.19262</b>
				Declination	$23 28$	Sec.	<b>0.03749</b>
				Log. ratio .....			<b>0.22011</b>
				Diff. N. sine 2432		Its log.	<b>3.38596</b>
						Its log.	<b>0.33559</b>
				Its log. ....			<b>3.94166</b>
				Its log. in col. of rising .....			<b>3.97170</b>
				Log. ratio .....			<b>0.22011</b>
				5644 Nat. number of .....		log.	<b>3.7515</b>
				<u>24615</u>			
				30259 Nat. cos. mer. zen. distance .....	$72^{\circ} 23' N.$		
				Declination .....	$23 28 S.$		
				True latitude .....	$48 55 N.$		

This latitude, differing only two miles from that used in the computation may be depended upon as the true latitude of the ship at the time of the second observation. If the first altitude had not been corrected, the computed latitude would have been found  $= 48^{\circ} 40' N.$

\* When the middle time is greater than half the elapsed time, both observations are on the same side of the meridian; otherwise, on different sides; whence it is easy to determine whether the greatest altitude be observed before or after noon.

## TO FIND THE LATITUDE BY DOUBLE ALTITUDES. 141

**EXAMPLE X.**—(Same as Example VII. before given.)

The latitude by account  $6^{\circ} 30'$  N. sun's declination  $5^{\circ} 30'$  N. the sun's correct central altitudes  $35^{\circ} 21'$  and  $70^{\circ} 01'$ , elapsed time 2h. 20' are given to find the true latitude.

Making the calculations with the latitude by account  $6^{\circ} 30'$ , the computed latitude by the first operation will be  $8^{\circ} 17'$ . Repeating the operation with the latitude  $8^{\circ} 17'$ , the second operation will give  $7^{\circ} 10'$ .<sup>\*</sup> This must be used for a third operation, and by repeating the calculation accurately to seconds, it will require more than a dozen operations to obtain the true latitude  $7^{\circ} 38'$ , which was found by the first method by a single operation. Dr. Brinkley made the latitude  $7^{\circ} 30'$  differing 8' from a strict calculation by spherical trigonometry. The detail of this calculation is not here given, but is left to exercise the learner. The object of the present example is to shew how the number of operations might be decreased by the arithmetical method of *double position* before mentioned.

Take the error or difference between the first assumed latitude  $6^{\circ} 30'$  and the first computed latitude  $8^{\circ} 16'$  equal to 106'; also the error or difference between the second assumed latitude  $8^{\circ} 16'$  and second computed

Lats.	Errors.	Products.
$6^{\circ} 30'$	$\times 106 =$	$876^{\circ} 16'$
$8^{\circ} 16'$	$\times 66 =$	$429 \quad 00$
	172	)1305 16( $7^{\circ} 35'$

latitude  $7^{\circ} 10'$  which is 66'. Multiply them *crosswise* as in the adjoined scheme, according to the usual rule of *double position*,† dividing the sum of the products  $1305^{\circ} 16'$  by the sum of the errors 172, gives the corrected latitude  $7^{\circ} 35'$  N. The sum of the products was taken in this case, because one of the assumed latitudes was *greater* and the other *less* than its corresponding computed latitude. If both computed latitudes had been *greater* or *both less* than the corresponding assumed latitudes, the *differences* of the errors and of the products ought to have been taken. It will rarely happen that more than one process of this kind will be required to give a correct result. In the present instance, however, it will be necessary; for, by repeating the operation with the assumed latitude  $7^{\circ} 35'$ , the resulting computed latitude is  $7^{\circ} 41\frac{1}{2}'$ , and the third error  $6\frac{1}{2}'$ . Repeating anew the computation with this and the second latitude  $8^{\circ} 16'$  and second error 66', the resulting latitude is  $7^{\circ} 38'$ , the same as was found by the direct computation by the first method, and as accurately as could be obtained by repeating the operations about fourteen times by the second method.

In general, when such a large number of operations are required to produce a correct result, it is a sure proof that the situation of the object is not well adapted to obtain an accurate latitude, and it would be lost labour, and lead to great mistakes to attempt it. Thus, in the present example, if the greatest altitude had been decreased only  $12' 42''$ , making it  $69^{\circ} 48' 12''$ , leaving unaltered the other altitude  $35^{\circ} 21'$  and the interval 2h. 20m. the latitude of the place of observation would be 0, or under the equator, as is easily proved by computing the altitudes of the sun for the times 1h. 17m. 50s.8 and 2h. 37m. 50s.8, under the equator when the declination is  $5^{\circ} 30'$  N. by the rules hereafter given. Hence it appears that a change of  $12' 42''$  in the greatest altitude, would alter the computed latitude from  $7^{\circ} 38'$  to 0°, which makes an error of one degree of latitude for an error of  $1\frac{1}{2}$  miles in that altitude, and as errors in the altitudes of this magnitude are easily committed at sea, even by very good observers, it shows very clearly the defect of the method of double altitudes when the sun approaches near to the zenith. This does not arise from any defect of the method of computation, but is an inherent defect of the method itself, which no process of spherics can remedy, and there is no other resource left, in such cases, than to make use of another object to determine the latitude.

<sup>\*</sup> Slight differences will be found in these calculations by using logarithms to seven places of figures and making the calculation accurately to seconds.

<sup>†</sup> If the degrees of both latitudes are alike, the minutes only may be retained in these multiplications.



## TO FIND THE LATITUDE BY DOUBLE ALTITUDES. 143

than 6 hours. This angle is to be marked *north* or *south*, with a different name from the declination  $d$ , at the greatest altitude. The co-secant of A is to be placed in Col. 2. its co-sine in Col. 3.

4. Place the declination D, corresponding to the *least* altitude, below the angle A, and if they are of the\* *same* name take their *sum*, but if of *different* names, take their *difference*, and call this sum† or difference, the angle B, making it *north* or *south* like the greatest of the two quantities A, D. The co-sine of B is to be placed in Col. 2. its co-secant in Col. 3.

5. The sum of the three logarithms in Col. 3. (rejecting 20 in the index) is the co-tangent of an angle F, (less than  $90^\circ$ ) which is to be taken out and marked *north* or *south*, with a different name from B.

6. The sum of the three logarithms in Col. 2. (rejecting 20 in the index) is the co-sine of the angle C, which is to be taken less than  $90^\circ$ , if B is less than  $90^\circ$ , but *greater* than  $90^\circ$  if B is *greater* than  $90^\circ$ . The angle C and its co-secant are to be placed in Col. 1.

7. Place the altitudes below C, take the *half sum* of these three quantities, subtract the greatest altitude from the half sum, and note the *remainder*. Place the secant of the *least* altitude in Col. 1. its co-tangent in Col. 2. its sine in Col. 3. The co-sine of the *half sum* in Col. 1. and the sine of the *remainder* in Col. 1. The sum of the four last logarithms of Col. 1. (rejecting 20 in the index) being divided by 2, gives the sine of an acute angle, which being found and doubled, gives the zenith angle Z, which is to be named *north*, if the zenith and *north* pole are on the *same* side of the arch or *great circle*, passing through the two objects, (or the two observed places of the *same* object) but *south* if the zenith and *south* pole, are on the *same* side of that great circle.‡

8. Take the *sum* of the angles Z and F, if they are of the *same* name, but their *difference* if of *different* names; this sum or difference is the angle G. to be marked *north* or *south* like the greatest of the angles Z, F.§ The sine of G is to be placed in Col. 2.

9. The sum of the two lower logarithms of Col. 2. (rejecting 10 in the index) is the tangent of an angle I, which is to be taken out (less than  $90^\circ$ ) and marked *north* or *south* like G. The secant of I is to be placed in Col. 3.

10. Write the declination D, corresponding to the *least* altitude below I, take their‡ *sum* if of the *same* name, their *difference* if of *different* names. This sum or difference is the angle K, of the same name as the greater of these two quantities. The sine of K is to be placed in Col. 3.

11. The sum of the three last logarithms in Col. 3. is the sine of the required latitude of the same name as K.

### EXAMPLE XI.

Given the sun's correct central altitude  $41^\circ 33'$ , and his declination  $14^\circ$  N. After an interval of 1h. 30m. by watch, his correct central altitude was  $50^\circ$ , and his declination  $13^\circ 58'$  N. Required the latitude, the sun being south of the observer when on the meridian?

\* This rule is easily remembered in three places in which it occurs, from the circumstance that s is the first letter of *sum* and *same*, and d the first letter of *difference* and *different*.

† If the sum be taken to find B and it exceeds  $180^\circ$ , subtract it from  $360^\circ$ , and call the remainder B with a different name from A, D.

‡ This case occurs also in the first and second methods of solution, and it must be determined on the spot by the situation of the objects. In double altitudes of the sun, moon, or planets, when the elapsed time is not very great, the angle Z is generally to be marked with the bearing of the zenith from the observed object, when at its greatest altitude on the meridian, which in north latitudes, without the tropics, is in general *north*; in south latitudes, without the tropics, *south*. Sometimes when the sun passes the meridian near the zenith, it may be doubtful whether the zenith be *north* or *south*; in which case the problem may be solved for both cases, (which increases the labour but little) and that one of the two computed latitudes selected which agrees best with the ship's reckoning; but it is generally safest not to use observations of this kind, which are generally liable to great errors from small mistakes in the altitudes.

§ If the sum be taken to find G, and it exceeds  $180^\circ$ , subtract it from  $360^\circ$  and call the remainder G with a different name from Z or F.

TO FIND THE LATITUDE BY DOUBLE ALTITUDES. 145

EXAMPLE XIII.

Suppose, at the same moment of time, the moon's correct central altitude was  $55^{\circ} 20'$ , the moon's declination  $0^{\circ} 36'$  N. the sun's correct central altitude  $37^{\circ} 40'$ , the sun's declination  $0^{\circ} 17'$  S. The hour angle, or difference of the right ascensions of the sun and moon, being by the Nautical Almanac 5 hours or  $75^{\circ}$ . Required the latitude, supposing it to be north?

	Col. 1.	Col. 2.	Col. 3.
Hour angle H sh. (P. M. 10h.) sec. 10.58708			tan. 10.57185
Decl. d (at gr. alt.) $0^{\circ} 36'$ N. tan. 8.02001		..... sine 8.03002	
A (diff. name from d.) 2 19 S. tan. 8.60704		1 (same aff. as H.) co-sec. 11.39835	..... co-sine 9.99804
D Decl. (at least alt.) 0 17 S.			
B ..... 2 38 S.		..... co-sine 9.99358	..... co-sec. 11.34800
C ..... 75 00 co-sec. 10.01506		C same aff. as B) co-sine 9.41285	F $0^{\circ} 42'$ N. co-tan. 11.91489
			Z 29 40 N. (F less $90^{\circ}$ , diff. name fm. B.)
		G ..... sine 9.70878	G 30 22 N.
Least altitude ..... 57 40 sec. 10.10151		..... co-tan. 10.11241	..... sine 9.78609
Greatest altitude ..... 55 20		I $38^{\circ} 18'$ N. tan. 9.81616	[I less $90^{\circ}$ ] sec. 10.07748
Sun ..... 168 00		Dec. D 0 17 S. (at least alt.)	[I named as G.]
Sun ..... 84 00 co-sine 9.01923		K 32 58 N. .... sine 9.73533	
S-gr. alt.—Rem. 28 40 sine 9.68098		Latitude ..... $23^{\circ} 24'$ N. sine 9.59890	
Sun of 4 logs. 2) 18.81678			
Z ..... 14 50 sine 9.40639			
Z ..... 23 40 N. (named like bearing of Zenith.)			

If the zenith had been south of the great circle passing through the objects, we should have Z  $29^{\circ} 40'$  S. G  $28^{\circ} 58'$  S. I  $32^{\circ} 8'$  S. K  $32^{\circ} 23'$  S. and the latitude  $22^{\circ} 44'$  S.

EXAMPLE XIV.

Given the moon's correct central altitude  $47^{\circ} 37'$ , the moon's declination  $17^{\circ} 29'$  S. the sun's correct central altitude, at the same time,  $27^{\circ} 22'$ , the sun's declination  $8^{\circ} 28'$  S. the hour angle, or difference of right ascensions of the sun and moon, 5h. 40m. 28s. or  $85^{\circ} 7'$ . Required the latitude, supposed north?

	Col. 1.	Col. 2.	Col. 3.
Hour H 5h. 40m. 28s. (P. M. 11h. 20 56') sec. 11.06993			tan. 11.06835
Decl. d (at gr. alt.) $17^{\circ} 29'$ S. tan. 3.48828		..... sine 9.47774	
A (diff. name from d.) 74 53 N. tan. 10.56821		A (same aff. as H.) co-sec. 10.01529	..... co-sine 9.41628
D Decl. (at least alt.) 8 22 S.			
B ..... 66 25 N.		..... co-sine 9.00211	..... co-sec. 10.85788
C ..... 82 51 co-sec. 10.00384		C (same aff. as B) co-sine 9.09518	F $18^{\circ} 45'$ S. co-tan. 10.52251
			Z 39 20 N. (F less $90^{\circ}$ , diff. name fm. B.)
		G ..... sine 9.58497	G 22 57 N.
Least altitude ..... 47 37 sec. 10.05155		..... co-tan. 10.28596	..... sine 9.66246
Greatest altitude ..... 47 37		I $36^{\circ} 37'$ N. tan. 9.87096	[I less $90^{\circ}$ ] sec. 10.09538
Sun ..... 157 50		Dec. D 8 28 S. (at least alt.)	[I named as G.]
Sun ..... 78 55 co-sine 3.28384		K 28 09 N. .... sine 8.67371	
S-gr. alt.—Rem. 31 18 sine 9.71560		Latitude ..... $15^{\circ} 41'$ N. sine 9.43162	
Sun of 4 logs. 2) 19.05438			
Z ..... 10 40 sine 9.52719			
Z ..... 39 20 N. (named like bearing of Zenith.)			

If the zenith had been south of the great circle passing through the objects, we should have Z  $39^{\circ} 20'$  S. G  $56^{\circ} 3'$  S. I  $58^{\circ} 2'$  S. K  $66^{\circ} 30'$  S. and the latitude  $52^{\circ} 14'$  S.

TO FIND THE LATITUDE BY DOUBLE ALTITUDES. 147

3. The sum of the two logarithms in Col. 2. is the tangent of the angle I, which is to be taken less than 90°, and marked south if the angle G is less than 90°, but north if G is more than 90°. Place the secant of I in Col. 3.

5. Place the declination corresponding to the least altitude, below I; Take the sum if of the same name, but their difference if of different names; call this sum or difference the angle K, and mark it with the same name as the greatest of the two quantities. Place the sine of K in Column 3.

6. The sum of the three logarithms in Col. 3. (rejecting 20 in the index) is the sine of the latitude of the same name as K.

Having found the latitude, the hour may be obtained by means of the true altitude and declination of the sun or star, by any of the usual methods hereafter given for that purpose; but, if the last of the observed altitudes was that of the sun or star, the horary distance of that object from the meridian might be obtained more simply by the following rule, adapted to Table XXVII.

Rule.—Add the tangent of the angle G, the sine of the angle I, the secant of the angle K, the sum, rejecting 20 in the index, is the tangent of an angle; take out the corresponding time in the Column P. M. or in the Column A. M. increased by 12 hours, half of either of these times is the horary distance of the lowest observed object from the upper or lower meridian, whence the hour may be obtained directly if it be the sun, but if it be the star (or moon) it is obtained by applying its horary distance to the hour of passing the meridian, according to the usual methods of finding the time from an altitude of a fixed star, or the moon.

EXAMPLE.—(Same as Dr. Brinkley's N. A. 1825.)

May 19d. 8h. 6m. P. M. in the longitude of 7h. 25m. west, it was found by working a lunar observation that the correct distance of the centres of the sun and moon was 90° 57' 20"; true altitude of the sun's centre 11° 33' 12"; true altitude of the moon's centre 27° 52' 18". At the same time by the Nautical Almanac the sun's declination was 19° 56' 48" N. the moon's declination 15° 55' 48" N. Required the latitude and hour by this observation!

	Col. 1.	Col. 2.	Col. 3.
True distance	90° 57' 20" co-sec. 10.00009		
P. dist. sun to alt.	70 03 12 co-sec. 10.02697		
P. dist. sun to alt.	76 04 12		
Sum	237 04 44		
1 Sun	118 32 22 sine 9.24374		
2 Moon	42 28 10 sine 9.82943		
	2)19.80010		
F	52 56 00 sine 9.90005	Z 61 30 52	
Angle F	105 12 00	F 105 12 00	
True distance	90 57 20 co-sec. 10.00000	G 166 48 52 co-sine 9.38840	
Least alt.	11 33 12 sec. 10.00886	co-tan. 10.89947	sine 9.50115
Greatest alt.	27 52 18	I 78 09 33 N. tan. 10.87767	sec. 10.09723
Sun	130 02 50	Dec. 19 56 48 N. (at least alt.)	
1 Sun	65 01 25 co-sine 9.62557	K 92 05 21 N. sine 9.98566	
2 Sun	37 29 07 sine 9.78430	Latitude 71° 48' N. sine 9.98452	
	2)19.41887		
Z	30 48 26 sine 9.70940		
Angle Z	61 36 52		

To find the Hour.  
 G ..... tan. 9.30874  
 I ..... sine 9.89053  
 K ..... sec. 10.85166

Hour P. M. 7h. 47m. 42s. or A. M. +12h. = 16h. 12m. 12s. tan. 10.21203

Divided by 2 gives the horary distance of } 3h. 53m. 51s. or 8h. 06m. 03s.  
 the lowest object from the meridian, }

The sun being at the lowest altitude, his distance from the upper meridian was 8h. 6m. 9s. being the hour of the day, and the sun's distance from the lower meridian, or midnight, was 3h. 53m. 51s.

\* Both these logarithms may be taken out at the same time when the sine of the angle was found in the computation of the angle Z.

TO FIND THE LATITUDE BY ONE ALTITUDE. 149

RULE.

Add together the log. co-sine of the latitude by account (Table XXVII.) the log. co-sine of the declination (Table XXVII.) the logarithm in the column of rising (Table XXIII.) corresponding to the time from noon when the observation was taken; reject 20 in the index, the natural number of the remainder being found (in Table XXVI.) and added to the natural sine of the observed altitude (Table XXIV.) the sum will be the natural co-sine of the meridian zenith distance, from which the latitude may be obtained by the common rules.

If the computed latitude differs considerably from the latitude by account, it is best to repeat the operation, using the latitude last found instead of the latitude by account. This method of finding the latitude by a single altitude of the sun, may be applied to any other celestial object.

EXAMPLE I.

Being at sea in latitude  $49^{\circ} 50'$  N. by account, when the sun's declination was  $20^{\circ}$  S. at 11h. 29m. 20s. A. M. per watch, regulated the preceding morning, in a place 20 miles of longitude to the eastward, the sun's correct central altitude was  $19^{\circ} 41'$  bearing south. Required the true latitude?

	H. M. S.			
Time per watch.....	11 29 20	Latitude	$49^{\circ} 50'$	Co-sine 9.90957
20 in T. by Tab. XXI.	1 20	Declin.	$20^{\circ} 0'$	Co-sine 9.97299
Time of observation..	11 23 0	Time from noon	0h. 32m. 0s.	Log. rising 2.98820
	12			
				Nat. Num. 590 log. 2.77076
Time from noon.....	32 0	Central altitude	$19^{\circ} 41'$	Sine 33582
		Mer. zen. dist.	$69^{\circ} 57' N.$	Co-sine 34272
		Declination	$20^{\circ} 0' S.$	---
		Latitude	$49^{\circ} 57' N.$	

EXAMPLE II.

At sea in the latitude of  $60^{\circ}$  N. by account, the sun being on the equator, at 0h. 59m. 0s. P. M. per watch, regulated the preceding morning in a place 15 miles in longitude to the westward, the sun's correct central altitude was  $28^{\circ} 55'$  bearing south. Required the latitude?

	H. M. S.			
Time per watch	0 59 0	Latitude	$60^{\circ} N.$	Co-sine 9.69897
15 long. in time	1 0	Declination	$0^{\circ}$	Co-sine 10.00000
Time from noon	1 0 0	Time from noon	1h. 0m.	Log. rising 3.53243
				Nat. Num. 1704 Log. 3.23140
		Central altitude.....	$28^{\circ} 55'$	Sine .....48303
		Mer. zenith distance..	$60^{\circ} 0' N.$	Co-sine ....50007
		Declination.....	$0^{\circ} 0'$	-----
		Latitude .....	$60^{\circ} 0' N.$	

When the observation is taken a few minutes before or afternoon, the correction to be applied to the altitude, to obtain the meridian altitude, may be found by means of Tables XXXII. XXXIII. the first of which contains the variation of the altitude for one minute from noon, expressed in seconds and tenths—the other contains the square of the minutes and seconds of a minute contained in the top and the side columns. By these tables the correction of the observed altitude may be found by the following rule.

--- The observed altitude of the lower limb being  $19^{\circ} 32'$ , ☉ semi-diameter 16. Dip 4. Refraction 5. Parallax too small to be noticed.  
 --- The observed altitude of the sun's lower limb being  $22^{\circ} 43'$ , ☉ S. D. 16. Dip 5. Refraction 5. Parallax too small to be noticed.

TO FIND THE LATITUDE BY ONE ALTITUDE. 151

EXAMPLE V.

Having regulated my watch, I found it to be 6' 2" too slow for apparent time. I then sailed to the southward and eastward till the ship had made 60' difference of longitude, and was by account in the latitude of 40° N. the sun's declination being 20° S. The sun being then nearly on the meridian I observed ten altitudes of his lower limb by a circle of reflection and noted the times by the watch as in the following table, and the sum of all the altitudes taken from the circle was 298° 20'.—Required the true latitude, supposing the dip to be 4' and the semi-diameter 16'.

When it was 12 o'clock by the watch it was 12h. 6m. 2s. apparent time at the place where the watch was regulated, and 12h. 10m. 2s. apparent time at the place where the altitudes were taken to determine the latitude, because the former place was 60' or 4' in time to the westward of the latter, consequently the watch was 10m. 2s. too slow for app. time at the place of taking the altitudes for determining the latitude. Hence we may determine the time from noon of taking each observation, as in the second column of the adjoined Table, and find the numbers corresponding in Table XXXIII. the mean of which is 6.97, this multiplied by the number in Table XXII. corresponding to the latitude 40° N. and declination 20° S. viz. 1.6 will give 11'.152 or 11", which is the correction to be added to the mean of the observed altitudes to obtain the meridian altitude.

Time per watch.	Time from noon.	Numbers Tab. XXXIII.
11.45.43	4' 15"	18.1
46.58	3 0	9.0
47.52	2 6	4.4
48.50	1 8	1.3
49.28	0 30	0.2
50.48	0 50	0.7
51.10	1 12	1.4
52.13	2 15	5.1
53. 8	3 10	10.0
54.23	4 25	19.5
		Sum 69.7
		Mean 6.97

Now the sum of all the altitudes 298° 20', divided by 10, the number of observations gives

298° 20' / 10	29	50'	0"
Add semi-diameter 16'	+	16	11
Add parallax found in Table XIV.	+		8
Subtract dip 4' and refraction 1' 39"	-	5	39
Central Altitude.	30	0	40
Zenith distance.	59	59	20 N.
Declination	20	0	0 S.
Latitude	39	59	20 N.

When the meridian altitude of the object is small, the correction of altitude may be found by this method, for 12 or 15 minutes from noon, to a great degree of accuracy; but when the sun passes near the zenith, the time of observation must be proportionally nearer to noon. Thus in Example I. preceding, the time from noon was 32', and as the numbers in Table XXXIII. are the squares of the number of minutes, it follows, that the number corresponding to 32' would be the square of 32 or 1024.0. This multiplied by the number 1.3 of Table XXII. corresponding to the latitude 50° N. and declination 20° S. will give the correction 1331'.2 or nearly 22', which added to 19° 41' will give 20° 3' for the meridian altitude, or 69° 57' for the zenith distance, being the same as in that example.

It is very advantageous in this method to observe as many altitudes in the afternoon as before noon, and at nearly the same distances from noon, for in this case a small error in the regulating of the watch will not materially affect the calculation. This will appear evident by supposing, in the preceding example, that the watch was 11' 2" too slow, instead of 10' 2", by which means the times and numbers will be as in the adjoined Table, and the mean of all the numbers taken from Table XXXIII. will be 8.15, which multiplied by 1.6 will give 13' nearly, for the correction instead of 11', so that in this case an error of one minute in the regulation of the watch would only cause an error of 2 seconds in the meridian altitude.

But it must be carefully observed that in using this method you must not take the observation more than 2 or 3 minutes from noon when the sun passes within 10' or 12' of the zenith.

Times.	In Tab. XXXIII.
3.15	10.6
2. 0	4.0
1. 6	1.2
0. 8	0.0
0.30	0.2
1.50	3.4
2.12	4.8
3.15	10.6
4.10	17.4
5.25	29.3
Sum	81.5
Mean	8.15

TO DETERMINE THE LATITUDE ON SHORE, &c. 153

Altitudes may be observed in this manner in taking an azimuth for determining the variation, or for regulating a watch in the manner explained in this work.—Observing in all cases, that the half of the observed angle is to be corrected for refraction, parallax, and semi-diameter, but not for the dip of the horizon; and that half the index error only is to be applied.

TO FIND THE LATITUDE BY AN ALTITUDE OF THE POLAR STAR.

In northern climates the latitude may be determined by means of an observed altitude of the Polar Star, provided the apparent time of observation can be ascertained within a few minutes.\* This method might be frequently used at sea, when the horizon is well defined, if that star were of the first magnitude, but being only of the 2d. or 3d. magnitude, it is sometimes so dim that it is rather difficult to determine the altitude with precision. However, as there are times when it would be of great importance to determine the latitude within 10 or 12 miles, it was thought advisable to explain this method, which may be used when observations of the sun or moon cannot be obtained.

Having therefore the apparent time of observation (which must be reckoned from noon to noon in numerical succession, that is 6h. A. M. must be called 18h. &c.) and the observed altitude of the star determined by a fore-observation, you must subtract from the altitude the dip, which is in general 4 minutes, and the refraction, and you will obtain the true altitude of the star. Then the sun's right ascension corresponding to the given day, must be found in Table VI.† and added to the apparent time of observation (rejecting 24 hours when the sum exceeds 24 hours) with that sum enter the adjoining table and take out the corresponding correction, which must be added to, or subtracted from the true altitude, according to the directions in the table—the sum or difference will be the latitude of the place of observation.

Find in the side column the sum of the hour of the day and the sun's right ascension, and the number in the middle column will be the correction of the true altitude.				
If the hour is found in these columns, the correction is subtractive.		Correction of the altitude.	If the hour is found in these columns, the correction is additive.	
h. m.	h. m.	°	h. m.	h. m.
0. 58	0. 58	1. 38	12. 58	12. 58
1. 3	0. 53	1. 38	12. 53	13. 3
1. 13	0. 43	1. 38	12. 43	13. 13
1. 23	0. 33	1. 38	12. 33	13. 23
1. 33	0. 23	1. 37	12. 23	13. 33
1. 43	0. 13	1. 36	12. 13	13. 43
1. 53	0. 3	1. 35	12. 3	13. 53
2. 3	23. 53	1. 34	11. 53	14. 3
2. 13	23. 43	1. 33	11. 43	14. 13
2. 23	23. 33	1. 31	11. 33	14. 23
2. 33	23. 23	1. 30	11. 23	14. 33
2. 43	23. 13	1. 28	11. 13	14. 43
2. 53	23. 3	1. 26	11. 3	14. 53
3. 3	22. 53	1. 24	10. 53	15. 3
3. 13	22. 43	1. 22	10. 43	15. 13
3. 23	22. 33	1. 19	10. 33	15. 23
3. 33	22. 23	1. 16	10. 23	15. 33
3. 43	22. 13	1. 14	10. 13	15. 43
3. 53	22. 3	1. 11	10. 3	15. 53
4. 3	21. 53	1. 8	9. 53	16. 3
4. 13	21. 43	1. 5	9. 43	16. 13
4. 23	21. 33	1. 1	9. 33	16. 23
4. 33	21. 23	0. 58	9. 23	16. 33
4. 43	21. 13	0. 54	9. 13	16. 43
4. 53	21. 3	0. 51	9. 3	16. 53
5. 3	20. 53	0. 47	8. 53	17. 3
5. 13	20. 43	0. 43	8. 43	17. 13
5. 23	20. 33	0. 39	8. 33	17. 23
5. 33	20. 23	0. 36	8. 23	17. 33
5. 43	20. 13	0. 32	8. 13	17. 43
5. 53	20. 3	0. 27	8. 3	17. 53
6. 3	19. 53	0. 23	7. 53	18. 3
6. 13	19. 43	0. 19	7. 43	18. 13
6. 23	19. 33	0. 15	7. 33	18. 23
6. 33	19. 23	0. 11	7. 23	18. 33
6. 43	19. 13	0. 6	7. 13	18. 43
6. 53	19. 3	0. 2	7. 3	18. 53
6. 58	18. 58	0. 0	6. 58	18. 58

\* If the star is not far from the meridian, an error of half an hour in the time would not affect the latitudes above 1 or 2 miles.  
 † It is accurate enough to take the numbers given in the table; but in strictness the right ascension ought to be taken from the Nautical Almanac, for the hour of observation, reduced to Greenwich time, by adding or subtracting the longitude turned into time.  
 In some of the copies of the second edition of this work, the words additive and subtractive were printed in the wrong columns. This table will require a correction after a few years, on account of the variation of declination, and right ascension of the star. It corresponds nearly to the year 1824, for every year after that time you must add one quarter of a minute to the times in the side columns, and decrease the corrections of altitude about  $\frac{1}{10}$  part. Thus for the year 1836 the times must be increased  $\frac{2}{10}$  for the 12 years, so that 0h. 58' must be called 1h. 1m. and all the corrections of altitude must be decreased  $\frac{1}{10}$  part, so that 1° 16' must be 1° 15' nearly and 0° 33' must be 0° 32' nearly.

## D FIND THE TIME AT SEA, AND REGULATE A WATCH. 153

which may be found. A small correction is necessary for the variation of the sun's declination during the interval between the observations, and the method of calculating this correction will be given in this work, but this method cannot often be made use of at sea by reason of the motion of the vessel.

The best method of obtaining the apparent time at sea, is by observing, at a fore observation, the altitude of the sun's lower limb when rising or setting fastest, or when bearing nearly E. or W. to this altitude we must add the semi-diameter and parallax, and subtract the dip (or instead of these three corrections add  $12'$ ,\* which will answer very well for an observation taken on the deck of a common sized vessel;) subtract also the refraction taken from Table XII. and the remainder will be the correct altitude. The ship's latitude must be found at the time of observation by carrying the reckoning forward to that time. The declination must be taken from Table I. or from the Nautical Almanac, and corrected for the ship's longitude, and the distance of the sun from the meridian by Table V. Then if the latitude and declination be both north or both south, subtract the declination from  $90^\circ$  if you will have the polar distance; but if one be north and the other south, add the declination to  $90^\circ$  and you will have the polar distance.

Having thus found the correct altitude, latitude, and polar distance, the apparent time of observation may be found by either of the three following methods, of which the first is the most simple, since it does not require a table of natural sines, all the logarithms being found in Table XXVII. This method is abridged by means of the table of hours affixed to the table of log. sines; in using which you must observe, that if the sine or co-sine of the logarithm sought is marked at the top of the table, the name of hour either A. M. or P. M. is also to be found at the top, and the contrary if the sine or co-sine is marked at the bottom.

*To find the apparent time by the sun's altitude.*

### FIRST METHOD.

*Add together the correct altitude of the sun's centre, the latitude and the polar distance; from the half sum subtract the sun's altitude, and note the remainder. Then add together the log. secant of the latitude (this and all the other logs. being found in Table XXVII.) the log. co-secant of the polar dist. (re-reading 10 in each index) the log. co-sine of the half sum, and the log. sine of the remainder, half the sum of these four logarithms being sought for in the table of log. sines, will correspond to the hour of the day in one of the hour columns.*

### EXAMPLE I.

Suppose that on the 10th of October, 1824, sea account, at 8h. 21m. A. M. per watch, in the latitude of  $51^\circ 30'$  N. and long.  $114^\circ$  E. from Greenwich by account, the altitude of the sun's lower limb by a fore-observation is  $15^\circ 32'$ , the correction for semi-diameter, parallax and dip  $12'$ —Required the apparent time of observation?

By example III. page 111, the declination was  $6^\circ 34'$  S. this added to  $90^\circ$  gives the polar distance  $96^\circ 34'$ . To the sun's observed altitude  $15^\circ 32'$ , I add  $12$  miles and subtract the refraction  $4'$ , the remainder is the correct altitude  $15^\circ 40'$ .

\*The semi-diameter is in general about  $16'$ , the parallax never exceeds  $3'$ , and the dip is about  $4'$ ; as the two former corrections are additive and the latter subtractive, the effect of all three corrections will not differ materially from  $12'$  additive.

## TO FIND THE TIME AT SEA, AND REGULATE A WATCH. 157

complement of latitude; then add together the zenith distance, co-latitude, and polar distance, from half their sum subtract the zenith distance, and note the remainder; then add together the log. co-secant of the co-lat. (this and all the other logs. being found in Table XXVII.) the log. co-secant of the polar distance (rejecting 10 in each index) the sine of the half sum and the sine of the remainder, half the sum of these four logarithms being found among the log. co-sines, will correspond in one of the adjoined columns to the time of day.

The two preceding examples are thus worked by this method.

### EXAMPLE I.

	90° 0'		90° 0'		90° 0'
☉'s cor. alt.	13 40	latitude	51 30	☉'s dec.	6 34
Zen. dist. ....	76 20	co-lat.	38 30	Pol. dist.	96 34
Co-lat. ....	38 30	co-secant	0.20585		
Pol. dist. ....	96 34	co-secant	0.00286		
Sum .....	211 24				
½ Sum .....	105 42	sine .....	9.98349		
Zen. dist. ....	76 20				
Rem. ....	29 23	sine .....	9.69055		
		2)19.99275			
		co-sine 9.94137			

A. M. is 8h. 7m. 9s. the time of day, which agrees with the other method.

### EXAMPLE II.

	90° 0'		90° 0'		90° 0'
☉'s cor. alt.	15 54	latitude	39 54	☉'s dec.	17 28
Zen. dist. ....	74 6	co-lat.	50 6	Pol. dist.	72 32
Co-lat. ....	50 6	co-sec.	0.11511		
Pol. dist. ....	72 32	co-sec.	0.02050		
Sum .....	196 44				
½ Sum .....	98 22	sine	9.99535		
Zen. dist. ....	74 6				
Remainder ....	24 16	sine	9.61392		
		2)19.74478			
		co-sine 9.87239			

P. M. is 5h. 34m. 27s. the time of day, which agrees nearly with the first method.

By the preceding method you may find the beginning or ending of the twilight, by calculating the hour when the sun's zenith distance is 108° (or when the sun is 18° below the horizon) for by observation it has been found that the twilight begins or ends when the sun is at that distance from the zenith.

### EXAMPLE.

Required the time of beginning and ending of the twilight, June 23, 1820, at Boston?

Zen. dist. ....	108° 0'		
Co-lat. ....	47 37	co-secant	0.13156
Pol. dist. ....	66 33	co-secant	0.03744
Sum .....	222 10		
½ Sum .....	111 5	sine .....	9.96991
Zen. dist. ....	108 0		
Remainder ....	3 5	sine .....	8.73069
		sum .....	18.86960

½ sum co-sine 9.43480 which corresponds to 2h. 6m. 20s. A. M. and 9h. 53m. 40s. P. M. Therefore, the first appearance of the twilight in the morning was at 2h. 6m. 20s. and the end of it in the evening at 9h. 53m. 40s.



**TO FIND THE TIME AT SEA, AND REGULATE A WATCH. 159**

page 2d. of the month in the Nautical Almanac, the remainder will be the approximate time at the ship. To this time apply the longitude of the ship from Greenwich, turned into time, by adding in west longitude or subtracting in east longitude, the sum or difference will be the apparent time of the observation nearly, at the meridian of Greenwich.\* Take from the Nautical Almanac the sun's right ascension for the preceding and following noons, and take the difference, which seek for at the top of Table XXXI.† and the hours and minutes of the time at Greenwich in the side column, the corresponding correction being subtracted from the approximate time at the ship, will give the apparent time required.

**EXAMPLE I.**

Suppose that on September 9, 1820, sea account, in latitude  $7^{\circ} 45' S.$  and longitude  $30^{\circ} 18' E.$  from Greenwich, the altitude of the star Procyon, being then east of the meridian, was  $28^{\circ} 16'$  and the dip  $4'$ . Required the time of observation?

By Table VIII. for the year 1820.

Procyon's right ascension ..... 7h. 29' 52" Dec.  $5^{\circ} 41' N.$   
 Variation in  $8\frac{1}{2}$  months ..... 2 Var. 0

Star's right ascension ..... 7 29 54 Dec.  $5 41 N.$

Star's obs. alt. ....  $28^{\circ} 16'$   
 Dip ..... 4

Dec.  $5 41 N.$

90

Pol. dist.  $95 41$

28 12

Ref. Table XII. .... 2

Correct altitude .... 28 10

Latitude ..... 7 45

Polar distance .... 95 41

secant ... 0.00399

co-sec. ... 0.00214

Sum .....  $2)131 36$

$\frac{1}{2}$  Sum ..... 65 48

Alt. .... 28 10

co-sine ... 9.61270

Remainder ..... 37 38

sine ..... 9.78576

sum ..  $2)19.40459$

$\frac{1}{2}$  sum sine 9.70229 corresponding to which, in

the column P. M. is ..... 4h. 3m. 2s.

Star's right ascension ..... 7 29 54

Right ascension of the meridian . 3 27 52

Increased by ..... 24

27 27 52

Sept. 9. sea account, is September 8, by N. A. sun's R. A. noon ..... 11 7 20

Approximate time at the ship .... 16 20 32

Ship's longitude  $30^{\circ} 18'$  in time .. 2 1 12

Time at Greenwich nearly ..... 14 19 20

11h. 7m. 20s.

11 10 56

Star's right ascension September 8,  
 September 9,

Daily difference ..... 3 36 The correction of Table XXXI.

corresponding, is 2m. 9s. which being subtracted from the approximate time 16h. 20' 32"

leaves the apparent time at the ship 16h. 18' 23" or 4h. 18' 23" A. M.;

\* When the sum exceeds 24 hours, you must subtract 24 hours and add 1 to the day of the month, and when the hours to be subtracted are more than the hours of the time at the ship, you must add 24 hours to the latter, previous to the subtraction, and take 1 day from the day of the month.

† Table XXXI. is only calculated to 12 hours. If the time at Greenwich exceeds 12 hours, you must take out the correction for 12 hours, and add it to the correction taken out for the rest of the time; the sum will be the sought correction.

‡ If the ship was furnished with a Chronometer regulated to Greenwich time, the ☉'s Right Ascension might have been found at once from the Nautical Almanac to be the sum of 11h. 7m. 20s. and 2m. 9s. equal to 11h. 9m. 29s. which subtracted from 27h. 27m. 52s. gives the apparent time at the ship 16h. 18m. 23s. more simply than by the above method. The same remark will apply to other examples.

160 TO FIND THE TIME AT SEA, AND REGULATE A WATCH.

EXAMPLE II.

Suppose that on April 16, 1820, sea account, in lat.  $48^{\circ} 57'$  N. and long.  $66^{\circ}$  W. the observed altitude of Aldebaran when west of the meridian was  $22^{\circ} 25'$ , and the dip  $4'$ . Required the apparent time at the ship?

By Table VIII. for the year 1820, R. As. Aldeb.....	M. M. S. 4 25 36	Dec.	16° 8' N.
Variation for 3 $\frac{1}{4}$ months	1	Var.	0
Obs. alt. Aldeb....	22° 25'	Star's right asc.	4 25 37
Dip .....	4	Dec.	16 8 N. 90
	22 21	P. dist.	73 58
Refraction .....	2		
Cor. alt. Aldeb. ..	22 19	secant .....	0.18263
Latitude .....	48 57	co-sec. ....	0.01745
Pol. dist. ....	73 52		
Sum .....	2)145 8	co-sine .....	9.47654
$\frac{1}{2}$ Sum .....	72 34	sine .....	9.89584
Alt. ....	22 19	sum .....	2)19.56245
Remainder .....	50 15	$\frac{1}{2}$ sum sine ..	9.78123 corresponding to $4^{\text{h}} 57^{\text{m}} 36^{\text{s}}$
		Star's right ascension.....	4 25 37
in the column P. M. is .....		Right ascen. of the meridian....	9 23 1
		April 16, sea account, is April 15, by N. A. when $\odot$ 's rt. asc. noon ....	1 34 13
		Approximate time at ship.....	7 48 49
		Long. $66^{\circ}$ W. in time .....	4 36
		App. time at Greenwich.....	13 12 49
Sun's right ascen. April 15, 1h. 34m. 12s.			
April 16, 1 37 54			
Daily difference .....	3 42	the correction of Table XXXI. con-	
ponding, is 1m. 53s. which being subtracted from the approximate time at the ship,	7h. 48' 49"		

leaves the apparent time at the ship 7 46 56 P. M.

This method of obtaining the time by the stars would be accurate if a good horizon could be obtained; but as that is not always the case, it is best to regulate your watch by the sun:

To regulate a watch by equal altitudes of the sun.

A watch may be regulated on shore by observing in the morning and evening the times when the sun is at the same altitude,\* for the middle between these times would be the apparent time of noon by the watch if the declination of the sun remained the same during the observation; but if the declination varies, as is generally the case, the apparent time of noon determined in this manner (which for distinction we shall call the middle time) must be corrected for the change of declination by an equation, called the equation of equal altitudes, and the middle time thus corrected will

\* The altitudes should be taken when the sun rises or falls fast. The best time for observations is when the bearing of the sun is east or west. In general two or three hours from noon will be sufficient. An artificial horizon, formed by a vessel filled with mercury, may be used in taking these altitudes.

FIND THE TIME AT SEA, AND REGULATE A WATCH. 161

set time of apparent noon by the watch. For greater accuracy, several observations should be taken in the morning, and corresponding ones in the afternoon, and the mean of the times of the morning and evening observations should be respectively taken, and the equation of equal altitudes corresponding to the mean of all the observations calculated and applied to the middle time, as if a single set of observations only had been taken.

In noting the times of observation, you must count the hours in numerical progression, so that if some of the observations are taken before 12h. by the watch, and others after 12h. the next hour to 12h. must be called 13h. the next 14h. &c. Half the sum of the times of observation, corresponding to any set of observations (or the mean of a number of observations) will be the middle time, and the difference of the times of observation will be the elapsed time. The equation of equal altitudes consists of two parts, which may be calculated by the following rule:

Rule 1.—To the constant log. 8.8239 add the log. co-tangent of the latitude, the log. corresponding to the elapsed time found in the column P. M. of Table XXVII. the log. of the hours and minutes of the elapsed time, reckoned as minutes and seconds, and the prop. log. of the daily variation of the sun's declination, the sum, rejected in the index, will be the prop. log. of the first part of the equation of equal altitudes, reckoning minutes and seconds as seconds and thirds respectively.

To the constant log. 8.8239 add the log. co-tangent of the sun's declination, the tangent corresponding to the elapsed time found in the column P. M. of Table II. the prop. log. of the hours and minutes of the elapsed time reckoned as minutes and seconds, and the prop. log. of the daily variation of the sun's declination, the sum, being 30 in the index, will be the prop. log. of the second part of the equation of altitudes, reckoning minutes and seconds as seconds and thirds respectively.

The first part of the equation of equal altitudes is to be added to the middle time when the sun is receding from the elevated pole, otherwise subtracted; \* and the second part is to be added when the declination is increasing, but subtracted when decreasing; † these corrections, being applied to the middle time, will give the apparent time of noon by the watch.

EXAMPLE.

Suppose that on the 9th. of May, 1820, civil account, in the latitude of 40° N. and 10° W. the following observations were taken at equal altitudes of the sun. Read the error of the watch?

Alt. ☉'s L. L.	Times per watch.		Times per watch.	
	A. M.	P. M.	A. M.	P. M.
15° 35'	6h. 29m. 51s.		17h. 32m. 18s.	
15 45	6 31 7		17 31 0	
15 55	6 32 14		17 29 52	
Sum	93 12		93 12	
Mean	6 31 4		17 31 4	
			6 31 4	
Difference is elapsed time			11 0 0	
Sum			2)24 2 8	
Middle time			12 1 4	
Constant log.	8.8239		8.8239	
40° co-tang.	10.0762	dec. 17.25 cot. ....	10.5035	
time 11h. Sine.....	9.9963	tang. ....	10.8806	
time 11h. or 11' P. L.....	1.2139		1.2139	
Dec. 15' 48" † P. L.....	1.0566		1.0566	
12' 15" P. L.....	1.1669	2d. part 0' 36" P. L.	2.4785	

The first part of this equation 12' 15" is subtractive, because the sun is proceeding towards the elevated pole; and the second part 36" is additive, because the declination is increasing, so that the whole equation is about 12 seconds subtractive; this applied to the middle time 12h. 1m. 4s. gives the time of apparent noon by the watch 12h. 52s. so that the watch is 52 seconds too fast for apparent time.

In north latitudes the first part is to be added from the summer to the winter solstice, and subtracted the rest of the year.

It is here supposed that the elapsed time is less than 12 hours, which is generally the case, but if it exceeds 12 hours, the second part must be applied in a contrary manner to the above rule. On May 8 at noon, by the Nautical Almanac, the declination was 17° 21' 42", and on the following day 17° 30', the difference 8' 48", being the daily variation. The declination corresponding to the latitude 40° N. being 17° 25' N. nearly.

The angular distances of the moon from the sun and proper stars, are generally given in the Nautical Almanac from one object on each side of her, to afford a greater number of opportunities of observation, and to enable the observer to correct in a great degree, the errors of the instrument, the adjustments, or a faulty habit of observing the contact of the limbs, because these errors have a natural tendency to correct each other, in taking the mean of observations made with stars on different sides of the moon. Previous to taking the observation, the Nautical Almanac must be examined, to see from what objects the distances are computed, and from those objects only must the distances be measured.

There are only nine stars from which the angular distances are computed in the Nautical Almanac; and as it is of the greatest importance to be able to discover them easily, I shall here add a number of remarks which will be found useful for that purpose.

The best way of discovering any star, is by means of a celestial globe. If that cannot be obtained, the time of the star's passing the meridian, and its meridian altitude, may be calculated, and by observing at that time, the star may be easily discovered. The distances marked in the Nautical Almanac afford also to the observer an easy method of knowing the star from which the moon's distance is to be observed; for he has nothing to do but to set the sextant or circle to the distance computed roughly for the apparent time, estimated nearly for the meridian of Greenwich, and direct his sight to the east or west of the moon, according as the distance at Greenwich was found in the VIII. IX. X. and XI. pages of the month: and having found the reflected image of the moon upon the horizon glass, sweep the instrument to the right or left, and that image will pass over the sought star, if above the horizon, and the weather clear: the star is always one of the brightest, and is situated nearly in a line perpendicular to the moon's horus, or which is the same thing, in the line of the moon's shorter axis produced.

The computed distance made use of in sweeping for the star, may be found in this manner. Reckon the apparent time at the ship in the manner of astronomers (by counting 24 hours from noon to noon, and taking the day one less than the sea account;) to this time apply the longitude turned into time, by adding in west, and subtracting in east longitude; the sum or difference will be the apparent time at Greenwich nearly. Take the distances from the Nautical Almanac for the time immediately preceding and following this estimated time, and note the difference of these distances: Then say as 3h. or 180' is to the difference of the distances, so is the difference between the apparent time at Greenwich and the next preceding time set down in the Nautical Almanac, to a proportional part to be added to the next preceding distance taken from the Nautical Almanac if the distance be increasing, but subtracted if decreasing: the sum or difference will be the distance at which the quadrant or sextant is to be fixed.

In sweeping for the stars by this method, it will often happen that two or more are swept upon at once: this might cause some difficulty to an inexperienced observer, who would be at a loss to know which to make use of. To remove this, the following description of these stars is added.

α ARIETIS.

This star bears about west, distant 23° from the Pleiades or Seven Stars; it is of the second magnitude, and may be known by means of the star π of the third magnitude, situated S. W. from α Arietis at the distance of 3½ degrees. South from the star π at the distance of 1½°, is the star ζ, of the fourth magnitude. The northernmost of these stars is α Arietis.

\* α

+ π

+ ζ

ALDEBARAN.

About 35° E. from α Arietis, and 14° S. E. from the Pleiades or Seven Stars, is the bright star Aldebaran. Near this star, to the westward, are six or seven stars of the third or fourth magnitude, forming with Aldebaran a figure resembling the letter V, as is represented in the adjoining figure, where Aldebaran is marked α. At the distance of 23° from this star, in a S. E. direction, are three very bright stars, situated in a straight line near to each other, forming the belt of Orion.

α

+

+

+

+

+

The best method of regulating a watch at sea is by taking an altitude of the sun when rising or falling quickly, or when bearing nearly east or west, and noting the time by the watch. With this altitude, the latitude of the place, and the sun's declination, find the apparent time of observation by either of the preceding methods: the difference between this time and that shewn by the watch, will shew how much it is too fast or slow. A single observation taken with care will generally be exact enough; but if greater accuracy is required, the mean of a number of observations may be taken. If the distance of the sun and moon be observed when the sun is three or four points distant from the meridian, the apparent time of observation may be deduced from the altitude of the sun taken at the precise time of measuring the distance: this will render the use of a watch unnecessary, and will prevent any irregularity\* in its going, from affecting the result of the observation. If a night observation is to be taken, the watch should be regulated by an altitude of the sun taken the preceding evening, and its going examined by means of another observation taken the next morning: for the time found by an altitude of a star cannot be so well depended upon, except in the morning and evening twilight, as the atmosphere in the night is precarious, and the horizon generally ill defined; but the altitude may be sufficiently exact for finding the correction used in determining the angular distance.

Although all the instruments used in these observations ought to be well adjusted, yet particular care should be taken of the sextant or circle used in measuring the angular distance of the moon from the sun or star, since an error of 1' in this distance will cause an error of nearly 50' in the longitude deduced therefrom. When a great angular distance is to be measured, it is absolutely necessary to use a telescope, and the parallelism of it with respect to the plane of the instrument must be carefully examined: but in measuring small distances the use of the telescope is not of such great importance, and a sight tube may then be used, taking care, however, that the eye and point of contact of the objects on the horizon glass be equally distant from the plane of the instrument. But it ought to be observed that it is always conducive to accuracy to use a telescope, and after a little practice it is easily done.

Whilst one person is observing the distance of the objects, two others ought to be observing the altitudes: and the watch either suspended near one of the observers, or put into the hands of a fourth person appointed to note the times; the observer, who takes the angular distance, giving previous notice to the others to be ready with their altitudes by the time he has finished his observation, which being done, the time, altitudes, and distance† should be carefully noted, and other sets of observations taken, which must be done within the space of 15 minutes, and the mean of all these observations must be taken and worked as a single one.

When a ship is close hauled to the wind, with a large sea, or when sailing before the wind, and rolling considerably, it is difficult to measure the distance of the objects; but when the wind is enough upon the quarter to keep the ship steady, there is no difficulty, especially in small distances, which are much more easily measured than large ones, and are not so liable to error from an ill adjustment of the telescope: an observer would therefore do well to choose those times for observation, when the distance of the objects is less than  $70^{\circ}$  or  $80^{\circ}$ . An observation of the sun and moon is generally much easier to take when the altitude of the moon is less than that of the sun, because the instrument will be held in a more natural and easy manner. When the moon is near the zenith, the observation is generally difficult to take, and liable to be erroneous, because the observer is forced to place himself in a disagreeable posture. For the same reason, an observation of the moon and

\* It is not uncommon to find a difference in the regulation of a watch in the forenoon and afternoon; this difference generally arises from the irregularity in the going of the watch.  
 † If the distances are measured by a circular instrument, it will not be necessary to note the several distances measured, but only the times and altitudes, as the sum of all the distances measured by the circle will be given by the instrument at the end of the observations, and if the altitudes of the objects also measured by circular instruments it will not be necessary to note the several altitudes, but only the sum of observations.

a star is generally much easier to take when the star is lower than the sun. This situation of the objects may in most cases be obtained by tal observation at a proper time of the day. But it must be observed that neither of the objects ought to be at a less altitude than  $10^{\circ}$ , upon account of the uncertainty of the refraction near the horizon; for the horizontal refraction varies from  $33'$  to  $38' 40''$  only by an alteration of  $40^{\circ}$  in the zenith distance. This alteration might cause an error of two degrees in the longitude.

In taking the altitude of the moon, the round limb, whether it be the upper or lower, must be brought to the horizon. In damp weather it is difficult to observe the altitude of the stars, on account of their dimness, particularly  $\alpha$  Pegasi and  $\alpha$  Arietis. Sometimes they are so dim that they cannot be seen through the holes of the sight vane of a quadrant, particularly if the mirrors are not well silvered; in this case the vane must be turned round and the eye held in nearly the same place, or the altitude must be taken with a sextant furnished with a sight tube.

We have here supposed that there were observers enough to measure the altitudes when the distance was observed; but if that is not the case the altitudes may be estimated by either of the methods which will be hereafter given.

#### *Preparations necessary for working a Lunar Observation.*

Find the apparent time of observation by astronomical account, reckoning from noon to noon in numerical succession from 1 to 24, and taking the day of the month as the sea account; to this time apply the longitude turned into time by Table I. by adding if in west longitude, but subtracting if in east; the sum or difference will be the supposed time at Greenwich or reduced time.

In page VII. of the month of the Nautical Almanac. find the moon's semi-diameter and horizontal parallax, for the nearest noon and midnight before and after the time, and find the difference of the parallaxes and the difference of the semi-diameters; then enter Table XI. with these differences respectively in the side column under reduced time at the top, opposite the former and under the latter, will stand the corrections to be applied respectively to the semi-diameter and horizontal parallax; first in the Nautical Almanac, additive if increasing, subtractive if decreasing; the sum or difference will be the horizontal semi-diameter and the horizontal parallax respectively, at the time of observation. To this horizontal semi-diameter, must be added the augmentation from Table XV. corresponding to the moon's altitude, the sum will be the true semi-diameter of the moon.

The sun's true semi-diameter is to be found in page III. of the month of the Nautical Almanac.

To the observed altitude of the sun's or moon's lower limb add  $12'$ , but if the upper limb was observed, subtract  $20'$ , and from the star's observed altitude subtract the true semi-diameter of those objects respectively. §

To the observed distance of the moon from a star, add the moon's true semi-diameter if her nearest limb was observed, but subtract that semi-diameter if her farthest limb was observed; the sum or difference will be the apparent distance. But to the observed distance of the moon from the sun, add the moon's true semi-diameter if her nearest limb was observed, but subtract that semi-diameter if her farthest limb was observed.

\* Or by multiplying by 4 sexagesimally, in the manner directed in the note, page 124.

† When the sum exceeds 24 hours, you must subtract 24 hours and add one to the day of the month, and when the time to be subtracted is greater than the apparent time, the latter must be increased by one hour, and one day taken from the day of the month, conformable to the usual rules of addition and subtraction. If the chronometer used in taking the observation be regulated to Greenwich time, the part of the calculation will be unnecessary, because the reduced time at Greenwich will be given by the chronometer.

‡ These corrections may be found easily without the table, by saying, as 12 hours are to 12 minutes, so is the difference of semi-diameter or parallax to the corresponding correction. If the reduced time cannot be found accurately in the table, use the nearest numbers which will in general be sufficiently accurate.

§ These altitudes are supposed to be taken at sea by a fore-observation; and the apparent altitudes above numbers will give the apparent altitudes corresponding to observations taken on the common sized vessel (where the dip is about  $4'$  or  $5'$ ) to a sufficient degree of accuracy; if the vessel was 40 or 50 feet above the water,  $1'$  or  $2'$  might be taken from these altitudes. The proper corrections to be applied to these altitudes, will in general cause but a small error in the result of the calculation of a lunar observation, so that for all practical purposes the above method may be esteemed as sufficiently exact. It may also be observed, that the error arising from neglecting the refraction will not generally be greater than that arising from neglecting the equations depending on the diurnal motion of the earth, and on the density and temperature of the air; equations which are almost always neglected.

If any one wishes to obtain the apparent altitudes strictly, he must from the observed altitude subtract the dip of the horizon taken from Table XIII. and add or subtract the semi-diameter of the object according as the lower or upper limb was observed.

of the sun and moon's nearest limbs, add their true semi-diameters; the sum will be the apparent distance.

These preparations are necessary in every method of working a lunar observation. The most noted methods are those of Dunthorne, Borda, Maskelyne, Rios, Witchell, Lyons, &c. and improvements thereon by various authors.

Dunthorne's and similar methods, have one great advantage, in not being liable to a variety of cases; but those methods are tedious, when tables of logarithms to minutes only are used, by reason of the great exactness required in proportioning the logarithms to seconds. This is obviated in the excellent methods published by Rios and Stansbury, but they require large and expensive tables, and on that account are not in very general use. Witchell's and Lyon's methods do not labour under the inconvenience of requiring large tables, nor do they require any particular notice of the seconds in finding the sines and log. tangents, but these methods are embarrassed with a variety of cases: sometimes the corrections are additive, sometimes subtractive, and learners find a difficulty in rightly applying them. To remedy this, a method was published in the first edition of this work, in which two corrections were constantly additive, two subtractive, and one small correction was additive, when the distance was less than 90°, but subtractive when above 90°.

This method was further improved in the Appendix to that edition, by means of four new Tables, which are inserted in this edition, and numbered XVII. XVIII. XIX. and XX. by means of which the work is considerably shortened, and all the corrections rendered additive. This method will now be given, after making a few remarks on the manner of taking the corrections and logarithms from these new Tables.

Table XVII. contains a correction and logarithm to be used when the moon's distance from a star is observed, and Table XVIII. is a similar one, to be used when the moon's distance from the sun is observed. Both these Tables are so extended, that no proportional parts are necessary in taking out the corrections and logarithms, except the altitude of the Sun or Star is less than 7°. 30', and at such altitudes an observation is liable to error on account of the uncertainty of the refraction: so that, in using these tables, it is sufficiently accurate to find the number nearest to the given altitude of the sun or star, and make use of the corresponding correction and logarithm. Thus if the star's altitude is 12° 25', the nearest number in Table XVII. is 12° 21', corresponding to which are correction 55' 45", and logarithm 1.3161.

Table XIX. contains the corrections and logarithms corresponding to the moon's horizontal parallax and altitude, both being found at the same opening of the book. The corrections for seconds of parallax and minutes of altitude, are easily taken out by means of Tables A, B, C, placed in the margin. The method of finding these corrections is given at the bottom of the Table; they are always additive.

Besides the two logarithms taken from Table XVII. (or XVIII.) and XIX. this new rule requires only four logarithms to be taken from Table XXVII. to four places of figures, and to the nearest minute, it being in general unnecessary to proportion for the seconds.

We shall now give the rule for correcting the distance, and shall, for brevity, use the word sine, secant, and co-secant, instead of log. sine, log. secant, and log. co-secant respectively, and the same will be observed in the second and third methods of correcting the distance.

*Shortest method of correcting the Apparent Distance of the Moon from the Sun.\**

Add the apparent distance of the moon from the sun, to their apparent altitudes, and add the half sum. The difference between the half sum and the apparent distance, call the first remainder; and the difference between the half sum and the sun's apparent altitude, call the second remainder.

Take from Table XXVII. the following logarithms, which mark beneath each other in two columns, viz. the sine of the apparent distance to be marked in both columns, the co-secant of the second remainder to be marked also in both columns, the secant of the first remainder to be placed in the first column, and the secant of the half sum in the second column.†

Enter Table XVIII. (or Table XVII. if a star was used) and take out the correction corresponding to the sun's altitude (or star's:) take also from the same Table the corresponding logarithm, which place in column 1st.

Enter Table XIX. with the moon's apparent altitude and horizontal parallax, find the corresponding correction, which place under the former correction, and the logarithm, which place in column 2d.

\* This rule is the same as that for correcting the distance of the moon from a star, except in reading star for sun, and using Table XVII. instead of Table XVIII. If the distance of the moon from a planet's sun, its parallax may generally be neglected, considering it as a fixed star, and using Table XVII. However, if the planet's horizontal parallax is known, the corresponding correction of the distance may be found nearly as follows:

† Add together the 1st correction and the cor. Tab. XVII. call the sum S. Take the difference between S and 90° and to its prop. log. add the prop. log. of double of the planet's horizontal parallax, and the arithmetical complement of the log. found in Table XVII. the sum (rejecting 10 in the index) will be the prop. log. of the sought correction, which is to be added to the computed distance if S is less than 90°, or subtracted if S exceed 90°. See note page 129 for an example of this rule. Rejecting always the true in the index.

LUNAR OBSERVATIONS.

To find the true distance.

App. Dist.	47 34	Col. 1st.	8.8631	Col. 2d.	8.8631	App. Dist. less $\frac{2}{3} = 45$	43 48
* App. Alt.	80 31	size	same	same	0.2634	Table XVII.	59 14
App. Alt.	70 47	Rem. 53' 53" co-sec	0.2531	sum 84' 28" sec.	1.0132	Table XIX.†	42 03
Sum	168 52	Table XVII. log.	1.5676	Table XIX. log.*	2.568	Cor. 1.	1 29
Sum	84 26	Cor. 1' 29"	P. L. 20960	Cor. 7' 50" P. L.	1.3616	Table XX.	7 59
App. Dist.	47 34					True distance†	47 24 48
is. Rem.	36 52						
Sum	84 26						
* App. Alt.	50 31						
is. Rem.	33 55						

To find the longitude.

True distance	47 24 49	
Dist. by N. A. at 3h.	46 56 11	
Difference	28 38	P. L. 7934
Dist. by N. A. at 3h.	46 56 11	
at 6h.	43 23 59	
Difference	1 27 48	P. L. 3118
	0 58 42	P. L. 4566
	add 3	
Time at Greenwich	3 58 42	
Time at ship	12 6	
Longitude in time	8 7 18 = 121° 49' E. from Greenwich.	

EXAMPLE II.

Suppose that on the 20th September, 1820, sea account, at 7h. 23' 45", apparent time, in the longitude of 166° 30' W. by account, the observed distance of the nearest limb of the moon from the star Antares was 12' 34", the observed altitude of the star 12° 34', and the observed altitude of the moon's lower limb 20° 26'. Required the true longitude?

Preparation.

Sea account Sept. 20, is by the N. A. Sept. 19d. 7h. 23' 45".  
Long. 166° 30' W. in time 11 6

Reduced time Sept. 19	18 29 45	* obs. alt.	12 34
S. D. Sept. 13, midn.	16 55	sub.	4
Sept. 20, noon	15 49	* app. alt.	12 30
Difference	5	Obs. alt. L. L.	20 26
Table XI.	3		add 12
Sum	16 32	D App. Alt.	50 23
Aug. Table XV.	5	Obs. Dist. D * N. E.	81 03 18
D S. D.	15 43	D S. D.	18 43
		App. Dist. D *	81 20 1

\* This Log = Log. Table XIX. 2260 + Log. Table C 9 = 2263.  
 † This Corr. = Corr. Table XIX. 41' 49" + Corr. Table A 13' + Corr. Table B 6" = 42' 05".  
 If in this case the object, instead of being the fixed star Antares, had been a planet, whose horizontal parallax is 20", the correction of distance arising from this parallax, might be found by the rule in the note to page 167. Thus, the sum of the Corr. Tab. XVII. (58' 14") and Cor. 1 (1' 29") is 59' 43". Rejecting 60" the prop. log. of the remainder 0' 43" is 2.4000, the prop. log. of the double horizontal par. 40" is 2.4314. Their arith. comp. log. Table XVII. is 8.1524. The sum of these three logs. (rejecting 10 in the index), is equal to the prop. log. of 12" the required correction, subtractive from 47° 24' 43" above found, leaves 47° 21' 57".



LUNAR OBSERVATIONS.

To find the true distance.

App. Dist.	81 20	sin	9.9950	same	9.9860	App. Dist. less $\frac{0}{2} = 79$	20 01
* App. Alt.	12 30	2 Rem. 44' 44"	Co-sec 0.1525	same	0.1525	Table XVII.	55 47
† App. Alt.	20 38	1 Rem. 24 06	Sec. 0.0696	sum 57° 14' Sec.	0.2886	Table XIX. †	5 09
		Table XVII.	Log. 1.3194	Table XIX. Log. †	.1889	Cor. 1	5 28
Sum	114 28					Cor. 2	44 55
‡ Sum	57 14	1 Cor. 5' 36"	P. L. 1.5065	2 Cor. 44' 55" P. L.	6025	Table XX.	23
‡ Rem.	24 6						
2 Rem.	44 44					True distance	81 11 51

To find the longitude.

True distance	81 11 51	
Dist. by N. A. at 18h.	80 57 28	
Difference	14 23	P. L. 1.0974
Dist. by N. A. at 18h.	80 57 28	
at 21h.	82 50 17	
Difference	1 52 49	P. L. 2029
	0 23 57	P. L. 8945
Add.	18	
Time at Greenwich	18 23 57	
Time at ship	7 23 45	
Longitude in time	10 59 12	= 164° 48' W.

EXAMPLE III.

Suppose on April 25th 1820, at 2h. A. M. sea account, in the longitude of 166° E. by account, the observed distance of the moon's farthest limb from Antares was 76° 32' 15", the observed altitude of the star 25° 34', the observed altitude of the moon's lower limb 17° 59'. Required the true longitude?

Preparation.

Sea account April 25, or by N. A. April 24th	14h. 0'				
Long. 166° E.	11' 4"				
Reduced time	April 24th 2 58				
‡ S. D. April 24, noon	14' 51"	‡ Hor. Par. noon	54' 23"	* Obs. Alt. . . .	23° 34'
midn.	14 53	midn.	54 31	sub.	4
Difference	2	Difference	8	* App. Alt.	23 30
Table XI.	0	Table XI.	2	‡ Obs. Alt. L. L.	17 59
Sum	14 51	‡ Hor. Par.	54 25	add	72
Aug. Tab. XV.	5			‡ App. Alt.	18 11
Sub. ‡ S. D.	14 58			Obs. Dist.	76° 32' 15"
				Sub. ‡ S. D.	14 58
				App. Dist.	76 17 59

To find the true distance.

App. Dist.	76 17	Col. 1st.	9.9874	same	9.9874	App. Dist. less $\frac{0}{2} = 76$	17 19
* App. Alt.	23 30	2 Rem. 35° 29' co-sec	0.2362	same	0.2362	Table XVII.	57 59
† App. Alt.	18 11	1 Rem. 17° 18' sec.	0.0201	sum 58° 58' sec.	0.2879	Table XIX. ‡	10' 51
		Table XVII. log.	1.5784	Table XIX. log. ‡	2452	1 Cor.	2 42
Sum	117 58					2 Cor.	81 46
‡ Sum	58 29	1 Cor. 2' 42" P. L.	1.3231	2 Cor. 51' 40" P. L.	0.7547	Table XX.	23
‡ Rem.	17 18					True distance	76 08 45
2 Rem.	35 29						

\* This Log = Log. Table XIX. 1883 + Corr. Table C 5 = 1882.  
 † This Corr. = Corr. Table XIX. 5' 5" + Corr. Table A 2' + Corr. Table B 2' = 5' 8".  
 ‡ This Log = Log. Table XIX. 2428 + Corr. Tab. C 6 = 2422.  
 ‡ This Corr. = Corr. Table XIX. 10' 19" + Corr. Tab. A 82" + Corr. Tab. B 0" = 10' 51".

LUNAR OBSERVATIONS.

To find the true longitude.

True distance 76° 00' 45"	} Difference 0° 0' 12"	P. L. 2.9542
By N. A. distance at 3h. 76 00 57		
6h. 74 30 58		
	0h. 0' 24"	P. L. 2.6531
	add 3	
	Time at Greenwich 3 0 24	
	Time at Ship 14	
	Difference is long. in time 10 59 36=164° 54' E. from Greenwich.	

EXAMPLE IV.

Suppose that on the 31st October, 1820, sea account, at about 1h. P. M. in the longitude of 75° W. by account, the following observations of the sun and moon were taken. Required the true longitude?

Preparation.

Time per watch.	Observed distance. ☉ ☾ N. L.	Observed Alt. ☉ L. L.	Observed Alt. ☾ L. L.
0h. 58' 5"	68° 43' 49"	45° 57'	17° 18'
0 59 8	43 18	59	17 9
1 0 10	42 47	48	16 59
1 1 4	42 20	44	16 48
1 1 53	41 56	39	16 36
5) 5 0 20	14 10	340	84 50
1 0 4	68 42 50	45 48	16 58
App. time	☉ S. D. 16 9 ☾ S. D. 14 53	add 12	add 12
	69 13 52	46 0	17 10
	App. Dist.	App. Alt. ☉	App. Alt. ☾

Sea account 31 Oct. or N. A. Oct. 30d. 1h. 0' 4"  
Long. 75° W. . . . . 5

Reduced time Oct. . . . . 30d. 6h. nearly.	
☾ S. D. Oct. 30, noon . . . . 14' 50"	☾ Hor. Par. Oct. 30, noon 54' 21"
midnight.. 14 48	midn. 54 13
Difference . . . . . 2	Difference . . . . . 8
Table XI. . . . . 1	Table XI. . . . . 4
	☾ Hor. Par. . . . . 54 17
Aug. Table XV. . . . . 4	
☾ S. D. . . . . 14 53	

To find the true distance.

App. Dist. 69 14	size 2.9700	same 2.9700	App. Dist. less 2-37	13 52
☉ App. Alt. 45 59	Rem. 29° 12' co-s. 0.4810	same 0.4810	Table XVIII	59 11
☾ App. Alt. 17 10	Rem. 3 2 sec. 0.0005	sum 05 12 sec. 0.2941	Table XIX †	10 52
	Table XVII log. 1.5948	Table XIX log.* 2.4571	1 Cor.	52
Sum 122 24			2 Cor.	15 14
1 Rem. 68 12	Cor. 52' P. L. 2.3180	2 Cor. 15' 14" P. L. 1.0726	Table XX	22
2 Rem. 3 2				
3 Rem. 20 12			True distance	68 40 23

\* This Log=Log. Tab. XIX. 2484+Cor. Tab. O 2=2457.

† This Corr.=Corr. Tab. XIX. 10' 12'+Corr. Tab. A 40'+Corr. Tab. B 0'=10' 52'.

LUNAR OBSERVATIONS.

To find the true longitude.

True distance	68° 40' 23"	} Difference	0° 0' 6"	P. L.	3.2552
By N. A. Dist. at 6h.	68 40. 29		Difference	1 21 18	P. L.
By N. A. Dist. at 9h.	67 19 11				
		add	Oh. 0' 13"	P. L.	2.9101
			6		
Time at Greenwich	.....		6 0 13		
Time at Ship	.....		1 0 4		
Difference is long. in time	5 0 9				= 75° 2' W. from Greenwich.

EXAMPLE V.

Suppose that on the 5th May, 1820, sea account, at about 4h. 4' P. M. in the latitude of 50° 1' S. and in the longitude of 1° E. by account, the following observations of the sun and moon were taken. Required the true longitude?

Preparation.

	Observed Dist.		Observed Alt.		Observed Alt.	
	☉	☾ N. L.	☉	L. L.	☾	's U. L.
	101	43 35"		14 53'		41 58'
		41 33		15 21		34
		40 22		15 49		4
Sun's	3)	124 27		46 3		96
Mean		101 41 29		15 21		41 32
Index errors		— 3		— 3		+ 8
Cor. Index errors		101 41 26		15 18		41 40
	☉ S. D.	15 52	add	12	sub.	20
	☾ S. D.	16 14				
		102 13 32		15 30		41 20
	App. Dist.		☉ App. Alt.		☾ App. Alt.	

Sea account, May 5, or N. A. May 4d. 4h. 4'  
Longitude 1° E. .... 4

Reduced time	.....	May 4d. 4h.	
☾ S. D. May 4, noon	16' 3"	☾ Hor. Par. noon	..... 58' 46"
midnight	16 6	midnight	..... 59 58
Difference	..... 3	Difference	..... 10
Table XI.	..... 1	Table XI.	..... 3
	16 4	☾ Hor. Par.	..... 59 51
Aug. Table XV.	..... 10		
☾ S. D.	..... 16 14		

To find the true distance.

App. Dist.	102 14	sine	9.9900	same	9.9900	Ap. Dis. less $\frac{1}{100}$	79
☉ App. Alt.	15 30	Rem. 64° 2' co-sec.	0.0462	same	0.0462	Table XVIII.	26
☾ App. Alt.	41 20	Rem. 22 42 sec.	0.0830	sum 79° 52' sec.	0.7407	Table XIX.	16
		Table XVIII. log.	1.4287	Table XIX. log.	1.851	1st. Cor.	5
Sum	169 4	Cor. 5° 43' P. L.	1.4973	Cor. 19' 12" P. L.	.9720	2d. Cor.	19
Sum	79 32					Table XX.	16
1st. Rem.	22 42						16
2d. Rem.	64 2						16
						True distance	101 24

LUNAR OBSERVATIONS.

173

To find the apparent time and true longitude.

Correct Altitude <sup>o</sup>	15° 27'			True distance	101° 52' 3"	
Lat. of Ship	50 1	secant	0.06254	By N. A. dist. at 0h.	102 25 6	
Polar Distance	105 4	co-secant	0.01706			
Sum	151 32			Difference	33 3	P. L. 7361
Half Sum	75 46	co-sine	9.30071	By N. A. dist. at 3h.	102 25 6	
Half Sum—Altitude	60 19	sine	9.93601	6h	100 47 39	
Sum			2713.69946	Difference	1 37 27	P. L. 2635
Apparent time 4h, 5' 32"		sine	9.70473	add	1h. 1' 3"	P. L. 4696
				Time at Greenwich	4 1 3	
				Time at Ship	4 3 32	
				Longitude in time	2 29—0° 37' E. from	[Greenwich.]

EXAMPLE VI.

Suppose that on the 8th of February, 1820, sea account, at about 8h. 36' A. M. in the longitude of 21° W. from Greenwich by account, six distances of the sun and moon's nearest limbs were observed by a circle of reflection to be 464° 10' 12" the corresponding times and altitudes being as in the following Table. Required the true longitude?

Preparation.

Apparent time per watch, A. M.	Observed distance ⊙ ( N. L.	Observed Alt. ⊙ L. L.	Observed Alt. ⊃ U. L.
8h. 33' 24"	Sum of the distances taken from the circle at the end of the observations.	34° 1'	61° 47'
34 36		34 13	61 35
35 18		34 21	61 27
36 36		34 31	61 17
37 4		34 39	61 9
39 2		35 3	60 45
6) 36 0	464° 10' 12"	206 48	368 0
8 36 0	77 21 42	add 34 28	sub. 61 20
App. time	⊙ S. D. 16 14	add 12	sub. 20
	⊃ S. D. 15 56		
	77 53 52	34 40	61 0
	App. Dist.	⊙ App. Alt.	⊃ App. Alt.

Feb. 8, sea account, or by N. A. Feb. Long. 21° W.

7d. 20h. 36'  
1 24

Reduced time Feb.

7d. 22h.

⊃'s S. D. Feb. 7, midnight  
Feb. 8, noon

15' 36"  
15 43

⊃'s Hor. Par. Feb. 7, midnight  
Feb. 8, noon

57' 9"  
57 37

Difference  
Table XI.

7  
6

Difference  
Table XI.

28  
23

Aug. Tab. XV.

15 42  
14

⊃'s Hor. Par.

57 32

⊃'s S. D.

15 56

To find the true distance.

App. Dist.	77 54	sine	9.9902	same	9.9902	Ap. Dist. less $\frac{2}{75}$	77 52
⊙ Ap. Alt.	34 40	2 Rem. 52° 7' co-sec.	0.1022	same	0.1022	Table XVIII.	58 44
⊃ Ap. Alt.	61 0	1 Rem. 8 53 sec.	0.0052	sum	96° 47' sec.	Table XIX.	32 20
Sum	173 34	Tab. XVIII. Log.	1.7702	Table XIX Log.	2025	1st. Cor.	2 23
2d. Rem.	86 47	Cor. 2° 29' P. L.	1.8684	2 Cor. 5° 7' P. L.	1.5464	2d. Cor.	6 7
2d. Rem.	82 7					Table XX.	13
						True distance	77 32 47

The correct altitude is found by subtracting the refraction 3' from the apparent altitude 18° 50'.  
 The Polar Distance is found by adding the Declination 16° 4' N. (corresponding to the reduced time)  
 This log.—Log. Table XIX. 2016—Log. Tab. C 9=2025.  
 This Cor.—Corr. Table XIX. 32° 7'—Corr. Tab. A 13°—Corr. Tab. B 6°—25' 20"

## LUNAR OBSERVATIONS.

To find the true longitude.

	True distance	77° 32' 47"	}	Difference 0° 30' 54" P. L.	7653
By N. A. Dist. Feb. 7, 21h.	78 3 41			Difference 1 39 9 P. L.	2908
Feb. 9, 0h.	76 31 32				
			1h. 0' 22"	P. L.	4745
	add	21			
	Time at Greenwich	22 0 22			
	Time at Ship	20 36			
	Diff. is Long. in time	1 24 22=31° 5' W. from Greenwich.			

Second method of finding the true distance of the Moon from the Sun or a Star.

From the sun's refraction (Table XII.) take his parallax in altitude (Table XIV.) the remainder will be the correction of the sun's altitude.

The star's refraction (Table XII.) is the correction of its altitude.

From the proportional logarithm of the moon's Horizontal Parallax\* increasing the index by 10, take the sine of the moon's apparent zenith distance (Table XXVII.) the remainder will be the prop. log. of the parallax in altitude, which must be found in Table XXII. and the moon's refraction (Table XII.) subtracted therefrom, the remainder will be the correction of the moon's altitude.†

Add together the apparent distance of the sun and moon (or star and moon) and their apparent zenith distances (or complement of their apparent altitudes) and note the half sum of these numbers: the difference between the half sum and the moon's apparent zenith distance call the *first remainder*; and the difference between the half sum and the sun's (or star's) apparent zenith distance call the *second remainder*.

To the constant log. 9.6990 add the co-secant of the half sum and the sine of the apparent distance (both taken from Table XXVII.) the sum, rejecting 90 from the index, will be a reserved logarithm.

To the reserved logarithm add the sine of the sun's (or star's) apparent zenith distance, the co-secant of the first remainder (both taken from Table XXVII.) and the prop. log. of the correction of the sun's (or star's) altitude (Table XXII.) the sum, rejecting 90 from the index, will be the prop. log. of the *first correction* to be found in Table XXII.

To the reserved logarithm add the sine of the moon's apparent zenith distance, the co-secant of the second remainder (Table XXVII.) and the prop. log. of the correction of the moon's altitude (Table XXII.) the sum, rejecting 90 from the index, will be the prop. log. of the *second correction*, to be found in Table XXII.

Then to the apparent distance add the correction of the moon's altitude, and the first correction, and subtract the sum of the second correction and the correction of the sun's altitude, the remainder will be the corrected distance.

Add 60' to the correction of the moon's altitude, and 60' to the difference between the correction of the moon's altitude and the second correction; find both these sums in the side column of Table XX. and in either of the vertical columns, under the corrected distance, find the seconds corresponding,‡ the difference of these two numbers will be a number of seconds to be added to the corrected distance when less than 90°, but subtracted when above 90°, the sum or difference will be the true distance.

\* Instead of finding the moon's horizontal parallax from the Nautical Almanac, we may find the proportional logarithm thereof in the same page of the month of that work. Thus if we would work Example III. preceding, by this rule, we might take out the log's 5193 and 5187, instead of the Hor. Par. 54' 23" and 54' 31", and obtain by means of Table XL the sought log. 5193 without referring to Table XXII.

† All these corrections may be found by means of Tables XVII. XVIII. and XIX. Thus the correction of Table XVII. subtracted from 60 minutes, will give the correction of the star's altitude. The correction of Table XVIII. subtracted from 60 minutes, will give the correction of the sun's altitude. The correction of Table XIX. subtracted from 59' 42" will give the correction of the moon's altitude. Perhaps the use of these Tables in this and in the following method, would not be inconvenient.

‡ This logarithm was found before, in calculating the correction of the moon's altitude.

§ Observing to take both numbers from the same vertical column. It may be observed that the numbers in one of the columns of Table XX. of this collection, are the same as those of Table XIX. of the second edition, and the numbers in the other column differ 18" from the former; but the numbers in the column of Table XIX. differ 60' from those in Table XX. so that in using Table XIX. edition it is unnecessary to add 60' to the correction of the moon's altitude and the first correction; this rule is that Table rather more convenient in this second method, than Table XX. of this collection.

## LUNAR OBSERVATIONS.

175

**EXAMPLE—(the same as Example I. preceding.)**

Suppose the apparent distance of the centre of the moon from the star Aldebaran was  $47^{\circ} 33' 48''$ , the apparent altitude of the star  $50^{\circ} 31'$ , the apparent altitude of the moon's centre  $70^{\circ} 47'$ , and the proportional logarithm of the moon's horizontal parallax 5199. Required the true distance of the moon from the star?

▷ App. Alt.	80° 0'	* Ap. Alt.	90° 0'	Hor. Par. P. Log.	10.5199	
	70 47		80 31	▷ Z. D. 18° 13' sine	8.5174	* Refrac. 47"
▷ Zen. Dist.	13 13	* Zen. Dist.	89 29		1.0023	
				▷ Refraction . . . . .	20	
				Cor. ▷ Alt. . . . .	17 34	
App. Dist.	47° 34'	Constant log. . . . .		9.6890		
▷ Zen. Dist.	19 13	▷ Sum 58° 8' co-sec. . . . .		10.0969		
* Zen. Dist.	89 29	Dist. 47. 84 sine . . . . .		8.8631		
Sum	106 16	Reserved Log. . . . .		9.6840	Reserved Log. . . . .	9.6640
‡ Sum	88 8	* Zen. Dist. 36° 29' sine . . . . .		8.8034	▷ Zen. Dist. 19° 13' sine	8.5174
▷ Zen. Dist.	19 13	1 Rem. 33 65 co-sec. . . . .		8.2504	2d. Rem. 15 29 co-sec.	8.6271
1st Rem.	33 55	* Cor. 0' 47" P. L. . . . .		2.3618	▷ Cor. 17 34" P. L.	1.0106
Half sum	44 4	1 Cor. 1 29 P. L. . . . .		2.0821	2d. Cor. 27 18 P. L.	0.8171
* Zen. Dist.	30 29					
2d. Rem.	13 30	Apparent distance . . . . .		47° 33' 48"		
		Add { First Correction . . . . .		1 20		
		{ Cor. ▷ Alt. . . . .		17 53		
		Sub. { 2d. Cor. 27 18" } . . . . .		47 52 51		
		{ Cor. * Alt. 47" } . . . . .		28 6		
		Corrected distance . . . . .		47 24 46		
		Correction Table XX. . . . .		1		
		True distance . . . . .		47 24 47	differing 2" from the former method.	

We shall now give a third method of correcting the apparent distance, being an improvement on Wittell's method, which was published in the former edition of this work. This improvement was made in consequence of a suggestion from a gentleman eminently distinguished for his mathematical acquirements,\* that, by a small variation in the calculation, the number of cases might be lessened: and, upon examination, it was found that by making other alterations, the number of cases might be farther decreased, and the manner of applying the corrections rendered more simple. The method thus improved is as follows.

*Third method of finding the true distance of the Moon from the Sun or Star.*

From the sun's refraction (Table XII.) take his parallax in altitude (Table XIV.) the remainder will be the correction of the sun's altitude.

The star's refraction is the correction of its altitude.  
 From the proportional logarithm of the moon's horizontal parallax, increasing the index by 10, take the co-sine of the moon's apparent altitude (Table XXVII.) the remainder will be the proportional logarithm of the moon's parallax in altitude; from which, subtracting the moon's refraction (Table XII.) the remainder will be the correction of the moon's altitude. †

1. Add together the apparent altitudes of the moon and sun (or star) and take the half sum; subtract the lesser altitude from the greater, and take the half difference; then add together
    - The tangent of the half sum,
    - The co-tangent of the half difference,
    - The tangent of half the apparent distance.
- The sum, rejecting 90 in the index, will be the tangent of the angle A, which must be sought for in Table XXVII. and taken out less than 90° when the sun's altitude is less than the moon's, otherwise greater than 90°. ‡ The difference of the angle A,

\* The late Chief Justice Parsons.  
 † These corrections may be found by Tables XVII. XVIII. XIX. as was shown in the note to the second method, page 174.  
 ‡ Every co-tangent in Table XXVII. corresponds to two angles, one greater than 90°, the other less.

## LUNAR OBSERVATIONS.

and half the apparent distance, is to be called the *first angle*, and their *sum* the *second angle*.

2. Add together the tangent of the first angle.

The co-tangent of the sun or star's apparent altitude.

The prop. log. of the correction of the sun or star's altitude.

The sum, rejecting 20 in the index, will be the prop. log. of the *first correction*.

Or the refraction (Table XII.) corresponding to the first angle or its supplement, will be the first correction nearly; particularly if the altitude of the sun or star be great, and the first angle be near  $90^\circ$ .

3. Add together, the tangent of the second angle,

The co-tangent of the moon's apparent altitude,

The prop. log. of the correction of the moon's altitude,

The sum, rejecting 20 in the index, will be the prop. log. of the *second correction*.

4. The first correction is to be added to the apparent distance when the first angle is less than  $90^\circ$ , otherwise subtracted; and in the same manner the second correction is to be added when the second angle is less than  $90^\circ$ , otherwise subtracted. By applying these two corrections, we shall obtain the corrected distance or *third angle*.

5. Add  $60''$  to the correction of the moon's altitude and to the second correction; find both these numbers in the side column of Table XX. and in either of the vertical columns,\* under the third angle, find the numbers corresponding; the difference of these two numbers will be a number of seconds to be added to the third angle when less than  $90^\circ$ , but subtracted when above  $90^\circ$ , the sum or difference will be the true distance.

Thus it appears that the first, second and third corrections, depend on the first, second and third angles respectively; if either of those angles be less than  $90^\circ$  the corresponding correction will be *additive*: but if more than  $90^\circ$ , *subtractive*. This rule being uniform for applying all three corrections, makes it more easy to be remembered.

## EXAMPLE—(the same as Example I. preceding.)

Suppose the apparent distance of the centre of the moon from the star Aldebaran was  $47^\circ 33' 49''$ , the apparent altitude of the star  $50^\circ 31'$ , the apparent altitude of the moon's centre  $70^\circ 47'$ , and the proportional logarithm of the moon's horizontal parallax 5199. Required the true distance of the centre of the moon from the star?

▷ App. Alt. $70^\circ 47'$						Hor. Par. P. L. 10.5199	
* App. Alt. $50 31$						▷ App. Alt. $70^\circ 47'$ cor. 2.5174	* Ref. 4'
Sum . . . 121 18	Half Sum $60^\circ 39'$	tan.	10.23602			17' 54" P. L. 1.0025	
						20 ▷ Refraction	
Diff: . . . 20 16	Half Diff. 10 8	co-t.	10.74721			17 34 cor. ▷ Alt.	
	Half Dist. 23 47	tan.	9.64415			Apparent Distance $47^\circ 33' 48''$	
	Angle A 77 0	tan.	10.64192			1st cor. add . . . . . 42	
Differ. is	1st Angle 53 22	tan.	10.1237			2d cor. sub. . . . . 9 44	
	* App. Alt. 50 31	co-t.	9.9158			3d Angle . . . . . 47 24 46	
	Cor. * Alt. 47'	P. L.	2.9615			3d cor. . . . . 1	
	1st Corr. 42	P. L.	2.4058			True distance . . . . . 47 24 47	
Sum is second Angle	100 56	tan.	10.7140			Diff. 2'' from the former method.	
	▷ App. Alt. 70 47	co-t.	9.5423				
	Cor. ▷ Alt. 17' 31"	P. L.	1.0196				
	Second cor. 9 41	P. L.	1.2683				

If the star's altitude had been greater than the moon's, the angle A would have been  $102^\circ 51'$ . The first angle in this example is  $53^\circ 22'$  and the refraction (Table XII.) corresponding, is  $43''$ , which is nearly equal to the first correction.

## Method of taking a Lunar Observation by one observer.

Three observers are required to make the necessary observations for determining the longitude; one to measure the distance of the bodies, and the others to take the altitudes. In case of not having a sufficient number of instruments or observers

\* Both numbers must be taken from the same vertical column, as was observed in the note to the second method, and the other remarks of that note are applicable to this method.

take the altitudes it has been customary to calculate them ; there being given the latitude of the place, the apparent time, the right ascensions and the declinations of the objects. These calculations are long, when an altitude of a star is to be computed, and much more so when that of the moon is required ; and a considerable degree of accuracy is required in finding, from the Nautical Almanac, the moon's right ascension and declination, which must be liable to some error on account of the uncertainty of the ship's longitude. The following method of obtaining those altitudes is far more simple, and sufficiently accurate. This method depends on the supposition that the altitudes increase or decrease uniformly.

Before you measure the distance of the bodies, take their altitudes, and note the times by a watch, then measure the distance and note the time (or you may measure a number of distances, and note the corresponding times, and take the mean of all the times and distances for the time and distance respectively)—after you have measured the distances, again measure the altitudes, and note the times : Then from the two observed altitudes of either of the objects, the sought altitude of that object may be found in the following manner :

Add together the proportional logarithm (Table XXII.) of the variation of altitude\* of the object between the two times of observing the altitudes, and the prop. log. of the time elapsed between taking the first altitude and measuring the distance ; from the sum subtract the prop. log. of the time elapsed between observing the two altitudes of that object ; the remainder will be the prop. log. of the correction to be applied to the first altitude, additive or subtractive according as the altitude was increasing or decreasing ; to the altitude thus corrected, apply the correction for dip of the horizon and semi-diameter as usual.

EXAMPLE.

Suppose the distances and altitudes of the sun and moon were observed as in the following Table : It is required to find the altitudes at the time of measuring the mean distance ?

	Time.	Dist. ☉ and ☾ N. L.		Time.	Alt.	Observed. ☾'s L. L.		Time.	Alt.	Observed. ☉'s L. L.
	2h. 3m. 20s.	40° 0' 0''		2h. 2m. 0s.	6	20° 46'		2h. 2m. 30s.	7	40° 30'
	4 20	0 30			10	21 20			0	39 12
	5 20	1 30		4 10		34		4 30		1 8
Mean	2 4 30	40 0 40								

Var. ☾'s alt.	34'	P. L.	7238	Variation ☉'s alt.	1° 8'	P. L.	4528
Time bet. obs. ☾	2h. 2' 0''			Time 1st obs. sun	2h. 2' 30''		
Mean obs. of dist.	2 4 30			Time mean obs.	2 4 30		
Difference	2 30	P. L.	1.8573	Difference	2 0	P. L.	1.8542
			2.5811	Sum			2.3770
Elapsed time between the two observations	4' 10''	P. L.	1.6355	Elapsed time between the two observations	4' 30''	P. L.	1.6021
Correction of alt.	0° 20'	P. L.	9456	Correction of alt.	0° 30'	P. L.	7749
1st. alt. of moon	20 46	add		Sub. from sun's 1st. alt.	40 20		
Alt. ☾'s L. L. at time of these obs.	21 6			Alt. ☉'s L. L. at time of the mean obs.	39 50		

Thus at the time 2h. 4' 30'', the mean observed distance of the sun and moon's nearest limbs was 40° 0' 40'', the altitude of the moon's lower limb 21° 6', and the altitude of the sun's lower limb 39° 50'; these altitudes must be corrected for dip and semi-diameter as usual.

\* Table XXII. is only calculated as far as 3°, and if the variation of altitude exceed that quantity, you must enter the table with minutes and seconds, instead of degrees and minutes, and the correction of altitudes taken out in minutes and seconds must be called degrees and minutes respectively.

Or add its arithmetical complement, neglecting 10 in the index of the sum.



LUNAR OBSERVATIONS.

In this manner I have often obtained the altitudes in much less time than they could have been obtained by other calculations.

The same method may be used for finding the sun's altitude, when taking an azimuth, by noting the times of taking the observations by a watch, and taking two altitudes the one before, the other after the observation, and proportioning the altitudes as above.

Any person who wishes to calculate strictly the apparent altitudes, may proceed according to the following rules.

The apparent time, the ship's latitude and longitude, and the sun's declination given, to find the apparent altitude of his centre.

RULE.

With the apparent time from noon, enter Table XXIII. and from the column rising take out the logarithm corresponding, to which add the log. co-sine of the latitude, and the log. co-sine of the sun's declination; their sum, rejecting 20 in the index, will be the logarithm of a natural number, which being subtracted from the natural co-sine of the sum of the declination and latitude, when they are of different names, or the natural co-sine of their difference when of the same name, will leave the natural sine of the sun's true altitude at the given time. The refraction less parallax being added to the true altitude, will give the apparent altitude.

In general it will be near enough to take out the refraction only from Table XII. neglect the parallax.

EXAMPLES.

Required the true altitude of the sun's centre, in lat.  $49^{\circ} 57' N.$  and long.  $75^{\circ} W.$  July 26, 1820, at 6h. 56m. 30s. in the morning, sea account?

	H. M. S.		
	12 0 0		
App. time	6 56 30		
Time from noon	5 3 30	its log. in col. of rising	.4577 290
Latitude	49 57 ON.	its log. co-sine	.9827 282
Decln. at that time	19 26 ON.	its log. co-sine	.9777 458
Difference	30 31	nat. number	.45872 its log. = 4.6577 5-5
		nat. co-sine	.96148
True alt.	23° 45'	nat. sine	.40276
Refraction	2		
App. alt.	23 47		

EXAMPLE II.

What will be the true altitude of the sun's centre in the latitude of  $39^{\circ} 30' N.$  and the longitude of  $40^{\circ} 50' W.$  November 26, 1890, at 3h. 21m. 30s. apparent time in afternoon, sea account?

	H. M. S.		
	3 21 30		
App. time from noon	3 21 30	its log. in col. of rising	.4577 290
Latitude	39 30 ON.	log. co-sine	.9827 282
Decln. at that time	20 52 OS.	log. co-sine	.9777 458
Sum	60 12	nat. number	.26181 its log. = 4.4187 7-5
		nat. co-sine	.49687
True alt.	13 36	nat. sine	.23518
Refraction	4		
App. alt.	13 40		

The apparent time, the latitude and longitude given, to find the apparent altitude of a fixed star.

RULE.

Turn the longitude into time, and add it to, or subtract it from, the apparent time\*

\* The apparent time must be taken (as usual) one day less than the sea account, and the hours must be reckoned from noon to noon in numerical succession from 1 to 24. It may also be observed, that if the observer be furnished with a chronometer, regulated to mean Greenwich time, this part of the operation may be saved, reducing the mean time to apparent, by applying the equation Table IV. A, with a different sign from that in the Table, as is taught in the introduction to the tables.

at the ship, according as the longitude is west or east, the sum or difference will be the time at Greenwich.

Find, in the Nautical Almanac, the sun's right ascension for the noon preceding the time at Greenwich, and add thereto the correction taken from Table XXXI. corresponding to the hours and minutes of the time at Greenwich, the sum will be the sun's right ascension, which being added to the apparent time at the ship, will give the right ascension of the meridian, rejecting 24 hours when the sum exceeds 24 hours.

Find the star's right ascension and declination in Table VIII for the year 1820, and correct them for the years elapsed since that time, by means of the annual variations given in the same table, and you will obtain the star's right ascension and declination at the time of observation.\*

The difference between the star's right ascension and the right ascension of the meridian, will be the distance of the star from the meridian.

Find in the column of rising of Table XXIII. the logarithm corresponding to the star's distance from the meridian,† and add thereto the log. co-sine of the latitude of the ship, and the log. co-sine of the declination of the star, the sum, rejecting 20 in the index, will be the logarithm of a natural number (Table XXVI.) which subtracted from the natural co-sine (Table XXIV.) of the sum of the declination and latitude when of different names, or the natural co-sine of their difference when of the same name, will leave the natural sine of the star's true altitude.

The refraction being added to the true altitude will give the apparent altitude.

EXAMPLE.

What was the apparent altitude of Aldebaran, at Philadelphia, April 12, 1820, sea account, at 5h. 57m. 18s. in the afternoon, apparent time?

In Table VIII. the right ascension of Aldebaran for 1820, is 4h. 25m. 36s. and the variation for 3¼ months is 1" to be added because the time is after 1820; hence the right ascension at the given time 4h. 25m. 37s. The declination of the star for 1820 is 16° 8' N. its variation for 3¼ months being neglected.

		H. M. S.		
Apparent time by N. A. April 11,...		5 57 18		
Longitude 75° 9' W. ....		5 0 36		
<hr/>				
Time at Greenwich, April 11.....		10 57 54		
<hr/>				
☉'s R. A. April 11, at noon, by N. A.		1 19 28		
Var. for 10h. 57' 54" by Table XXXI.		1 41		
<hr/>				
☉'s R. A. at time of obs. ....		1 21 9		
Apparent time .....		5 57 18		
<hr/>				
R. A. Mer. ....		7 18 27		
*'s R. A. ....		4 25 37		
<hr/>				
*'s dist. from merid. ....		2 52 50	Its log. in col. rising....	4.43318
Latitude of Philadelphia 39° 57' N.			co-sine....	9.88457
*'s declination ..... 16 8 N.			co-sine....	9.98255
<hr/>				
Difference .....	23 49	nat. number	19966 its log.	4.30030
		nat. co-sine	91484	
<hr/>				
True altitude .....	45 39	nat. sine	71518	
Refraction .....	1			
<hr/>				
Apparent altitude .....	45 40			

\* If any of the 24 bright stars are used, whose right ascension or north polar distances are given for every 10 days in the year in the Nautical Almanac, we can obtain from it by inspection the right ascension, and deduce the declination from the polar distance, and the numbers thus found having been corrected for aberration and nutation, are to be used as rather more accurate.

† If the distance from the meridian exceed 12 hours, you must subtract from 24 hours before entering table XXIII.

*To find the Longitude by the Eclipses of Jupiter's Satellites.*

The eclipses of the satellites are given in page III. of the month of the Nautical Almanac for mean time at Greenwich. There are two kinds of these eclipses—an *Immersion*, denoting the instant of the disappearance of the satellite by entering into the shadow of Jupiter, and an *Emersion*, or the instant of the appearance of the satellite in coming from the shadow. The immersions and emersions generally happen when the satellite is at some distance from the body of Jupiter, except near the opposition of Jupiter to the sun, when the satellite approaches near to his body. Before the opposition they happen on the west side of Jupiter, and after the opposition on the east side; but if an astronomical telescope is used which reverses the objects, the appearance will be directly the contrary. The configurations, or the positions in which Jupiter's satellites appear at Greenwich, are laid down every night, when visible, in page XII. of the month of the Nautical Almanac.

As these eclipses happen almost daily, they afford the most ready means of determining the longitude of places on land, and might also be applied at sea, if the observations could be taken with sufficient accuracy in a ship under sail, which can hardly be done, since the least motion of a telescope which magnifies sufficiently to make these observations, would throw the objects out of the field of view.

As these eclipses are given in the Nautical Almanac in mean time, it is necessary to regulate your watch to mean time;\* this is easily obtained from the apparent time by applying to the latter the equation of time taken from the Nautical Almanac, by adding or subtracting according to the directions in the column from whence the equation was taken; hence the error of a watch with respect to mean time may be ascertained.

The watch being thus regulated, you must then find nearly the time at which the eclipse will begin at the place of observation; this may be done as follows: Find from the Nautical Almanac the time of an immersion or emersion, and apply thereto the longitude turned into time, by adding when in east, but subtracting when in west longitude; the sum or difference will be nearly the mean time when the eclipse is to be observed at the given place. If there be any uncertainty in the longitude of the place of observation, you must begin to look out for the eclipse at an earlier period; and when the eclipse begins, you must note the time by the watch, and after applying the correction for the error of the watch, if there be any, you will have the mean time of the eclipse at the place of observation; the difference between this and the time in the Nautical Almanac, being turned into degrees, will be the longitude from Greenwich.

EXAMPLE.

Suppose that on the 21st of August, 1820, sea account, in the longitude of  $127^{\circ} 55'$  W. by account, an immersion of the first Satellite of Jupiter was observed at 7h. 12m. 32s. P. M. mean time. Required the longitude?

By N. A. immersion .....	Aug. 20th.	15h. 47' 52"
By observ. Aug. 21, sea account, or by N. A. ....	Aug. 20th.	7 12 32
Longitude in time.....		8 35 20

which turned into degrees gives  $128^{\circ} 50'$  W. for the longitude of the place of observation.

*To find the Longitude by Eclipse of the Moon.*

The determination of the longitude by an eclipse of the moon is performed by comparing the times of the beginning or ending of the eclipse, as also the times when any number of digits are eclipsed, or when the earth's shadow begins to touch or leave any remarkable spot on the moon's face; the difference of time between the like observations made at different places, turned into degrees, will be the difference of longitude of those places.

When the beginning or end of an eclipse of the moon is observed at any place, the longitude of that place may be easily found by comparing the time

\* In the Almanacs published before 1805, the *apparent* time of the eclipses was given instead of the *mean* time.

Having regulated a chronometer, in the manner first mentioned, at a place whose longitude from Greenwich is known, it is easy to find how much it is too fast or too slow for the meridian of Greenwich, by allowing for the difference of meridians. Thus, if the above mentioned observation of June 1, was made in place in  $74^{\circ}$  west longitude, corresponding in Table XXI. to 4h. 56m. the chronometer on that day would be too slow for Greenwich time by the sum of 4h. 56m.\* and 2m. 20s. or 4h. 58m. 20s. In general it will be full as simple, when thus regulating a chronometer, at a place whose longitude is known, to reduce at once the mean time at the place of observation to the meridian of Greenwich, by adding the longitude if west, subtracting if east, the sum or difference will be the mean time of observation upon the meridian of Greenwich, the difference between this and the time given by the chronometer, shows how much it is too fast or too slow for Greenwich mean time. Thus by adding the longitude 4h. 56m. to the mean time of the above observation 5h. 12m. 40s. the sum 10h. 8m. 40s. is the mean time at Greenwich, from which subtracting the time by the chronometer 5h. 10m. 20s. the remainder 4h. 58m. 20s. is what the chronometer is too slow for Greenwich time, as was found before.

The chronometer having been thus regulated to Greenwich time, and the daily rate of its going ascertained, if this rate should remain unaltered, the time at Greenwich will be known by it, at any moment at sea, and if at that moment by any observation of the sun, moon, planet or a fixed star, the apparent time be found by any of the methods explained in pages 154—161, and the mean time at the ship deduced therefrom, by applying the equation of time, as above explained, then the difference between this mean time at the ship, and the mean time at Greenwich shown by the chronometer, will be the longitude, which may be turned into degrees and minutes by Table XXI. We shall explain by a few examples the preceding remarks.

## EXAMPLE I.

Wishing to regulate a chronometer, in a place whose latitude is  $51^{\circ} 30' N.$  and longitude  $114^{\circ} E.$  from Greenwich, I observed Oct. 10, 1824, at 8h. 51m. A. M. sea account per chronometer, the altitude of the sun's lower limb, by a fair observation  $13^{\circ} 32'$ , the correction for semi-diameter, parallax and dip being  $12'$ . It is required to find the error of the chronometer for mean time at Greenwich?

The apparent time of this observation, computed as in Example I. page 158, is 8h. 7m. 9s. A. M. corresponding to Oct. 9d. 20h. 7m. 9s. by the Nautical Almanac. From this subtract† the longitude  $114^{\circ}$  turned into time 7h. 58m. by Table XXI. the remainder Oct. 9d. 12h. 31m. 9s. is the apparent time at Greenwich. Now by Table IV. A, the equation of time for Oct. 9d. at noon is sub. 12m. 44s. with a daily increase of 16s. and this in Table VI. A, under 16s. and opposite to 12h. 31m. 9s. gives 9s. to be added to 12m. 44s. (because it is increasing) the sum 12m. 53s. is the equation of time, which by the table is subtractive from the apparent time at Greenwich Oct. 9d. 12h. 31m. 9s. to obtain the mean time at Greenwich Oct. 9d. 12h. 13m. 16s. If the mean time at the place of observation is required, it would be found by subtracting the equation of time 12m. 53s. from the apparent time at the place of observation, 8h. 7m. 9s. and it would therefore be 7h. 54m. 16s.

## EXAMPLE II.

May 10, 1824, at 5h. 30m. P. M. sea account per chronometer, in latitude  $39^{\circ} 54'$ , in a place whose longitude was known to be  $17^{\circ} 30' E.$  from Greenwich, the altitude of the sun's lower limb by a fore observation was  $15^{\circ} 45'$ , the correction for dip, parallax and semi-diameter being  $12'$ . It is required to find the error of the chronometer for mean time at Greenwich, and at the place of observation?

† If the longitude had been east, it would have been subtractive. This is to be added if the ship's longitude is west.

184 TO FIND THE LONGITUDE BY A CHRONOMETER.

The apparent time of this observation, computed as in Example II: pag 156, is May 9d. 5h. 34m. 26s. by the Nautical Almanac. From this subtract\* the longitude 17° 30', turned into time, 1h. 10m. by Table XXI. the remainder May 9d. 4h. 24m. 26s. is the *apparent* time at Greenwich. By Table IV. A, the equation of time for May 9th. at noon is *sub.* 3m. 48s. with a daily increase of 3s. and this in Table VI. A, under 3s. and opposite 4h. 24m. 26s. is 1s. which added to 3m. 48s. (because it is increasing) gives the equation of time, at the moment of observation, *sub.* 3m. 49s. Subtracting this, according to the direction in the table, from the *apparent* time at Greenwich May 9d. 4h. 24m. 26s. leaves the *mean* time at Greenwich May 9d. 4h. 20m. 37s. Subtracting the same equation 3m. 49s. from the *apparent* time at the place of observation 5h. 34m. 26s. gives the *mean* time at the place of observation 5h. 30m. 37s. The difference between the *mean* time at Greenwich 4h. 20m. 37s. and the time by the chronometer 5h. 30m. is 1h. 9m. 23s. which is the time the chronometer is too fast for Greenwich *mean* time.

EXAMPLE III.

Suppose that July 27, 1820, sea account, the apparent time was found by an altitude of the sun to be 1h. 5' 8" P. M. when by a watch well regulated to mean Greenwich time, the time was 4h. 3' 8" P. M. Required the longitude?

Apparent time.....	1h. 5' 8"
Equation of time add .....	6 8
Mean time at place of observation	1 11 16
Time per watch.....	4 3 8

Difference in long. .... 2 51 52=42° 59' W. the longitude being west, because the time at Greenwich is the greatest.

EXAMPLE IV.

Suppose that May 14, 1820, sea account, the apparent time was found by an altitude of the sun to be 4h. 3' 5" P. M. when the time by the watch was 2h. P. M. the watch being too slow for mean Greenwich time 11' Required the longitude?

Apparent time .....	4h. 3' 5"	Time per watch	2h. 0' 0"
Equation of time sub.....	3 56	Watch error add	11 9
Mean time at place of observ.	3 59 9 P. M.	Time at Greenwich	2 11 9
Time at Greenwich .....	2 11 9		

Difference of longitude..... 1 48 0=27° 0' E.

EXAMPLE V.

Suppose that on June 14, 1820, sea account, in a place whose longitude from Greenwich was known, a number of observations were taken to ascertain the going of the watch; and it was found that on that day it was 10' too slow for mean Greenwich time, and lost time 2" per day; and that on July 14, 1820, sea account, the time per watch was 6h. 0' 6" P. M. when by an observed altitude of the sun, the apparent time was 1h. 16' 10" P. M. Required the longitude?

Apparent time .....	1h. 16' 10"	Error of watch, June 14, ....	0' 10" slow
Equation of time add .....	5 22	30 days at 2" .....	1 0 slow
Mean time at place of obser.	1 21 32	Error July 14, .....	1 10 slow
Time at Greenwich .....	6 1 16	Time per watch .....	6 0 6
		Time at Greenwich .....	6 1 16
Longitude .....	4 39 44=69° 56' W.		

\* This is to be added if the ship's longitude is west.

## TO REGULATE A CHRONOMETER.

185.

### *To regulate a Chronometer by Lunar Observations.*

It sometimes happens that a chronometer is by accident suffered to run down when at sea, in which case it can be regulated, by means of a great number of lunar observations, which must be taken with the greatest care, and with objects on different sides of the moon. These observations may be made on the same day, or on several successive days, finding by each observation how much the chronometer is too fast or too slow for Greenwich time, and taking the mean result for the error at the mean time of observation.

EXAMPLE I.	m. s.	EXAMPLE II.	m. s.	EXAMPLE III.	m. s.
1820.		1819.		1817.	
April 6. Too fast 1st. obs.	2 12	April 20. Too slow 1st. obs.	1 19	Aug. 5. Too slow 1st. obs.	-0 24
" " " 2d. obs.	2 08	" 21. " 2d. obs.	1 21	" 6. Too fast 2d. obs.	+0 15
" " " 3d. obs.	2 06	" 22. " 3d. obs.	1 28	" 8. Too slow 3d. obs.	-0 7
" " " 4th. obs.	2 10			" 9. Too fast 4th. obs.	+0 4
			5) 66		
	4) 36	Chro. too slow April 21,	1 22		4) -0 12
Mean error . . . . .	2 9			Chro. too slow, Aug. 7	-0 3

In the last example some of the observations made the chronometer too slow, and others too fast; these are marked with different signs + and -, the sum is to be found, noticing the signs in the algebraical manner, as taught in the introduction to the appendix of this work.

It has lately been discovered that chronometers generally go faster on board of a vessel than when on shore; this variation has been sometimes found to be as much as 14 seconds per day, though in general not more than 1 or 2 seconds. It is suspected that this arises from the attraction of the iron in the vessels, the chronometer having acquired a small degree of magnetism. To remedy this inconvenience it has been recommended to keep the chronometers always in the same place on board the ship, and to regulate them when thus placed, before leaving the port, or by means of lunar observations (after the above manner) when at sea. Thus, in the first of the above examples, the chronometer was 2m. 9s. too fast for Greenwich time April 9, 1820, suppose now by a set of lunar observations made April 30, 1820, it was found to be fast 2m. 30s. the variation would be 21s. in 21 days, which is 1 second per day for the acceleration of the chronometer.

It has also been found that chronometers generally gain by an increase of density of the air, and lose by a decrease of density. The firing of guns on board a vessel will sometimes alter the rate of going, unless the instrument be well suspended, or held in the hand during the firing. Any sudden jar will sometimes alter the rate. The imperfection of the oil used will after sometime impair the instrument. Finally, the mechanism used to correct the change of temperature of the air may not do it completely, and some error may arise from this source. Notwithstanding these various causes of error, it is wonderful to observe how accurately some of those chronometers perform their office.

### *To find the Longitude by a Variation Chart.*

In the year 1700, Dr. Halley proposed to find the longitude by a chart he published, on which the lines of the variation of the compass were drawn; and since that time several similar charts have been published for the same purpose; but the difficulty of determining the variation, combined with other causes, will probably prevent this method from being sufficiently accurate to be generally useful.

The method of using this chart is as follows: On the parallel of latitude which you are in, find the observed variation, and that point will be the place of observation.

A chart, on which the lines of the dip of the magnetic needle are marked, might be used in the same manner for determining the longitude.

BY LOGARITHMS.

Between the S. S. W. line AB and the S. E. by E. line AC, are 7 points, =  $\angle BAC$ ; and between the S. E. by E. line AC, and the E. by S. line AD are 2 points =  $\angle CAD = \angle ACB$  (because AD, BC are parallel)—therefore  $ACB + BAC = 9$  points, and since all three angles ACB, BAC, ABC are equal to 16 points, the angle ABC is also equal to 7 points, therefore (by art. 39 Geom.) the sides AC, CB are equal, being opposite to the equal angles ABC, BAC. If these angles had not been equal, the side AC might have been calculated in the same manner as we shall now calculate the side AB.

To find the side AB.	
As sine BAC 7 points co. ar.	0.00843
Is to BC 15 miles	1.17009
So is sine ACB 2 points	9.58284
<hr/>	
To AB 5.85	0.76736


This Problem or the first may be used for finding the distance of a ship from any head-land, &c. when taking her departure from the land.

PROBLEM III.

Two ships sail from the same port, one sails N. E.  $\frac{1}{2}$  E. 16 miles, the other sails easterly 20 miles, and then finds that the first bears N. N. W. Required the other ship's course, and the distance between the two ships?

BY PROJECTION.

Draw the compass ESW, and let its centre A represent the port sailed from: draw the N. E.  $\frac{1}{2}$  E. line AB = 16 miles, and through B. the line BC. parallel to the N. N. W. line, and continue it indefinitely: take 20 miles in your compasses, and putting one foot in A. describe with the other an arch cutting the line BC in C. and join AC. Then B will be the place of the first ship, C that of the second, and AC the course steered by the second ship, which will be nearly E. S. E.  $\frac{1}{2}$  E. and BC the distance of the ships 17  $\frac{1}{2}$  miles.



BY LOGARITHMS.

The course from B to C is S. S. E. (opposite to N. N. W.) and from B to A is S. W.  $\frac{1}{2}$  W. (opposite to N. E.  $\frac{1}{2}$  E.) the difference between these bearings is 6  $\frac{1}{2}$  points =  $73^{\circ} 7'$  = the angle ABC: having this angle and the sides AB, AC, the other angles and side may be found by Cases II. and III. of Oblique Trigonometry as follows:

To find the angle C.  
 the side AC 20 miles  
 sine ABC  $73^{\circ} 7'$   
 is to side AB 16 miles

Subtract

the sine ang. C  $49^{\circ} 57'$   
 N. N. W. add  $22 30$

makes N.  $72 27$  W. the bearing of A  
 C, whence the course of the ship from A  
 towards C, is S.  $72^{\circ} 27'$  E. or E. S. E.  $\frac{1}{2}$  E.


To find the distance of the ships BC.	
1.50103	And the angle C = $49^{\circ} 57'$ to the angle B $73^{\circ} 7'$ ,
9.90087	the sum $123^{\circ} 4'$ being subtracted from $180^{\circ}$ leaves
1.20412	the angle CAB $56^{\circ} 56'$ .
<hr/>	
11.18474	As sine ang. ABC $73^{\circ} 7'$ ar. co.
1.30103	Is to the side AC 20 miles
3.88396	So is sine C AB $56^{\circ} 56'$
<hr/>	
To the side BC 17.5 miles.	0.01913
	1.50103
	3.92239
	<hr/>
	1.21542

PROBLEM IV.

Two ships sail from the same port, one N. W. 30 miles, and the other N. E. by N. 40 miles. Required the bearing and distance of the ships from each other

BY PROJECTION.

Draw the compass NESW, and let its centre A represent the port sailed from; draw the N. W. line AB=30 miles, and the N. E. by N. line AC=40 miles, join BC, which will be the bearing and distance of the two ships. Whence the bearing will be found to be W. S. W.  $\frac{1}{2}$  W. and the distance 45.1 miles nearly.



BY LOGARITHMS (by Cases IV. and V. Ob. Trig.)

Between the N. W. line AB and the N. E. by N. line AC, there are  $70^\circ$  points=angle BAC, half the supplement of which to  $180^\circ$  is  $55^\circ 30'$ =half sum of the angles C and B.

To find the angles.		To find the distance BC.	
As sum of AB and AC 70	log. ar. co. 8.15490	As sine angle B $60^\circ 30'$	ar. co. 0.9603
Is to their difference 10	1.00000	Is to side AC 40	1.00000
So is tang. $\frac{1}{2}$ sum angles $55^\circ 30'$	10.08583	So is sine angle A $78^\circ 45'$	9.9915
To tan. $\frac{1}{2}$ diff.	$9^\circ 52\frac{1}{2}'$	To the distance BC 45.1	1.6539
Sum=angle B	60 30		
Diff.=angle C	40 45		


To the angle C= $40^\circ 45'$ , add the course from C to A= $35^\circ 45'$ , the sum is  $74^\circ 30'$ , which is the bearing of B from C, viz. S.  $74^\circ 30'$  W. or W. S. W.  $\frac{1}{2}$  W. nearly.

PROBLEM V.

Two ports bear from each other E. by N. and W. by S. distance 400 miles; a ship from the easternmost sails northerly 450.7 miles, another from the westernmost sails 300 miles, and meets the first. Required the course steered by each ship?

BY PROJECTION.

Draw the compass ESW, and let the centre B represent the westernmost port; draw the E. by N. line BD=400 miles, and D will be the easternmost port; with 300 in your compasses and one foot in B, describe an arch; with 450.7 in your compasses, and one foot in D, describe another arch cutting the former in C; join DC, BC. Then BC will be the course sailed by the westernmost ship, and DC the course sailed by the easternmost.





BY LOGARITHMS.

To find the angle CBD.

By Theo. IV. Trig.

Right-angled triangle BCD into two right-angled triangles by the perpendicular CA, and there

400 ar. co.	7.53794
BC, CD,	750.7 2.87547
C, CD,	150.7 2.17811
	282.2 2.45122
	141.4
	200
	58.6
in the triangle ACB.	
100	2.47712
	10.00000
	1.70730
78° 44'	9.25578

By Theo. V. Trig.

CD=450.7		
BD=400	log. ar. co.	7.39794
BC=300	log. ar. co.	7.52288
Sum	1150.7	
½ sum	575.35	log.
½ sum less CD	124.65	log.
		13.77044
Half sum 39° 22'		co-sine
	2	8.82222

Doubled is 78 44=Angle CBD. Having found this angle, we may find either of the others thus, To find the angle CDB.


As CD 450.7 ar. co.	7.34611
Is to sine CBD 78° 44'	9.90155
So is BC 300	2.47712
To sine CDB 40° 45'	8.81478

angle CBD is 78° 44' or 7 points nearly, and the course from B to D the course from B to C must be north. The course from D to B by S. or W. 11° 15' S. and the angle BDC=40° 45' the bearing D must be W. 29° 30' N. because 40° 45'—11° 15'=29° 30'.

PROBLEM VI.

along shore, I saw two headlands, the first bore from me N. E. the second E. —after sailing E. by S. 10 miles, the first bore N. by E. and the second N. E. by N. Required the bearing of the two headlands from each other's distance?

On a compass NESW, and let A represent the place of the first station; draw the E. line AB=10 miles, and B will be the ship at the second station; draw the N. E. line AC, and the line AD; through the point B draw BC, BD parallel to the line AC, and N. E. by N. lines, and C and D where they intersect drawn from A to the headlands will be the points respectively; join the line CD;—then will CD be the



distance between the two headlands, and a line drawn through A parallel to CD will give the bearing of those places from each other on the compass.

BY LOGARITHMS.

In the triangle ABC, we have all the angles and the side BC. For the bearings of B from A, by S. and N. E. the difference=BAC; and the bearings of B from A, by S. and N. W. the difference equal to the angle ACB. To find the side BC.

3 pts. ar. co.	9.25526
B 10	1.00000
∠ BAC 5 pts.	9.91835
	1.17511

In the triangle ABD, we have all the angles and the side AB to find BD. For the bearings of B from A, by S. W. 11° 15' and W. S. W. the difference being 3 points=BDA; and the bearings of B and D from A, are E. by S. and E. N. E. the difference being also 3 points, equal to the angle BAD; therefore the angle BAD=BDA, and (by art. 39 Geom.) BD=AB=10 miles. If these angles had not been equal, we might have calculated the side BD in the same manner as BC.

In the triangle CBD we have BD=10, BC=14.97, and the angle 30°. For the bearings of C and D from B are N. by E. and N. E. by N. 2 points or 22° 30'; hence we may find the other angles and in case IV. Obl. Trig.

PROBLEMS USEFUL IN NAVIGATION.

To find the angles BCD, BDC.  
 As sum of BC, BD 24.97 ar. co. . . . . 8.60238  
 Is to their diff. 4.97 . . . . . 0.68606  
 So is tan. ha. sum. op. ang. 73° 45' . . . . . 10.70134  
 To tang.  $\frac{1}{2}$  diff. . . . . 45 1 . . . . . 10.00028

Sum is angle BDC = 123 46  
 Diff. is angle BCD = 33 43 or nearly 3  
 points, and as the bearing of B from C is E. by W.  
 the bearing of D from C must be S. S. E.

To find the distance CD.  
 As sine ang. BCD 33° 44' ar. co. . . . . 0.82  
 Is to side BD 10 . . . . . 1.00  
 So is sine angle CBD 22° 30' . . . . . 0.38  
 To the distance CD 6.88

PROBLEM VII.

Being 96 fathoms from the bottom of a tower, I found its altitude above the horizontal line drawn from my eye was 15° 10'. Required the elevation above that line?



**BY PROJECTION.**  
 Draw the horizontal line AB = 96 fathoms, and perpendicular thereto, the line BC: make the angle BAC = 15° 10' and draw AC to cut BC in C, then will BC be the height of the tower 26 fathoms.

**BY LOGARITHMS.**  
 As radius 90° . . . . . 10.00000  
 Is to the dist. AB 96 fathoms . . . . . 1.98227  
 So is tang. angle A 15° 10' . . . . . 9.43908  
 To the height BC 26.0 fathoms . . . . . 1.41565

When an object, whose elevation above the horizon is to be determined, is at a very great distance, it will be necessary to notice the correction arising from the curvature of the earth and the refraction, and apply that correction to the height estimated by the above method. Thus if the angular elevation of a mountain whose base was more distant than the limit of the visible horizon, was observed by an instrument of reflection; the approximate height must first be obtained, as in the preceding example, and then the correction of that approximate height for the curvature of the earth, refraction, and dip, must be calculated by the following rule, and added to that height, the sum will be the true height above the level of the sea.

**RULE.** Find in Table X. the number of miles corresponding to the height of the observer above the level of the sea, and take the difference between that number and the distance of the mountain from the observer in statute miles; with that difference enter the same table and find the height in feet corresponding, which will be the correction to be added to the approximate height to obtain the true height of the mountain above the level of the sea.

**EXAMPLE.** Suppose the distance was 32 statute miles (or 168960 feet) and the observed altitude 1° 2', the observer being 18 feet above the level of the sea. Required the height of the mountain above the same level?

As radius . . . . .	10.00000	Dist. of mountain . . . . .	M. 32
Is to distance 168960 . . . . .	log. 5.22779	Tab. X. 18 feet . . . . .	561
So is elevation 1° 2' tang. . . . .	8.25616		
Approx. height 3048 . . . . .	log. 3.48395	Difference . . . . .	26.39
Correction 398 . . . . .		Corresponding Corr. Tab. X. . . . .	398 ft.
Sum 3446 . . . . .			

Sum 3446 is the true height above the level of the sea.

PROBLEM VIII.

*While sailing towards Cape-Cod, I discovered the light-house just appearing in the horizon, my eye being elevated 20 feet above the sea ; it is required to find the distance of the light-house, supposing it to be elevated 200 feet above the surface of the sea ?*

The solution of this problem depends on the uniform curvature of the sea, in consequence of which all terrestrial objects disappear at certain distances from the observer. These distances may be computed by means of Table X. in which the elevation in feet is given in one column, and the distance at which the object is visible, is expressed in statute miles in the other column. If the place at which you view the object be elevated above the horizon, you must add together the distances corresponding to the height of the observer and the height of the object, the sum will be the greatest distance at which that object can be seen from the observer.

In the present example the height of the observer was 20 feet, and the height of the object 200 feet.

Table X. opposite 20 feet is 5.92 miles.

200 feet 13.71

Distance 21.63 statute miles of about 63 $\frac{1}{4}$  to a degree, being about 7 leagues, of 20 to a degree, being about 7.

PROBLEM IX.

*When being on the main-top-gallant-mast of a man of war, 200 feet above the water, sees a 100 gun ship she had engaged the day before, hull to ; how far were those ships distant from each other ?*

The height of 100 guns or a first rate man of war, is about 60 feet from the top of the rails, from which deduct about 20, leaves 40 for the height of her upper-deck above water. Now a ship is seen hull to when her upper-deck is just appear.

In Table X. opposite 200 feet stand 13.71

40 feet 3.37

Distance 27.08 miles.

PROBLEM X.

*When seeing the flash of a gun, I counted 30 seconds by a watch before I heard the report : How far was that gun from me, supposing that sound moves at the rate of 1142 feet per second ?*

The velocity of light is so great, that the seeing of any act done even at a great or of miles distance, is instantaneous ; but by observation it is found that sound moves at the rate of 1142 feet per second, or about one statute mile in 4.6 seconds ; consequently the number of seconds elapsed between the flash and hearing the report, being divided by 4.6 will give the distance in statute miles. In the present example the distance was about 6 $\frac{1}{2}$  miles because 30 divided by 4.6 quotes 6 $\frac{1}{2}$  nearly.

PROBLEM XI.

*Find the difference between the true and apparent directions of the wind.*

Suppose that a ship moves in the direction CB from C while the wind moves in its true direction from A to B, the effect on the ship will be the same as if she was at rest and the wind blew in the direction AC with a velocity represented by AC, the velocity of the ship being represented by CB. In this case the angle BAC will represent the difference between the true and apparent directions of the wind ; the apparent being more a-head than the true, and the more the vessel goes the more a-head the wind will appear to be. We must, however, except the case where the wind is directly aft, in which case the direction is not altered, owing to the difference between the true and appa-



rent directions of the wind, that it appears to shift its direction by tacking ship; and if the difference of the directions be observed when on different boards (the wind on both tacks being supposed to remain constant, and the vessel to have the same velocity and to sail at the same distance from the wind) the half difference will be equal to the angle BAC: by knowing which, together with the velocity of the ship BC, and the angle BCA, we may obtain the true velocity of the wind; or, by knowing the velocity of the wind and of the ship, and the apparent direction of the wind, we may calculate the difference between the true and apparent directions of the wind.

Thus if the velocity of a ship represented by BC be 7 miles per hour, that of the wind represented by AB 27 miles per hour, and the angle of the vessel's course with the apparent direction of the wind  $BCA = 7\frac{1}{2}$  points, the difference between the true and apparent directions of the wind would be obtained by drawing the line  $BC = 7$  miles taken from any scale of equal parts and making the angle  $BCA = 7\frac{1}{2}$  points, then with an extent equal to 27 miles, taken from the scale, and with one foot in B describe an arc cutting the line AC in A, join AB; then the angle BAC being measured, will be the sought difference between the true and apparent directions of the wind.

## BY LOGARITHMS.

As AB	27 miles	log. ar. co.	3.56364
Is to BCA	$7\frac{1}{2}$ points	log. sine	9.99790
So is BC	7 miles	log.	0.34510
To BAC	$11^{\circ} 57'$	log. sine	9.41164

So that in this case the difference between the true and apparent direction of the wind is about  $1\frac{1}{2}$  points, and by tacking ship and sailing on the other board as above mentioned, the wind would appear to change its direction above  $2\frac{1}{2}$  points.

## PROBLEM XII.

To measure the height of a mountain by means of the heights of two barometers taken at the top and bottom of the mountain.

Procure two barometers with a thermometer attached to each of them in order to ascertain the temperature of the mercury in the barometers, and two other thermometers of the same kind to ascertain the temperature of the air. Then one observer at the top of the mountain, and another at the bottom, must observe at the same time the heights of the barometers and thermometers attached thereto, and the heights of the detached thermometers, placed in the open air, but sheltered from the sun. Having taken these observations, the height of the upper observer above the lower may be determined by the following rule, which is adapted to a scale of English inches and to Fahrenheit's thermometer.

**RULE.** Take the difference of the logarithms of the observed heights of the barometer at the two stations, considering the first four figures, exclusive of the index, as whole numbers, the remainder as decimals; to this difference must be applied the product of the decimal 0.454, by the difference of the altitudes of the two attached thermometers, by subtracting if the thermometer was highest at the lowest station, otherwise adding: the sum will be the approximate height in English fathoms. Multiply this by the decimal 0.00244, and by the difference between the mean of the altitudes of the detached thermometers and  $32^{\circ}$ , the product will be a correction to be added to the approximate height when the mean altitude of the two detached thermometers exceeds  $32^{\circ}$ , otherwise subtracted; the sum or difference will be the true height of the upper above the lower observer in English fathoms, which multiplied by 6 will be the height in feet.

## EXAMPLE.

Suppose the following observations were taken at the top and bottom of a mountain. Required its height in fathoms?

	Attached therm.	Detached therm.	Barometer.	
Obs. at lower station	57 <sup>0</sup>	56 <sup>0</sup>	29,63 inch.	log. 11721,6
Upper station	43	42	25,23	log. 14027,8
<b>Difference</b>	<b>14</b>	<b>Mean 49</b>	<b>Difference</b>	<b>696,3</b>
		<b>32</b>	<b>0,454 × 14</b>	<b>8,4</b>
		<b>Diff. 17</b>	<b>Approx. height</b>	<b>690,4</b>
			<b>690,4 × 17 × 0,00244</b>	<b>28,6</b>
			<b>Height in fath.</b>	<b>719,0</b>



## MENSURATION.

### PROBLEM I.


*To find the area of a Parallelogram.*

#### RULE.

**MULTIPLY** the base by the perpendicular height, the product will be the area.

**NOTE.** If both dimensions are given in feet, inches, &c. the product will be the area expressed in square feet, square inches, &c. respectively; if one of the dimensions be given in feet and the other in inches, the product divided by 12 will be the answer in square feet; if both dimensions are given in inches, the product will be square inches, which divided by 144 will be the answer in square feet. The same is to be understood in finding the area of other surfaces.


**EXAMPLE I.** Suppose the base DB of the rectangular parallelogram ACBD is 7 feet, and the perpendicular BC 3 feet; required the area? The product of the base 7 feet by the perpendicular 3 feet gives the area 21 square feet.



**EXAMPLE II.** Suppose ACBD is a board whose length DB is 22 feet and breadth BC is 14 inches; required the number of square feet? The product of the base 22 feet by the breadth 14 inches is 308, this divided by 12 gives 25 square feet, the sought area.

**EXAMPLE III.** If DB be 25 inches and BC 20 inches; required the area in square feet? The product of the base 25 inches by the perpendicular 20 inches gives 500, which divided by 144 gives the area 3,47 or 3  $\frac{47}{100}$  square feet.

**EXAMPLE IV.** Given the base AD of the oblique angular parallelogram ABCD, equal to 30 feet, and the perpendicular height BE 15 feet; required the area of the parallelogram? Multiply the base 30 feet by the perpendicular 15 feet; the product 450 is the area in square feet.




### PROBLEM II.

*To find the area of a Triangle.*

**RULE.** Multiply the base by half the perpendicular height, and the product will be the area required.

C c


**EXAMPLE.** Given the base AC 30 feet, and the perpendicular DB 20 feet, required the area of the triangle? The base 30 multiplied by half the perpendicular 10 gives the area 300 square feet.



**PROBLEM III.**

*To find the area of any irregular right-lined figure.*

**RULE.** Reduce the figure to triangles by drawing diagonals therein; then find the area of each triangle, and the sum of them will be the area of the proposed figure. Or, instead of finding the area of each triangle separately, you may find at one operation the area of two triangles having the same diagonal by multiplying the diagonal by half the sum of the perpendiculars let fall thereon.




**EXAMPLE.** Required the area of the figure ABCDE, in which EC=33 feet, EB=22 feet, and the perpendicular AF=13 feet, BG=14 feet, and DH=12 feet? The diagonal EB, 22 feet, multiplied by half the perpendicular AF, 6.5 feet, gives the area of the triangle AEB, 143 square feet; and the diagonal EC, 33 feet multiplied by half the sum of the perpendiculars BG DH, 13 feet, gives the area of the figure BCDE, 429 feet; this added to the triangle AEB 143 feet gives the whole area 572 square feet.

**PROBLEM IV.**

*To find the area of a circle.*

**RULE.** Multiply the square of the diameter of the circle by the quantity 0.7854, and you will have the sought area.

**NOTE.** Instead of multiplying by 0.7854 you may multiply by 11 and divide by 14, the quotient will be the area nearly. This quantity .7854 represents the area of a circle whose diameter is 1. The circumference of the same circle being 3.1416 nearly. The proportion of the diameter to the circumference is expressed in whole numbers by the ratio of 7 to 22 nearly; or more exactly by 113 to 355.\*



**EXAMPLE.** Required the area of a circle ABCD, whose diameter BD is 10.6 feet?

The diameter 10.6 multiplied by itself and by .7854 gives the sought area 88.247544 square feet.

**PROBLEM V.**

*To find the area of an Ellipsis or Oval.*


**RULE.** Multiply the longest diameter by the least, and the product by

\* This ratio may be easily remembered by observing that if the first three odd numbers 1, 3, 5 are repeated twice, they will produce the quantity 113355; the three first figures of which make the first term of the ratio, and the three last the last term of the ratio.

.7854, this last product will be the area required.

**EXAMPLE.** Required the area of an Ellipsis or Oval ABCD, whose longest diameter AC is 12 feet, and the shortest diameter BD 10 feet ?

The product of the two diameters is  $12 \times 10 = 120$ , this multiplied by .7854 gives the sought area 94.2480 square feet.



The area of a sector of a circle may be found by means of the whole area of the circle obtained in Problem IV. by saying, as 360 degrees is to the angle contained between the two legs of the sector, so is the whole area of the circle to the area of the sector.

There are various regular solids, the most noted are the following.—(1) A *Cube*, which is a figure bounded by six equal squares. (2) A *Parallelepiped* which is a solid terminated by six quadrilateral figures, of which the opposite ones are equal and parallel. (3) A *Cylinder*, which is a figure formed by the revolution of a rectangular parallelogram about one of its sides. (4) A *Pyramid*, which is a solid decreasing gradually from the base till it comes to a point. There are various kinds of Pyramids according to the figure of their bases: thus if the base be a triangle, the solid is called a *triangular pyramid*; if a parallelogram, a *parallelogramic pyramid*; and if a circle, a *circular pyramid*, or simply a *Cone*. The point in which the pyramid ends, is called the *Vertex*, and a line drawn from the vertex perpendicular to the base is called the height of the pyramid.


**PROBLEM VI.**

*To find the solidity of a Cube.*

**RULE.** Multiply the length of a side of the Cube by that length, and that product by the same length, and you will have the solidity required; which will be expressed in cubic feet if the dimensions were given in feet; but in cubic inches if the dimensions were given in inches, &c.

**EXAMPLE.** If the side AB of the cube of 6.3 feet it is required to determine the solidity ?

The product of 6.3 by 6.3 is 39.69, this multiplied again by 6.3 gives the solidity 250.047 cubic feet.




**PROBLEM VII.**

*To find the solidity of a Rectangular Parallelepiped.*

**RULE.** Multiply the length, breadth and depth, into each other; the product will be the solidity required.

**EXAMPLE.** Suppose in the parallelepiped ABCDFGHE, the length EF is 36 feet, the breadth GF 16 feet, and the depth FD 12 feet; it is required to find the solidity ?

The product of the length 36 by the breadth 16 is 576, this multiplied by the depth 12 gives the solidity 6912 cubic feet.



**PROBLEM VIII.**

*To find the solidity of a Cylinder.*

**RULE.** Multiply the square of the diameter of the base by the length and this product by the constant quantity .7854; this last product will be the solidity required.

If the vessel be double-decked, take the length thereof from the fore part of the main stem to the after part of the stern-post above the upper deck ; the breadth thereof at the broadest part above the main wales, half of which breadth shall be accounted the depth of such vessel ; then deduct from the length three-fifths of the breadth, multiply the remainder by the breadth, and the product by the depth ; divide this last product by ninety-five, and the quotient will be the true content or tonnage of such vessel.

If the vessel be single-decked, take the length and breadth as above directed, in respect to a double-decked vessel, and deduct from the length three-fifths of the breadth, and taking the depth from the under side of the deck plank to the ceiling of the hold ; multiply and divide as aforesaid, the quotient will be the true content or tonnage of such vessel.

**EXAMPLE.** Suppose the length of a double-decked vessel is 80 feet, and the breadth 24 feet, what is her tonnage ? Three-fifths of the breadth 24 feet, is 14.4 feet, which, subtracted from the length 80 feet, leaves 65.6. This multiplied by the breadth 24 feet gives 1574.4, this multiplied by the depth 12 feet (half of 24) gives 18892.8, which divided by 95 quotes the tonnage 198.3.

Carpenters, in finding the tonnage, multiply the length of the keel by the breadth of the main beam and the depth of the hold in feet, and divide the product by 95 ; the quotient is the number of tons. In double-decked vessels half the breadth is taken for the depth.

## GAUGING.

**HAVING** found the number of cubic inches in any body by the preceding rules, you may thence determine the content in gallons, bushels, &c. by dividing that number of cubic inches by the number of cubic inches in a gallon, bushel, &c. respectively.

A *wine gallon*, by which most liquors are measured, contains 231 cubic inches. A *beer gallon*, by which beer, ale, and a few other liquors are measured, contains 282 cubic inches. A *bushel* of corn, malt, &c. contains 2150.4 cubic inches : this measure is subdivided into 8 gallons, each of which contains 268.8 cubic inches.

*In all the following rules, it will be supposed that the dimensions of the body are given in inches, and decimal parts of an inch.*

### PROBLEM I.

*To find the number of gallons or bushels in a body of a cubic form.*

**RULE.** Divide the cube of the sides by 231, the quotient will be the answer in wine gallons ; or by 282 and the quotient will be the answer in beer gallons ; or by 2150.4, and the quotient will be the number of bushels.

**EXAMPLE.** Required the number of wine gallons contained in a cubic cistern, the length of whose side is 62 inches. Multiplying 62 by itself and the product again by 62, gives the solidity 238328 ; which divided by 231 gives the content 1031½ wine gallons.

### PROBLEM II.

*To find the number of gallons or bushels contained in a body of the form of a rectangular Parallelepiped. See the figure of Problem VII. of Mensuration.*

**RULE.** Multiply the length, breadth, and depth together ; divide this last product by 231, for wine gallons ; by 282 for beer gallons ; and by 2150.4 for bushels.

**EXAMPLE.** Required the number of wine gallons contained in a cistern ABCDFGHE (see fig. Prob. VII. of Mensuration) of the form of a parallelepiped, whose length EF is 68 inches, its breadth GF 35 inches, and its depth FD 24 inches. Multiplying the length 68 by the breadth 35 gives 2380, this multiplied by the depth 24, gives the solidity 57120 ; which divided by 231 quotes 247 wine gallons.



## PROBLEM III.

To find the number of gallons or bushels contained in a body of a cylindrical form.

**RULE.** Multiply the square of the diameter by the height of the cylinder, and divide the product by 294.12, the quotient will be the number of wine gallons; if you divide by 359.05 the quotient will be the number of ale gallons; and if you divide by 2738, the quotient will be the number of bushels.

**NOTE.** These divisors are found by dividing 291, 282, and 2150.4 by .7854.

**EXAMPLE.** Required the number of wine gallons contained in the cylinder AFHD (See the fig. of Prob. VIII. of Mensuration) the diameter AD of its base being 26 inches, and length HD 18 inches? The diameter 26 multiplied by itself gives 676, this multiplied by the length 18, gives the solidity 12168, which divided by 294.12, gives the answer 41 wine gallons.

## PROBLEM IV.

To find the number of gallons or bushels contained in a body of the form of a pyramid or cone. (See figures of Problem X. of Mensuration.)

**RULE.** Multiply the area of the base of the pyramid or cone by one-third of its perpendicular height; the product divided by 291 will give the answer in wine gallons; if divided by 282, the quotient will be the number of beer gallons; and if divided by 2150.4, the quotient will be the number of bushels.


**EXAMPLE.** Required the number of beer gallons contained in a pyramid DEFGK (See fig. Prob. X. Example I.) whose base is a square EFGK, a side of which, as EF, is equal to 30 inches, and the perpendicular height of the pyramid is 60 inches? The square of 30 is the area of the base 900, this multiplied by one-third of the altitude 20, gives the solidity 18000, which divided by 282, gives the answer in beer gallons 63.8.

## PROBLEM V.

To find the number of gallons or bushels contained in a body of the form of a frustum of a cone. (See the figure below.)

**RULE.** Multiply the top and bottom diameters together, and to the product add one-third of the square of the difference of the same diameters; multiply this sum by the perpendicular height, and divide the product by 294.12 for wine gallons, by 359.05 for ale gallons, and by 2738 for bushels.


**EXAMPLE.** Given the diameter DC of the bottom of a frustum of a cone 36 inches, the top diameter AB=27 inches, and the perpendicular height, FE 50 inches. Required the content in wine gallons? The product of the two diameters 36 and 27 is 972; their difference is 9, which squared and divided by 3 gives 27; this added to 972 gives 999, which multiplied by the height 50 gives the solidity 49950; this divided by 294.12 quotes the content in wine gallons 169.



## PROBLEM VI.

To gauge a cask.

To gauge a cask, you must measure the head diameters FA, DC, and take the mean of them when they differ; measure also the diameter EB at the bung, (taking the measure within the cask); then measure the length of the cask, making due allowance for the thickness of the heads. Having these dimensions, you may calculate the content in gallons or bushels, by the following rule.



## GAUGING.

109

**RULE.** Take the difference between the head and bung diameters, multiply this by .62 and add the product to the head diameter, the sum will be the mean diameter; multiply the square of this by the length of the cask, and divide the product by 294.12 for wine gallons, by 359.05 for beer gallons, and by 2738 for bushels.

The quantity .62 is generally used by gaugers in finding the mean diameter of a cask; but if the staves are nearly straight, it would be more accurate to take 55 or less;\* if, on the contrary, the cask is full on the quarter, it would be best to take .64 or .65.

**EXAMPLE.** Given the bung diameter  $EB=34.5$  inches, the head diameter  $FA=DC=30.7$  inches, and the length 59.3 inches; required the number of wine gallons this cask will hold? The difference of the two diameters 34.5, and 30.7; is 3.8; this multiplied by .62 gives 2.4 nearly, to be added to the head diameter 30.7 to obtain the mean diameter 33.1. The square of 33.1 is 1095.61, this multiplied by the length 59.3 gives the solidity 64969.673, which, divided by 294.12, quotes the content in wine gallons 220.8.

*To gauge a cask by means of the line of numbers on Gunter's Scale, or on the calipers used by gaugers.*

Make marks on the scale at the points 17.15, 18.95, and 52.33, which numbers are the square roots of 294.12, 359.05, and 2738, respectively. A brass pin is generally fixed on the calipers at each of these points, which are called the gauge points. Having prepared the scale in this manner, you may calculate the number of gallons or bushels by the following

**RULE.** Extend from 1 towards the left hand to .62, (or less if the staves be nearly straight) that extent will reach from the difference between the head and bung diameters, to a number to the left hand, which added to the head diameter will give the mean diameter; then put one foot of the compasses upon the gauge point—which is 17.15 for wine gallons, 18.95 for ale gallons, and 52.33 for bushels—and extend the other to the mean diameter; this extent turned over twice the same way, from the length of the cask, will give the number of gallons or bushels respectively.

In the preceding example the extent from 1 to .62 will reach from 3.8 to 2.4 nearly, which added to 30.7 gives the mean diameter 33.1.

Then the extent from the gauge point 17.15 to 33.1, turned over twice from the length 59.3, will reach to 220.8 wine gallons.

If you had used the gauge point 18.95, the answer would have been in ale gallons; and if you had used 52.33, the answer would have been in bushels.



## SURVEYING.

**LAND** is generally measured by a chain of 66 feet in length, divided into 100 equal parts called links, each link being 7.92 inches.

A pole or rod is 16½ feet, or 25 links, in length; hence a square pole contains 272½ square feet, or 625 square links.

An acre of land is equal to 160 square poles, and therefore contains 43560 square feet, or 100,000 square links.

To find the number of square poles in any piece of land, you may take the dimensions of it in feet, and find the area in square feet, as in the preceding Problems; divide this area by 43560, the quotient will be the number of acres; or by 272.25, and the quotient will be the number of square poles. If the dimensions be taken in links, and the area be found in square links, you may obtain the number of acres by dividing by 100000 (that is, by crossing off

\* In the example to Problem V. preceding (which may be esteemed as the half of a hoghead with staves perfectly straight) the multiplier is only .51. For this multiplied by 3, the difference between AB and DC, produces 4.59 or 4.6 nearly, which, added to 27, and the sum 31.6 squared, multiplied by 50 and divided by 294.12 quotes 169 gallons nearly.

the five right hand figures;) and the number of square poles may be obtained by dividing by 625.

### PROBLEM I.

*To find the number of acres and poles in a piece of land in the form of a rectangular parallelogram.*

**RULE.** Multiply the base by the perpendicular height, and divide by 625, if the dimensions were taken in links, but by 272.25, if they were taken in feet; the quotient will be the number of poles, which, divided by 160, will give the number of acres.

**EXAMPLE I.** Suppose the base DB (see the figure of Ex. I. Prob. I. of Mensuration) of the rectangular parallelogram ACBD is 60 feet, and the perpendicular BC 25 feet; required the area in poles?

The product of the base 60 by the perpendicular 25 gives the content 1500 square feet, and by dividing by 272.25, we obtain the answer in square poles 5.5.

### PROBLEM II.

*To find the number of acres and poles in a piece of land in the form of an oblique-angular parallelogram.* (See the figure of Prob. I. Ex. IV. of Mensuration.)

**RULE.** This area may be found in exactly the same manner as in the preceding Problem, by multiplying the base AD by the perpendicular height BE, and dividing by 625, when the dimensions are taken in links, but by 272.25 when taken in feet; the quotient will be the answer in poles, which divided by 160 will give the answer in acres.

**EXAMPLE.** Suppose the base AD is 632 links, and the perpendicular BE 326 links; required the number of poles?

Multiply the base 632 links by the perpendicular 326 links, the product 206032 divided by 625, gives the answer in poles 329.

### PROBLEM III.

*To find the number of acres and poles in a piece of land of a triangular form.*

**RULE.** Multiply the base by the perpendicular height, and divide the product by 1250 when the dimensions are given in links, but by 544.5 when they are given in feet; the quotient will be the answer in poles.

**NOTE.** Instead of dividing by 1250, you may multiply by 8, and cross off the four right hand figures.

**EXAMPLE.** Given the base AC (see fig. of Prob. II. of Mensuration) equal to 300 feet, and the perpendicular BD 150 feet; required the area in poles?

Multiply the base 300 by the perpendicular 150, the product 45000, divided by 544.5, quotes the answer in poles 82.6.

### PROBLEM IV.

*To find the number of acres and poles in a piece of land of any irregular right-lined figure.*

**RULE.** Find the area as in Problem III. of Mensuration, by drawing diagonals, and reducing the figure to triangles: the base of each triangle being multiplied by the perpendicular, (or by the sum of the perpendiculars falling on it) and the sum of all these products divided by 1250 when the dimensions are given in links, but by 544.5 when in feet, will give the area of the figure in poles.

**EXAMPLE.** Suppose that the piece of land is of the same form as the figure in Prob. III. of Mensuration, and that EB=22 feet, EC=33 feet, AF=15 feet, BG=14 feet, and DH=12 feet: it is required to find the area in poles?

The product of EB 22 feet, by AF 15 feet, gives double the triangle EAB 286 square feet; and the diagonal EC 33 feet, multiplied by the sum of the perpendiculars BG, DH, 26 feet, gives double the figure BCDE, 858 square feet; the sum of this and 286, divided by 544.5 gives the area 2.1 or  $2\frac{1}{10}$  poles.

the sum of the Diff. of Lat. is 21.2, and the sum of the departure 36.0 : but it more frequently happens that the numbers do not agree ; in which case the work ought to be carefully examined, and if no mistake can be found, and the error is great, the place ought to be surveyed again ; but if the error be small, it ought to be apportioned among all the differences of latitude and departure, in such manner as to produce the required correction with the least possible changes in the given numbers. The method of doing this was explained by me in the fourth number of the Analyst, in answer to a prize question of Professor Patterson, and is as follows. Find the error in latitude, or the difference between the sums of southing and northing, also the sum of the boundary lines, AB, BC, &c. Then say, as this sum is to the error in latitude, so is the length of any particular boundary to the correction of the corresponding difference of latitude, additive if in the column whose sum is the least, otherwise subtractive. The corrections of the departure are found by the same rule, except changing diff. of lat. into departure. Thus in the adjoined example, the sum of the boundary lines is 161.6, the error of latitude is 0.10 and of departure .08,

Bearings	Lengths.	N.	S.	E.	W.	Corrections.		Corrected values.					
						N.	E.	N.	S.	E.	W.		
N. 45° E.	40.	28.28		28.28		.02	.02	28.30		28.30			
S. 30 W.	25.		21.65		12.50	.02	.01		21.63			12.49	
S. 5 E.	36.		33.86	3.14		.02	.02		35.84	3.16			
W.	29.6				29.60	.02	.01	0.02			10.62	29.58	
N. 20 E.	31.	29.13		10.60		.02	.02	29.15					
	161.6	57.41	57.51	42.02	42.10	.10	.08	57.47	57.47	42.08	42.08		
		Error	.10	Error	.08								

and the corrections of the diff. of lat. and departure are found by the following proportions :

	Lat.		Dep.
161.6 : 0.10 :: 40 : 0.02*		161.6 : 0.08 :: 40 : 0.02	
	:: 25 : 0.02		:: 25 : 0.01
	:: 36 : 0.02		:: 36 : 0.02
	:: 29.6 : 0.02		:: 29.6 : 0.01
	:: 31 : 0.02		:: 31 : 0.02



The first correction of lat. .02 is to be added to the first latitude, 28.28, because it is in the column whose sum 57.41 is less than the other 57.51, so that the first corrected diff. of lat. is 28.30. The second is the difference between 21.65, and the second correction .02, because 21.65 is in the greatest column, the corrected value is therefore 21.63. The third is found in the same manner to be 35.86—0.02=35.84. The fourth corrected difference of latitude is simply the fourth correction .02 placed in the column N, because the sum in that column, 57.41 is the least and the fourth diff. of latitude in the original table is 0. The fifth is the sum of 29.13 and the fifth correction 0.02, making 29.15. These are placed in their proper columns in the corrected values. In a similar manner the first departure is equal to the sum of 28.28 and the first correction 0.02, which is equal to 28.30. The second is the difference between 12.50 and the second correction .01, making 12.49 and so as for the others, taking the sum when the departure is in the column whose sum is the least, which in the present case is the east, and the difference when in the other column. In the traverse table thus corrected, the sum of the differences of latitude is 57.47 in both columns, and the sum of the departures 42.08. Having corrected the values of this traverse table you must find the meridian distances, the column M, the north and south areas, &c. as in the former example.

\* The boundary lines in this example are so nearly of an equal length that the correction of the difference of latitude (taken to the nearest decimal) is 0.02 for each of them, but in general, they will be different. The table of difference of latitude and departure may be made use of in finding these corrections, thus : seek in the table till the first term 161.6 (or 162) is found in the distance column to correspond to the second term .10 (or 10) in the departure column, thus opposite the third term .40, 25, &c. will be the sought corrections, as is evident.



# SURVEYING.

PLATE



DESIGNED BY EDW. M. BLUNT, for W. HOOKER,  
1836.

In projecting a survey of this kind, where there is a small error, you do not plot just as usual the boundary lines AB, BC, CD, &c. and it will be manifest that the termination of the last line EA will not fall exactly in the intended line, but will be at a point near it, which we shall call *a*. To correct this error you must draw through the points B, C, D, &c. lines parallel to *aA*, the direction from *a* to A, of such lengths as to be to *Aa*, as the distances of those points respectively from A (measured on the boundary ABCD, &c.) to the whole length of the boundary line, through these points draw the corrected lines terminating on A. Want of room prevents entering into farther explanation of the subject.

*The manner of surveying Coasts and Harbours.*

From what has been said in the preceding problems, the intelligent reader will readily perceive the method of surveying a coast or harbour; but as this is an important subject, it was thought proper to enter more fully into an explanation of the different methods to be made use of.

*To take a draught of a coast in sailing along shore.*

Having brought the ship to a convenient place, from which the principal points of the coast, or bay, may be seen, either cast anchor, if it is convenient, or lie-to as steady as possible; or if the coast is too shoal, let the observations and measures be taken in a boat. Then while the vessel is stationary, take with an azimuth compass the bearings in degrees of such points of the coast as form the most material projections or hollows;\* write down the bearings, and make a rough sketch of the coast, observing carefully to mark the points whose bearings are taken, with letters or numbers, for the sake of reference.

Then let the ship or boat run in a direct line, which must be very carefully measured by the log, or otherwise, one, two, or three miles, until she comes to a situation from which the same points before observed can be seen again at quite different bearings: then let the vessel lie steady as at the former station, and observe again the bearings of the same points, and make a rough sketch of the coast; this sketch may be made more accurately while the vessel is running the base line.

To describe the chart from these observations, you must in some convenient part of a sheet of paper draw the magnetic meridian, and lay off the several bearings taken at the first station, marking them with their proper letters or numbers; lay down also the bearings taken from the second station. Draw a line to represent the ship's run both in length and course, and from that end of the line expressing the first station, draw lines parallel to the respective bearings taken from that end; also from the other end draw lines parallel to the bearings taken at that end, and note the intersection of each pair of lines directed to the same point; and through these intersections draw by hand a curved line, observing to wave it in and out as far as can be like the trending of the coast itself. Then mark off the variation of the compass from the north end of the magnetic meridian towards the right hand, if it be west, or towards the left hand if it be east, and draw the true meridian through that point and the centre of the circle. Against each part draw the appearance of the land marked in the sketches, distinguishing the rocky shore, highland, beach, &c. as in Plate V. or XI. thus the sand beaches may be marked as in Plate XI. fig. 8, and the rocky shore as in fig. 9, &c. Put in the several soundings at low water,† in small areas, distinguishing whether they are fathoms or feet; show the time of high water on the full and change days by Roman figures, and tell the rise of tide in feet. The direction and velocity of the flood tide are to be observed, which may be done by heaving the log when the ship or boat is at

\* In taking the bearings, if the vessel has much motion, the mean of several observations should be taken.

† If the soundings were not taken at low water, they may be reduced thereto by a method which will be explained hereafter.

anchor, and the direction is to be represented by an arrow. Put in a compass and a scale of miles or leagues such as the vessel's run was laid down by; add the name of the place, and the latitude and longitude as true as can be obtained.

If there are shoals or sands on the coast, let them be taken in a boat, sailing round them, keeping account of the courses, distances, and soundings.\* But to put them in the draught, the observer in the boat must take the bearings of two points on the coast (the bearings of which have been taken from the ship) from some part of each sand or shoal, so sailed round; or, the bearing of the boat at some part of the shoal, or of some beacon in that place, must be taken by the ship at each of the stations where the bearings of the shore were taken from the ship; for by either of these means, one point of the sand being obtained, the rest of it can be laid down from the observations taken in the boat. Rocky shoals may be marked on the chart, as in Plate XI. fig. 11, and sand banks as in fig. 10.

If the coast to be drawn is a bay or harbour winding in such manner, that all its parts cannot be seen at two stations, let as many bases or lines be run and measured exactly as may be found necessary, observing that the several distances run should join to one another, in the nature of a traverse; that each new set of objects, or points observed, should be taken from two stations at the ends of a known distance, and that the objects whose bearings are taken do not so much extend beyond the limits of the base as to make angles with it less than about  $\frac{1}{2}$  or  $\frac{3}{4}$  of a point, but rather reserve such objects for the next measured base line; for when lines lie very obliquely to one another, their intersections are not easily ascertained.

If any particular parts of the harbour cannot be conveniently seen from either of the stations, take the boat into those places, and having well examined them, made sketches thereof, estimating the lengths and breadths of the several inlets, either by the rowing or sailing of the boat, take as many bearings, soundings, and other notes, as may be thought necessary; then annex these particular views in their proper places, in the general draught.

If there are any dangerous sands or rocks, besides inserting them in their proper places, you must see if there be any two objects ashore (such as a church, mill, house, noted cliff, &c.) which appear in the same right line when on the shoal; and these objects must be noted on your chart. If none can be found, you must take the bearings of some remarkable points, and note them on your chart; by which means it will be known how to avoid the danger.

It should be remarked in the draught the kind of bottom obtained in sounding, whether mud, sand, shells, coral, rocky ground, &c.; and where there is good anchorage draw the figure of an anchor. Also, if there is any particular channel more convenient than another, it is to be pointed out by lines drawn to its entrance from two or more noted marks ashore.

The positions of objects taken by a magnetic compass being liable to great uncertainties, as is well known to those who have had any experience, especially at sea; it has therefore been recommended to observe only the bearings of the station lines by the compass, and then measure the angles which the other objects make with these lines, by a quadrant or sextant, which for this purpose must be held in an horizontal position.

#### EXAMPLE I. (See fig. 1, Plate X.)


Suppose a ship at A observes the bearings of the most remarkable point of a bay, C, D, E, F, G, H, and I, and sails S.  $64^{\circ}$  E.  $1\frac{1}{2}$  miles to B; at B

---

\* It is difficult to ascertain correctly the courses and distances sailed by the boat, on account of the currents and other causes. This inconvenience may be obviated if the ship be at anchor, and not far from the boat, by observing in the boat the bearing of the ship by compass, and by measuring, with a quadrant, the angle contained between the top-gallant-mast head, and that part of the ship which is at the same height as the eye of the observer; for by this angle the distance of the boat from the ship may be determined, as will be explained in this work.







she also observes the bearings of the same points; hence it is required to construct the chart.

Bearing of C from A S. 36° W. D N. 9° W. E N. 26° E. F N. 55° E. G East. H S. 40° E. I S. 19° E.	Bearing of C from B S. 89° E. D N. 48° W. E N. 24° W. F N. 13° E. G N. 47° E. H S. 38° W. I S. 46° W.
---	--

Draw the line AB, S. 64° E. 1½ miles. Through the points A and B draw the lines AC, AD, AE, AF, AG, AH, AI, BC, BD, BE, BF, BG, BH, and BI, at their respective bearings, and where the corresponding lines cut each other, will be the points C, D, E, F, G, H, and I, required; through which the different curvatures of the land must be drawn, corresponding with your eye-draught. In this manner may a chart be constructed by observations taken upon the water. The manner of surveying upon land is exactly similar.

*To survey a harbour by observations on shore.*

Make an eye-draught of the place to be surveyed, and in going round the coast fix station staves, or straight poles, tall enough to be seen at a considerable distance, in the most remarkable points and bendings of the shore; but if at any of those places there is a noted tree, house, or any other remarkable thing, that object may serve instead of a station staff; and it will be convenient to black the staves, and tie a piece of white bunting at the top of each; then in the eye-draught put letters or numbers at the noted points or marks for the sake of distinction.

Choose the most extensive and level spot of ground you can meet with to measure your base line upon, which should not be less than a tenth part of the distance of the two extreme objects which are to be observed; and let the direction of the measured base line be such, that as many of the station staves as possible may be seen from each end of it. The bearing or position of this base must be well determined in degrees and minutes, and the length accurately measured, either by a measuring chain or a piece of log-line.

From each end of the base observe, with an azimuth compass, or with a Theodolite, if it can be procured, the bearings of each of the station staves; or else with a sextant measure the angles contained between the staves or remarkable objects, and the other end of the station line, and write them down in order in your book. These measures and angles being plotted down as before directed, will give the most conspicuous points of the shore, the intermediate spaces are to be filled up from the sketches made on the spot.

But if either of these objects should spread on either hand so far beyond the limits of the base, that at either end thereof the other end and those objects should appear nearly in the same direction, or to make angles not exceeding 10°: or, if some of the remarkable objects could be seen only from one end of the base; then let the bearings of such objects be taken from a place whose position has been determined from both ends of the measured base; or, if there are several remarked objects which cannot be seen from either end of the base lines, let the bearings of such objects be taken from each of two points whose positions have been determined by bearings taken from both ends of the base, or it may, on some occasions, be proper to choose another place on which another base of a convenient length may be measured, and from the extremities of which the ends of the first base may be seen; and as many as can be of the remaining objects which lay too obliquely, or which could not be seen from the first base. In such manner proceed until the bearings are taken of all the points judged necessary for completing the survey of the limits of the harbour.

If a right line of a sufficient length for a base line cannot be measured, it may be taken in two adjoining lines as the two sides of a triangle, the included angle being accurately taken, and the bearing of either line.

When the outlines or limits of a harbour, bay, road, &c. are delineated, by the preceding precepts, let a small vessel go out to sea to take drawings of the appearance of the land and its bearings; sail likewise into the harbour, and draw the appearance of its entrance; take particular notice if there be any false resemblance of the entrance, by which ships may be deceived and run into danger; or when any two objects being brought in a line, or in one, will lead into the harbour without danger; search for the best anchoring places, and if possible, denote those places by bringing two objects in one, if not, take the exact bearings of two or three other objects, so that the places may be easily determined. The chart being correctly drawn, a compass, with the variation, and scale properly fitted to the plan, the islands, rocks, sands, &c. must be marked in their proper places, with their soundings at low water, the anchoring places, with the best track to get to them; the proper sailing marks to avoid dangers; the places where fresh water can be got; the name of the place, the country in, on what sea; the latitude and longitude; a sketch of the appearance the place makes at sea upon a known bearing, and at an estimated distance; and whatever else a judicious seaman shall think proper may be inserted. Then will the plan be fit for all nautical purposes, and may be embellished with proper colours if necessary.

EXAMPLE II. (See fig. 2. Plate X.)

From each end of a base line AB of 1200 fathoms, were observed the points C, D, E, F, and G; and as the points I, K, and L, were not visible from the extremities of the base line, another base line was measured from the point D to H of 650 fathoms, from which points the bearings of I, K, and L, were observed: hence it is required to construct a chart of the place.

Bearing of B from A	East.	Bearing of C from B	N. W. b. W.
C	North.	D	N. N. W.
D	N. E. b. N.	E	North.
E	N. E. $\frac{1}{2}$ N.	F	N. b. E.
F	N. E. b. E. $\frac{1}{2}$ E.	G	N. E.
G	E. b. N. $\frac{1}{2}$ N.		
Bearing of H from D	N. W.	Bearing of I from H	N. E. by N.
I	N. b. W.	K	N. E. $\frac{1}{2}$ E.
K	N. b. E. $\frac{1}{2}$ E.	L	E. N. E.
L	N. N. E. $\frac{1}{2}$ E.		

Draw the east line AB=1200 fathoms; from each end of this line draw the lines AC, AD, AE, AF, AG, BC, &c. at their respective bearings; the points of intersection will give the points C, D, E, F, and G. From the point D (which was found in this manner) draw the N. W. line DH=650 fathoms: and through these points draw the lines DI, DK, DL, HI, &c. at their respective bearings; the points of intersection of the corresponding lines will be the situation of the points I, K, L. Between these remarkable points, draw the outlines of the land, conformable to your rough draught.

In order to determine the situation of the point M, which was seen too obliquely from the bases AB, DH, you may take the bearing of that point from B, and then from G (whose situation has been determined by bearings taken from the points A, B,) the intersection of the lines BM, GM, will determine the situation of M.

*Method of surveying a small bank or shoal where great accuracy is required.*

The method of determining the extent and situation of shoal ground, by sailing round it and keeping an account of the courses and distances sailed, is well adapted to the taking of an extensive survey, or to the exploring of a large bank, where great accuracy is not required; but the difficulty of certaining with precision the courses and distances sailed (which are liable to error on account of the tides, currents, and the different velocity of boat at different times owing to the unsteadiness of the wind) prevents this method from being sufficiently accurate to be used in exploring a dangerous shoal or bank at the entrance of a narrow channel of a harbour, or other place where the exact form of the shoal is to be found; and if to

tain the necessary degree of correctness, the bearings of two remarkable objects were taken at every time of sounding, the time expended in taking the observations would be increased beyond all reasonable bounds. To obviate these difficulties, the following methods may be made use of, by either of which the necessary observations for determining the situation of the boat, may be made as fast as the soundings can be taken.

**First Method.** Procure a large sail-boat with a high mast, and a small row-boat; bring the sail-boat to anchor on the bank which is to be explored, and take accurately the bearings of two remarkable points of land, or other objects whose situation has already been determined by observations taken on shore, or in sailing along the land; by this means the situation of the sail-boat may be accurately marked on the chart; then enter the small boat and row from the other in any particular direction, observing to keep the mast of the boat to bear upon any point of the compass, or (which is much more accurate) to keep the mast of the boat to range on any particular point of land, or other object marked on the chart; by these means any errors which might arise in the course of the boat will be entirely prevented. While proceeding in this direction let one person take the soundings, while another observes with a quadrant or sextant the angular elevation of the top of the boat's mast above the horizontal line drawn from the eye of the observer, and a third person notes the observations in the minute book, and the time of observation, in order to make the necessary reduction in the soundings to reduce them to low water. Proceed in this manner from the sail-boat till you get off the bank into deep water, or till the elevation of the mast is not much less than one degree, then row across the bank till the bearing of the mast is altered considerably, or till it appears in a range with another point of land at a considerable angular distance from the point with which the mast ranged in the first observations; then row towards the boat, sounding and observing the angular elevation of the mast as before. Proceed in this manner in sounding to and from the sail-boat till you have procured a sufficient number of soundings in every direction. Then go on board the sail-boat and shift her berth to another part of the bank where soundings have not been taken and proceed to sound as before. Continue sounding and shifting the situation of the boat, till the whole bank has been explored, and then the observations may be plotted off by the directions in the following example.

Let ABC (Plate XI. fig. 1.) be the mast of the sail-boat, D the situation of the eye of the person who observes the angular elevation of the mast. Draw the line DB parallel to the horizon and join DA. Then the height AB must be measured\* accurately, and that being given and the observed angle ADB the corresponding distance BD may be obtained by the usual rules of trigonometry by saying as radius : AB :: co-tangent ADB : BD. Thus if the height AB was 30 feet, and the angle ADB 1°, the distance BD would be 1719 feet (being 57.3 times as great as AB). The distances corresponding to 2°, 3°, &c. are given in the adjoined table, by examining which it will appear that the distance BD corresponding to any angle ADB (less than 30°) may be obtained nearly by dividing 1719 by the angle ADB in degrees. Thus for 4 degrees the distance by this rule would be  $\frac{1719}{4} = 429\frac{3}{4}$ , nearly, as in the table. The greatest difference between the distances determined by the rule and by the table being 5 feet, corresponding to the angle 30°, for  $\frac{1719}{30} = 57$ ; whereas, by the table the distance is 52. In taking soundings by this method it will be very rarely necessary to measure an angle so great as 30°, so that for all practical purposes the distance may be de-

ADB	BD
	feet.
1°	1719
2	859
3	572
4	429
5	343
10	170
20	82
30	52

\* A mark may be made at B, and a vane placed at the top of the mast at A, to enable the observer to distinguish these objects when at a great distance. If the height of the observer above the horizon be small in comparison to the height of the mast, the angular distance ADE between the surface of the sea and the top of the boat's mast might be measured, instead of ADB; for if the distances BC, and CE, remained the same in all observations, it would be immaterial which angle was

terminated in this example to a sufficient degree of accuracy by dividing 1719 by the observed angular elevation in degrees. On these principles we have the following rule for calculating the distance corresponding to a mast of any given height, and to any observed angular elevation.

**RULE.** *Multiply the height of the mast above the eye of the observer by 57.3, and the product will be a constant quantity\* which being divided by the observed angle of elevation expressed in degrees and decimals of a degree, the quotient will be the sought distance nearly.*

If the height of the mast be expressed in equal parts taken from the scale by which the chart was plotted off, the distances found by the above rule would be expressed in the same equal parts; so that if the distances thus expressed corresponding to  $1^{\circ}$ ,  $2^{\circ}$ ,  $3^{\circ}$ , &c. were calculated and marked on a slip of paper (fig. 2, Plate XI.) from H to  $1^{\circ}$ , from H to  $2^{\circ}$ , from H to  $3^{\circ}$ , &c. respectively, the slip HI thus marked, would be a very convenient scale for plotting off such distances.

For further illustration of this method, we have given an example in fig. 4, Plate XI. in which C represents the place at which the sail-boat was at anchor, A and B the points observed, in order to ascertain her position on the chart, by drawing thereon the lines AC, BC, in opposite directions to the bearings of the points A, B, observed from the boat; for the point of intersection C will evidently be the place of the boat upon the chart. Suppose now that in the first set of observations the mast of the sail-boat was made to range on the point A, in this case the course of the boat must be on the continuation of the line AC towards D, then the slip HI (fig. 2, Plate XI.) is to be laid upon the line CD (fig. 4, Plate XI.) with the point H upon C, and the angular elevation being found on the slip the sounding corresponding (reduced to low water) is to be marked on the line CD, immediately under the mark on the slip. Thus if the angle was  $4^{\circ}$ , the point corresponding would be G. Having plotted off the soundings taken in the direction CD, proceed in the same manner with the others, viz. those in the direction CE found by keeping the boat's mast in a range with the church at H, those in the direction CF found by keeping the boat's mast in a range with the point B, those in the direction CA found by keeping the mast to bear E. N. E. and so on with the other observations; and when all the soundings are marked on the chart, dotted lines are to be made round the shoal soundings, and thus the true figure of the shoal part of the bank will be obtained.

This method I have frequently used in taking a survey of the part of the coast of Massachusetts' Bay, included between Manchester and Lynn. The height of the mast of the boat used on the occasion was about 30 feet, and it was found that distances less than a third of a mile could be obtained in this manner to a great degree of precision.

**Second Method.** This method of determining the place where soundings were taken consists in keeping (while sailing in a boat and sounding) a particular point of land, or any other object, to bear always in the same direction, and measuring with a quadrant or sextant held in a horizontal position the angular distance between that object and another object (making a considerable angle with the former) for by this means the situation of the boat at the time of sounding may be determined. Instead of bringing the object to bear upon a particular point of the compass, you may (when it can be

measured; observing however that different scales must be used for plotting off the angles ADB and ADE.

If AB represented the known vertical height of the summit of an island above the eye of an observer, the distance from the island might be determined by measuring the angular elevation ADB, as is evident from what has been said above.

\* This constant quantity may be determined without actually measuring the altitude AB, if the angular elevation can be measured at a place D where the distance BD is known. Thus is the example (Plate XI. fig. 4) the distance AC being known, and the angular elevation of the mast at O being observed at A in degrees and decimals of a degree, and multiplied by the distance AC, the product will be the constant quantity mentioned in the rule. This method may be used in determining the distance from an island by the method mentioned in the last note.

done) bring the object in a range with another remarkable object, and by this means you will avoid the error which might arise from the use of a compass.

For an example of this method, suppose that a survey of the small islands A, B, K. (Plate XI. fig. 3) and the large one CHG had been taken and plotted off as in the figure. Then soundings may be taken in the direction BCD by bringing the small island B in a range with the southern part of the great island, and measuring the angle CDG formed by the extremes of the great island; or by keeping the small island A to range with the northern part of the great island, and measuring the angle HIK formed by the northern extreme of that island, and the small island K; or by running in the direction KL so as to keep the island K to bear W.  $\frac{1}{2}$  S. and measuring the angle formed by that island and the northern extreme of the great island, &c.

The method I have generally used for plotting off such angles is by means of a sector; and as that instrument is more easily procured than others better adapted to the purpose, I shall explain the method by showing how the angle CDG, measured as above, may be plotted off so as to determine the point D where that angular distance was observed. To do this, you must draw the line DC, and open the sector till the two legs form with each other an angle equal to the observed angle CDG, then slide one leg of the sector on the line DC till the other leg touches the northern extreme of the island at the point G, and the point directly under the centre of the joint of the sector will be the point of observation: as this point cannot be exactly marked on account of the size of the joint of the instrument, you may mark with a pencil on the line DC the top points where the circumference of the joint touches that line, and note the sounding in the middle between those two marks.

If a quadrant of a circle be described on a piece of paper, with a radius equal in length to one of the legs of the sector, and then divided into  $90^{\circ}$ , the sector may, by means of that quadrant, be opened to any angle in a very expeditious manner.

This method of obtaining distances when sounding, I have frequently used with success.

*To reduce soundings taken at any time of the tide to low water.*

The soundings at low water are always to be marked on a chart, and if they are taken at any other time of the tide, a proper allowance must be made to reduce them to low water. This allowance may be made if the whole vertical rise of the tide from low to high water be known, and the time of high and low water, as in the following example.

Suppose the vertical rise of tide from low to high water, to be 10 feet, the time of low water 5h. A. M. and the time of high water 11h. 30m. A. M.: required the allowance to be made on an observation taken at 8 A. M. ?

Draw the line AC (Plate XI. fig. 5) and make it equal to the whole rise of the tide 10 feet, taken from any scale of equal parts, and divide the line into equal parts representing feet, at the points 1, 2, 3, &c. to 10, the mark 10 (corresponding to the whole rise of the tide) being at the point C, and through these points draw lines 11, 22, 33, &c. perpendicular to AC, to meet the circumference of a circle drawn on the diameter AC. Divide the semi-circumference ABC of that circle into a number of equal parts representing the number of hours elapsed from low to high water, \* which in this case is 6h. the hour of low water being marked at A, and that of high water at C, the intermediate hours being marked in succession as in the figure :

\* This division of the semi-circle may be made by means of a line of chords. The number of degrees corresponding to one hour being found by saying, as the whole elapsed time from low to high water is to  $180^{\circ}$  so is one hour to the arch corresponding to 1 hour  $27^{\circ} 42'$ , which being taken from a line of chords and laid off from 5h. will reach to 6h. &c.

then any hour being found on the arch, the number of the line drawn perpendicular to AC, and passing through the hour, will represent nearly the number of feet to be subtracted from a sounding taken at that time to reduce that sounding to low water. Thus the number of feet corresponding to 8h. is between 4 and 5, because the mark 8h. falls between the lines marked 4 and 5, so that the reduction is between 4 and 5 feet, on soundings taken at 8 A. M. to reduce them to low water on the day of observation; and if on that day the tide does not ebb so much as on a spring tide, the reduction must be increased by the difference in the ebbing of the two tides. Thus if on the day of observation the tide did not ebb so much by two feet as on a spring tide, the reduction corresponding to 8h. ought to be increased two feet, and would therefore be between 6 and 7 feet. Allowance may be made for this by increasing the number of feet marked in fig. 5, by marking 2 feet at A, 3 feet at 1, 4 feet at 2, &c. as is evident.

*To reduce a Draught to a smaller Scale.*

With a black-lead pencil draw on the draught to be reduced, cross lines, forming exact squares, and on the clean paper for the copy draw the same number of squares, making their sides larger or smaller in proportion to the intended size of the scale, such as  $\frac{1}{2}$ ,  $\frac{1}{3}$ , &c. the length of the other; distinguish by a stronger mark every fifth or sixth row of squares in both, so that the several corresponding squares may be readily perceived: then, in each of the squares of the draught, draw, by the eye, a curve on the paper, similar to that in the square of the copying draught, till the whole is copied: when the black-lead lines may be rubbed out with bread or india rubber.

A chart may also be reduced in the following manner: thus, suppose you would reduce a chart in the ratio of the line MN (Plate XI. fig. 6) to HI. Draw the line AC, which make equal to HI, upon A as a centre, describe the arch CF, and make the chord CF=MN, join AF; then if you take any distance, AB you wish to reduce, and upon A, as a centre, describe an arch BD the chord BD, intercepted by the lines AC, AF, will be the reduced distance corresponding to AB. This reduced distance may also be obtained by another method, which is more simple than the former: Take any extent from the large chart, which is to be reduced to a smaller scale, and apply it from A to O (Plate XI. fig. 7): take in your compasses the corresponding distance on the small chart, and with one foot in O sweep an arch P; draw the line AP just touching the arch in P; then if you take any distance from the great chart, and apply it from A to R, and at the point R sweep an arch S to touch the line AP; the extent RS will be the reduced distance corresponding to the line AR.



## OF WINDS.

THE earth is surrounded by a fine invisible fluid, called Air, which by its weight is capable of supporting the vapours raised by the sun, and by its elasticity is capable of expanding or spreading itself, so as to fill up a large space. When the elasticity of any portion of the air is changed, by the heat of the sun or by other causes, the neighbouring parts are put in motion to restore the equilibrium; in this manner a current of air is formed, called the *Wind*, which is distinguished by several names, viz. trade winds, monsoons, variable winds, &c. The *trade winds* blow constantly from the same part; the *monsoons* blow half the year one way, and half the other; and the *variable winds* are such as blow without any regularity either as to time, place, or direction. The following observations on the wind have been made by Dr. Halley and others.

There are constant trade winds, blowing from the east, in most parts of the Atlantic and Pacific Oceans, between the latitudes of  $30^{\circ}$  N. and  $30^{\circ}$  S.



Near the northern limits of these winds, they blow between the north and east; and near their southern limits, between the south and east.

In the Atlantic Ocean, at about 100 leagues from the coast of Africa, between the latitudes of  $28^{\circ}$  and  $10^{\circ}$  north, there is generally a fresh gale of wind blowing from the N. E.

Those bound to the Caribbee Islands across the Atlantic, find, as they approach the American side, that the N. E. wind becomes easterly, or seldom blows more than a point from the east, either to the northward or southward.

These trade winds on the American side are sometimes extended to  $36^{\circ}$ ,  $41^{\circ}$ , or even to  $52^{\circ}$  of north latitude, which is about  $4^{\circ}$  farther than what they extend to on the African side; also to the southward of the equator, the trade winds extend 3 or 4 degrees farther towards the south on the coast of Brazil on the American side, than they do towards the Cape of Good Hope, on the African side.

But we must not conclude that the above limits are without exception; for both their extent and direction vary considerably with the season of the year. When the sun approaches the tropic of cancer the S. E. trade winds prevail farther to the northward of the line, and incline more to the southward of S. E. and the N. E. trade wind inclines more to the eastward; and the contrary at the opposite season of the year.

On the African coast, from Cape Blanco to Sierra Leone, the winds in general blow from the north, inclining from the westward rather than from the eastward. From Sierra Leone to Cape Palmas, the ordinary course of the winds is from W. N. W. and beyond Cape Palmas, as far as  $23^{\circ}$  south latitude, from S. W. to S. inclining more to the southward or westward according to the particular situation or bearing of the shores and lands. And the part of the ocean extending along this coast to the distance of 80 or 100 leagues from the shore, is much more troubled with frequent calms, and with sudden and violent gusts of wind, known by the name of Tornadoes, which blow from all parts of the horizon. The reason of this change in the direction of the trade wind near the land is probably owing to the nature of the coast, which being violently heated by the sun, rarefies the air exceedingly, consequently the cool air from the sea will keep rushing in to restore the equilibrium.

In the Gulf of Guinea there is a periodical wind, called *Harmattan*, which blows in a N. E. direction from the interior parts of Africa. The season in which this wind prevails is during the months of December, January, and February.

Between the 4th and 10th degrees of north latitude, and between the longitude of Cape Verd and the easternmost of the Cape Verd Islands, there is a tract of sea, which seems to be condemned to perpetual calms, attended with terrible thunder and lightning, and frequent rains. The cause of this seems to be, that the westerly winds, setting in on the coast of Africa, and meeting the general easterly winds in this tract, balance each other, and so cause the calms; and the vapours, carried thither by each wind, meeting and condensing, occasion the almost constant rains.

These observations show the reason of the difficulty which ships find in sailing to the southward, between the coasts of Guinea and Brazil, particularly in the months of July and August, notwithstanding the width of the sea is more than 500 leagues. For the S. E. winds at that time of the year commonly extend some degrees beyond the ordinary limits of  $4^{\circ}$  north latitude, besides coming so much southerly as to be sometimes south, sometimes a point or two to the west; it then only remains to ply to windward; and if on the one side they steer W. S. W. they get a wind more and more easterly, but then there is danger of falling in with the coast or shoals of Brazil; and if they steer E. S. E. they fall into the neighbourhood of the coast of Guinea, from whence they cannot depart without running easterly as far as the island of St. Thomas.

All ships departing from Guinea for Europe, their direct course is northward; but on this course they cannot go, because the coast, tending nearly

east and west, the land is to the northward; therefore as the winds on this coast are generally between the south and W. S. W. they are obliged to steer S. S. E. or south, and with these courses they run off the shore; but in so doing they always find the wind more and more contrary; so that, though when near the shore they can lie south; at a great distance they can make no better than S. E. and afterwards E. S. E. with which courses they generally fetch the island of St. Thomas or Cape Lopez, where finding the winds to the eastward of the south, they sail westerly with it, till coming to the latitude of 4 degrees south, they find the S. E. wind blowing perpetually.

On account of these general winds, all bound from Europe to the West Indies, or to the southern states of America, consider it most advantageous to get as soon as they can to the southward, so they may be certain of a fair and fresh gale, to run before it to the westward. For the same reason, those bound from America to Europe endeavour to gain the latitude of 30 degrees, where they first find the wind begin to be variable, though the most ordinary winds in the North Atlantic Ocean come between the south and west.

And for the same reasons those bound to India from America run to the eastward in the variable winds, so as to be in the longitude of 35° or 38° W. when in the latitude of 30° N. From thence they steer south-easterly towards the Cape de Verds, passing 4° or 5° to the westward of them, unless they wish to stop for supplies, or to correct their longitude. Being then in the common route of the European Indiamen, they steer south-easterly to cross the equator between the longitude of 18° W. and 25° W. where meeting the S. E. trade winds, they must brace up and sail upon a wind till they get through them, and come into the variable winds, where they may steer to the eastward. Near the equator, the trade wind is generally stronger to the westward than to the eastward; and were it not for the fear of falling in with the Brazil coast, a ship might cross the line farther to the westward than what we have recommended above. Ships homeward bound, from the Cape of Good Hope towards America, may deviate a little to the westward of their straight course, and cross the equator in about 30° W. longitude, in order to take advantage of this fresher trade wind.

Between the southern latitudes of 10° and 30° in the Indian Ocean, the general trade wind about S. E. is found to blow all the year round, in the same manner as in the like latitudes in the south Atlantic Ocean; and during the six months, from May to November, these winds reach to within 2 degrees of the equator; but during the other six months, from November to May, a N. W. wind, called *the little monsoon*, blows in the tract lying between the 3d and 10th degrees of south latitude, in the meridian of the north end of Madagascar, and between the 2d and 12th degrees of south latitude, near the longitude of Sumatra and Java.

In the tract between Sumatra and the African coast, and from 3° of south latitude, quite northward to the Asiatic coast, including the Arabian Sea and the Bay of Bengal, the monsoons blow from October to April on the N. E. and from April to October on the S. W. In the former half year, the wind is more steady and gentle, and the weather clearer than in the latter six months. In the Red Sea the winds blow nearly nine months of the year from the southward, that is, from August to May, and the rest of the year from the N. and N. N. W. with land and sea breezes. In the Gulf of Persia the N. W. wind blows from October to July, and about three months from the opposite quarter. These winds being often interrupted by gales from the S. W. and by land breezes.

Between the island of Madagascar and the coast of Africa, and thence northward as far as the equator, there is a tract, wherein, from April to October, there is generally a S. S. W. wind, and a contrary wind the rest of the year, with regular land and sea breezes on both coasts.

To the eastward of Sumatra and Malacca, on the north of the equator,

and along the coasts of Cambodia and China, quite through the Philippines as far as Japan, the monsoons blow N. E. and S. W. the N. E. setting in about October or November, and the S. W. about May.

Between Sumatra and Java to the west, and New-Guinea to the east, there are regular monsoons. The N. W. monsoon blows from October to April, the S. E. monsoon the rest of the year.

The monsoons do not shift suddenly from one point of the compass to the opposite; in some places, the time of the change is attended with calms, in others by variable winds; and it often happens, on the shore of Coromandel and China, towards the end of the monsoons, that there are most violent storms, called Tuffons, greatly resembling the hurricanes in the West Indies, wherein the wind is so vastly strong, that hardly any thing can resist its force; for this reason it is more dangerous to approach those shores at the time of the breaking up of the monsoon than at any other season of the year.

The *land* and *sea breezes* prevail principally between the tropics. The sea breeze generally sets in about ten in the forenoon, and continues till about five or six in the evening; at seven the land breeze begins, and continues till about eight in the morning. The cause of these winds is this:—during the day the sea is not so much heated by the sun as the land, nor so much cooled at night. Hence, in the day time, the cooler air from the sea will rush towards the land to supply the deficiency occasioned by the greater rarefaction of the air, and hence arises the sea breeze. In like manner, during the night, the air at land, being more cooled than that at sea, will therefore blow from the land towards the sea, and hence occasion a land breeze.

A *whirlwind* is a dangerous phenomenon caused by the adjacent air, rushing in from all parts towards a centre with great rapidity, and destroying every thing it passes over in its progressive motion. A *water spout* and whirlwind arises from the same cause, the latter being formed at land, is composed principally of air, but the former being formed at sea, is composed of water.

It was first observed by Doctor Franklin that the N. E. storms on the coast of the United States of America, frequently begin earlier in the southern states than in the northern. This he accounts for by supposing a great rarefaction of air in or near the gulph of Mexico; the air rising thence has its place supplied by the next more northern, and therefore denser and heavier air; a successive current is thus formed, to which the coast and inland mountains give a N. E. direction.

Experiments have been made by several persons to determine the velocity of the wind, by observing the space passed over by a cloud or any light substance, and by other methods; and it has been found that the velocity of the wind in a violent gale is about 50 or 60 miles per hour.



## TIDES.

**TIDE** is a periodical motion of the water of the sea, by which it ebbs and flows twice a day. The *flow* continues about 6 hours, during which the water gradually rises till it arrives to its greatest height; then it begins to *ebb* or decrease, and continues to do so for about 6 more, till it has fallen to nearly its former level; then the flow begins as before. When the water has attained its greatest height it is said to be *high-water*, and when it is *gone* falling it is called *low-water*.

The cause of the tides is the unequal attraction of the sun and moon upon different parts of the earth. For they attract the parts of the earth's surface nearest to them, with a greater force than they do its centre; and attract the centre more than they do the opposite surface. To restore this equilibrium the waters take a spheroidal figure, whose longer axes is directed

towards the attracting luminary. If the moon only acted upon the water, the time of high water would be when the moon was upon the meridian, above or below the horizon; or rather at an hour or two after, (because the moon continues to act with considerable force for some time after passing the meridian.) But the moon passes the meridian about 49' later every day; of course, if she only acted on the tides, they would be retarded every day 49', and it would be high water at the same distance from her passing the meridian; and it is upon this principle that the time of high water is calculated in most books of navigation, although the time thus calculated will sometimes differ an hour from the truth, owing to the neglect of the disturbing force of the sun. The effect of the moon upon the tides is greater than that of the sun, notwithstanding the quantity of matter in the latter is vastly greater than in the former: but the sun, being at a much greater distance from the earth than the moon, attracts the different parts of the earth with nearly the same force; whereas the moon, being at a much less distance, attracts the different parts of the earth with very different forces. According to the latest observations, the mean force of the sun for raising the tides is to the mean force of the moon as 1 to 2 $\frac{1}{2}$ . By the combined effect of these two forces, the tides come on sooner when the moon is in her first and third quarters, and later in the second and fourth quarters, than they would do if caused only by the moon's attraction. The mean quantity of this acceleration and retardation is given in Table B, subjoined; the use of which will be explained hereafter.

The tides are greater than common about three days after the new and full moon; these are called *spring-tides*. And the tides are lower than common about three days after the first and last quarters; these are called the *neap-tides*. In the former case the sun and moon conspire to raise the tide in the same place, but in the latter the sun raises the water where the moon depresses it. When the moon is in her *perigee*, or nearest approach to the earth, the tides rise higher than they do, under the same circumstances, at other times; and are lowest when she is in her *apogee*, or farthest distance from the earth. The spring-tides are greatest about the time of the equinoxes, in March and September, and the neap-tides are less. All these things would obtain exactly, were the whole surface of the earth covered with sea; but the interruptions caused by the continents, islands, shoals, &c. entirely alter the state of the tides in many cases. A small inland sea, such as the Mediterranean or Baltic, is little subject to tides; because the action of the sun and moon is always nearly equal at the extremities of such seas. In very high latitudes the tides are inconsiderable.

From the observations of many persons, the times of high-water on the days of new and full moon, in the most noted places of the globe, have been collected. These times are usually put in a table against the names of the places, arranged in alphabetical order as in Table XLVII. of the collection accompanying this work, by means of which the times of high-water may be found by various methods. The most common rule prescribed for this purpose, in books of navigation, is that depending on the golden number and epact, the tide being supposed to be uniformly retarded every day. This method will sometimes differ 2 hours from the truth, for which reason I shall not insert it: but shall proceed to explain the calculation by the subjoined tables A and B, and the Nautical Almanac; by means of which the time of high-water may be obtained to a greater degree of exactness than from our common Almanacs.

#### RULE.

Find the time of the moon's coming to the meridian at Greenwich on ~~the~~ given day, in page VI. of the Nautical Almanac. Enter Table A, ~~and~~ find the longitude of the given place. in the left hand column. correspond ~~ing~~

to which is a number of minutes to be applied to the time of passing the meridian at Greenwich, by *adding* when in *west* longitude, but *subtracting* when in *east* longitude; the sum or difference will be nearly the time that the moon passes the meridian of the given place. With this time enter Table B, and take out the corresponding correction, which is to be applied to the time of passing the meridian of the place of observation, by adding or subtracting, according to the direction of the table.

To this corrected time add the time of full sea on the full and change days; the sum will be the time of high-water at the given place, reckoning from the noon of the given day. If this sum be greater than 12h. 24m. you must subtract 12h. 24m. from it, and the remainder will be the time of high-water nearly, reckoning from the same noon; or if it exceed 24h. 48m. you must subtract 24h. 48m. from that sum, and the remainder will be the time of high water, reckoning from the same noon nearly.

## EXAMPLE I.

Required the time of high water at Charleston, (S. C.) March 17, 1820, in the afternoon, civil account?

By the Nautical Almanac I find that the moon passes the meridian of Greenwich at 2h. 31m.; to this I add 11m. taken from Table A, corresponding to the longitude of Charleston. With the sum 2h. 42m. I enter Table B, and find (by taking proportional parts) that the correction is 45m. which is to be subtracted from 2h. 42m. (because immediately over it in the table it is marked Sub.); to the remainder 1h. 57m. I add the time of high water on the full and change days 7h. 15m. (which is found in the tide table following;) the sum 9h. 12m. is the time of high water on the afternoon of March 17, 1820, civil account.

## EXAMPLE II.

Required the time of high water at Portland, (Maine) May 23, 1820, in the afternoon, civil account?

By the Nautical Almanac the moon will pass the meridian of Greenwich at 8 hours 49 minutes. The correction from Table A, corresponding to 70° the longitude of Portland is 9m. which added to 8h. 49m. gives the time of the moon's southing at Portland 8h. 58m. nearly. The number in Table B corresponding to 8h. 58m. is 23m. which is to be added to 8h. 58m. (because immediately over it, in the table, is marked Add.) To the sum 9h. 21m. I add the time of high water, on the full and change days, 10h. 45m. and the sum is 20h. 6m. consequently the high water is at 20h. 6m. past noon of May 23, that is, at 8h. 6m. A. M. of May 24. And by subtracting 12h. 24m. from 20h. 6m. we have 7h. 42m. which will be nearly the time of high water on the afternoon of May 23, 1820.

In this manner we may obtain the time of high water at any place, to a considerable degree of accuracy. But the tides are so much influenced by the winds, freshets, &c. that the calculated times will sometimes differ a little from the truth.

Many pilots reckon the time of high water by the point of the compass the moon is upon at that time, allowing 45 minutes for each point. Thus on the full and change days, if it is high water at noon, they say a north and south moon makes full sea; and if at 11h. 15m. they say a S. by E. or N. by W. moon makes full sea; and in like manner for any other time. But it is a very inaccurate way of finding the time of full sea by the bearing of the moon, except in places where it is high water about noon on the full and change days.

When you have not a Nautical Almanac, you may find the time of high water by means of the following tables C and D; and although the former method is the most accurate, yet the latter may be useful in many cases. To calculate the time of full sea by this method, observe the following rule.

## RULE.

Enter Table C, and take out the number which stands opposite to the year, and under the month for which the tide is to be calculated; this number, added to the day of the month, will give the moon's age, rejecting 30 when the sum exceeds that number. Against her age found in the left hand column of Table D, is a number of hours and minutes in the adjoined column, which being added to the time of high water at the given place on the full and change days, will give the time of high water required, observing to reject 12h. 24m. or 24h. 48m. when the sum exceeds either of those times.

By this rule I shall work the two preceding examples.

## EXAMPLE III.

Required the time of high water at Charleston, (S. C.) March 17, 1820, in the afternoon, civil account?

In the table C, opposite 1820, and under March, stand 16, which, added to the day of the month 17, gives 33, and by subtracting 30, leaves 3, the moon's age: opposite 3 in Table D, is 1h. 46m. which added to 7h. 15m. the time of high water on the full and change days, gives 9h. 1m. for the time of high water; differing eleven minutes from the former method.

## EXAMPLE IV.

Required the time of high water at Portland, (Mass.) May 23, 1820, in the afternoon, civil account?

In the Table C, opposite 1820, and under May, stand 18, which added to the day of the month 23, gives (by neglecting 30) the moon's age 11; opposite to this, in Table D, is 9h. 19m. which added to 10h. 45m. the time of high water on the full and change days, gives 20h. 4m. from which subtracting 12h. 24m. there remains 7h. 40m. for the time of full sea May 23, 1820: this differs 2 minutes from the former method.

In the third column of Table D is given the time of the moon's coming to the meridian, for every day of her age: thus, opposite 11 days stand 8h. 57m. which is the time of her coming to the meridian on that day. This table may be of some use when a Nautical Almanac cannot be procured, but being calculated upon the supposition that the moon moves uniformly in the equator, the table cannot be very accurate. The numbers in this Table are reckoned from noon to noon; thus, 1h. A. M. is denoted by 13h. 2h. A. M. by 14h. &c.

The time of new moon is easily found, by subtracting the number taken from Table C from 30. Ex. Suppose it was required to find the time of new moon for May, 1820? By examining the table, we find the number corresponding to that time is 18; this subtracted from 30 leaves 12; therefore it will be new moon the 12th May, 1820.

When the time of high water is known for any day of the moon's age, we may from thence find the time of high water on the full and change days by the following

## RULE.

Find the time of the moon's coming to the meridian of Greenwich, page VI. of the Nautical Almanac; to this time apply the corrections taken from the tables A and B, (in the same manner as directed in the preceding rule for finding the time of high water) subtract this corrected time from the observed time of high water, and the remainder will be the time of high water, on the change and full days.

NOTE. If the time to be subtracted be greater than the observed time of full sea, you must increase the latter by 12h. 24m. or by 24h. 48m. nearly

## EXAMPLE.

Suppose that on the 17th March, 1820, the time of high water at Char

ton, (S. C.) was found to be at 9h. 12m. P. M. required the time of high water on the full and change days?

I find, as in example 1st. preceding, that the number to be subtracted is 1h. 57m.—taking this from 9h. 12m. leaves 7h. 15m. which is the time of high water on the full and change days.

When you have not a Nautical Almanac, you may find the time of high water on the full and change by means of the Tables C and D. For in the present example, I find by Table C, that the moon's age was 3, corresponding to which, in the second column of Table D, is 1h. 46m. this subtracted from 9h. 7m. leaves 7h. 21m. for the time of high water on the full and change days.

TABLE A.

TABLE B.

TABLE C.

TABLE D.

Longitude of the place.		Corr.	A TABLE FOR FINDING THE MOON'S AGE.												Moon's Age.	High Water.	Moon passes meridian.	
Deg.	M. m.	Hours H. M.	Add the number taken from this Table to the day of the month: the sum (rejecting 30 or 60 if necessary) will be the Moon's age nearly.												Day	H. M.	H. M.	
0	0	Sub.													0	0 0	0 0	
10	1	0 0													1	0 35	0 49	
20	2	10 17													2	1 10	1 38	
30	3	20 34													3	1 46	2 26	
40	4	30 50													4	2 22	3 15	
50	5	41 5	Year	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	5	3 1	4 4
60	6	51 9	1820	15	17	16	18	13	20	20	22	23	23	25	25	6	3 44	4 53
70	7	61 5	1821	26	28	26	28	29	1	2	3	4	5	6	6	7	4 35	5 42
80	8	70 35	1822	7	9	7	9	10	11	12	14	15	16	17	17	8	5 39	6 30
90	9	80 2	1823	18	20	18	19	20	22	23	24	26	26	28	28	9	6 57	7 19
100	10	90 25	1824	29	1	0	1	2	4	4	6	8	8	10	10	10	8 15	8 2
110	11	100 24	1825	12	13	11	12	13	14	15	16	18	19	19	21	11	9 19	8 57
120	12	110 14	1826	22	24	23	23	24	25	25	27	29	29	1	12	12	10 10	9 46
130	13	120 0	1827	3	5	3	5	6	7	8	10	10	12	12	13	13	10 54	10 34
140	14	130 17	1828	14	15	15	16	17	18	19	19	21	22	23	24	14	11 33	11 23
150	15	140 34	1829	25	26	25	27	28	29	0	1	2	3	4	5	15	12 9	12 12
160	16	150 50	1830	6	8	6	8	9	10	11	12	13	14	15	16	16	12 44	13 1
170	17	161 3	1831	17	18	17	18	19	20	21	23	24	25	26	27	17	13 19	13 50
180	18	171 9	1832	28	29	28	0	1	3	3	5	7	7	8	9	18	13 54	14 36
190	19	181 5														19	14 31	15 27
200	20	190 35														20	15 11	16 16
210	21	200 2														21	15 56	17 5
220	22	210 23														22	16 49	17 54
230	23	220 24														23	17 57	18 42
240	24	230 14														24	19 17	19 31
		240 0														25	20 32	20 20
																26	21 33	21 9
																27	22 22	21 53
																28	23 4	22 46
																29	23 42	23 35
																30	24 0	24 0

In all the preceding calculations of the time of high water, we have neglected the correction arising from the variation of the distances of the sun and moon from the earth, and from the different declinations of those objects. These causes might produce a correction of 10' or 12' in the time of high water, but in general will be much less, and may therefore be neglected.

## CURRENTS.

A **CURRENT** is a progressive motion of the water, causing all floating bodies to move that way towards which the stream is directed. The *set of a current*, is that point of the compass towards which the waters run, and its *drift* is the rate it runs per hour. The most usual way of discovering the set and drift of an unknown current, is thus :

Let three or four men take a boat a little way from the ship : and by a rope fastened to the boat's stern, let down a heavy iron pot or loaded kettle to the depth of 80 or 100 fathoms ; then heave the log, and the number of knots run out in half a minute will be the miles the current sets per hour, and the bearing of the log will show the set of it.

There is a very remarkable current, called the **GULF STREAM**, which sets in a north-east direction along the coast of America, from Cape Florida towards the Isle of Sables, at unequal distances from the land, being about 75 miles from the shore of the southern states, but more distant from the shore of the northern states ; the width of the stream is about 40 or 50 miles, widening towards the north ; the velocity is various from one to three knots per hour, or more, being greatest in the channel between Florida and the Bahamas, and gradually decreasing in passing to the northward ; but is greatly influenced by the winds both in drift and set.

We are chiefly indebted to Doctor Franklin, Commodore Truxton, and Mr. Jonathan Williams, for the knowledge we possess of the direction and velocity of this stream ; its general course, as given by them, is marked on the chart affixed to this work. They all concur in recommending the use of the thermometer, as the best means of discovering when in, or near the stream. For, it appears by their observations, that the water is warmer than the air when in the stream ; and that at leaving it, and approaching towards the land, the water will be found six or eight degrees colder than in the stream, and six or eight degrees colder still, when on soundings. Vessels coming from Europe to America, by the northern passage, should keep a little to the northward of the stream, where they may probably be assisted by a counter current, as is observed by Commodore Truxton. When bound from America to Europe, a ship may generally shorten her passage by keeping in the gulf. By steering N. W. you will generally cross the gulf in the shortest time, as the direction of the stream is nearly N. E. Those who wish for further information on this subject, may consult an ingenious treatise on "Thermometrical Navigation," published by Mr. Jonathan Williams, at Philadelphia, in 1799, and re-published by Edm. M. Blunt, to accompany his Chart of the Western Ocean, in 1819.

In the other parts of the Atlantic ocean the currents are variable, but are generally south-easterly, along the coast of Spain, Portugal and Africa, from the Bay of Biscay towards Madeira and the Cape de Verds. Between the tropics there is generally a current setting to the westward.

There is also a remarkable current which sets through the Mozambique channel, between the Island of Madagascar and the main continent of Africa in a south-westerly direction : in proceeding towards Cape Lagullas the current takes a more westerly course, and then tends round the Cape towards St. Helena. Ships bound to the westward from India, may generally shorten their passage, by taking advantage of this current. On the contrary, when bound to the eastward, round the Cape of Good Hope, they ought to keep far to the southward of it. However, there appears to be a great difference in the velocity of this current at different times ; for some ships have been off this Cape several days endeavouring to get to the westward, and have found no current ; others have experienced it setting constantly to the westward during their passage from the Cape towards St. Helena, Ascension the West-India Islands.




All cases of sailing in a current are calculated upon the principle, that the ship is affected by it in the same manner as if she had sailed in still water, with an additional course and distance exactly equal its set and drift: on this principle the projection and calculation of any problem of this kind may be easily made.

EXAMPLE.

If a ship sails 98 miles N. E. by N. in a current which sets S. by W. 27 miles in the same time; required her true course and distance?

BY PROJECTION.

Describe the compass NESW, through the centre A draw the N. E. by N. line AC=98 miles, through C draw the line CB parallel to the S. by W. line, and make CB=27 miles, and join AB. Then AB will be the course and distance made good, which by measuring are N. E.  $\frac{1}{4}$  N. 74 miles.



BY CALCULATION.

The shortest method of calculating this problem is by means of Table I. as in the adjoined Traverse Table; putting in it the course sailed by the ship, and the set of the current, and finding the difference of latitude and departure by that Table, then find the course and distance made good, as in Case VI. Plane Sailing. In the present example the course is N. E.  $\frac{1}{4}$  N. and the distance 74 miles nearly.

TRAVERSE TABLE.				
Courses.	Dist.	N.	S.	E. W.
N.E.byN.	98	81.5		54.4
S. by W.	27		26.5	5.3
		81.5	26.5	54.4 5.3
		26.5		5.3
	Diff. Lat.	55.0	Dep.	49.1



METHOD OF KEEPING

A SHIP'S RECKONING OR JOURNAL AT SEA.

A SHIP'S RECKONING is that account, by which it can be known at any time where the ship is, and on what course or courses she must steer to gain her port. DEAD RECKONING is that account deduced from the ship's run from the last observation.

THE LOG-BOARD.

The daily occurrences on board a ship are marked on a board or slate, called the *log-board* or *log-slate*, kept in the steerage for that purpose, being usually divided into seven columns; the first contains the hours from noon to noon, being marked by some for every two hours, but by others for every single hour; in the second and third columns are the knots and fathoms

H.	K.	F.	Courses.	Winds.	Lee-way	Transactions.
2	6		S. W.	N. E.		Moderate gales & fair weather; at 8 A. M. saw a ship to the northward.
4	5	5		N.W. by W.		
6	5					
8	5					
10	4	5	E. N. E.	N. W.		
12	4	5				
2	4	5				No observation.
4	4	5				
6	4	5				
8	5		S. W.	W. N. W.	1	
10	4	5				
12	4					

the ship is found to run per hour, set against the hours when the log was hove. Some navigators do not divide the knot into ten fathoms, but into half knots only, marking the third column H. K. The fourth column contains the courses steered by compass: the fifth, the winds; the sixth, the lee-way,\* and the seventh, the alteration of the sails, the business done aboard, and what other remarks the officer of the watch thinks proper to insert. For it should be observed, that it is usual to divide a ship's company into two parts, called the starboard and larboard watches, who do the duty of the ship for four hours and four hours, alternately, except from 4 to 8 P. M. which is divided into two watches. The remarks made on the log-board are daily copied into a book called the *log-book*, which is ruled like the log-board. This book contains an authentic record of the ship's transactions, and the persons who keep a reckoning, transcribe them into their *journals*, and from thence make the necessary deductions relative to the ship's place, every day at noon, which operation is called *working a day's work*. While a ship is in port, the remarks entered in the log-book are called *harbour work* or *harbour journals*, and the day is then estimated according to the civil computation as on shore, that is from mid-night to mid-night; but at sea the day's work ending at noon is dated the same as the civil day, so that the day's work marked Monday began on Sunday noon, and ended on Monday at noon; the day thus marked is called a *nautical day*; the first 12 hours being marked P. M. the latter A. M. There are various ways of keeping journals at sea, according to the different tastes of navigators. Some keep only an abstract of each day's transactions, specifying the weather, what ships or lands were seen, accidents on board, the latitude, longitude, course and run: these particulars being drawn from the ship's log-book. Others keep a full copy of the log-book, and the deductions drawn therefrom, arranged in proper columns:—this is the most satisfactory method to those who may have occasion to inspect the journal; and we have adopted it the following, but shall give an abstract at the end conformable to the other method.

When a ship is about losing sight of the land, the bearing of some notable place (whose latitude and longitude are known) must be observed, and its distance estimated and marked on the log-book: this is called *taking a departure*. In working this first day's work, the calculation is to be made in the same manner as if the ship had sailed that distance from that place upon a course opposite to that bearing, and that course and distance are to be entered accordingly into the traverse table, after allowing for the variation.

*To allow for the Variation.*

We have already taught the methods of finding the variation, which must be allowed on all courses steered, and on all bearings taken with the compass; to the right hand, if the variation be east; but to the left hand, if west; the observer being supposed to be placed in the centre of the compass, looking towards the point from which the variation is to be allowed.

\* The cause of the lee-way and manner of allowing for it, are explained in the following pages.

EXAMPLES.

Course by compass	N. E. by E.	Variation	Points.	W.	True course	N. E. by N.
	N. E.	2	1	E.	N. E. by E.	1/2 E.
	N. W.	3	3	W.	W. by N.	
	S. E.	3	3	E.	S. by E.	
	S. S. W.	1	1	W.	S. 1/2 W.	
	E. S. E.	1	1	W.	E. 1/2 S.	
	S. W. 1/2 W.	1	1	W.	S. W. 1/2 S.	
	N. N. E. 1/2 E.	1	1	E.	N. E. 1/2 E.	

To find the lee-way and allow for it.

The courses must likewise be corrected for lee-way, the nature of which may be thus explained. When a ship sails upon a wind, in a fresh gale, that part of the wind which acts upon the hull and rigging, together with a considerable part of the force exerted on the sails, tend to drive her immediately from the direction of the wind, or, as it is termed, to leeward. But since the bow of a ship exposes less surface to the water than the side, the resistance will be less in the first case than in the second; the velocity therefore in the direction of her head will, in most cases, be greater than the velocity in the direction of her side, and the ship's course will be between the two directions, and the angle contained between the course towards which the ship's head is directed, and the course she really describes through the water, is termed her *lee-way*. The quantity of lee-way to be allowed will depend upon a variety of circumstances; as the mould and trim of the ship; the quantity of sail she carries; her velocity through the water, &c. hence no general rules can be laid down with accuracy that will determine the quantity of lee-way in all cases. The following have, however, been usually given by most writers on navigation.

1. When a ship is close hauled with all her sails set, the water smooth, and a light breeze of wind, she is then supposed to make little or no lee-way.
2. When the top-gallant sails are handed, allow 1 point.
3. When under close reefed topsails, allow 2 points.
4. When one topsail is handed, allow 2 1/2 points.
5. When both topsails are handed, allow 3 1/2 points.
6. When the fore course is handed, allow 4 points.
7. When under the mainsail only, allow 5 points.
8. When under a balanced mizen, allow 6 points.
9. When under bare poles, allow 7 points.

As these allowances depend entirely on the quantity of sail set, without regard to any other circumstance, it is evident that they can be considered only as probable conjectures, and may indeed serve to work up the day's work of a journal that has been neglected. But since the computation of a ship's way depends much upon the accuracy of this allowance, it would be proper for the officer of the watch to mark the lee-way on the log-board, in the column reserved for that purpose. The lee-way may be estimated by observing the angle which the wake of the ship makes with the point right astern, by means of a semi-circle marked on the taffrail, and divided into points and quarters; by means of which the angle contained between the direction of the wake and the point of the compass directly astern, may be easily ascertained.

The lee-way thus determined is to be allowed on all courses steered, to the right hand of the course steered, when the larboard tacks are aboard,\* but on the left hand, when the starboard tacks are aboard; the person making the allowance being supposed to be looking towards the point of the compass the ship is sailing upon.

EXAMPLES.

Courses steered.	Wind.	Lee-way.	True course.
N. W.	N. N. E.	1 point.	N. W. by W.
E. N. E.	North.	2	East.
E. S. E.	South.	1	E. by S.
W. by N.	N. by W.	1/2	W. 1/2 N.
E. N. E. 1/2 E.	S. E.	3	N. E. 1/2 N.

\* See the note page 147.

When the variation and lee-way are both to be allowed on a course, you may do it at once, by allowing their sum when they are both the same way, or their difference when the allowance is to be made in different ways, taking care to make the allowance in the same way as the greater quantity ought to be, whether it be the variation or lee-way.

## EXAMPLE I.

A ship steers W. by N. with her larboard tacks aboard, and makes one point lee-way, there being two points westerly variation; required the true course?

Lee-way to the right hand	1 point
Variation to the left	2 point
Difference allowed to the left	1 point
Whence the course is west.	

## EXAMPLE II.

A ship steers E. S. E. with her starboard tacks aboard, and makes two points lee-way, there being one point westerly variation; required the true course?

Lee-way to the left	2 points
Variation to the left	1 point
Sum allowed to the left	3 points
Whence the course is E. by N.	

In a violent gale, with a head wind and heavy sea, when it would be dangerous to carry sail, it is usual to lie to under sufficient sail to prevent the vessel from rolling so much as to endanger the masts and rigging. When a ship is lying-to, the tiller is put over to leeward, and when the ship has head-way, the rudder acts upon her to bring her to the wind; the ship then loses her way in the water, which ceasing to act on the rudder, her head falls off from the wind, and the sail which is set fills and gives her fresh way through the water, which acting on the rudder, brings her head again to the wind. Thus the ship is kept continually falling off and coming to. In this case, you must observe the points on which she comes up and falls off, and take the middle between the two points for the apparent course, from which allow the variation and lee-way, and you will obtain the true course.

## EXAMPLE.

A ship lying-to under her mainsail, with her starboard tacks aboard, comes up E. by S. and falls off N. E. by E. there being one point westerly variation, and she makes 5 points lee-way—what course does she make good?

The middle between E. by S. and N. E. by E. is E. by N.; and by allowing 6 points to the left hand (viz. 5 for lee-way and 1 for variation) the true course will be obtained N. by E.

To exercise the learner we shall add the examples of correcting for variation and lee-way contained in the following Table.

THE TABLE.

If the ship has been acted upon by a current or a heave of the sea, you must allow the set and drift as a course and distance in the Traverse Table, as directed in p. 219.

Having corrected the courses for lee-way and variation, and estimated the distances sailed, the latitude and longitude in at noon are to be found by either of the preceding methods of sailing. The latitude and longitude, thus calculated, are called the latitude and longitude by *dead reckoning*, and if the real course and distance made good by the ship could be estimated accurately by the compass and log, nothing more would be necessary to determine the ship's place at any time; but by

Courses steered.	Winds.	Lee-way points	Variation points	Courses corrected.
N. W. $\frac{1}{2}$ W.	N. N. E.	—	W.	N. $\frac{5}{2}$ W.
W.	N. N. W.	—	W.	S. $\frac{1}{2}$ W.
W. S. W.	S.	1	W.	S. $\frac{1}{2}$ W.
W.	S. S. W.	1	W.	W.
W. by N.	N. by W.	1	W.	S. 7 W.
S. W.	W. N. W.	1	W.	S. 13 W.
S.	W. S. W.	1	W.	S. S. E.
S. S. W.	W.	1	W.	S. $\frac{1}{2}$ E.
S. W.	N. W. by W.	1	W.	S. S. W. $\frac{1}{2}$ W.
W.	S. S. W.	1	W.	W. $\frac{1}{2}$ N.
W. by N.	N. by W.	1	W.	W. S. W. $\frac{1}{2}$ W.
S.	E. S. E.	2	W.	S. $\frac{1}{2}$ W.
E. by S.	S. $\frac{1}{2}$ E.	2	W.	E. by N.
E. N. E.	N.	1	W.	E. N. E. $\frac{1}{2}$ E.
E.	N.	1	W.	E. $\frac{1}{2}$ N.
E.	S.	0	W.	E. N. E. $\frac{1}{2}$ E.
S.	E. S. E.	1	W.	S. by E. $\frac{1}{2}$ E.
E. S. E.	N. E.	1	W.	E. $\frac{1}{2}$ S.
W. S. W.	S.	1	W.	S. W. by W.
W. by N.	S. W. by S.	1	W.	W. $\frac{1}{2}$ N.
N. W.	W. S. W.	1	W.	N. W. $\frac{1}{2}$ W.
S.	W. S. W.	1	E.	S. $\frac{1}{2}$ E.
N. by E.	N. W. by W.	1	E.	N. N. E. $\frac{1}{2}$ E.
N. W. by N.	W. by S.	1	E.	N. $\frac{1}{2}$ W.
N. W. by W.	N. by E.	1	E.	N. W. by W. $\frac{1}{2}$ W.
W. by S.	N. W. by N.	1	E.	W. $\frac{1}{2}$ S.

reason of the various accidents that attend a ship's way, such as heave of the sea, unknown currents, different rates of sailing between the times of heaving the log, sudden squalls, improper allowance for lee-way and variation, the latitude and longitude of the ship as deduced from the reckoning, will frequently differ from the latitude and longitude by observation. In this case it will be proper to re-examine the calculation to see whether a just allowance has been made for lee-way, variation, bad steerage, drift of the sea, error of the log-line and glass, &c. since it will sometimes be found that a different and more probable estimate of some of these quantities will make the dead-reckoning agree more nearly with the observations. Before the method of finding the longitude by lunar observations was introduced, the mariner had no other observation to be depended on except his latitude, and it was then usual to make allowances for supposed errors in the courses and distances, so as to make the latitude by observation and dead-reckoning agree. The method made use of by Robertson, Moore, and others, was divided into three cases, viz.

#### CASE I.

When the course was within three points of the meridian, the error was supposed to be wholly in the distance, on the principle that it would require a greater error in the course to cause the given error in the difference of latitude than could be supposed probable to have been committed. In this case the corrected departure, &c. were found, with the course, by dead-reckoning, and the difference of latitude by observation, as in Case IV. of Middle Latitude or Mercator's Sailing.

#### CASE II.

When the course was between three and five points of the meridian, the error was supposed to be part on the course and part on the distance. In this case, the corrected departure was taken equal to the mean of the departure by dead-reckoning, and the departure which corresponds to the distance by dead-reckoning, and the difference of latitude by observation. With the corrected departure, and the difference of latitude by observation, the course, &c. were found as in Case II. of Middle Latitude or Mercator's Sailing.

#### CASE III.

When the course was more than five points from the meridian, the error was supposed to be wholly on the course, on the principle that it would require a greater variation in the distance to make the dead-reckoning and observation agree, than could be supposed probable, whereas it could require but a small change in the course to produce the sought effect. In this case, the corrected departure, &c. were found, with the distance, by dead reckoning, and the difference of latitude by observation, by Case V. of Middle Latitude or Mercator's Sailing.

This method was given in the former editions of this work, in conformity to custom, though I was decidedly opposed to making such corrections, being convinced that the difference between the dead-reckoning and observation is more owing to unknown currents than to errors in the courses and distances given by the log. Even admitting the principle that an arbitrary correction of this kind is proper, the preceding method does by no means appear to be the most probable. To show this, let us take the following example.

Suppose the course by dead-reckoning to be  $33^{\circ} 44' 59''$ , the distance by the log. 100 miles, and the difference of latitude by observation 73.1 miles. This comes under Case I. and the error must be placed wholly on the distance, which is to be found with the course  $33^{\circ} 44' 59''$  (or 3 points nearly) and the difference of latitude 73.1, so that the corrected quantities are nearly by Table I. course  $33^{\circ} 44' 59''$ , distance 88, and departure 48.8. Now by altering the course two seconds, making it  $33^{\circ} 45' 1''$ , still retaining the distance by dead reckoning 100 miles, and the difference of latitude by observation 73.1, the example will come under Case II. and the corrected depar-

ture is the mean of the departure by dead-reckoning 55.6, and that corresponding to the distance 100, and the difference of latitude by observation 73.1; namely 68.2, so that this *corrected* departure is 61.9 miles, with which and the difference of latitude by observation 73.1, we obtain the corrected course  $40^{\circ} 15'$  and the distance 96. Thus we see that by altering the course by dead reckoning *only two seconds*, the corrected course varies from  $33^{\circ} 44' 59''$  to  $40^{\circ} 15'$  or above 6 degrees, and the departure varies from 48.2 to 61.9, both of which are highly improbable. This defect of the rule evidently arises from the sudden change of the method when the course is near 3 or 5 points; it being much more probable that the variations take place by small degrees, in such manner that when the course by dead-reckoning is exactly on the meridian, the error ought to be in the distance, and when the course is 8 points from the meridian, the error ought to be in the course, and at intermediate courses the errors in distance ought to be greater, the nearer the course is to the meridian, and the errors in the course greater, the farther it is from the meridian. Both these objects are attained in a very simple manner in the method proposed by the ingenious mathematician, Dr. Adrian, late Professor of Mathematics and Natural Philosophy in Columbia College, New-York, which is somewhat similar to my method of correcting a survey. *His method consists in finding, with the difference of latitude by observation, and the departure by account, the corrected course, distance, and difference of longitude by Case II. of Middle Latitude or Mercator's Sailing*, so that no correction whatever is made in the departure. The propriety of this method will appear evident by observing that a change in the departure can have no tendency whatever in correcting an error in the latitude, and there can be no reason given why such change should be made to the eastward rather than to the westward, since it is supposed that all the allowances for heave of the sea, falling off the course, variation, error of the log, &c. have been previously taken into the calculation, and it seems to be contrary to sound reasoning to vary any of the elements when it will not serve to correct the known error of the latitude, particularly when there can be no reason given why the change should be made in one direction rather than another. In addition to this, the proposed method is not liable to the inconvenience of a sudden change in the rules when the course is near 3 or 5 points. It has also another advantage with respect to simplicity of calculation arising from the circumstance that the corrected difference of longitude is nearly the same as the difference of longitude by dead-reckoning. For the departure is not varied by the rule, and the middle latitude differs rarely more than a few minutes on account of the difference between the latitude by observation and account, so that in keeping a journal it will not be necessary to make any change in the longitude by dead-reckoning, even if you have not had an observation for several days. To illustrate this method I shall give the following

#### EXAMPLE.

Yesterday at noon we were in the latitude of  $39^{\circ} 18'$  N. and by an observation at noon this day are in the latitude of  $37^{\circ} 48'$  N. our dead-reckoning gives 107 miles southing and 64 miles westing. Required the course, distance, and difference of longitude?

With the difference of latitude by observation 90 miles (the difference of  $37^{\circ} 48'$  and  $39^{\circ} 18'$ ) and the departure by dead-reckoning 64 miles, I find by Case II. of Mid. Lat. Sailing, the course nearly  $35^{\circ}$ , and the distance 110 miles; and with the middle latitude by observation  $38^{\circ} 33'$ , and the departure 64 miles, I find the difference of longitude to be 32 miles. If the middle latitude by dead-reckoning  $38^{\circ} 41'$  had been taken, the result would have been nearly the same.

If you have not had an observation several days, and then find an error in the latitude by account, you may on these principles correct the latitude

on the intermediate days, by saying, *as the sum of all the distances sailed, since the first observation, is to the whole error in the latitude, so is the sum of the distances sailed from the time of taking the first observation, to the noon of any particular day, to the correction of the latitude by dead-reckoning on that day, southerly if the last latitude by observation is south of the latitude by dead-reckoning, otherwise northerly.* Thus, if the latitudes by dead-reckoning at noon, on four successive days, were  $41^{\circ} 0'$ ,  $41^{\circ} 30'$ ,  $42^{\circ} 0'$ ,  $43^{\circ} 0'$ , the latitude by observation on the first day  $41^{\circ} 0'$ , and on the last day  $43^{\circ} 15'$ , differing 15 miles from the latitude by account; the distances sailed by the log, on the three days respectively, 30, 90, and 105 miles; we must say, as the whole sum of the distances 225 miles, is to the error of the latitude 15 miles, so is the first distance 30, to the correction of the second latitude  $2'$ , and so is the sum of 30 and 90 (=120) to the correction of the third latitude  $8'$ , so that the corrected latitudes will be  $41^{\circ} 0'$ ,  $41^{\circ} 30' + 2' = 41^{\circ} 32'$ ,  $42^{\circ} 0' + 8' = 42^{\circ} 8'$  and  $43^{\circ} 15'$ , and the corrected differences of latitude on the successive days will be  $32'$ ,  $36'$ , and  $67'$ , with which and the departure by dead-reckoning, the corrected courses, distances, &c. on each day may be found, if thought necessary: but as the corrected longitude is not sensibly altered by any of these corrections, it appears to be in general wholly unnecessary to make any alteration in the Journal on this account. But if it be thought proper to notice these corrections in plotting off the track of a ship, it will be necessary first to plot off the courses by D. R. and then to place the points arrived at, at the end of each day, as much to the north or south of the places by D. R. as will make the latitudes of those points agree with the corrected latitudes found by the above rule.

The latitude and longitude by dead-reckoning being found by the preceding methods; thence may be determined the bearing and distance of the place of destination; but when the mariner is fearful that his longitude by account is inaccurate, and he has no lunar observations to correct it, he must get into the latitude of the place, and (if possible) run east or west according to his situation, and the prevailing state of the winds.

We have now given all the rules necessary for working a day's work and for the convenience of the learner (to enable him to refer to them easily) we have here collected them in the seven following articles.

#### *Rules for working a day's work.*

1. Correct the several courses sailed\* for variation and lee-way, and enter them in a traverse table, and opposite to each course place the distance run on that course, found by summing up the knots and fathoms sailed by the ship on that course. Find in Table I. or II. the difference of latitude and departure corresponding to each course and distance, and set them in their respective columns: then the difference between the sums of the northings and southings will be the difference of latitude made good, of the same name with the greater: and the difference between the sums of the eastings and westings will be the departure made good, of the same name with the greater quantity.
2. Seek in Table I. or II. until the above difference of latitude and departure are found together in their respective columns: opposite to these will be the distance made good, and at the top or bottom of the page, according as the departure is less or greater than the difference of latitude, will be found the course.
3. If the latitude from which the ship's departure is taken, or yesterday's latitude, be of the same name as the difference of latitude, add them together; but if of different names, take their difference: the sum or remainder will be the present latitude, of the same name as the greater.
4. Find the middle latitude between the latitude of yesterday and this

\* The set and drift of a current (if there be any) is to be reckoned as a course and distance, and on the first day after losing sight of the land the bearing and distance of it are to be taken into account.

day, which take as a course in Table II. and seek for the departure in the column of Diff. Lat. then will the distance corresponding, be the difference of longitude, of the same name as the departure.

5. If the longitude in yesterday be of the same name as the difference of longitude, add them together ; but if of different names, take their difference ; the sum or remainder will be the long. in, of the same name as the greater.

6. If a lunar observation were taken at any time of the day, you must find, by the above method, the difference of longitude made since taking the observation for regulating the watch, and thence the longitude in at noon by that observation, and enter it in the Journal as the longitude by observation.

7. Find on a general chart the spot corresponding to the latitude and longitude by observation, and that place will represent the situation of the ship, whence the bearing and distance of the intended port may be found. The same may be obtained by middle latitude sailing, by inspection of Table II. thus: Find the middle latitude between the place of the ship and the proposed place, and seek for that latitude as a course in Table II. and find in the corresponding page of the Table, the difference of longitude (between the ship and the proposed place) in the distance column, opposite to which, in the latitude column, will be the departure. Seek in Table I. for this departure and the difference of latitude (between the ship and the proposed place) till they are found to agree, corresponding thereto will be the bearing and distance required. If the magnetic bearing be required, the variation must be allowed on the true bearing ; to the right hand if the variation is westerly, or to the left hand if easterly.

We shall now proceed to exemplify the above rules ; first by a few examples of separate day's works, and then by a Journal from Boston to Madeira, kept in the usual form.



EXAMPLE I.

Yesterday, at noon, we were in the latitude of  $48^{\circ} 21' N.$  and the longitude of  $36^{\circ} 28' W.$  and have sailed till this day at noon, as per log-board; required the course and distance made good, with the latitude and longitude in?

LOG-BOARD.					
H	K.	F.	Courses.	Winds. L W	Remarks.
2	6		S. W. by W. $\frac{1}{4}$ W.	N.	These 24 hours moderate gales and cloudy weather. At 4 P. M. spoke ship Washington, from New-York, bound to Cork.
4	5	5			
6	5			N. W.	
8	5				
10	5	6	S. W. $\frac{1}{4}$ W.		
12	3	4			
2	3	4			At 6 A. M. stowed the anchors and unbent the cables and coiled them between decks. Variation $2\frac{1}{4}$ points westerly.*
4	4	5			
6	4	6			
8	5		S. W. $\frac{1}{4}$ S.	W.N.W.	
10	4	5			
12	4				

By examining the log-board it appears that the ship goes large and makes no lee-way; therefore by allowing the variation on each of the courses, they will stand as in the adjoined Traverse Table. Then the distances marked on the log-board must be summed up and doubled, because marked only for every two hours.† In allowing for the knots, you must reckon 10 to a mile; and when the tenths are above 5, you must add one mile to the distance. Having found the distances you must find the corresponding differences of latitude and departures, in Table I. or II. and then with the whole difference of latitude and departure, find the course and distance made good, and the difference of longitude, by Case II. of middle latitude sailing.

TRAVERSE TABLE.					
Courses.	Dist.	N.	S.	E.	W.
S. W. $\frac{1}{4}$ S.	43		33.2		27.3
SSW. $\frac{1}{4}$ W.	89		34.4		13.4
S by W $\frac{1}{4}$ W	27		25.8		7.3
Diff. Lat.		93.4		Dep. 53.5	

In the present example, the difference of latitude is  $93' = 1^{\circ} 33' S.$   
 Yesterday's latitude . . . . .  $48^{\circ} 21' N.$

The difference is the latitude in . . . . .  $46^{\circ} 48' N.$   
 Sum of latitudes . . . . .  $95^{\circ} 9'$   
 Middle latitude . . . . .  $47^{\circ} 34'$

With the difference of latitude made good  $93.4 S.$  and the departure  $53.5 W.$  I enter Table II. and find they correspond nearly to a course of  $S. 30^{\circ} W.$  and distance 103 miles. Then with the middle latitude  $47^{\circ} 34'$  or  $48^{\circ}$ , I enter Table II. and find the departure  $53.5$  in the lat. column, opposite to which, in the distance column, is the diff. of long.  $30' = 1^{\circ} 20' W.$   
 Longitude left . . . . .  $36^{\circ} 28' W.$   
 Sum is the longitude in . . . . .  $37^{\circ} 48' W.$

\* As these examples were given only to illustrate the rules, we have not been attentive to mark true variation.  
 † In India voyages it is customary to mark the log-board every hour; in that case, the distances marked on the log being summed up, will be the true distance sailed.

EXAMPLE II.

Yesterday at noon we were in the latitude of  $35^{\circ} 46' N.$  and  $17^{\circ} 42' W.$  and have sailed till this noon as per log-board: latitude and longitude in, and the bearing and distance of Cape S

LOG-BOARD.						
H.	K.	F.	Courses.	Winds.	LW.	Remarks.
1	6	6	S. by E. $\frac{1}{2}$ E.	S. W. $\frac{1}{2}$ W.	$1\frac{1}{2}$	These 24 hours moon and clear weather.
2	6	6				
3	5	8				
4	5	8				
5	5	8				
6	5	8				
7	5	8				
8	5	8				
9	5		S. S. E.	S. W.	$1\frac{1}{2}$	
10	5					
11	5	2				At 8 A. M. saw a shipward, steering east.
12	5	2				
1	5	3				
2	5	3				
3	5	5	S. S. E. $\frac{1}{2}$ E.	S. W. by S. $\frac{1}{2}$ W.	$1\frac{1}{2}$	
4	5	5				
5	5	5				
6	5	5				
7	5	5				
8	5	5				
9	5	6	S. E. by S.	S. W. by S.	$1\frac{1}{2}$	
10	5	6				
11	5	4				
12	5	4				Variation $\frac{1}{4}$ point east

The courses being corrected for lee-way and variation, and the distances summed up (but not doubled since the log-board is marked for every hour) will stand as in the adjoined Traverse Table. Hence the difference of latitude made good is 105.4 S. and the departure 91.7 E. consequently the course is S.  $38^{\circ}$  E. and the distance 133 miles nearly.

TRAVERSE TABLE			
Courses.	Dist.	N.	S.
S. S. E. $\frac{1}{2}$ E.	48		41.
S. E. $\frac{1}{2}$ S.	31		24.
S. E. $\frac{1}{2}$ S.	33		24.
S. E. $\frac{1}{2}$ E.	22		14.
		Diff. Lat. 105.	

Latitude left	$35^{\circ} 46' N.$
Diff. of lat.	$1 45 S.$
<hr/>	
Latitude in	$34 1 N.$
Sum of lats.	$69 47$
Middle lat.	$34 53$

With the middle latitude 3 and the departure 91.7, the course found to be  $100$  miles=  
 Longitude left  $1$   
 Longitude in  $1$

To find the bearing and distance of Cape St. Vincents.  
 Latitude in  $34^{\circ} 1' N.$  Mer. parts 2173 Long. in  
 C. St. Vincent's lat.  $37 1 N.$  Mer. parts 2394 C. St. Vin. lon.  
 Diff. of lat.  $3 0=180'$  Mer. diff. lat. 221 Diff. long.

BY LOGARITHMS.

To find the bearing.		To find the distance.	
As mer. diff. lat. 221	log.	2.34439	As radius $45'$
Is to radius $45^{\circ}$		10.00000	Is to prop. diff. lat. 190
So is diff. long. 420	log.	2.62325	So is secant course $62^{\circ} 15'$
<hr/>		<hr/>	
To tang. course $62^{\circ} 15'$		10.27896	To the distance 386.6

Hence the bearing of Cape St. Vincents is N.  $62^{\circ} 15' E.$  and distance

H	K	F.	Courses.	Winds.	LW.	Remarks on board, Friday, March 26, 1822.
1	7		E. by S.	N. by E.		Fresh gales and pleasant weather.
2	7					
3	7					
4	7					Saw a number of fishing vessels to the southward.
5	7					
6	7					
7	7		E. by S. 1/2 S.	N. N. E.		At noon observed the altitude of the sun's lower limb bearing south
8	7					50° 27' N
9	7					Add for semi-diameter, dip, &c. 0 12
10	7					The refraction being small is neglected
11	7					Correct altitude
12	7					50 39
1	7		E. S. E.			Subtract from
2	7					90 00
3	6	6				☉'s zenith distance
4	6	6				39 21 N
5	6	4				☉'s correct declination
6	6	4				2 22 N
7	6	4				Latitude by observation
8	6	4				41 43 N
9	6	6				
10	6	6				
11	6	5				
12	6	5				Variation 3/4 points westerly.

The variation being allowed on each course, and the distances summed up, they will stand as in the adjoining traverse table; from hence, by means of Table I. I find the difference of latitude 27,5, and the departure 160,0, which corresponds to the course S. 30° 15' E. and the distance 162 miles.

Courses.	Dist.	N.	S.	E.	W.
E. 4 S.	42		2.1	41.9	
E. 1/2 S.	42		6.2	41.5	
E. S. E. 1/2 E.	79		19.2	78.6	
		D. Lat. 27.5	160.0		Dep.

Yesterday's latitude  
Diff. of latitude  
Latitude in  
Sum of latitudes  
Middle latitude

42° 10' N.  
27 S.  
41 43 N.  
13 55  
41 58  
With the middle latitude 41° 56' or 42° as a course, I enter Table II. and seek for the departure 160.0 in the latitude column; the nearest number to which is 158.8 corresponding to the distance 215, which is therefore the difference of longitude. equal to  
Yesterday's long. 67 37 W.  
Long. in 64 22 W.

*To find the bearing and distance of Funchal.*

Latitude in	41 - 43' N.	Mer. parts	2759	Longitude in	64° 22' W.
Funchal's lat.	32 38 N.	Mer. parts	2073	Funchal's long.	16 54 W.
Diff. of lat.	9 5 60	M. D. lat.	686	Diff. of long.	47 29 60

In miles 545  
By Case I. of Mercator's sailing, I find the bearing of Funchal to be S. 76° 27' E and its distance 2326 miles.

When the sun was upon the meridian, the altitude of his lower limb was 50° 27', to which add 1/2 for the semi-diameter, parallax, and the dip of the horizon; the refraction, (given in Table XII) for this altitude being small, is neglected; hence the correct central altitude was 50° 39' which subtracted from 90°, leaves the zenith distance 39° 21' which must be called north, because the sun bore south when on the meridian; then in Table IV. I find the sun's declination at noon at Greenwich= 2° 18' N. to this add the correction 4' taken from Table V. corresponding to the ship's longitude; the sum is 2° 22' N.=the correct declination; and since the declination and zenith distance are both north I add them together, and the sum will be the latitude by observation=41° 43' N. which agrees with the latitude by account.

H	K.	F.	Courses.	Winds.	L	W	Remarks on board, Sunday, Mar. 26, 1824.
1	7		S E. by E.	NE by E.	1		Fresh gales with rain.
2	7						At 4 A. M. spoke the ship Franklin, from Philadelphia, bound to Lisbon.
3	6	6					
4	6	6					
5	6						
6	6						
7	5	4					
8	5	4					
9	5	6	S. E.	E. N. E.	1		At noon, observed mer. alt.
10	5	6					sun's L. L. <span style="float:right">53° 53'</span>
11	5	6					Add for semi-diameter, &c. <span style="float:right">0 12</span>
12	5	6					Sun's correct altitude <span style="float:right">54 5</span>
1	5	3					Subtract from <span style="float:right">90 00</span>
2	5	3					Sun's zenith distance <span style="float:right">35 55 N.</span>
3	5	5					Sun's correct declination <span style="float:right">3 9 N.</span>
4	5	5					Latitude observed <span style="float:right">39 4 N.</span>
5	6		SE. by S.	E. by N.	1		
6	6						
7	6						
8	6						
9	6						
10	6						
11	5						
12	5						Variation $\frac{1}{2}$ points westerly.

Course.	Dist.	Diff. Lat.	Dep.	Lat. by D. R.	Lat. by Obs.	Diff. Long.	Long. in.	Bearing and Dist.
S. 42° 29' E.	138	S. 102	E. 93	N. 39° 4'	N. 39° 4'	E. 2° 2'	W. 58° 12'	Funchal S. 79° 7' E. distance 2045 miles

Courses.	Dist.	N.	S.	E.	W.
S. E. $\frac{1}{2}$ E.	50		29.8	40.2	
S. E. $\frac{1}{4}$ S.	44		32.6	29.5	
S. S. E. $\frac{1}{2}$ E.	46		39.5	23.6	
		D. Lat. 101.9		93.3 Dep.	

The lee-way and variation being allowed on the courses, they will stand as in the adjoined traverse table. Then with the difference of latitude and departure the course is found to be S. 42° 29' E. and the distance 138 miles.

Yesterday's latitude 40° 46' N. With the middle lat. 39° 55' or 40°  
 Difference of latitude 102' = 1 42 S. as a course, and the dep. 93.3, taken  
 as difference of latitude, the diff. of  
 Latitude in 39 4 N. long. is found to be 122 miles = 2° 2' E.  
 Sum of latitudes 79 50 Yesterday's longitude 60 14 W.

Middle latitude 39 55 Longitude in 58 12 W.  
 The course made good each day is marked in the journal to degrees and minutes, as it was calculated by logarithms; but for practical purposes, it sufficiently exact to find it to the nearest degree by means of Table II.

To find the bearing and distance of Funchal.

By Case I. Middle Latitude Sailing.

Latitude in 39° 4' N. Longitude in 58° 12' W.  
 Funchal's latitude 32 38 N. Funchal's longitude 16

Difference of lat. 6 26 = 386 miles. Difference of long. 41

Sum of latitudes 71 42  
 Middle latitude 35 51 In miles 24

With the middle latitude 35° 51' or 36° as a course, and the difference 2478 as a distance, I calculate the departure; with that and the difference I find the distance and course, by Case I. of Middle Latitude Sailing.

H.	K.	F.	Courses.	Winds.	L. W.	Remarks on board, Tuesday, Mar. 30, 1824.
1	3		East.	N.N.E.	3	These 24 hours fresh gales and squally. Handed the fore and main courses.
2	3					
3	3					
4	3					
5			Lay to, up S. E. by E.		5	
6			off S. E. by S. Drift 1½			
7			miles per hour.			
8						
9			Up S. off S. W. Drift		5	
10			1½ miles per hour.			
11						
12						
1	2	5	E. by N. SE by S	1½		At midnight more moderate; wore ship and set the courses.
2	2	5				
3	2	5				
4	2	5				
5	2	5				
6	2	5				At 6 A. M. set the topsails close reefed.
7	2	5				
8	2	5				
9	2	5				
10	2	5				
11	2					
12	2					Variation 1 point westerly.

Course.	Dist.	Diff. Lat.	Dep.	Lat. by D. R.	Lat. by Obs.	Diff. Long.	Long. in.	Bearing and Dist.
N76°17'E	31	N. 7	E. 30	N. 37° 55'		E. 0° 38'	W. 57°34'	Funchal S. 80° 58' E. distance 2017 miles.

TRAVERSE TABLE.

Courses.	Dist.	N.	S.	E.	W.
E. S. E.	12		4.6	11.1	
South.	6		6.0		
W. S. W.	6		2.3		5.5
N.E. ½ E.	32	20.3		24.7	
		20.3	12.9	35.8	5.5
		12.9		5.5	
D. Lat.	7.4	Dep.	30.3		

Taking the middle points, (viz. S. E. and S. S. W.) between the point to which the ship comes to and falls off, as taught in the rules of lying to, and then allowing as before for the variation and lee-way, the traverse table will stand as adjoined. With the difference of latitude and departure the course is found to be N. 76° 17' E. and the distance 31 miles.

Yesterday's latitude	37° 48' N.	With the middle lat. 37° 51' (or 38°)
Difference of latitude	7 N.	as a course, and the departure 30.3 used
Latitude in	37 55 N.	as difference of latitude, I find the dif-
Sum of latitudes	75 43	ference of longitude to be 0° 38' E.
Middle latitude	37 51	Yesterday's longitude 58 12 W.
		Longitude in 57 34 W.

To find the bearing and distance of Funchal.

Latitude in	37° 55' N.	Longitude in	57° 34' W.
Funchal's latitude	32 38 N.	Funchal's longitude	16 54 W.
Diff. of latitude	5 17 = 317 miles.	Diff. of longitude	40 40
Sum of latitudes	70 33		60
Middle latitude	35 16	In miles	2440

With the middle latitude 35° 16' and the difference of longitude 2440, the departure is found to be 1992; with that and the difference of latitude 317, the bearing of Funchal is found to be S. 80° 58' E. and the distance 2017 miles.

FROM BOSTON TO MADEIRA.

H.	K.	F.	Courses.	Winds.	L.	W.	Remarks on board, Wednesday, Mar. 31, 1824.
1	5		E. S. E.	South.	1		Pleasant gales and fair weather.
2	5						
3	5						
4	5						
5	5	6					
6	5	6					
7	5	4					
8	5	4					
9	5	5					
10	5	5	E by S $\frac{1}{2}$ S	S. $\frac{1}{2}$ E.	$\frac{1}{2}$		
11	6						Variation 1 point westerly per azimuth.
12	6						
1	7						
2	7						
3	7						
4	7						
5	7						
6	7						
7	7						
8	7						
9	7						
10	7						
11	8						
12	8						

Course.	Dist.	Diff. Lat.	Dep.	Lat. by D. R.	Lat. by Obs.	Diff. Long.	Long. in.	Bearing and Dist.
East.	151	0	E.	N.		E.	W.	Funchal S. $80^{\circ} 12'$ E. dist. 1863 miles.
			151	$37^{\circ} 55'$		$3^{\circ} 11'$	$54^{\circ} 23'$	

The variation and lee-way being allowed on both courses, it appears that the ship has made a due east course, the distance sailed 151 miles is the departure, and the difference of longitude is found by Case II. of Parallel Sailing. The latitude in is the same as yesterday's lat.  $37^{\circ} 55'$  N. Taking this as a course, and the departure 151 as difference of latitude, the distance which corresponds is the difference of longitude, 191 miles =  $3^{\circ} 11'$  E.

Yesterday's longitude	57 34 W.
Longitude in	54 23 W.

To find the bearing and distance of Funchal.

Latitude in	$37^{\circ} 55'$ N.	Longitude in	$54^{\circ} 23'$ W.
Funchal's lat.	$32^{\circ} 38'$ N.	Funchal's long.	$16^{\circ} 54'$ W.
Diff. of latitude	$5^{\circ} 17' = 317$ miles.	Diff. of long.	$37^{\circ} 29'$ W.
Sum of latitudes	70 33		60
Middle latitude	35 16	In miles	2249

Hence by case I. of Middle Latitude Sailing, the departure is found to be 236 miles, the bearing of Funchal S.  $80^{\circ} 12'$  E. and the distance 1863 miles.

# JOURNAL OF A VOYAGE

L. K. F.		Courses.	Winds.	LW	Remarks on board, Thursday, April 1, 182
1	8	E. S. E.	S.S.W		Fresh gales and pleasant weather.  Obs. mer. alt. sun's lower limb <span style="float: right;">56° 59'</span> Correct for semi-diam. dip, &c. <span style="float: right;">12</span> <hr/> Sun's correct altitude <span style="float: right;">57 11</span> Subtract from <span style="float: right;">90 00</span> <hr/> Sun's zenith distance <span style="float: right;">32 49 N.</span> Sun's declination <span style="float: right;">4 41 N.</span> <hr/> Latitude observed <span style="float: right;">37 30 N.</span>
2	8				
3	8				
4	8				
5	8	4			
6	8	4			
7	8	6			
8	8	6			
9	8	5			
10	8	5			
11	8	5			
12	8	5			
1	9	E by S ½ S	S by W		
2	9				
3	9		South.		
4	9				
5	8	6			
6	8	6			
7	8	4			
8	8	4			
9	8	5	East.	S. by E. ½	
10	8	5			
11	9				
12	9				

Variation 1 point westerly.

Course.	Dist.	Dif. Lat.	Dep.	Lat. by D. R.	Lat. by Obs.	Dif. Long.	Long. in.	Bearing and Dist.
S 85° 24' E.	202	S. 16	E. 201	37° 39'	37° 30'	4° 15'	W. 50° 8'	Funchal, S. 79° 51' E. distance 1658 miles.

Courses.	Dist.	N.	S.	E.	W.
E. by S.	100		19.5	93.1	
E. ½ S.	70		6.9	69.7	
E. N. E. ½ E.	35	10.2		33.5	
		10.2	26.4	201.3	Dep.
			10.2		
					Di. Lat. 16.2

The courses being corrected for lee-way and variation, the traverse table will be as here given.  
 Hence the course is S. 85° 24' E. distance 202 miles.  
 Yesterday's latitude 37° 55' N.  
 Diff. of latitude 16 S.  


---

 Lat. in by account 37 39 N.  
 Yesterday's long. 54 23 W  
 201.3, the diff. of 4 15 E  
 Longitude in by account 50 8 1

With the mid. lat. 37° 42' and the dep. long. is 255 =

Observation differs 9 miles from the latitude by dead ree correction on this account.

FROM BOSTON TO MADEIRA.

239

F. Courses.				Winds.	L W	Remarks on board, Friday, April 2, 1824.
5	E. S. E.	South.		4	Fresh gales, with rain.  Saw a ship to the southward. This day took a lunar observation, by measuring the distance of the moon from the star Pollux, the longitude at noon, deduced from this observation, was $45^{\circ} 50' W.$  Variation 1 point westerly.	
5						
5						
5						
	E. S. E.	S. W.		0		
5						
5						
5						

Course.	Dist.	Diff. Lat.	Dep.	Lat. by D.	Lat. by R.	Diff. Long.	Long. in.	Bearing & Dist.
S 56 <sup>o</sup> E	202	S. 35	E. 199	N. 36 <sup>o</sup> 55'		E. 4 <sup>o</sup> 9'	W. 45 <sup>o</sup> 59'	Funchal S. 79 <sup>o</sup> 50' E. dist. 1456 miles.

TRAVERSE TABLE.

Course.	Dist.	N.	S.	E.	W.
S. 42			4.1	41.8	
S. 160			31.2	156.9	
		D. Lat. 35.3		198.7 Dep.	

The lee-way and variation being allowed on the courses, the traverse table will be as here given; hence the course was S. 79<sup>o</sup> 56' E. and the distance 202 miles.

day's latitude	37 <sup>o</sup> 30' N.	With the middle lat. 37 <sup>o</sup> 12' and the dep. 198.7, the difference of longitude is found to be 249 miles = 4 <sup>o</sup> 9' E.
ence of latitude	35	
de in	36 55 N.	Yesterday's longitude 50 8 W.
f latitudes	74 25	
e latitude	37 12	Longitude in 45 59 W.

To find the bearing and distance of Funchal.

de in	36 <sup>o</sup> 55' N.	Longitude in	45 <sup>o</sup> 59' W.
al's latitude	32 38 N.	Funchal's longitude:	16 54 W.
f latitude	4 17 = 257 m.	Diff. of longitude	29 5
			60
f latitudes	69 33		
e latitude	34 46	In miles	1745

ence by Case I. of Middle Latitude Sailing, the bearing of Funchal is to be S. 79<sup>o</sup> 50' E. and its distance 1456 miles.



H	K.	F.	Courses	Winds.	L	W	Remarks on board, Saturday, April 3, 1824.
1	9	6	E. S. E.	West.			Fresh gales and rainy weather; latter part clear.
2	9	6					A great swell from the N. E. for which I allow 9 miles.
3	9	4					
4	9	4					
5	9						
6	9						
7	9						
8	9						
9	9	5					Obs. alt. sun's lower limb at noon 58° 58'
10	9	5					Correct. for semi-diam. &c. add 0 12
11	9	5					Sun's correct altitude 59 10
12	9	5					Subtract from 90 00
1	9			N. W.			Sun's zenith distance 30 50 N.
2	9						Sun's declination 5 27 N.
3	9						
4	9						
5	9						
6	9						Latitude observed 36 17 N.
7	9						
8	9						
9	9			North.			
10	9						
11	9						
12	9						Variation 1½ point westerly per azimuth.

Course.	Dist.	Diff. Lat.	Dep	Lat. by D. R.	Lat. by Obs.	Diff. Long.	Long. in.	Bearing and Dist.
S 79° 22' E.	217	S. 40	E. 213	36° 15'	36° 17'	4° 25'	E. 41° 34'	Funchal S. 79° 50' E. dist. 1240 miles.

Courses.	Dist	N.	S.	E.	W.
E. ¼ S.	220		32.3	217.6	
SSW. ¼ W	9		7.7		4.6
		D. lat	40.0	217.6	4.6
				4.6	
		Dep.	213.0		

In this day's work the swell is considered as a current setting the ship 9 miles per day; and since the swell comes from the N. E. it must set the ship S. W. and allowing the variation S. S. W. ¼ W. 9 miles, these are placed as course and distance in the traverse table. With the difference of latitude and departure the course is found to be S. 79° 22' E. and the distance 217 miles.

With the middle lat. 36° 36', and the dep. 213 miles, the diff. of long. is found 265 miles = 4° 25' E. Yesterday's long. 45 59 W. Longitude in 41 34 W.

Yesterday's latitude 36° 55' N. Difference of latitude 40 S. Latitude in 36 15 N.

*To find the bearing and distance of Funchal.*  
 Latitude in 36° 17' N. Longitude in 41° 34' W.  
 Funchal's latitude 32 38 N. Funchal's longitude 16 54 W.  
 Difference of latitude 3 39 = 219 m. Diff. of Long. 24 40  
 Sum of Latitudes 68 55  
 Middle latitude 34 27 In miles 1480

Hence by Case I. Middle Latitude Sailing, the bearing of Funchal is found to be S. 79° 50' E. and its distance 1240 miles.

*To find the bearing and distance of Funchal by Mercator's Chart.*  
 Having picked off the place of the ship at noon, lay a ruler from that point to Funchal; take the nearest distance between the centre of the compass and the ruler; then slide one foot of the compasses along the edge of the ruler, keeping the other foot at the greatest distance from it, and it will be found to run nearly upon the E. by S. line, which is therefore the bearing of Funchal: then take in your compasses the extent from the place of the ship to Funchal, and apply it to the graduated meridian, setting one foot as much above one place as the other is below the other place, and the extent will be found to measure 20½ degrees, or 1230 miles, which was the distance of the ship from Funchal nearly.

FROM BOSTON TO MADEIRA.

H	K	F.	Courses	Winds	L	W	Remarks on board, Sunday, April 4, 1824.	
1	7	4	E. S. E.	N. E.	1		First part fresh gales; latter part more moderate, a heavy sea running.	
2	7	4						
3	6	6						
4	6	6						
5	6	6						
6	6	6					Mer. alt. sun's lower limb 61° 3'	
7	5	4	S. E.	E. N. E.	1		Correction for semi-diameter, &c. 0 12	
8	5	4						
9	4	6					Sun's correct altitude 61 15	
10	4	6					Subtract from 90 00	
11	4		S. S. E.	East.	1			
12	4						Sun's zenith distance 23 45 N.	
1	4		S. by E.	E. by S.	1½		Sun's declination 5 50 N.	
2	4							
3	4						Latitude observed 34 35 N.	
4	4							
5	4	5	S. by E.		1½			
6	4	5						
7	4							
8	4							
9	4							
10	4							
11	4							
12	4							
Variation 1½ points westerly.								
Course.	Dist.	Diff. Lat.	Dep.	Lat. by D. R.	Lat. by Obs.	Diff. Long.	Long. in.	Bearing and Dist.
S. 37° 45' E.	104	S. 82	E. 64	34° 55'	34° 35'	1° 18'	40° 18'	Funchal S. 84° 17' E. dist. 1174 miles

TRAVERSE TABLE.

Courses.	Dist.	N.	S.	E.	W.
E. S. E. ¼ E.	40		13.5	57.7	
S. E. ¼ E.	20		13.4	14.8	
S. S. E. ¼ E.	8		7.2	3.4	
S. by E.	16		15.7	3.1	
S. ¼ E.	33		32.6	4.8	
	Diff. Lat.		82.4	63.8	

The courses being corrected for lee-way and variation, will stand as in the adjoined traverse table.

Then with the difference of latitude 82.4 & the departure 63.8, I find the course S. 37° 45' E. Yesterday's latitude 36° 17' N. Difference of latitude 1 22' S.

Lat. by account 34 55' N.

Yesterday's latitude	36° 17' N.
Latitude in by obs.	34 35 N.
Sum of latitudes	70 52
Middle latitude	35 26

With the dep. 63.8 miles, and the mid. lat. 35° 26', I find the diff. of long. to be 78 miles = 1° 18' E.

Yesterday's long. 41 34 W.

Longitude in 40 16 W.

To find the bearing and distance of Funchal.

Latitude in	34° 35' N.
Funchal's latitude	32 38 N.
Diff. of latitude	1 57 = 117 miles.
Middle latitude	33 36

Longitude in 40° 16' W.  
Funchal's longitude 17 54 W.

Diff. of longitude 23 22  
60

In miles 1402

Hence by Case I. Middle Latitude Sailing, the bearing of Funchal is found to be S. 84° 17' E. and its distance 1174 miles.

H.	K.	F.	Courses.	Winds.	L W	Remarks on board, Monday, April 5, 1824.
1	3		S. E.	E.N.E	1	First part of these 24 hours small breezes, and calm; latter part fresh gales. At 4 P. M. got out the boat and tried the current; found it running E. 1 mile per hour, and suppose the ship has been in this current these 24 hours.
2	3					
3	2					
4	2					
5			Calm.			Mer. alt. sun's lower limb 61° 39' Correction for semi-diam. &c. 0 12
6						
7						
8						
9						
10						
11						
12						
1	3	4	E. S. E.	N.N.E		Sun's correct altitude 61 51
2	3	4				Subtract from 90 00
3	4	6				Sun's zenith distance 28 9 N.
4	4	6				Sun's declination 6 12 N.
5	5	5				Observed latitude 34 21 N.
6	5	5				
7	6	5				
8	6	5				
9	7					
10	7					
11	8					
12	8					Variation 1½ point westerly.

Courses.	Dist.	Diff. Lat.	Dep.	Lat. by D. R.	Lat. by Obs.	Diff. Long.	Long. in.	Bearing and Dist.
S. 83° 36' E.	101	S. 11	E. 100	34° 24'	34° 21'	2° 1'	38° 15'	Funchal S 84° 30' E. distance 107 8 miles.

Courses.	Dist.	N.	S.	E.	W.	
S. E. ¼ E.	10		6.7	7.4		D-p.
E. ¼ S.	70		10.3	69.2		
E.N.E. ¼ E.	24	5.8		23.3		
		5.8	17.0	99.9		
			5.8			
			Diff. Lat.	11.2		

In addition to the courses sail-  
ed, I also allow 24 miles for the  
set of the current in the direction  
of east per compass, or E. N. E.  
¼ E. true course.

With the difference of latitude 11.2 and the departure 99.9, the course is found to be S. 83° 36' E. and the distance nearly 101 miles.  
Yesterday's latitude 34° 35' N.  
Difference of latitude 0 11 S.  
Latitude in by account 34 24 N.

With the middle lat. 34° 28', and the dep. 99.9, I find the diff. of long. to be 121 miles = 2° 1' E.  
Yesterday's longitude 40 16 W.  
Longitude in 38 15 W.

To find the bearing and distance of Funchal.

Latitude in 34° 21' N.	Longitude in 38° 15' W.
Funchal's latitude 32 38 N.	Funchal's longitude 16 54 W.
Difference of lat. 1 43 = 103 miles.	Difference of long. 21 21
Sum of latitudes 66 59	60

Middle latitude 33 30 nearly.

In miles 1231

Hence by Case I. of Middle Latitude Sailing, the bearing of Funchal is found to be S. 84° 30' E. and its distance 107 8 miles.

FROM BOSTON TO MADEIRA.

213

F. Courses.		Winds	L	W	Remarks on board, Tuesday, April 6, 1824.			
E. S. E.	North.				Fine fresh gales and clear weather.			
					Mer. alt. sun's lower limb <span style="float:right">62° 35'</span> Correction for dip, &c. <span style="float:right">0 12</span>			
					Sun's correct altitude <span style="float:right">62 47</span> Subtract from <span style="float:right">90 00</span>			
					Sun's zenith distance <span style="float:right">27 15 N.</span> Sun's declination <span style="float:right">6 35 N.</span>			
					Observed latitude: <span style="float:right">33 48 N.</span>			
Variation per Amp. 1½ point westerly.								
se.	Dist.	Diff. Lat.	Dep.	Lat. by D. R.	Lat. by Obs.	Diff. Long.	Long. in.	Bearing and Dist.
3.	216	S. 32	E. 214	33° 49'	33° 48'	4° 18'	33° 57'	Funchal S. 85° 19' E. dist. 859 miles.

course corrected for variation is E. ¼ S. distance 216 miles; hence difference of latitude is 31.7, and the departure 213.7 miles.

Yesterday's latitude 34° 21' N.  
Difference of latitude 32 S.

Latitude in 33 48 N.  
Sum of latitudes by obs. 68 9  
Middle latitude 34 4

h the middle latitude 34° 4', and the departure 213.7 miles, I find the difference of longitude to be 4° 18' E.

Yesterday's longitude 33 15 W.

Longitude in 33 57 W.

To find the bearing and distance of Funchal.

Latitude in 33° 48' N. Longitude in 33° 57' W.  
Latitude of Funchal 32 38 N. Longitude of Funchal 16 54 W.

Difference of latitude 1 10 = 70 miles. Diff. of long. 17 3 W.  
Sum of latitudes 68 26 80

Middle latitude 33 13

In miles 1023

hence the bearing of Funchal is found to be S. 85° 19' E. and its distance 859 miles.

H	K	F.	Courses.	Winds.	LW.	Remarks on board, Wednesday, Ap. 7, 1824.
1	10		E.S.E.	NNW.		Fresh gales and pleasant weather, with a large sea.  At 4 P. M. took a lunar observation by measuring the distance of the moon from the sun; the longitude reduced to noon by the log, was $29^{\circ} 39' W.$
2	10					
3	10					
4	10					
5	10					
6	10					
7	8	4	E.S.E. $\frac{1}{2}$ S	North.		
8	8	4				
9	8	6				
10	8	6				
11	8	5				
12	8	5				
1	8					
2	8					
3	8	5				
4	8	5				
5	8	4				
6	8	4				
7	8	6				
8	8	6				
9	8					
10	8					
11	8					
12	8					

Variation per azimuth  $1\frac{1}{4}$  point westerly.

Course.	Dist.	Diff. Lat.	Dep.	Lat. by D. R.	Lat. by Obs.	Diff. Long.	Long. in.	Bearing and Dist.
$S 80^{\circ} 20' E$	210	S. 35	E. 207	$33^{\circ} 13'$		E. $4^{\circ} 8'$	W. $29^{\circ} 49'$	Funchal $S 86^{\circ} 55' E$ distance 652 miles

Courses.	Dist.	N.	S.	E.	W.
E. $\frac{1}{2}$ S.	60		5.9	59.7	
E. by S.	150		29.3	147.1	
			35.2	206.8	

By the adjoined traverse table, the difference of latitude is 35.2, and the departure 206.8; hence the course was  $S. 80^{\circ} 20' E.$  and the distance 209.8, or 210 miles.

Yesterday's latitude	$33^{\circ} 48' N.$	With the middle latitude $33^{\circ} 30'$	
Difference of latitude	$35' S.$	and the departure 206.8, I find the diff. of long. 248 miles, or $4^{\circ} 8' E.$	
Latitude in by account	$33 13' N.$	Yesterday's longitude	$33 57 W$
Sum of latitudes	67 1		
Middle latitude	$33 30$	Longitude in	$29 49 W$

To find the bearing and distance of Funchal.

Latitude in	$33^{\circ} 13' N.$	Longitude in	$29^{\circ} 49' W.$
Funchal's latitude	$32 38 N.$	Funchal's longitude	$16 54 W.$
Diff. of latitude	35	Diff. of longitude	12 55
Sum of latitudes	65 51		60
Middle latitude	$32 55$		
		In miles	775

Hence the bearing of Funchal is found to be  $S. 86^{\circ} 55' E.$  and its distance 652 miles.

FROM BOSTON TO MADEIRA.

Courses.	Winds.	L	W	Remarks on board, Thursday,
y S 4 S	N.N.E			First part fresh gales and clear. part rainy weather.
E.	E.N.E	1/2		
East.	S.S.E.	1/4		At 6 A. M. the wind hauled suddenly to the S. S. E.
Variation 1 1/2 point westerly.				

ist.	Diff. Lat.	Dep.	Lat. by D. R.	Lat. by Obs.	Diff. Long.	Long. in.	Bearing and Dist.
72	S. 19	E. 171	N. 32° 54'		E. 3° 24'	W. 26° 25'	Funchal S. 88° 5' E. dist. 480 miles.

RAVERSE TABLE.

Dist.	N.	S.	E.	W.
0			50.0	
0		44.4	66.5	
0	25.7		54.2	
	25.7	44.4	170.7	Dep.
		25.7		
Diff. Lat. 18.7				

The leeway and variation being allowed on the courses, they will stand as in the adjoined traverse table; then with the difference of latitude 18.7, and the departure 170.7, the course is found to be S. 88° 45' E. and the distance 172 miles.

latitude	33° 18' N.	With the middle lat. 33° 3' and the
of latitude	19 S.	dep. 170.7, I find the diff. of long. is
		nearly 204 miles = 5° 24' E.
	32 54 N.	Yesterday's longitude 29 49 W.
tudes	66 7	
ude	33 3	Longitude in 26 25 W.
<i>To find the bearing and distance of Funchal.</i>		
	32° 54' N.	Longitude in 26° 25' W.
atitude	32 38 N.	Funchal's longitude 16 54 W.
tude	16	Diff. of longitude 91
tudes	65 32	
ude	32 46	

In miles

bearing of Funchal is found to be S. 88° 5' E. at

H.	K.	F.	Courses.	Winds.	L.	W.	Remarks on board, Friday, April 9, 1824.
1	7	5	E. by S. 3 S	South.			Fine breezes, with variable weather.
2	7	5					
3	8						
4	8						
5	8	5					Mer. alt. sun's lower limb 64° 38'
6	8	5					Correction for dip, &c. 0 12
7	9						
8	9						Sun's correct altitude 64 45
9	9						Subtract from 90 00
10	9						
11	9						Sun's zenith distance 25 15 N.
12	9						Sun's declination 7 41 N.
1	9						
2	9		E. by S.				Observed latitude 32 56 N.
3	9						
4	9						
5	9						
6	9						
7	9						
8	9						
9	9						
10	9						
11	9						
12	9						Variation 1 1/4 point westerly.

Course.	Dist.	Diff. Lat.	Dep.	Lat. by D. R.	Lat. by Obs.	Diff. Long.	Long. in.	Bearing and Dist.
N 89° 12' E	210	N. 3	E. 209	32° 57'	32° 56' 40"	E. 10'	W. 22° 15'	Funchal, S. 86° 11' E. distance 270 miles.

**TRAVERSE TABLE.**

Courses.	Dist.	N.	S.	E.	W.
E. 1/4 S.	120		5.9	119.9	
E. 1/2 N.	90	8.8		89.6	
		8.8	5.9	209.5	Dep.
		5.9			
Diff. Lat.	2.9				

The variation being allowed on the courses, they will stand as in the adjoining table; then with the difference of latitude 2.9, and the departure 209.5, the course is found to be N. 89° 12' E. and the distance 210 miles nearly.

Yesterday's latitude	32° 54' N.	With the middle lat. 32° 55', and
Difference of latitude	3 N.	the dep. 209.5, the diff. of long. is
Latitude by account	32 57 N.	found 250 miles = 4° 10' E.
		Yesterday's longitude
		28 25 W.
		Longitude in
		22 15 W.

To find the bearing and distance of Funchal.

Latitude in	32° 56' N.	Longitude in	22° 15' W.
Funchal's latitude	32 38 N.	Funchal's longitude	16 54 W.
Difference of latitude	18	Difference of longitude	5 21
Sum of latitudes	65 34		60
Middle latitude	32 47		

In miles **321**

Hence the bearing of Funchal is found to be S. 86° 11' E. and its distance 270 miles.

## EXPLANATION OF SEA TERMS.



- BECK.** The situation of the sails, when their surfaces are pressed aft against the mast by the force of the wind.
- Aft or aft.** The sternmost part of the ship; *Carry aft any thing*; that is, carry towards the stern. *The mast rakes aft*; that is, hangs towards the stern. *How cheer ye fore and aft?* that is, how fares all the ship's company?
- Aft the Beam** denotes the relative situation of any object with the ship, when the object is placed in any part of that arch of the horizon, which is contained between a line at right angles with the keel, and that point of the compass which is directly opposite to the ship's course. See Bearing.
- Aboard.** The inside of a ship. *Aboard Main Tack!* The order to draw the lower corner of the mainsail down to the cheestree.
- About.** The situation of a ship as soon as she has tacked or changed her course.
- About ship!** the order to the ship's crew to prepare for tacking.
- Abreast.** The situation of two or more ships lying with their sides parallel, and their heads equally advanced; in which case they are abreast of each other.
- Adrift.** The state of a ship broken from her moorings, and driving about without control.
- Afloat.** Buoyed up by the water from the ground.
- Afore.** All that part of a ship which lies forward or near the stem. It also signifies further forward.
- After.** A phrase applied to any object in the hinder part of the ship, as the after-hatchway, the after-sails, &c.
- Aground.** The situation of a ship when her bottom or any part of it rests on the ground.
- A-head.** Any thing which is situated on that point of the compass to which a ship's stem is directed, is said to be ahead of her. See Bearing.
- A-kull.** The situation of a ship when all her sails are furled and her helm is lashed to the lee side; by which she lies nearly with her side to the wind and sea, her head being somewhat inclined to the direction of the wind.
- A-lee.** The position of the helm when it is put down to the lee side.
- All in the wind.** The state of a ship's sails, when they are parallel to the direction of the wind, so as to shake or shiver.
- All-hands-shoy!** The call by which all the ship's company are summoned upon deck.
- Aloft.** Up in the tops, at the mast heads, or any where about the higher rigging.
- Along-side.** Side by side, or joined to a ship, wharf, &c.
- Along-shore.** Along the coast; a course which is in sight of the shore, and nearly parallel to it.
- Aloof is distance.** Keep aloof, that is, keep at a distance.
- Amain.** The old term for yield, used by a man of war to an enemy; but it now signifies any thing done suddenly, or at once, by a number of men.
- A-midships.** The middle of a ship, either with regard to her length or breadth.
- Anchor.** The instrument by which a ship is held. *The anchor is foul*; that is, the cable has got about the fluke of the anchor. *The anchor is a-peak*; that is, directly under the hawse-hole of the ship. *The anchor is a cock bill*; that is, hangs up and down the ship's side.
- In-end.** The position of any mast, &c. when erected perpendicularly on the deck. The top-masts are said to be an end, when they are hoisted up to their usual station.
- A-peak.** Perpendicular to the anchor; the cable having been drawn so tight as to bring the ship directly over it. The anchor is then said to be a-peak.
- A-shore.** On the shore, as opposed to aboard. It also means aground.
- Astern.** Any distance behind a ship, as opposed to ahead. See Bearing.
- A Anchor.** The situation of a ship riding by her anchor.
- Athwart.** Across the line of a ship's course. *Athwart Hawsse*; the situation of a ship when driven by accident across the fore part of another; whether they touch, or are at a small distance from each other, the transverse position of the former being principally understood. *Athwart the Fore Foot*; when any object crosses the line of a ship's course, but ahead of her, it is said to be athwart the Fore Foot. *Athwart ships*; reaching, or in a direction, across the ship from one side to the other.
- Atrip.** When applied to the anchor, it means that the anchor is drawn out of the ground, and hangs in a perpendicular direction, by the cable or buoy rope. The top-sails are said to be atrip, when they are hoisted up to the mast head, or to their utmost extent.
- Await.** A term used for stop, or stay; as, *await heaving*, do not heave any more.
- Aweigh.** The same as utrip when applied to the anchor.
- A-wing.** A shelter or screen of canvass spread over the decks of a ship, to keep off the



- the heat of the sun. *Spread the awning*; extend it so as to cover the deck. *Furl the awning*; that is, roll it up.
- To back the Anchor.* To carry out a small anchor ahead of the large one, in order to support it in bad ground, and to prevent it from loosening or coming home.
- To back astern.* In rowing, is to impel the boat with her stern foremost, by means of the oars.
- To back the sails.* To arrange them in a situation that will occasion the ship to move astern.
- To bagpipe the mizen.* To lay it aback, by bringing the sheet to the mizen shrouds.
- To balance.* To contract a sail into a narrower compass, by folding up a part at one corner. Balancing is peculiar only to the mizen of a ship, and the mainsail of those vessels wherein it is extended by a boom.
- Bale.* Bale the boat; that is, to throw the water out of her.
- Ballast,* is either pigs of iron, stones or gravel, which last is called shingle ballast; and its use is to bring the ship down to her bearings in the water, which her provisions and stores will not do. *Trim the ballast*; that is, spread it about and lay it even. *The Ballast shoots*; that is, it shifts, or runs over from one side of the hold to the other.
- Bare poles.* When a ship has no sail set, she is under bare poles.
- Barge.* A carval built boat, that rows with ten or twelve oars.
- Batten.* A thin piece of wood. *Batten down the hatches,* is to lay battens upon the tarpaulins, which are over the hatches in bad weather, and nail them down that they may not be washed off.
- Beacon.* A post or stake erected over a shoal or sand bank, as a warning to seamen to keep at a distance. Also, a signal placed at the top of hills, &c.
- Beams.* Strong pieces of timber stretching across a ship's side to side, to support the decks, and retain the sides at their proper distance.
- Bear a-hand.* Make haste, despatch.
- Bearing* signifies the point of the compass which any two or more places bear from each other, or how any place bears from the ship by the compass; or it may be said to bear on the beam, abaft the beam, on the bow, the head or stern, &c.
- Bearings* of a ship, is that line which is formed by the water upon her sides when she is at anchor, with her proportion of ballast and stores on board. *To bear to,* is to sail into an harbour, &c. *Bear round up*; that is, put her right before the wind. *Bring your guns to bear,* is to point them to the object.
- To bear in* with the land, is when a ship sails towards the shore.
- To Bear off.* To thrust or keep off from the ship's side, &c. any weight when hoisting.
- Bearing up or Bearing away.* The act of changing the course of a ship, in order to make her run before the wind, after she had sailed sometime with a side wind, or close hauled; it is generally performed to arrive at some port under the lee, or to avoid some imminent danger occasioned by a violent storm, leak, or enemy in sight.
- Beating to Windward.* The making a progress against the direction of the wind, by steering alternately close hauled on the starboard and larboard tacks.
- To becalm.* To intercept the current of the wind, in its passage to a ship, by any contiguous object, as a shore above her sails, a high sea behind, &c. and thus one sail is said to becalm another.
- Before the Beam,* denotes an arch of the horizon comprehended between the line of the beam (which is at right angles to the keel) and that point of the compass on which the ship stems. See Bearing.
- Belay.* To make fast any running rope, as Belay the main brace, or make it fast.
- Bend.* To apply to and fasten; as, bend the sails, apply them to the yards and fasten them: unbend the sails, that is, cast them off, and take them from the yards; her sails are unbent, she has none fixed: bend the cable, make it fast to the anchor.
- Beneaped.* See Neaped.
- Between Decks.* The space contained between any two decks of a ship.
- Bight* of a rope. The double part of a rope when it is folded. *Bight,* a narrow inlet of the sea.
- Bilge.* To break. The ship is bilged; that is, her planks are broken in by violence.
- Bilge-Water,* is that which, by reason of the flatness of a ship's bottom, lies on her floor and cannot go to the well of the pump.
- Binnacle.* A kind of box to contain the compasses in upon deck.
- Birth.* A place; as the ship's birth, the place where she is moored; an officer's birth, his place in the ship to eat or sleep in; *birth the ship's company,* that is, allot them their places to mess in; *birth the hammocks,* point out where each man's hammock is to hang.
- Bits.* Very large pieces of timber in the fore part of a ship, round which the cables are fastened when the ship is at anchor. *After-Bits,* a smaller kind of bits upon the quarter-deck, for belaying the running rigging to.
- To Bitt the Cable,* is to confine the Cable to the bits, by one turn under the cross piece,

- and another turn round the bitt-head. In this position it may be either kept fixed, or it may be veered away.
- Bitter.** The turn of the cable round the bitts. *Bitter end*; that part of the cable which stays within board, round about the bitts, when the ship is at anchor.
- Block.** A piece of wood with running sheaves or wheels in it, through which the running rigging is passed to add to the purchase.
- Board.** To board a ship is to enter it in a hostile manner.
- Board.** To make a *board* is making a stretch upon any tack when a ship is working upon a wind. *To board it up*, that is, to turn to windward. *The ship has made a stern board*, that is, when she loses ground in working upon a wind.
- Boatswain.** The officer who has charge of all the cordage, rigging, anchors, &c.
- Bold shore.** A steep coast, permitting the close approach of shipping.
- Bolt rope.** The rope which goes round a sail, and to which the canvass is sewed. *The side ropes* are called *leach ropes*, that at the top the *head rope*, and that at the bottom the *foot rope*.
- Bonnet** of a sail, is an additional piece of canvass put to the sail in moderate weather to hold more wind. *Lace on the bonnet*, that is, fasten it to the sail. *Shake off the bonnet*, take it off.
- Boot topping.** Cleaning the upper part of a ship's bottom, or that part which lies immediately under the surface of the water, and daubing it over with tallow, or with a mixture of tallow, sulphur, rosin, &c.
- Both sheets aft.** The situation of a ship sailing right before the wind.
- Bow grace.** A frame of old rope or junk, laid out at the bows, stems, and side of ships, to prevent them from being injured by flakes of ice.
- Bow lines.** Lines made fast to the sides of the sails to haul them forward when upon a wind, which being hauled taut, enables the ship to come nearer to the wind.
- To brace.** To pull upon any body with a tackle in order to remove it.
- Bowprit.** A large mast or piece of timber which stands out from the bows of a ship.
- Boxhauling.** A particular method of veering a ship, when the swell of the sea renders tacking impracticable.
- Boxing.** An operation somewhat similar to Boxhauling. It is performed by laying the head sails aback, to receive the greatest force of the wind in a line perpendicular to their surfaces, in order to turn the ship's head into the line of her course, after she has inclined to windward of it.
- Braces.** The ropes by which the yards are turned about to form the sails to the wind.
- To brace the yards.** To move the yards, by means of the braces, to any direction required.
- To brace about**—to brace the yards round for the contrary tack. **To brace sharp**—to brace the yards to a position in which they will make the smallest possible angle with the keel, for the ship to have head-way. **To Brace to**—to ease off the lee braces, and round in the weather braces, to assist the motion of the ship's head in tacking.
- Brails.** A name peculiar only to certain ropes belonging to the mizen, used to truss it up to the mast. But it is likewise applied to all the ropes which are employed in hauling up the bottoms, lower corners and skirts of the other great sails. **To brail up**—to haul up a sail by means of the brails, for the more ready furling it when necessary.
- To break bulk.** The act of beginning to unload a ship.
- To break sheer.** When a ship at anchor is forced, by the wind or current, from that position in which she keeps her anchor most free of herself and most firm in the ground, so as to endanger the tripping of her anchor, she is said to break her sheer.
- Breaming.** Burning off the filth from a ship's bottom.
- Breast-fast.** A rope employed to confine a ship sideways to a wharf or to some other ship.
- To bring by the lee.**—See to *breach to*.
- To bring to.** To check the course of a ship when she is advancing, by arranging the sails in such a manner that they shall counteract each other, and prevent her from either retreating or advancing. See to *lie to*.
- To breach to.** To incline suddenly to windward of the ship's course, so as to present her side to the wind, and endanger her oversetting. The difference between *breaching to* and *bringing by the lee* may be thus defined: Suppose a ship under great sail is steering south, having the wind at N. N. W. then west is the weather-side, and east the lee-side. If, by any accident, her head turns round to the westward, so that her sails are all taken a-bank on the weather side, she is said to *breach to*. If, on the contrary, her head declines so far eastward as to lay her sails aback on that side which was the lee side, it is called *bringing by the lee*.
- Broadside.** A discharge of all the guns on one side of a ship both above and below.
- Broken backed.** The state of a ship which is so loosened in her frame as to drop at each end.
- By the board.** Over the ship's side.
- By the head.** The state of a ship when she is so unequally loaded as to draw more water forward than aft.

- By the wind.* The course of a ship as near as possible to the direction of the wind, which is generally within six points of it.
- Bunt-lines.* Ropes fastened to the foot rope of square sails to draw them up to the middle of the yards for furling.
- Buoy.* A floating conical cask, moored upon shoals to show where the danger is; also used at anchors to show where they lie, in case the cable breaks.
- Cap.* A strong thick block of wood, having two large holes through it, the one square, the other round; used to confine the two masts together.
- Capsize.* Overturn—the boat is capsized, that is, overset. *Capsize the quail of rope;* that is, turn it over.
- Capstan.* An instrument by which the anchor is weighed out of the ground, used also for setting up the shrouds, and other work where a great purchase is required.
- To Carcen.* To incline a ship on one side so low down, by shifting the cargo or stores on one side, that her bottom on the other side may be cleansed by breaming.
- To carry away.* To break—as a ship has carried away her bowsprit, that is, has broken it off.
- Castng.* The motion of falling off, so as to bring the direction of the wind on either side of the ship after it had blown sometime right a-head. It is particularly applied to a ship about to weigh anchor.
- Cat-Heads.* The timbers on ship's bows with sheaves in them, by which the anchor is hoisted after it has been hove up by the cable.
- To cat the anchor* is to hook the cat-block to the ring of the anchor, and haul it up close to the cat-head.
- Cat's paw* is a light air of wind perceived at a distance in a calm, sweeping the surface of the sea very lightly, and dying away before it reaches the ship.
- Caulking* is filling the seams of a ship with oakum.
- Centre.* This word is applied to that squadron of a fleet, in a line of battle, which occupies the middle of a line; and to that column (in the order of sailing) which is between the weather and lee columns.
- Chains.* A place built on the sides of the ship projecting out, and at which the shrouds are fastened, for the purpose of giving them greater angle than they could have if fastened to the ship's side, and of course giving them a greater power to secure the mast.
- Chain plates,* are plates of iron fastened to the ship's sides under the chains, and to these plates the dead eyes are fastened.
- Chapelling.* The act of turning a ship round in a light breeze of wind when she is close hauled, so that she will lie the same way she did before. This is usually occasioned by negligence in steering, or by a sudden change of wind.
- Chase.* A vessel pursued by some other. *Chaser*—the vessel pursuing.
- Cheerly.* A phrase implying heartily, quickly, cheerfully.
- To claw off.* The act of turning to windward from a lee shore, to escape shipwreck, &c.
- Clear* is variously applied:—The weather is said to be clear when it is fair and open, the sea-coast is clear when the navigation is not interrupted by rocks, &c. It is applied to cordage, cables, &c. when they are disentangled, so as to be ready for immediate service. In all these senses it is opposed to *foul*. *To clear the anchor* is to get the cable off the flukes, and to disencumber it of ropes, ready for dropping. *Clear hawse*—When the cables are directed to their anchors without lying athwart the stem. *To clear the hawse* is to untwist the cables when they are entangled by heaving either a cross, an elbow or a round turn.
- Clenched.* Made fast, as the cable is to the ring of the anchor.
- Close hauled.* That trim of the ship's sails, when she endeavours to make a progress in the nearest direction possible towards that point of the compass from which the wind blows.
- To club haul.* A method of tacking a ship when it is expected she will miss stays on a lee shore.
- Clue-lines,* are ropes which come down from the mast to the lower corners of the sail, and by which the corners or clues of the sails are hauled up.
- Clue of a sail.* The lower corners of square sails, but the aftermost only of stay sails, the other lower corner being called the tack.
- To clue up.* To haul up the clues of a sail to its yard by means of the clue lines.
- Coasting.* The act of making a progress along the sea-coast of any country.
- To coil the cable.* To lay it round in a ring, one turn over another.
- To come home.* The anchor is said to come home when it loosens from the ground by the effort of the cable, and approaches the place where the ship floated, at the length of her moorings.
- Coming to,* denotes the approach of a ship's head to the direction of the wind.
- Course.* The point of the compass upon which the ship sails. *Courses,* a ship's lower sails; as the fore-sail is the fore-course; the main-sail the main-course, &c.

*The ship is under her courses*; that is, has no sail set but the main-sail, fore-sail and mizen.

**Coxswain.** The person who steers the boat.

**Crank.** The ship is crank, that is she has not a sufficient cargo or ballast to render her capable of bearing sail, without being exposed to the danger of oversetting.

**Cross-foot,** is a number of small lines spread from the fore parts of the tops, by means of the piece of wood through which they pass, and being hauled taut upon the stays, they prevent the foot of the topsails catching under the top rim; they are also used to suspend the awnings.

**Van.** To direct. To run a ship is to direct the man at helm how to steer.

**To cut and run.** To cut the cable and make sail instantly, without waiting to weigh anchor.

**Davit.** A long beam of timber, used as a crane, whereby to hoist the flukes of the anchor to the top of the bow, without injuring the planks of the ship's sides as it ascends. There is always a Davit of a smaller kind fixed to the long-boat to weigh the anchor by the buoy-rope.

**To deaden a ship's way.** To impede her progress through the water.

**Dead eyes.** Blocks of wood through which the lariards of the shrouds are reeved.

**Dead lights.** A kind of window shutter for the windows in the stern of a ship, used in very bad weather only.

**Dead water.** The eddy of water, which appears like whirlpools, closing in with the ship's stern as she sails on.

**Dead-wind.** The wind right against the ship, or blowing from the very point to which she wants to go.

**Dismasted.** The state of a ship that has lost her masts.

**Dog-saw.** A small vane with feathers and cork, and placed on the ship's quarter, for the men at cun and helm to see the course of wind by.

**Dog-watch.** The watches from four to six and from six to eight in the evening.

**Doubling.** The act of sailing round or passing beyond a cape or point of land.—Doubling upon—The act of inclosing any part of a hostile fleet between two fires, or of cannonading it on both sides.

**Down.** To strike or haul down; as, down the top-gallant sails, that is, lower them.

**Down haul.** The rope by which any sail is hauled down, as the jib down-haul.

**To down.** To lower suddenly or slacken.

**To drag the anchor.** To trail it along the bottom after it is loosened from the ground.

**To draw.** When a sail is inflated by the wind, so as to advance the vessel in her course, the sail is said to draw; and so to keep all drawing is to inflate all the sails.

**Drift.** The angle which the line of a ship's motion makes with the nearest meridian, when she drives with her side to the wind and waves, and not governed by the power of the helm. It also implies the distance which the ship drives on that line.

**Driver.** A large sail set upon the mizen yards in light winds. Drive.—The ship drives, that is, her anchor comes through the ground.

**Drop.** Used sometimes to denote the depth of a sail; as the fore-top-sail drops twelve yards.

**To drop anchor.** Used synonymously with *to anchor*. To drop astern. The retrograde motion of a ship.

**Drumage.** A quantity of loose wood, &c. laid at the bottom of a ship to keep the goods from being damaged.

**Earrings.** Small ropes used to fasten the upper corners of sails to the yards.

**To ease, to ease away, or to ease off.** To slacken gradually; thus they say, ease the bow-line, ease the sheet.

**Ease the ship.** The command given by the pilot to the steersman, to put the helm hard-a-lee, when the ship is expected to plunge her fore part deep in the water when close-hauled.

**To edge away.** To decline gradually from the shore or from the line of the course which the ship formerly held in order to go more large.

**To edge in with.** To advance gradually towards the shore, or any other object.

**Elbow in the Hawse.** Is when a ship, being moored, has gone round upon the shifting of the tides twice the wrong way, so as to lay the cables one over the other: having gone once wrong, she makes a cross in the hawse, and going three times wrong, she makes a round turn.

**End for end.** A term used when a rope runs all out of a block, and is unreeved; or in coming to an anchor, if the stoppers are not well put on and the cable runs all out, it is said to have gone out end for end.

**End on.** When a ship advances to a shore, rock, &c. without an apparent possibility of preventing her, she is said to go end on for the shore, &c.

**Engagement.** Action or fight.

**Ensign.** The flag worn at the stern of a ship.

**Entering port.** A large port in the side of three deckers leading into the middle deck, to save the trouble of going up the ship's side to get on board.

- Even keel.** When the keel is parallel with the horizon, a ship is said to be upon an *even keel*.
- Fair.** A general term for the disposition of the wind, when favourable to a ship's course.
- Fair-way.** The channel of a narrow bay, river, or haven, in which ships usually advance in their passage up and down.
- Fack, or Fake.** One circle of any rope or cable coiled.
- Fag end.** The end of any rope which is become untwisted by frequent use; to prevent which the ends of ropes are wound round with pieces of twine, which operation is called *whipping*.
- To fall a-board of.** To strike or encounter another ship when one or both are in motion.
- To fall astern.**—The motion of a ship with her stern foremost. **To fall calm.** To become in a state of rest by a total cessation of the wind. **To fall down.** To sail or be towed down a river nearer towards its mouth.
- Falling off** denotes the motion of the ship's head from the direction of the wind. It is used in opposition to *coming to*.
- Fall not off, or nothing off.** The command of the steersman to keep the ship near the wind.
- Fathom.** A measure of six feet.
- To fetch away.** To be shaken or agitated from one side to another so as to loosen any thing which before was fixed.
- Fid.** A square bar of wood or iron, with shoulders at one end, used to support the weight of the topmast, when erected at the head of a lower-mast.
- Fid for splicing.** A large piece of wood of a conical figure; used to extend the strands and layers of cables in splicing.
- To fill.** To brace the sails so as to receive the wind in them, and advance the ship in her course, after they had been either shivering or braced a-back.
- Fish.** A large piece of wood. **Fish the mast;** apply a large piece of wood to it to strengthen it.
- Fish-hook.** A large hook by which the anchor is received and brought to the *cut-head*; and the tackle which is used for this purpose is called the *fish-tackle*.
- To fish the anchor.** To draw up the flukes of the anchor towards the top of the bow, in order to stow it, after having been catted.
- Flag.** A general name for colours worn and used by ships of war.
- Flat aft.** The situation of the sails when their surfaces are pressed aft against the mast by the force of the wind.
- To flat in.** To draw in the aftermost lower corner, or clue, of a sail towards the middle of the ship, to give the sail a greater power to turn the vessel. **To flat in forward.** To draw in the fore sheet, jib-sheet, and fore-staysail sheet, towards the middle of the ship.
- Flaw.** A sudden breeze or gust of wind.
- Floating.** The state of being buoyed up by the water from the ground.
- Flood-tide.** The state of a tide when it flows or rises.
- Flouring sheets.** The position of the sheets of the principal sails when they are loosened from the wind so as to receive it into their cavities more nearly perpendicular than when close-hauled, but more obliquely than when the ship sails before the wind. A ship going two or three points large has *flouring sheets*.
- Fore.** That part of a ship's frame and machinery that lies near the stem. **Fore and aft.** Throughout the whole ship's length. Lengthways of the ship.
- Fore-reach.** To shoot a-head, or go past another vessel.
- To force over.** To force a ship violently over a shoal by a great quantity of sail.
- Forward.** Towards the fore part of a ship.
- Foul.** Is used in opposition both to clear and fair. As opposed to clear we say, *foul weather, foul bottom, foul ground, foul anchor, foul hawse*. As opposed to fair, we say *foul wind*.
- To founder.** To sink at sea by filling with water.
- To free.** Pumping is said to free the ship when it discharges more water than leaks into her.
- To freshen.** When a gale increases it is said to freshen. **To freshen the Hawse.** Veering out or heaving in a little cable to let another part of it endure the stress of the hawseholes. It is also applied to the act of renewing the service round the cable at the hawseholes.
- Freshen the ballast.** Divide or separate it.
- Fresh away.** When a ship increases her velocity, she is said to get *fresh way*.
- Full.** The situation of the sails, when they are kept distended by the wind.
- Full and by.** The situation of a ship, with regard to the wind, when close hauled and sailing, so as to steer neither too nigh the direction, nor to deviate to leeward.
- To furl.** To wrap or to roll a sail close up to the yard or stay to which it belongs, and winding a cord around it, to keep it fast.
- Gage of the ship.** Her depth of water, or what water she draws.

- To gain the wind.** To arrive on the weather side, or to windward of some ship or fleet in sight, when both are sailing as near the wind as possible.
- Gamman the dowsprit.** Secure it by turns of a strong rope passed round it, and into the cat-water, to prevent it from having too much motion.
- Gangway.** That part of a ship's side both within and without, by which persons enter and depart.
- Garboard streak.** The first range or streak of planks laid in a ship's bottom next the keel.
- Gasket.** The rope which is passed round the sail to bind it to the yard when it is furled.
- To gather.** A ship is said to gather on another as she comes nearer to her.
- Gimblating.** The action of turning the anchor round by the stock, so that the motion of the stock appears similar to that of the handle of a gimblet, when employed to turn the wire.
- Girt.** The ship is girt with her cables when she is too tight moored.
- To give chase to.** To pursue a ship or fleet.
- Goose-wings of a sail.** The clues or lower corners of a ship's mainsail or foresail, when the middle part is furled or tied up to the yard.
- Grappling-iron.** A thing in the nature of an anchor, with four or six flukes to it.
- Grease.** To burn off the filth from a ship's bottom.
- Gripe of a ship.** That thin part of her which is under the counter; and to which the sternpost joins. The ship griepe, that is, turns her head too much to the wind.
- Grounding.** The laying the ship a-shore, in order to repair her. It is also applied to running aground accidentally.
- Ground tackle.** Every thing belonging to a ship's anchors, and which are necessary for anchoring or mooring; such as cables, hawsers, tow-lines, warps, buoy-ropes, &c.
- Ground tier.** That is, the tier of water casks which is lowest in the hold, and is among the shingle ballast.
- Growing.** Stretching out; applied to the direction of the cable from the ship towards the anchors: as, the cable grows on the starboard bow.
- Grammet.** A piece of rope laid into a circular form, and used for large boat's oars instead of rowlocks, and also for many other purposes.
- Gumnel.** The upper edge of a ship's side.
- Gum-room.** A division of the lower deck abaft, enclosed with network, for the use of the gunner and his stores.
- Gybing.** The act of shifting any boom-sail from one side of the mast to the other.
- Hail.** To call to another ship.
- Haliards.** The ropes by which the sails are hoisted, as the top-sail haliards, or jib haliards, &c.
- Handing.** The same as furling.
- Hard a-weather.** Put the tiller quite up to windward.
- Head Pull.**
- To head the wind.** To direct the ship's course nearer to the point from which the wind blows.
- Hawse-holes.** The holes in the bows of the ship through which the cables pass.—*Freshen hawse,* wear out more cable. *Clap a service in the hawse;* put somewhat round the cable at the hawse-hole to prevent its chafing. *To clear hawse,* is to untwist the cables where a ship is moored, and has got a foul hawse. *Athwart hawse,* is to be across or before another ship's head.
- Hawser.** A small kind of cable.
- Head fast.** A rope employed to confine the head of a ship to a wharf or to some other ship. **Headmost.** The situation of any ship or ships which are the most advanced in a fleet. **Head sails.** All the sails which belong to the foremast and bowsprit.
- Head-sea.** When the waves meet the head of a ship in her course, they are called a head-sea. It is likewise applied to a single wave coming in that direction.
- Head-to-wind.** The situation of a ship when her head is turned to the point from which the wind blows, as it must when tacking.
- Head-way.** The motion of advancing, used in opposition to stern-way.
- To Heave.** To turn about a capstan, or other machine of the like kind, by means of bars, handspikes, &c. *To Heave a-head,* to advance the ship by heaving-in the cable or other rope fastened to an anchor at some distance before her. *To Heave a-peak,* to heave-in the cable, till the anchor is a-peak.
- To Heave a-stern,** to move a ship backwards by an operation similar to that of heaving a-head. *To Heave down,* to careen. *To Heave in the cable,* to draw the cable into the ship, by turning the capstan. *To Heave in stays,* to bring a ship's head to the wind, by a management of the sails and rudder, in order to get on the other tack. *To Heave out,* to unfurl or loose a sail; more particularly applied to the staysails; thus we say, loose the topsails and heave out the staysails. *To Heave short,* to draw so much of the cable into the ship, as that she will be almost perpendicularly over her anchor. *To Heave tight or taut,* to turn the capstan round till the rope or cable becomes straightened, *To Heave the capstan,* to turn it round. *To Heave the*

- lead*, to throw the lead overboard, in order to find the depth of water. *To Heave the log*, to throw the log overboard, in order to calculate the velocity of the ship's way. *Heave the capstan*, that is, turn it round with the bars. *Heave handsomely*, heave gently or leisurely. *Heave hearty*, heave strong and quick.
- Heave of the sea*, is the power that the swell of the sea has upon a ship in driving her out, or faster on, in her course, and for which allowance is made in the day's work.
- Heel, or incline*. She heels to port, that is, inclines or lays down upon her larboard or left side.
- Helm*. The instrument by which the ship is steered, and includes both the wheel and the tiller, as one general term. *Helm's a-lee*, that is, the tiller is quite down to leeward.
- High and dry*. The situation of a ship when so far run aground as to be seen dry upon the strand.
- Hitch*. To make fast.
- Hoist*. To haul, sway, or lift up.
- Hold*, is the space between the lower deck and the bottom of the ship, where her stores &c. lie.
- To stow the hold*, is to place the things in it.
- To hold its own*, is applied to the relative situation of two ships when neither advances upon the other; each is then said to hold its own. It is likewise said of a ship which by means of contrary winds, cannot make a progress towards her destined port, but which, however, keeps nearly the distance she had already run.
- Home*, implies the proper situation of any object; as, to *haul home* the topsail sheets, is to extend the bottom of the topsail to the lower yard, by means of the sheets. In stowing a hold, a cask, &c. is said to *be home*, when it lies close to some other object.
- Hulk*. A ship without masts or rigging; also a vessel to remove masts into or out of ships by means of sheers, from whence they are called *sheer hulks*.
- Horse*. A rope reaching from the middle of a yard to its arms or extremities, for the men to stand on when they are loosing, reefing, or furling a sail.
- Hull of the ship*, the body of it. *To lay a hull*, is to lay to with only a small sail in a gale of wind. *To hull a vessel*, is to fire a shot into any part of her hull.
- Hull down*, is when a ship is so far off that you can only see her masts. *To hull a ship*—to fire cannon balls into her hull within the point-blank range. *Hull to*—the situation of a ship when she lies with all her sails furled: as in *trying*.
- In stays*. See to *heave in stays*.
- Jamming*. The act of enclosing any object between two bodies so as to render it immoveable.
- Jeer blocks*. The blocks through which jeers are reeved.
- Jeers*. The ropes by which the lower yards are suspended.
- Jibb*. The foremost sail of a ship, set upon a boom which runs out upon the bowsprit.
- Jibb-boom*. A spar that runs out upon the bowsprit.
- Jolly-boat*. A small boat.
- Junk*. Old cable, or old rope.
- Jury-mast*. A temporary or occasional mast erected in a ship in the place of one which has been carried away by accident, &c.
- Kedge*. A small anchor with an iron stock.
- Keel*. The principal piece of timber in a ship, which is usually first laid on the blocks in building.
- Keel-haul*. To drag a person backwards and forwards under a ship's keel for certain offences.
- Keekled*. Any part of a cable, covered over with old ropes, to prevent its surface from rubbing against the ship's bow or fore-foot.
- To keep away*. To alter the ship's course to one rather more large, for a little time, to avoid some ship, danger, &c. *Keep away* is likewise said to the steersman who is apt to go to windward of the ship's course. *To keep full*—To keep the sails distended by the wind. *To Keep hold of the land*—to steer near to or in sight of the land. *To Keep off*—to sail off or keep at a distance from the shore. *To Keep the land aboard*—the same as to *keep hold of the land*. *To Keep the Tuff*—to continue close to the wind. *To keep the wind*—the same as to *keep the buff*.
- Kelson*. A piece of timber forming the interior of the keel; being laid on the middle of the floor timbers immediately over the keel, and serving to unite the former to the latter.
- Kentledge*. Pigs of iron for ballast, laid upon the floor, near the kelson, fore and aft.
- Kenk*. A sort of twist or turn in a cable or rope.
- Knippers*. A large kind of plated rope, which being twisted round the messenger and cable in weighing, bind them together.
- Knob*. A division of the log-line, answering in the calculation of the ship's velocity, to one mile.
- To Labour*. To roll or pitch heavily in a turbulent sea.

- Laden in Bulk.** Freight with a cargo not packed, but lying loose, as corn, salt, &c.
- Laid up.** The situation of a ship when moored in a harbour, for want of employ.
- Land fall.** The first land discovered after a sea voyage. Thus a *good land fall* implies the land expected or desired; a *bad land fall* the reverse.
- Land-locked.** The situation of a ship surrounded with land, so as to exclude the prospect of the sea, unless over some intervening land.
- Lanterns** of the shrouds, are the small ropes at the ends of them, by which they are hove taut or tight.
- Larboard.** The left side of a ship, looking towards the head. **Larboard Tack**—the situation of a ship when sailing with the wind blowing upon her larboard side.
- Lash.** To bind.
- Launch-ho,** signifies high enough, or lower.
- Laying the land.** A ship which increases her distance from the coast, so as to make it appear lower and smaller, is said to *lay the land*.
- Leading-wind.** A fair wind for a ship's course.
- Leak.** A chink or breach in the sides or bottom of a ship, through which the water enters into the hull.
- Lee.** That part of the hemisphere to which the wind is directed, to distinguish it from the other part which is called to windward. **Lee Gage**—a ship or fleet to leeward of another is said to have the lee-gage. **Lee-Lurches**—the sudden and violent rolls which a ship often takes to leeward, in a high sea, particularly when a large wave strikes her on the weather-side. **Lee-Quarter**—that quarter of a ship which is on the lee side. **Lee-Shore**—that shore upon which the wind blows. **Lee-side**—that half of a ship lengthwise, which lies between a line drawn through the middle of her length and the side which is farthest from the point of wind. **To Lee-ward**—towards that part of the horizon to which the wind blows. **Lee-ward-Ship**—a ship that falls much to leeward of her course, when sailing close hauled. **Lee-ward Tide**—a tide that sets to leeward.
- Lee-Way.** The lateral movement of a ship to leeward of her course; or the angle which the line of her way makes with a line in the direction of her keel.
- To Lie along.** To be pressed down sideways by a weight of sail in a fresh wind.
- Leeches.** The borders or edges of a sail.
- To Lie to.** To retard a ship in her course, by arranging the sails in such a manner as to counteract each other with nearly an equal effort, and render the ship almost immovable with respect to her progressive motion or head way.
- Lifts.** The ropes which come to the ends of the yards from the mast-heads, and by which they are suspended when lowered down.
- Limbers, or Limber-holes.** Square holes cut through the lower part of a ship's floor timbers, very near the keel; forming a channel for water, and communicating with the pump-well throughout the whole length of the floor.
- List.** Incline. *The ship has a list to port*, that is, she heels to the larboard.
- Log, and Log line,** by which the ship's path is measured, and her rate of going ascertained.
- Log-board,** on which is marked the transactions of the ship, and from thence it is copied into the log-book every 24 hours.
- A Long Sea.** A uniform motion of long waves.
- Look out.** A watchful attention to some important object or event that is expected to arise. Thus persons on board of a ship are occasionally stationed to *look out* for signals, other ships, for land, &c.
- To Loose.** To unfurl or cast loose any sail.
- To Lower.** To ease down gradually.
- Luff.** The order to the steersman to put the helm towards the lee side of the ship in order to sail nearer to the wind.
- To make a board.** To run a certain distance upon one tack, in beating to windward. **To make foul water**—to muddy the water, by running in shallow places, so that the ship's keel disturbs the mud at the bottom. **To make sail**—to increase the quantity of sail already set, either by unreefing or by setting others. **To make stern way**—to retreat or move with the stern foremost. **To make the land**—To discover it from afar. **To make water**—to leak.
- To man the yard, &c.** To place men on the yard, in the tops, down the ladder, &c. to execute any necessary duties.
- Mast.** The upright timber or trees on which the yards and sails are set.
- Masted.** Having all her masts complete.
- Mend the service.** Put on more service.
- Messenger.** A small kind of cable, which being brought to the capstan, and the cable by which the ship rides made fast to it, it purchases the anchor.
- To middle a rope.** To double it into two equal parts.
- Midship.** See *Amidships*.



- To miss stays.** A ship is said to *miss stays* when her head will not fly up into the direction of the wind, in order to get her on the other tack.
- Mizen mast.** The mast which stands abaft, and from which its rigging and sails are named; as of the sails, mizen, mizen-top-sail, &c. and so also are the other sails, &c. named from the other masts.
- Moor,** is to secure a ship with two anchors. **Mooring**—securing a ship in a particular station by chains or cables, which are either fastened to an adjacent shore or to anchors at the bottom. **Mooring service**—when a ship is moored, and rides at one cable's length, the mooring service is that which is at the first splice.
- Mouse.** A kind of ball or knob, wrought upon the collar of the stays.
- Muster.** To assemble.
- Narrows.** A small passage between two lands.
- Neape Tides.** The tides in the first and last quarter of the moon, and are not either so high, so low, or so rapid as spring tides. A ship is said to be *beneped* when she has not water enough to take her off the ground, or over the bar, &c.
- Near, or nonear.** An order to the steersman not to keep the ship so close to the wind.
- Nippers.** Certain pieces of cordage used to fasten the messenger to the cable in heaving up the anchor.
- Nothing off.** A term used by the man at the cun to the steersman, directing him not to go from the wind.
- Nun buoy.** The kind of buoys used by ships of war.
- Oakum.** Old rope untwisted and pulled open.
- Off and on.** When a ship is beating to windward, so that by one board she approaches towards the shore, and by the other stands out to sea, she is said to stand *off and on* shore.
- Offing.** To seaward from the land. *A ship is in the offing*, that is, she is to seaward, at a distance from the land. *She stands for the offing*, that is, towards the sea.
- Offward.** From the shore, as when a ship lies aground and leans towards the sea, she is said to heel *offward*.
- On board.** Within the ship, as, he is come on board.
- On the beam.** Any distance from the ship on a line with the beams, or at right angles with the keel. See *Bearing*.
- On the bow.** An arch of the horizon, comprehending about four points of the compass on each side of that point to which the ship's head is directed. Thus, they say, the ship in sight bears three points on the starboard bow; that is, three points towards the right hand, from that part of the horizon which is right a-head. See *Bearing*.
- On the quarter.** An arch of the horizon, comprehending about four points of the compass on each side of that point to which the ship's stern is directed. See *On the bow*.
- Open.** The situation of a place exposed to the wind and sea. It is also expressed of any distant object to which the sight or passage is not intercepted.
- Open Hawse.** When the cables of a ship at her moorings lead straight to their respective anchors, without crossing, she is said to ride with an *open hawse*.
- Orlop.** The deck on which the cables are stowed.
- Over-board.** Out of the ship; as, he fell over-board, meaning he fell out of, or from the ship.
- Overgrown Sea,** is expressed of the ocean when the surges and billows rise extremely high.
- Overhaul.** To clear away and disentangle any rope; also to come up with the chase; as *we overhaul her*, that is, we gain ground of her.
- Over-Rake.** When a ship at anchor is exposed to a head-sea, the waves of which break in upon her, the waves are said to *over-rake* her.
- Over-set.** A ship is *over-set* when her keel turns upwards.
- Out-of-trim.** The state of the ship when she is not properly balanced for the purposes of navigation.
- Parcel a rope.** Is to put a quantity of old canvass upon it before the service is put on.
- Parcel a seam**—is to lay a narrow piece of canvass over it after it is caulked, before it is payed.
- Parliament keel.** The situation of a ship when she is made to stoop a little to one side, so as to clean the upper part of her bottom on the other side. See *Boat-topping*.
- Parting.** Being driven from the anchors, by the breaking of the cable.
- Pawl.** A short bar of wood or iron fixed close to the capstan or windlass of a ship, to prevent those engines from rolling back, or giving way, when they are charged with any great effort.
- To Pawl the capstan.** To fix the pawls so as to prevent the capstan from rolling, during any pause of heaving.
- To pay.** To daub or cover the surface of any body with pitch, tar, &c. in order to prevent it from the injuries of the weather.
- To pay away or pay out.** To slacken a cable or other rope, so as to let it run out for some particular purpose.

- To pay off.* To move a ship's head to leeward.
- To peck the mizen.* To put up the mizen yard perpendicular by the mast.
- Peck.* To ride a stay peck, is when the cable and the fore-stay form a line. *To ride a short peck,* is when the cable is so much in as to destroy the line formed by the stay-peck. *To ride with the yards a peck,* is to have them topped up by contrary lifts, so as to represent St. Andrew's cross.
- Pendant.* The long narrow flag worn at the mast-head by all ships of the navy. *Brace Pendants*—are those ropes which secure the brace-blocks to the yard arms, and are in general double, in case of one being shot away, the other may secure the yards in its proper position.
- Broad Pendant.* A kind of flag terminating in a point used to distinguish the chief of a squadron.
- Pitching.* The movement of a ship, by which she plunges her head and after part alternately into the hollow of the sea.
- Point-blank.* The direction of a gun when levelled horizontally.
- Points.* A number of plated ropes made fast to the sails for the purpose of reefing.
- Poop.* The highest and aftermost deck of a ship.
- Pooping.* The shock of a high and heavy sea upon the stern or quarter of a ship, when she scuds before the wind in a tempest.
- Port.* A name given on some occasions to the larboard side of the ship; as, the ship heels to port, top the yards to port, &c.—also, a harbour or haven.
- Ports.* The holes in the ship's sides from which the guns are fired.
- Port the helm!* The order to put the helm over to the larboard side.
- Port-last.* The gunnel.
- Press of Sail.* All the sail that a ship can set or carry.
- Preventer.* An additional rope employed at times to support any other, when the latter suffers an unusual strain, particularly when blowing fresh, or in a gale of wind.
- Pudding and Dolphin.* A large and lesser pad made of ropes, and put round the mast under the lower yards.
- Purchase.* Any sort of mechanical power employed in raising or moving heavy bodies.
- Quarters.* The respective stations of the officers and people in time of action. *Quartering,* distributing the men into different places. *Quarter-bill,* the list of the ship's company, with their stations for action noticed.
- Quarter-wind,* is when the wind blows in from that part of the horizon situated on the quarter of the ship. See *On the quarter.*
- Quoil,* is a rope or cable laid up round, one fake over another.
- To Raise.* To elevate any distant object at sea by approaching it; thus, *to raise the land* is used in opposition to *lay the land.*
- To Rake.* To cannonade a ship at the stern or head, so that the balls scour the whole length of the decks.
- Range of Cable.* A sufficient length of cable drawn upon deck before the anchor is cast loose, to admit of its sinking to the bottom without any check.
- Rattlines.* The small ropes fastened to the shrouds, by which the men go aloft.
- Reach.* The distance between any two points on the banks of a river, wherein the current flows in an uninterrupted course.
- Ready about!* A command of the boatswain to the crew, and implies that all the hands are to be attentive and at their stations for tacking.
- Rear.* The last division of a squadron, or the last squadron of a fleet. It is applied likewise to the last ship of a line, squadron, or division.
- Reef.* Part of a sail from one row of eyelet-holes to another. It is applied likewise to a chain of rocks lying near the surface of the water.
- Reefing.* The operation of reducing a sail by taking in one or more of the reefs.
- To Reeve.* To pass the end of a rope through any hole, as the channel of a block, the cavity of a thimble, &c.
- Rendering.* The giving way or yielding to the efforts of some mechanical power. It is used in opposition to jamming or sticking.
- Ribs of a ship.* A figurative expression for the timbers.
- Ride at anchor,* is when a ship is held by her anchors, and is not driven by wind or tide.
- To ride athwart,* is to ride with the ship's side to the tide. *To ride hawse fallen,* is when the water breaks into the hawse in a rough sea.
- Rigging.* A general name given to all the ropes employed to support the masts, to extend or reduce the sails, or to arrange them to the disposition of the wind.
- Righting.* Restoring a ship to an upright position, either after she has been laid on a careen, or after she has been pressed down on her side by the wind.
- To right the helm,* is to bring it into midships, after it has been pushed either to starboard or larboard.
- Rigging out a boom.* The running out a pole at the end of a yard to extend the foot of a sail.
- To rig the capstern.* To fix the bars in their respective holes.

- Yard.** A place near the land where ships may anchor, but which is not sheltered.
- Yards, or Repobands.** Short flat pieces of plaited rope, having an eye worked at one end; they are used in pairs to tie the upper edges of the square sails to their respective yards.
- Rolling.** The motion by which a ship rocks from side to side like a cradle.
- Rough-Tree.** A name applied to any mast, yard, or boom, placed in merchant ships, as a rail or fence above the vessel's side, from the quarter-deck to the fore-castle.
- Rounding-in.** The pulling upon any rope which passes through one or more blocks in a direction nearly horizontal; as, *round in* the weather-braces.
- Rounding.** Old ropes fastened on the cable, near the anchor, to keep it from chafing.
- Round-turn.** The situation of the two cables of a ship when moored, after they have been several times crossed by the swinging of the ship.
- Rounding-up.** Similar to *rounding-in*, except that is applied to ropes and blocks which act in a perpendicular direction.
- To Row.** To move a boat with oars.
- Rousing.** Pulling up a cable or rope without the assistance of tackles.
- Rudder.** The machine by which the ship is steered.
- Rullock.** The niche in a boat's side, in which the oars are used.
- Run.** The aftermost part of a ship's bottom, where it grows extremely narrow as the stern approaches the stern-post. Run is also the distance sailed by a ship; and is likewise used by sailors to imply the agreement to work a single passage from one place to another.
- To run out a warp.** To carry the end of a rope out from a ship, in a boat, and fasten it to some distant object, so that by it the ship may be removed by pulling on it.
- To sag to leeward.** To make considerable lee-way.
- Sailing-trim** is expressed of a ship when in the best state for sailing.
- She sands or sends.** When the ship's head or stern falls deep in the trough of the sea.
- Scanting.** The variation of the wind, by which it becomes unfavourable to a ship's making great progress, as it deviates from being large, and obliges the vessel to steer close hauled, or nearly so.
- Stead.** To go right before the wind; and going in this direction without any sail set is called *spoonting*.
- Scuttling.** Cutting large holes through the bottom or sides of a ship, either to sink her, or to unlade her expeditiously when stranded.
- Sea.** A large wave is so called. Thus, they say a *heavy sea*. It implies likewise the agitation of the ocean, as, a *great sea*. It expresses the direction of the waves, as, a *head sea*. A *long sea* means a uniform and steady motion of long and extensive waves; a *short sea*, on the contrary, is when they run irregularly, broken, and interrupted.
- Sea-boat.** A vessel that bears the sea firmly, without straining her masts, &c.
- Sea-clothes.** Jackets, trowsers, &c.
- Sea-mark.** A point or object on shore conspicuously seen at sea.
- Sea-room.** A sufficient distance from the coast or any dangerous rocks, &c. so that a ship may perform all nautical operations without danger of shipwreck.
- Seize.** To bind or make fast.
- Serve.** To wind something about a rope to prevent it from chafing or fretting. The service is the thing so wound about the rope.
- Setting.** The act of observing the situation of any distant object by the compass.
- To set sail.** To unfurl and expand the sails to the wind, in order to give motion to the ship.
- To set up.** To increase the tension of the shrouds, back-stays, &c. by tackles, kialsards, &c.
- Settle.** To lower; as, *settle the topsail haliards*, lower them.
- To settle the land.** To lower in appearance. It is synonymous with *to lay the land*.
- Shank.** The beam or shaft of an anchor.
- Shank-painter.** The rope by which the shank of the anchor is held up to the ship's side; is also made fast to a piece of iron chain, in which the shank of the anchor lodges.
- To shape a course.** To direct or appoint the track of a ship, in order to prosecute a voyage.
- Sheer.** The sheer of the ship is the curve that is between the head and the stern upon her side. *The ship sheers about*, that is, she goes in and out.
- To sheer off.** To remove to a greater distance.
- Sheers,** are spars lashed together and raised up for the purpose of getting out or in a mast.
- Sheet.** A rope fastened to one or both of the lower corners of a sail, in order to extend and retain it in a particular situation. When a ship sails with a side wind, the lower corner of the main and fore-sails are fastened by a tack and a sheet, the former being to windward, and the latter to leeward; the tack is, however, only disengaged with a stern wind, whereas the sail is never spread without the assistance of one or both of the sheets; the stay-sails and studdensails have only one tack and one sheet each, the stay-sail tacks are fastened forward, and the sheets drawn aft, but the

- studden-sail tacks** draw the outer corner of the sail to the extremity of the boom, while the sheet is employed to extend the inner corner.
- To sheet home.** To haul the sheets of a sail home to the block on the yard-arm.
- To shift the helm.** To alter its position from right to left, or from left to right.
- To ship.** To take any person, goods, or thing on board. It also implies to fix any thing in its proper place, as, to *ship the oars*, to fix them in their rullocks.
- Ship-shape.** In a seaman like manner; as, that mast is not rigged ship-shape; put her about ship-shape, &c.
- Shivering.** The state of a sail when fluttering in the wind.
- Shoal.** Shallow.
- Shoe the anchor.** A small block of wood, convex on the back, and having a hole sufficiently large to contain the point of the anchor-fluke on the fore side; it is used to prevent the anchor from tearing the planks on the ship's bow, when ascending or descending.
- To shoot a-head.** To advance forward.
- Shore.** A general name for the sea coast of any country.
- To shorten sail.** Used in opposition to *make sail*.
- Shrouds.** A range of large ropes extended from the mast heads to the right and left sides of a ship, to support the masts, and enable them to carry sail.
- Sinnett.** A small plaited rope, made from rope-yarns.
- Slack-water.** The interval between the flux and reflux of the tide, when no motion is perceptible in the water.
- Slatch,** is applied to the period of a transitory breeze.
- To slip the cable.** To let it run quite out, when there is not time to weigh the anchor.
- To stue.** To turn any cylindrical piece of timber about its axis without removing it. Thus, to *stue a mast*, or *boom*, is to turn it in its cap or boom iron. Also to turn any package or cask round.
- Sound.** To try the depth of water.
- Sounding-line.** A line to sound with, which is marked in the following manner:—Black leather at 2 and 3 fathoms, white at 5, red at 7, black at 10, white at 13, (some seamen use black at 10 and 13) white at 15 as at 5, red at 17 as at 7, two knots at 10 fathoms, and an additional knot at every ten fathoms, with a single knot midway between each 10 fathoms, to mark the line at every five fathoms.
- To spell the Mizzen.** To let go the sheet and peek it up.
- To spill.** To discharge the wind out of the cavity or belly of a sail, when it is drawn up in the brails, in order to furl or reef it.
- Spilling lines,** are ropes contrived to keep the sails from being blown away, when they are clewed up in blowing weather.
- Splice.** To make two ends of ropes fast together by untwisting them, and then putting the strands of one piece with the strands of the other.
- Split.** The state of a sail rent by the violence of the wind.
- Spoon-drift.** A sort of showery sprinkling of the sea water, swept from the surface of the waves in a tempest, and flying like a vapour before the wind.
- Sprey.** The sprinkling of a sea, driven occasionally from the top of a wave, and not continual as a spoon-drift.
- To spring a mast, yard, &c.** To crack a mast, yard, &c. by means of straining in blowing weather, so that it is rendered unsafe for use. **To spring a leak.** When a leak first commences, a ship is said to *spring a leak*. **To spring the tuff.** A ship is said to *spring her tuff*, when she yields to the effort of the helm, by sailing nearer to the wind than before.
- Spring-stays,** are rather smaller than the stays, and placed above them, and intended to answer the purpose of the stay, if it should be shot away, &c.
- Spring-tides,** are the tides at new and full moon, which flow highest and ebb lowest.
- Sparling Line,** is a line that goes round a small barrel abaft the barrel of the wheel, and coming to the front beam of the poop deck, moves the tell-tale with the turning of the wheel, and keeps it always in such position, as to show the position of the tiller.
- Spar-shoes,** are large pieces of timber which come abaft the pump-well.
- Squall.** A sudden violent blast of wind.
- Square.** This term is applied to yards that are very long, as *teunt* is to high masts.
- To square the yards.** To brace the yards so as to hang at right angles with the keel.
- To stand on.** To continue advancing. **To stand in.** To advance towards the shore.
- To stand off.** To recede from the shore.
- Starboard.** The right hand side of the ship when looking forward. **Starboard-tack.** A ship is said to be on the *starboard tack* when sailing with the wind blowing upon her starboard side.
- Starboard the helm!** An order to push the helm to the starboard side.
- To stay a ship.** To arrange the sails and move the rudder so as to bring the ship's head to the direction of the wind, in order to get her on the other tack.

- Stays.** Large ropes coming from the mast heads down before the masts, to prevent them from springing, when the ship is sailing deep.
- Steady!** The order to the helmsman to keep the ship in the direction she is going at that instant.
- Steering.** The art of directing the ship's way by the movement of the helm.
- Steerage-way.** Such degree of progressive motion of a ship as will give effect to the motion of the helm.
- Stem.** A circular piece of timber, into which the two sides of a ship are united at the fore end; the lower end is scarfed to the keel, and the bowsprit rests on the upper end.
- To stem the tide.** When a ship is sailing against the tide at such a rate as enables her to overcome its power, she is said to stem the tide.
- Steeve.** Turning up. The bowsprit steeves too much, that is, it is too upright.
- Sternfast.** A rope confining a ship by her stern to any other ship or wharf.
- Sternmost.** The furthest astern, opposed to headmost.
- Sternway.** The motion by which a ship falls back with her stern foremost.
- Stiff.** The condition of a ship when she will carry a great quantity of sail without hazard of oversetting. It is used in opposition to *crank*.
- Stoppers.** Large kind of ropes, which, being fastened to the cable in different places abaft the bitts, are an additional security to the ship at anchor.
- To stow.** To arrange and dispose a ship's cargo.
- Strand.** One of the twists or divisions of which a rope is composed. It also implies the sea beach.
- Stranded.** This term, speaking of a cable or rope, signifies that one of its strands is broken: applied to a vessel, it means that she has run aground and is lost.
- To stream the buoy.** To let it fall from the ship's side into the water, previously to casting anchor.
- Stretch out.** A term used to men in a boat when they should pull strong.
- To strike.** To lower or let down any thing. Used emphatically to denote the lowering of colours in token of surrender to a victorious enemy.
- To strike sounding.** To touch ground when endeavouring to find the depth of water.
- Sued, or Sewed.** When a ship is on shore and the water leaves her, she is said to be sued; if the water leaves her two feet, she sues, or is sued two feet.
- Surf.** The swell of the sea that breaks upon shore or on any rock.
- To surge the capstern.** To slacken the rope heaved round upon it.
- Sway away.** Hoist.
- Swell.** The fluctuating motion of the sea either during or after a storm.
- Sweeping.** The act of dragging the bight or loose part of a rope along the surface of the ground, in a harbour or road, in order to drag up something lost.
- Swinging.** The act of a ship's turning round her anchor at the change of wind or tide.
- To tack.** To turn a ship about from one tack to another, by bringing her head to the wind.
- Taffarel.** The uppermost part of a ship's stern.
- Taking in.** The act of furling the sails. Used in opposition to *setting*.
- Taking a-back.** See *a-back*.
- Tamkins, or Tomkins.** The bung, or piece of wood, by which the mouth of a cannon is filled to keep out wet.
- Tarpaulin.** A cloth of canvass covered with tar or some other composition, so as to make it water proof.
- Taught.** Improperly though very generally used for *tight*.
- Taunt.** High or tall. Particularly applied to masts of extraordinary length.
- Tell-tale.** An instrument which traverses upon an index in the front of the poop-deck, to show the position of the tiller.
- Tending.** The turning or swinging of a ship round her anchor in a tide-way at the beginning of ebb and flood.
- Thwart.** See *a-thwart*. *Thwart ships.* See *a-thwart ships*.
- Thus.** An order to the helmsman to keep the ship in her present situation, when sailing with a scant wind.
- To tide.** To work in or out of a river, harbour, or channel, by favour of the tide, and anchoring whenever it becomes adverse.
- Tide it up.** To go with the tide against the wind.
- Tide-way.** That part of the river in which the tide ebbs and flows strongly.
- Tier.** A row; as a tier of guns, a tier of casks, a tier of ships, &c. *Tier of a cable.* A range of the fakes or windings of a cable which are laid within one another, in a horizontal position. *Cable Tier*—the space in the midst of a cable when it is coiled; also the place in which it is coiled.
- Tiller.** A large piece of wood or beam, put into the head of the rudder, and by means of which the rudder is moved.
- Topping.** Pulling one of the ends of a yard higher than the other.

*Tart or Taut*, signifies tight.

*To Tow*. To draw a ship in the water by a rope, fixed to a boat or other ship which is rowing or sailing on.

*Tow-line*. A small hawser, or rope, used to remove a ship from one part of a harbour to another.

*Transoms*. Certain beams or timbers extended across the sternpost of a ship to fortify her after part, and to give it the figure most suitable to the service for which she is calculated.

*Traverse*. To go backwards and forwards.

*Treenails or Trunnals*. Long wooden pins employed to connect the planks of the ship's side and bottom to the corresponding timbers.

*Trey-sail*. A small sail used by cutters and brigs in blowing weather.

*Trice, trice up*. To haul up and fasten.

*Trim*. The state or disposition by which a ship is best calculated for the purposes of navigation. *To trim the hold*—to arrange the cargo regularly. *To trim the sails*—to dispose the sails in the best arrangement for the course which a ship is steering.

*To trip the anchor*. To loosen the anchor from the ground, either by design or accident.

*Trough of the Sea*. The hollow between two waves.

*Truck*. A round piece of wood put upon the top of flag-staves, with sheaves on each side for the baliards of the flags to reeve in.

*Turning to windward*. That operation in sailing, whereby a ship endeavours to advance against the wind.

*To Unballast*. To discharge the ballast out of a ship.

*To Unbend*. To take the sails off from their yards and stays. To cast loose the anchor from the cable. To untie two ropes.

*To Unbit*. To remove the turns of a cable from off the bits.

*Under foot*, is expressed of an anchor that is directly under the ship.

*Under sail, or under way*. When a ship is sailing she is said to be *under way*.

*Under the lee of the shore*, is to be close under the shore which lies to windward of the ship.

*Unfurl*. Cast loose the gasket of the sail.

*To Unmoor*. To reduce a ship to the state of riding at single anchor, after she has been moored.

*To Unreeve*. To draw a rope from out of a block, timber, &c.

*To Unrig*. To deprive the ship of her rigging.

*Uerou*. The piece of wood by which the legs of the crow-foot are extended.

*Van*. The foremost division of a fleet in one line. It is likewise applied to the foremost ship of a division.

*Vane*. A small kind of flag worn at each mast head.

*To Veer or Wear the ship*. To change a ship's course from one tack to the other, by turning her stern to windward.

*Veer*. Let out, as veer away the cable.

*Veer*. Shift. The wind veers, that is, it shifts, changes.

*To Veer and Haul*. To pull a rope tight by alternately drawing it in and slackening it.

*Viol or Voyal*. A block through which the messenger passes in weighing the anchor. A large messenger is called a *viol*.

*Wake*. The path or track impressed on the water by the ship's passing through it, leaving a smoothness in the sea behind it. A ship is said to come into the wake of another when she follows her in the same track, and is chiefly done in bringing ships to, or in forming the line of battle.

*Wales*, are strong timbers that go round a ship a little above her water-line.

*Warp*. A small rope employed occasionally to remove a ship from one place to another.

*To Warp*. To remove a ship by means of a warp.

*Waist*. That part of a ship contained between the quarter deck and the fore-castle.

*Water-line*. The line made by the water's edge when a ship has her full proportion of stores, &c. on board.

*Water-borne*. The state of a ship, when there is barely a sufficient depth of water to float her off from the ground.

*Water-logged*. The state of a ship become heavy and inactive on the sea, from the great quantity of water leaked into her.

*Water-tight*. The state of a ship when not leaky.

*Weather*. To weather any thing is to get to windward of it. Synonymous with windward.

*Weather-beaten*. Shattered by a storm. *Weather-bit*. A turn of the cable about the end of the windlass. *Weather-gage*. When a ship or fleet is to windward of another, she is said to have the *weather-gage* of her *Weather-quarter*. That quarter of the ship which is on the windward side. *Weather-side*. The side upon which the wind blows.

*To Weigh Anchor.* To heave up an anchor from the bottom.

*To Wind a Ship.* To change her position, bringing her head where her stern was.

*Wind road.* When a ship is at anchor, and the wind being against the tide, is so strong as to overcome its power and keep the ship to leeward of her anchor, she is said to be *wind-road*.

*Wind's eye.* The point from which the wind blows.

*To Windward.* Towards that part of the horizon from which the wind blows.

*Windward Tide.* A tide that sets to windward.

*To Work a ship.* To direct the movements of a ship by adapting the sails and managing the rudder according to the course the ship has to make.

*To work to windward.* To make a progress against the direction of the wind.

*Wood.* To bind round with ropes.

*Yards.* The spars upon which the sails are spread.

*Yawing.* The motion of a ship when she deviates from her course to the right or left.



## EVOLUTIONS AT SEA.

### *Of the Ballast and Lading.*

WHEN a ship is loading, it should be considered that her tendency to pitch or roll depends not alone on her form, but even more upon the distribution of the heaviest parts of her cargo.

Particular attention is to be paid to moderate her pitching, as that is what most fatigues a ship and her masts: and it is mostly in one of these motions that masts are seen to break, particularly when the head rises after having pitched. Although the rolling be proportionably a more considerable movement than pitching, it is seldom any accident is seen to arise from it, as it is always a slow one. It is however not less proper to prevent it as much as possible. This will, in general, be easily obtained, without being any way detrimental to the ship's stiff carrying of sail, if, when the ballast is iron, you stow it up to the floor heads; because it will recall the ship with less violence after her having inclined, and it will act on a point but little distant from the centre of gravity.

In the merchant service the stowage consists, besides the ballast, of casks, cases, bales, boxes, &c. which are all carefully wedged off from the bottom, sides, pumpwell, &c. and great attention paid that the most weighty materials are stowed nearest to the centre of gravity, or bearing of the ship, and higher or lower in the hold, agreeable to the form of the vessel. A full low built vessel requires them to be stowed high up, that the centre of gravity may be raised, to keep her from rolling away her masts, and from being too stiff and laboursome; as, on the contrary, a narrow, high built vessel requires the most weighty materials to be stowed low down, nearest the keelson, that the centre of gravity may be kept low, to enable her to carry sail, and to prevent her oversetting.

*To anchor in fine weather in a place where you will ride head to wind, being close hauled.*

Being under the three topsails, fore-topmast stay sail, and mizen, stand on until you are within about two ship's lengths of the place where you mean to drop your anchor; then put the helm a-lee, and haul down the fore-topmast stay sail. As soon as the topsails shiver, clew them up briskly, before you lower, except the mizen topsail, which is to be laid to the mast, and the mizen sheet hauled flat aft, the instant the ship begins to have stern way, by reason of the wind being a-head. Then shift the helm to windward, and let go the anchor, veering away the cable, to give it time to settle in the ground, until the vessel falls off, when she is to be checked, to bring her head to the wind. When that is done, right the helm, and haul up the mizen.

*To anchor in fine weather in a place where you will ride head to wind, the wind being large.*

If you have the wind large, whether on the beam or more aft, the operation is still the same, only hauling up a little sooner to keep to windward, because it is in your power to drift as much as you think requisite, and because the ship will be entirely stopped as soon as all her sails begin to catch a-back, and you will have done clewing them up when they begin to shake. The mizen topsail is next to be heaved to the mast, the helm put a-weather, and the anchor let go, as soon as the head-way ceases; then after giving her a sufficiency of cable, bring the ship up. If she has been going large she will not range precisely head to wind, since her headway ceases as soon as the sails are taken a-back, and the effort of the wind acts on all the rigging of the ship to keep her

rough a stern and to leeward, which is indeed augmenting the effect of the rudder, as the helm is a-weather to bring the vessel to the wind; but as the power of the wind is very great to pay the ship's head off, it balances, wholly or partly, (according as the ship goes a stern with more or less velocity) the effort of the rudder and that of the mizen: thus she drifts, and remains as it were lying to with all her sails aback. This is the reason why we keep a little to windward, and let go the anchor, to bring the ship's head to wind at the proper time, which she will do the more readily as she is withheld forward by the cable, while the wind on her side forces her to leeward.

*To anchor in fine weather in a place where you are to ride head to the stream and wind, the wind being large.*

If you are obliged to ride with the head to the stream, you must, when it comes from the windward, put the helm a-lee in setting the mizen, then clue up the sails: and when the ship's head is right in the direction of the stream, let go the anchor, provided she has quite lost her headway; for else, you would get foul of the anchor stock by running over it. This must never be neglected, unless you find yourself under the necessity to bring up in any situation in which you may happen to be, which is almost always the case when you are taken too short to have time to stop the vessel: a reason why there is often a necessity of casting a second anchor, which generally catches the ground by assistance of the first, which has begun to diminish the velocity of the ship; and as many of the sails are to be hauled down as you can, and as quick as possible.

*To anchor in fine weather in a place where you will ride head to the stream, which comes from leeward, the wind being large.*

When the current comes from the leeward, you must keep the ship away till her head comes to the set of the stream, and take in all the sails to diminish as speedily as possible her headway, which always continues of itself long enough when the wind is aft or very large; and when the ship is stopped by the effort of the water, let go the anchor without waiting for the vessel gathering stern-way, if the current is rapid; and in this case, as well as all those wherein there is a sea, or blowing fresh, the ship requires a great length of cable.

*To come to an anchor with the wind aft.*

First, haul the main topsail, and then lower the fore topsail down on the cap; and when you are within a reasonable distance of the place where you mean to drop anchor, (which distance is to be judged of from the readiness of the ship to obey the helm, and from her velocity) the tiller may be put either one way or the other, the fore topsail and fore topmast stay sail clued up and taken in, the mizen topsail braced sharp up, and the mizen sheet hauled flat aft. When the ship ranges close to the wind, she is, as it were, lying to under the mizen and mizen topsails, with the last mentioned sail full or a-bank according as you may have occasion to shoot a-head or drop a-stern; so that if you are too much to windward of the spot where you mean to bring to, you drift till you arrive at it: if you are precisely in the proper birth, you let go the anchor in lowering down the mizen topsail, which is to be furled as soon as the vessel is brought up; then the ship will come head to wind by the power of the mizen, which must be bralled up as soon as it shakes.

*Scudding under a foresail, to come to an anchor.*

The foresail must be clued up when at some distance from your birth; and, some part of the way, run under bare poles. When near enough to sheer to the wind, you execute it by putting the helm hard a-lee; and as soon as the ship is come to, let go the anchor, giving her a large scope of cable, and observing to check her handsomely, in order to make her ride head to wind, as stopping her at first too short might endanger her cable or anchor. Should the first not bring her up, a second may be let go.

*To anchor with a spring, in order to present the vessel's side to a place or ship you wish to cannonade.*

This is executed when you know that the wind or current will bring your head, when at anchor, towards the object you mean to attack; for should the wind or tide bring your broadside to bear on the object you mean to cannonade, the spring would only be a precaution to get under way more quickly in case you were obliged to retreat, or in case the wind or tide should shift.

Get a large snatch-block in the aftermost port, or on the same side you wish to present to the wind or current, and on the same side with the anchor and cable with which you mean to bring up; then, through the block reeve a hawser, the end of which is to be dined to the ring of the anchor you mean to let go; the other part is to be brought to the capstan with necessary ranges of the cable and hawser on deck. That



done, and the ship being arrived at the birth, you are to deaden her way according to circumstances ; then let go the anchor, and veer away enough cable and hawser, now a little more of the one, and then a little more of the other, according as you wish to present more head or stern ; which you can do by heaving on the spring, or what is the same, veering away more cable. Should you find it requisite to shift your position, you have only to veer out more of the hawser.

*To come to anchor in roads that are often crowded with ships, and to leave clear births for others.*

The best anchoring births in these places are mostly known by marks, and of course are occupied by the first ships.

In a tide or trade wind road-stead, the next ship that comes should not anchor right ahead or a-stern of the first ship and so as to lie in the other's hawse, but should come to on the bow and quarter at a sufficient distance to prevent other ships from coming between, and in a slanting direction from the tide or wind. This might contribute to the safety of ships when it blows strong upon a lee-tide or in strong sea breezes, as each single ship may then veer away what cable necessary, and keep clear of the other ship's hawse a-stern ; or, in case of driving or casting, they have a better chance of keeping clear of each other.

*To get up an anchor, in ships which have a main and jeer capstan.*

In large ships which have a main and jeer capstan, and the strain is thought too great for the messenger alone, the viol is used thus : Three or four turns are taken round the jeer-capstan with one end, so as to leave that side clear on which the cable is coming in ; and pass the other end through the viol block, which is lashed round the main-mast on the lower deck. It is then carried forward and passed round the rollers in the manger near the hawse holes ; then brought aft, and spliced to the other end with a short splice, and the ends marled down tight. That side of the viol on which the cable is coming in is fastened to the cable by nippers ; and thus the continued efforts of the capstan are conveyed to the cable, until it is hove in. The nippers are clapt on in the manger, from one to two fathoms asunder ; and the viol is applied to the midships, or inside of the cable. Nippers are clapt on by taking three or four turns round the viol, four turns round the cable and viol, and then three or four turns round the cable. This method is an exceeding good one, and very suitable to quick heaving ; but when the strain is great, and the cable muddy, the nippers clapt on after this method will not nip sufficiently, and some times recourse is had to the following method : Throw sand or ashes upon the cable, and take a long dry nipper, which middle and pass one half aft, racking it in and out round the cable and viol ; then worm its end round the viol only. After this pass the other half in the same manner forward, but worm its end round the cable only, and let each end of the nipper be held on. The advantages of this method are, that as the strain of the cable lies forward and that of the viol aft, the nipper will be drawn so tight as effectually to hold the cable till something gives way : also they can never jamb, for both ends are clear for taking off. Another method, when the strain is great, is, to have nippers with an overhand knot made at one end ; and with that end a round turn taken round the cable and viol, leaving three or four feet of the end ; then with the other end, take three or four racking turns, and expend nearly the remainder with turns round the cable and viol, laying the knotted end under and over each of the last turns ; the end is then held fast. The men who clapt on the nippers are attended by boys, who hold the ends of them, and follow the progress of the cable as it is hove in ; and, as the nippers arrive near the main hatch-way, they are taken off and carried forward, where they are again clapt on, and so in succession until the cable is hove in sufficiently to raise the anchor above the water. It is then stoppered round all before the bits, that is, round the cable and viol. The anchor is then catted, and afterwards fished. To shift the viol for heaving in a second anchor, it must be unspliced, and the turns round the capstan reversed. When the strain is so great as to require other purchases, the top tackles may be used thus : the double block is lashed to the main-mast or topsail-sheet bits, the treble block is lashed on the cable, and the fall is brought to the capstan. If the top tackle falls are thought insufficient, any hawser may be used that will Reeve through the blocks.

*To get up an anchor in ships which have not a jeer-capstan.*

Ships without a jeer-capstan have no viol, but heave in their cables by a messenger, which has an eye spliced in each end, one of which ends is passed with three or four turns round the capstan on the upper deck, and the other end passed forwards round the rollers, at the fore part of the manger ; then brought aft to the other end, and lashed thus : several turns are passed through the eyes crossing each other in the middle, then a half hitch is taken round the parts, and the end stopped with spun-yarn. The remainder of the operation is performed as by the viol, with this exception ; the messenger

messenger is applied to the outside of the cable, and when the nippers are insufficient, the messenger may be hitched thus : the bight of the messenger is fastened round the cable at the manger with a rolling hitch, and the bight seized round the cable before the hitch. This practice is by no means so good as the others.

When getting under way in a sea gale, the viol is better than a messenger, as the sending of the ship carries all the strain to the main capstan, and enlarges the men at the bars, whereas with a viol, the strain is taken to the-viol block, and the men at the fore jeer-capstan heave in security.

*To get up a second anchor.*

Suppose by the former methods, that the starboard anchor is got up, and that the cable of the second anchor enters the larboard hawse-hole, the operation of getting up the second anchor is the same, observing only, that the messenger must be shifted, and the turns on the capstan reversed, to change the disposition and side; and the men, who before held on the larboard side in the first operation, will hold on the starboard side now. The motion of the capstan is performed the contrary way, and the cable on the larboard side is fixed and hove in.

*To get up an anchor in Merchant Ships.*

Most merchant ships and small vessels heave up their anchors by a windlass, round which are taken three turns of the cable, and held on by hand, or by a jigger; thus—the end of the rope which has the sheave is passed round the cable, with a round turn, close to the windlass, the leading part of the rope coming over the sheave, and stretched aft, by means of the fall passing through the jigger block; the standing part of the fall is made fast round a station, at the fore part of the quarter deck, and the leading part is bowsed upon, which jams the turns taken round the cable, and, when the jigger arrives abreast of the hatchway, it is removed forward, and the cable is jammed by a handspike at the windlass, until the jigger is refixed.

*To weigh an anchor with the long boat.*

This is done by taking the long boat to the buoy of the anchor, and putting the buoy-rope over the davit of the long boat, and a tackle on the buoy-rope; by which, with the assistance of men on the fall, the anchor is weighed out of the ground. This being accomplished, the cable is hove in on board; the buoy-rope and tackle being secured in the boat, they approach the ship; as the cable is hove in, and the anchor catted and stowed. Small anchors and grapnels are got up by the davit, hauling upon the grapnel rope by hand.

*To weigh an anchor by under-running.*

This is by placing the cable over the davit-head, and under-running it, till it is nearly apeak, when it is tripped by means of tackles, as before by the buoy-rope. This method is troublesome, and is only adopted when the buoy is gone, and a ship cannot get near her anchor for want of water.

*To get under sail when the ship is swinging head to wind, and you want to cast either to starboard or larboard, in a place where there is no current.*

*To cast to starboard.*

Heave short on your anchor till it is apeak; then haul in quite home, the larboard braces forward, and starboard braces abaft; loosen, sheet home, and hoist the topsails; put the helm a starboard, and heave till the anchor is aweigh. The moment the anchor quits the ground, the ship will begin to fall off to starboard. As soon as this movement is perceived, hoist the jib and fore-topmast staysail, if necessary, to help her; and when she has sufficiently fallen off, her sails abaft (which are trimmed sharp for the larboard tack) will fill. But, unless for very superior reasons, you had better continue lying-till the anchor is catted, taking care to haul the mizen-sheet close aft, if the ship be inclined to fall off too much.

*To cast to larboard.*

Haul in the starboard braces forward and the larboard aft, and put the helm a-port. The rest of the operation is the same as the preceding, only changing the starboard for port.

*To get under sail when the ship is riding head to wind and tide.*

If a ship, riding head to wind and tide, wanted to get under sail, after having decided on which side it is best to have her cast, it must be performed according to one of the foregoing methods, except with regard to the helm, which must be put to starboard either before the anchor loosens, or while it does, if you wish to cast to port; because the water coming from forward, acts with the same force on the rudder as if the ship went with the current, impelling the rudder to starboard and head to port. Therefore it is evident in this case, the helm ought to be put to starboard; which, on the contrary, would be put to larboard, if the ship were to be cast to port.

If the ship, after the anchor is out of the ground, goes astern faster than the current runs, the helm must then be used as if there was no current, because the excess of velocity, whereby the ship exceeds that of the water, acts upon the rudder.

If it blows fresh, so that you cannot set your topsails without reefing them, let that be done before they are sheeted home; and if it blows so hard as to be obliged to go only under a foresail, it would then be sufficient to loosen the fore-topsail, without sheeting it home, after having braced it quite close on the side opposite to that you want the ship to cast, not forgetting however to put the helm the same way as you cast, as soon as you perceive the ship going astern: and when the ship has fallen off sufficiently, then is the time to fill and trim the foresail.

*To get under sail when the ship is swinging with her head to the current, and with the wind a point abast the beam.*

Heave short on your anchor till it is a-peek; next to this loosen, sheet home, and hoist the foresail and mizen-topsail, keeping the wind in, and heave vigorously at the capstan, till the anchor is a-weight. At the same time hoist the jib and fore-topmast staysail, or haul out the mizen, according as circumstances may require. Whether you wish to come to windward, or fall off more quickly, you must still continue to heave round the capstan briskly, to get the anchor up, till you find yourself sufficiently off-ward to bring to, in order to stow it with ease, or to stand on under an easy sail with the anchor hanging out to windward, if the situation of things will admit of it. You may sometimes also hoist up both the main and fore-topsails, as soon as you get ready; but in certain cases, as when obliged to make the best of your way from an enemy, every sail possible must be set at once which the weather will admit of, especially when obliged to haul by the wind; in which case, the anchor must be got up and catted as well as it can; there are cases even when, without losing your time in weighing it, you crowd as many sails as you possibly can, and depart, in cutting or slipping the cable.

*To get under sail with a spring.*

If a ship be in a place too confined to cast under her sails only, or being obliged to put to sea in a gale of wind, without hoisting the anchors, you must, for greater safety, in casting the right way, get a spring out, to be clapped on the cable by which the ship swings, by passing a hawser or a stream cable through the aftermost port, on the opposite side to that you mean to cast; and after that spring is well hove tight at the capstan, hoist the jib and fore-topmast-staysail, loose and sheet home the fore-topsail; when that is done, and if the weather permits, brace quite close the head sails, on the same side with the spring. When this is executed, slip or cut the cable, heaving briskly at the same time on the spring, till the ship has paid off sufficiently. Then fill the sails, by setting the mizen-topsail and every other sail you mean to employ, and slip or cut the spring, as circumstances may require. Care must be taken, not to let the ship fall off too much, before the spring is cut; because, having no way through the water, she will not come to the wind so soon as might be wished; and for the same reason the spring must not be cut, till she has fallen off as much as is necessary; because, although she has no other motion but that of falling off, the vessel might perhaps not wear enough to answer the purpose.

*To get under sail with a leading wind, in a tide way.*

If the ship to be got under sail has a leading wind, and is in the midst of vessels, or in a narrow channel, where it would be difficult to cast her upon the lee-tide, she should be got under sail before the weather-tide is done. Thus, the casting of the ship would be avoided, and she may be steered through the fleet or channel with safety.

Should it, however, blow so fresh upon the windward-tide as to force the ship end on with her cable, it will be impossible to heave it in, without sheering the ship over from side to side, and heaving in briskly as the ship slacks the cable; but as this is attended with much danger, by the ship suddenly bringing up upon each sheer, it will be best to heave a-peek upon the first setting of the windward tide, before the ship swings to bring the wind abast.

*To cast a ship upon the larboard tack, and back her a-stern of danger.*

We suppose the ship to lie at single anchor, with the wind and tide the same way, and ships or shoals right astern, in the intended course, and that to clear them, you must cast upon the larboard tack, and make a stern board.

Make every thing as ready as possible before weighing: let the three topsails be hoisted, the yards braced up sharp with the larboard braces, and the mizen hauled out. Thus situated, when the anchor weighs, put the helm a-port. The tide, running aft, acts upon the starboard side of the rudder; and in that direction it will cast the ship the right way, and bring the wind upon the larboard bow. The wind being on the larboard bow, and the topsails a-back, will soon give the ship stern-way through the water; then the water will act against the larboard side of the rudder, and powerfully prevent

Close-hauled will need to tack the ship so far round the right way, by the same time she loses her stern-way as that she would have proceeded as before directed. To insure success, leave the mizen-top-sail set, and the same methods are adopted in causing the ship to be manoeuvred about the beam and sauls are managed the contrary way.

*To tack a ship to the weatherward as much as possible.*

To execute this with propriety, care must be taken that the ship does not yaw, that she is not too near to the lee from the wind, because both situations are equally pre-  
judicial.

When the mizen-top-sail is set, haul the mizen out, while you put at the same time the fore-top-sail and the main-top-sail to windward in order that it may be as much as possible exposed to the wind. When the ship is close to the wind, so as to cause the square sails to shiver, or if the mizen-top-sail and staysail sheets before the mainmast. At the moment when all the sails shiver together, and particularly the mizen-top-sail, let it be hauled stary about the other way, and haul at the same time the weather-clew of the mizen-top-sail, and when the ship has righted itself, or even a little before, haul the mainsail, and haul stary for the mizen-top-sail as fast as possible. The jib and staysail sheets are also to be shifted about at the same time, keeping the helm, whether the ship has lost her way, or even still continues afloat, as soon as she has passed the direction of the wind about 45 degrees, and the mizen-top-sail, shift the foremast's sails, which are to be trimmed with care, and the ship being put the helm a-lee, if you fear the ship (which must still be afloat) will not fall off suddenly. For if the sails shiver, and the ship, she will never have stern-way; on the contrary, she will get more a-lee to windward.

*To tack a ship to the weatherward to get to windward.*

There are circumstances sometimes when it is found necessary to tack, without caring much whether the ship lies to windward or not. For example: when a ship is found suddenly to be close to the land in the night, or in foggy weather, near a danger or some vessel, which must instantly be avoided by staying the ship, because you find yourself to windward, and too near the object from which you wish to recede: in this case, when it is necessary to deaden the ship's way, and tack at the same time, you must suddenly put the helm hard a-lee, and in the same instant let go the jib, fore, and staysail sheets, without touching the bowlines; and great care must be taken that the effect of the mizen is to be preserved as much as possible. When the sails begin to shiver, the mizen is hauled quite to windward: then, if the ship takes well the wind a-head, the remainder of the operation must be executed as directed in the preceding case; but, if you should miss stays, you must proceed according to the second method of veering, called box-hauling.

*To tack a ship in a dangerous rough sea, when her staying is doubtful.*

Let every thing be got clear and ready: the hands at their proper stations, the sails trimmed fair, and the ship steered just full, and close by the wind. Take the advantage of the smoothest time, when the ship has the most head-way. The other necessary precautions are, to haul down the jib, if set, and not to put the helm a-lee all at once, but to luff the ship up by degrees, to shake the sails. When they shake, give these orders: the helm hard a-lee! let go the lee sheets forward, but not the lee braces and fore-top bowline, as that usual practice backs the head sails too soon, and stops the ship's head-way, which ought to continue to give power to the helm, till the wind is brought a-head, or the ship will not stay. Raise tacks and sheets and mainsail haul, when the wind is a point on the weather-bow; this swings the yards round sharp, that the main-tack may be got close down, whilst the head sails becalm the fore-leech of the main and main-topsails; while the wind, blowing a-slant on the after-leech of these sails, acts jointly with the rudder to turn the ship's stern, so as to bring her about the right way. When she has fallen off five or six points, let go and haul.

When a ship comes about, she is sure to have stern-way by the time the head sails are hauled, therefore the helm should not then be shifted a-lee, but should be kept hard a-weather, till her stern-way ceases. The water, acting upon the weather side of the rudder, prevents the ship falling around off from the wind, which the helm, when hard a-lee, occasions, while the stern-way continues. Notice should be made by the compass, that the ship continues coming about till the wind is on the other bow; for if she stops with the wind a-head, and her head-way is perceived to be done, the helm should be directly shifted to the other side, so that, by the stern-way, the water may act upon the rudder and bring her about, and then the helm should not be kept a-lee, but directly shifted and kept hard a-weather till her stern-way ceases. For the reason just given, the head sails may be hauled as soon as possible; for, the ship will be sure to fall off the water and further in proportion to her stern-way; so that the weather-braces should be tended to prevent the head yards flying fore and aft, as they will do when it blows fresh: and

the ship is before the wind, get on board the main-tack, and right the helm to moderate her coming to.

If, in the beginning, the ship is found difficult to veer, the fore stay-sail may be hoisted, and the sheets hauled well aft; but it is to be hauled down as soon as the ship is before the wind.

*A second method.*

Make fast a four inch rope to the strings of the main yard; and when the ship comes-to, so as to shiver the main sail, bring it down before the sail to the topsail sheet bits, and let it be hauled tight and belayed. Then, as soon as she falls off, put the helm a-weather, and let go the main sheet. By these means, the lee part of the sail no longer has any power to keep the ship to the wind, and the weather part, acting before the centre of gravity, will cause her to veer faster than by the first method; though, in general the first method will answer the purpose.

*To veer under bare poles.*

The fore-staysail must, if circumstances will allow it, be hoisted. But if that cannot be done, the head yards are to be braced up as sharp as possible, and those abaft pointed to the wind. Then, if the ship veers, she will steer under the masts and ropes only. A number of seamen sent up and placed close to each other in the weather fore-shrouds will be found also of very great service.

*To box-haul a ship, or the second method of veering.*

In this evolution the most rapid execution is necessary. Briskly, and at the same instant, haul up both the mainsail and the mizen; shiver the main and mizen topsails; put the helm hard a-lee; raise the fore tack; let go the head bowlines, and brace about the head yards sharp the other way; and let the jib and staysail sheets go in the same instant. When the ship has fallen off 90°, brace the after yards square in order to give the ship a little way, and to help her (with the rudder, the situation of which must be changed) to double the point where all the sails shiver; and when the wind is aft, you will proceed as in the method of "veering without losing the wind out of the sails."

If the circular motion of the ship, after she has fallen off 90°, continues pretty rapid, the filling of the after sails, to give the ship headway, may be dispensed with; because she continues to turn by the effect of her helm, which must not be shifted, since the vessel still continues her stern-way. Therefore, after having veered a few degrees more, the wind will fill all her sails, and the ship consequently will have head way. Then change the situation of the rudder to bring her before the wind.

In a case of absolute danger, when it might be necessary to go a-stern and fall off more rapidly, put the helm a-lee, brace all the sails a-back, and observing not to brace the after sails more than square, that they may not counteract the head sails, which are braced sharp a-back to pay the ship's head off; because the effect of the after sails, in this situation, is to impel the ship abaft in the direction of her keel, which, with those forward, contribute to give her fresh stern-way, in order to cause the ship to veer with greater celerity. The jib and fore-topmast-staysail sheets being hauled over to windward, will assist the ship in falling off and going astern.

Box-hauling is deemed the surest and readiest way to get a ship under command of the helm and sails, with the least loss of ground to leeward, when a ship refuses stays. The masters of sloop rigged vessels, turning to windward in narrow channels, when they want but little to weather a certain point run up in the wind till the head-way ceases, then they fill again upon the same tack: this they call making a *half-board*. Thus a ship in box-hauling may be said to make two half-boards, first running with her head, then with her stern, up in the wind; by which two motions a ship rather gains to windward.

*To club-haul a ship.*

Club-hauling is practised when it is expected that a ship will refuse stays upon a lee-shore: place the hands to their stations for putting the ship about, and some by the lee anchor; then put the helm down, and if the ship make a stand before she brings the wind a-head, let go the anchor and haul the mainsail. When the wind is a-head, cut the cable, and the ship will cast the way required. The after sails being full, let go and haul.

*Another method.*

Bend a hawser to the kedge-anchor on the lee-bow, and bring the end into one of the after ports, or over the taffarel. Let go the anchor, brace up all sharp the contrary way, put the helm a-lee, and haul in briskly on the hawser. As soon as the ship gets head-way, cut or slip the hawser, and carry a press of sail.

*To lie-to to windward of a ship, so as not to drift near her.*

The main-topsail must be braced sharp a-back; keeping the fore and mizen topsails full; because the wind acts with a very small sine of incidence on a sail when full, in comparison to what it does when braced sharp a-back; so that the fore-topsail, being full, draws the ship a head, and the effect of falling off is opposed by the main and mizen-topsails. She will of course not fall off much; nor will her lee-way be very considerable; for the ship is well kept to the wind by the disposition given to her sails.

*To lie-to under the lee of another ship.*

The fore-topsail ought to be braced sharp a-back, the main and mizen topsails kept full, because these two last mentioned sails tend to give the ship head-way, and keep her to the wind; they may be assisted by the mizen, which will oppose the falling off occasioned by the fore-topsail. Thus, should the ship to windward fall off violently, or drift too much, you are more ready to veer short round, and avoid being boarded; because the fore-topsail being braced sharp a back, the impulse of the wind on it is much greater than if it were full: and it is well disposed to veer suddenly, as soon as the power of the other sails is suppressed.

*To bring-to with the fore or main topsails a-back to the mast or filled.*

Either the fore or main-topsail must be braced sharp a-back, and the lee-bowline hauled up a little; the other two topsails trimmed sharp, with the mizen hauled out, and the helm a-lee.

If you bring-to with the fore-topsail to the mast, the head yards may be only laid square. Then the wind will act obliquely on the sail, and the ship will fall off but little, because the effect is in the direction of the keel from forward aft, and the sails abaft, keep the ship to. The main-topsail may be worked in the same manner, if you wish not to expose yourself much to the wind.

*To bring-to with the three topsails a-back.*

The jib and staysails being hauled down, brace sharp round at once all the sails you wish to lie a-back in hauling up the lee-bowlines, the better to expose the sails to the action of the wind; haul out the mizen, and put the helm hard a-weather.

*To fill when lying-to with the fore-topsail to the mast.*

Brail up the mizen, hoist the jib and foretopmast-staysail, shiver the main and mizen topsails, and when the ship has fallen off  $20^{\circ}$  or  $30^{\circ}$ , fill the fore-topsail, which was a-back before, and stand on.

*To fill when lying-to with the main-topsail to the mast.*

Brace sharp and briskly the fore-topsail a-back; shiver the main and mizen topsails; hoist the jib and fore-topmast staysails, and brail up the mizen, all at the same time; and when the ship has fallen off  $20^{\circ}$  or  $30^{\circ}$ , fill the fore-topsail and stand on.

If you are obliged to keep the wind on the same tack as that on which you are lying-to, you have only to right the helm, fill the topsail which is a-back, and trim it sharp, to continue your course.

*A second method.*

Trim the topsail which was to the mast, in order to give the ship way through the water, and be able to tack or run large, according as may be found necessary. But this method is very tedious, unless you mean to heave in stays; in which case it will be most expeditious.

*A third method.*

Shiver the main and mizen topsails, keeping the fore-topsail full, righting the helm, and running up the jib and fore-topmast staysail at the same time. As soon as the ship has fallen off enough to get headway, fill the after sails, and keep the ship in the direction you mean to follow. It is easily seen that this method, though the most common, is not the most expeditious, when you have to veer considerably.

*To fill when lying to with all the sails to the mast.*

Brail up the mizen, lay the after yards square, and shift the helm a-lee. When the ship has fallen off sufficiently to fill the after sails, those foryward are then to be braced about and trimmed full also, in order to stand on.

*Of lying-to in a gale of wind.*

To lie-to when it blows hard, keep as close to the wind as possible under some one sail well trimmed, with the helm lashed a-lee as much as may be requisite for the ship; and as ships commonly bring-to from the stress of contrary winds, care should be taken to heave-to under such sail as will least strain the ship; because there are some ships

which lie-to better under the foresail than mainsail, others are more easy under the mainsail, some under a mizen, and many vessels lie-to best under a main staysail.

*Lying-to under a foresail.*

This is advantageous for veering when you are well to windward; but it augments the lee-way, and is more subject to break the sea on board, on account of the ship's continual falling off, because in that movement she gathers way by yielding to the impulse of the gale, and is afterwards recalled to the wind by the helm; so that in springing the luff she meets the wave which comes from windward.

*Lying-to under the mainsail.*

The ship does not in this situation fall off so easily as in the last mentioned mode, because its effect passes abaft the centre of gravity of the ship; but it keeps the ship more to the wind, and consequently occasions less lee-way.

*Lying-to under the mizen.*

Under the mizen, ships keep better to the wind than under any other sail, because it is farther abaft the centre of gravity than any of the rest, consequently ought to keep the vessel from drifting more than any of the others; but it is inconvenient should you have occasion to veer suddenly.

*Lying-to under the main staysail.*

Under the main staysail a ship will not make so much lee-way as under a foresail, because its efforts pass very near the centre of gravity; but it will, however, cause her to drift more than the mainsail; so that this mode of lying-to is a mean between the two others, and is preferable when it blows strong enough for that sail to support the rolling of the ship. It ought likewise to be preferred, because the ship will veer under that sail, the action of which passes at a small distance from the centre of gravity, and the power of the sail overcomes the resistance which all ships meet from the fluid under their lee; a resistance which always gives them a great inclination to fly up in the wind when it blows hard, or when under a heavy press of sail.

*Lying-to under the fore, main, and mizen staysails.*

All the preceding modes of lying-to have their peculiar faults; but the preferable way is under the fore staysail, the main staysail, and mizen staysail; because under these sails the ship will steer, and is in a better situation for veering than under any other sail; for only haul down the mizen staysail and put the helm a-weather, when the two other sails, being before the centre of gravity, will cause her to fall off; she will then soon gather way, and steer easily.

Should the gale continue very hard, and one of those staysails be blown away, the loss is not of much consequence, as the courses, in case of an emergency, are ready to set; whereas the courses are not so readily replaced when lost. This mode therefore appears preferable in every respect,\* whether you wish to veer or keep your wind; because if the ship does not sufficiently keep the wind, you may haul out the balanced mizen, or take in the fore-staysail, or even the main-stay sail. One of these staysails, before the centre of gravity of the ship, is sufficient to make her veer as soon as the after ones are suppressed. There are besides, these following considerations for so doing: the ship will carry sail better; because, as the centre of effort of those on her is very low; she drifts less, holds a better wind, and goes faster through the water; and these three or four sails are so situated as to give the whole body of the ship play, which will strain her less than when under one single sail, which cannot by itself work it from aft forward.

*Of sounding in fair weather, whether close-hauled, or going large.*

*Close-hauled.*

If close-hauled, brail up the mizen and mizen-staysail, let go the main sheet that the sail may shiver, put the helm a-lee, and back the mizen-topsail by bracing it square. The head-sails as well as the jib and staysails, are to be kept in their first situation; re-collecting to haul tight and belay the lee braces. When the ship has nearly lost her headway, though continuing still to come to the wind, yet catch that moment to heave the lead, and it is to be hauled in again with all possible despatch. To fill again, haul aft the main-sheet, trim the mizen topsail, and right the helm.

*Going large.*

In going large you have only to put the helm a-lee, to brail up the mizen, and bely the lee braces quite tight, to prevent the yards having too much play when the sails are

\* Should the sea run too high for the lower staysails to keep the ship steady, a close-reefed mainsail will be found to answer the purpose admirably.

shivering. It is impossible to tack in this situation, as the jib and head-sails are always in action: and the square-sails soon coming to shake, on account of their sheets not being tacked, they lose all their power, and the ship is soon at a stand.

*Another method preferable to the former.*

*Going large.*

Brace the headsails square, haul down the jib and staysails, without stirring the after sails, and put the helm a-lee. While the ship has still a little headway, heave the lead from the place where you haul it in: that lead will go first a-little a-stern, but the ship being head to wind, will soon herself go a-stern right upon the line; and as the helm is a-lee, the ship easily veers. But, if you wish to keep her to longer, right the helm and haul the mizen out to prevent the ship's falling off.

If you have studding sails set, they must be hauled down, particularly the lower ones; because, should the wind take them aback, their power on the boom might bring the ship round entirely, for they act on a lever without the ship, the fulcrum of which is on the outside of the vessel before the centre of gravity. If, however, the helm is continued a-lee till the ship falls off, she will not come about, because then the vessel goes a-stern with great velocity, and the rudder acts powerfully to make her veer; but the fact is, that the ship will go a great deal a-stern, and will continue to do so much longer.

*Close-hauled.*

If close hauled, or a very little from the wind, the helm is to be put a-lee, and the instant the sails are taken a-back the headsails are to be filled by briskly bracing them square, without waiting for the wind being right a-head; then a little before the ship has lost her way, heave the lead from the place where you haul it in, and then proceed as before.

*On ship's driving.*

When it happens that there is not sufficient room to work in a tide's way, through a crowd of ships, or in a narrow channel, but that the ship must drive by the help of the tide, it may be done, provided the tide be strong enough in proportion to the wind. This art consists in keeping the ship in a fair way, by a management of the rudder and the sails.

*To drive to windward, when the wind is against the tide.*

If the channel is sufficiently broad, the ship should be drifted broadside to the wind, as the tide will then have the greatest power on her; and could the ship be backed a-stern or shot a-head at pleasure, she might be kept drifting upon the same tack with safety; but ships in a tide's way can never be backed so far a-stern as they will shoot a-head. At the first of a stern-board, a ship will go briskly a-stern, but will soon fall off, and drift with the wind abaft the beam, forging a-head; for this reason she must be drifted with the helm a-lee. It follows, as a ship will shoot more a-head than she can be backed a-stern, that she will at length arrive at the opposite shore, when she must be stayed or veered and drifted upon the other tack. If she is to be stayed, (which is preferable, because less drift will be lost by it) let the sails be filled in time to give the ship sufficient headway to bring her about, then put the helm a-lee. Should she come about, the sails and helm having now a proper position for a sternboard upon the other tack, need not be touched till her sternway ceases, when the helm must be shifted a-lee: but should the ship refuse stays, then brace sharp round the headyards, and boxhaul her, by which method she will lose much less drift than by veering.

If the ship now drifting broadside, is approaching a narrow channel, where drifting in this position, she must be veered and dropped, stemming the tide stern foremost. In this case, that the drift may be as much as possible, it will be necessary to take in sail, and reduce the ship's headway till she has only steerage way left; thus a vessel may be dropped through a fleet of ships at anchor without danger.

*To drive when the wind is across the tide.*

Should the wind be a little across the tide, a ship may be easily drifted in the fair way, with her head towards the weather shore; for thus it will be found that she can be backed and filled at pleasure, and generally be drifted with the sails shivering, in which position they oppose least power to prevent the drift.

It frequently happens, in serpentine rivers, that the tide sets across; in this case the ship must be drifted with her head to the side from which the tide sets. These sets are best discovered by observing the opening or shutting of two objects in the direction of the channel.

*To bend a course in fair weather.*

Stretch the sail a-thwart the deck, the starboard side of the sail to the starboard side,



the larboard to the larboard side; then bend yard-ropes to the ear-ring cringles, and make fast the head ear-rings a few feet up upon the yard-ropes. The bunt-lines, leech-lines, clue garnets, and all the gear bent, make fast a rope-band to each bunt-line and leech-line leg, that the men may be enabled to catch the head of the sail from the yard. Now man well the yard ropes, bunt-lines, leech-lines, and clue-garnets, and run the sail up to the yard. The sail aloft, send the hands up to bring it to, and let them haul out the weather ear-ring first, then the lee; and, if it is a new sail, let them ride the head-ropes to stretch it. The sail being hauled square out upon the yard, make fast the rope-bands, keeping the head of the sail well upon the yard.

*To bend a topsail in fair weather.*

Overhaul the leeches of the sail, put in the ear-rings, bend the bow-line legs, lay out the clues, and open them if necessary, and make the sail up snug again; then round down upon the lee-topsail-haliards till the weather fly-block is high enough to bring the sail up over the guard-iron: then rack the tie over the weather rigging. Now pile the sail upon slings, with the lee-side uppermost: hook on the topsail haliards, and run the topsail up into the top: then stretch the sail round the fore-part of the top, bend the jeer, and make fast the head ear-rings a few feet up upon the reef-tackle-pendants, with a rope-band or two to each bunt-line leg. The jeer being bent, man the reeve-tackles, bunt-lines and clue-lines, and haul out the sail. Now let the hands lay out upon the yard, and haul out the weather ear-rings first; then haul out to leeward, and ease off to windward till the sail is square, when make fast the rope-bands, keeping the head of the sail well up upon the yard.

*To set a main-sail or foresail.*

Before the sail is loosed, let the double block of a tackle be made fast to the weather-clue, and the single block be hooked low down upon the chess-tree, and the fall led aft. Then man well the tack and fall at the same time; and when the sail is loosed, ease away the weather-clue-garnet, let go the bunt-lines and leech-lines, bowse down upon the tackle, and take in the main-tack; the main-tack being down, haul aft the sheet, brace up the yard, and haul the main-bowline.

*To set a topsail.*

Let a tackle be in readiness to clap on either sheet, as may be required. First man the lee-sheet; and, the sail being loosed, ease down the bunt-lines and lee-clue-line, and haul home the lee sheet; then haul home the weather sheet, hoist the sail, and brace up as required.

Should the wind be quartering, the lower and topsail yards should be braced well into the wind, before the sail is sheeted home.

*To take in a course.*

Man well the weather clue-garnet, ease off the tack and bowline, and run it up; then, man the lee clue-garnet, bunt-lines, leech-lines, and weather braces; and being all ready, ease away the sheet, haul up the clue-garnet, bunt-lines, and leech-lines, and round in the weather-brace, till the yard is pointed to the wind. Then haul tight the trusses, braces, lifts and rolling tackle, and let the hands furl the sail.

*To take in the foresail in the time of veering.*

When the ship begins to veer, the yard being kept braced sharp up, let go the tack and bowline, and haul up the weather clue-garnet. When the ship is nearly before the wind, the bunt and leech-lines, and the other clue-garnet may be hauled up; and if the situation admits of it, and occasion requires, the ship may be steered with the wind on the quarter, till the sail is secured.

*To take in a topsail.*

There are many opinions upon the best mode of performing this. Some approve of cluing up to windward first, and others to leeward. If the weather-side is to be clued up first, the weather brace must be rounded well in, and the yard got close down upon the lifts, otherwise the lee rigging will be in danger of being carried away by the great pressure of the lee yard-arm. If the weather brace can be rounded well in, and the yard be got close down, it will be best to clue up to windward first, for thus the sail may be taken in without a shake, but, if the weather-brace cannot be hauled in to ease the yard off the lee rigging, recourse must be had to cluing up to leeward first. In this case, it will be best, if hands can be spared, to man both the clue-lines, bunt-lines, and weather-brace, at the same time; thus, when the lee sheet is eased off, the weather-brace may be hauled in with ease, and the yard laid to the wind; and, when the lee clue-line is half up, ease off the weather-sheet, and run up the weather clue-line; then haul tight the lee brace, bowse tight the rolling tackle, and furl the sail.

*To take in a jib.*

Man well the down-haul, let go the haliards, ease off the sheet, and haul down briskly; and, when the sail is close down, ease away the out-haul, and haul the sail into the bowsprit cap; then let it be stowed away in the fore-staysail netting.

*To haul in a lower studding-sail.*

To haul in a lower studding-sail, blowing fresh, lead one of the sheets clear aft, and man it well: then lower away briskly the outer haliards, to spill the sail; ease off the tack, run in upon the sheet, and lower away the inner haliards as required.

*To haul down a topmast studding-sail.*

Man well the deck sheet and down haul, ease off the haliards, and haul the yard close out to the tack block; then ease away the tack, and haul down both upon the deck sheet and down haul.

*To brail up and haul down a main-topmast-staysail.*

Man well the lee brail and down-haul, having a few hands to gather in the slack of the weather brail; then let go the haliards, ease off the sheet, and haul down and brail up as briskly as possible. When the sail is down, let go the tack, and stop the sail over to the lee fore-rigging.

*To brail up a mizen.*

Man well the lee brails, ease off the mizen sheet, and brail up briskly, taking in at the same time the slack of the weather brails. After the sail is hauled up, stop its foot by passing the gasket round to leeward which will spill it.

*To take in top-gallant-sail.*

The lee sheet must be started first and clued up, and then the weather sheet.

*To unbend a course.*

First furl the sail, then cast off the rope-bands and make them fast round the sail, clear off the gaskets. When the rope-bands are all off, ease off the lee ear-ring, and lower down the sail; and, when the people upon deck have got hold of the lee part of the sail, ease away the weather ear-ring.

*To unbend a top-sail.*

First cast off the points of the reefs, keeping fast the ear-rings; then furl the sail and cast off the rope-bands, which make fast round the sail, clear off the gaskets. After this cast off the lee ear-rings and haul the lee side of the sail into the top; then haul in the weather side. Now unbend the reef-tackle, pendants, bunt-lines, and bow-lines; bight the sail snugly up together; and send it down by the cluc-lines to windward or to leeward, as most convenient.

*On scudding or bearing away in a storm.*

When the waves run high, and sudden necessity requires to bear away, it should be considered that the lower sails forward, which the ship may be veered under when she comes before the wind, may be becalmed by the height of the waves breaking violently against the stern; and that therefore a close-reefed maintop-sail should be set to catch the wind, because it is a loftier sail, and may always be kept drawing full above the waves. This increases the ship's headway so much that the waves will not strike her abaft with so great a velocity as when her headway is less.

Hence it follows, that when going to scud before high waves, the close-reefed-maintop-sail should be the last square sail taken in in a laboursome ship.

*Of a ship overset on her side.*

A common, but not always a certain method to recover ships from this dangerous situation, is to cut away the masts: however, as this expensive method may fail, stop-waters only, on the lee quarter at sea, may cause the ship to veer; or, where there is ground, an anchor or anchors dropped from the lee bow, may bring the wind a-head and take the sails a-back, so as to cast the ship on the other tack, and bring her upright.

*To rig a main-topmast.*

Tar the mast-head, get the cross-trees over, fix the bolsters and parcel them, put over burton pendants, then the shrouds, breast-back-stay, proper and spring-stay and cap, sway up the mast and fid it, seize in the dead eyes, stay the mast, set up the shrouds, rattle them down, lash the bullock blocks to the mast head.

*To rig a topgallant mast.*

Send down the top-rope, reeve it through the sheeve-hole, and make it fast round the hounds of the mast and standing part of the rope, leaving enough end to make fast to the cap, which done, sway-away, when the head is through the cap, make fast the spare end, or standing part of the top-rope to the cap, cut the seizing, clap on the grommet, then the shrouds, back stays and stay, sway up the mast, fid it, and set the rigging up.

*To rig a bowsprit.*

Lash the collar fore-stay for the bob-stays and bowsprit shrouds, then the collar for the spring stays, then the block for the topmast stay, fix the man-rope, gammon the bowsprit, and set bob-stays and shrouds up.

*To rig a jib-boom.*

Put over the traveller, horses, guys, the topgallant stay-block, and lash on the blocks, for the topgallant bowline and jib down-haul block to the traveller.

*To rig a lower yard.*

Get it athwart the gunwale, lash the jeers, quarter clue-garnets, bunt-lines, lee-lines and slab-line blocks; then put over the yard arms, the horses, brace pendants, the yard-tackle pendants, then the top-sail sheet and lift-blocks, reeve the jeers, braces, lifts and yard-tackle falls, truss parcels, sway the yard up, and haul all taut.

*To rig a fore-topsail yard.*

Reeve a top-rope through the bullock-block and send it down, and having put over the horses, make the top-rope fast to the middle of the yard, stopping it to the yard-arm, sway it up above the top, put over the brace pendants and lift blocks, reeve the lifts and braces, cut the yard-arm seizing and cross the yard, lash the tye, bunt-line and clue-line blocks, reeve the tye and haliards, sway it up above the cap, and parcel it, reeve the clue-lines, bunt-lines and reef-tackles.

*To rig a topgallant-yard.*

Seize the clue-line blocks on, put the horses over the yard-arms, sway it upon the cap and rig the yard-arms, by putting on the brace-pendants and lifts, then cross the yard and parcel it.

*To steer a ship when her rudder is lost.*

To take a large spar, or part of a topmast, and cut it flat in the form of a stern-post, bore holes at proper distances in that part which is to be the fore-part of the preventer or additional stern-post, then take the thickest plank on board, and make it as near as possible into the form of a rudder, bore holes at proper distances in the fore-part of it, and in the after part of the preventer stern post to correspond with each other: and reeve rope grammots through those holes in the rudder, and after-part of the stern-post for the rudder to play upon.

Through the preventer stern-post reeve guys, and at the fore-part of them fix tackles, and then put the machine overboard; when it is in a proper position, or in a line with the ship's stern-post, lash the upper part of the preventer post to the upper part of the ship's stern-post, then hook tackles at or near the main chains and bowse taut on the guys to confine it to the lower part of the preventer stern-post:—having holes bored through the preventer, and proper stern-post, run an iron bolt through both, taking care not to touch the rudder, which will prevent the false stern-post from rising up or falling down.

By the guys on the after part of the rudder, and tackles affixed to them, the ship may be steered, taking care to bowse taut the tackles on the preventer stern-post to keep it close to the proper stern-post.

# CATALOGUE

OF THE

TABLES, WITH EXAMPLES OF THE USES OF THOSE THAT ARE NOT EXPLAINED IN OTHER PARTS OF THIS WORK.



TABLES I. and II. *Difference of Latitude and Departure*.—The first table contains the difference of latitude and departure corresponding to distances not exceeding 300, and for courses to every quarter-point of the compass. Table II. is of the same nature and extent, but for courses consisting of whole degrees. The manner of using these tables is particularly explained under the article of Inspection, in the different Problems of Plane, Middle Latitude, and Mercator's Sailing.

TABLE III. *Meridional Parts*.—An explanation of this table may be found in pages 77 and 78, and the uses of it are shown in all the Problems of Mercator's Sailing.

TABLE IV. *The Sun's Declination*.

TABLE IV. A. This table contains the *equation of time* for every noon at Greenwich and is to be reduced to any other hour by means of Table VI. A. Thus, suppose the equation of time was required for May 2, 1824, sea account at 10 A. M. apparent time, corresponding to May 1d. 22h. by the N. A. Table IV. A. gives the equation May 1, at noon, *sub.* 3m. 5s. and daily *increase* 8°. Find this at the top in Table VI. A. and 22h. at the side, the corresponding correction 7s. *increases* the equation 3m. 5s. to 3m. 12s. which is the equation at the proposed time. Thus 7s. could have been *subtractive* if the equation had been *decreasing*, as it is in March. The equation of time being thus found, *sub.* 3m. 12s. is to be subtracted from the *apparent* time 22h. as in the table to get the *mean* time 21h. 56m. 48s. If the *mean* time 21h. 56m. 48s. had been given to find the *apparent* it must be applied differently from the direction in the table, and in this example must therefore be added to 21h. 56m. 48s. to obtain the *apparent* time 22h.

TABLE V. *For reducing the Sun's Declination given for noon at Greenwich to any other time under any other meridian*.—The manner of using the two preceding tables is explained in pages 110 and 111.

TABLE VI. *The Sun's Right Ascension*.—The Sun's mean right ascension given in this table may be used when a Nautical Almanac cannot be procured, and no great accuracy is required. The Table is to be entered at the top with the month, and at the side with the day of the month.

TABLE VII. *Amplitudes*.—This table is explained in page 112.

TABLE VIII. *Right Ascensions and Declinations of the principal fixed Stars*.—This table contains the right ascensions and declinations of the principal fixed stars, adapted to the 1st of January, 1820, and the annual variations in right ascension and declination, by means of which the right ascensions and declinations of any of these stars may be obtained for any time before or after the year 1820, by the rule at the end of the table. To illustrate the method of doing this, we shall here give the following examples.

To find the right ascension of a star at any time.

EXAMPLE I.		EXAMPLE II.	
Required the right ascension of Aldebaran, January 1, 1824?	h. m. s.	Required the right ascension of Aldebaran, January 1, 1800?	h. m. s.
R. A. by the Table in 1820	4 25 36	R. A. by the Table in 1820	4 25 56
Variation in 4 years add	14	Variation in 20 years, subtract	1 9
R. A. in January, 1824	4 25 50	R. A. on January 1, 1800	4 24 27
EXAMPLE III.		EXAMPLE IV.	
Required the right ascension of Spica, May 20, 1826?	h. m. s.	Required the right ascension of Sirius, November 6, 1807?	h. m. s.
R. A. by the Table in 1820	13 15 43	R. A. by the Table in 1820	6 57 15
Variation in 6 years 4½ months, add	20	Variation in 15 years subtract	54
R. A. May 20, 1826	13 16 3	R. A. in January, 1807	6 56 59
		Variation for 10 months and 6 days, add	2
		R. A. November 6, 1807	6 56 41

The sun's right ascension for any time may be found accurately by the Nautical Almanac, by taking proportional parts of the daily difference, as will be explained in the precepts of Table XXXI. But in cases where no great accuracy is required, the right ascension may be obtained within 2 or 3 minutes, by means of Table VI.

To find the declination of a Star at any time.

EXAMPLE I.		EXAMPLE II.	
Required the declination of Aldebaran, January 1, 1824?		Required the declination of Aldebaran, January 1, 1810?	
Declination by the Table in 1820	16° 8' N.	Declination by the Table in 1820	16° 8' N.
Variation in 4 years 35' add nearly	1	Variation in 10 years 1' 20" subtract	1
Declination in 1824	16 9 N.	Declination January 1, 1810	16 7 N.

<b>EXAMPLE III.</b>		<b>EXAMPLE IV.</b>	
Required the declination of Spica, May 20, 1826?		Required the declination of Sirius, November 6, 1797?	
Declination by the Table in 1820	100° 18' S.	Declination by the Table in 1820	160° 28' S.
Variation in 6 years 4½ months	2	Var. in 22 years 1 month 24 days, is sub.	2
Declination May 20, 1826	100° 15' S.	Declination November 6, 1797	160° 27' S.

The right ascensions and declinations obtained by the preceding calculations, are the mean values, to which must be applied the corrections for the Nutation and Aberration Tables XLII. XLIII. in cases where great accuracy is required, as is now done in the Nautical Almanac for 24 of the brightest stars for every 10 days in the year, and those numbers in the Nautical Almanac are to be preferred.

*To find when a star will be on the meridian.*

**RULE.** Find the right ascension of the sun and star in the preceding tables VI. and VIII; subtract the sun's right ascension from the star's, having previously increased the latter by 24 hours when the sun's right ascension is the greatest; the remainder will be the time of the star's coming to the meridian. If the remainder be greater than 12 hours, the star will come to the meridian after midnight; but if less than 12 hours, before midnight.

<b>EXAMPLE I.</b>		<b>EXAMPLE II.</b>	
At what time will Aldebaran be on the meridian, January 1?		At what time will Pollux be on the meridian, March 31?	
Aldebaran's right ascension	4 26	Pollux's right ascension	7 34
Add	24	Sun's right ascension	38
	28 26	Comes to the meridian in the evening	6 56
Sun's right ascension	16 45		
Aldebaran souths in the evening	9 41		

<b>EXAMPLE III.</b>		<b>EXAMPLE IV.</b>	
At what time will the star Regulus be on the meridian, December 12?		Required the time when the star Fomalhaut comes on the meridian, June 1?	
Regulus' right ascension	9 59	Fomalhaut's right ascension	22 48
Add	24	Sun's right ascension	4 35
	33 59	After midnight	18 13
Sun's right ascension	17 17	Subtract	12
After midnight	16 42	In the morning	6 13
Subtract	12		
In the morning	4 42		

*To find what star will come upon the meridian at any given time.*

**RULE.** Add the time from noon\* to the right ascension of the sun, the sum (rejecting 24 hours when it exceeds 24) will be the right ascension of the star required to be known; with which enter the table of the star's right ascension, and find what star's right ascension agrees with, or comes the nearest to it, and that will be the star required, if the declination of the star agrees with the table, which may be ascertained by observing the meridian altitude of the star, the latitude of the place being given.

<b>EXAMPLE I.</b>		<b>EXAMPLE II.</b>	
What star will be on the meridian about 10 a. night, January 28?		What star will be upon the meridian 30 minutes past four in the morning, May 10?	
Sun's right ascension January 28	20 3.	Sun's right ascension May 10	3 7
Given time 10 Hours P. M.	10	Given time 16 hours 30 minutes	16 30
	30 3.	Right ascension of mid. heaven	19 57
Subtract	21	Answers nearly to Altair in the Eagle.	
Nearly answers to Sirius	6 3.		

<b>EXAMPLE III.</b>		<b>EXAMPLE IV.</b>	
What star will be on the meridian at 6h. 59m. P. M. April 1?		What star will be on the meridian, September 1, at 5h. 37m. P. M.?	
Sun's right ascension April 1	45	Sun's right ascension Sept. 1	20 41
Given time	6 53	Given time	5 37
Right ascension of the meridian	7 35	Right ascension of the meridian	16 10
Answers nearly to Pollux.		Answers nearly to Antares.	

In all the preceding examples, the right ascension of the sun ought to have been calculated for the moment of the star's passing the meridian, as will be more fully explained in the precepts of Table XXXI.

\* The time from noon must be reckoned from the preceding noon, so that 4h. A. M. must be called 19h.

**TABLE IX. Semi-diurnal and Semi-nocturnal arches.**—This table exhibits half the time that a celestial object continues above the horizon when the latitude and declination are of the same name, or below when they are of a contrary name; the former time being usually called the semi-diurnal arch, the latter the semi-nocturnal arch; whence the time of rising and setting may be computed, by the following rules.

*To find the time of the sun's rising and setting, and the length of the day and night.*

**RULE.** Find the sun's declination at the top of the page and the latitude in either side column, under the former, and opposite the latter, will be the time of the sun's setting if the latitude and declination are of the same name, but the time of rising if of different names.—The time of rising, subtracted from 12 hours, will give the time of setting; or the time of setting, subtracted from 12 hours, will give the time of rising.—The time of rising, being doubled, will give the length of the night; and the time of setting, being doubled, will give the length of the day.

**EXAMPLE I.**

Let it be required to find the time of the sun's rising and setting, with the length of the day and night in latitude  $51^{\circ}$  north, the 19th of July, 1820?

The sun's declination on the given day was  $20^{\circ} 51'$  north, or  $21^{\circ}$  nearly, under which, and against the latitude  $51^{\circ}$ , stand 7h. 53m. the time of the sun's setting on the given day, in lat.  $51^{\circ}$  north, which doubled, gives 15h. 46m. the length of the day; and by subtracting 7h. 53m. from 12h. the remainder 4h. 7m. is the time of the sun's rising, which doubled gives 8h. 14m. the length of the night.

But, when the sun has  $21^{\circ}$  south declination in this latitude, the time of sun setting becomes 4h. 7m. the time of rising 7h. 53m. the length of the day 8h. 14m. and the length of the night 15h. 46m. as was the case nearly on the 26th November, 1820.

**EXAMPLE II.**

Let it be required to find the time of the sun's rising, setting, and the length of the day and night, at Boston, the 12th of July, 1820?

Under  $22^{\circ}$ , which is nearly the declination on that day, and against  $42^{\circ} 23'$  or  $42^{\circ}$  N. the latitude of Boston, stands the time of the sun's }  
 setting } h. m.  
 7 25  
 Subtracted from 12h. leaves sun-rising 4 35  
 Sun-setting doubled is the length of day 14 50  
 Sun-rising doubled is the length of night 9 10

**EXAMPLE III.**

Required the time of the sun's rising and setting, and length of day in latitude  $34^{\circ} 29'$  S. May 13th, 1820?

Under the declination  $18^{\circ} 55'$  or  $19^{\circ}$  N. } h. m.  
 and against the lat.  $34^{\circ}$  S. } 12 0  
 Stands the sun's rising } 6 54  
 Time of sun's setting } 5 6  
 } 2  
 The length of the day 10 12  
 And 6h. 54m. doubled is length of night 13 48

When a great degree of accuracy is required, proportional parts may be taken for the minutes of latitude and declination.

*To find the time of rising and setting of stars whose declination does not exceed  $23^{\circ} 28'$ .*

Enter Table IX. and find the star's declination at the top, and the latitude at the side; under the former, and opposite to the latter, will be the semi-diurnal arch, when the latitude and declination are both north or both south; but if one be north and the other south, the difference between the Tabular number and 12 hours will be the semi-diurnal arch. Find the time of the star's coming to the meridian according to the precepts of Table VIII. and subtract therefrom the semi-diurnal arch, the difference will be the time of rising; or by adding together the semi-diurnal arch, and the time of passing the meridian, the time of setting will be obtained.

**EXAMPLE IV.**

Required when the star Arcturus rises and sets December 1, in latitude  $51^{\circ}$  N.?

The time of the star's coming to the meridian, or southing in the morning, is nearly 9 38  
 Then under star's declination  $20^{\circ}$  nearly, and against latitude  $51^{\circ}$  stand 7 47  
 Time of star's rising in the morning 1 51  
 Added, gives the time of the star's setting 17 25  
 12  
 Star sets 36 minutes after 5 in the evening 5 25

**EXAMPLE V.**

What time will the Dog-Star Sirius rise and set at Philadelphia, Feb. 1?

Under the declination, which is nearly  $16^{\circ}$  S. and against the latitude, which is nearly  $40^{\circ}$  N. stand 12 0  
 6 56  
 Subtracted from 12h. leaves half the time the star is above the horizon 5 4  
 The star comes to the meridian in the evening nearly at 9 39  
 Sum, rejecting 12 hours, is the time of setting in the morning 2 43  
 Difference is the time of rising in the evening 4 35

In like manner may the rising and setting of any planet be found when the declination does not exceed  $23^{\circ} 28'$ , and the time of the passage over the meridian is known.

Suppose it was required to find the time of Jupiter's rising and setting, March 8, 1820, civil account, in the latitude of  $52^{\circ}$  N?

In the Nautical Almanac for 1820, I find that Jupiter passes the meridian March 7d. 23h. 10m. or March 8d. 11h. 10m. A. M. civil account, his declination being  $10^{\circ} 55' S.$  or nearly  $11^{\circ}$ . Under the declination  $11^{\circ}$ , and opposite to the latitude  $52^{\circ}$  stand 6h. 58m. which is half the time Jupiter is below the horizon; this subtracted from 12h. leaves half the time that he is above the horizon, 5h. 2m.; this subtracted from 11h. 10m. A. M. leaves 6h. 8m. A. M. March 8, for the time of Jupiter's rising; and added to 11h. 10m. gives 4h. 12m. P. M. March 8, for the time of Jupiter's setting.

Suppose it was required to find the time of the moon's rising and setting, May 5, 1820, civil account, in the latitude of  $52^{\circ} N$ ?

In the Nautical Almanac, page VI. I find that the moon passes the meridian May 4d. 18h. 7m. or May 5d. 6h. 7m. A. M. civil account; her declination being about  $21^{\circ} S.$  Under the declination  $21^{\circ}$ , and opposite to the latitude  $52^{\circ}$ , stand 7h. 58', half the time the moon is below the horizon, which subtracted from 12h. leaves half the time she is above the horizon, 4h. 2m.; this subtracted from 6h. 7m. leaves 2h. 5m. A. M. the time of the moon's rising, and added to 6h. 7m. gives 10h. 9m. A. M. the time of her setting, nearly.

If greater accuracy is required, you must find the time at Greenwich corresponding to this approximate time of her rising and setting; then find the moon's declination, and the right ascensions of the sun and moon for that moment of time. The former subtracted from the latter leaves the corrected time of the moon's passing the meridian. With these data repeat the operation. In this way we may obtain the time of rising and setting to any degree of accuracy. Instead of taking the difference of the right ascension of the sun and moon, you may take the daily difference in the time of her coming to the meridian of Greenwich, and take a proportional part for the longitude of the place of observation (by means of table XXVIII.) and another proportional part, for the interval between the hour of passing the meridian, and the time of rising or setting.\*

It may be noted, that the numbers of Table IX. were calculated for the moment the sun's centre appears in the true horizon; allowance ought to be made for the dip, parallax, and refraction, by which the sun and stars, when near the horizon, appear in general to be elevated above half a degree above their true place, and the moon as much below her true place.

TABLE X. For finding the distance of any terrestrial object at sea.—The explanation and use of this table is given in Problems VII. and VIII. pages 190, 191.

TABLE XI. Table of Proportional Parts.—The method of using this table is given in page 166.

TABLE XII. Table of Refraction.—Explained in page 108.

TABLE XIII. Dip of the Horizon.—Explained in page 109.

TABLE XIV. Sun's Parallax in altitude.—Explained in page 107.

TABLE XV. Augmentation of the moon's semi-diameter.—The moon's semi-diameter given in the Nautical Almanac is the same as would be seen by a spectator supposed to be placed at the centre of the earth, or nearly the same as would be seen by a spectator on the surface of the earth, when the moon is in the horizon. Now when the moon is in the zenith of the spectator placed at the surface, her distance from him is less than when at the horizon by a semi-diameter of the earth; consequently her apparent semi-diameter must be augmented in proportion as the distance is decreased, that is about one sixtieth part, or  $16''$ . At intermediate altitudes, between the horizon and zenith, the augmentation is proportional to the sine of the altitude, and the value for every  $5^{\circ}$  or  $10^{\circ}$  of altitude is given in Table XV. The augmentation corresponding to the altitude being found in the table, must be added to the semi-diameter taken from the Nautical Almanac for the time of observation reduced to Greenwich time, as was explained in page 166.

TABLE XVI. Dip of the sea at different distances from the observer.—Explained in page 109.

TABLE XVII. For finding the difference between the refraction of a star and  $60'$ ; also a log. corresponding.

TABLE XVIII. For finding the difference between the correction of the sun's altitude for parallax and refraction and  $60'$ , also a logarithm corresponding thereto.—The manner of taking the numbers from the two preceding tables is explained in page 167, and the uses to which these tables may be applied are explained in pages 167 and 174.

TABLE XIX. For finding a correction and logarithm used in the first method of working a lunar observation.—The correction found in this table being subtracted from  $59' 42''$  will leave a remainder equal to the correction of the moon's altitude for parallax

\* In strictness, this last correction, found by the table, ought to be decreased in the ratio of  $24''$  to  $24h.$  increased by the daily difference of the time of the moon's passing the meridian.

and refraction. It will be unnecessary here to point out the method of taking out this correction, as it is fully explained in the first pages of the table. It may not, however, be amiss to observe, that after constructing the logarithms of this table, it was concluded to subtract therefrom the greatest correction of the Table C corresponding, in order to render those corrections additive. Thus the logarithm corresponding to the alt. 30° and hor. par. 54', was found at first to be 2372; and for the hor. par. 54' 10'' the correction was 2358 so that if these numbers had been published, the correction for seconds of parallax would have been subtractive; but as this would have been inconvenient, it was thought expedient to subtract from each of the numbers thus calculated, the greatest corresponding correction of Table C, which in the preceding example is 12; by this means the above numbers were reduced to 2360 and 2346 respectively, and the corrections of Table C were rendered additive. In a similar manner the rest of the logarithms of the table were calculated. It is owing to this circumstance that the corrections in Table C for 0'' of parallax are greater than for any other number. Similar methods were used in calculating the other numbers of this table, and in arranging the Tables A and B.

TABLE XX. *Third correction of the apparent distance*—The method of finding the correction from this table is explained in pages 168, 174, 176.

TABLE XXI. *To reduce longitude into time, and the contrary*.—In the first column of this table are contained degrees and minutes of longitude, in the second the corresponding hours and minutes, or minutes and seconds of time; the other columns are a continuation of the first and second respectively. The use of this table will evidently appear by a few examples.

<b>EXAMPLE I.</b>		<b>EXAMPLE II.</b>	
Required the time corresponding to 50° 31' ?	h. m. s.	Required the degrees and minutes corresponding to 6h. 33m. 20s. ?	
Opposite 50° in col. 1 is	3 20 0	Opposite 6h. 33m. 20s. in col. 4 is	98° 0'
31'	2 4	1 20	in col. 2 is
Sought time	3 22 4	6 33 20	20
			98 20

TABLE XXII. *Proportional Logarithms*.—These logarithms are very useful in finding the apparent time at Greenwich corresponding to the true distance of the moon from the sun or star, as is explained in page 168. They may be also used like common logarithms, in working any proportion where the terms are given in degrees, minutes, and seconds; or in hours, minutes, and seconds, as in the examples page 177. The table is extended only to 3° or 3h. and if any of the terms of a given proportion exceed 3° or 3h. you may take all the terms one grade lower; that is, reckon degrees as minutes, minutes as seconds, &c. and work the proportion as before; observing to write down the answer one grade higher; that is, you must estimate minutes as degrees, seconds as minutes, &c. Instead of taking all the terms one grade lower, you may change two of the terms only, viz. one of the middle terms and one of the extreme terms; thus the 1st. and 3d. or the 1st. and 2d. may be taken one grade less, and the fourth term will be given correctly; but if the fourth term be taken one grade less, you must, after working the proportion, write it one grade higher, as is evident. To illustrate this we shall give the following examples.

<b>EXAMPLE I.</b>		<b>EXAMPLE II.</b>	
If in 15° 10' of time the sun rises 2° 40' how much will it rise in 3° 10' at the same rate?		If the sun's declination changes 16' 19' in 24 hours, how much will it change in 8h. 2m. ?	
As 15° 10' Prop. Log. ar. co.	2.9256	Here the 1st and 3d terms must be taken one grade less.	
Is to 2° 40' Prop. Log.	.0512	As 24° 0' P. L.	ar. co.
So is 3° 10' Prop. Log.	1.7547	Is to 16' 19' P. L.	2.0428
To 53° 24' Prop. Log.	.7515	So is 8' 2' P. L.	1.5504
		To 5' 28' P. L.	1.5179

<b>EXAMPLE III.</b>		<b>EXAMPLE IV.</b>	
If in 12h. the moon's longitude varies 7° 1' what will it vary in 4h. 30m. ?		If in 16° the sun rises 5° 27' how much will it rise in 3° 10' ?	
Here all the terms must be taken one grade less.		Here the 2d and 4th terms must be taken one grade less.	
As 12° 0' P. L.	ar. co.	As 16° 0' ar. co.	P. L.
Is to 7 1 E. L.	2.8236	Is to 3 27 P. L.	2.0428
So is 4 30 P. L.	1.4091	So is 5 10 P. L.	1.7547
To 2° 52' 2" P. L.	1.5515	To 0° 41' P. L.	2.4210
Which taken one grade higher is 2° 32' 2" the answer required.		Which taken one grade higher is 41', the answer required.	

TABLES XXIII. *For finding the latitude by two altitudes of the sun*.—The manner of using this table is explained in page 139, et seq.



**TABLE XXIV. Natural Sines.**—This table contains the natural sine and co-sine for every minute of the quadrant to the radius 100000, and is to be entered at the top or bottom with the degrees, and at the side marked M. with the minutes, the corresponding numbers will be the natural sine and co-sine respectively, observing that if the degrees are found at the top, the name sine, co-sine, and M. must also be found at the top, and the contrary if the degrees are found at the bottom. Thus 43366 is the natural sine of  $25^{\circ} 42'$  or the co-sine of  $64^{\circ} 18'$ .

**TABLE XXV. Logarithmic sines, tangents, and secants to every point and quarter point of the compass.**—This table is to be used instead of table XXVII. when the course is given in points. The course is to be found in the side column, and opposite thereto will be the log. sine, tangent, &c. The names being found at the top when the course is less than 4 points, otherwise at the bottom.

**TABLE XXVI. Logarithms of Numbers.**—The explanation and uses of this table are given in page 28, et seq.

**TABLE XXVII. Logarithmic Sines, Tangents, and Secants.**—This table is explained in page 33, et seq.

**TABLE XXVIII. For reducing the time of the Moon's passage over the meridian of Greenwich, to the time of her passage over any other meridian.**—The manner of doing this is explained in page 124.

**TABLE XXIX. Correction of the Moon's altitude for parallax and refraction.**—The mean correction of the Moon's altitude is given in this table for every degree of altitude from  $10^{\circ}$  to  $90^{\circ}$ . The manner of using this table is explained in page 126.

**TABLE XXX. For reducing the Moon's declination given in the Nautical Almanac for noon and midnight at Greenwich, to any other time under any other meridian.**—The manner of using this table is explained in page 125. In addition to which it may be observed that 12h. are marked both at the bottom of the left hand column and at the top of the right hand column; but this can cause no embarrassment, because when the time at Greenwich is 12h. the declination must be taken from the Nautical Almanac for midnight, without any correction.

**TABLE XXXI. For reducing the Sun's right ascension in time, as given in the Nautical Almanac for noon at Greenwich, to any other time under any other meridian.**—This table is useful in finding the Sun's right ascension at any time, by means of the right ascension given in the second page of the Nautical Almanac for noon at Greenwich. This table must be entered at the top with a daily variation of the sun's right ascension, and in the left hand column with the given time from noon, or in the right hand column with the longitude of the place; under the former, and opposite the latter, will stand a correction in minutes and seconds, to be applied to the sun's right ascension at noon at Greenwich. The correction found with the time from noon, is to be added in the afternoon, but subtracted in the forenoon; and the correction found with the longitude of the place, is to be added in west, but subtracted in east longitude.

Instead of finding the correction separately for the longitude of the place and the time from noon, you may find the whole correction at one entry, in the following manner: Turn the ship's longitude into time (by Tab. XXI.) and add it to the given time when in west longitude, but subtract the longitude when east; the sum or difference will be the time at Greenwich; find this time in the side column\* and the daily variation at the top, corresponding to which will be the sought correction; which is to be added to the sun's right ascension for the preceding noon at Greenwich.

<b>EXAMPLE I.</b>		<b>EXAMPLE II.</b>	
Required the sun's right ascension at noon, May 24, 1820, sea account, in the longitude of $45^{\circ}$ W. from Greenwich?	May 24, sea account is May 23, by N. A. The sun's right ascension by N. A. at Greenw. 4h. 0m. 26s. Corr. Tab. XXXI. for $45^{\circ}$ long. and daily var. 4m. 2sc. add	Required the sun's right ascension at noon, June 24, 1820, sea account, in the longitude of $120^{\circ}$ E. from Greenwich?	June 24, sea account is June 23, by N. A. on which day at noon the sun's right asc. was 6h. 2m. 1s. Corr. Tab. XXXI. for $120^{\circ}$ long. and daily variation, 4m. 9". 4 sub.
	30		1 23
Right Ascension required	4 0 55	Right Ascen. required	6 6 30
<b>EXAMPLE III.</b>		<b>EXAMPLE IV.</b>	
Required the sun's right ascension, May 24, 1820, at 4h. P. M. sea account, in long. of $45^{\circ}$ W.?	R. A. at noon in long. $45^{\circ}$ W. by Ex. I. 4h. 0m. 55s. Corr. in Tab. XXXI. for 4h. P. M. add	Required the sun's right ascension, June 24, 1820, at 9h. A. M. sea account, in long. of $120^{\circ}$ E.?	R. A. at noon in long. $120^{\circ}$ E. by Ex. II. 6h. 0m. 30s. Corr. in Tab. XXXI. for 12 hours for 9 hours
	40		2 5 1 34
R. A. May 24, 1820, at 4h. P. M.	4 1 35	R. A. June 24, 1820, at 9h. A. M.	6 10 17

\* If the time at Greenwich be more than 12h. you must first take out the correction for 12h. and then for the rest of the time; the sum of these two will be the correction.

The third and fourth examples may be worked by a single entry of Table XXXI. as follows.

EXAMPLE III.		EXAMPLE IV.	
Given time by N. A. May	d. h. m. 23 4 0	Given time by N. A. June	d. h. m. 23 21 0
Long. 46° in time add	3 0	Long. 120° in time	3 0
Time at Greenwich	23 7 0	Time at Greenwich	23 18 0
Sun's R. A. May 23, at noon by N. A.	h. m. s. 4 0 25	Sun's R. A. June 23, at noon	h. m. s. 6 3 1
Corr. Tab. XXXI. for 7h.	1 11	Corr. Tab. XXXI. for 12h.	2 5
		for 1h.	10
Sun's R. A. at 6h. P. M.	4 1 36	Sun's R. A. 21h. Om.	6 10 16
Differing 1s. from the former method.			

If you wish to find accurately the time that any star comes to the meridian, or the time of rising or setting, you must take the sun's right ascension for noon at Greenwich, from the Nautical Almanac; then the star's right ascension from Table VIII. and with these, find the approximate time of rising, setting, or coming to the meridian, by the method already given in the precepts for using Tables VIII. and IX. Then calculate the sun's right ascension for this approximate time, and repeat the operation till the assumed and calculated times agree, and you will have the true time required.

To explain this method, I shall give the following examples.

*To find the time when a star comes to the meridian.*

EXAMPLE I.		EXAMPLE II.	
At what time was Aldebaran on the meridian of a place in the longitude of 70° 50' W. Jan. 2, 1820, sea account?		At what time was Pollux on the meridian of a place in the longitude of 70° 46' W. March 31, 1820, sea account?	
Jan. 2, sea account, is Jan. 1, N. A. on which day the sun's R. A. at noon at Greenwich was	h. m. s. 18 43 48	March 31, sea account, is March 30, N. A. on which day, at noon, the sun's right ascension was	h. m. s. 9 25 41
Aldebaran's R. A.	4h. 25m. 36s.	This, subtracted from R. A. of Pollux	7 34 17
Add	24	Approximate time of southing	6 56 39
		Correction of the sun's R. A. from Table XXXI. for this time is	. 1 4
Difference is the approximate time	9 41 48	And for the long. 70° 46' W. of Greenw.	43
Now calculate the sun's R. A. for this time in the long. of 70° 50' W. from Greenwich, I find it was	h. m. s. 18 46 27	The sum of these two corrections is	1 47
Aldebaran's R. A. + 24h.	28 25 36	which subtracted from the approximate time of southing 6h. 56m. 36s. leaves the true time 6h. 56m. 48s.	
True time of coming to the meridian	9 39 9		

The method (used in the last example) of applying the corrections to the approximate time, instead of applying them to the right ascension of the sun, will be found the most expeditious; but it must be noted, that the corrections to be applied to the approximate time must have a contrary sign to what they would have when applied to the right ascension.

*To find the time of rising or setting of a star.*

**RULE.** Enter Table IX. with the declination of the star at the top, and the latitude of the place at the side; the corresponding number will be the time of the star's continuance above the horizon, when the latitude and declination are of the same name; but if they are of different names, the tabular number subtracted from 12h. will be the time of continuance above the horizon. Add this time to the star's right ascension, if you wish to find the time of setting; but subtract the former from the latter if you wish the time of rising. From this sum or difference subtract the sun's right ascension\* corrected for the longitude of the place; the remainder will be the approximate time sought.† Enter Table XXXI. with the distance of this approximate time from noon, and the daily variation of the sun's right ascension: the correction corresponding is to be added to the approximate time in the forenoon, but subtracted in the afternoon, and you will have the corrected time of rising and setting.

\* Increasing the number from which the subtraction is to be made, by 24 hours, when necessary.  
† Rejecting 24 hours when it exceeds 24 hours. If the time of rising or setting be more than 12h. it will be after midnight; but if less than 12h. it will be before midnight.

## EXAMPLE I.

At what time did the star Aldebaran set. May 24, 1820, sea account, in the latitude of  $38^{\circ} 33'$  N. and the longitude of  $77^{\circ} W$ ?

The star's declination was  $16^{\circ} 8'$  N. and the latitude  $38^{\circ} 33'$  N. corresponding to which in Table IX. is

Star's right ascension 4 28

Sum 11 20

May 24, sea acc. or May 23 by N. A.

at noon sun's R. A. 6h. 0m.

Corr. for long.  $77^{\circ} W$ . 1

Sum subtract 4 1

Remains approximate time of setting 7 19

Corr. in Tab. XXXI. for 7h. 19m. sub. 1

Corrected time of setting, P. M. 7 18

## EXAMPLE II.

At what time did the Dog-Star Sirius rise in the latitude  $39^{\circ} 20'$  N. and the longitude of  $76^{\circ} 30'$  W. Jan. 2, 1830, sea account?

The star's declination is  $16^{\circ} 28'$  S. and the latitude is  $39^{\circ} 20'$  N. corresponding to which in Table IX. is nearly

Which subtracted from 12 0

Leaves the time of the star's being above the horizon 5 4

Subtract from star's R. A. 6 37

Remainder 1 33

Add 24

Sum 25 33

Jan. 2, sea acc. or Jan. 1, by N. A. at

noon sun's R. A. 12h. 44m.

Corr. for long.  $76^{\circ} 30'$  W. 1

Subtract the sum 18 45

Remains approx. time of rising 6 48

Corr. in Tab. XXXI. for 6h. 48m. sub. 1

Corr. time of rising in the afternoon 6 47

TABLE XXXII. Variation of the sun's altitude in one minute from noon.

TABLE XXXIII. To reduce the numbers of Table XXXII. to other given intervals of time from noon.

The method of using the two preceding tables is explained in page 150 and 151.

TABLE XXXIV. Errors arising from a deviation of  $1'$  in the surfaces of the central mirror.—This table shows the error arising in measuring an angle by an instrument of reflection from a deviation of  $1'$  in the parallelism of the surfaces of the central mirror, the line of intersection of those surfaces (produced if necessary) being perpendicular to the plane of the instrument. If the line of intersection be inclined to that plane, the numbers in the table must, in general, be decreased in proportion to the sine of the angle of inclination.

The second, third, and fourth columns of the table are calculated upon the supposition that the surface of the horizon mirror is inclined  $80^{\circ}$  to the axis of the telescope, or that the angle intercepted between the ray incident on the horizon glass and the corresponding reflected ray passing through the telescope is  $20^{\circ}$ , which is the case in circular instruments of DE BORDA'S construction, and on this supposition the errors of an instrument in measuring different angles may be ascertained by the rules in pages 98 and 106; when the intercepted angle is greater or less than  $20^{\circ}$ , which is the case in most sextants and quadrants, the error in any measured angle corresponding to an inclination of the surfaces of  $1'$ , may be obtained as follows.

Find in the first column the intercepted angle, and the sum of that angle and the observed distance; take the corresponding corrections from column 5th, and their difference will be the sought correction.

In a circular instrument you must find in the side column the sum and the difference of the intercepted angle and observed angle, and take out the corresponding corrections from column 5th, half their difference will be the sought correction. Having thus found the correction corresponding to  $1'$ , you may find the correction for other angles as in pages 98 and 106.

TABLE XXXV. Correction for a deviation of the telescope of an instrument of reflection from the parallelism to the plane of the instrument.—The uses of this table are explained in pages 97 and 105.

TABLE XXXVI. Correction of the mean refraction for various heights of the barometer and thermometer.—The use of this table is explained in page 108.

TABLE XXXVII. Latitudes and Longitudes of the fixed Stars.—This table contains the Latitudes and Longitudes of the principal fixed stars, adapted to the beginning of the year 1820, with the annual variations for precession and the secular equation, by which the mean values at any time may be obtained, in like manner as the Right Ascensions and declinations are from Table VIII.; by adding the correction of longitude after 1820, subtracting before 1820, and applying the correction of latitude with the same sign as in the table after 1820, but with a contrary sign before 1820.

EXAMPLE I. Required the Longitude and Latitude of  $\alpha$  Pegasi, July 16, 1818 †

Long. by Table XXXVII.	11s. 20° 58' 44"	Latitude by Table XXXVII.	19° 24' 44" N.
Variation 1 year $\frac{3}{4}$ m. sub.	1' 13"	Variation 1 year $\frac{3}{4}$ m. sub.	0
Long. July 16, 1818	11 20 57 31		19 24 44 N.

EXAMPLE II. Required the Longitude and Latitude of  $\alpha$  Pegasi, July 1, 1822 †

Long. by Table XXXVII.	11s. 20° 58' 44"	Latitude by Table XXXVII.	19° 24' 44" N.
Variation $2\frac{1}{2}$ years, add	2 5	Variation $2\frac{1}{2}$ years, add	0
Long. July 1, 1822	11 21 0 49	Latitude July 1, 1822	19 24 44 N.

The latitudes and longitudes, thus obtained, are the mean values. When great accuracy is required, the corrections for the equation of the equinoxes, Table XL. and aberration, Table XLI. must be applied.

TABLE XXXVIII. *Reduction of latitude and horizontal parallax.*—This table contains the corrections to be subtracted from the latitude of observation, and from the horizontal parallax of the Moon, given in the Nautical Almanac, in calculating eclipses of the Sun or occultations. Thus, if the latitude of the place was  $40^\circ$ , and the Moon's horizontal parallax  $57'$ , the correction of latitude would be nearly  $-11' 18''$ , and that of parallax  $-4''.7$ , so that the reduced latitude would be  $39^\circ 48' 42''$ , and the reduced parallax  $56' 55''.3$ . These values are to be used in occultations, but in eclipses of the Sun, this parallax is to be further decreased by  $8''.8$  for the Sun's parallax. When the latitude is not given exactly in the table, the two nearest numbers must be found, and a proportional part of their difference is to be applied to one of the numbers, as usual. In calculating this table, the ellipticity of the earth was supposed equal to  $\frac{1}{308}$ , as in the third edition of La Lande's Astronomy, and in Vince's Astronomy. This value differs but little from  $\frac{1}{304.6}$  and  $\frac{1}{303.05}$ , deduced by La Place from two lunar equations in the third volume of his immortal work, *La Mécanique Céleste*. In the second volume of the same work he calculated the ellipticity to be  $\frac{1}{328}$  from the lengths of pendulums observed in different latitudes, this calculation corrected for a small mistake in the numerical coefficient of  $y$  in the tenth of his equations  $A''$  becomes  $\frac{1}{318}$ , which does not differ very much from the value assumed in this table.

TABLE XXXIX. *Aberration of the Planets.*—This table contains the aberration of the planets, to be applied to the true longitude or latitude, with the same sign as in the table. The argument at the side is the elongation of the planet from the Sun; that is, the difference of their geocentric longitudes, or its supplement to  $360^\circ$ . Thus, on July 19, 1820, the longitude of the Sun was  $3s. 26^\circ 38'$ , the Geo. long. of Venus  $4s. 13^\circ 23'$ , their difference  $16^\circ 45'$  is the elongation or distance from the inferior conjunction, corresponding to which is the aberration  $+3''$  to be applied to the true longitude given by the tables to obtain the apparent longitude. The aberration of Mercury is given at its greatest, least, and mean distances from the Sun. At the intermediate places, a proportional part of the differences of the nearest tabular numbers must be applied.

TABLES XL. & XLI. *Equation of the Equinoxes and Aberration in Longitude.*—Table XL. contains the equation of the equinoxes in longitude common to all the heavenly bodies. The argument is the longitude of the Moon's ascending node, given in page III. of the Nautical Almanac, the signs of longitude being found at the top or bottom, and the degrees at the side, the corresponding number with its sign is the equation of the equinoxes in longitude.

Table XLI. contains the aberration of the stars in longitude and latitude, to be calculated by the rules at the bottom of the tables. The signs of the argument being found at the top, and the degrees at the side,\* taking proportional parts for minutes. The corrections of longitude found in these tables, are to be applied, with their signs, to the mean longitude found in Table XXXVII. and the correction of latitude, Table XLI. is to be applied to the mean latitude deduced from Table XXXVII. Thus on July 16, 1820, by the examples at the bottom of Tables XL. XLI. the equation of the equinoxes was  $+1''.2$  and the aberration in longitude  $+11''.5$ , these corrections being applied to the mean longitude of the star deduced from table XXXVII.  $11s. 20^\circ 59' 11''$  gives its apparent longitude  $11s. 20^\circ 59' 24''$ . In a similar manner the aberration in latitude  $-5''.6$ , found at the bottom of Table XLI. applied to the mean latitude  $19^\circ 24' 44''$  N. deduced from Table XXXVII. gives the apparent latitude of the star  $19^\circ 24' 38''$  N.

\* The degrees in this and the following tables are to be found in the column marked D on the same horizontal line with the signs. Thus, if the signs are at the top of the table, the degrees must be found on the left column, otherwise in the right.

**TABLES XLII. XLIII. *Aberration and Nutation in Right Ascension and Declination.***  
 Table XLII. contains the aberration, and Table XLIII. the Nutation in Right Ascension and Declination, to be found by the rules at the bottom of the tables, and applied with their signs to the mean values deduced from Table VIII. Thus by Table VIII. the Right Ascension of  $\alpha$  Pegasi, July 16, 1820, was  $22^{\text{h}}. 55' 49''.6$ , and its declination  $14^{\circ} 14' 10''$  N. The aberration of Right Ascension in time was nearly  $+ 0''.8$ , in declination  $- 0''.7$ . The Nutation in Right Ascension in time  $- 0''.1$ , in declination  $- 2''.2$ , as appears by the examples at the bottom of the tables. These corrections being applied to the mean values, give the apparent Right Ascension  $22^{\text{h}}. 55' 50''.3$ , and the apparent declination  $14^{\circ} 14' 7''$  N. The equation of the obliquity of the ecliptic may be calculated by the rule at the bottom of the table. Thus, on July 16, 1820, the equation was  $+ 9''.5$ , which applied to the mean obliquity  $23^{\circ} 27' 48''.2$ , gives the apparent obliquity  $23^{\circ} 27' 57''.7$ .

**TABLE XLIV. *Augmentation of the Moon's Semi-diameter.***—This table is divided into four parts, and is useful in finding the augmentation of the moon's semi-diameter by means of the altitude and longitude of the nonagesimal when the moon's altitude is unknown. The precepts for this calculation are given at the bottom of the table, and for further illustration another example is added, in which it is required to find the augmentation at the commencement of the occultation calculated in Problem VII. of the Appendix, when the  $D$ 's S. D. by the Nautical Almanac was  $16' 18''.9$ , her true latitude  $1^{\circ} 55' 11''$  S. parallax in lat.  $10' 23''.6$ , altitude of the nonagesimal  $81^{\circ} 17' 32''$ , and the moon's apparent distance from the nonagesimal  $51^{\circ} 38' 26''$ , as in Example III. Prob. V. Appendix. In this case the arguments of Part I. are  $81^{\circ} 17' 32'' + 51^{\circ} 38' 26''$  or nearly  $4s. 12^{\circ} 56'$  and  $0s. 29^{\circ} 39'$ , and the corresponding corrections  $+ 6''.00$ ,  $+ 4''.05$ , whose sum is  $10''.05$ . This in Part II. gives  $+ 0''.10$ . In Part III. with the moon's true latitude  $1^{\circ} 55' 11''$  S. and her par. in lat.  $10' 23''.6$ , the correction is  $- 0''.10$ . The sum of these three parts is  $+ 10''.05$ , which being found at the side of Part IV. and the moon's horizontal S. D.  $16' 18''.9$  at the top, gives the corresponding correction  $+ 0''.40$ . This connected with the three former-parts  $+ 10''.05$ , gives the sought augmentation  $10''.45$ , or  $10''.4$ , as in the example Prob. VII. Appendix. It may be observed that the calculation by Problem IV. will sometimes produce the supplement of the altitude of the nonagesimal, but this requires no alteration in the rule, since the result is the same whether the altitude or its supplement is used.

**TABLE XLV. *Equation of Second Differences.***—This table contains the equation of the second differences of the moon's motion, or the correction to be made on account of her unequal velocity between the times marked in the Nautical Almanac. The manner of applying this correction is taught in Problems I. II. III. of the Appendix.

**TABLE XLVI. *Tables of Latitudes and Longitudes.***—This table (as observed in the preface) has been completely revised for this edition, and the latitudes and longitudes of a great number of places are added to those given in the former editions of this work.

**TABLE XLVII. *Tide Table.***—The explanation and uses of this table are given in page 213, et seq.

TABLE I.

Difference of Latitude and Departure for 1/4 Point.

N. 1/4 E.			N. 1/4 W.			S. 1/4 E.			S. 1/4 W.			
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	
1	01.0	00.0	61	60.9	03.0	121	120.9	05.9	181	180.8	08.9	
2	02.0	00.1	62	61.8	03.0	22	121.9	06.0	82	181.9	08.9	
3	03.0	00.1	63	62.9	03.1	23	122.9	06.0	83	182.8	09.0	
4	04.0	00.2	64	63.9	03.1	24	123.9	06.1	84	183.8	09.0	
5	05.0	00.2	65	64.9	03.2	25	124.8	06.1	85	184.8	09.1	
6	06.0	00.3	66	65.9	03.2	26	125.8	06.2	86	185.8	09.1	
7	07.0	00.3	67	66.9	03.3	27	126.8	06.2	87	186.8	09.2	
8	08.0	00.4	68	67.9	03.3	28	127.8	06.3	88	187.8	09.2	
9	09.0	00.4	69	68.9	03.4	29	128.8	06.3	89	188.8	09.3	
10	10.0	00.5	70	69.9	03.4	30	129.8	06.4	90	189.8	09.3	
11	11.0	00.5	71	70.9	03.5	131	130.8	06.4	191	190.8	09.4	
12	12.0	00.6	72	71.9	03.5	32	131.8	06.5	92	191.8	09.4	
13	13.0	00.6	73	72.9	03.6	33	132.8	06.5	93	192.8	09.5	
14	14.0	00.7	74	73.9	03.6	34	133.8	06.6	94	193.8	09.5	
15	15.0	00.7	75	74.9	03.7	35	134.8	06.6	95	194.8	09.6	
16	16.0	00.8	76	75.9	03.7	36	135.8	06.7	96	195.8	09.6	
17	17.0	00.8	77	76.9	03.8	37	136.8	06.7	97	196.8	09.7	
18	18.0	00.9	78	77.9	03.8	38	137.8	06.8	98	197.8	09.7	
19	19.0	00.9	79	78.9	03.9	39	138.8	06.8	99	198.8	09.8	
20	20.0	01.0	80	79.9	03.9	40	139.8	06.9	200	199.8	09.8	
21	21.0	01.0	81	80.9	04.0	141	140.8	06.9	201	200.8	09.9	
22	22.0	01.1	82	81.9	04.0	42	141.8	07.0	02	201.8	09.9	
23	23.0	01.1	83	82.9	04.1	43	142.8	07.0	03	202.8	10.0	
24	24.0	01.2	84	83.9	04.1	44	143.8	07.1	04	203.8	10.0	
25	25.0	01.2	85	84.9	04.2	45	144.8	07.1	05	204.8	10.1	
26	26.0	01.3	86	85.9	04.2	46	145.8	07.2	06	205.8	10.1	
27	27.0	01.3	87	86.9	04.3	47	146.8	07.2	07	206.8	10.2	
28	28.0	01.4	88	87.9	04.3	48	147.8	07.3	08	207.8	10.2	
29	29.0	01.4	89	88.9	04.4	49	148.8	07.3	09	208.8	10.3	
30	30.0	01.5	90	89.9	04.4	50	149.8	07.4	10	209.8	10.3	
31	31.0	01.5	91	90.9	04.5	151	150.8	07.4	211	210.7	10.4	
32	32.0	01.6	92	91.9	04.5	52	151.8	07.5	12	211.7	10.4	
33	33.0	01.6	93	92.9	04.6	53	152.8	07.5	13	212.7	10.5	
34	34.0	01.7	94	93.9	04.6	54	153.8	07.6	14	213.7	10.5	
35	35.0	01.7	95	94.9	04.7	55	154.8	07.6	15	214.7	10.5	
36	36.0	01.8	96	95.9	04.7	56	155.8	07.7	16	215.7	10.6	
37	37.0	01.8	97	96.9	04.8	57	156.8	07.7	17	216.7	10.6	
38	38.0	01.9	98	97.9	04.8	58	157.8	07.8	18	217.7	10.7	
39	39.0	01.9	99	98.9	04.9	59	158.8	07.8	19	218.7	10.7	
40	40.0	02.0	100	99.9	04.9	60	159.8	07.9	20	219.7	10.8	
41	41.0	02.0	101	100.9	05.0	161	160.8	07.9	221	220.7	10.8	
42	42.0	02.1	02	101.9	05.0	62	161.8	07.9	22	221.7	10.9	
43	43.0	02.1	03	102.9	05.1	63	162.8	08.0	23	222.7	10.9	
44	44.0	02.2	04	103.9	05.1	64	163.8	08.0	24	223.7	11.0	
45	45.0	02.2	05	104.9	05.2	65	164.8	08.1	25	224.7	11.0	
46	46.0	02.3	06	105.9	05.2	66	165.8	08.1	26	225.7	11.1	
47	47.0	02.3	07	106.9	05.3	67	166.8	08.2	27	226.7	11.1	
48	48.0	02.4	08	107.9	05.3	68	167.8	08.2	28	227.7	11.2	
49	49.0	02.4	09	108.9	05.3	69	168.8	08.3	29	228.7	11.2	
50	49.9	02.5	10	109.9	05.4	70	169.8	08.3	30	229.7	11.3	
51	50.9	02.5	11	110.9	05.4	171	170.8	08.4	231	230.7	11.3	
52	51.9	02.6	12	111.9	05.5	72	171.8	08.4	32	231.7	11.4	
53	52.9	02.6	13	112.9	05.5	73	172.8	08.5	33	232.7	11.4	
54	53.9	02.6	14	113.9	05.6	74	173.8	08.5	34	233.7	11.5	
55	54.9	02.7	15	114.9	05.6	75	174.8	08.6	35	234.7	11.5	
56	55.9	02.7	16	115.9	05.7	76	175.8	08.6	36	235.7	11.6	
57	56.9	02.8	17	116.9	05.7	77	176.8	08.7	37	236.7	11.6	
58	57.9	02.8	18	117.9	05.8	78	177.8	08.7	38	237.7	11.7	
59	58.9	02.9	19	118.9	05.8	79	178.8	08.8	39	238.7	11.7	
60	59.9	02.9	20	119.9	05.9	80	179.8	08.8	40	239.7	11.8	
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	
E. 1/4 N.			E. 1/4 S.			W. 1/4 N.			W. 1/4 S.			[For 1/4 Points.]

TABLE I.

Difference of Latitude and Departure for 1 Point.

N.½E.			N.½W.			S.½E.			S.½W.			
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	
1	01.0	00.1	61	60.7	06.0	121	120.4	11.9	181	180.1	17.7	
2	02.0	00.2	62	61.7	06.1	22	121.4	12.0	82	181.1	17.8	
3	03.0	00.3	63	62.7	06.2	23	122.4	12.1	83	182.1	17.9	
4	04.0	00.4	64	63.7	06.3	24	123.4	12.2	84	183.1	18.0	
5	05.0	00.5	65	64.7	06.4	25	124.4	12.3	85	184.1	18.1	
6	06.0	00.6	66	65.7	06.5	26	125.4	12.4	86	185.1	18.2	
7	07.0	00.7	67	66.7	06.6	27	126.4	12.4	87	186.1	18.3	
8	08.0	00.8	68	67.7	06.7	28	127.4	12.5	88	187.1	18.4	
9	09.0	00.9	69	68.7	06.8	29	128.4	12.6	89	188.1	18.5	
10	10.0	01.0	70	69.7	06.9	30	129.4	12.7	90	189.1	18.6	
11	10.9	01.1	71	70.7	07.0	131	130.4	12.8	191	190.1	18.7	
12	11.9	01.2	72	71.7	07.1	32	131.4	12.9	92	191.1	18.8	
13	12.9	01.3	73	72.6	07.2	33	132.4	13.0	93	192.1	18.9	
14	13.9	01.4	74	73.6	07.3	34	133.4	13.1	94	193.1	19.0	
15	14.9	01.5	75	74.6	07.4	35	134.3	13.2	95	194.1	19.1	
16	15.9	01.6	76	75.6	07.4	36	135.3	13.3	96	195.1	19.2	
17	16.9	01.7	77	76.6	07.5	37	136.3	13.4	97	196.1	19.3	
18	17.9	01.8	78	77.6	07.6	38	137.3	13.5	98	197.0	19.4	
19	18.9	01.9	79	78.6	07.7	39	138.3	13.6	99	198.0	19.5	
20	19.9	02.0	80	79.6	07.8	40	139.3	13.7	200	199.0	19.6	
21	20.9	02.1	81	80.6	07.9	141	140.3	13.8	201	200.0	19.7	
22	21.9	02.2	82	81.6	08.0	42	141.3	13.9	02	201.0	19.8	
23	22.9	02.3	83	82.6	08.1	43	142.3	14.0	03	202.0	19.9	
24	23.9	02.4	84	83.6	08.2	44	143.3	14.1	04	203.0	20.0	
25	24.9	02.5	85	84.6	08.3	45	144.3	14.2	05	204.0	20.1	
26	25.9	02.5	86	85.6	08.4	46	145.3	14.3	06	205.0	20.2	
27	26.9	02.6	87	86.6	08.5	47	146.3	14.4	07	206.0	20.3	
28	27.9	02.7	88	87.6	08.6	48	147.3	14.5	08	207.0	20.4	
29	28.9	02.8	89	88.6	08.7	49	148.3	14.6	09	208.0	20.5	
30	29.9	02.9	90	89.6	08.8	50	149.3	14.7	10	209.0	20.6	
31	30.9	03.0	91	90.6	08.9	151	150.3	14.8	211	210.0	20.7	
32	31.8	03.1	92	91.6	09.0	52	151.3	14.9	12	211.0	20.8	
33	32.8	03.2	93	92.6	09.1	53	152.3	15.0	13	212.0	20.9	
34	33.8	03.3	94	93.5	09.2	54	153.3	15.1	14	213.0	21.0	
35	34.8	03.4	95	94.5	09.3	55	154.3	15.2	15	214.0	21.1	
36	35.8	03.5	96	95.5	09.4	56	155.2	15.3	16	215.0	21.2	
37	36.8	03.6	97	96.5	09.5	57	156.2	15.4	17	216.0	21.3	
38	37.8	03.7	98	97.5	09.6	58	157.2	15.5	18	217.0	21.4	
39	38.8	03.8	99	98.5	09.7	59	158.2	15.6	19	217.9	21.5	
40	39.8	03.9	100	99.5	09.8	60	159.2	15.7	20	218.9	21.6	
41	40.8	04.0	101	100.5	09.9	161	160.2	15.8	221	219.9	21.7	
42	41.8	04.1	02	101.5	10.0	62	161.2	15.9	22	220.9	21.8	
43	42.8	04.2	03	102.5	10.1	63	162.2	16.0	23	221.9	21.9	
44	43.8	04.3	04	103.5	10.2	64	163.2	16.1	24	222.9	22.0	
45	44.8	04.4	05	104.5	10.3	65	164.2	16.2	25	223.9	22.1	
46	45.8	04.5	06	105.5	10.4	66	165.2	16.3	26	224.9	22.2	
47	46.8	04.6	07	106.5	10.5	67	166.2	16.4	27	225.9	22.2	
48	47.8	04.7	08	107.5	10.6	68	167.2	16.5	28	226.9	22.3	
49	48.8	04.8	09	108.5	10.7	69	168.2	16.6	29	227.9	22.4	
50	49.8	04.9	10	109.5	10.8	70	169.2	16.7	30	228.9	22.5	
51	50.8	05.0	111	110.5	10.9	171	170.2	16.8	231	229.9	22.6	
52	51.7	05.1	12	111.5	11.0	72	171.2	16.9	32	230.9	22.7	
53	52.7	05.2	13	112.5	11.1	73	172.2	17.0	33	231.9	22.8	
54	53.7	05.3	14	113.5	11.2	74	173.2	17.1	34	232.9	22.9	
55	54.7	05.4	15	114.4	11.3	75	174.2	17.2	35	233.9	23.0	
56	55.7	05.5	16	115.4	11.4	76	175.2	17.3	36	234.9	23.1	
57	56.7	05.6	17	116.4	11.5	77	176.1	17.3	37	235.9	23.2	
58	57.7	05.7	18	117.4	11.6	78	177.1	17.4	38	236.9	23.3	
59	58.7	05.8	19	118.4	11.7	79	178.1	17.5	39	237.8	23.4	
60	59.7	05.9	20	119.4	11.8	80	179.1	17.6	40	238.8	23.5	
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	
E.½N.			E.½S.			W.½N.			W.½S.			(For 7½ Points.)

TABLE I.

Difference of Latitude and Departure for 1/4 Point.

N 1/4 E.			N 1/4 W.			S 1/4 E.			S 1/4 W.			
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	
1	01.0	00.1	61	60.3	09.0	121	119.7	17.3	181	179.0	26.6	
2	02.0	00.3	62	61.3	09.1	22	120.7	17.9	82	180.0	26.7	
3	03.0	00.4	63	62.3	09.2	23	121.7	18.0	83	181.0	26.9	
4	04.0	00.6	64	63.3	09.4	24	122.7	18.2	84	182.0	27.0	
5	04.9	00.7	65	64.3	09.5	25	123.6	18.3	85	183.0	27.1	
6	05.9	00.9	66	65.3	09.7	26	124.6	18.5	86	184.0	27.3	
7	06.9	01.0	67	66.3	09.8	27	125.6	18.6	87	185.0	27.4	
8	07.9	01.2	68	67.3	10.0	28	126.6	18.8	88	186.0	27.6	
9	08.9	01.3	69	68.3	10.1	29	127.6	18.9	89	187.0	27.7	
10	09.9	01.5	70	69.2	10.3	30	128.6	19.1	90	187.9	27.9	
11	10.9	01.6	71	70.2	10.4	131	129.6	19.2	191	188.9	28.0	
12	11.9	01.8	72	71.2	10.6	32	130.6	19.4	92	189.9	28.2	
13	12.9	01.9	73	72.2	10.7	33	131.6	19.5	93	190.9	28.3	
14	13.9	02.1	74	73.2	10.9	34	132.5	19.7	94	191.9	28.5	
15	14.8	02.2	75	74.2	11.0	35	133.5	19.8	95	192.9	28.6	
16	15.8	02.3	76	75.2	11.2	36	134.5	20.0	96	193.9	28.8	
17	16.8	02.5	77	76.2	11.3	37	135.5	20.1	97	194.9	28.9	
18	17.8	02.6	78	77.2	11.4	38	136.5	20.2	98	195.9	29.1	
19	18.8	02.8	79	78.1	11.6	39	137.5	20.4	99	196.8	29.2	
20	19.8	02.9	80	79.1	11.7	40	138.5	20.5	200	197.8	29.3	
21	20.8	03.1	81	80.1	11.9	141	139.5	20.7	201	198.8	29.5	
22	21.8	03.2	82	81.1	12.0	42	140.5	20.8	02	199.8	29.6	
23	22.8	03.4	83	82.1	12.2	43	141.5	21.0	03	200.8	29.8	
24	23.7	03.5	84	83.1	12.3	44	142.4	21.1	04	201.8	29.9	
25	24.7	03.7	85	84.1	12.5	45	143.4	21.3	05	202.8	30.1	
26	25.7	03.8	86	85.1	12.6	46	144.4	21.4	06	203.8	30.2	
27	26.7	04.0	87	86.1	12.8	47	145.4	21.6	07	204.8	30.4	
28	27.7	04.1	88	87.0	12.9	48	146.4	21.7	08	205.7	30.5	
29	28.7	04.3	89	88.0	13.1	49	147.4	21.9	09	206.7	30.7	
30	29.7	04.4	90	89.0	13.2	50	148.4	22.0	10	207.7	30.8	
31	30.7	04.5	91	90.0	13.4	151	149.4	22.2	211	208.7	31.0	
32	31.7	04.7	92	91.0	13.5	52	150.4	22.3	12	209.7	31.1	
33	32.6	04.8	93	92.0	13.6	53	151.3	22.4	13	210.7	31.3	
34	33.6	05.0	94	93.0	13.8	54	152.3	22.6	14	211.7	31.4	
35	34.6	05.1	95	94.0	13.9	55	153.3	22.7	15	212.7	31.5	
36	35.6	05.3	96	95.0	14.1	56	154.3	22.9	16	213.7	31.7	
37	36.6	05.4	97	96.0	14.2	57	155.3	23.0	17	214.7	31.8	
38	37.6	05.6	98	96.9	14.4	58	156.3	23.2	18	215.6	32.0	
39	38.6	05.7	99	97.9	14.5	59	157.3	23.3	19	216.6	32.1	
40	39.6	05.9	100	98.9	14.7	60	158.3	23.5	20	217.6	32.3	
41	40.6	06.0	101	99.9	14.8	161	159.3	23.6	221	218.6	32.4	
42	41.5	06.2	02	100.9	15.0	62	160.2	23.8	22	219.6	32.6	
43	42.5	06.3	03	101.9	15.1	63	161.2	23.9	23	220.6	32.7	
44	43.5	06.5	04	102.9	15.3	64	162.2	24.1	24	221.6	32.9	
45	44.5	06.6	05	103.9	15.4	65	163.2	24.2	25	222.6	33.0	
46	45.5	06.7	06	104.9	15.6	66	164.2	24.4	26	223.6	33.2	
47	46.5	06.9	07	105.8	15.7	67	165.2	24.5	27	224.5	33.3	
48	47.5	07.0	08	106.8	15.8	68	166.2	24.7	28	225.5	33.5	
49	48.5	07.2	09	107.8	16.0	69	167.2	24.8	29	226.5	33.6	
50	49.5	07.3	10	108.8	16.1	70	168.2	24.9	30	227.5	33.7	
51	50.4	07.5	111	109.8	16.3	171	169.1	25.1	231	228.5	33.9	
52	51.4	07.6	12	110.8	16.4	72	170.1	25.2	32	229.5	34.0	
53	52.4	07.8	13	111.8	16.6	73	171.1	25.4	33	230.5	34.2	
54	53.4	07.9	14	112.8	16.7	74	172.1	25.5	34	231.5	34.3	
55	54.4	08.1	15	113.8	16.9	75	173.1	25.7	35	232.5	34.5	
56	55.4	08.2	16	114.7	17.0	76	174.1	25.8	36	233.4	34.6	
57	56.4	08.4	17	115.7	17.2	77	175.1	26.0	37	234.4	34.8	
58	57.4	08.5	18	116.7	17.3	78	176.1	26.1	38	235.4	34.9	
59	58.4	08.7	19	117.7	17.5	79	177.1	26.3	39	236.4	35.1	
60	59.4	08.8	20	118.7	17.6	80	178.1	26.4	40	237.4	35.2	
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	
E. 1/4 N.			E. 1/4 S.			W. 1/4 N.			W. 1/4 S.			[For 1/4 Points.]



TABLE I.

Difference of Latitude and Departure for 1 Point.

N.b.E.			N.b.W.			S.b.E.			S.b.W.			
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	
1	01.0	00.2	61	59.8	11.9	121	118.7	23.6	131	177.5	35.3	
2	02.0	00.4	62	60.3	12.1	22	119.7	23.8	32	178.5	35.5	
3	02.9	00.6	63	61.8	12.3	23	120.6	24.0	43	179.5	35.7	
4	03.9	00.8	64	62.8	12.5	24	121.6	24.2	54	180.5	35.9	
5	04.9	01.0	65	63.8	12.7	25	122.6	24.4	65	181.4	36.1	
6	05.9	01.2	66	64.7	12.9	26	123.6	24.6	76	182.4	36.3	
7	06.9	01.4	67	65.7	13.1	27	124.6	24.8	87	183.4	36.5	
8	07.8	01.6	68	66.7	13.3	28	125.5	25.0	98	184.4	36.7	
9	08.8	01.8	69	67.7	13.5	29	126.5	25.2	109	185.4	36.9	
10	09.8	02.0	70	68.7	13.7	30	127.5	25.4	120	186.3	37.1	
11	10.8	02.1	71	69.6	13.9	131	128.5	25.6	131	187.3	37.3	
12	11.8	02.3	72	70.6	14.0	32	129.5	25.8	92	188.3	37.5	
13	12.8	02.5	73	71.6	14.2	33	130.4	25.9	93	189.3	37.7	
14	13.7	02.7	74	72.6	14.4	34	131.4	26.1	94	190.3	37.8	
15	14.7	02.9	75	73.6	14.6	35	132.4	26.3	95	191.3	38.0	
16	15.7	03.1	76	74.5	14.8	36	133.4	26.5	96	192.2	38.2	
17	16.7	03.3	77	75.5	15.0	37	134.4	26.7	97	193.2	38.4	
18	17.7	03.5	78	76.5	15.2	38	135.3	26.9	98	194.2	38.6	
19	18.6	03.7	79	77.5	15.4	39	136.3	27.1	99	195.2	38.8	
20	19.6	03.9	80	78.5	15.6	40	137.3	27.3	200	196.2	39.0	
21	20.6	04.1	81	79.4	15.8	141	138.3	27.5	201	197.1	39.2	
22	21.6	04.3	82	80.4	16.0	42	139.3	27.7	62	198.1	39.4	
23	22.6	04.5	83	81.4	16.2	43	140.3	27.9	63	199.1	39.6	
24	23.5	04.7	84	82.4	16.4	44	141.2	28.1	64	200.1	39.8	
25	24.5	04.9	85	83.4	16.6	45	142.2	28.3	65	201.1	40.0	
26	25.5	05.1	86	84.3	16.8	46	143.2	28.5	66	202.0	40.2	
27	26.5	05.3	87	85.3	17.0	47	144.2	28.7	67	203.0	40.4	
28	27.5	05.5	88	86.3	17.2	48	145.2	28.9	68	204.0	40.6	
29	28.4	05.7	89	87.3	17.4	49	146.1	29.1	69	205.0	40.8	
30	29.4	05.9	90	88.3	17.6	50	147.1	29.3	10	206.0	41.0	
31	30.4	06.0	91	89.3	17.8	151	148.1	29.5	211	206.9	41.2	
32	31.4	06.2	92	90.2	17.9	52	149.1	29.7	12	207.9	41.4	
33	32.4	06.4	93	91.2	18.1	53	150.1	29.8	13	208.9	41.6	
34	33.3	06.6	94	92.2	18.3	54	151.0	30.0	14	209.9	41.7	
35	34.3	06.8	95	93.2	18.5	55	152.0	30.2	15	210.9	41.9	
36	35.2	07.0	96	94.2	18.7	56	153.0	30.4	16	211.8	42.1	
37	36.3	07.2	97	95.1	18.9	57	154.0	30.6	17	212.8	42.3	
38	37.3	07.4	98	96.1	19.1	58	155.0	30.8	18	213.8	42.5	
39	38.3	07.6	99	97.1	19.3	59	155.9	31.0	19	214.8	42.7	
40	39.2	07.8	100	98.1	19.5	60	156.9	31.2	20	215.8	42.9	
41	40.2	08.0	101	99.1	19.7	161	157.9	31.4	221	216.8	43.1	
42	41.2	08.2	02	100.0	19.9	62	158.9	31.6	22	217.7	43.3	
43	42.2	08.4	03	101.0	20.1	63	159.9	31.8	23	218.7	43.5	
44	43.2	08.6	04	102.0	20.3	64	160.8	32.0	24	219.7	43.7	
45	44.1	08.8	05	103.0	20.5	65	161.8	32.2	25	220.7	43.9	
46	45.1	09.0	06	104.0	20.7	66	162.8	32.4	26	221.7	44.1	
47	46.1	09.2	07	104.9	20.9	67	163.8	32.6	27	222.6	44.3	
48	47.1	09.4	08	105.9	21.1	68	164.8	32.8	28	223.6	44.5	
49	48.1	09.6	09	106.9	21.3	69	165.8	33.0	29	224.6	44.7	
50	49.0	09.8	10	107.9	21.5	70	166.7	33.2	30	225.6	44.9	
51	50.0	09.9	111	108.9	21.7	171	167.7	33.4	231	226.6	45.1	
52	51.0	10.1	12	109.8	21.9	72	168.7	33.6	32	227.5	45.3	
53	52.0	10.3	13	110.8	22.0	73	169.7	33.8	33	228.5	45.5	
54	53.0	10.5	14	111.8	22.2	74	170.7	33.9	34	229.5	45.7	
55	53.9	10.7	15	112.8	22.4	75	171.6	34.1	35	230.5	45.8	
56	54.9	10.9	16	113.8	22.6	76	172.6	34.3	36	231.5	46.0	
57	55.9	11.1	17	114.8	22.8	77	173.6	34.5	37	232.4	46.2	
58	56.9	11.3	18	115.7	23.0	78	174.6	34.7	38	233.4	46.4	
59	57.9	11.5	19	116.7	23.2	79	175.6	34.9	39	234.4	46.6	
60	58.8	11.7	20	117.7	23.4	80	176.5	35.1	40	235.4	46.8	
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	
E.b.N.			E.b.S.			W.b.N.			W.b.S.			(For 7 Points)

TABLE I.

Difference of Latitude and Departure for 1/4 Points.

N.b.E.¼E.			N.b.W.¼W.			S.b.E.¼E.			S.b.W.¼W.					
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.			
1	01.0	00.2	61	59.2	14.8	121	117.4	29.4	181	175.6	44.0	241	233.8	58.6
2	01.9	00.5	62	60.1	15.1	22	118.3	29.6	82	176.5	44.2	42	234.7	58.8
3	02.9	00.7	63	61.1	15.3	23	119.3	29.9	83	177.5	44.5	43	235.7	59.0
4	03.9	01.0	64	62.1	15.6	24	120.3	30.1	84	178.5	44.7	44	236.7	59.3
5	04.9	01.2	65	63.1	15.8	25	121.3	30.4	85	179.5	45.0	45	237.7	59.5
6	05.8	01.5	66	64.0	16.0	26	122.2	30.6	86	180.4	45.2	46	238.6	59.8
7	06.8	01.7	67	65.0	16.3	27	123.2	30.9	87	181.4	45.4	47	239.6	60.0
8	07.8	01.9	68	66.0	16.5	28	124.2	31.1	88	182.4	45.7	48	240.6	60.3
9	08.7	02.2	69	66.9	16.8	29	125.1	31.3	89	183.3	45.9	49	241.5	60.5
10	09.7	02.4	70	67.9	17.0	30	126.1	31.6	90	184.3	46.2	50	242.5	60.7
11	10.7	02.7	71	68.9	17.3	131	127.1	31.8	191	185.3	46.4	251	243.5	61.0
12	11.6	02.9	72	69.8	17.5	32	128.0	32.1	92	186.2	46.7	52	244.4	61.2
13	12.6	03.2	73	70.8	17.7	33	129.0	32.3	93	187.2	46.9	53	245.4	61.5
14	13.6	03.4	74	71.8	18.0	34	130.0	32.6	94	188.2	47.1	54	246.4	61.7
15	14.6	03.6	75	72.8	18.2	35	131.0	32.8	95	189.2	47.4	55	247.4	62.0
16	15.5	03.9	76	73.7	18.5	36	131.9	33.0	96	190.1	47.6	56	248.3	62.2
17	16.5	04.1	77	74.7	18.7	37	132.9	33.3	97	191.1	47.9	57	249.3	62.4
18	17.5	04.4	78	75.7	19.0	38	133.9	33.5	98	192.1	48.1	58	250.3	62.7
19	18.4	04.6	79	76.6	19.2	39	134.8	33.8	99	193.0	48.4	59	251.2	62.9
20	19.4	04.9	80	77.6	19.4	40	135.8	34.0	200	194.0	48.6	60	252.2	63.2
21	20.4	05.1	81	78.6	19.7	141	136.8	34.3	201	195.0	48.8	261	253.2	63.4
22	21.3	05.3	82	79.5	19.9	42	137.7	34.5	02	195.9	49.1	62	254.1	63.7
23	22.3	05.6	83	80.5	20.2	43	138.7	34.7	03	196.9	49.3	63	255.1	63.9
24	23.3	05.8	84	81.5	20.4	44	139.7	35.0	04	197.9	49.6	64	256.1	64.1
25	24.3	06.1	85	82.5	20.7	45	140.7	35.2	05	198.9	49.8	65	257.1	64.4
26	25.2	06.3	86	83.4	20.9	46	141.6	35.5	06	199.8	50.1	66	258.0	64.6
27	26.2	06.6	87	84.4	21.1	47	142.6	35.7	07	200.8	50.3	67	259.0	64.9
28	27.2	06.8	88	85.4	21.4	48	143.6	36.0	08	201.8	50.5	68	260.0	65.1
29	28.1	07.0	89	86.3	21.6	49	144.5	36.2	09	202.7	50.8	69	260.9	65.4
30	29.1	07.3	90	87.3	21.9	50	145.5	36.4	10	203.7	51.0	70	261.9	65.6
31	30.1	07.5	91	88.3	22.1	151	146.5	36.7	211	204.7	51.3	271	262.9	65.8
32	31.0	07.8	92	89.2	22.4	52	147.4	36.9	12	205.6	51.5	72	263.8	66.1
33	32.0	08.0	93	90.2	22.6	53	148.4	37.2	13	206.6	51.8	73	264.8	66.3
34	33.0	08.3	94	91.2	22.8	54	149.4	37.4	14	207.6	52.0	74	265.8	66.6
35	34.0	08.5	95	92.2	23.1	55	150.4	37.7	15	208.6	52.2	75	266.8	66.8
36	34.9	08.7	96	93.1	23.3	56	151.3	37.9	16	209.5	52.5	76	267.7	67.1
37	35.9	09.0	97	94.1	23.6	57	152.3	38.1	17	210.5	52.7	77	268.7	67.3
38	36.9	09.2	98	95.1	23.8	58	153.3	38.4	18	211.5	53.0	78	269.7	67.5
39	37.8	09.5	99	96.0	24.1	59	154.2	38.6	19	212.4	53.2	79	270.6	67.8
40	38.8	09.7	100	97.0	24.3	60	155.2	38.9	20	213.4	53.5	80	271.6	68.0
41	39.8	10.0	101	98.0	24.5	161	156.2	39.1	221	214.4	53.7	281	272.6	68.3
42	40.7	10.2	02	98.9	24.8	62	157.1	39.4	22	215.3	53.9	82	273.5	68.5
43	41.7	10.4	03	99.9	25.0	63	158.1	39.6	23	216.3	54.2	83	274.5	68.8
44	42.7	10.7	04	100.9	25.3	64	159.1	39.8	24	217.3	54.4	84	275.5	69.0
45	43.7	10.9	05	101.9	25.5	65	160.1	40.1	25	218.3	54.7	85	276.5	69.2
46	44.6	11.2	06	102.8	25.8	66	161.0	40.3	26	219.2	54.9	86	277.4	69.5
47	45.6	11.4	07	103.8	26.0	67	162.0	40.6	27	220.2	55.2	87	278.4	69.7
48	46.6	11.7	08	104.8	26.2	68	163.0	40.8	28	221.2	55.4	88	279.4	70.0
49	47.5	11.9	09	105.7	26.5	69	163.9	41.1	29	222.1	55.6	89	280.3	70.2
50	48.5	12.1	10	106.7	26.7	70	164.9	41.3	30	223.1	55.9	90	281.3	70.5
51	49.5	12.4	111	107.7	27.0	171	165.9	41.5	231	224.1	56.1	291	282.3	70.7
52	50.4	12.6	12	108.6	27.2	72	166.8	41.8	32	225.0	56.4	92	283.2	71.0
53	51.4	12.9	13	109.6	27.5	73	167.8	42.0	33	226.0	56.6	93	284.2	71.2
54	52.4	13.1	14	110.6	27.7	74	168.8	42.3	34	227.0	56.9	94	285.2	71.4
55	53.4	13.4	15	111.6	27.9	75	169.8	42.5	35	228.0	57.1	95	286.2	71.7
56	54.3	13.6	16	112.5	28.2	76	170.7	42.8	36	228.9	57.3	96	287.1	71.9
57	55.3	13.8	17	113.5	28.4	77	171.7	43.0	37	229.9	57.6	97	288.1	72.2
58	56.3	14.1	18	114.5	28.7	78	172.7	43.3	38	230.9	57.8	98	289.1	72.4
59	57.2	14.3	19	115.4	28.9	79	173.6	43.5	39	231.8	58.1	99	290.0	72.7
60	58.2	14.6	20	116.4	29.2	80	174.6	43.7	40	232.8	58.3	300	291.0	72.9
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.
E.N.E.¼E.			E.S.E.¼E.			W.N.W.¼W.			W.S.W.¼W.			[For 6¼ Points.		

TABLE I.

Difference of Latitude and Departure for 1 $\frac{1}{2}$  Points.

N.b.E.½E.			N.b.W.½W.			S.b.E.½E.			S.b.W.½W.					
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.			
1	01.0	00.3	61	58.4	17.7	121	115.8	35.1	181	173.2	52.5	241	230.6	70.0
2	01.9	00.6	62	59.3	18.0	22	116.7	35.4	82	174.2	52.8	42	231.6	70.2
3	02.9	00.9	63	60.3	18.3	23	117.7	35.7	83	175.1	53.1	43	232.5	70.5
4	03.8	01.2	64	61.2	18.6	24	118.7	36.0	84	176.1	53.4	44	233.5	70.8
5	04.8	01.5	65	62.2	18.9	25	119.6	36.3	85	177.0	53.7	45	234.5	71.1
6	05.7	01.7	66	63.2	19.2	26	120.6	36.6	86	178.0	54.0	46	235.4	71.4
7	06.7	02.0	67	64.1	19.4	27	121.5	36.9	87	178.9	54.3	47	236.4	71.7
8	07.7	02.3	68	65.1	19.7	28	122.5	37.2	88	179.9	54.6	48	237.3	72.0
9	08.6	02.6	69	66.0	20.0	29	123.4	37.4	89	180.9	54.9	49	238.3	72.3
10	09.6	02.9	70	67.0	20.3	30	124.4	37.7	90	181.8	55.2	50	239.2	72.6
11	10.5	03.2	71	67.9	20.6	131	125.4	38.0	191	182.8	55.4	251	240.2	72.9
12	11.5	03.5	72	68.9	20.9	32	126.3	38.3	92	183.7	55.7	52	241.1	73.2
13	12.4	03.8	73	69.9	21.2	33	127.3	38.6	93	184.7	56.0	53	242.1	73.4
14	13.4	04.1	74	70.8	21.5	34	128.2	38.9	94	185.6	56.3	54	243.1	73.7
15	14.4	04.4	75	71.8	21.8	35	129.2	39.2	95	186.6	56.6	55	244.0	74.0
16	15.3	04.6	76	72.7	22.1	36	130.1	39.5	96	187.6	56.9	56	245.0	74.3
17	16.3	04.9	77	73.7	22.4	37	131.1	39.8	97	188.5	57.2	57	245.9	74.6
18	17.2	05.2	78	74.6	22.6	38	132.1	40.1	98	189.5	57.5	58	246.9	74.9
19	18.1	05.5	79	75.6	22.9	39	133.0	40.3	99	190.4	57.8	59	247.8	75.2
20	19.1	05.8	80	76.6	23.2	40	134.0	40.6	200	191.4	58.1	60	248.8	75.5
21	20.1	06.1	81	77.5	23.5	141	134.9	40.9	201	192.3	58.3	261	249.8	75.8
22	21.1	06.4	82	78.5	23.8	42	135.9	41.2	02	193.3	58.6	62	250.7	76.1
23	22.0	06.7	83	79.4	24.1	43	136.8	41.5	03	194.3	58.9	63	251.7	76.3
24	23.0	07.0	84	80.4	24.4	44	137.8	41.8	04	195.2	59.2	64	252.6	76.6
25	23.9	07.3	85	81.3	24.7	45	138.8	42.1	05	196.2	59.5	65	253.6	76.9
26	24.9	07.5	86	82.3	25.0	46	139.7	42.4	06	197.1	59.8	66	254.5	77.2
27	25.8	07.8	87	83.3	25.3	47	140.7	42.7	07	198.1	60.1	67	255.5	77.5
28	26.8	08.1	88	84.2	25.5	48	141.6	43.0	08	199.0	60.4	68	256.5	77.8
29	27.8	08.4	89	85.2	25.8	49	142.6	43.3	09	200.0	60.7	69	257.4	78.1
30	28.7	08.7	90	86.1	26.1	50	143.5	43.5	10	201.0	61.0	70	258.4	78.4
31	29.7	09.0	91	87.1	26.4	151	144.5	43.8	211	201.9	61.3	271	259.3	78.7
32	30.6	09.3	92	88.0	26.7	52	145.5	44.1	12	202.9	61.5	72	260.3	79.0
33	31.6	09.6	93	89.0	27.0	53	146.4	44.4	13	203.8	61.8	73	261.2	79.2
34	32.5	09.9	94	90.0	27.3	54	147.4	44.7	14	204.8	62.1	74	262.2	79.5
35	33.5	10.2	95	90.9	27.6	55	148.3	45.0	15	205.7	62.4	75	263.2	79.8
36	34.4	10.5	96	91.9	27.9	56	149.3	45.3	16	206.7	62.7	76	264.1	80.1
37	35.4	10.7	97	92.8	28.2	57	150.2	45.6	17	207.7	63.0	77	265.1	80.4
38	36.4	11.0	98	93.8	28.4	58	151.2	45.9	18	208.6	63.3	78	266.0	80.7
39	37.3	11.3	99	94.7	28.7	59	152.2	46.2	19	209.6	63.6	79	267.0	81.0
40	38.3	11.6	100	95.7	29.0	60	153.1	46.4	20	210.5	63.9	80	267.9	81.3
41	39.2	11.9	101	96.7	29.3	161	154.1	46.7	221	211.5	64.2	281	268.9	81.6
42	40.2	12.2	02	97.6	29.6	62	155.0	47.0	22	212.4	64.4	82	269.9	81.9
43	41.1	12.5	03	98.6	29.9	63	156.0	47.3	23	213.4	64.7	83	270.8	82.2
44	42.1	12.8	04	99.5	30.2	64	156.9	47.6	24	214.4	65.0	84	271.8	82.4
45	43.1	13.1	05	100.5	30.5	65	157.9	47.9	25	215.3	65.3	85	272.7	82.7
46	44.0	13.4	06	101.4	30.8	66	158.9	48.2	26	216.3	65.6	86	273.7	83.0
47	45.0	13.6	07	102.4	31.1	67	159.8	48.5	27	217.2	65.9	87	274.6	83.3
48	45.9	13.9	08	103.3	31.4	68	160.8	48.8	28	218.2	66.2	88	275.6	83.6
49	46.9	14.2	09	104.3	31.6	69	161.7	49.1	29	219.1	66.5	89	276.6	83.9
50	47.8	14.5	10	105.3	31.9	70	162.7	49.3	30	220.1	66.8	90	277.5	84.2
51	48.8	14.8	111	106.2	32.2	171	163.6	49.6	231	221.1	67.1	291	278.5	84.5
52	49.8	15.1	12	107.2	32.5	72	164.6	49.9	32	222.0	67.3	92	279.4	84.8
53	50.7	15.4	13	108.1	32.8	73	165.6	50.2	33	223.0	67.6	93	280.4	85.1
54	51.7	15.7	14	109.1	33.1	74	166.5	50.5	34	223.9	67.9	94	281.3	85.3
55	52.6	16.0	15	110.0	33.4	75	167.5	50.8	35	224.9	68.2	95	282.3	85.6
56	53.6	16.3	16	111.0	33.7	76	168.4	51.1	36	225.8	68.5	96	283.3	85.9
57	54.5	16.5	17	112.0	34.0	77	169.4	51.4	37	226.8	68.8	97	284.2	86.2
58	55.5	16.8	18	112.9	34.3	78	170.3	51.7	38	227.8	69.1	98	285.2	86.5
59	56.5	17.1	19	113.9	34.5	79	171.3	52.0	39	228.7	69.4	99	286.1	86.8
60	57.4	17.4	20	114.8	34.8	80	172.2	52.3	40	229.7	69.7	300	287.1	87.1
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.
E.N.E.½E.			E.S.E.½E.			W.N.W.½W.			W.S.W.½W.			[For 64 Points.]		

TABLE I.

Difference of Latitude and Departure for 14 Points.

N.b.E.½E.			N.b.W.½W.			S.b.E.½E.			S.b.W.½W.			
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	
1	00.9	00.3	61	57.4	20.6	121	113.9	40.8	181	170.4	61.0	
2	01.9	00.7	62	58.4	20.9	22	114.9	41.1	82	171.4	61.3	
3	02.8	01.0	63	59.3	21.2	23	115.8	41.4	83	172.3	61.7	
4	03.8	01.3	64	60.3	21.6	24	116.8	41.8	84	173.2	62.0	
5	04.7	01.7	65	61.2	21.9	25	117.7	42.1	85	174.2	62.3	
6	05.6	02.0	66	62.1	22.2	26	118.6	42.4	86	175.1	62.7	
7	06.6	02.4	67	63.1	22.6	27	119.6	42.8	87	176.1	63.0	
8	07.5	02.7	68	64.0	22.9	28	120.5	43.1	88	177.0	63.3	
9	08.5	03.0	69	65.0	23.2	29	121.5	43.5	89	178.0	63.7	
10	09.4	03.4	70	65.9	23.6	30	122.4	43.8	90	178.9	64.0	
11	10.4	03.7	71	66.8	23.9	131	123.3	44.1	191	179.8	64.3	
12	11.3	04.0	72	67.8	24.3	32	124.3	44.5	92	180.8	64.7	
13	12.2	04.4	73	68.7	24.6	33	125.2	44.8	93	181.7	65.0	
14	13.2	04.7	74	69.7	24.9	34	126.2	45.1	94	182.7	65.4	
15	14.1	05.1	75	70.6	25.3	35	127.1	45.5	95	183.6	65.7	
16	15.1	05.4	76	71.6	25.6	36	128.0	45.8	96	184.5	66.0	
17	16.0	05.7	77	72.5	25.9	37	129.0	46.2	97	185.5	66.4	
18	16.9	06.1	78	73.4	26.3	38	129.9	46.5	98	186.4	66.7	
19	17.9	06.4	79	74.4	26.6	39	130.9	46.8	99	187.4	67.0	
20	18.8	06.7	80	75.3	27.0	40	131.8	47.2	200	188.3	67.4	
21	19.8	07.1	81	76.3	27.3	141	132.8	47.5	201	189.3	67.7	
22	20.7	07.4	82	77.2	27.6	42	133.7	47.8	02	190.2	68.1	
23	21.7	07.7	83	78.1	28.0	43	134.6	48.2	03	191.1	68.4	
24	22.6	08.1	84	79.1	28.3	44	135.6	48.5	04	192.1	68.7	
25	23.5	08.4	85	80.0	28.6	45	136.5	48.8	05	193.0	69.1	
26	24.5	08.8	86	81.0	29.0	46	137.5	49.2	06	194.0	69.4	
27	25.4	09.1	87	81.9	29.3	47	138.4	49.5	07	194.9	69.7	
28	26.4	09.4	88	82.9	29.6	48	139.3	49.9	08	195.8	70.1	
29	27.3	09.8	89	83.8	30.0	49	140.3	50.2	09	196.8	70.4	
30	28.2	10.1	90	84.7	30.3	50	141.2	50.5	10	197.7	70.7	
31	29.2	10.4	91	85.7	30.7	151	142.2	50.9	211	198.7	71.1	
32	30.1	10.8	92	86.6	31.0	52	143.1	51.2	12	199.6	71.4	
33	31.1	11.1	93	87.6	31.3	53	144.1	51.5	13	200.5	71.8	
34	32.0	11.5	94	88.5	31.7	54	145.0	51.9	14	201.5	72.1	
35	33.0	11.8	95	89.4	32.0	55	145.9	52.2	15	202.4	72.4	
36	33.9	12.1	96	90.4	32.3	56	146.9	52.6	16	203.4	72.8	
37	34.8	12.5	97	91.3	32.7	57	147.8	52.9	17	204.3	73.1	
38	35.3	12.8	98	92.3	33.0	58	148.8	53.2	18	205.3	73.4	
39	36.7	13.1	99	93.2	33.4	59	149.7	53.6	19	206.2	73.8	
40	37.7	13.5	100	94.2	33.7	60	150.6	53.9	20	207.1	74.1	
41	38.6	13.8	101	95.1	34.0	161	151.6	54.2	221	208.1	74.5	
42	39.5	14.1	02	96.0	34.4	62	152.5	54.6	22	209.0	74.8	
43	40.5	14.5	03	97.0	34.7	63	153.5	54.9	23	210.0	75.1	
44	41.4	14.8	04	97.9	35.0	64	154.4	55.2	24	210.9	75.5	
45	42.4	15.2	05	98.9	35.4	65	155.4	55.6	25	211.8	75.8	
46	43.3	15.5	06	99.8	35.7	66	156.3	55.9	26	212.8	76.1	
47	44.3	15.8	07	100.7	36.0	67	157.2	56.3	27	213.7	76.5	
48	45.2	16.2	08	101.7	36.4	68	158.2	56.6	28	214.7	76.8	
49	46.1	16.5	09	102.6	36.7	69	159.1	56.9	29	215.6	77.1	
50	47.1	16.8	10	103.6	37.1	70	160.1	57.3	30	216.6	77.5	
51	48.0	17.2	111	104.5	37.4	171	161.0	57.6	231	217.5	77.8	
52	49.0	17.5	12	105.5	37.7	72	161.9	57.9	32	218.4	78.2	
53	49.9	17.9	13	106.4	38.1	73	162.9	58.3	33	219.4	78.5	
54	50.8	18.2	14	107.3	38.4	74	163.8	58.6	34	220.3	78.8	
55	51.8	18.5	15	108.3	38.7	75	164.8	59.0	35	221.3	79.2	
56	52.7	18.9	16	109.2	39.1	76	165.7	59.3	36	222.2	79.5	
57	53.7	19.2	17	110.2	39.4	77	166.7	59.6	37	223.1	79.8	
58	54.6	19.5	18	111.1	39.8	78	167.6	60.0	38	224.1	80.2	
59	55.6	19.9	19	112.0	40.1	79	168.5	60.3	39	225.0	80.6	
60	56.5	20.2	20	113.0	40.4	80	169.5	60.6	40	226.0	80.9	
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	
E.N.E.½E.			E.S.E.½E.			W.N.W.½W.			W.S.W.½W.			[For 64 Points.

TABLE I.

Difference of Latitude and Departure for 2 Points.

N.N.E.			N.N.W.			S.S.E.			S.S.W.		
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.4	61	56.4	23.3	121	111.8	46.3	181	167.2	69.3
2	01.8	00.8	62	57.3	23.7	22	112.7	46.7	82	168.1	69.6
3	02.8	01.1	63	58.2	24.1	23	113.6	47.1	83	169.1	70.0
4	03.7	01.5	64	59.1	24.5	24	114.6	47.5	84	170.0	70.4
5	04.6	01.9	65	60.1	24.9	25	115.5	47.8	85	170.9	70.8
6	05.5	02.3	66	61.0	25.3	26	116.4	48.2	86	171.8	71.2
7	06.5	02.7	67	61.9	25.6	27	117.3	48.6	87	172.8	71.6
8	07.4	03.1	68	62.8	26.0	28	118.3	49.0	88	173.7	71.9
9	08.3	03.4	69	63.7	26.4	29	119.2	49.4	89	174.6	72.3
10	09.2	03.8	70	64.7	26.8	30	120.1	49.7	90	175.5	72.7
11	10.2	04.2	71	65.6	27.2	131	121.0	50.1	191	176.5	73.1
12	11.1	04.6	72	66.5	27.6	32	122.0	50.5	92	177.4	73.5
13	12.0	05.0	73	67.4	27.9	33	122.9	50.9	93	178.3	73.9
14	12.9	05.4	74	68.4	28.3	34	123.8	51.3	94	179.2	74.2
15	13.9	05.7	75	69.3	28.7	35	124.7	51.7	95	180.2	74.6
16	14.8	06.1	76	70.2	29.1	36	125.6	52.0	96	181.1	75.0
17	15.7	06.5	77	71.1	29.5	37	126.6	52.4	97	182.0	75.4
18	16.6	06.9	78	72.1	29.8	38	127.5	52.8	98	182.9	75.8
19	17.6	07.3	79	73.0	30.2	39	128.4	53.2	99	183.9	76.2
20	18.5	07.7	80	73.9	30.6	40	129.3	53.6	200	184.8	76.5
21	19.4	08.0	81	74.8	31.0	141	130.3	54.0	201	185.7	76.9
22	20.3	08.4	82	75.8	31.4	42	131.2	54.3	02	186.6	77.3
23	21.2	08.8	83	76.7	31.8	43	132.1	54.7	03	187.5	77.7
24	22.2	09.2	84	77.6	32.1	44	133.0	55.1	04	188.5	78.1
25	23.1	09.6	85	78.5	32.5	45	134.0	55.5	05	189.4	78.5
26	24.0	09.9	86	79.5	32.9	46	134.9	55.9	06	190.3	78.8
27	24.9	10.3	87	80.4	33.3	47	135.8	56.3	07	191.2	79.2
28	25.9	10.7	88	81.3	33.7	48	136.7	56.6	08	192.2	79.6
29	26.8	11.1	89	82.2	34.1	49	137.7	57.0	09	193.1	80.0
30	27.7	11.5	90	83.1	34.4	50	138.6	57.4	10	194.0	80.4
31	28.6	11.9	91	84.1	34.8	151	139.5	57.8	211	194.9	80.7
32	29.6	12.2	92	85.0	35.2	52	140.4	58.2	12	195.9	81.1
33	30.5	12.6	93	85.9	35.6	53	141.4	58.6	13	196.8	81.5
34	31.4	13.0	94	86.8	36.0	54	142.3	58.9	14	197.7	81.9
35	32.3	13.4	95	87.8	36.4	55	143.2	59.3	15	198.6	82.3
36	33.3	13.8	96	88.7	36.7	56	144.1	59.7	16	199.6	82.7
37	34.2	14.2	97	89.6	37.1	57	145.0	60.1	17	200.5	83.0
38	35.1	14.5	98	90.5	37.5	58	146.0	60.5	18	201.4	83.4
39	36.0	14.9	99	91.5	37.9	59	146.9	60.8	19	202.3	83.8
40	37.0	15.3	100	92.4	38.3	60	147.8	61.2	20	203.3	84.2
41	37.9	15.7	101	93.3	38.7	161	148.7	61.6	221	204.2	84.6
42	38.8	16.1	02	94.2	39.0	62	149.7	62.0	22	205.1	85.0
43	39.7	16.5	03	95.2	39.4	63	150.6	62.4	23	206.0	85.3
44	40.7	16.8	04	96.1	39.8	64	151.5	62.8	24	206.9	85.7
45	41.6	17.2	05	97.0	40.2	65	152.4	63.1	25	207.9	86.1
46	42.5	17.6	06	97.9	40.6	66	153.4	63.5	26	208.8	86.5
47	43.4	18.0	07	98.9	40.9	67	154.3	63.9	27	209.7	86.9
48	44.3	18.4	08	99.8	41.3	68	155.2	64.3	28	210.6	87.3
49	45.3	18.8	09	100.7	41.7	69	156.1	64.7	29	211.6	87.6
50	46.2	19.1	10	101.6	42.1	70	157.1	65.1	30	212.5	88.0
51	47.1	19.5	111	102.6	42.5	171	158.0	65.4	231	213.4	88.4
52	48.0	19.9	12	103.5	42.9	72	158.9	65.8	32	214.3	88.8
53	49.0	20.3	13	104.4	43.2	73	159.8	66.2	33	215.3	89.2
54	49.9	20.7	14	105.3	43.6	74	160.8	66.6	34	216.2	89.5
55	50.8	21.0	15	106.2	44.0	75	161.7	67.0	35	217.1	89.9
56	51.7	21.4	16	107.2	44.4	76	162.6	67.4	36	218.0	90.3
57	52.7	21.8	17	108.1	44.8	77	163.5	67.7	37	219.0	90.7
58	53.6	22.2	18	109.0	45.2	78	164.5	68.1	38	219.9	91.1
59	54.5	22.6	19	109.9	45.5	79	165.4	68.5	39	220.8	91.5
60	55.4	23.0	20	110.9	45.9	80	166.3	68.9	40	221.7	91.8
211	250.4	103.7	271	250.4	103.7	271	250.4	103.7	271	250.4	103.7
321	251.3	104.1	321	251.3	104.1	321	251.3	104.1	321	251.3	104.1
431	252.2	104.5	431	252.2	104.5	431	252.2	104.5	431	252.2	104.5
541	253.1	104.9	541	253.1	104.9	541	253.1	104.9	541	253.1	104.9
651	254.1	105.2	651	254.1	105.2	651	254.1	105.2	651	254.1	105.2
761	255.0	105.6	761	255.0	105.6	761	255.0	105.6	761	255.0	105.6
871	256.0	106.0	871	256.0	106.0	871	256.0	106.0	871	256.0	106.0
981	257.0	106.8	981	257.0	106.8	981	257.0	106.8	981	257.0	106.8
1091	258.7	107.2	1091	258.7	107.2	1091	258.7	107.2	1091	258.7	107.2
1201	259.6	107.5	1201	259.6	107.5	1201	259.6	107.5	1201	259.6	107.5
1311	260.5	107.9	1311	260.5	107.9	1311	260.5	107.9	1311	260.5	107.9
1421	261.5	108.3	1421	261.5	108.3	1421	261.5	108.3	1421	261.5	108.3
1531	262.4	108.7	1531	262.4	108.7	1531	262.4	108.7	1531	262.4	108.7
1641	263.3	109.1	1641	263.3	109.1	1641	263.3	109.1	1641	263.3	109.1
1751	264.2	109.4	1751	264.2	109.4	1751	264.2	109.4	1751	264.2	109.4
1861	265.2	109.8	1861	265.2	109.8	1861	265.2	109.8	1861	265.2	109.8
1971	266.1	110.2	1971	266.1	110.2	1971	266.1	110.2	1971	266.1	110.2
2081	267.0	110.6	2081	267.0	110.6	2081	267.0	110.6	2081	267.0	110.6
2191	267.9	111.0	2191	267.9	111.0	2191	267.9	111.0	2191	267.9	111.0
2301	268.8	111.4	2301	268.8	111.4	2301	268.8	111.4	2301	268.8	111.4
2411	269.3	111.7	2411	269.3	111.7	2411	269.3	111.7	2411	269.3	111.7
2521	270.7	112.1	2521	270.7	112.1	2521	270.7	112.1	2521	270.7	112.1
2631	271.6	112.5	2631	271.6	112.5	2631	271.6	112.5	2631	271.6	112.5
2741	272.5	112.9	2741	272.5	112.9	2741	272.5	112.9	2741	272.5	112.9
2851	273.5	113.3	2851	273.5	113.3	2851	273.5	113.3	2851	273.5	113.3
2961	274.4	113.7	2961	274.4	113.7	2961	274.4	113.7	2961	274.4	113.7
3071	275.3	114.0	3071	275.3	114.0	3071	275.3	114.0	3071	275.3	114.0
3181	276.2	114.4	3181	276.2	114.4	3181	276.2	114.4	3181	276.2	114.4
3291	277.2	114.8	3291	277.2	114.8	3291	277.2	114.8	3291	277.2	114.8

Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.
E.N.E.			E.S.E.			W.N.W.			W.S.W.		

[For 6 Points.]

TABLE I.

9

Difference of Latitude and Departure for 24 Points.

N.N.E.½E.			N.N.W.½W.			S.S.E.½E.			S.S.W.½W.					
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.			
1	00.9	00.4	61	55.1	26.1	121	109.4	51.7	181	163.6	77.4	241	217.9	103.0
2	01.8	00.9	62	56.0	26.5	22	110.3	52.2	82	164.5	77.8	42	218.8	103.5
3	02.7	01.3	63	57.0	26.9	23	111.2	52.6	83	165.4	78.2	43	219.7	103.9
4	03.6	01.7	64	57.9	27.4	24	112.1	53.0	84	166.3	78.7	44	220.6	104.3
5	04.5	02.1	65	58.8	27.8	25	113.0	53.4	85	167.2	79.1	45	221.5	104.8
6	05.4	02.6	66	59.7	28.2	26	113.9	53.9	86	168.1	79.5	46	222.4	105.2
7	06.3	03.0	67	60.6	28.6	27	114.8	54.3	87	169.0	80.0	47	223.3	105.6
8	07.2	03.4	68	61.5	29.1	28	115.7	54.7	88	169.9	80.4	48	224.2	106.0
9	08.1	03.8	69	62.4	29.5	29	116.6	55.2	89	170.9	80.8	49	225.1	106.5
10	09.0	04.3	70	63.3	29.9	30	117.5	55.6	90	171.8	81.2	50	226.0	106.9
11	09.9	04.7	71	64.2	30.4	131	118.4	56.0	191	172.7	81.7	251	226.9	107.3
12	10.8	05.1	72	65.1	30.8	32	119.3	56.4	92	173.6	82.1	52	227.8	107.7
13	11.8	05.6	73	66.0	31.2	33	120.2	56.9	93	174.5	82.5	53	228.7	108.2
14	12.7	06.0	74	66.9	31.6	34	121.1	57.3	94	175.4	82.9	54	229.6	108.6
15	13.6	06.4	75	67.8	32.1	35	122.0	57.7	95	176.3	83.4	55	230.5	109.0
16	14.5	06.8	76	68.7	32.5	36	122.9	58.1	96	177.2	83.8	56	231.4	109.5
17	15.4	07.3	77	69.6	32.9	37	123.8	58.6	97	178.1	84.2	57	232.3	109.9
18	16.3	07.7	78	70.5	33.3	38	124.8	59.0	98	179.0	84.7	58	233.2	110.3
19	17.2	08.1	79	71.4	33.8	39	125.7	59.4	99	179.9	85.1	59	234.1	110.7
20	18.1	08.6	80	72.3	34.2	40	126.6	59.9	200	180.8	85.5	60	235.0	111.2
21	19.0	09.0	81	73.2	34.6	111	127.5	60.3	201	181.7	85.9	261	235.9	111.6
22	19.9	09.4	82	74.1	35.1	42	128.4	60.7	02	182.6	86.4	62	236.8	112.0
23	20.8	09.8	83	75.0	35.5	43	129.3	61.1	03	183.5	86.8	63	237.7	112.4
24	21.7	10.3	84	75.9	35.9	44	130.2	61.6	04	184.4	87.2	64	238.6	112.9
25	22.6	10.7	85	76.8	36.3	45	131.1	62.0	05	185.3	87.6	65	239.5	113.3
26	23.5	11.1	86	77.7	36.8	46	132.0	62.4	06	186.2	88.1	66	240.4	113.7
27	24.4	11.5	87	78.6	37.2	47	132.9	62.9	07	187.1	88.5	67	241.4	114.2
28	25.3	12.0	88	79.6	37.6	48	133.8	63.3	08	188.0	88.9	68	242.3	114.6
29	26.2	12.4	89	80.5	38.1	49	134.7	63.7	09	188.9	89.4	69	243.2	115.0
30	27.1	12.8	90	81.4	38.5	50	135.6	64.1	10	189.8	89.8	70	244.1	115.4
31	28.0	13.3	91	82.3	38.9	151	136.5	64.6	211	190.7	90.2	271	245.0	115.9
32	28.9	13.7	92	83.2	39.3	52	137.4	65.0	12	191.6	90.6	72	245.9	116.3
33	29.8	14.1	93	84.1	39.8	53	138.3	65.4	13	192.5	91.1	73	246.8	116.7
34	30.7	14.5	94	85.0	40.2	54	139.2	65.8	14	193.5	91.5	74	247.7	117.2
35	31.6	15.0	95	85.9	40.6	55	140.1	66.3	15	194.4	91.9	75	248.6	117.6
36	32.5	15.4	96	86.8	41.0	56	141.0	66.7	16	195.3	92.4	76	249.5	118.0
37	33.4	15.8	97	87.7	41.5	57	141.9	67.1	17	196.2	92.8	77	250.4	118.4
38	34.4	16.2	98	88.6	41.9	58	142.8	67.6	18	197.1	93.2	78	251.3	118.9
39	35.3	16.7	99	89.5	42.3	59	143.7	68.0	19	198.0	93.6	79	252.2	119.3
40	36.2	17.1	100	90.4	42.8	60	144.6	68.4	20	198.9	94.1	80	253.1	119.7
41	37.1	17.5	101	91.3	43.2	161	145.5	68.8	221	199.8	94.5	281	254.0	120.1
42	38.0	18.0	02	92.2	43.6	62	146.4	69.3	22	200.7	94.9	82	254.9	120.6
43	38.9	18.4	03	93.1	44.0	63	147.4	69.7	23	201.6	95.3	83	255.8	121.0
44	39.8	18.8	04	94.0	44.5	64	148.3	70.1	24	202.5	95.8	84	256.7	121.4
45	40.7	19.2	05	94.9	44.9	65	149.2	70.5	25	203.4	96.2	85	257.6	121.9
46	41.6	19.7	06	95.8	45.3	66	150.1	71.0	26	204.3	96.6	86	258.5	122.3
47	42.5	20.1	07	96.7	45.7	67	151.0	71.4	27	205.2	97.1	87	259.4	122.7
48	43.4	20.5	08	97.6	46.2	68	151.9	71.8	28	206.1	97.5	88	260.3	123.1
49	44.3	21.0	09	98.5	46.6	69	152.8	72.3	29	207.0	97.9	89	261.2	123.6
50	45.2	21.4	10	99.4	47.0	70	153.7	72.7	30	207.9	98.3	90	262.1	124.0
51	46.1	21.8	111	100.3	47.5	171	154.6	73.1	231	208.8	98.8	291	263.1	124.4
52	47.0	22.2	12	101.2	47.9	72	155.5	73.5	32	209.7	99.2	92	264.0	124.8
53	47.9	22.7	13	102.2	48.3	73	156.4	74.0	33	210.6	99.6	93	264.9	125.3
54	48.8	23.1	14	103.1	48.7	74	157.3	74.4	34	211.5	100.0	94	265.8	125.7
55	49.7	23.5	15	104.0	49.2	75	158.2	74.8	35	212.4	100.5	95	266.7	126.1
56	50.6	23.9	16	104.9	49.6	76	159.1	75.2	36	213.3	100.9	96	267.6	126.6
57	51.5	24.4	17	105.8	50.0	77	160.0	75.7	37	214.2	101.3	97	268.5	127.0
58	52.4	24.8	18	106.7	50.5	78	160.9	76.1	38	215.1	101.8	98	269.4	127.4
59	53.3	25.2	19	107.6	50.9	79	161.8	76.5	39	216.1	102.2	99	270.3	127.8
60	54.2	25.7	20	108.5	51.3	80	162.7	77.0	40	217.0	102.6	300	271.2	128.3
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.
N.E.½E.			S.E.½E.			N.W.½W.			S.W.½W.			[For 54 Points.		

B

TABLE I.

## Difference of Latitude and Departure for 24 Points.

N.N.E. 45° E.			N.N.W. 45° W.			S.S.E. 45° E.			S.S.W. 45° W.			
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	
1	00.9	00.5	61	53.8	28.3	121	106.7	57.0	181	159.6	95.3	
2	01.3	00.9	62	54.7	29.2	22	107.6	57.5	82	160.3	95.8	
3	02.6	01.4	63	55.6	29.7	23	108.5	58.0	83	161.4	96.3	
4	03.5	01.9	64	56.4	30.2	24	109.4	58.5	84	162.3	96.7	
5	04.4	02.4	65	57.3	30.6	25	110.2	58.9	85	163.2	97.2	
6	05.3	02.8	66	58.2	31.1	26	111.1	59.4	86	164.0	97.7	
7	06.2	03.3	67	59.1	31.6	27	112.0	59.9	87	164.9	98.2	
8	07.1	03.8	68	60.0	32.1	28	112.9	60.3	88	165.8	98.6	
9	07.9	04.2	69	60.9	32.5	29	113.8	60.8	89	166.7	99.1	
10	08.8	04.7	70	61.7	33.0	30	114.6	61.3	90	167.6	99.6	
11	09.7	05.2	71	62.6	33.5	131	115.5	61.8	191	168.4	90.0	
12	10.6	05.7	72	63.5	33.9	32	116.4	62.2	92	169.3	90.5	
13	11.5	06.1	73	64.4	34.4	33	117.3	62.7	93	170.2	91.0	
14	12.3	06.6	74	65.3	34.9	34	118.2	63.2	94	171.1	91.5	
15	13.2	07.1	75	66.1	35.4	35	119.1	63.6	95	172.0	91.9	
16	14.1	07.5	76	67.0	35.8	36	119.9	64.1	96	172.9	92.4	
17	15.0	08.0	77	67.9	36.3	37	120.8	64.6	97	173.7	92.9	
18	15.9	08.5	78	68.8	36.8	38	121.7	65.1	98	174.6	93.3	
19	16.8	09.0	79	69.7	37.2	39	122.6	65.5	99	175.5	93.8	
20	17.6	09.4	80	70.6	37.7	40	123.5	66.0	200	176.4	94.3	
21	18.5	09.9	81	71.4	38.2	141	124.4	66.5	201	177.3	94.8	
22	19.4	10.4	82	72.3	38.7	42	125.2	66.9	02	178.1	95.2	
23	20.3	10.8	83	73.2	39.1	43	126.1	67.4	03	179.0	95.7	
24	21.2	11.3	84	74.1	39.6	44	127.0	67.9	04	179.9	96.2	
25	22.0	11.8	85	75.0	40.1	45	127.9	68.4	05	180.8	96.6	
26	22.9	12.3	86	75.9	40.5	46	128.8	68.8	06	181.7	97.1	
27	23.8	12.7	87	76.7	41.0	47	129.6	69.3	07	182.6	97.6	
28	24.7	13.2	88	77.6	41.5	48	130.5	69.8	08	183.4	98.1	
29	25.6	13.7	89	78.5	42.0	49	131.4	70.2	09	184.3	98.5	
30	26.5	14.1	90	79.4	42.4	50	132.3	70.7	10	185.2	99.0	
31	27.3	14.6	91	80.3	42.9	151	133.2	71.2	211	186.1	99.5	
32	28.2	15.1	92	81.1	43.4	52	134.1	71.7	12	187.0	99.9	
33	29.1	15.6	93	82.0	43.8	53	134.9	72.1	13	187.8	100.4	
34	30.0	16.0	94	82.9	44.3	54	135.8	72.6	14	188.7	100.9	
35	30.9	16.5	95	83.8	44.8	55	136.7	73.1	15	189.6	101.4	
36	31.7	17.0	96	84.7	45.3	56	137.6	73.5	16	190.5	101.8	
37	32.6	17.4	97	85.5	45.7	57	138.5	74.0	17	191.4	102.3	
38	33.5	17.9	98	86.4	46.2	58	139.3	74.5	18	192.3	102.8	
39	34.4	18.4	99	87.3	46.7	59	140.2	75.0	19	193.1	103.2	
40	35.3	18.9	100	88.2	47.1	60	141.1	75.4	20	194.0	103.7	
41	36.2	19.3	101	89.1	47.6	161	142.0	75.9	221	194.9	104.2	
42	37.0	19.8	02	90.0	48.1	62	142.9	76.4	22	195.8	104.7	
43	37.9	20.3	03	90.8	48.6	63	143.8	76.8	23	196.7	105.1	
44	38.8	20.7	04	91.7	49.0	64	144.6	77.3	24	197.6	105.6	
45	39.7	21.2	05	92.6	49.5	65	145.5	77.8	25	198.4	106.1	
46	40.6	21.7	06	93.5	50.0	66	146.4	78.3	26	199.3	106.5	
47	41.5	22.2	07	94.4	50.4	67	147.3	78.7	27	200.2	107.0	
48	42.3	22.6	08	95.2	50.9	68	148.2	79.2	28	201.1	107.5	
49	43.2	23.1	09	96.1	51.4	69	149.0	79.7	29	202.0	107.9	
50	44.1	23.6	10	97.0	51.9	70	149.9	80.1	30	202.8	108.4	
51	45.0	24.0	111	97.9	52.3	171	150.8	80.6	231	203.7	108.9	
52	45.9	24.5	12	98.8	52.8	72	151.7	81.1	32	204.6	109.4	
53	46.7	25.0	13	99.7	53.3	73	152.6	81.6	33	205.5	109.8	
54	47.6	25.5	14	100.5	53.7	74	153.5	82.0	34	206.4	110.3	
55	48.5	25.9	15	101.4	54.2	75	154.3	82.5	35	207.3	110.8	
56	49.4	26.4	16	102.3	54.7	76	155.2	83.0	36	208.1	111.2	
57	50.3	26.9	17	103.2	55.2	77	156.1	83.4	37	209.0	111.7	
58	51.2	27.3	18	104.1	55.6	78	157.0	83.9	38	209.9	112.2	
59	52.0	27.8	19	104.9	56.1	79	157.9	84.4	39	210.8	112.7	
60	52.9	28.3	20	105.8	56.6	80	158.7	84.9	40	211.7	113.1	
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	
N.E.b.E. 45° E.			S.E.b.E. 45° E.			N.W.b.W. 45° W.			S.W.b.W. 45° W.			(For 54 Points.)

TABLE I.

11

Difference of Latitude and Departure for 24 Points.

N.N.E. 45° E.			N.N.W. 45° W.			S.S.E. 45° E.			S.S.W. 45° W.			
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	
1	00.9	00.5	61	52.3	31.4	121	103.8	62.2	181	155.2	93.1	
2	01.7	01.0	62	53.2	31.9	22	104.6	62.7	82	156.1	93.6	
3	02.6	01.5	63	54.0	32.4	23	105.5	63.2	83	157.0	94.1	
4	03.4	02.1	64	54.9	32.9	24	106.4	63.7	84	157.8	94.6	
5	04.3	02.6	65	55.8	33.4	25	107.2	64.3	85	158.7	95.1	
6	05.1	03.1	66	56.6	33.9	26	108.1	64.8	86	159.5	95.6	
7	06.0	03.6	67	57.5	34.4	27	108.9	65.3	87	160.4	96.1	
8	06.9	04.1	68	58.3	35.0	28	109.8	65.8	88	161.3	96.7	
9	07.7	04.6	69	59.2	35.5	29	110.6	66.3	89	162.1	97.2	
10	08.6	05.1	70	60.0	36.0	30	111.5	66.8	90	163.0	97.7	
11	09.4	05.7	71	60.9	36.5	131	112.4	67.3	191	163.8	98.2	
12	10.3	06.2	72	61.8	37.0	32	113.2	67.9	92	164.7	98.7	
13	11.2	06.7	73	62.6	37.5	33	114.1	68.4	93	165.5	99.2	
14	12.0	07.2	74	63.5	38.0	34	114.9	68.9	94	166.4	99.7	
15	12.9	07.7	75	64.3	38.6	35	115.8	69.4	95	167.3	100.3	
16	13.7	08.2	76	65.2	39.1	36	116.7	69.9	96	168.1	100.8	
17	14.6	08.7	77	66.0	39.6	37	117.5	70.4	97	169.0	101.3	
18	15.4	09.3	78	66.9	40.1	38	118.4	70.9	98	169.8	101.8	
19	16.3	09.8	79	67.8	40.6	39	119.2	71.5	99	170.7	102.3	
20	17.2	10.3	80	68.6	41.1	40	120.1	72.0	200	171.5	102.8	
21	18.0	10.8	81	69.5	41.6	141	120.9	72.5	201	172.4	103.3	
22	18.9	11.3	82	70.3	42.2	42	121.8	73.0	02	173.3	103.8	
23	19.7	11.8	83	71.2	42.7	43	122.7	73.5	03	174.1	104.4	
24	20.6	12.3	84	72.0	43.2	44	123.5	74.0	04	175.0	104.9	
25	21.4	12.9	85	72.9	43.7	45	124.4	74.5	05	175.8	105.4	
26	22.3	13.4	86	73.8	44.2	46	125.2	75.1	06	176.7	105.9	
27	23.2	13.9	87	74.6	44.7	47	126.1	75.6	07	177.5	106.4	
28	24.0	14.4	88	75.5	45.2	48	126.9	76.1	08	178.4	106.9	
29	24.9	14.9	89	76.3	45.8	49	127.8	76.6	09	179.3	107.4	
30	25.7	15.4	90	77.2	46.3	50	128.7	77.1	10	180.1	107.9	
31	26.6	15.9	91	78.1	46.8	151	129.5	77.6	211	181.0	108.5	
32	27.4	16.5	92	78.9	47.3	52	130.4	78.1	12	181.8	109.0	
33	28.3	17.0	93	79.8	47.8	53	131.2	78.7	13	182.7	109.5	
34	29.2	17.5	94	80.6	48.3	54	132.1	79.2	14	183.6	110.0	
35	30.0	18.0	95	81.5	48.8	55	132.9	79.7	15	184.4	110.5	
36	30.9	18.5	96	82.3	49.4	56	133.8	80.2	16	185.3	111.0	
37	31.7	19.0	97	83.2	49.9	57	134.7	80.7	17	186.1	111.6	
38	32.6	19.5	98	84.1	50.4	58	135.5	81.2	18	187.0	112.1	
39	33.5	20.1	99	84.9	50.9	59	136.4	81.7	19	187.8	112.6	
40	34.3	20.6	100	85.8	51.4	60	137.2	82.3	20	188.7	113.1	
41	35.2	21.1	101	86.6	51.9	161	138.1	82.8	221	189.6	113.6	
42	36.0	21.6	02	87.5	52.4	62	139.0	83.3	22	190.4	114.1	
43	36.9	22.1	03	88.3	53.0	63	139.8	83.8	23	191.3	114.6	
44	37.7	22.6	04	89.2	53.5	64	140.7	84.3	24	192.1	115.2	
45	38.6	23.1	05	90.1	54.0	65	141.5	84.8	25	193.0	115.7	
46	39.5	23.6	06	90.9	54.5	66	142.4	85.3	26	193.8	116.2	
47	40.3	24.2	07	91.8	55.0	67	143.2	85.9	27	194.7	116.7	
48	41.2	24.7	08	92.6	55.5	68	144.1	86.4	28	195.6	117.2	
49	42.0	25.2	09	93.5	56.0	69	145.0	86.9	29	196.4	117.7	
50	42.9	25.7	10	94.4	56.6	70	145.8	87.4	30	197.3	118.2	
51	43.7	26.2	111	95.2	57.1	171	146.7	87.9	231	198.1	118.8	
52	44.6	26.7	12	96.1	57.6	72	147.5	88.4	32	199.0	119.3	
53	45.5	27.2	13	96.9	58.1	73	148.4	88.9	33	199.9	119.8	
54	46.3	27.8	14	97.8	58.6	74	149.2	89.5	34	200.7	120.3	
55	47.2	28.3	15	98.6	59.1	75	150.1	90.0	35	201.6	120.8	
56	48.0	28.8	16	99.5	59.6	76	151.0	90.5	36	202.4	121.3	
57	48.9	29.3	17	100.4	60.2	77	151.8	91.0	37	203.3	121.8	
58	49.7	29.8	18	101.2	60.7	78	152.7	91.5	38	204.1	122.4	
59	50.6	30.3	19	102.1	61.2	79	153.5	92.0	39	205.0	122.9	
60	51.5	30.8	20	102.9	61.7	80	154.4	92.5	40	205.9	123.4	
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	
N.E.b.E. 45° E.			S.E.b.E. 45° E.			N.W.b.W. 45° W.			S.W.b.W. 45° W.			[For 54 Points.]





TABLE I.

13

Difference of Latitude and Departure for 34 Points.

N.E.¼N.			N.W.¼N.			S.E.¼S.			S.W.¼S.			
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	
1	00.8	00.6	61	49.0	36.3	121	97.2	72.1	181	145.4	107.8	
2	01.6	01.2	62	49.8	36.9	22	98.0	72.7	82	146.2	108.4	
3	02.4	01.8	63	50.6	37.5	23	98.8	73.3	83	147.0	109.0	
4	03.2	02.4	64	51.4	38.1	24	99.6	73.9	84	147.8	109.6	
5	04.0	03.0	65	52.2	38.7	25	100.4	74.5	85	148.6	110.2	
6	04.8	03.6	66	53.0	39.3	26	101.2	75.1	86	149.4	110.8	
7	05.6	04.2	67	53.8	39.9	27	102.0	75.7	87	150.2	111.4	
8	06.4	04.8	68	54.6	40.5	28	102.8	76.2	88	151.0	112.0	
9	07.2	05.4	69	55.4	41.1	29	103.6	76.8	89	151.8	112.6	
10	08.0	06.0	70	56.2	41.7	30	104.4	77.4	90	152.6	113.2	
11	08.8	06.6	71	57.0	42.3	31	105.2	78.0	191	153.4	113.8	
12	09.6	07.1	72	57.8	42.9	32	106.0	78.6	92	154.2	114.4	
13	10.4	07.7	73	58.6	43.5	33	106.8	79.2	93	155.0	115.0	
14	11.2	08.3	74	59.4	44.1	34	107.6	79.8	94	155.8	115.6	
15	12.0	08.9	75	60.2	44.7	35	108.4	80.4	95	156.6	116.2	
16	12.9	09.5	76	61.0	45.3	36	109.2	81.0	96	157.4	116.8	
17	13.7	10.1	77	61.8	45.9	37	110.0	81.6	97	158.2	117.4	
18	14.5	10.7	78	62.6	46.5	38	110.8	82.2	98	159.0	117.9	
19	15.3	11.3	79	63.4	47.1	39	111.6	82.8	99	159.8	118.5	
20	16.1	11.9	80	64.3	47.7	40	112.4	83.4	200	160.6	119.1	
21	16.9	12.5	81	65.1	48.3	41	113.3	84.0	201	161.4	119.7	
22	17.7	13.1	82	65.9	48.9	42	114.1	84.6	02	162.2	120.3	
23	18.5	13.7	83	66.7	49.4	43	114.9	85.2	03	163.1	120.9	
24	19.3	14.3	84	67.5	50.0	44	115.7	85.8	04	163.9	121.5	
25	20.1	14.9	85	68.3	50.6	45	116.5	86.4	05	164.7	122.1	
26	20.9	15.5	86	69.1	51.2	46	117.3	87.0	06	165.5	122.7	
27	21.7	16.1	87	69.9	51.8	47	118.1	87.6	07	166.3	123.3	
28	22.5	16.7	88	70.7	52.4	48	118.9	88.2	08	167.1	123.9	
29	23.3	17.3	89	71.5	53.0	49	119.7	88.8	09	167.9	124.5	
30	24.1	17.9	90	72.3	53.6	50	120.5	89.4	10	168.7	125.1	
31	24.9	18.5	91	73.1	54.2	51	121.3	90.0	211	169.5	125.7	
32	25.7	19.1	92	73.9	54.8	52	122.1	90.5	12	170.3	126.3	
33	26.5	19.7	93	74.7	55.4	53	122.9	91.1	13	171.1	126.9	
34	27.3	20.3	94	75.5	56.0	54	123.7	91.7	14	171.9	127.5	
35	28.1	20.8	95	76.3	56.6	55	124.5	92.3	15	172.7	128.1	
36	28.9	21.4	96	77.1	57.2	56	125.3	92.9	16	173.5	128.7	
37	29.7	22.0	97	77.9	57.8	57	126.1	93.5	17	174.3	129.3	
38	30.5	22.6	98	78.7	58.4	58	126.9	94.1	18	175.1	129.9	
39	31.3	23.2	99	79.5	59.0	59	127.7	94.7	19	175.9	130.5	
40	32.1	23.8	100	80.3	59.6	60	128.5	95.3	20	176.7	131.1	
41	32.9	24.4	101	81.1	60.2	161	129.3	95.9	221	177.5	131.6	
42	33.7	25.0	02	81.9	60.8	62	130.1	96.5	22	178.3	132.2	
43	34.5	25.6	03	82.7	61.4	63	130.9	97.1	23	179.1	132.8	
44	35.3	26.2	04	83.5	62.0	64	131.7	97.7	24	179.9	133.4	
45	36.1	26.8	05	84.3	62.5	65	132.5	98.3	25	180.7	134.0	
46	36.9	27.4	06	85.1	63.1	66	133.3	98.9	26	181.5	134.6	
47	37.8	28.0	07	85.9	63.7	67	134.1	99.5	27	182.3	135.2	
48	38.6	28.6	08	86.7	64.3	68	134.9	100.1	28	183.1	135.8	
49	39.4	29.2	09	87.5	64.9	69	135.7	100.7	29	183.9	136.4	
50	40.2	29.8	110	88.4	65.5	70	136.5	101.3	30	184.7	137.0	
51	41.0	30.4	111	89.2	66.1	171	137.3	101.9	231	185.5	137.6	
52	41.8	31.0	12	90.0	66.7	72	138.2	102.5	32	186.3	138.2	
53	42.6	31.6	13	90.8	67.3	73	139.0	103.1	33	187.1	138.8	
54	43.4	32.2	14	91.6	67.9	74	139.8	103.7	34	188.0	139.4	
55	44.2	32.8	15	92.4	68.5	75	140.6	104.2	35	188.8	140.0	
56	45.0	33.4	16	93.2	69.1	76	141.4	104.8	36	189.6	140.6	
57	45.8	34.0	17	94.0	69.7	77	142.2	105.4	37	190.4	141.2	
58	46.6	34.6	18	94.8	70.3	78	143.0	106.0	38	191.2	141.8	
59	47.4	35.1	19	95.6	70.9	79	143.8	106.6	39	192.0	142.4	
60	48.2	35.7	20	96.4	71.5	80	144.6	107.2	40	192.8	143.0	
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	
N.E.¼E.			S.E.¼E.			N.W.¼W.			S.W.¼W.			(For 44 Points.)

TABLE I.

Difference of Latitude and Departure for 34 Points.

N.E. & N.			N.W. & N.			S.E. & S.			S.W. & S.					
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.6	61	47.2	38.7	121	93.5	76.8	181	139.9	114.5	241	193.3	152.9
2	01.5	01.3	62	47.9	39.3	22	94.3	77.4	82	140.7	115.5	42	187.1	153.5
3	02.3	01.9	63	48.7	40.0	23	95.1	78.0	83	141.5	116.1	43	187.8	154.2
4	03.1	02.5	64	49.5	40.6	24	95.9	78.7	84	142.2	116.7	44	188.6	154.8
5	03.9	03.2	65	50.2	41.2	25	96.6	79.3	85	143.0	117.4	45	189.4	155.4
6	04.6	03.8	66	51.0	41.9	26	97.4	79.9	86	143.8	118.0	46	190.2	156.1
7	05.4	04.4	67	51.8	42.5	27	98.2	80.6	87	144.6	118.6	47	190.9	156.7
8	06.2	05.1	68	52.6	43.1	28	98.9	81.2	88	145.3	119.3	48	191.7	157.3
9	07.0	05.7	69	53.3	43.8	29	99.7	81.8	89	146.1	119.9	49	192.5	158.0
10	07.7	06.3	70	54.1	44.4	30	100.5	82.5	90	146.9	120.5	50	193.3	158.6
11	08.5	07.0	71	54.9	45.0	131	101.3	83.1	191	147.6	121.2	251	194.0	159.2
12	09.3	07.6	72	55.7	45.7	32	102.0	83.7	92	148.4	121.8	52	194.8	159.9
13	10.0	08.2	73	56.4	46.3	33	102.8	84.4	93	149.2	122.4	53	195.6	160.5
14	10.8	08.9	74	57.2	46.9	34	103.6	85.0	94	150.0	123.1	54	196.3	161.1
15	11.6	09.5	75	58.0	47.6	35	104.4	85.6	95	150.7	123.7	55	197.1	161.8
16	12.4	10.2	76	58.7	48.2	36	105.1	86.3	96	151.5	124.3	56	197.9	162.4
17	13.1	10.8	77	59.5	48.8	37	105.9	86.9	97	152.3	125.0	57	198.7	163.0
18	13.9	11.4	78	60.3	49.5	38	106.7	87.5	98	153.1	125.6	58	199.4	163.7
19	14.7	12.1	79	61.1	50.1	39	107.4	88.2	99	153.8	126.2	59	200.2	164.3
20	15.5	12.7	80	61.8	50.8	40	108.2	88.8	200	154.6	126.9	60	201.0	164.9
21	16.2	13.3	81	62.6	51.4	141	109.0	89.4	201	155.4	127.5	261	201.8	165.5
22	17.0	14.0	82	63.4	52.0	42	109.8	90.1	02	156.1	128.1	62	202.5	166.2
23	17.8	14.6	83	64.2	52.7	43	110.5	90.7	03	156.9	128.8	63	203.3	166.8
24	18.6	15.2	84	64.9	53.3	44	111.3	91.4	04	157.7	129.4	64	204.1	167.5
25	19.3	15.9	85	65.7	53.9	45	112.1	92.0	05	158.5	130.1	65	204.8	168.1
26	20.1	16.5	86	66.5	54.6	46	112.9	92.6	06	159.2	130.7	66	205.6	168.7
27	20.9	17.1	87	67.3	55.2	47	113.6	93.3	07	160.0	131.3	67	206.4	169.4
28	21.6	17.8	88	68.0	55.8	48	114.4	93.9	08	160.8	132.0	68	207.2	170.0
29	22.4	18.4	89	68.8	56.5	49	115.2	94.5	09	161.6	132.6	69	207.9	170.7
30	23.2	19.0	90	69.6	57.1	50	116.0	95.2	10	162.3	133.2	70	208.7	171.3
31	24.0	19.7	91	70.3	57.7	151	116.7	95.8	211	163.1	133.9	271	209.5	171.9
32	24.7	20.3	92	71.1	58.4	52	117.5	96.4	12	163.9	134.5	72	210.3	172.6
33	25.5	20.9	93	71.9	59.0	53	118.3	97.1	13	164.7	135.1	73	211.0	173.2
34	26.3	21.6	94	72.7	59.6	54	119.0	97.7	14	165.4	135.8	74	211.8	173.8
35	27.1	22.2	95	73.4	60.3	55	119.8	98.3	15	166.2	136.4	75	212.6	174.5
36	27.8	22.8	96	74.2	60.9	56	120.6	99.0	16	167.0	137.0	76	213.4	175.1
37	28.6	23.5	97	75.0	61.5	57	121.4	99.6	17	167.7	137.7	77	214.1	175.7
38	29.4	24.1	98	75.8	62.2	58	122.1	100.2	18	168.5	138.3	78	214.9	176.4
39	30.1	24.7	99	76.5	62.8	59	122.9	100.9	19	169.3	138.9	79	215.7	177.0
40	30.9	25.4	100	77.3	63.4	60	123.7	101.5	20	170.1	139.6	80	216.4	177.6
41	31.7	26.0	101	78.1	64.1	161	124.5	102.1	221	170.6	140.2	281	217.2	178.3
42	32.5	26.6	02	78.8	64.7	62	125.2	102.8	22	171.4	140.8	82	218.0	178.9
43	33.2	27.3	03	79.6	65.3	63	126.0	103.4	23	172.4	141.5	83	218.8	179.5
44	34.0	27.9	04	80.4	66.0	64	126.8	104.0	24	173.2	142.1	84	219.5	180.2
45	34.8	28.5	05	81.2	66.6	65	127.5	104.7	25	173.9	142.7	85	220.3	180.8
46	35.6	29.2	06	81.9	67.2	66	128.3	105.3	26	174.7	143.4	86	221.1	181.4
47	36.3	29.8	07	82.7	67.9	67	129.1	105.9	27	175.5	144.0	87	221.9	182.1
48	37.1	30.5	08	83.5	68.5	68	129.9	106.6	28	176.2	144.6	88	222.6	182.7
49	37.9	31.1	09	84.3	69.1	69	130.6	107.2	29	177.0	145.3	89	223.4	183.3
50	38.7	31.7	10	85.0	69.8	70	131.4	107.8	30	177.8	145.9	90	224.2	184.0
51	39.4	32.4	111	85.8	70.4	171	132.2	108.5	231	178.6	146.5	291	224.9	184.6
52	40.2	33.0	12	86.6	71.1	72	133.0	109.1	32	179.3	147.2	92	225.7	185.2
53	41.0	33.6	13	87.4	71.7	73	133.7	109.8	33	180.1	147.8	93	226.5	185.9
54	41.7	34.3	14	88.1	72.3	74	134.5	110.4	34	180.9	148.4	94	227.3	186.5
55	42.5	34.9	15	88.9	73.0	75	135.3	111.0	35	181.7	149.1	95	228.0	187.1
56	43.3	35.5	16	89.7	73.6	76	136.0	111.7	36	182.4	149.7	96	228.8	187.8
57	44.1	36.2	17	90.4	74.2	77	136.8	112.3	37	183.2	150.4	97	229.6	188.4
58	44.8	36.9	18	91.2	74.9	78	137.6	112.9	38	184.0	151.0	98	230.4	189.0
59	45.6	37.4	19	92.0	75.5	79	138.4	113.6	39	184.7	151.6	99	231.1	189.7
60	46.4	38.1	20	92.8	76.1	80	139.1	114.2	40	185.5	152.3	300	231.9	190.3
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.
N.E. & E.			S.E. & E.			N.W. & W.			S.W. & W.			[For 34 Points.]		

TABLE I.

Difference of Latitude and Departure for 34 Points.

N.E. 4 N.			N.W. 4 N.			S.E. 4 S.			S.W. 4 S.			
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	
1	00.7	00.7	61	43.2	41.0	121	89.7	31.3	181	134.1	121.6	
2	01.5	01.3	62	45.9	41.6	22	90.4	31.9	82	134.9	122.2	
3	02.2	02.0	63	46.7	42.3	23	91.1	32.6	83	135.6	122.9	
4	03.0	02.7	64	47.4	43.0	24	91.9	33.3	84	136.3	123.6	
5	03.7	03.4	65	48.2	43.7	25	92.6	33.9	85	137.1	124.2	
6	04.4	04.0	66	48.9	44.3	26	93.4	34.6	86	137.8	124.9	
7	05.2	04.7	67	49.6	45.0	27	94.1	35.3	87	138.6	125.6	
8	05.9	05.4	68	50.4	45.7	28	94.8	36.0	88	139.3	126.3	
9	06.7	06.0	69	51.1	46.3	29	95.6	36.6	89	140.0	126.9	
10	07.4	06.7	70	51.9	47.0	30	96.3	37.3	90	140.8	127.6	
11	08.2	07.4	71	52.6	47.7	31	97.1	38.0	191	141.5	128.3	
12	08.9	08.1	72	53.3	48.4	32	97.8	38.6	92	142.3	128.9	
13	09.6	08.7	73	54.1	49.0	33	98.5	39.3	93	143.0	129.6	
14	10.4	09.4	74	54.8	49.7	34	99.3	40.0	94	143.7	130.3	
15	11.1	10.1	75	55.6	50.4	35	100.0	40.7	95	144.5	131.0	
16	11.9	10.7	76	56.3	51.0	36	100.8	41.3	96	145.2	131.6	
17	12.6	11.4	77	57.1	51.7	37	101.5	42.0	97	146.0	132.3	
18	13.3	12.1	78	57.8	52.4	38	102.3	42.7	98	146.7	133.0	
19	14.1	12.8	79	58.5	53.1	39	103.0	43.3	99	147.4	133.6	
20	14.8	13.4	80	59.3	53.7	40	103.7	44.0	200	148.2	134.3	
21	15.6	14.1	81	60.0	54.4	41	104.5	44.7	201	148.9	135.0	
22	16.3	14.8	82	60.8	55.1	42	105.2	45.4	02	149.7	135.7	
23	17.0	15.4	83	61.5	55.7	43	106.0	46.0	03	150.4	136.3	
24	17.8	16.1	84	62.2	56.4	44	106.7	46.7	04	151.2	137.0	
25	18.5	16.8	85	63.0	57.1	45	107.4	47.4	05	151.9	137.7	
26	19.3	17.5	86	63.7	57.8	46	108.2	48.0	06	152.6	138.3	
27	20.0	18.1	87	64.5	58.4	47	108.9	48.7	07	153.4	139.0	
28	20.7	18.8	88	65.2	59.1	48	109.7	49.4	08	154.1	139.7	
29	21.5	19.5	89	65.9	59.8	49	110.4	100.1	09	154.9	140.4	
30	22.2	20.1	90	66.7	60.4	50	111.1	100.7	10	155.6	141.0	
31	23.0	20.8	91	67.4	61.1	151	111.9	101.4	211	156.3	141.7	
32	23.7	21.5	92	68.2	61.8	52	112.6	102.1	12	157.1	142.4	
33	24.5	22.2	93	68.9	62.5	53	113.4	102.7	13	157.8	143.0	
34	25.2	22.8	94	69.6	63.1	54	114.1	103.4	14	158.6	143.7	
35	25.9	23.5	95	70.4	63.8	55	114.8	104.1	15	159.3	144.4	
36	26.7	24.2	96	71.1	64.5	56	115.6	104.8	16	160.0	145.1	
37	27.4	24.8	97	71.9	65.1	57	116.3	105.4	17	160.8	145.7	
38	28.2	25.5	98	72.6	65.8	58	117.1	106.1	18	161.5	146.4	
39	28.9	26.2	99	73.4	66.5	59	117.8	106.8	19	162.3	147.1	
40	29.6	26.9	100	74.1	67.2	60	118.6	107.4	20	163.0	147.7	
41	30.4	27.5	101	74.8	67.8	161	119.3	108.1	221	163.8	148.4	
42	31.1	28.2	02	75.6	68.5	62	120.0	108.8	22	164.5	149.1	
43	31.9	28.9	03	76.3	69.2	63	120.8	109.5	23	165.2	149.8	
44	32.6	29.5	04	77.1	69.8	64	121.5	110.1	24	166.0	150.4	
45	33.3	30.2	05	77.8	70.5	65	122.3	110.8	25	166.7	151.1	
46	34.1	30.9	06	78.5	71.2	66	123.0	111.5	26	167.5	151.8	
47	34.8	31.6	07	79.3	71.9	67	123.7	112.2	27	168.2	152.4	
48	35.6	32.2	08	80.0	72.5	68	124.5	112.8	28	169.0	153.1	
49	36.3	32.9	09	80.8	73.2	69	125.2	113.5	29	169.7	153.8	
50	37.0	33.6	10	81.5	73.9	70	126.0	114.2	30	170.4	154.5	
51	37.8	34.2	11	82.2	74.5	171	126.7	114.8	231	171.2	155.1	
52	38.5	34.9	12	83.0	75.2	72	127.3	115.5	92	171.9	155.8	
53	39.3	35.6	13	83.7	75.9	73	128.2	116.2	33	172.6	156.5	
54	40.0	36.3	14	84.5	76.6	74	128.9	116.9	34	173.4	157.1	
55	40.8	36.9	15	85.2	77.2	75	129.7	117.5	35	174.1	157.8	
56	41.5	37.6	16	86.0	77.9	76	130.4	118.2	36	174.9	158.5	
57	42.2	38.3	17	86.7	78.6	77	131.1	118.9	37	175.6	159.2	
58	43.0	39.0	18	87.4	79.2	78	131.9	119.5	38	176.3	159.8	
59	43.7	39.6	19	88.2	79.9	79	132.6	120.2	39	177.1	160.5	
60	44.5	40.3	20	88.9	80.6	80	133.4	120.9	40	177.8	161.2	
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	
N.E. 4 E.			S.E. 4 E.			N.W. 4 W.			S.W. 4 W.			[For 44 Points.]

TABLE I.

Difference of Latitude and Departure for 4 Points.

N.E.			N.W.			S.E.			S.W.					
Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.			
1	00.7	00.7	61	43.1	43.1	121	85.6	85.6	181	128.0	128.0	241	170.4	170.4
2	01.4	01.4	62	43.8	43.8	22	86.3	86.3	82	128.7	128.7	42	171.1	171.1
3	02.1	02.1	63	44.5	44.5	23	87.0	87.0	83	129.4	129.4	43	171.8	171.8
4	02.8	02.8	64	45.3	45.3	24	87.7	87.7	84	130.1	130.1	44	172.5	172.5
5	03.5	03.5	65	46.0	46.0	25	88.4	88.4	85	130.8	130.8	45	173.2	173.2
6	04.2	04.2	66	46.7	46.7	26	89.1	89.1	86	131.5	131.5	46	173.9	173.9
7	04.9	04.9	67	47.4	47.4	27	89.8	89.8	87	132.2	132.2	47	174.7	174.7
8	05.7	05.7	68	48.1	48.1	28	90.5	90.5	88	132.9	132.9	48	175.4	175.4
9	06.4	06.4	69	48.8	48.8	29	91.2	91.2	89	133.6	133.6	49	176.1	176.1
10	07.1	07.1	70	49.5	49.5	30	91.9	91.9	90	134.4	134.4	50	176.8	176.8
11	07.8	07.8	71	50.2	50.2	131	92.6	92.6	191	135.1	135.1	251	177.5	177.5
12	08.5	08.5	72	50.9	50.9	32	93.3	93.3	92	135.8	135.8	52	178.2	178.2
13	09.2	09.2	73	51.6	51.6	33	94.0	94.0	93	136.5	136.5	53	178.9	178.9
14	09.9	09.9	74	52.3	52.3	34	94.8	94.8	94	137.2	137.2	54	179.6	179.6
15	10.6	10.6	75	53.0	53.0	35	95.5	95.5	95	137.9	137.9	55	180.3	180.3
16	11.3	11.3	76	53.7	53.7	36	96.2	96.2	96	138.6	138.6	56	181.0	181.0
17	12.0	12.0	77	54.4	54.4	37	96.9	96.9	97	139.3	139.3	57	181.7	181.7
18	12.7	12.7	78	55.2	55.2	38	97.6	97.6	98	140.0	140.0	58	182.4	182.4
19	13.4	13.4	79	55.9	55.9	39	98.3	98.3	99	140.7	140.7	59	183.1	183.1
20	14.1	14.1	80	56.6	56.6	40	99.0	99.0	200	141.4	141.4	60	183.8	183.8
21	14.8	14.8	81	57.3	57.3	141	99.7	99.7	201	142.1	142.1	261	184.5	184.5
22	15.6	15.6	82	58.0	58.0	42	100.4	100.4	02	142.8	142.8	62	185.3	185.3
23	16.3	16.3	83	58.7	58.7	43	101.1	101.1	03	143.5	143.5	63	186.0	186.0
24	17.0	17.0	84	59.4	59.4	44	101.8	101.8	04	144.2	144.2	64	186.7	186.7
25	17.7	17.7	85	60.1	60.1	45	102.5	102.5	05	145.0	145.0	65	187.4	187.4
26	18.4	18.4	86	60.8	60.8	46	103.2	103.2	06	145.7	145.7	66	188.1	188.1
27	19.1	19.1	87	61.5	61.5	47	103.9	103.9	07	146.4	146.4	67	188.8	188.8
28	19.8	19.8	88	62.2	62.2	48	104.7	104.7	08	147.1	147.1	68	189.5	189.5
29	20.5	20.5	89	62.9	62.9	49	105.4	105.4	09	147.8	147.8	69	190.2	190.2
30	21.2	21.2	90	63.6	63.6	50	106.1	106.1	10	148.5	148.5	70	190.9	190.9
31	21.9	21.9	91	64.3	64.3	151	106.8	106.8	211	149.2	149.2	271	191.6	191.6
32	22.6	22.6	92	65.1	65.1	52	107.5	107.5	12	149.9	149.9	72	192.3	192.3
33	23.3	23.3	93	65.8	65.8	53	108.2	108.2	13	150.6	150.6	73	193.0	193.0
34	24.0	24.0	94	66.5	66.5	54	108.9	108.9	14	151.3	151.3	74	193.7	193.7
35	24.7	24.7	95	67.2	67.2	55	109.6	109.6	15	152.0	152.0	75	194.5	194.5
36	25.5	25.5	96	67.9	67.9	56	110.3	110.3	16	152.7	152.7	76	195.2	195.2
37	26.2	26.2	97	68.6	68.6	57	111.0	111.0	17	153.4	153.4	77	195.9	195.9
38	26.9	26.9	98	69.3	69.3	58	111.7	111.7	18	154.1	154.1	78	196.6	196.6
39	27.6	27.6	99	70.0	70.0	59	112.4	112.4	19	154.9	154.9	79	197.3	197.3
40	28.3	28.3	100	70.7	70.7	60	113.1	113.1	20	155.6	155.6	80	198.0	198.0
41	29.0	29.0	101	71.4	71.4	161	113.8	113.8	221	156.3	156.3	281	198.7	198.7
42	29.7	29.7	02	72.1	72.1	62	114.6	114.6	22	157.0	157.0	82	199.4	199.4
43	30.4	30.4	03	72.8	72.8	63	115.3	115.3	23	157.7	157.7	83	200.1	200.1
44	31.1	31.1	04	73.5	73.5	64	116.0	116.0	24	158.4	158.4	84	200.8	200.8
45	31.8	31.8	05	74.2	74.2	65	116.7	116.7	25	159.1	159.1	85	201.5	201.5
46	32.5	32.5	06	75.0	75.0	66	117.4	117.4	26	159.8	159.8	86	202.2	202.2
47	33.2	33.2	07	75.7	75.7	67	118.1	118.1	27	160.5	160.5	87	202.9	202.9
48	33.9	33.9	08	76.4	76.4	68	118.8	118.8	28	161.2	161.2	88	203.6	203.6
49	34.6	34.6	09	77.1	77.1	69	119.5	119.5	29	161.9	161.9	89	204.4	204.4
50	35.4	35.4	10	77.8	77.8	70	120.2	120.2	30	162.6	162.6	90	205.1	205.1
51	36.1	36.1	111	78.5	78.5	171	120.9	120.9	231	163.3	163.3	291	205.8	205.8
52	36.8	36.8	12	79.2	79.2	72	121.6	121.6	32	164.0	164.0	92	206.5	206.5
53	37.5	37.5	13	79.9	79.9	73	122.3	122.3	33	164.8	164.8	93	207.2	207.2
54	38.2	38.2	14	80.6	80.6	74	123.0	123.0	34	165.5	165.5	94	207.9	207.9
55	38.9	38.9	15	81.3	81.3	75	123.7	123.7	35	166.2	166.2	95	208.6	208.6
56	39.6	39.6	16	82.0	82.0	76	124.5	124.5	36	166.9	166.9	96	209.3	209.3
57	40.3	40.3	17	82.7	82.7	77	125.2	125.2	37	167.6	167.6	97	210.0	210.0
58	41.0	41.0	18	83.4	83.4	78	125.9	125.9	38	168.3	168.3	98	210.7	210.7
59	41.7	41.7	19	84.1	84.1	79	126.6	126.6	39	169.0	169.0	99	211.4	211.4
60	42.4	42.4	20	84.9	84.9	80	127.3	127.3	40	169.7	169.7	300	212.1	212.1

Dist. Dep. Lat. Dist. Dep. Lat. Dist. Dep. Lat. Dist. Dep. Lat. Dist. Dep. Lat. [For 4 Points.]

TABLE II.

Difference of Latitude and Departure for 1 Degree.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.0	61	61.0	01.1	121	121.0	02.1	181	181.0	03.2	241	241.0	04.2
2	02.0	00.0	62	62.0	01.1	22	122.0	02.1	82	182.0	03.2	42	242.0	04.2
3	03.0	00.1	63	63.0	01.1	23	123.0	02.1	83	183.0	03.2	43	243.0	04.2
4	04.0	00.1	64	64.0	01.1	24	124.0	02.2	84	184.0	03.2	44	244.0	04.3
5	05.0	00.1	65	65.0	01.1	25	125.0	02.2	85	185.0	03.2	45	245.0	04.3
6	06.0	00.1	66	66.0	01.2	26	126.0	02.2	86	186.0	03.2	46	246.0	04.3
7	07.0	00.1	67	67.0	01.2	27	127.0	02.2	87	187.0	03.3	47	247.0	04.3
8	08.0	00.1	68	68.0	01.2	28	128.0	02.2	88	188.0	03.3	48	248.0	04.3
9	09.0	00.2	69	69.0	01.2	29	129.0	02.3	89	189.0	03.3	49	249.0	04.3
10	10.0	00.2	70	70.0	01.2	30	130.0	02.3	90	190.0	03.3	50	250.0	04.4
11	11.0	00.2	71	71.0	01.2	31	131.0	02.3	91	191.0	03.3	51	251.0	04.4
12	12.0	00.2	72	72.0	01.3	32	132.0	02.3	92	192.0	03.4	52	252.0	04.4
13	13.0	00.2	73	73.0	01.3	33	133.0	02.3	93	193.0	03.4	53	253.0	04.4
14	14.0	00.2	74	74.0	01.3	34	134.0	02.3	94	194.0	03.4	54	254.0	04.4
15	15.0	00.3	75	75.0	01.3	35	135.0	02.4	95	195.0	03.4	55	255.0	04.5
16	16.0	00.3	76	76.0	01.3	36	136.0	02.4	96	196.0	03.4	56	256.0	04.5
17	17.0	00.3	77	77.0	01.3	37	137.0	02.4	97	197.0	03.4	57	257.0	04.5
18	18.0	00.3	78	78.0	01.4	38	138.0	02.4	98	198.0	03.5	58	258.0	04.5
19	19.0	00.3	79	79.0	01.4	39	139.0	02.4	99	199.0	03.5	59	259.0	04.5
20	20.0	00.3	80	80.0	01.4	40	140.0	02.4	200	200.0	03.5	60	260.0	04.5
21	21.0	00.4	81	81.0	01.4	41	141.0	02.5	201	201.0	03.5	61	261.0	04.6
22	22.0	00.4	82	82.0	01.4	42	142.0	02.5	202	202.0	03.5	62	262.0	04.6
23	23.0	00.4	83	83.0	01.4	43	143.0	02.5	203	203.0	03.5	63	263.0	04.6
24	24.0	00.4	84	84.0	01.5	44	144.0	02.5	204	204.0	03.6	64	264.0	04.6
25	25.0	00.4	85	85.0	01.5	45	145.0	02.5	205	205.0	03.6	65	265.0	04.6
26	26.0	00.5	86	86.0	01.5	46	146.0	02.5	206	206.0	03.6	66	266.0	04.6
27	27.0	00.5	87	87.0	01.5	47	147.0	02.6	207	207.0	03.6	67	267.0	04.7
28	28.0	00.5	88	88.0	01.5	48	148.0	02.6	208	208.0	03.6	68	268.0	04.7
29	29.0	00.5	89	89.0	01.6	49	149.0	02.6	209	209.0	03.6	69	269.0	04.7
30	30.0	00.5	90	90.0	01.6	50	150.0	02.6	210	210.0	03.7	70	270.0	04.7
31	31.0	00.5	91	91.0	01.6	51	151.0	02.6	211	211.0	03.7	71	271.0	04.7
32	32.0	00.6	92	92.0	01.6	52	152.0	02.7	212	212.0	03.7	72	272.0	04.7
33	33.0	00.6	93	93.0	01.6	53	153.0	02.7	213	213.0	03.7	73	273.0	04.8
34	34.0	00.6	94	94.0	01.6	54	154.0	02.7	214	214.0	03.7	74	274.0	04.8
35	35.0	00.6	95	95.0	01.7	55	155.0	02.7	215	215.0	03.8	75	275.0	04.8
36	36.0	00.6	96	96.0	01.7	56	156.0	02.7	216	216.0	03.8	76	276.0	04.8
37	37.0	00.6	97	97.0	01.7	57	157.0	02.7	217	217.0	03.8	77	277.0	04.8
38	38.0	00.7	98	98.0	01.7	58	158.0	02.8	218	218.0	03.8	78	278.0	04.9
39	39.0	00.7	99	99.0	01.7	59	159.0	02.8	219	219.0	03.8	79	279.0	04.9
40	40.0	00.7	100	100.0	01.7	60	160.0	02.8	220	220.0	03.8	80	280.0	04.9
41	41.0	00.7	101	101.0	01.8	61	161.0	02.8	221	221.0	03.9	81	281.0	04.9
42	42.0	00.7	102	102.0	01.8	62	162.0	02.8	222	222.0	03.9	82	282.0	04.9
43	43.0	00.8	103	103.0	01.8	63	163.0	02.8	223	223.0	03.9	83	283.0	04.9
44	44.0	00.8	104	104.0	01.8	64	164.0	02.9	224	224.0	03.9	84	284.0	05.0
45	45.0	00.8	105	105.0	01.8	65	165.0	02.9	225	225.0	03.9	85	285.0	05.0
46	46.0	00.8	106	106.0	01.8	66	166.0	02.9	226	226.0	03.9	86	286.0	05.0
47	47.0	00.8	107	107.0	01.9	67	167.0	02.9	227	227.0	04.0	87	287.0	05.0
48	48.0	00.8	108	108.0	01.9	68	168.0	02.9	228	228.0	04.0	88	288.0	05.0
49	49.0	00.9	109	109.0	01.9	69	169.0	02.9	229	229.0	04.0	89	289.0	05.0
50	50.0	00.9	110	110.0	01.9	70	170.0	03.0	230	230.0	04.0	90	290.0	05.1
51	51.0	00.9	111	111.0	01.9	71	171.0	03.0	231	231.0	04.0	91	291.0	05.1
52	52.0	00.9	112	112.0	02.0	72	172.0	03.0	232	232.0	04.0	92	292.0	05.1
53	53.0	00.9	113	113.0	02.0	73	173.0	03.0	233	233.0	04.1	93	293.0	05.1
54	54.0	00.9	114	114.0	02.0	74	174.0	03.0	234	234.0	04.1	94	294.0	05.1
55	55.0	01.0	115	115.0	02.0	75	175.0	03.1	235	235.0	04.1	95	295.0	05.1
56	56.0	01.0	116	116.0	02.0	76	176.0	03.1	236	236.0	04.1	96	296.0	05.2
57	57.0	01.0	117	117.0	02.0	77	177.0	03.1	237	237.0	04.1	97	297.0	05.2
58	58.0	01.0	118	118.0	02.1	78	178.0	03.1	238	238.0	04.2	98	298.0	05.2
59	59.0	01.0	119	119.0	02.1	79	179.0	03.1	239	239.0	04.2	99	299.0	05.2
60	60.0	01.0	120	120.0	02.1	80	180.0	03.1	240	240.0	04.2	300	300.0	05.2
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 89 Degrees.

Difference of Latitude and Departure for 2 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.0	61	61.0	02.1	121	120.9	04.2	181	180.9	06.3	241	240.9	08.4
2	02.0	00.1	62	62.0	02.2	22	121.9	04.3	82	181.9	06.4	42	241.9	08.4
3	03.0	00.1	63	63.0	02.2	23	122.9	04.3	83	182.9	06.4	43	242.9	08.5
4	04.0	00.1	64	64.0	02.2	24	123.9	04.3	84	183.9	06.4	44	243.9	08.5
5	05.0	00.2	65	65.0	02.3	25	124.9	04.4	85	184.9	06.5	45	244.9	08.6
6	06.0	00.2	66	66.0	02.3	26	125.9	04.4	86	185.9	06.5	46	245.9	08.6
7	07.0	00.2	67	67.0	02.3	27	126.9	04.4	87	186.9	06.5	47	246.8	08.6
8	08.0	00.3	68	68.0	02.4	28	127.9	04.5	88	187.9	06.6	48	247.8	08.7
9	09.0	00.3	69	69.0	02.4	29	128.9	04.5	89	188.9	06.6	49	248.8	08.7
10	10.0	00.3	70	70.0	02.4	30	129.9	04.5	90	189.9	06.6	50	249.8	08.7
11	11.0	00.4	71	71.0	02.5	131	130.9	04.6	191	190.9	06.7	251	250.8	08.8
12	12.0	00.4	72	72.0	02.5	32	131.9	04.6	92	191.9	06.7	52	251.8	08.8
13	13.0	00.5	73	73.0	02.5	33	132.9	04.6	93	192.9	06.7	53	252.8	08.8
14	14.0	00.4	74	74.0	02.6	34	133.9	04.7	94	193.9	06.8	54	253.8	08.9
15	15.0	00.5	75	75.0	02.6	35	134.9	04.7	95	194.9	06.8	55	254.8	08.9
16	16.0	00.6	76	76.0	02.7	36	135.9	04.7	96	195.9	06.8	56	255.8	08.9
17	17.0	00.6	77	77.0	02.7	37	136.9	04.8	97	196.9	06.9	57	256.8	09.0
18	18.0	00.6	78	78.0	02.7	38	137.9	04.8	98	197.9	06.9	58	257.8	09.0
19	19.0	00.7	79	79.0	02.8	39	138.9	04.9	99	198.9	06.9	59	258.8	09.0
20	20.0	00.7	80	80.0	02.8	40	139.9	04.9	200	199.9	07.0	60	259.8	09.1
21	21.0	00.7	81	81.0	02.8	141	140.9	04.9	201	200.9	07.0	261	260.8	09.1
22	22.0	00.8	82	82.0	02.9	42	141.9	05.0	02	201.9	07.0	62	261.8	09.1
23	23.0	00.8	83	83.0	02.9	43	142.9	05.0	03	202.9	07.1	63	262.8	09.2
24	24.0	00.8	84	83.9	02.9	44	143.9	05.0	04	203.9	07.1	64	263.8	09.2
25	25.0	00.9	85	84.9	03.0	45	144.9	05.1	05	204.9	07.2	65	264.8	09.2
26	26.0	00.9	86	85.9	03.0	46	145.9	05.1	06	205.9	07.2	66	265.8	09.3
27	27.0	00.9	87	86.9	03.0	47	146.9	05.1	07	206.9	07.2	67	266.8	09.3
28	28.0	01.0	88	87.9	03.1	48	147.9	05.2	08	207.9	07.3	68	267.8	09.4
29	29.0	01.0	89	88.9	03.1	49	148.9	05.2	09	208.9	07.3	69	268.8	09.4
30	30.0	01.0	90	89.9	03.1	50	149.9	05.2	10	209.9	07.3	70	269.8	09.4
31	31.0	01.1	91	90.9	03.2	151	150.9	05.3	211	210.9	07.4	271	270.8	09.5
32	32.0	01.1	92	91.9	03.2	52	151.9	05.3	12	211.9	07.4	72	271.8	09.5
33	33.0	01.2	93	92.9	03.2	53	152.9	05.3	13	212.9	07.4	73	272.8	09.5
34	34.0	01.2	94	93.9	03.3	54	153.9	05.4	14	213.9	07.5	74	273.8	09.6
35	35.0	01.2	95	94.9	03.3	55	154.9	05.4	15	214.9	07.5	75	274.8	09.6
36	36.0	01.3	96	95.9	03.4	56	155.9	05.4	16	215.9	07.5	76	275.8	09.6
37	37.0	01.3	97	96.9	03.4	57	156.9	05.5	17	216.9	07.6	77	276.8	09.7
38	38.0	01.3	98	97.9	03.4	58	157.9	05.5	18	217.9	07.6	78	277.8	09.7
39	39.0	01.4	99	98.9	03.5	59	158.9	05.5	19	218.9	07.6	79	278.8	09.7
40	40.0	01.4	100	99.9	03.5	60	159.9	05.6	20	219.9	07.7	80	279.8	09.8
41	41.0	01.4	101	100.9	03.5	161	160.9	05.6	221	220.9	07.7	281	280.8	09.8
42	42.0	01.5	02	101.9	03.6	62	161.9	05.7	22	221.9	07.7	82	281.8	09.8
43	43.0	01.5	03	102.9	03.6	63	162.9	05.7	23	222.9	07.8	83	282.8	09.9
44	44.0	01.5	04	103.9	03.6	64	163.9	05.7	24	223.9	07.8	84	283.8	09.9
45	45.0	01.6	05	104.9	03.7	65	164.9	05.8	25	224.9	07.9	85	284.8	09.9
46	46.0	01.6	06	105.9	03.7	66	165.9	05.8	26	225.9	07.9	86	285.8	10.0
47	47.0	01.6	07	106.9	03.7	67	166.9	05.8	27	226.9	07.9	87	286.8	10.0
48	48.0	01.7	08	107.9	03.8	68	167.9	05.9	28	227.9	08.0	88	287.8	10.1
49	49.0	01.7	09	108.9	03.8	69	168.9	05.9	29	228.9	08.0	89	288.8	10.1
50	50.0	01.7	10	109.9	03.8	70	169.9	05.9	30	229.9	08.0	90	289.8	10.1
51	51.0	01.8	111	110.9	03.9	171	170.9	06.0	231	230.9	08.1	291	290.8	10.2
52	52.0	01.8	12	111.9	03.9	72	171.9	06.0	32	231.9	08.1	92	291.8	10.2
53	53.0	01.8	13	112.9	03.9	73	172.9	06.0	33	232.9	08.1	93	292.8	10.2
54	54.0	01.9	14	113.9	04.0	74	173.9	06.1	34	233.9	08.2	94	293.8	10.3
55	55.0	01.9	15	114.9	04.0	75	174.9	06.1	35	234.9	08.2	95	294.8	10.3
56	56.0	02.0	16	115.9	04.0	76	175.9	06.1	36	235.9	08.2	96	295.8	10.3
57	57.0	02.0	17	116.9	04.1	77	176.9	06.2	37	236.9	08.3	97	296.8	10.4
58	58.0	02.0	18	117.9	04.1	78	177.9	06.2	38	237.9	08.3	98	297.8	10.4
59	59.0	02.1	19	118.9	04.2	79	178.9	06.2	39	238.9	08.3	99	298.8	10.4
60	60.0	02.1	20	119.9	04.2	80	179.9	06.3	40	239.9	08.4	300	299.8	10.5
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 88 Degrees.

TABLE II.

Difference of Latitude and Departure for 3 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.1	61	60.9	03.2	121	120.8	06.3	181	180.8	09.5	241	240.7	12.6
2	02.0	00.1	62	61.9	03.2	22	121.8	06.4	82	181.8	09.5	42	241.7	12.7
3	03.0	00.2	63	62.9	03.3	23	122.8	06.4	83	182.7	09.6	43	242.7	12.7
4	04.0	00.2	64	63.9	03.3	24	123.8	06.5	84	183.7	09.6	44	243.7	12.8
5	05.0	00.3	65	64.9	03.4	25	124.8	06.5	85	184.7	09.7	45	244.7	12.8
6	06.0	00.3	66	65.9	03.5	26	125.8	06.6	86	185.7	09.7	46	245.7	12.9
7	07.0	00.4	67	66.9	03.5	27	126.8	06.6	87	186.7	09.8	47	246.7	12.9
8	08.0	00.4	68	67.9	03.6	28	127.3	06.7	88	187.7	09.8	48	247.7	13.0
9	09.0	00.5	69	68.9	03.6	29	128.3	06.8	89	188.7	09.9	49	248.7	13.0
10	10.0	00.5	70	69.9	03.7	30	129.8	06.8	90	189.7	09.9	50	249.7	13.1
11	11.0	00.6	71	70.9	03.7	131	130.8	06.9	191	190.7	10.0	251	250.7	13.1
12	12.0	00.6	72	71.9	03.8	32	131.8	06.9	92	191.7	10.0	52	251.7	13.2
13	13.0	00.7	73	72.9	03.8	33	132.8	07.0	93	192.7	10.1	53	252.7	13.2
14	14.0	00.7	74	73.9	03.9	34	133.8	07.0	94	193.7	10.2	54	253.7	13.3
15	15.0	00.8	75	74.9	03.9	35	134.8	07.1	95	194.7	10.2	55	254.7	13.3
16	16.0	00.8	76	75.9	04.0	36	135.8	07.1	96	195.7	10.3	56	255.6	13.4
17	17.0	00.9	77	76.9	04.0	37	136.8	07.2	97	196.7	10.3	57	256.6	13.5
18	18.0	00.9	78	77.9	04.1	38	137.8	07.2	98	197.7	10.4	58	257.6	13.5
19	19.0	01.0	79	78.9	04.1	39	138.8	07.3	99	198.7	10.4	59	258.6	13.6
20	20.0	01.0	80	79.9	04.2	40	139.8	07.3	200	199.7	10.5	60	259.6	13.6
21	21.0	01.1	81	80.9	04.2	141	140.8	07.4	201	200.7	10.5	261	260.6	13.7
22	22.0	01.2	82	81.9	04.3	42	141.8	07.4	02	201.7	10.6	62	261.6	13.7
23	23.0	01.2	83	82.9	04.3	43	142.8	07.5	03	202.7	10.6	63	262.6	13.8
24	24.0	01.3	84	83.9	04.4	44	143.8	07.5	04	203.7	10.7	64	263.6	13.8
25	25.0	01.3	85	84.9	04.4	45	144.8	07.6	05	204.7	10.7	65	264.6	13.9
26	26.0	01.4	86	85.9	04.5	46	145.8	07.6	06	205.7	10.8	66	265.6	13.9
27	27.0	01.4	87	86.9	04.6	47	146.8	07.7	07	206.7	10.8	67	266.6	14.0
28	28.0	01.5	88	87.9	04.6	48	147.8	07.7	08	207.7	10.9	68	267.6	14.0
29	29.0	01.5	89	88.9	04.7	49	148.8	07.8	09	208.7	10.9	69	268.6	14.1
30	30.0	01.6	90	89.9	04.7	50	149.8	07.9	10	209.7	11.0	70	269.6	14.1
31	31.0	01.6	91	90.9	04.8	151	150.8	07.9	211	210.7	11.0	271	270.6	14.2
32	32.0	01.7	92	91.9	04.8	52	151.8	08.0	12	211.7	11.1	72	271.6	14.2
33	33.0	01.7	93	92.9	04.9	53	152.8	08.0	13	212.7	11.1	73	272.6	14.3
34	34.0	01.8	94	93.9	04.9	54	153.8	08.1	14	213.7	11.2	74	273.6	14.3
35	35.0	01.8	95	94.9	05.0	55	154.8	08.1	15	214.7	11.3	75	274.6	14.4
36	36.0	01.9	96	95.9	05.0	56	155.8	08.2	16	215.7	11.3	76	275.6	14.4
37	36.9	01.9	97	96.9	05.1	57	156.8	08.2	17	216.7	11.4	77	276.6	14.5
38	37.9	02.0	98	97.9	05.1	58	157.8	08.3	18	217.7	11.4	78	277.6	14.5
39	38.9	02.0	99	98.9	05.2	59	158.8	08.3	19	218.7	11.5	79	278.6	14.6
40	39.9	02.1	100	99.9	05.2	60	159.8	08.4	20	219.7	11.5	80	279.6	14.7
41	40.9	02.1	101	100.9	05.3	161	160.8	08.4	221	220.7	11.6	281	280.6	14.7
42	41.9	02.2	02	101.9	05.3	62	161.8	08.5	22	221.7	11.6	82	281.6	14.8
43	42.9	02.3	03	102.9	05.4	63	162.8	08.5	23	222.7	11.7	83	282.6	14.8
44	43.9	02.3	04	103.9	05.4	64	163.8	08.6	24	223.7	11.7	84	283.6	14.9
45	44.9	02.4	05	104.9	05.5	65	164.8	08.6	25	224.7	11.8	85	284.6	14.9
46	45.9	02.4	06	105.9	05.5	66	165.8	08.7	26	225.7	11.8	86	285.6	15.0
47	46.9	02.5	07	106.9	05.6	67	166.8	08.7	27	226.7	11.9	87	286.6	15.0
48	47.9	02.5	08	107.9	05.7	68	167.8	08.8	28	227.7	11.9	88	287.6	15.1
49	48.9	02.6	09	108.9	05.7	69	168.8	08.8	29	228.7	12.0	89	288.6	15.1
50	49.9	02.6	10	109.8	05.8	70	169.8	08.9	30	229.7	12.0	90	289.6	15.2
51	50.9	02.7	111	110.8	05.8	171	170.8	08.9	231	230.7	12.1	291	290.6	15.2
52	51.9	02.7	12	111.8	05.9	72	171.8	09.0	32	231.7	12.1	92	291.6	15.3
53	52.9	02.8	13	112.8	05.9	73	172.8	09.1	33	232.7	12.2	93	292.6	15.3
54	53.9	02.8	14	113.8	06.0	74	173.8	09.1	34	233.7	12.2	94	293.6	15.4
55	54.9	02.9	15	114.8	06.0	75	174.8	09.2	35	234.7	12.3	95	294.6	15.4
56	55.9	02.9	16	115.8	06.1	76	175.8	09.2	36	235.7	12.4	96	295.6	15.5
57	56.9	03.0	17	116.8	06.1	77	176.8	09.3	37	236.7	12.4	97	296.6	15.5
58	57.9	03.0	18	117.8	06.2	78	177.8	09.3	38	237.7	12.5	98	297.6	15.6
59	58.9	03.1	19	118.8	06.2	79	178.8	09.4	39	238.7	12.5	99	298.6	15.6
60	59.9	03.1	20	119.8	06.3	80	179.8	09.4	40	239.7	12.6	300	299.6	15.7

[For 87 Degrees.]



## Difference of Latitude and Departure for 4 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.1	61	60.9	04.3	121	120.7	08.4	181	180.6	12.6	241	240.4	16.8
2	02.0	00.1	62	61.8	04.3	122	121.7	08.5	182	181.6	12.7	242	241.4	16.9
3	03.0	00.2	63	62.8	04.4	123	122.7	08.6	183	182.6	12.8	243	242.4	17.0
4	04.0	00.3	64	63.8	04.5	124	123.7	08.6	184	183.6	12.8	244	243.4	17.0
5	05.0	00.3	65	64.8	04.5	125	124.7	08.7	185	184.5	12.9	245	244.4	17.1
6	06.0	00.4	66	65.8	04.6	126	125.7	08.8	186	185.5	13.0	246	245.4	17.2
7	07.0	00.5	67	66.8	04.7	127	126.7	08.9	187	186.5	13.0	247	246.4	17.2
8	08.0	00.6	68	67.8	04.7	128	127.7	08.9	188	187.5	13.1	248	247.4	17.3
9	09.0	00.6	69	68.8	04.8	129	128.7	09.0	189	188.5	13.2	249	248.4	17.4
10	10.0	00.7	70	69.8	04.9	130	129.7	09.1	190	189.5	13.3	250	249.4	17.4
11	11.0	00.8	71	70.8	05.0	131	130.7	09.1	191	190.5	13.3	251	250.4	17.5
12	12.0	00.8	72	71.8	05.0	132	131.7	09.2	192	191.5	13.4	252	251.4	17.6
13	13.0	00.9	73	72.8	05.1	133	132.7	09.3	193	192.5	13.5	253	252.4	17.6
14	14.0	01.0	74	73.8	05.2	134	133.7	09.3	194	193.5	13.5	254	253.4	17.7
15	15.0	01.0	75	74.8	05.2	135	134.7	09.4	195	194.5	13.6	255	254.4	17.8
16	16.0	01.1	76	75.8	05.3	136	135.7	09.5	196	195.5	13.7	256	255.4	17.9
17	17.0	01.2	77	76.8	05.4	137	136.7	09.6	197	196.5	13.7	257	256.4	17.9
18	18.0	01.3	78	77.8	05.4	138	137.7	09.6	198	197.5	13.8	258	257.4	18.0
19	19.0	01.3	79	78.8	05.5	139	138.7	09.7	199	198.5	13.9	259	258.4	18.1
20	20.0	01.4	80	79.8	05.6	140	139.7	09.8	200	199.5	14.0	260	259.4	18.1
21	20.9	01.5	81	80.8	05.7	141	140.7	09.8	201	200.5	14.0	261	260.4	18.2
22	21.9	01.5	82	81.8	05.7	142	141.7	09.9	202	201.5	14.1	262	261.4	18.3
23	22.9	01.6	83	82.8	05.8	143	142.7	10.0	203	202.5	14.2	263	262.4	18.3
24	23.9	01.7	84	83.8	05.9	144	143.6	10.0	204	203.5	14.2	264	263.4	18.4
25	24.9	01.7	85	84.8	05.9	145	144.6	10.1	205	204.5	14.3	265	264.4	18.5
26	25.9	01.8	86	85.8	06.0	146	145.6	10.2	206	205.5	14.4	266	265.4	18.6
27	26.9	01.9	87	86.8	06.1	147	146.6	10.3	207	206.5	14.4	267	266.3	18.6
28	27.9	02.0	88	87.8	06.1	148	147.6	10.3	208	207.5	14.5	268	267.3	18.7
29	28.9	02.0	89	88.8	06.2	149	148.6	10.4	209	208.5	14.6	269	268.3	18.8
30	29.9	02.1	90	89.8	06.3	150	149.6	10.5	210	209.5	14.6	270	269.3	18.8
31	30.9	02.2	91	90.8	06.3	151	150.6	10.5	211	210.5	14.7	271	270.3	18.9
32	31.9	02.2	92	91.8	06.4	152	151.6	10.6	212	211.5	14.8	272	271.3	19.0
33	32.9	02.3	93	92.8	06.5	153	152.6	10.7	213	212.5	14.9	273	272.3	19.0
34	33.9	02.4	94	93.8	06.6	154	153.6	10.7	214	213.5	14.9	274	273.3	19.1
35	34.9	02.4	95	94.8	06.6	155	154.6	10.8	215	214.5	15.0	275	274.3	19.2
36	35.9	02.5	96	95.8	06.7	156	155.6	10.9	216	215.5	15.1	276	275.3	19.3
37	36.9	02.6	97	96.8	06.8	157	156.6	11.0	217	216.5	15.1	277	276.3	19.3
38	37.9	02.7	98	97.8	06.8	158	157.6	11.0	218	217.5	15.2	278	277.3	19.4
39	38.9	02.7	99	98.8	06.9	159	158.6	11.1	219	218.5	15.3	279	278.3	19.5
40	39.9	02.8	100	99.8	07.0	160	159.6	11.2	220	219.5	15.3	280	279.3	19.5
41	40.9	02.9	101	100.8	07.0	161	160.6	11.2	221	220.5	15.4	281	280.3	19.6
42	41.9	02.9	102	101.8	07.1	162	161.6	11.3	222	221.5	15.5	282	281.3	19.7
43	42.9	03.0	103	102.7	07.2	163	162.6	11.4	223	222.5	15.6	283	282.3	19.7
44	43.9	03.1	104	103.7	07.3	164	163.6	11.4	224	223.5	15.6	284	283.3	19.8
45	44.9	03.1	105	104.7	07.3	165	164.6	11.5	225	224.5	15.7	285	284.3	19.9
46	45.9	03.2	106	105.7	07.4	166	165.6	11.6	226	225.4	15.8	286	285.3	20.0
47	46.9	03.3	107	106.7	07.5	167	166.6	11.6	227	226.4	15.8	287	286.3	20.0
48	47.9	03.3	108	107.7	07.5	168	167.6	11.7	228	227.4	15.9	288	287.3	20.1
49	48.9	03.4	109	108.7	07.6	169	168.6	11.8	229	228.4	16.0	289	288.3	20.2
50	49.9	03.5	110	109.7	07.7	170	169.6	11.9	230	229.4	16.0	290	289.3	20.2
51	50.9	03.6	111	110.7	07.7	171	170.6	11.9	231	230.4	16.1	291	290.3	20.3
52	51.9	03.6	112	111.7	07.8	172	171.6	12.0	232	231.4	16.2	292	291.3	20.4
53	52.9	03.7	113	112.7	07.9	173	172.6	12.1	233	232.4	16.3	293	292.3	20.4
54	53.9	03.8	114	113.7	08.0	174	173.6	12.1	234	233.4	16.3	294	293.3	20.5
55	54.9	03.8	115	114.7	08.0	175	174.6	12.2	235	234.4	16.4	295	294.3	20.6
56	55.9	03.9	116	115.7	08.1	176	175.6	12.3	236	235.4	16.5	296	295.3	20.6
57	56.9	04.0	117	116.7	08.2	177	176.6	12.3	237	236.4	16.5	297	296.3	20.7
58	57.9	04.0	118	117.7	08.2	178	177.6	12.4	238	237.4	16.6	298	297.3	20.8
59	58.9	04.1	119	118.7	08.3	179	178.6	12.5	239	238.4	16.7	299	298.3	20.9
60	59.9	04.2	120	119.7	08.4	180	179.6	12.6	240	239.4	16.7	300	299.3	20.9
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 86 Degrees.]

TABLE II.

Difference of Latitude and Departure for 5 Degrees.

L. Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
0.00.1	61	60.8	05.3	121	120.5	10.5	181	180.3	15.8	241	240.1	21.0
0.00.2	62	61.8	05.4	22	121.5	10.6	82	181.3	15.9	42	241.1	21.1
0.00.3	63	62.8	05.5	23	122.5	10.7	83	182.3	15.9	43	242.1	21.2
0.00.3	64	63.8	05.6	24	123.5	10.8	84	183.3	16.0	44	243.1	21.3
0.00.4	65	64.8	05.7	25	124.5	10.9	85	184.3	16.1	45	244.1	21.4
0.00.5	66	65.7	05.8	26	125.5	11.0	86	185.3	16.2	46	245.1	21.4
0.00.6	67	66.7	05.9	27	126.5	11.1	87	186.3	16.3	47	246.1	21.5
0.00.7	68	67.7	05.9	28	127.5	11.2	88	187.3	16.4	48	247.1	21.6
0.00.8	69	68.7	06.0	29	128.5	11.2	89	188.3	16.5	49	248.1	21.7
0.00.9	70	69.7	06.1	30	129.5	11.3	90	189.3	16.6	50	249.0	21.8
0.01.0	71	70.7	06.2	131	130.5	11.4	191	190.3	16.6	251	250.0	21.9
0.01.0	72	71.7	06.3	32	131.5	11.5	92	191.3	16.7	52	251.0	22.0
0.01.1	73	72.7	06.4	33	132.5	11.6	93	192.3	16.8	53	252.0	22.1
0.01.2	74	73.7	06.4	34	133.5	11.7	94	193.3	16.9	54	253.0	22.1
0.01.3	75	74.7	06.5	35	134.5	11.8	95	194.3	17.0	55	254.0	22.2
0.01.4	76	75.7	06.6	36	135.5	11.9	96	195.3	17.1	56	255.0	22.3
0.01.5	77	76.7	06.7	37	136.5	11.9	97	196.3	17.2	57	256.0	22.4
0.01.6	78	77.7	06.8	38	137.5	12.0	98	197.2	17.3	58	257.0	22.5
0.01.7	79	78.7	06.9	39	138.5	12.1	99	198.2	17.3	59	258.0	22.6
0.01.7	80	79.7	07.0	40	139.5	12.2	200	199.2	17.4	60	259.0	22.7
0.01.8	81	80.7	07.1	141	140.5	12.3	201	200.2	17.5	261	260.0	22.7
0.01.9	82	81.7	07.1	42	141.5	12.4	02	201.2	17.6	62	261.0	22.8
0.02.0	83	82.7	07.2	43	142.5	12.5	03	202.2	17.7	63	262.0	22.9
0.02.1	84	83.7	07.3	44	143.5	12.6	04	203.2	17.8	64	263.0	23.0
0.02.2	85	84.7	07.4	45	144.4	12.6	05	204.2	17.9	65	264.0	23.1
0.02.3	86	85.7	07.5	46	145.4	12.7	06	205.2	18.0	66	265.0	23.2
0.02.4	87	86.7	07.6	47	146.4	12.8	07	206.2	18.0	67	266.0	23.3
0.02.4	88	87.7	07.7	4	147.4	12.9	08	207.2	18.1	68	267.0	23.4
0.02.5	89	88.7	07.8	49	148.4	13.0	09	208.2	18.2	69	268.0	23.4
0.02.5	90	89.7	07.8	50	149.4	13.1	10	209.2	18.3	70	269.0	23.5
0.02.7	91	90.7	07.9	151	150.4	13.2	211	210.2	18.4	271	270.0	23.6
0.02.8	92	91.6	08.0	52	151.4	13.2	12	211.2	18.5	72	271.0	23.7
0.02.9	93	92.6	08.1	53	152.4	13.3	13	212.2	18.6	73	272.0	23.8
0.03.0	94	93.6	08.2	54	153.4	13.4	14	213.2	18.7	74	273.0	23.9
0.03.1	95	94.6	08.3	55	154.4	13.5	15	214.2	18.7	75	274.0	24.0
0.03.1	96	95.6	08.4	56	155.4	13.6	16	215.2	18.8	76	274.9	24.1
0.03.2	97	96.6	08.5	57	156.4	13.7	17	216.2	18.9	77	275.9	24.1
0.03.3	98	97.6	08.5	58	157.4	13.8	18	217.2	19.0	78	276.9	24.2
0.03.4	99	98.6	08.6	59	158.4	13.9	19	218.2	19.1	79	277.9	24.3
0.03.5	100	99.6	08.7	60	159.4	13.9	20	219.2	19.2	80	278.9	24.4
0.03.6	101	100.6	08.8	161	160.4	14.0	221	220.2	19.3	281	279.9	24.5
0.03.7	02	101.6	08.9	62	161.4	14.1	22	221.2	19.3	82	280.9	24.6
0.03.7	03	102.6	09.0	63	162.4	14.2	23	222.2	19.4	83	281.9	24.7
0.03.8	04	103.6	09.1	64	163.4	14.3	24	223.1	19.5	84	282.9	24.8
0.03.9	05	104.6	09.2	65	164.4	14.4	25	224.1	19.6	85	283.9	24.8
0.04.0	06	105.6	09.2	66	165.4	14.5	26	225.1	19.7	86	284.9	24.9
0.04.1	07	106.6	09.3	67	166.4	14.6	27	226.1	19.8	87	285.9	25.0
0.04.2	08	107.6	09.4	68	167.4	14.6	28	227.1	19.9	88	286.9	25.1
0.04.3	09	108.6	09.5	69	168.4	14.7	29	228.1	20.0	89	287.9	25.2
0.04.4	10	109.6	09.6	70	169.4	14.8	30	229.1	20.0	90	288.9	25.3
0.04.5	111	110.6	09.7	171	170.3	14.9	231	230.1	20.1	291	289.9	25.4
0.04.5	12	111.6	09.8	72	171.3	15.0	32	231.1	20.2	92	290.9	25.4
0.04.6	13	112.6	09.8	73	172.3	15.1	33	232.1	20.3	93	291.9	25.5
0.04.7	14	113.6	09.9	74	173.3	15.2	34	233.1	20.4	94	292.9	25.6
0.04.8	15	114.6	10.0	75	174.3	15.3	35	234.1	20.5	95	293.9	25.7
0.04.9	16	115.6	10.1	76	175.3	15.3	36	235.1	20.6	96	294.9	25.8
0.05.0	17	116.6	10.2	77	176.3	15.4	37	236.1	20.7	97	295.9	25.9
0.05.1	18	117.6	10.3	78	177.3	15.5	38	237.1	20.7	98	296.9	26.0
0.05.1	19	118.5	10.4	79	178.3	15.6	39	238.1	20.8	99	297.9	26.1
0.05.2	20	119.5	10.5	80	179.3	15.7	40	239.1	20.9	300	298.9	26.1
Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 85 Degrees.

TABLE II.

Difference of Latitude and Departure for 6 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.1	61	60.7	06.4	121	120.3	12.6	181	180.0	18.9	241	239.7	25.2
2	02.0	00.2	62	61.7	06.5	22	121.3	12.8	82	181.0	19.0	42	240.7	25.3
3	03.0	00.3	63	62.7	06.6	23	122.3	12.9	83	182.0	19.1	43	241.7	25.4
4	04.0	00.4	64	63.6	06.7	24	123.3	13.0	84	183.0	19.2	44	242.7	25.5
5	05.0	00.5	65	64.6	06.8	25	124.3	13.1	85	184.0	19.3	45	243.7	25.6
6	06.0	00.6	66	65.6	06.9	26	125.3	13.2	86	185.0	19.4	46	244.7	25.7
7	07.0	00.7	67	66.6	07.0	27	126.3	13.3	87	186.0	19.5	47	245.6	25.8
8	08.0	00.8	68	67.6	07.1	28	127.3	13.4	88	187.0	19.7	48	246.6	25.9
9	09.0	00.9	69	68.6	07.2	29	128.3	13.5	89	188.0	19.8	49	247.6	26.0
10	09.9	01.0	70	69.6	07.3	30	129.3	13.6	90	189.0	19.9	50	248.6	26.1
11	10.9	01.1	71	70.6	07.4	131	130.3	13.7	191	190.0	20.0	251	249.6	26.2
12	11.9	01.3	72	71.6	07.5	32	131.3	13.8	92	190.9	20.1	52	250.6	26.3
13	12.9	01.4	73	72.6	07.6	33	132.3	13.9	93	191.9	20.2	53	251.6	26.4
14	13.9	01.5	74	73.6	07.7	34	133.3	14.0	94	192.9	20.3	54	252.6	26.6
15	14.9	01.6	75	74.6	07.8	35	134.3	14.1	95	193.9	20.4	55	253.6	26.7
16	15.9	01.7	76	75.6	07.9	36	135.3	14.2	96	194.9	20.5	56	254.6	26.8
17	16.9	01.8	77	76.6	08.0	37	136.2	14.3	97	195.9	20.6	57	255.6	26.9
18	17.9	01.9	78	77.6	08.2	38	137.2	14.4	98	196.9	20.7	58	256.6	27.0
19	18.9	02.0	79	78.6	08.3	39	138.2	14.5	99	197.9	20.8	59	257.6	27.1
20	19.9	02.1	80	79.6	08.4	40	139.2	14.6	200	198.9	20.9	60	258.6	27.2
21	20.9	02.2	81	80.6	08.5	141	140.2	14.7	201	199.9	21.0	261	259.6	27.3
22	21.9	02.3	82	81.6	08.6	42	141.2	14.8	02	200.9	21.1	62	260.6	27.4
23	22.9	02.4	83	82.5	08.7	43	142.2	14.9	03	201.9	21.2	63	261.6	27.5
24	23.9	02.5	84	83.5	08.8	44	143.2	15.1	04	202.9	21.3	64	262.6	27.6
25	24.9	02.6	85	84.5	08.9	45	144.2	15.2	05	203.9	21.4	65	263.6	27.7
26	25.9	02.7	86	85.5	09.0	46	145.2	15.3	06	204.9	21.5	66	264.5	27.8
27	26.9	02.8	87	86.5	09.1	47	146.2	15.4	07	205.9	21.6	67	265.5	27.9
28	27.8	02.9	88	87.5	09.2	48	147.2	15.5	08	206.9	21.7	68	266.5	28.0
29	28.8	03.0	89	88.5	09.3	49	148.2	15.6	09	207.9	21.8	69	267.5	28.1
30	29.8	03.1	90	89.5	09.4	50	149.2	15.7	10	208.8	22.0	70	268.5	28.2
31	30.8	03.2	91	90.5	09.5	151	150.2	15.8	211	209.8	22.1	271	269.5	28.3
32	31.8	03.3	92	91.5	09.6	52	151.2	15.9	12	210.8	22.2	72	270.5	28.4
33	32.8	03.4	93	92.5	09.7	53	152.2	16.0	13	211.8	22.3	73	271.5	28.5
34	33.8	03.6	94	93.5	09.8	54	153.2	16.1	14	212.8	22.4	74	272.5	28.6
35	34.8	03.7	95	94.5	09.9	55	154.2	16.2	15	213.8	22.5	75	273.5	28.7
36	35.8	03.8	96	95.5	10.0	56	155.1	16.3	16	214.8	22.6	76	274.5	28.8
37	36.8	03.9	97	96.5	10.1	57	156.1	16.4	17	215.8	22.7	77	275.5	29.0
38	37.8	04.0	98	97.5	10.2	58	157.1	16.5	18	216.8	22.8	78	276.5	29.1
39	38.8	04.1	99	98.5	10.3	59	158.1	16.6	19	217.8	22.9	79	277.5	29.2
40	39.8	04.2	100	99.5	10.5	60	159.1	16.7	20	218.8	23.0	80	278.5	29.3
41	40.8	04.3	101	100.4	10.6	161	160.1	16.8	221	219.8	23.1	281	279.5	29.4
42	41.8	04.4	02	101.4	10.7	62	161.1	16.9	22	220.8	23.2	82	280.5	29.5
43	42.8	04.5	03	102.4	10.8	63	162.1	17.0	23	221.8	23.3	83	281.4	29.6
44	43.8	04.6	04	103.4	10.9	64	163.1	17.1	24	222.8	23.4	84	282.4	29.7
45	44.8	04.7	05	104.4	11.0	65	164.1	17.2	25	223.8	23.5	85	283.4	29.8
46	45.7	04.8	06	105.4	11.1	66	165.1	17.4	26	224.8	23.6	86	284.4	29.9
47	46.7	04.9	07	106.4	11.2	67	166.1	17.5	27	225.8	23.7	87	285.4	30.0
48	47.7	05.0	08	107.4	11.3	68	167.1	17.6	28	226.8	23.8	88	286.4	30.1
49	48.7	05.1	09	108.4	11.4	69	168.1	17.7	29	227.7	23.9	89	287.4	30.2
50	49.7	05.2	10	109.4	11.5	70	169.1	17.8	30	228.7	24.0	90	288.4	30.3
51	50.7	05.3	111	110.4	11.6	171	170.1	17.9	231	229.7	24.1	291	289.4	30.4
52	51.7	05.4	12	111.4	11.7	72	171.1	18.0	32	230.7	24.3	92	290.4	30.5
53	52.7	05.5	13	112.4	11.8	73	172.1	18.1	33	231.7	24.4	93	291.4	30.6
54	53.7	05.6	14	113.4	11.9	74	173.0	18.2	34	232.7	24.5	94	292.4	30.7
55	54.7	05.7	15	114.4	12.0	75	174.0	18.3	35	233.7	24.6	95	293.4	30.8
56	55.7	05.9	16	115.4	12.1	76	175.0	18.4	36	234.7	24.7	96	294.4	30.9
57	56.7	06.0	17	116.4	12.2	77	176.0	18.5	37	235.7	24.8	97	295.4	31.0
58	57.7	06.1	18	117.4	12.3	78	177.0	18.6	38	236.7	24.9	98	296.4	31.1
59	58.7	06.2	19	118.3	12.4	79	178.0	18.7	39	237.7	25.0	99	297.4	31.3
60	59.7	06.3	20	119.3	12.5	80	179.0	18.8	40	238.7	25.1	300	298.4	31.4
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 84 Degrees.]

TABLE II.

23

## Difference of Latitude and Departure for 7 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.1	61	60.5	07.4	121	120.1	14.7	181	179.7	22.1	241	239.2	29.4			
2	02.0	00.2	62	61.5	07.6	22	121.1	14.9	82	180.6	22.2	42	240.2	29.5			
3	03.0	00.4	63	62.5	07.7	23	122.1	15.0	83	181.6	22.3	43	241.2	29.6			
4	04.0	00.5	64	63.5	07.8	24	123.1	15.1	84	182.6	22.4	44	242.2	29.7			
5	05.0	00.6	65	64.5	07.9	25	124.1	15.2	85	183.6	22.5	45	243.2	29.9			
6	06.0	00.7	66	65.5	08.0	26	125.1	15.4	86	184.6	22.7	46	244.2	30.0			
7	06.9	00.9	67	66.5	08.2	27	126.1	15.5	87	185.6	22.8	47	245.2	30.1			
8	07.9	01.0	68	67.5	08.3	28	127.0	15.6	88	186.6	22.9	48	246.2	30.2			
9	08.9	01.1	69	68.5	08.4	29	128.0	15.7	89	187.6	23.0	49	247.1	30.3			
10	09.9	01.2	70	69.5	08.5	30	129.0	15.8	90	188.6	23.2	50	248.1	30.5			
11	10.9	01.3	71	70.5	08.7	131	130.0	16.0	191	189.6	23.3	251	249.1	30.6			
12	11.9	01.5	72	71.5	08.8	32	131.0	16.1	92	190.6	23.4	52	250.1	30.7			
13	12.9	01.6	73	72.5	08.9	33	132.0	16.2	93	191.6	23.5	53	251.1	30.8			
14	13.9	01.7	74	73.4	09.0	34	133.0	16.3	94	192.6	23.6	54	252.1	31.0			
15	14.9	01.8	75	74.4	09.1	35	134.0	16.5	95	193.5	23.8	55	253.1	31.1			
16	15.9	01.9	76	75.4	09.3	36	135.0	16.6	96	194.5	23.9	56	254.1	31.2			
17	16.9	02.1	77	76.4	09.4	37	136.0	16.7	97	195.5	24.0	57	255.1	31.3			
18	17.9	02.2	78	77.4	09.5	38	137.0	16.8	98	196.5	24.1	58	256.1	31.4			
19	18.9	02.3	79	78.4	09.6	39	138.0	16.9	99	197.5	24.3	59	257.1	31.6			
20	19.9	02.4	80	79.4	09.7	40	139.0	17.1	900	198.5	24.4	60	258.1	31.7			
21	20.8	02.6	81	80.4	09.9	141	139.9	17.2	201	199.5	24.5	261	259.1	31.8			
22	21.8	02.7	82	81.4	10.0	42	140.9	17.3	02	200.5	24.6	62	260.0	31.9			
23	22.8	02.8	83	82.4	10.1	43	141.9	17.4	03	201.5	24.7	63	261.0	32.1			
24	23.8	02.9	84	83.4	10.2	44	142.9	17.5	04	202.5	24.9	64	262.0	32.2			
25	24.8	03.0	85	84.4	10.4	45	143.9	17.7	05	203.5	25.0	65	263.0	32.3			
26	25.8	03.2	86	85.4	10.5	46	144.9	17.8	06	204.5	25.1	66	264.0	32.4			
27	26.8	03.3	87	86.4	10.6	47	145.9	17.9	07	205.5	25.2	67	265.0	32.5			
28	27.8	03.4	88	87.3	10.7	48	146.9	18.0	08	206.4	25.3	68	266.0	32.7			
29	28.8	03.5	89	88.3	10.8	49	147.9	18.2	09	207.4	25.5	69	267.0	32.8			
30	29.8	03.7	90	89.3	11.0	50	148.9	18.3	10	208.4	25.6	70	268.0	32.9			
31	30.8	03.8	91	90.3	11.1	151	149.9	18.4	211	209.4	25.7	271	269.0	33.0			
32	31.8	03.9	92	91.3	11.2	52	150.9	18.5	12	210.4	25.8	72	270.0	33.1			
33	32.8	04.0	93	92.3	11.3	53	151.9	18.6	13	211.4	26.0	73	271.0	33.3			
34	33.7	04.1	94	93.3	11.5	54	152.9	18.8	14	212.4	26.1	74	272.0	33.4			
35	34.7	04.3	95	94.3	11.6	55	153.8	18.9	15	213.4	26.2	75	273.0	33.5			
36	35.7	04.4	96	95.3	11.7	56	154.8	19.0	16	214.4	26.3	76	273.9	33.6			
37	36.7	04.5	97	96.3	11.8	57	155.8	19.1	17	215.4	26.4	77	274.9	33.8			
38	37.7	04.6	98	97.3	11.9	58	156.8	19.3	18	216.4	26.6	78	275.9	33.9			
39	38.7	04.8	99	98.3	12.1	59	157.8	19.4	19	217.4	26.7	79	276.9	34.0			
40	39.7	04.9	100	99.3	12.2	60	158.8	19.5	20	218.4	26.8	80	277.9	34.1			
41	40.7	05.0	101	100.2	12.3	161	159.8	19.6	221	219.4	26.9	281	278.9	34.2			
42	41.7	05.1	02	101.2	12.4	62	160.8	19.7	22	220.3	27.1	82	279.9	34.4			
43	42.7	05.2	03	102.2	12.6	63	161.8	19.9	23	221.3	27.2	83	280.9	34.5			
44	43.7	05.4	04	103.2	12.7	64	162.8	20.0	24	222.3	27.3	84	281.9	34.6			
45	44.7	05.5	05	104.2	12.8	65	163.8	20.1	25	223.3	27.4	85	282.9	34.7			
46	45.7	05.6	06	105.2	12.9	66	164.8	20.2	26	224.3	27.5	86	283.9	34.9			
47	46.6	05.7	07	106.2	13.0	67	165.8	20.4	27	225.3	27.7	87	284.9	35.0			
48	47.6	05.8	08	107.2	13.2	68	166.7	20.5	28	226.3	27.8	88	285.9	35.1			
49	48.6	06.0	09	108.2	13.3	69	167.7	20.6	29	227.3	27.9	89	286.8	35.2			
50	49.6	06.1	10	109.2	13.4	70	168.7	20.7	30	228.3	28.0	90	287.8	35.3			
51	50.6	06.2	111	110.2	13.5	171	169.7	20.8	231	229.3	28.2	291	288.8	35.5			
52	51.6	06.3	12	111.2	13.6	72	170.7	21.0	32	230.3	28.3	92	289.8	35.6			
53	52.6	06.5	13	112.2	13.8	73	171.7	21.1	33	231.3	28.4	93	290.8	35.7			
54	53.6	06.6	14	113.2	13.9	74	172.7	21.2	34	232.3	28.5	94	291.8	35.8			
55	54.6	06.7	15	114.1	14.0	75	173.7	21.3	35	233.2	28.6	95	292.8	36.0			
56	55.6	06.8	16	115.1	14.1	76	174.7	21.4	36	234.2	28.8	96	293.8	36.1			
57	56.6	06.9	17	116.1	14.3	77	175.7	21.6	37	235.2	28.9	97	294.8	36.2			
58	57.6	07.1	18	117.1	14.4	78	176.7	21.7	38	236.2	29.0	98	295.8	36.3			
59	58.6	07.2	19	118.1	14.5	79	177.7	21.8	39	237.2	29.1	99	296.8	36.4			
60	59.6	07.3	20	119.1	14.6	80	178.7	21.9	40	238.2	29.2	300	297.8	36.6			
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 83 Degrees.]

Difference of Latitude and Departure for 8 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.1	61	60.4	08.5	121	119.8	16.8	181	179.2	25.2	241	238.7	33.5
2	02.0	00.3	62	61.4	08.6	22	120.8	17.0	82	180.2	25.3	42	239.6	33.7
3	03.0	00.4	63	62.4	08.8	23	121.8	17.1	83	181.2	25.5	43	240.6	33.8
4	04.0	00.6	64	63.4	08.9	24	122.8	17.3	84	182.2	25.6	44	241.6	34.0
5	05.0	00.7	65	64.4	09.0	25	123.8	17.4	85	183.2	25.7	45	242.6	34.1
6	05.9	00.8	66	65.4	09.2	26	124.8	17.5	86	184.2	25.9	46	243.6	34.2
7	06.9	01.0	67	66.3	09.3	27	125.8	17.7	87	185.2	26.0	47	244.6	34.4
8	07.9	01.1	68	67.3	09.5	28	126.8	17.8	88	186.2	26.2	48	245.6	34.5
9	08.9	01.3	69	68.3	09.6	29	127.7	18.0	89	187.2	26.3	49	246.6	34.7
10	09.9	01.4	70	69.3	09.7	30	128.7	18.1	90	188.2	26.4	50	247.6	34.8
11	10.9	01.5	71	70.3	09.9	131	129.7	18.2	191	189.1	26.6	251	248.6	34.9
12	11.9	01.7	72	71.3	10.0	32	130.7	18.4	92	190.1	26.7	52	249.5	35.1
13	12.9	01.8	73	72.3	10.2	33	131.7	18.5	93	191.1	26.9	53	250.5	35.2
14	13.9	01.9	74	73.3	10.3	34	132.7	18.6	94	192.1	27.0	54	251.5	35.3
15	14.9	02.1	75	74.3	10.4	35	133.7	18.8	95	193.1	27.1	55	252.5	35.5
16	15.8	02.2	76	75.3	10.6	36	134.7	18.9	96	194.1	27.3	56	253.5	35.6
17	16.8	02.4	77	76.3	10.7	37	135.7	19.1	97	195.1	27.4	57	254.5	35.8
18	17.8	02.5	78	77.2	10.9	38	136.7	19.2	98	196.1	27.6	58	255.5	35.9
19	18.8	02.6	79	78.2	11.0	39	137.7	19.3	99	197.1	27.7	59	256.5	36.0
20	19.8	02.8	80	79.2	11.1	40	138.6	19.5	200	198.1	27.8	60	257.5	36.2
21	20.8	02.9	81	80.2	11.3	141	139.6	19.6	201	199.0	28.0	261	258.6	36.3
22	21.8	03.1	82	81.2	11.4	42	140.6	19.8	02	200.0	28.1	62	259.5	36.5
23	22.8	03.2	83	82.2	11.6	43	141.6	19.9	03	201.0	28.3	63	260.4	36.6
24	23.8	03.3	84	83.2	11.7	44	142.6	20.0	04	202.0	28.4	64	261.4	36.7
25	24.8	03.5	85	84.2	11.8	45	143.6	20.2	05	203.0	28.5	65	262.4	36.9
26	25.7	03.6	86	85.2	12.0	46	144.6	20.3	06	204.0	28.7	66	263.4	37.0
27	26.7	03.8	87	86.2	12.1	47	145.6	20.5	07	205.0	28.8	67	264.4	37.2
28	27.7	03.9	88	87.1	12.2	48	146.6	20.6	08	206.0	28.9	68	265.4	37.3
29	28.7	04.0	89	88.1	12.4	49	147.5	20.7	09	207.0	29.1	69	266.4	37.4
30	29.7	04.2	90	89.1	12.5	50	148.5	20.9	10	208.0	29.2	70	267.4	37.6
31	30.7	04.3	91	90.1	12.7	151	149.5	21.0	211	208.9	29.4	271	268.4	37.7
32	31.7	04.5	92	91.1	12.8	52	150.5	21.2	12	209.9	29.5	72	269.4	37.9
33	32.7	04.6	93	92.1	12.9	53	151.5	21.3	13	210.9	29.6	73	270.3	38.0
34	33.7	04.7	94	93.1	13.1	54	152.5	21.4	14	211.9	29.8	74	271.3	38.1
35	34.7	04.9	95	94.1	13.2	55	153.5	21.6	15	212.9	29.9	75	272.3	38.3
36	35.6	05.0	96	95.1	13.4	56	154.5	21.7	16	213.9	30.1	76	273.3	38.4
37	36.6	05.1	97	96.1	13.5	57	155.5	21.9	17	214.9	30.2	77	274.3	38.6
38	37.6	05.3	98	97.0	13.6	58	156.5	22.0	18	215.9	30.3	78	275.3	38.7
39	38.6	05.4	99	98.0	13.8	59	157.5	22.1	19	216.9	30.5	79	276.3	38.8
40	39.6	05.6	100	99.0	13.9	60	158.4	22.3	20	217.9	30.6	80	277.3	39.0
41	40.6	05.7	101	100.0	14.1	161	159.4	22.4	221	218.8	30.8	281	278.3	39.1
42	41.6	05.8	02	101.0	14.2	62	160.4	22.5	22	219.8	30.9	82	279.3	39.2
43	42.6	06.0	03	102.0	14.3	63	161.4	22.7	23	220.8	31.0	83	280.2	39.4
44	43.6	06.1	04	103.0	14.5	64	162.4	22.8	24	221.8	31.2	84	281.2	39.5
45	44.6	06.3	05	104.0	14.6	65	163.4	23.0	25	222.8	31.3	85	282.2	39.7
46	45.6	06.4	06	105.0	14.8	66	164.4	23.1	26	223.8	31.5	86	283.2	39.8
47	46.5	06.5	07	106.0	14.9	67	165.4	23.2	27	224.8	31.6	87	284.2	39.9
48	47.5	06.7	08	106.9	15.0	68	166.4	23.4	28	225.8	31.7	88	285.2	40.1
49	48.5	06.8	09	107.9	15.2	69	167.4	23.5	29	226.8	31.9	89	286.2	40.2
50	49.5	07.0	110	108.9	15.3	70	168.3	23.7	30	227.8	32.0	90	287.2	40.4
51	50.5	07.1	111	109.9	15.4	171	169.3	23.8	231	228.8	32.1	291	288.2	40.5
52	51.5	07.2	12	110.9	15.6	72	170.3	23.9	32	229.7	32.3	92	289.2	40.6
53	52.5	07.4	13	111.9	15.7	73	171.3	24.1	33	230.7	32.4	93	290.1	40.8
54	53.5	07.5	14	112.9	15.9	74	172.3	24.2	34	231.7	32.6	94	291.1	40.9
55	54.5	07.7	15	113.9	16.0	75	173.3	24.4	35	232.7	32.7	95	292.1	41.1
56	55.5	07.8	16	114.9	16.1	76	174.3	24.5	36	233.7	32.8	96	293.1	41.2
57	56.4	07.9	17	115.9	16.3	77	175.3	24.6	37	234.7	33.0	97	294.1	41.3
58	57.4	08.1	18	116.9	16.4	78	176.3	24.8	38	235.7	33.1	98	295.1	41.5
59	58.4	08.2	19	117.8	16.6	79	177.3	24.9	39	236.7	33.3	99	296.1	41.6
60	59.4	08.4	20	118.8	16.7	80	178.2	25.1	40	237.7	33.4	300	297.1	41.8
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 82 Degrees.

TABLE II.

Difference of Latitude and Departure for 9 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.2	61	60.2	09.5	121	119.5	18.9	181	178.8	28.3	241	238.0	37.7
2	02.0	00.3	62	61.2	09.7	22	120.5	19.1	82	179.8	28.5	42	239.0	37.9
3	03.0	00.5	63	62.2	09.9	23	121.5	19.2	83	180.7	28.6	43	240.0	38.0
4	04.0	00.6	64	63.2	10.0	24	122.5	19.4	84	181.7	28.8	44	241.0	38.2
5	04.9	00.8	65	64.2	10.2	25	123.5	19.6	85	182.7	28.9	45	242.0	38.3
6	05.9	00.9	66	65.2	10.3	26	124.4	19.7	86	183.7	29.1	46	243.0	38.5
7	06.9	01.1	67	66.2	10.5	27	125.4	19.9	87	184.7	29.3	47	244.0	38.6
8	07.9	01.3	68	67.2	10.6	28	126.4	20.0	88	185.7	29.4	48	244.9	38.8
9	08.9	01.4	69	68.2	10.8	29	127.4	20.2	89	186.7	29.6	49	245.9	39.0
10	09.9	01.6	70	69.1	11.0	30	128.4	20.3	90	187.7	29.7	50	246.9	39.1
11	10.9	01.7	71	70.1	11.1	131	129.4	20.5	191	188.6	29.9	251	247.9	39.3
12	11.9	01.9	72	71.1	11.3	32	130.4	20.6	92	189.6	30.0	52	248.9	39.4
13	12.8	02.0	73	72.1	11.4	33	131.4	20.8	93	190.6	30.2	53	249.9	39.6
14	13.8	02.2	74	73.1	11.6	34	132.4	21.0	94	191.6	30.3	54	250.9	39.7
15	14.8	02.3	75	74.1	11.7	35	133.3	21.1	95	192.6	30.5	55	251.9	39.9
16	15.8	02.5	76	75.1	11.9	36	134.3	21.3	96	193.6	30.7	56	252.8	40.0
17	16.8	02.7	77	76.1	12.0	37	135.3	21.4	97	194.6	30.8	57	253.8	40.2
18	17.8	02.8	78	77.0	12.2	38	136.3	21.6	98	195.6	31.0	58	254.8	40.4
19	18.8	03.0	79	78.0	12.4	39	137.3	21.7	99	196.5	31.1	59	255.8	40.5
20	19.8	03.1	80	79.0	12.5	40	138.3	21.9	200	197.5	31.3	60	256.8	40.7
21	20.7	03.3	81	80.0	12.7	141	139.3	22.1	201	198.5	31.4	261	257.8	40.8
22	21.7	03.4	82	81.0	12.8	42	140.3	22.2	02	199.5	31.6	62	258.8	41.0
23	22.7	03.6	83	82.0	13.0	43	141.2	22.4	03	200.5	31.8	63	259.8	41.1
24	23.7	03.8	84	83.0	13.1	44	142.2	22.5	04	201.5	31.9	64	260.7	41.3
25	24.7	03.9	85	84.0	13.3	45	143.2	22.7	05	202.5	32.1	65	261.7	41.5
26	25.7	04.1	86	84.9	13.5	46	144.2	22.8	06	203.5	32.2	66	262.7	41.6
27	26.7	04.2	87	85.9	13.6	47	145.2	23.0	07	204.5	32.4	67	263.7	41.8
28	27.7	04.4	88	86.9	13.8	48	146.2	23.2	08	205.4	32.5	68	264.7	41.9
29	28.6	04.5	89	87.9	13.9	49	147.2	23.3	09	206.4	32.7	69	265.7	42.1
30	29.6	04.7	90	88.9	14.1	50	148.2	23.5	10	207.4	32.9	70	266.7	42.2
31	30.6	04.8	91	89.9	14.2	151	149.1	23.6	211	208.4	33.0	271	267.7	42.4
32	31.6	05.0	92	90.9	14.4	52	150.1	23.8	12	209.4	33.2	72	268.7	42.6
33	32.6	05.2	93	91.9	14.5	53	151.1	23.9	13	210.4	33.3	73	269.6	42.7
34	33.6	05.3	94	92.8	14.7	54	152.1	24.1	14	211.4	33.5	74	270.6	42.9
35	34.6	05.5	95	93.8	14.9	55	153.1	24.2	15	212.4	33.6	75	271.6	43.0
36	35.6	05.6	96	94.8	15.0	56	154.1	24.4	16	213.3	33.8	76	272.6	43.2
37	36.5	05.8	97	95.8	15.2	57	155.1	24.6	17	214.3	33.9	77	273.6	43.3
38	37.5	05.9	98	96.8	15.3	58	156.1	24.7	18	215.3	34.1	78	274.6	43.5
39	38.5	06.1	99	97.8	15.5	59	157.0	24.9	19	216.3	34.3	79	275.6	43.6
40	39.5	06.3	100	98.8	15.6	60	158.0	25.0	20	217.3	34.4	80	276.6	43.8
41	40.5	06.4	101	99.8	15.8	161	159.0	25.2	221	218.3	34.6	281	277.5	44.0
42	41.5	06.6	02	100.7	16.0	62	160.0	25.3	22	219.3	34.7	82	278.5	44.1
43	42.5	06.7	03	101.7	16.1	63	161.0	25.5	23	220.3	34.9	83	279.5	44.3
44	43.5	06.9	04	102.7	16.3	64	162.0	25.7	24	221.2	35.0	84	280.5	44.4
45	44.4	07.0	05	103.7	16.4	65	163.0	25.8	25	222.2	35.2	85	281.5	44.6
46	45.4	07.2	06	104.7	16.6	66	164.0	26.0	26	223.2	35.4	86	282.5	44.7
47	46.4	07.4	07	105.7	16.7	67	164.9	26.1	27	224.2	35.5	87	283.5	44.9
48	47.4	07.5	08	106.7	16.9	68	165.9	26.3	28	225.2	35.7	88	284.5	45.1
49	48.4	07.7	09	107.7	17.1	69	166.9	26.4	29	226.2	35.8	89	285.4	45.2
50	49.4	07.8	10	108.6	17.2	70	167.9	26.6	30	227.2	36.0	90	286.4	45.4
51	50.4	08.0	111	109.6	17.4	171	168.9	26.8	231	228.2	36.1	291	287.4	45.5
52	51.4	08.1	12	110.6	17.5	72	169.9	26.9	32	229.1	36.3	92	288.4	45.7
53	52.3	08.3	13	111.6	17.7	73	170.9	27.1	33	230.1	36.4	93	289.4	45.8
54	53.3	08.4	14	112.6	17.8	74	171.9	27.2	34	231.1	36.6	94	290.4	46.0
55	54.3	08.6	15	113.6	18.0	75	172.8	27.4	35	232.1	36.8	95	291.4	46.1
56	55.3	08.8	16	114.6	18.1	76	173.8	27.5	36	233.1	36.9	96	292.4	46.3
57	56.3	08.9	17	115.6	18.3	77	174.8	27.7	37	234.1	37.1	97	293.3	46.5
58	57.3	09.1	18	116.5	18.5	78	175.8	27.8	38	235.1	37.2	98	294.3	46.6
59	58.3	09.2	19	117.5	18.6	79	176.8	28.0	39	236.1	37.4	99	295.3	46.8
60	59.3	09.4	20	118.5	18.8	80	177.8	28.2	40	237.0	37.5	300	296.3	46.9

[For 31 Degrees.]

TABLE II.

Difference of Latitude and Departure for 10 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.2	61	60.1	10.6	121	119.2	21.0	181	178.3	31.4	241	237.3	41.8
2	02.0	00.3	62	61.1	10.8	22	120.1	21.2	82	179.2	31.6	42	238.3	42.0
3	03.0	00.5	63	62.0	10.9	23	121.1	21.4	83	180.2	31.8	43	239.3	42.2
4	03.9	00.7	64	63.0	11.1	24	122.1	21.5	84	181.2	32.0	44	240.3	42.4
5	04.9	00.9	65	64.0	11.3	25	123.1	21.7	85	182.2	32.1	45	241.3	42.5
6	05.9	01.0	66	65.0	11.5	26	124.1	21.9	86	183.2	32.3	46	242.3	42.7
7	06.9	01.2	67	66.0	11.6	27	125.1	22.1	87	184.2	32.5	47	243.2	42.9
8	07.9	01.4	68	67.0	11.8	28	126.1	22.2	88	185.1	32.6	48	244.2	43.1
9	08.9	01.6	69	68.0	12.0	29	127.0	22.4	89	186.1	32.8	49	245.2	43.2
10	09.8	01.7	70	68.9	12.2	30	128.0	22.6	90	187.1	33.0	50	246.2	43.4
11	10.8	01.9	71	69.9	12.3	131	129.0	22.7	191	188.1	33.2	251	247.2	43.6
12	11.8	02.1	72	70.9	12.5	32	130.0	22.9	92	189.1	33.3	52	248.2	43.8
13	12.8	02.3	73	71.9	12.7	33	131.0	23.1	93	190.1	33.5	53	249.2	43.9
14	13.8	02.4	74	72.9	12.8	34	132.0	23.3	94	191.1	33.7	54	250.1	44.1
15	14.8	02.6	75	73.9	13.0	35	132.9	23.4	95	192.0	33.9	55	251.1	44.3
16	15.8	02.8	76	74.8	13.2	36	133.9	23.6	96	193.0	34.0	56	252.1	44.5
17	16.7	03.0	77	75.8	13.4	37	134.9	23.8	97	194.0	34.2	57	253.1	44.6
18	17.7	03.1	78	76.8	13.5	38	135.9	24.0	98	195.0	34.4	58	254.1	44.8
19	18.7	03.3	79	77.8	13.7	39	136.9	24.1	99	196.0	34.6	59	255.1	45.0
20	19.7	03.5	80	78.8	13.9	40	137.9	24.3	200	197.0	34.7	60	256.1	45.1
21	20.7	03.6	81	79.8	14.1	141	138.9	24.5	201	197.9	34.9	261	257.0	45.3
22	21.7	03.8	82	80.8	14.2	42	139.8	24.7	02	198.9	35.1	62	258.0	45.5
23	22.7	04.0	83	81.7	14.4	43	140.8	24.8	03	199.9	35.3	63	259.0	45.7
24	23.6	04.2	84	82.7	14.6	44	141.8	25.0	04	200.9	35.4	64	260.0	45.8
25	24.6	04.3	85	83.7	14.8	45	142.8	25.2	05	201.9	35.6	65	261.0	46.0
26	25.6	04.5	86	84.7	14.9	46	143.8	25.4	06	202.9	35.8	66	262.0	46.2
27	26.6	04.7	87	85.7	15.1	47	144.8	25.5	07	203.9	35.9	67	262.9	46.4
28	27.6	04.9	88	86.7	15.3	48	145.8	25.7	08	204.8	36.1	68	263.9	46.5
29	28.6	05.0	89	87.6	15.5	49	146.7	25.9	09	205.8	36.3	69	264.9	46.7
30	29.5	05.2	90	88.6	15.6	50	147.7	26.0	10	206.8	36.5	70	265.9	46.9
31	30.5	05.4	91	89.6	15.8	151	148.7	26.2	211	207.8	36.6	271	266.9	47.1
32	31.5	05.6	92	90.6	16.0	52	149.7	26.4	12	208.8	36.8	72	267.9	47.2
33	32.5	05.7	93	91.6	16.1	53	150.7	26.6	13	209.8	37.0	73	268.9	47.4
34	33.5	05.9	94	92.6	16.3	54	151.7	26.7	14	210.7	37.2	74	269.8	47.6
35	34.5	06.1	95	93.6	16.5	55	152.6	26.9	15	211.7	37.3	75	270.8	47.8
36	35.5	06.3	96	94.5	16.7	56	153.6	27.1	16	212.7	37.5	76	271.8	47.9
37	36.4	06.4	97	95.5	16.8	57	154.6	27.3	17	213.7	37.7	77	272.8	48.1
38	37.4	06.6	98	96.5	17.0	58	155.6	27.4	18	214.7	37.9	78	273.8	48.3
39	38.4	06.8	99	97.5	17.2	59	156.6	27.6	19	215.7	38.0	79	274.8	48.4
40	39.4	06.9	100	98.5	17.4	60	157.6	27.8	20	216.7	38.2	80	275.7	48.6
41	40.4	07.1	101	99.5	17.5	161	158.6	28.0	221	217.6	38.4	281	276.7	48.8
42	41.4	07.3	02	100.5	17.7	62	159.5	28.1	22	218.6	38.5	82	277.7	49.0
43	42.3	07.5	03	101.4	17.9	63	160.5	28.3	23	219.6	38.7	83	278.7	49.1
44	43.3	07.6	04	102.4	18.1	64	161.5	28.5	24	220.6	38.9	84	279.7	49.3
45	44.3	07.8	05	103.4	18.2	65	162.5	28.7	25	221.6	39.1	85	280.7	49.5
46	45.3	08.0	06	104.4	18.4	66	163.5	28.8	26	222.6	39.2	86	281.7	49.7
47	46.3	08.2	07	105.4	18.6	67	164.5	29.0	27	223.6	39.4	87	282.6	49.8
48	47.3	08.3	08	106.4	18.8	68	165.4	29.2	28	224.5	39.6	88	283.6	50.0
49	48.3	08.5	09	107.3	18.9	69	166.4	29.3	29	225.5	39.8	89	284.6	50.2
50	49.2	08.7	10	108.3	19.1	70	167.4	29.5	30	226.5	39.9	90	285.6	50.4
51	50.2	08.9	111	109.3	19.3	171	168.4	29.7	231	227.5	40.1	291	286.6	50.5
52	51.2	09.0	12	110.3	19.4	72	169.4	29.9	32	228.5	40.3	92	287.6	50.7
53	52.2	09.2	13	111.3	19.6	73	170.4	30.0	33	229.5	40.5	93	288.5	50.9
54	53.2	09.4	14	112.3	19.8	74	171.4	30.2	34	230.4	40.6	94	289.5	51.1
55	54.2	09.6	15	113.3	20.0	75	172.3	30.4	35	231.4	40.8	95	290.5	51.2
56	55.1	09.7	16	114.2	20.1	76	173.3	30.6	36	232.4	41.0	96	291.5	51.4
57	56.1	09.9	17	115.2	20.3	77	174.3	30.7	37	233.4	41.2	97	292.5	51.6
58	57.1	10.1	18	116.2	20.5	78	175.3	30.9	38	234.4	41.3	98	293.5	51.7
59	58.1	10.2	19	117.2	20.7	79	176.3	31.1	39	235.4	41.5	99	294.5	51.9
60	59.1	10.4	20	118.2	20.8	80	177.3	31.3	40	236.4	41.7	300	295.4	52.1
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 80 Degrees.]

TABLE II.

Difference of Latitude and Departure for 11 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.2	61	59.9	11.6	121	118.8	23.1	181	177.7	34.5	241	236.6	46.0
2	02.0	00.4	62	60.9	11.8	22	119.8	23.3	82	178.7	34.7	42	237.6	46.2
3	02.9	00.6	63	61.8	12.0	23	120.7	23.5	83	179.6	34.9	43	238.5	46.4
4	03.9	00.8	64	62.8	12.2	24	121.7	23.7	84	180.6	35.1	44	239.5	46.6
5	04.9	01.0	65	63.8	12.4	25	122.7	23.9	85	181.6	35.3	45	240.5	46.7
6	05.9	01.1	66	64.8	12.6	26	123.7	24.0	86	182.6	35.5	46	241.5	46.9
7	06.9	01.3	67	65.8	12.8	27	124.7	24.2	87	183.6	35.7	47	242.5	47.1
8	07.9	01.5	68	66.8	13.0	28	125.6	24.4	88	184.5	35.9	48	243.4	47.3
9	08.8	01.7	69	67.7	13.2	29	126.6	24.6	89	185.5	36.1	49	244.4	47.5
10	09.8	01.9	70	68.7	13.4	30	127.6	24.8	90	186.5	36.3	50	245.4	47.7
11	10.8	02.1	71	69.7	13.5	131	128.6	25.0	191	187.5	36.4	251	246.4	47.9
12	11.8	02.3	72	70.7	13.7	32	129.6	25.2	92	188.5	36.6	52	247.4	48.1
13	12.8	02.5	73	71.7	13.9	33	130.6	25.4	93	189.5	36.8	53	248.4	48.3
14	13.7	02.7	74	72.6	14.1	31	131.5	25.6	94	190.4	37.0	54	249.3	48.5
15	14.7	02.9	75	73.6	14.3	35	132.5	25.8	95	191.4	37.2	55	250.3	48.7
16	15.7	03.1	76	74.6	14.5	36	133.5	26.0	96	192.4	37.4	56	251.3	48.8
17	16.7	03.2	77	75.6	14.7	37	134.5	26.1	97	193.4	37.6	57	252.3	49.0
18	17.7	03.4	78	76.6	14.9	38	135.5	26.3	98	194.4	37.8	58	253.3	49.2
19	18.7	03.6	79	77.5	15.1	39	136.4	26.5	99	195.3	38.0	59	254.2	49.4
20	19.6	03.8	80	78.5	15.3	40	137.4	26.7	200	196.3	38.2	60	255.2	49.6
21	20.6	04.0	81	79.5	15.5	141	138.4	26.9	201	197.3	38.4	261	256.2	49.8
22	21.6	04.2	82	80.5	15.6	42	139.4	27.1	02	198.3	38.5	62	257.2	50.0
23	22.6	04.4	83	81.5	15.8	43	140.4	27.3	03	199.3	38.7	63	258.2	50.2
24	23.6	04.6	84	82.5	16.0	44	141.4	27.5	04	200.3	38.9	64	259.1	50.4
25	24.5	04.8	85	83.4	16.2	45	142.3	27.7	05	201.2	39.1	65	260.1	50.6
26	25.5	05.0	86	84.4	16.4	46	143.3	27.9	06	202.2	39.3	66	261.1	50.8
27	26.5	05.2	87	85.4	16.6	47	144.3	28.0	07	203.2	39.5	67	262.1	50.9
28	27.5	05.3	88	86.4	16.8	48	145.3	28.2	08	204.2	39.7	68	263.1	51.1
29	28.5	05.5	89	87.4	17.0	49	146.3	28.4	09	205.2	39.9	69	264.1	51.3
30	29.4	05.7	90	88.3	17.2	50	147.2	28.6	10	206.1	40.1	70	265.0	51.5
31	30.4	05.9	91	89.3	17.4	151	148.2	28.8	211	207.1	40.3	271	266.0	51.7
32	31.4	06.1	92	90.3	17.6	52	149.2	29.0	12	208.1	40.5	72	267.0	51.9
33	32.4	06.3	93	91.3	17.7	53	150.2	29.2	13	209.1	40.6	73	268.0	52.1
34	33.4	06.5	94	92.3	17.9	54	151.2	29.4	14	210.1	40.8	74	269.0	52.3
35	34.4	06.7	95	93.3	18.1	55	152.2	29.6	15	211.0	41.0	75	269.9	52.5
36	35.3	06.9	96	94.2	18.3	56	153.1	29.8	16	212.0	41.2	76	270.9	52.7
37	36.3	07.1	97	95.2	18.5	57	154.1	30.0	17	213.0	41.4	77	271.9	52.9
38	37.3	07.3	98	96.2	18.7	58	155.1	30.1	18	214.0	41.6	78	272.9	53.0
39	38.3	07.4	99	97.2	18.9	59	156.1	30.3	19	215.0	41.8	79	273.9	53.2
40	39.3	07.6	100	98.2	19.1	60	157.1	30.5	20	216.0	42.0	80	274.9	53.4
41	40.2	07.8	101	99.1	19.3	161	158.0	30.7	221	216.9	42.2	281	275.8	53.6
42	41.2	08.0	02	100.1	19.5	62	159.0	30.9	22	217.9	42.4	82	276.8	53.8
43	42.2	08.2	03	101.1	19.7	63	160.0	31.1	23	218.9	42.6	83	277.8	54.0
44	43.2	08.4	04	102.1	19.8	64	161.0	31.3	24	219.9	42.7	84	278.8	54.2
45	44.2	08.6	05	103.1	20.0	65	162.0	31.5	25	220.9	42.9	85	279.8	54.4
46	45.2	08.8	06	104.1	20.2	66	163.0	31.7	26	221.8	43.1	86	280.7	54.6
47	46.1	09.0	07	105.0	20.4	67	163.9	31.9	27	222.8	43.3	87	281.7	54.8
48	47.1	09.2	08	106.0	20.6	68	164.9	32.1	28	223.8	43.5	88	282.7	55.0
49	48.1	09.3	09	107.0	20.8	69	165.9	32.2	29	224.8	43.7	89	283.7	55.1
50	49.1	09.5	10	108.0	21.0	70	166.9	32.4	30	225.8	43.9	90	284.7	55.3
51	50.1	09.7	111	109.0	21.2	171	167.9	32.6	231	226.8	44.1	291	285.7	55.5
52	51.0	09.9	12	109.9	21.4	72	168.8	32.8	32	227.7	44.3	92	286.6	55.7
53	52.0	10.1	13	110.9	21.6	73	169.8	33.0	33	228.7	44.5	93	287.6	55.9
54	53.0	10.3	14	111.9	21.8	74	170.8	33.2	34	229.7	44.6	94	288.6	56.1
55	54.0	10.5	15	112.9	21.9	75	171.8	33.4	35	230.7	44.8	95	289.6	56.3
56	55.0	10.7	16	113.9	22.1	76	172.8	33.6	36	231.7	45.0	96	290.6	56.5
57	56.0	10.9	17	114.9	22.3	77	173.7	33.8	37	232.6	45.2	97	291.5	56.7
58	56.9	11.1	18	115.8	22.5	78	174.7	34.0	38	233.6	45.4	98	292.5	56.9
59	57.9	11.3	19	116.8	22.7	79	175.7	34.2	39	234.6	45.6	99	293.5	57.1
60	58.9	11.4	20	117.8	22.9	80	176.7	34.3	40	235.6	45.8	300	294.5	57.2

[For 79 Degrees.]



## Difference of Latitude and Departure for 12 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.2	61	59.7	12.7	121	118.4	25.2	181	177.0	37.6	241	235.7	50.1
2	02.0	00.4	62	60.6	12.9	22	119.3	25.4	82	178.0	37.8	42	236.7	50.3
3	02.9	00.6	63	61.6	13.1	23	120.3	25.6	83	179.0	38.0	43	237.7	50.5
4	03.9	00.8	64	62.6	13.3	24	121.3	25.8	84	180.0	38.3	44	238.7	50.7
5	04.9	01.0	65	63.6	13.5	25	122.3	26.0	85	181.0	38.5	45	239.6	50.9
6	05.9	01.2	66	64.6	13.7	26	123.2	26.2	86	181.9	38.7	46	240.6	51.1
7	06.8	01.5	67	65.5	13.9	27	124.2	26.4	87	182.9	38.9	47	241.6	51.4
8	07.8	01.7	68	66.5	14.1	28	125.2	26.6	88	183.9	39.1	48	242.6	51.6
9	08.8	01.9	69	67.5	14.3	29	126.2	26.8	89	184.9	39.3	49	243.6	51.8
10	09.8	02.1	70	68.5	14.6	30	127.2	27.0	90	185.8	39.5	50	244.5	52.0
11	10.5	02.3	71	69.4	14.8	131	128.1	27.2	191	186.8	39.7	251	245.5	52.2
12	11.7	02.5	72	70.4	15.0	32	129.1	27.4	92	187.8	39.9	52	246.5	52.4
13	12.7	02.7	73	71.4	15.2	33	130.1	27.7	93	188.8	40.1	53	247.5	52.6
14	13.7	02.9	74	72.4	15.4	34	131.1	27.9	94	189.8	40.3	54	248.4	52.8
15	14.7	03.1	75	73.4	15.6	35	132.0	28.1	95	190.7	40.5	55	249.4	53.0
16	15.7	03.3	76	74.3	15.8	36	133.0	28.3	96	191.7	40.8	56	250.4	53.2
17	16.6	03.5	77	75.3	16.0	37	134.0	28.5	97	192.7	41.0	57	251.4	53.4
18	17.6	03.7	78	76.3	16.2	38	135.0	28.7	98	193.7	41.2	58	252.4	53.6
19	18.6	04.0	79	77.3	16.4	39	136.0	28.9	99	194.7	41.4	59	253.3	53.8
20	19.6	04.2	80	78.3	16.6	40	136.9	29.1	200	195.6	41.6	60	254.3	54.1
21	20.5	04.4	81	79.2	16.8	141	137.9	29.3	201	196.6	41.8	261	255.3	54.3
22	21.5	04.6	82	80.2	17.0	42	138.9	29.5	02	197.6	42.0	62	256.3	54.5
23	22.5	04.8	83	81.2	17.3	43	139.9	29.7	03	198.6	42.2	63	257.3	54.7
24	23.5	05.0	84	82.2	17.5	44	140.9	29.9	04	199.5	42.4	64	258.2	54.9
25	24.5	05.2	85	83.1	17.7	45	141.8	30.1	05	200.5	42.6	65	259.2	55.1
26	25.4	05.4	86	84.1	17.9	46	142.8	30.4	06	201.5	42.8	66	260.2	55.3
27	26.4	05.6	87	85.1	18.1	47	143.8	30.6	07	202.5	43.0	67	261.2	55.5
28	27.4	05.8	88	86.1	18.3	48	144.8	30.8	08	203.5	43.2	68	262.1	55.7
29	28.4	06.0	89	87.1	18.5	49	145.7	31.0	09	204.4	43.5	69	263.1	55.9
30	29.3	06.2	90	88.0	18.7	50	146.7	31.2	10	205.4	43.7	70	264.1	56.1
31	30.3	06.4	91	89.0	18.9	151	147.7	31.4	211	206.4	43.9	271	265.1	56.3
32	31.3	06.7	92	90.0	19.1	52	148.7	31.6	12	207.4	44.1	72	266.1	56.6
33	32.3	06.9	93	91.0	19.3	53	149.7	31.8	13	208.3	44.3	73	267.0	56.8
34	33.3	07.1	94	91.9	19.5	54	150.6	32.0	14	209.3	44.5	74	268.0	57.0
35	34.2	07.3	95	92.9	19.8	55	151.6	32.2	15	210.3	44.7	75	269.0	57.2
36	35.2	07.5	96	93.9	20.0	56	152.6	32.4	16	211.3	44.9	76	270.0	57.4
37	36.2	07.7	97	94.9	20.2	57	153.6	32.6	17	212.3	45.1	77	270.9	57.6
38	37.2	07.9	98	95.9	20.4	58	154.5	32.9	18	213.2	45.3	78	271.9	57.8
39	38.1	08.1	99	96.8	20.6	59	155.5	33.1	19	214.2	45.5	79	272.9	58.0
40	39.1	08.3	100	97.8	20.8	60	156.5	33.3	20	215.2	45.7	80	273.9	58.2
41	40.1	08.5	101	98.8	21.0	161	157.5	33.5	221	216.2	45.9	281	274.9	58.4
42	41.1	08.7	02	99.8	21.2	62	158.5	33.7	22	217.1	46.2	82	275.8	58.6
43	42.1	08.9	03	100.7	21.4	63	159.4	33.9	23	218.1	46.4	83	276.8	58.8
44	43.0	09.1	04	101.7	21.6	64	160.4	34.1	24	219.1	46.6	84	277.8	59.0
45	44.0	09.4	05	102.7	21.8	65	161.4	34.3	25	220.1	46.8	85	278.8	59.3
46	45.0	09.6	06	103.7	22.0	66	162.4	34.5	26	221.1	47.0	86	279.8	59.5
47	46.0	09.8	07	104.7	22.2	67	163.4	34.7	27	222.0	47.2	87	280.7	59.7
48	47.0	10.0	08	105.7	22.5	68	164.3	34.9	28	223.0	47.4	88	281.7	59.9
49	47.9	10.2	09	106.6	22.7	69	165.3	35.1	29	224.0	47.6	89	282.7	60.1
50	48.9	10.4	10	107.6	22.9	70	166.3	35.3	30	225.0	47.8	90	283.7	60.3
51	49.9	10.6	111	108.6	23.1	171	167.3	35.6	231	226.0	48.0	291	284.6	60.5
52	50.9	10.8	12	109.6	23.3	72	168.2	35.8	32	226.9	48.2	92	285.6	60.7
53	51.8	11.0	13	110.5	23.5	73	169.2	36.0	33	227.9	48.4	93	286.6	60.9
54	52.8	11.2	14	111.5	23.7	74	170.2	36.2	34	228.9	48.7	94	287.6	61.1
55	53.8	11.4	15	112.5	23.9	75	171.2	36.4	35	229.9	48.9	95	288.6	61.3
56	54.8	11.6	16	113.5	24.1	76	172.2	36.6	36	230.8	49.1	96	289.5	61.5
57	55.8	11.9	17	114.4	24.3	77	173.1	36.8	37	231.8	49.3	97	290.5	61.7
58	56.7	12.1	18	115.4	24.5	78	174.1	37.0	38	232.8	49.5	98	291.5	62.0
59	57.7	12.3	19	116.4	24.7	79	175.1	37.2	39	233.8	49.7	99	292.5	62.2
60	58.7	12.5	20	117.4	24.9	80	176.1	37.4	40	234.8	49.9	300	293.4	62.4
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 78 Degrees.]

TABLE II.

Difference of Latitude and Departure for 13 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.2	61	59.4	13.7	121	117.9	27.2	181	176.4	40.7	241	234.8	54.2
2	01.9	00.4	62	60.4	13.9	22	118.9	27.4	82	177.3	40.9	42	235.8	54.4
3	02.9	00.7	63	61.4	14.2	23	119.8	27.7	83	178.3	41.2	43	236.8	54.7
4	03.9	00.9	64	62.4	14.4	24	120.8	27.9	84	179.3	41.4	44	237.7	54.9
5	04.9	01.1	65	63.3	14.6	25	121.8	28.1	85	180.3	41.6	45	238.7	55.1
6	05.8	01.3	66	64.3	14.8	26	122.8	28.3	86	181.2	41.8	46	239.7	55.3
7	06.8	01.6	67	65.3	15.1	27	123.7	28.6	87	182.2	42.1	47	240.7	55.6
8	07.8	01.8	68	66.3	15.3	28	124.7	28.8	88	183.2	42.3	48	241.6	55.8
9	08.8	02.0	69	67.2	15.5	29	125.7	29.0	89	184.2	42.5	49	242.6	56.0
10	09.7	02.2	70	68.2	15.7	30	126.7	29.2	90	185.1	42.7	50	243.6	56.2
11	10.7	02.5	71	69.2	16.0	131	127.6	29.5	191	186.1	43.0	251	244.6	56.5
12	11.7	02.7	72	70.2	16.2	32	128.6	29.7	92	187.1	43.2	52	245.5	56.7
13	12.7	02.9	73	71.1	16.4	33	129.6	29.9	93	188.1	43.4	53	246.5	56.9
14	13.6	03.1	74	72.1	16.6	34	130.6	30.1	94	189.0	43.6	54	247.5	57.1
15	14.6	03.4	75	73.1	16.9	35	131.5	30.4	95	190.0	43.9	55	248.5	57.4
16	15.6	03.6	76	74.1	17.1	36	132.5	30.6	96	191.0	44.1	56	249.4	57.6
17	16.6	03.8	77	75.0	17.3	37	133.5	30.8	97	192.0	44.3	57	250.4	57.8
18	17.6	04.0	78	76.0	17.5	38	134.5	31.0	98	192.9	44.5	58	251.4	58.0
19	18.5	04.3	79	77.0	17.8	39	135.4	31.3	99	193.9	44.8	59	252.4	58.3
20	19.5	04.5	80	77.9	18.0	40	136.4	31.5	200	194.9	45.0	60	253.3	58.5
21	20.5	04.7	81	78.9	18.2	141	137.4	31.7	201	195.8	45.2	261	254.3	58.7
22	21.4	04.9	82	79.9	18.4	42	138.4	31.9	02	196.8	45.4	62	255.3	58.9
23	22.4	05.2	83	80.9	18.7	43	139.3	32.2	03	197.8	45.7	63	256.3	59.2
24	23.4	05.4	84	81.8	18.9	44	140.3	32.4	04	198.8	45.9	64	257.2	59.4
25	24.4	05.6	85	82.8	19.1	45	141.3	32.6	05	199.7	46.1	65	258.2	59.6
26	25.3	05.8	86	83.8	19.3	46	142.3	32.8	06	200.7	46.3	66	259.2	59.8
27	26.3	06.1	87	84.8	19.6	47	143.2	33.1	07	201.7	46.6	67	260.2	60.1
28	27.3	06.3	88	85.7	19.8	48	144.2	33.3	08	202.7	46.8	68	261.1	60.3
29	28.3	06.5	89	86.7	20.0	49	145.2	33.5	09	203.6	47.0	69	262.1	60.5
30	29.2	06.7	90	87.7	20.2	50	146.2	33.7	10	204.6	47.2	70	263.1	60.7
31	30.2	07.0	91	88.7	20.5	151	147.1	34.0	211	205.6	47.5	271	264.1	61.0
32	31.2	07.2	92	89.6	20.7	52	148.1	34.2	12	206.6	47.7	72	265.0	61.2
33	32.2	07.4	93	90.6	20.9	53	149.1	34.4	13	207.5	47.9	73	266.0	61.4
34	33.1	07.6	94	91.6	21.1	54	150.1	34.6	14	208.5	48.1	74	267.0	61.6
35	34.1	07.9	95	92.6	21.4	55	151.0	34.9	15	209.5	48.4	75	268.0	61.9
36	35.1	08.1	96	93.5	21.6	56	152.0	35.1	16	210.5	48.6	76	269.9	62.1
37	36.1	08.3	97	94.5	21.8	57	153.0	35.3	17	211.4	48.8	77	269.9	62.3
38	37.0	08.5	98	95.5	22.0	58	154.0	35.5	18	212.4	49.0	78	270.9	62.5
39	38.0	08.8	99	96.5	22.3	59	154.9	35.8	19	213.4	49.3	79	271.8	62.8
40	39.0	09.0	100	97.4	22.5	60	155.9	36.0	20	214.4	49.5	80	272.8	63.0
41	39.9	09.2	101	98.4	22.7	161	156.9	36.2	221	215.3	49.7	281	273.8	63.2
42	40.9	09.4	02	99.4	22.9	62	157.8	36.4	22	216.3	49.9	82	274.8	63.4
43	41.9	09.7	03	100.4	23.2	63	158.8	36.7	23	217.3	50.2	83	275.7	63.7
44	42.9	09.9	04	101.3	23.4	64	159.8	36.9	24	218.3	50.4	84	276.7	63.9
45	43.8	10.1	05	102.3	23.6	65	160.8	37.1	25	219.2	50.6	85	277.7	64.1
46	44.8	10.3	06	103.3	23.8	66	161.7	37.3	26	220.2	50.8	86	278.7	64.3
47	45.8	10.6	07	104.3	24.1	67	162.7	37.6	27	221.2	51.1	87	279.6	64.6
48	46.8	10.8	08	105.2	24.3	68	163.7	37.8	28	222.2	51.3	88	280.6	64.8
49	47.7	11.0	09	106.2	24.5	69	164.7	38.0	29	223.1	51.5	89	281.6	65.0
50	48.7	11.2	10	107.2	24.7	70	165.6	38.2	30	224.1	51.7	90	282.6	65.2
51	49.7	11.5	111	108.2	25.0	171	166.6	38.5	231	225.1	52.0	291	283.5	65.5
52	50.7	11.7	12	109.1	25.2	72	167.6	38.7	32	226.1	52.2	92	284.5	65.7
53	51.6	11.9	13	110.1	25.4	73	168.6	38.9	33	227.0	52.4	93	285.5	65.9
54	52.6	12.1	14	111.1	25.6	74	169.5	39.1	34	228.0	52.6	94	286.5	66.1
55	53.6	12.4	15	112.1	25.9	75	170.5	39.4	35	229.0	52.9	95	287.4	66.4
56	54.6	12.6	16	113.0	26.1	76	171.5	39.6	36	230.0	53.1	96	288.4	66.6
57	55.5	12.8	17	114.0	26.3	77	172.5	39.8	37	230.9	53.3	97	289.4	66.8
58	56.5	13.0	18	115.0	26.5	78	173.4	40.0	38	231.9	53.5	98	290.4	67.0
59	57.5	13.3	19	116.0	26.8	79	174.4	40.3	39	232.9	53.8	99	291.3	67.3
60	58.5	13.5	20	116.9	27.0	80	175.4	40.5	40	233.8	54.0	300	292.3	67.5
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 77 Degrees.]

TABLE II.

Difference of Latitude and Departure for 14 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.2	61	59.2	14.8	121	117.4	29.3	181	175.6	43.8	241	233.8	58.3
2	01.9	00.5	62	60.2	15.0	22	118.4	29.5	82	176.6	44.0	42	234.8	58.5
3	02.9	00.7	63	61.1	15.2	23	119.3	29.8	83	177.6	44.3	43	235.8	58.8
4	03.9	01.0	64	62.1	15.5	24	120.3	30.0	84	178.5	44.5	44	236.8	59.0
5	04.9	01.2	65	63.1	15.7	25	121.3	30.2	85	179.5	44.8	45	237.7	59.3
6	05.8	01.5	66	64.0	16.0	26	122.3	30.5	86	180.5	45.0	46	238.7	59.5
7	06.8	01.7	67	65.0	16.2	27	123.2	30.7	87	181.4	45.2	47	239.7	59.8
8	07.8	01.9	68	66.0	16.5	28	124.2	31.0	88	182.4	45.5	48	240.6	60.0
9	08.7	02.2	69	67.0	16.7	29	125.2	31.2	89	183.4	45.7	49	241.6	60.2
10	09.7	02.4	70	67.9	16.9	30	126.1	31.4	90	184.4	46.0	50	242.6	60.5
11	10.7	02.7	71	68.9	17.2	131	127.1	31.7	191	185.3	46.2	251	243.5	60.7
12	11.6	02.9	72	69.9	17.4	32	128.1	31.9	92	186.3	46.4	52	244.5	61.0
13	12.6	03.1	73	70.8	17.7	33	129.0	32.2	93	187.3	46.7	53	245.5	61.2
14	13.6	03.4	74	71.8	17.9	34	130.0	32.4	94	188.2	46.9	54	246.5	61.4
15	14.6	03.6	75	72.8	18.1	35	131.0	32.7	95	189.2	47.2	55	247.4	61.7
16	15.5	03.9	76	73.7	18.4	36	132.0	32.9	96	190.2	47.4	56	248.4	61.9
17	16.5	04.1	77	74.7	18.6	37	132.9	33.1	97	191.1	47.7	57	249.4	62.2
18	17.5	04.4	78	75.7	18.9	38	133.9	33.4	98	192.1	47.9	58	250.3	62.4
19	18.4	04.6	79	76.7	19.1	39	134.9	33.6	99	193.1	48.1	59	251.3	62.7
20	19.4	04.8	80	77.6	19.4	40	135.8	33.9	200	194.1	48.4	60	252.3	62.9
21	20.4	05.1	81	78.6	19.6	141	136.8	34.1	201	195.0	48.6	261	253.2	63.1
22	21.3	05.3	82	79.6	19.8	42	137.8	34.4	02	196.0	48.9	62	254.2	63.4
23	22.3	05.6	83	80.5	20.1	43	138.8	34.6	03	197.0	49.1	63	255.2	63.6
24	23.3	05.8	84	81.5	20.3	44	139.7	34.8	04	197.9	49.4	64	256.2	63.9
25	24.3	06.0	85	82.5	20.6	45	140.7	35.1	05	198.9	49.6	65	257.1	64.1
26	25.2	06.3	86	83.4	20.8	46	141.7	35.3	06	199.9	49.8	66	258.1	64.4
27	26.2	06.5	87	84.4	21.0	47	142.6	35.6	07	200.9	50.1	67	259.1	64.6
28	27.2	06.8	88	85.4	21.3	48	143.6	35.8	08	201.8	50.3	68	260.0	64.8
29	28.1	07.0	89	86.4	21.5	49	144.6	36.0	09	202.8	50.6	69	261.0	65.1
30	29.1	07.3	90	87.3	21.8	50	145.5	36.3	10	203.8	50.8	70	262.0	65.3
31	30.1	07.5	91	88.3	22.0	151	146.5	36.5	211	204.7	51.0	271	263.0	65.6
32	31.0	07.7	92	89.3	22.3	52	147.5	36.8	12	205.7	51.3	72	263.9	65.8
33	32.0	08.0	93	90.2	22.5	53	148.5	37.0	13	206.7	51.5	73	264.9	66.0
34	33.0	08.2	94	91.2	22.7	54	149.4	37.3	14	207.6	51.8	74	265.9	66.3
35	34.0	08.5	95	92.2	23.0	55	150.4	37.5	15	208.6	52.0	75	266.8	66.5
36	34.9	08.7	96	93.1	23.2	56	151.4	37.7	16	209.6	52.3	76	267.8	66.8
37	35.9	09.0	97	94.1	23.5	57	152.3	38.0	17	210.6	52.5	77	268.8	67.0
38	36.9	09.2	98	95.1	23.7	58	153.3	38.2	18	211.5	52.7	78	269.7	67.3
39	37.8	09.4	99	96.1	24.0	59	154.3	38.5	19	212.5	53.0	79	270.7	67.5
40	38.8	09.7	100	97.0	24.2	60	155.2	38.7	20	213.5	53.2	80	271.7	67.7
41	39.8	09.9	101	98.0	24.4	161	156.2	38.9	221	214.4	53.5	281	272.7	68.0
42	40.8	10.2	02	99.0	24.7	62	157.2	39.2	22	215.4	53.7	82	273.6	68.2
43	41.7	10.4	03	99.9	24.9	63	158.2	39.4	23	216.4	53.9	83	274.6	68.5
44	42.7	10.6	04	100.9	25.2	64	159.1	39.7	24	217.3	54.2	84	275.6	68.7
45	43.7	10.9	05	101.9	25.4	65	160.1	39.9	25	218.3	54.4	85	276.5	68.9
46	44.6	11.1	06	102.9	25.6	66	161.1	40.2	26	219.3	54.7	86	277.5	69.2
47	45.6	11.4	07	103.8	25.9	67	162.0	40.4	27	220.3	54.9	87	278.5	69.4
48	46.6	11.6	08	104.8	26.1	68	163.0	40.6	28	221.2	55.2	88	279.4	69.7
49	47.5	11.9	09	105.8	26.4	69	164.0	40.9	29	222.2	55.4	89	280.4	69.9
50	48.5	12.1	10	106.7	26.6	70	165.0	41.1	30	223.2	55.6	90	281.4	70.2
51	49.5	12.3	111	107.7	26.9	171	165.9	41.4	231	224.1	55.9	291	282.4	70.4
52	50.5	12.6	12	108.7	27.1	72	166.9	41.6	32	225.1	56.1	92	283.3	70.6
53	51.4	12.8	13	109.6	27.3	73	167.9	41.9	33	226.1	56.4	93	284.3	70.9
54	52.4	13.1	14	110.6	27.6	74	168.8	42.1	34	227.0	56.6	94	285.3	71.1
55	53.4	13.3	15	111.6	27.8	75	169.8	42.3	35	228.0	56.9	95	286.2	71.4
56	54.3	13.5	16	112.6	28.1	76	170.8	42.6	36	229.0	57.1	96	287.2	71.6
57	55.3	13.8	17	113.5	28.3	77	171.7	42.8	37	230.0	57.3	97	288.2	71.9
58	56.3	14.0	18	114.5	28.5	78	172.7	43.1	38	230.9	57.6	98	289.1	72.1
59	57.2	14.3	19	115.5	28.8	79	173.7	43.3	39	231.9	57.8	99	290.1	72.3
60	58.2	14.5	20	116.4	29.0	80	174.7	43.5	40	232.9	58.1	300	291.1	72.6
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 76 Degrees.]

TABLE II.

31

Difference of Latitude and Departure for 15 Degrees.

Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
00.3	61	58.9	15.8	121	116.9	31.3	181	174.8	46.8	241	232.8	62.4
00.5	62	59.9	16.0	22	117.8	31.6	82	175.8	47.1	42	233.8	62.6
00.8	63	60.9	16.3	23	118.8	31.8	83	176.8	47.4	43	234.7	62.9
01.0	64	61.8	16.6	24	119.8	32.1	84	177.7	47.6	44	235.7	63.2
01.3	65	62.8	16.8	25	120.7	32.4	85	178.7	47.9	45	236.7	63.4
01.6	66	63.8	17.1	26	121.7	32.6	86	179.7	48.1	46	237.6	63.7
01.8	67	64.7	17.3	27	122.7	32.9	87	180.6	48.4	47	238.6	63.9
02.1	68	65.7	17.6	28	123.6	33.1	88	181.6	48.7	48	239.5	64.2
02.3	69	66.6	17.9	29	124.6	33.4	89	182.6	48.9	49	240.5	64.4
02.6	70	67.6	18.1	30	125.6	33.6	90	183.5	49.2	50	241.5	64.7
02.8	71	68.6	18.4	131	126.5	33.9	191	184.5	49.4	251	242.4	65.0
03.1	72	69.5	18.6	32	127.5	34.2	92	185.5	49.7	52	243.4	65.2
03.4	73	70.5	18.9	33	128.5	34.4	93	186.4	50.0	53	244.4	65.5
03.6	74	71.5	19.2	34	129.4	34.7	94	187.4	50.2	54	245.3	65.7
03.9	75	72.4	19.4	35	130.4	34.9	95	188.4	50.5	55	246.3	66.0
04.1	76	73.4	19.7	36	131.4	35.2	96	189.3	50.7	56	247.3	66.3
04.4	77	74.4	19.9	37	132.3	35.5	97	190.3	51.0	57	248.2	66.5
04.7	78	75.3	20.2	38	133.3	35.7	98	191.3	51.2	58	249.2	66.8
04.9	79	76.3	20.4	39	134.3	36.0	99	192.2	51.5	59	250.2	67.0
05.2	80	77.3	20.7	40	135.2	36.2	200	193.2	51.8	60	251.1	67.3
05.4	81	78.2	21.0	141	136.2	36.5	201	194.2	52.0	261	252.1	67.6
05.7	82	79.2	21.2	42	137.2	36.8	02	195.1	52.3	62	253.1	67.8
06.0	83	80.2	21.5	43	138.1	37.0	03	196.1	52.5	63	254.0	68.1
06.2	84	81.1	21.7	44	139.1	37.3	04	197.0	52.8	64	255.0	68.3
06.5	85	82.1	22.0	45	140.1	37.5	05	198.0	53.1	65	256.0	68.6
06.7	86	83.1	22.3	46	141.0	37.8	06	199.0	53.3	66	256.9	68.8
07.0	87	84.0	22.5	47	142.0	38.0	07	199.9	53.6	67	257.9	69.1
07.2	88	85.0	22.8	48	143.0	38.3	08	200.9	53.8	68	258.9	69.4
07.5	89	86.0	23.0	49	143.9	38.6	09	201.9	54.1	69	259.8	69.6
07.8	90	86.9	23.3	50	144.9	38.8	10	202.8	54.4	70	260.8	69.9
08.0	91	87.9	23.6	151	145.9	39.1	211	203.8	54.6	271	261.8	70.1
08.3	92	88.9	23.8	52	146.8	39.3	12	204.8	54.9	72	262.7	70.4
08.5	93	89.8	24.1	53	147.8	39.6	13	205.7	55.1	73	263.7	70.7
08.8	94	90.8	24.3	54	148.8	39.9	14	206.7	55.4	74	264.7	70.9
09.1	95	91.8	24.6	55	149.7	40.1	15	207.7	55.6	75	265.6	71.2
09.3	96	92.7	24.8	56	150.7	40.4	16	208.6	55.9	76	266.6	71.4
09.6	97	93.7	25.1	57	151.7	40.6	17	209.6	56.2	77	267.6	71.7
09.8	98	94.7	25.4	58	152.6	40.9	18	210.6	56.4	78	268.5	72.0
10.1	99	95.6	25.6	59	153.6	41.2	19	211.5	56.7	79	269.5	72.2
10.4	100	96.6	25.9	60	154.5	41.4	20	212.5	56.9	80	270.5	72.5
10.6	101	97.6	26.1	161	155.5	41.7	221	213.5	57.2	281	271.4	72.7
10.9	02	98.5	26.4	62	156.5	41.9	22	214.4	57.5	82	272.4	73.0
11.1	03	99.5	26.7	63	157.4	42.2	23	215.4	57.7	83	273.4	73.2
11.4	04	100.5	26.9	64	158.4	42.4	24	216.4	58.0	84	274.3	73.5
11.6	05	101.4	27.2	65	159.4	42.7	25	217.3	58.2	85	275.3	73.8
11.9	06	102.4	27.4	66	160.3	43.0	26	218.3	58.5	86	276.3	74.0
12.2	07	103.4	27.7	67	161.3	43.2	27	219.3	58.8	87	277.2	74.3
12.4	08	104.3	28.0	68	162.3	43.5	28	220.2	59.0	88	278.2	74.5
12.7	09	105.3	28.2	69	163.2	43.7	29	221.2	59.3	89	279.2	74.8
12.9	10	106.3	28.5	70	164.2	44.0	30	222.2	59.5	90	280.1	75.1
13.2	111	107.2	28.7	171	165.2	44.3	231	223.1	59.8	291	281.1	75.3
13.5	12	108.2	29.0	72	166.1	44.5	32	224.1	60.0	92	282.1	75.6
13.7	13	109.1	29.2	73	167.1	44.8	33	225.1	60.3	93	283.0	75.8
14.0	14	110.1	29.5	74	168.1	45.0	34	226.0	60.6	94	284.0	76.1
14.2	15	111.1	29.8	75	169.0	45.3	35	227.0	60.8	95	284.9	76.4
14.5	16	112.0	30.0	76	170.0	45.6	36	228.0	61.1	96	285.9	76.6
14.8	17	113.0	30.3	77	171.0	45.8	37	228.9	61.3	97	286.9	76.9
15.0	18	114.0	30.5	78	171.9	46.1	38	229.9	61.6	98	287.8	77.1
15.3	19	114.9	30.8	79	172.9	46.3	39	230.9	61.9	99	288.8	77.4
15.5	20	115.9	31.1	80	173.9	46.6	40	231.8	62.1	300	289.8	77.6
Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 75 Degrees.]

## Difference of Latitude and Departure for 16 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.3	61	58.6	16.8	121	116.3	33.4	181	174.0	49.9	241	231.7	66.4
2	01.9	00.6	62	59.6	17.1	22	117.3	33.6	82	174.9	50.2	42	232.6	66.7
3	02.9	00.8	63	60.6	17.4	23	118.2	33.9	83	175.9	50.4	43	233.6	67.0
4	03.8	01.1	64	61.5	17.6	24	119.2	34.2	84	176.9	50.7	44	234.5	67.3
5	04.8	01.4	65	62.5	17.9	25	120.2	34.5	85	177.8	51.0	45	235.5	67.5
6	05.8	01.7	66	63.4	18.2	26	121.1	34.7	86	178.8	51.3	46	236.5	67.8
7	06.7	01.9	67	64.4	18.5	27	122.1	35.0	87	179.8	51.5	47	237.4	68.1
8	07.7	02.2	68	65.4	18.7	28	123.0	35.3	88	180.7	51.8	48	238.4	68.4
9	08.7	02.5	69	66.3	19.0	29	124.0	35.6	89	181.7	52.1	49	239.4	68.6
10	09.6	02.8	70	67.3	19.3	30	125.0	35.8	90	182.6	52.4	50	240.3	68.9
11	10.6	03.0	71	68.2	19.6	131	125.9	36.1	191	183.6	52.6	251	241.3	69.2
12	11.5	03.3	72	69.2	19.8	32	126.9	36.4	92	184.6	52.9	52	242.2	69.5
13	12.5	03.6	73	70.2	20.1	33	127.8	36.7	93	185.5	53.2	53	243.2	69.7
14	13.5	03.9	74	71.1	20.4	34	128.8	36.9	94	186.5	53.5	54	244.2	70.0
15	14.4	04.1	75	72.1	20.7	35	129.8	37.2	95	187.4	53.7	55	245.1	70.3
16	15.4	04.4	76	73.1	20.9	36	130.7	37.5	96	188.4	54.0	56	246.1	70.6
17	16.3	04.7	77	74.0	21.2	37	131.7	37.8	97	189.4	54.3	57	247.0	70.8
18	17.3	05.0	78	75.0	21.5	38	132.7	38.0	98	190.3	54.6	58	248.0	71.1
19	18.3	05.2	79	75.9	21.8	39	133.6	38.3	99	191.3	54.9	59	249.0	71.4
20	19.2	05.5	80	76.9	22.1	40	134.6	38.6	200	192.3	55.1	60	249.9	71.7
21	20.2	05.8	81	77.9	22.3	141	135.5	38.9	201	193.2	55.4	261	250.9	71.9
22	21.1	06.1	82	78.8	22.6	42	136.5	39.1	02	194.2	55.7	62	251.9	72.2
23	22.1	06.3	83	79.8	22.9	43	137.5	39.4	03	195.1	56.0	63	252.8	72.5
24	23.1	06.6	84	80.7	23.2	44	138.4	39.7	04	196.1	56.2	64	253.8	72.8
25	24.0	06.9	85	81.7	23.4	45	139.4	40.0	05	197.1	56.5	65	254.7	73.0
26	25.0	07.2	86	82.7	23.7	46	140.3	40.2	06	198.0	56.8	66	255.7	73.3
27	26.0	07.4	87	83.6	24.0	47	141.3	40.5	07	199.0	57.1	67	256.7	73.6
28	26.9	07.7	88	84.6	24.3	48	142.3	40.8	08	199.9	57.3	68	257.6	73.9
29	27.9	08.0	89	85.6	24.5	49	143.2	41.1	09	200.9	57.6	69	258.6	74.1
30	28.8	08.3	90	86.5	24.8	50	144.2	41.3	10	201.9	57.9	70	259.5	74.4
31	29.8	08.5	91	87.5	25.1	151	145.2	41.6	211	202.8	58.2	271	260.5	74.7
32	30.8	08.8	92	88.4	25.4	52	146.1	41.9	12	203.8	58.4	72	261.5	75.0
33	31.7	09.1	93	89.4	25.6	53	147.1	42.2	13	204.7	58.7	73	262.4	75.2
34	32.7	09.4	94	90.4	25.9	54	148.0	42.4	14	205.7	59.0	74	263.4	75.5
35	33.6	09.6	95	91.3	26.2	55	149.0	42.7	15	206.7	59.3	75	264.3	75.8
36	34.6	09.9	96	92.3	26.5	56	150.0	43.0	16	207.6	59.6	76	265.3	76.1
37	35.6	10.2	97	93.2	26.7	57	150.9	43.3	17	208.6	59.8	77	266.3	76.4
38	36.5	10.5	98	94.2	27.0	58	151.9	43.6	18	209.6	60.1	78	267.2	76.6
39	37.5	10.7	99	95.2	27.3	59	152.8	43.8	19	210.5	60.4	79	268.2	76.9
40	38.5	11.0	100	96.1	27.6	60	153.8	44.1	20	211.5	60.6	80	269.2	77.2
41	39.4	11.3	101	97.1	27.8	161	154.8	44.4	221	212.4	60.9	281	270.1	77.5
42	40.4	11.6	02	98.0	28.1	62	155.7	44.7	22	213.4	61.2	82	271.1	77.7
43	41.3	11.9	03	99.0	28.4	63	156.7	44.9	23	214.4	61.5	83	272.0	78.0
44	42.3	12.1	04	100.0	28.7	64	157.6	45.2	24	215.3	61.7	84	273.0	78.3
45	43.3	12.4	05	100.9	28.9	65	158.6	45.5	25	216.3	62.0	85	274.0	78.6
46	44.2	12.7	06	101.9	29.2	66	159.6	45.8	26	217.2	62.3	86	274.9	78.8
47	45.2	13.0	07	102.9	29.5	67	160.5	46.0	27	218.2	62.6	87	275.9	79.1
48	46.1	13.2	08	103.8	29.8	68	161.5	46.3	28	219.2	62.8	88	276.8	79.4
49	47.1	13.5	09	104.8	30.0	69	162.5	46.6	29	220.1	63.1	89	277.8	79.7
50	48.1	13.8	10	105.7	30.3	70	163.4	46.9	30	221.1	63.4	90	278.8	79.9
51	49.0	14.1	111	106.7	30.6	171	164.4	47.1	231	222.1	63.7	291	279.7	80.0
52	50.0	14.3	12	107.7	30.9	72	165.3	47.4	32	223.0	63.9	92	280.7	80.0
53	50.9	14.6	13	108.6	31.1	73	166.3	47.7	33	224.0	64.2	93	281.6	80.1
54	51.9	14.9	14	109.6	31.4	74	167.3	48.0	34	224.9	64.5	94	282.6	80.2
55	52.9	15.2	15	110.5	31.7	75	168.2	48.2	35	225.9	64.8	95	283.6	80.3
56	53.8	15.4	16	111.5	32.0	76	169.2	48.5	36	226.9	65.1	96	284.5	80.4
57	54.8	15.7	17	112.5	32.2	77	170.1	48.8	37	227.8	65.3	97	285.5	80.5
58	55.8	16.0	18	113.4	32.5	78	171.1	49.1	38	228.8	65.6	98	286.5	80.6
59	56.7	16.3	19	114.4	32.8	79	172.1	49.3	39	229.7	65.9	99	287.4	80.7
60	57.7	16.5	20	115.4	33.1	80	173.0	49.6	40	230.7	66.2	300	288.4	80.8
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

(For 74 D)

TABLE II.

Difference of Latitude and Departure for 17 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.3	61	64.3	17.8	121	115.7	35.4	181	173.1	52.9	241	230.5	70.5
2	01.9	00.6	62	59.3	18.1	22	116.7	35.7	22	174.0	53.2	42	231.4	70.8
3	02.9	00.9	63	60.2	18.4	23	117.6	36.0	23	175.0	53.5	43	232.4	71.0
4	03.8	01.2	64	61.2	18.7	24	118.6	36.3	24	176.0	53.8	44	233.3	71.3
5	04.8	01.5	65	62.2	19.0	25	119.5	36.5	25	176.9	54.1	45	234.3	71.6
6	05.7	01.8	66	63.1	19.3	26	120.5	36.8	26	177.9	54.4	46	235.3	71.9
7	06.7	02.0	67	64.1	19.6	27	121.5	37.1	27	178.8	54.7	47	236.2	72.2
8	07.7	02.3	68	65.0	19.9	28	122.4	37.4	28	179.8	55.0	48	237.2	72.5
9	08.6	02.6	69	66.0	20.2	29	123.4	37.7	29	180.7	55.3	49	238.1	72.8
10	09.6	02.9	70	66.9	20.5	30	124.3	38.0	30	181.7	55.6	50	239.1	73.1
11	10.5	03.2	71	67.9	20.8	131	125.3	38.3	191	182.7	55.8	251	240.0	73.4
12	11.5	03.5	72	68.9	21.1	32	126.2	38.6	92	183.6	56.1	52	241.0	73.7
13	12.4	03.8	73	69.8	21.3	33	127.2	38.9	93	184.6	56.4	53	241.9	74.0
14	13.4	04.1	74	70.8	21.6	34	128.1	39.2	94	185.5	56.7	54	242.9	74.3
15	14.3	04.4	75	71.7	21.9	35	129.1	39.5	95	186.5	57.0	55	243.9	74.6
16	15.3	04.7	76	72.7	22.2	36	130.1	39.8	96	187.4	57.3	56	244.8	74.8
17	16.3	05.0	77	73.6	22.5	37	131.0	40.1	97	188.4	57.6	57	245.8	75.1
18	17.2	05.3	78	74.6	22.8	38	132.0	40.3	98	189.3	57.9	58	246.7	75.4
19	18.2	05.6	79	75.5	23.1	39	132.9	40.6	99	190.3	58.2	59	247.7	75.7
20	19.1	05.8	80	76.5	23.4	40	133.9	40.9	200	191.3	58.5	60	248.6	76.0
21	20.1	06.1	81	77.5	23.7	141	134.8	41.2	201	192.2	58.8	261	249.6	76.3
22	21.0	06.4	82	78.4	24.0	42	135.8	41.5	62	193.2	59.1	62	250.6	76.6
23	22.0	06.7	83	79.4	24.3	43	136.8	41.8	63	194.1	59.4	63	251.5	76.9
24	23.0	07.0	84	80.3	24.6	44	137.7	42.1	64	195.1	59.6	64	252.5	77.2
25	23.9	07.3	85	81.3	24.9	45	138.7	42.4	65	196.0	59.9	65	253.4	77.5
26	24.9	07.6	86	82.2	25.1	46	139.6	42.7	66	197.0	60.2	66	254.4	77.8
27	25.8	07.9	87	83.2	25.4	47	140.6	43.0	67	198.0	60.5	67	255.3	78.1
28	26.8	08.2	88	84.2	25.7	48	141.5	43.3	68	198.9	60.8	68	256.3	78.4
29	27.7	08.5	89	85.1	26.0	49	142.5	43.6	69	199.9	61.1	69	257.2	78.6
30	28.7	08.8	90	86.1	26.3	50	143.4	43.9	70	200.8	61.4	70	258.2	78.9
31	29.6	09.1	91	87.0	26.6	151	144.4	44.1	211	201.8	61.7	271	259.2	79.2
32	30.6	09.4	92	88.0	26.9	52	145.4	44.4	12	202.7	62.0	72	260.1	79.5
33	31.5	09.6	93	88.9	27.2	53	146.3	44.7	13	203.7	62.3	73	261.1	79.8
34	32.5	09.9	94	89.9	27.5	54	147.3	45.0	14	204.6	62.6	74	262.0	80.1
35	33.5	10.2	95	90.8	27.8	55	148.2	45.3	15	205.6	62.9	75	263.0	80.4
36	34.4	10.5	96	91.8	28.1	56	149.2	45.6	16	206.6	63.2	76	263.9	80.7
37	35.4	10.8	97	92.8	28.4	57	150.1	45.9	17	207.5	63.5	77	264.9	81.0
38	36.3	11.1	98	93.7	28.7	58	151.1	46.2	18	208.5	63.7	78	265.9	81.3
39	37.3	11.4	99	94.7	29.0	59	152.1	46.5	19	209.4	64.0	79	266.8	81.6
40	38.3	11.7	100	95.6	29.2	60	153.0	46.8	20	210.4	64.3	80	267.8	81.9
41	39.2	12.0	101	96.6	29.5	161	154.0	47.1	221	211.3	64.6	281	268.7	82.2
42	40.2	12.3	02	97.5	29.8	62	154.9	47.4	22	212.3	64.9	82	269.7	82.4
43	41.1	12.6	03	98.5	30.1	63	155.9	47.7	23	213.3	65.2	83	270.6	82.7
44	42.1	12.9	04	99.5	30.4	64	156.8	47.9	24	214.2	65.5	84	271.6	83.0
45	43.0	13.2	05	100.4	30.7	65	157.8	48.2	25	215.2	65.8	85	272.5	83.3
46	44.0	13.4	06	101.4	31.0	66	158.7	48.5	26	216.1	66.1	86	273.5	83.6
47	44.9	13.7	07	102.3	31.3	67	159.7	48.8	27	217.1	66.4	87	274.5	83.9
48	45.9	14.0	08	103.3	31.6	68	160.7	49.1	28	218.0	66.7	88	275.4	84.2
49	46.9	14.3	09	104.2	31.9	69	161.6	49.4	29	219.0	67.0	89	276.4	84.5
50	47.8	14.6	10	105.2	32.2	70	162.6	49.7	30	220.0	67.2	90	277.3	84.8
51	48.8	14.9	111	106.1	32.5	171	163.5	50.0	231	220.9	67.5	291	278.3	85.1
52	49.7	15.2	12	107.1	32.7	72	164.5	50.3	32	221.9	67.8	92	279.2	85.4
53	50.7	15.5	13	108.1	33.0	73	165.4	50.6	33	222.8	68.1	93	280.2	85.7
54	51.6	15.8	14	109.0	33.3	74	166.4	50.9	34	223.8	68.4	94	281.2	86.0
55	52.6	16.1	15	110.0	33.6	75	167.4	51.2	35	224.7	68.7	95	282.1	86.2
56	53.6	16.4	16	110.9	33.9	76	168.3	51.5	36	225.7	69.0	96	283.1	86.5
57	54.5	16.7	17	111.9	34.2	77	169.3	51.7	37	226.6	69.3	97	284.0	86.8
58	55.5	17.0	18	112.8	34.5	78	170.2	52.0	38	227.6	69.6	98	285.0	87.1
59	56.4	17.2	19	113.8	34.8	79	171.2	52.3	39	228.6	69.9	99	285.9	87.4
60	57.4	17.5	20	114.8	35.1	80	172.1	52.6	40	229.5	70.2	300	286.9	87.7
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 73 Degrees.]

Difference of Latitude and Departure for 18 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	01.0	00.3	61	58.0	18.9	121	115.1	37.4	181	172.1	55.9	241	229.2	74.5
2	01.9	00.6	62	59.0	19.2	22	116.0	37.7	82	173.1	56.2	42	230.2	74.8
3	02.9	00.9	63	59.9	19.5	23	117.0	38.0	83	174.0	56.6	43	231.1	75.1
4	03.8	01.2	64	60.9	19.8	24	117.9	38.3	84	175.0	56.9	44	232.1	75.4
5	04.8	01.5	65	61.8	20.1	25	118.9	38.6	85	175.9	57.2	45	233.0	75.7
6	05.7	01.9	66	62.3	20.4	26	119.8	38.9	86	176.9	57.5	46	234.0	76.0
7	06.7	02.2	67	63.7	20.7	27	120.8	39.2	87	177.8	57.8	47	234.9	76.3
8	07.6	02.5	68	64.7	21.0	28	121.7	39.6	88	178.8	58.1	48	235.9	76.6
9	08.6	02.8	69	65.6	21.3	29	122.7	39.9	89	179.7	58.4	49	236.8	76.9
10	09.5	03.1	70	66.6	21.6	30	123.6	40.2	90	180.7	58.7	50	237.8	77.3
11	10.5	03.4	71	67.5	21.9	131	124.6	40.5	191	181.7	59.0	251	238.7	77.6
12	11.4	03.7	72	68.5	22.2	32	125.5	40.8	92	182.6	59.3	52	239.7	77.9
13	12.4	04.0	73	69.4	22.6	33	126.5	41.1	93	183.6	59.6	53	240.6	78.2
14	13.3	04.3	74	70.4	22.9	34	127.4	41.4	94	184.5	59.9	54	241.6	78.5
15	14.3	04.6	75	71.3	23.2	35	128.4	41.7	95	185.5	60.3	55	242.5	78.8
16	15.2	04.9	76	72.3	23.5	36	129.3	42.0	96	186.4	60.6	56	243.5	79.1
17	16.2	05.3	77	73.2	23.8	37	130.3	42.3	97	187.4	60.9	57	244.4	79.4
18	17.1	05.6	78	74.2	24.1	38	131.2	42.6	98	188.3	61.2	58	245.4	79.7
19	18.1	05.9	79	75.1	24.4	39	132.2	43.0	99	189.3	61.5	59	246.3	80.0
20	19.0	06.2	80	76.1	24.7	40	133.1	43.3	200	190.2	61.8	60	247.3	80.3
21	20.0	06.5	81	77.0	25.0	141	134.1	43.6	201	191.2	62.1	261	248.2	80.7
22	20.9	06.8	82	78.0	25.3	42	135.1	43.9	02	192.1	62.4	62	249.2	81.0
23	21.9	07.1	83	78.9	25.6	43	136.0	44.2	03	193.1	62.7	63	250.1	81.3
24	22.8	07.4	84	79.9	26.0	44	137.0	44.5	04	194.0	63.0	64	251.1	81.6
25	23.8	07.7	85	80.8	26.3	45	137.9	44.8	05	195.0	63.3	65	252.0	81.9
26	24.7	08.0	86	81.8	26.6	46	138.9	45.1	06	195.9	63.7	66	253.0	82.2
27	25.7	08.3	87	82.7	26.9	47	139.8	45.4	07	196.9	64.0	67	253.9	82.5
28	26.6	08.7	88	83.7	27.2	48	140.8	45.7	08	197.8	64.3	68	254.9	82.8
29	27.6	09.0	89	84.6	27.5	49	141.7	46.0	09	198.8	64.6	69	255.8	83.1
30	28.5	09.3	90	85.6	27.8	50	142.7	46.4	10	199.7	64.9	70	256.8	83.4
31	29.5	09.6	91	86.5	28.1	151	143.6	46.7	211	200.7	65.2	271	257.7	83.7
32	30.4	09.9	92	87.5	28.4	52	144.6	47.0	12	201.6	65.5	72	258.7	84.1
33	31.4	10.2	93	88.4	28.7	53	145.5	47.3	13	202.6	65.8	73	259.6	84.4
34	32.3	10.5	94	89.4	29.0	54	146.5	47.6	14	203.5	66.1	74	260.6	84.7
35	33.3	10.8	95	90.4	29.4	55	147.4	47.9	15	204.5	66.4	75	261.5	85.0
36	34.2	11.1	96	91.3	29.7	56	148.4	48.2	16	205.4	66.7	76	262.5	85.3
37	35.2	11.4	97	92.3	30.0	57	149.3	48.5	17	206.4	67.1	77	263.4	85.6
38	36.1	11.7	98	93.2	30.3	58	150.3	48.9	18	207.3	67.4	78	264.4	85.9
39	37.1	12.1	99	94.2	30.6	59	151.2	49.1	19	208.3	67.7	79	265.3	86.2
40	38.0	12.4	100	95.1	30.9	60	152.2	49.4	20	209.2	68.0	80	266.3	86.5
41	39.0	12.7	101	96.1	31.2	161	153.1	49.8	221	210.2	68.3	281	267.2	86.8
42	39.9	13.0	02	97.0	31.5	62	154.1	50.1	22	211.1	68.6	82	268.2	87.1
43	40.9	13.3	03	98.0	31.8	63	155.0	50.4	23	212.1	68.9	83	269.1	87.5
44	41.8	13.6	04	98.9	32.1	64	156.0	50.7	24	213.0	69.2	84	270.1	87.8
45	42.8	13.9	05	99.9	32.4	65	156.9	51.0	25	214.0	69.5	85	271.1	88.1
46	43.7	14.2	06	100.8	32.8	66	157.9	51.3	26	214.9	69.8	86	272.0	88.4
47	44.7	14.5	07	101.8	33.1	67	158.8	51.6	27	215.9	70.1	87	273.0	88.7
48	45.7	14.8	08	102.7	33.4	68	159.8	51.9	28	216.8	70.5	88	273.9	89.0
49	46.6	15.1	09	103.7	33.7	69	160.7	52.2	29	217.8	70.8	89	274.9	89.3
50	47.6	15.5	10	104.6	34.0	70	161.7	52.5	30	218.7	71.1	90	275.8	89.6
51	48.5	15.8	111	105.6	34.3	171	162.6	52.8	231	219.7	71.4	291	276.8	89.9
52	49.5	16.1	12	106.5	34.6	72	163.6	53.2	32	220.6	71.7	92	277.7	90.2
53	50.4	16.4	13	107.5	34.9	73	164.5	53.5	33	221.6	72.0	93	278.7	90.5
54	51.4	16.7	14	108.4	35.2	74	165.5	53.8	34	222.5	72.3	94	279.6	90.9
55	52.3	17.0	15	109.4	35.5	75	166.4	54.1	35	223.5	72.6	95	280.6	91.2
56	53.3	17.3	16	110.3	35.8	76	167.4	54.4	36	224.4	72.9	96	281.5	91.5
57	54.2	17.6	17	111.3	36.2	77	168.3	54.7	37	225.4	73.2	97	282.5	91.8
58	55.2	17.9	18	112.2	36.5	78	169.3	55.0	38	226.4	73.5	98	283.4	92.1
59	56.1	18.2	19	113.2	36.8	79	170.2	55.3	39	227.3	73.9	99	284.4	92.4
60	57.1	18.5	20	114.1	37.1	80	171.2	55.6	40	228.3	74.2	300	285.3	92.7
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 72 Degrees.]

TABLE II.

Difference of Latitude and Departure for 19 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.3	61	57.7	19.9	121	114.4	39.4	181	171.1	58.9	241	227.9	78.5
2	01.9	00.7	62	58.6	20.2	22	115.4	39.7	82	172.1	59.3	42	228.8	78.8
3	02.8	01.0	63	59.6	20.5	23	116.3	40.0	83	173.0	59.6	43	229.8	79.1
4	03.8	01.3	64	60.5	20.8	24	117.2	40.4	84	174.0	59.9	44	230.7	79.4
5	04.7	01.6	65	61.5	21.2	25	118.2	40.7	85	174.9	60.2	45	231.7	79.8
6	05.7	02.0	66	62.4	21.5	26	119.1	41.0	86	175.9	60.6	46	232.6	80.1
7	06.6	02.3	67	63.3	21.8	27	120.1	41.3	87	176.8	60.9	47	233.5	80.4
8	07.6	02.6	68	64.3	22.1	28	121.0	41.7	88	177.8	61.2	48	234.5	80.7
9	08.5	02.9	69	65.2	22.5	29	122.0	42.0	89	178.7	61.5	49	235.4	81.1
10	09.5	03.3	70	66.2	22.8	30	122.9	42.3	90	179.6	61.9	50	236.4	81.4
11	10.4	03.6	71	67.1	23.1	131	123.9	42.6	191	180.6	62.2	251	237.3	81.7
12	11.3	03.9	72	68.1	23.4	32	124.8	43.0	92	181.5	62.5	52	238.3	82.0
13	12.3	04.2	73	69.0	23.8	33	125.8	43.3	93	182.5	62.8	53	239.2	82.4
14	13.2	04.6	74	70.0	24.1	34	126.7	43.6	94	183.4	63.2	54	240.2	82.7
15	14.2	04.9	75	70.9	24.4	35	127.6	44.0	95	184.4	63.5	55	241.1	83.0
16	15.1	05.2	76	71.9	24.7	36	128.6	44.3	96	185.3	63.8	56	242.1	83.3
17	16.1	05.5	77	72.8	25.1	37	129.5	44.6	97	186.3	64.1	57	243.0	83.7
18	17.0	05.9	78	73.8	25.4	38	130.5	44.9	98	187.2	64.5	58	243.9	84.0
19	18.0	06.2	79	74.7	25.7	39	131.4	45.3	99	188.2	64.8	59	244.9	84.3
20	18.9	06.5	80	75.6	26.0	40	132.4	45.6	200	189.1	65.1	60	245.8	84.6
21	19.9	06.8	81	76.6	26.4	141	133.3	45.9	201	190.0	65.4	261	246.8	85.0
22	20.8	07.2	82	77.5	26.7	42	134.3	46.2	02	191.0	65.8	62	247.7	85.3
23	21.7	07.5	83	78.5	27.0	43	135.2	46.6	03	191.9	66.1	63	248.7	85.6
24	22.7	07.8	84	79.4	27.3	44	136.2	46.9	04	192.9	66.4	64	249.6	86.0
25	23.6	08.1	85	80.4	27.7	45	137.1	47.2	05	193.8	66.7	65	250.6	86.3
26	24.6	08.5	86	81.3	28.0	46	138.0	47.5	06	194.8	67.1	66	251.5	86.6
27	25.5	08.8	87	82.3	28.3	47	139.0	47.9	07	195.7	67.4	67	252.5	86.9
28	26.5	09.1	88	83.2	28.7	48	139.9	48.2	08	196.7	67.7	68	253.4	87.3
29	27.4	09.4	89	84.2	29.0	49	140.9	48.5	09	197.6	68.0	69	254.3	87.6
30	28.4	09.8	90	85.1	29.3	50	141.8	48.8	10	198.6	68.4	70	255.3	87.9
31	29.3	10.1	91	86.0	29.6	151	142.8	49.2	211	199.5	68.7	271	256.2	88.2
32	30.3	10.4	92	87.0	30.0	52	143.7	49.5	12	200.4	69.0	72	257.2	88.6
33	31.2	10.7	93	87.9	30.3	53	144.7	49.8	13	201.4	69.3	73	258.1	88.9
34	32.1	11.1	94	88.9	30.6	54	145.6	50.1	14	202.3	69.7	74	259.1	89.2
35	33.1	11.4	95	89.8	30.9	55	146.6	50.5	15	203.3	70.0	75	260.0	89.5
36	34.0	11.7	96	90.8	31.3	56	147.5	50.8	16	204.2	70.3	76	261.0	89.9
37	35.0	12.0	97	91.7	31.6	57	148.4	51.1	17	205.2	70.6	77	261.9	90.2
38	35.9	12.4	98	92.7	31.9	58	149.4	51.4	18	206.1	71.0	78	262.9	90.5
39	36.9	12.7	99	93.6	32.2	59	150.3	51.8	19	207.1	71.3	79	263.8	90.8
40	37.8	13.0	100	94.6	32.6	60	151.3	52.1	20	208.0	71.6	80	264.7	91.2
41	38.8	13.3	101	95.5	32.9	161	152.2	52.4	221	209.0	72.0	281	265.7	91.5
42	39.7	13.7	02	96.4	33.2	62	153.2	52.7	22	209.9	72.3	82	266.6	91.8
43	40.7	14.0	03	97.4	33.5	63	154.1	53.1	23	210.9	72.6	83	267.6	92.1
44	41.6	14.3	04	98.3	33.9	64	155.1	53.4	24	211.8	72.9	84	268.5	92.5
45	42.5	14.7	05	99.3	34.2	65	156.0	53.7	25	212.7	73.3	85	269.5	92.8
46	43.5	15.0	06	100.2	34.5	66	157.0	54.0	26	213.7	73.6	86	270.4	93.1
47	44.4	15.3	07	101.2	34.8	67	157.9	54.4	27	214.6	73.9	87	271.4	93.4
48	45.4	15.6	08	102.1	35.2	68	158.8	54.7	28	215.6	74.2	88	272.3	93.8
49	46.3	16.0	09	103.1	35.5	69	159.8	55.0	29	216.5	74.6	89	273.3	94.1
50	47.3	16.3	10	104.0	35.8	70	160.7	55.3	30	217.5	74.9	90	274.2	94.4
51	48.2	16.6	111	105.0	36.1	171	161.7	55.7	231	218.4	75.2	291	275.1	94.7
52	49.2	16.9	12	105.9	36.5	72	162.6	56.0	32	219.4	75.5	92	276.1	95.1
53	50.1	17.3	13	106.8	36.8	73	163.6	56.3	33	220.3	75.9	93	277.0	95.4
54	51.1	17.6	14	107.8	37.1	74	164.5	56.6	34	221.3	76.2	94	278.0	95.7
55	52.0	17.9	15	108.7	37.4	75	165.5	57.0	35	222.2	76.5	95	278.9	96.0
56	52.9	18.2	16	109.7	37.8	76	166.4	57.3	36	223.1	76.8	96	279.9	96.4
57	53.9	18.6	17	110.6	38.1	77	167.4	57.6	37	224.1	77.2	97	280.8	96.7
58	54.8	18.9	18	111.6	38.4	78	168.3	58.0	38	225.0	77.5	98	281.8	97.0
59	55.8	19.2	19	112.5	38.7	79	169.2	58.3	39	226.0	77.8	99	282.7	97.3
60	56.7	19.5	20	113.5	39.1	80	170.2	58.6	40	226.9	78.1	300	283.7	97.7
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 71 Degrees.]



Difference of Latitude and Departure for 20 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.3	61	57.3	20.9	121	113.7	41.4	181	170.1	61.9	241	226.5	82.4
2	01.9	00.7	62	58.3	21.2	22	114.6	41.7	82	171.0	62.2	42	227.4	82.8
3	02.8	01.0	63	59.2	21.5	23	115.6	42.1	83	172.0	62.6	43	228.3	83.1
4	03.8	01.4	64	60.1	21.9	24	116.5	42.4	84	172.9	62.9	44	229.3	83.5
5	04.7	01.7	65	61.1	22.2	25	117.5	42.8	85	173.8	63.3	45	230.2	83.8
6	05.6	02.1	66	62.0	22.6	26	118.4	43.1	86	174.8	63.6	46	231.2	84.1
7	06.6	02.4	67	63.0	22.9	27	119.3	43.4	87	175.7	64.0	47	232.1	84.5
8	07.5	02.7	68	63.9	23.3	28	120.3	43.8	88	176.7	64.3	48	233.0	84.8
9	08.5	03.1	69	64.8	23.6	29	121.2	44.1	89	177.6	64.6	49	234.0	85.2
10	09.4	03.4	70	65.8	23.9	30	122.2	44.5	90	178.5	65.0	50	234.9	85.5
11	10.3	03.8	71	66.7	24.3	131	123.1	44.8	191	179.5	65.3	251	235.9	85.8
12	11.3	04.1	72	67.7	24.6	32	124.0	45.1	92	180.4	65.7	52	236.8	86.2
13	12.2	04.4	73	68.6	25.0	33	125.0	45.5	93	181.4	66.0	53	237.7	86.5
14	13.2	04.8	74	69.5	25.3	34	125.9	45.8	94	182.3	66.4	54	238.7	86.9
15	14.1	05.1	75	70.5	25.7	35	126.9	46.2	95	183.2	66.7	55	239.6	87.2
16	15.0	05.5	76	71.4	26.0	36	127.8	46.5	96	184.2	67.0	56	240.6	87.6
17	16.0	05.8	77	72.4	26.3	37	128.7	46.9	97	185.1	67.4	57	241.5	87.9
18	16.9	06.2	78	73.3	26.7	38	129.7	47.2	98	186.1	67.7	58	242.4	88.2
19	17.9	06.5	79	74.2	27.0	39	130.6	47.5	99	187.0	68.1	59	243.4	88.6
20	18.8	06.9	80	75.2	27.4	40	131.6	47.9	200	187.9	68.4	60	244.3	88.9
21	19.7	07.2	81	76.1	27.7	141	132.5	48.2	201	188.9	68.7	261	245.3	89.3
22	20.7	07.5	82	77.1	28.0	42	133.4	48.6	02	189.8	69.1	62	246.2	89.6
23	21.6	07.9	83	78.0	28.4	43	134.4	48.9	03	190.8	69.4	63	247.1	90.0
24	22.6	08.2	84	78.9	28.7	44	135.3	49.3	04	191.7	69.8	64	248.1	90.3
25	23.5	08.6	85	79.9	29.1	45	136.3	49.6	05	192.6	70.1	65	249.0	90.6
26	24.4	08.9	86	80.8	29.4	46	137.2	49.9	06	193.6	70.5	66	250.0	91.0
27	25.4	09.2	87	81.8	29.8	47	138.1	50.3	07	194.5	70.8	67	250.9	91.3
28	26.3	09.6	88	82.7	30.1	48	139.1	50.6	08	195.5	71.1	68	251.8	91.7
29	27.3	09.9	89	83.6	30.4	49	140.0	51.0	09	196.4	71.5	69	252.8	92.0
30	28.2	10.3	90	84.6	30.8	50	141.0	51.3	10	197.3	71.8	70	253.7	92.3
31	29.1	10.6	91	85.5	31.1	151	141.9	51.6	211	198.3	72.2	271	254.7	92.7
32	30.1	10.9	92	86.5	31.5	52	142.8	52.0	12	199.2	72.5	72	255.6	93.0
33	31.0	11.3	93	87.4	31.8	53	143.8	52.3	13	200.2	72.9	73	256.5	93.4
34	31.9	11.6	94	88.3	32.1	54	144.7	52.7	14	201.1	73.2	74	257.5	93.7
35	32.9	12.0	95	89.3	32.5	55	145.7	53.0	15	202.0	73.5	75	258.4	94.1
36	33.8	12.3	96	90.2	32.8	56	146.6	53.4	16	203.0	73.9	76	259.4	94.4
37	34.8	12.7	97	91.2	33.2	57	147.5	53.7	17	203.9	74.2	77	260.3	94.7
38	35.7	13.0	98	92.1	33.5	58	148.5	54.0	18	204.9	74.6	78	261.2	95.1
39	36.6	13.3	99	93.0	33.9	59	149.4	54.4	19	205.8	74.9	79	262.2	95.4
40	37.6	13.7	100	94.0	34.2	60	150.4	54.7	20	206.7	75.2	80	263.1	95.8
41	38.5	14.0	101	94.9	34.5	161	151.3	55.1	221	207.7	75.6	281	264.1	96.1
42	39.5	14.4	02	95.8	34.9	62	152.2	55.4	22	208.6	75.9	82	265.0	96.4
43	40.4	14.7	03	96.8	35.2	63	153.2	55.7	23	209.6	76.3	83	265.9	96.8
44	41.3	15.0	04	97.7	35.6	64	154.1	56.1	24	210.5	76.6	84	266.9	97.1
45	42.3	15.4	05	98.7	35.9	65	155.0	56.4	25	211.4	77.0	85	267.8	97.5
46	43.2	15.7	06	99.6	36.3	66	156.0	56.8	26	212.4	77.3	86	268.8	97.8
47	44.2	16.1	07	100.5	36.6	67	156.9	57.1	27	213.3	77.6	87	269.7	98.2
48	45.1	16.4	08	101.5	36.9	68	157.9	57.5	28	214.2	78.0	88	270.6	98.5
49	46.0	16.8	09	102.4	37.3	69	158.8	57.8	29	215.2	78.3	89	271.6	98.8
50	47.0	17.1	10	103.4	37.6	70	159.7	58.1	30	216.1	78.7	90	272.5	99.2
51	47.9	17.4	111	104.3	38.0	171	160.7	58.5	231	217.1	79.0	291	273.5	99.5
52	48.9	17.8	12	105.2	38.3	72	161.6	58.8	32	218.0	79.3	92	274.4	99.9
53	49.8	18.1	13	106.2	38.6	73	162.6	59.2	33	218.9	79.7	93	275.3	100.2
54	50.7	18.5	14	107.1	39.0	74	163.5	59.5	34	219.9	80.0	94	276.3	100.6
55	51.7	18.8	15	108.1	39.3	75	164.4	59.9	35	220.8	80.4	95	277.2	100.9
56	52.6	19.2	16	109.0	39.7	76	165.4	60.2	36	221.8	80.7	96	278.1	101.2
57	53.6	19.5	17	109.9	40.0	77	166.3	60.5	37	222.7	81.1	97	279.1	101.6
58	54.5	19.9	18	110.9	40.4	78	167.3	60.9	38	223.6	81.4	98	280.0	101.9
59	55.4	20.2	19	111.8	40.7	79	168.2	61.2	39	224.6	81.7	99	281.0	102.3
60	56.4	20.5	20	112.8	41.0	80	169.1	61.6	40	225.5	82.1	300	281.9	102.6
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 70 Degrees.

TABLE II.

Difference of Latitude and Departure for 21 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.4	61	56.9	21.9	121	113.0	43.4	181	169.0	64.9	241	225.0	86.4
2	01.9	00.7	62	57.9	22.2	22	113.9	43.7	82	169.9	65.2	42	225.9	86.7
3	02.8	01.1	63	58.8	22.6	23	114.8	44.1	83	170.8	65.6	43	226.9	87.1
4	03.7	01.4	64	59.7	22.9	24	115.8	44.4	84	171.8	65.9	44	227.8	87.4
5	04.7	01.8	65	60.7	23.3	25	116.7	44.8	85	172.7	66.3	45	228.7	87.8
6	05.6	02.2	66	61.6	23.7	26	117.6	45.2	86	173.6	66.7	46	229.7	88.2
7	06.5	02.5	67	62.5	24.0	27	118.6	45.5	87	174.6	67.0	47	230.6	88.5
8	07.5	02.9	68	63.5	24.4	28	119.5	45.9	88	175.5	67.4	48	231.5	88.9
9	08.4	03.2	69	64.4	24.7	29	120.4	46.2	89	176.4	67.7	49	232.5	89.2
10	09.3	03.6	70	65.4	25.1	30	121.4	46.6	90	177.4	68.1	50	233.4	89.6
11	10.3	03.9	71	66.3	25.4	131	122.3	46.9	191	178.3	68.4	251	234.3	90.0
12	11.2	04.3	72	67.2	25.8	32	123.2	47.3	92	179.2	68.8	52	235.3	90.3
13	12.1	04.7	73	68.2	26.2	33	124.2	47.7	93	180.2	69.2	53	236.2	90.7
14	13.1	05.0	74	69.1	26.5	34	125.1	48.0	94	181.1	69.5	54	237.1	91.0
15	14.0	05.4	75	70.0	26.9	35	126.0	48.4	95	182.0	69.9	55	238.1	91.4
16	14.9	05.7	76	71.0	27.2	36	127.0	48.7	96	183.0	70.2	56	239.0	91.7
17	15.9	06.1	77	71.9	27.6	37	127.9	49.1	97	183.9	70.6	57	239.9	92.1
18	16.8	06.5	78	72.8	28.0	38	128.8	49.5	98	184.8	71.0	58	240.9	92.5
19	17.7	06.8	79	73.8	28.3	39	129.8	49.8	99	185.8	71.3	59	241.8	92.8
20	18.7	07.2	80	74.7	28.7	40	130.7	50.2	200	186.7	71.7	60	242.7	93.2
21	19.6	07.5	81	75.6	29.0	141	131.6	50.5	201	187.6	72.0	261	243.7	93.5
22	20.5	07.9	82	76.6	29.4	42	132.6	50.9	02	188.6	72.4	62	244.6	93.9
23	21.5	08.2	83	77.5	29.7	43	133.5	51.2	03	189.5	72.7	63	245.5	94.3
24	22.4	08.6	84	78.4	30.1	44	134.4	51.6	04	190.5	73.1	64	246.5	94.6
25	23.3	09.0	85	79.4	30.5	45	135.4	52.0	05	191.4	73.5	65	247.4	95.0
26	24.3	09.3	86	80.3	30.8	46	136.3	52.3	06	192.3	73.8	66	248.3	95.3
27	25.2	09.7	87	81.2	31.2	47	137.2	52.7	07	193.3	74.2	67	249.3	95.7
28	26.1	10.0	88	82.2	31.5	48	138.2	53.0	08	194.2	74.5	68	250.2	96.0
29	27.1	10.4	89	83.1	31.9	49	139.1	53.4	09	195.1	74.9	69	251.1	96.4
30	28.0	10.8	90	84.0	32.3	50	140.0	53.8	10	196.1	75.3	70	252.1	96.8
31	28.9	11.1	91	85.0	32.6	151	141.0	54.1	211	197.0	75.6	271	253.0	97.1
32	29.9	11.5	92	85.9	33.0	52	141.9	54.5	12	197.9	76.0	72	253.9	97.5
33	30.8	11.8	93	86.8	33.3	53	142.8	54.8	13	198.9	76.3	73	254.9	97.8
34	31.7	12.2	94	87.8	33.7	54	143.8	55.2	14	199.8	76.7	74	255.8	98.2
35	32.7	12.5	95	88.7	34.0	55	144.7	55.5	15	200.7	77.0	75	256.7	98.6
36	33.6	12.9	96	89.6	34.4	56	145.6	55.9	16	201.7	77.4	76	257.7	98.9
37	34.5	13.3	97	90.6	34.8	57	146.6	56.3	17	202.6	77.8	77	258.6	99.3
38	35.5	13.6	98	91.5	35.1	58	147.5	56.6	18	203.5	78.1	78	259.5	99.6
39	36.4	14.0	99	92.4	35.5	59	148.4	57.0	19	204.5	78.5	79	260.5	100.0
40	37.3	14.3	100	93.4	35.8	60	149.4	57.3	20	205.4	78.8	80	261.4	100.3
41	38.3	14.7	101	94.3	36.2	161	150.3	57.7	221	206.3	79.2	281	262.3	100.7
42	39.2	15.1	02	95.2	36.6	62	151.2	58.1	22	207.3	79.6	82	263.3	101.1
43	40.1	15.4	03	96.2	36.9	63	152.2	58.4	23	208.2	79.9	83	264.2	101.4
44	41.1	15.8	04	97.1	37.3	64	153.1	58.8	24	209.1	80.3	84	265.1	101.8
45	42.0	16.1	05	98.0	37.6	65	154.0	59.1	25	210.1	80.6	85	266.1	102.1
46	42.9	16.5	06	99.0	38.0	66	155.0	59.5	26	211.0	81.0	86	267.0	102.5
47	43.9	16.8	07	99.9	38.3	67	155.9	59.8	27	211.9	81.3	87	267.9	102.9
48	44.8	17.2	08	100.8	38.7	68	156.8	60.2	28	212.9	81.7	88	268.9	103.2
49	45.7	17.6	09	101.8	39.1	69	157.8	60.6	29	213.8	82.1	89	269.8	103.6
50	46.7	17.9	10	102.7	39.4	70	158.7	60.9	30	214.7	82.4	90	270.7	103.9
51	47.6	18.3	111	103.6	39.8	171	159.6	61.3	231	215.7	82.8	291	271.7	104.3
52	48.5	18.6	12	104.6	40.1	72	160.6	61.6	32	216.6	83.1	92	272.6	104.6
53	49.5	19.0	13	105.5	40.5	73	161.5	62.0	33	217.5	83.5	93	273.5	105.0
54	50.4	19.4	14	106.4	40.9	74	162.4	62.4	34	218.5	83.9	94	274.5	105.4
55	51.3	19.7	15	107.4	41.2	75	163.4	62.7	35	219.4	84.2	95	275.4	105.7
56	52.3	20.1	16	108.3	41.6	76	164.3	63.1	36	220.3	84.6	96	276.3	106.1
57	53.2	20.4	17	109.2	41.9	77	165.2	63.4	37	221.3	84.9	97	277.3	106.4
58	54.1	20.8	18	110.2	42.3	78	166.2	63.8	38	222.2	85.3	98	278.2	106.8
59	55.1	21.1	19	111.1	42.6	79	167.1	64.1	39	223.1	85.6	99	279.1	107.2
60	56.0	21.5	20	112.0	43.0	80	168.0	64.5	40	224.1	86.0	300	280.1	107.5

[For 69 Degrees.]

TABLE II.

Difference of Latitude and Departure for 22 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.4	61	56.6	22.9	121	112.2	45.3	181	167.8	67.8	241	223.5	90.3
2	01.9	00.7	62	57.5	23.2	22	113.1	45.7	82	168.7	68.2	42	224.4	90.7
3	02.8	01.1	63	58.4	23.6	23	114.0	46.1	83	169.7	68.6	43	225.3	91.0
4	03.7	01.5	64	59.3	24.0	24	115.0	46.5	84	170.6	68.9	44	226.2	91.4
5	04.6	01.9	65	60.3	24.3	25	115.9	46.8	85	171.5	69.3	45	227.2	91.8
6	05.6	02.2	66	61.2	24.7	26	116.8	47.2	86	172.5	69.7	46	228.1	92.2
7	06.5	02.6	67	62.1	25.1	27	117.8	47.6	87	173.4	70.1	47	229.0	92.5
8	07.4	03.0	68	63.0	25.5	28	118.7	47.9	88	174.3	70.4	48	229.9	92.9
9	08.3	03.4	69	64.0	25.8	29	119.6	48.3	89	175.2	70.8	49	230.9	93.3
10	09.3	03.7	70	64.9	26.2	30	120.5	48.7	90	176.2	71.2	50	231.8	93.7
11	10.2	04.1	71	65.8	26.6	131	121.5	49.1	191	177.1	71.5	251	232.7	94.0
12	11.1	04.5	72	66.8	27.0	32	122.4	49.4	92	178.0	71.9	52	233.7	94.4
13	12.1	04.9	73	67.7	27.3	33	123.3	49.8	93	178.9	72.3	53	234.6	94.8
14	13.0	05.2	74	68.6	27.7	34	124.2	50.2	94	179.9	72.7	54	235.5	95.2
15	13.9	05.6	75	69.5	28.1	35	125.2	50.6	95	180.8	73.0	55	236.4	95.5
16	14.8	06.0	76	70.5	28.5	36	126.1	50.9	96	181.7	73.4	56	237.4	95.9
17	15.8	06.4	77	71.4	28.8	37	127.0	51.3	97	182.7	73.8	57	238.3	96.3
18	16.7	06.7	78	72.3	29.2	38	128.0	51.7	98	183.6	74.2	58	239.2	96.6
19	17.6	07.1	79	73.2	29.6	39	128.9	52.1	99	184.5	74.5	59	240.1	97.0
20	18.5	07.5	80	74.2	30.0	40	129.8	52.4	200	185.4	74.9	60	241.1	97.4
21	19.5	07.9	81	75.1	30.3	141	130.7	52.8	201	186.4	75.3	261	242.0	97.8
22	20.4	08.2	82	76.0	30.7	42	131.7	53.2	02	187.3	75.7	62	242.9	98.1
23	21.3	08.6	83	77.0	31.1	43	132.6	53.6	03	188.2	76.0	63	243.8	98.5
24	22.3	09.0	84	77.9	31.5	44	133.5	53.9	04	189.1	76.4	64	244.8	98.9
25	23.2	09.4	85	78.8	31.8	45	134.4	54.3	05	190.1	76.8	65	245.7	99.3
26	24.1	09.7	86	79.7	32.2	46	135.4	54.7	06	191.0	77.2	66	246.6	99.6
27	25.0	10.1	87	80.7	32.6	47	136.3	55.1	07	191.9	77.5	67	247.6	100.0
28	26.0	10.5	88	81.6	33.0	48	137.2	55.4	08	192.9	77.9	68	248.5	100.4
29	26.9	10.9	89	82.5	33.3	49	138.2	55.8	09	193.8	78.3	69	249.4	100.8
30	27.8	11.2	90	83.4	33.7	50	139.1	56.2	10	194.7	78.7	70	250.3	101.1
31	28.7	11.6	91	84.4	34.1	151	140.0	56.6	211	195.6	79.0	271	251.3	101.5
32	29.7	12.0	92	85.3	34.5	52	140.9	56.9	12	196.6	79.4	72	252.2	101.9
33	30.6	12.4	93	86.2	34.8	53	141.9	57.3	13	197.5	79.8	73	253.1	102.3
34	31.5	12.7	94	87.2	35.2	54	142.8	57.7	14	198.4	80.2	74	254.0	102.6
35	32.5	13.1	95	88.1	35.6	55	143.7	58.1	15	199.3	80.5	75	255.0	103.0
36	33.4	13.5	96	89.0	36.0	56	144.6	58.4	16	200.3	80.9	76	255.9	103.4
37	34.3	13.9	97	89.9	36.3	57	145.6	58.8	17	201.2	81.3	77	256.8	103.8
38	35.2	14.2	98	90.9	36.7	58	146.5	59.2	18	202.1	81.7	78	257.8	104.1
39	36.2	14.6	99	91.8	37.1	59	147.4	59.6	19	203.1	82.0	79	258.7	104.5
40	37.1	15.0	100	92.7	37.5	60	148.3	59.9	20	204.0	82.4	80	259.6	104.9
41	38.0	15.4	101	93.6	37.8	161	149.3	60.3	221	204.9	82.8	281	260.5	105.3
42	38.9	15.7	02	94.6	38.2	62	150.2	60.7	22	205.8	83.2	82	261.5	105.6
43	39.9	16.1	03	95.5	38.6	63	151.1	61.1	23	206.8	83.5	83	262.4	106.0
44	40.8	16.5	04	96.4	39.0	64	152.1	61.4	24	207.7	83.9	84	263.3	106.4
45	41.7	16.9	05	97.4	39.3	65	153.0	61.8	25	208.6	84.3	85	264.2	106.8
46	42.7	17.2	06	98.3	39.7	66	153.9	62.2	26	209.5	84.7	86	265.2	107.1
47	43.6	17.6	07	99.2	40.1	67	154.8	62.6	27	210.5	85.0	87	266.1	107.5
48	44.5	18.0	08	100.1	40.5	68	155.8	62.9	28	211.4	85.4	88	267.0	107.9
49	45.4	18.4	09	101.1	40.8	69	156.7	63.3	29	212.3	85.8	89	268.0	108.3
50	46.4	18.7	10	102.0	41.2	70	157.6	63.7	30	213.3	86.2	90	268.9	108.6
51	47.3	19.1	111	102.9	41.6	171	158.5	64.1	231	214.2	86.5	291	269.8	109.0
52	48.2	19.5	12	103.8	42.0	72	159.5	64.4	32	215.1	86.9	92	270.7	109.4
53	49.1	19.9	13	104.8	42.3	73	160.4	64.8	33	216.0	87.3	93	271.7	109.8
54	50.1	20.2	14	105.7	42.7	74	161.3	65.2	34	217.0	87.7	94	272.6	110.1
55	51.0	20.6	15	106.6	43.1	75	162.3	65.6	35	217.9	88.0	95	273.5	110.5
56	51.9	21.0	16	107.6	43.5	76	163.2	65.9	36	218.8	88.4	96	274.4	110.9
57	52.8	21.4	17	108.5	43.8	77	164.1	66.3	37	219.7	88.8	97	275.4	111.3
58	53.8	21.7	18	109.4	44.2	78	165.0	66.7	38	220.7	89.2	98	276.3	111.6
59	54.7	22.1	19	110.3	44.6	79	166.0	67.1	39	221.6	89.5	99	277.2	112.0
60	55.6	22.5	20	111.3	45.0	80	166.9	67.4	40	222.5	89.9	300	278.2	112.4
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 68 Degrees.]

TABLE II.

Difference of Latitude and Departure for 23 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.4	61	56.2	23.8	121	111.4	47.3	181	166.6	70.7	241	221.8	94.2			
2	01.8	00.8	62	57.1	24.2	22	112.3	47.7	82	167.5	71.1	42	222.8	94.6			
3	02.8	01.2	63	58.0	24.6	23	113.2	48.1	83	168.5	71.5	43	223.7	94.9			
4	03.7	01.6	64	58.9	25.0	24	114.1	48.5	84	169.4	71.9	44	224.6	95.3			
5	04.6	02.0	65	59.8	25.4	25	115.1	48.8	85	170.3	72.3	45	225.5	95.7			
6	05.5	02.3	66	60.8	25.8	26	116.0	49.2	86	171.2	72.7	46	226.4	96.1			
7	06.4	02.7	67	61.7	26.2	27	116.9	49.6	87	172.1	73.1	47	227.4	96.5			
8	07.4	03.1	68	62.6	26.6	28	117.8	50.0	88	173.1	73.5	48	228.3	96.9			
9	08.3	03.5	69	63.5	27.0	29	118.7	50.4	89	174.0	73.8	49	229.2	97.3			
10	09.2	03.9	70	64.4	27.4	30	119.7	50.8	90	174.9	74.2	50	230.1	97.7			
11	10.1	04.3	71	65.4	27.7	131	120.6	51.2	191	175.8	74.6	251	231.0	98.1			
12	11.0	04.7	72	66.3	28.1	32	121.5	51.6	92	176.7	75.0	52	232.0	98.5			
13	12.0	05.1	73	67.2	28.5	33	122.4	52.0	93	177.7	75.4	53	232.9	98.9			
14	12.9	05.5	74	68.1	28.9	34	123.3	52.4	94	178.6	75.8	54	233.8	99.2			
15	13.8	05.9	75	69.0	29.3	35	124.3	52.7	95	179.5	76.2	55	234.7	99.6			
16	14.7	06.3	76	70.0	29.7	36	125.2	53.1	96	180.4	76.6	56	235.6	100.0			
17	15.6	06.6	77	70.9	30.1	37	126.1	53.5	97	181.3	77.0	57	236.6	100.4			
18	16.6	07.0	78	71.8	30.5	38	127.0	53.9	98	182.3	77.4	58	237.5	100.8			
19	17.5	07.4	79	72.7	30.9	39	128.0	54.3	99	183.2	77.8	59	238.4	101.2			
20	18.4	07.8	80	73.6	31.3	40	128.9	54.7	200	184.1	78.1	60	239.3	101.6			
21	19.3	08.2	81	74.6	31.6	141	129.8	55.1	201	185.0	78.5	261	240.3	102.0			
22	20.3	08.6	82	75.5	32.0	42	130.7	55.5	02	185.9	78.9	62	241.2	102.4			
23	21.2	09.0	83	76.4	32.4	43	131.6	55.9	03	186.9	79.3	63	242.1	102.8			
24	22.1	09.4	84	77.3	32.8	44	132.6	56.3	04	187.8	79.7	64	243.0	103.2			
25	23.0	09.8	85	78.2	33.2	45	133.5	56.7	05	188.7	80.1	65	243.9	103.5			
26	23.9	10.2	86	79.2	33.6	46	134.4	57.0	06	189.6	80.5	66	244.9	103.9			
27	24.9	10.5	87	80.1	34.0	47	135.3	57.4	07	190.5	80.9	67	245.8	104.3			
28	25.8	10.9	88	81.0	34.4	48	136.2	57.8	08	191.5	81.3	68	246.7	104.7			
29	26.7	11.3	89	81.9	34.8	49	137.2	58.2	09	192.4	81.7	69	247.6	105.1			
30	27.6	11.7	90	82.8	35.2	50	138.1	58.6	10	193.3	82.1	70	248.5	105.5			
31	28.5	12.1	91	83.8	35.6	151	139.0	59.0	211	194.2	82.4	271	249.5	105.9			
32	29.5	12.5	92	84.7	35.9	52	139.9	59.4	12	195.1	82.8	72	250.4	106.3			
33	30.4	12.9	93	85.6	36.3	53	140.8	59.8	13	196.1	83.2	73	251.3	106.7			
34	31.3	13.3	94	86.5	36.7	54	141.8	60.2	14	197.0	83.6	74	252.2	107.1			
35	32.2	13.7	95	87.4	37.1	55	142.7	60.6	15	197.9	84.0	75	253.1	107.5			
36	33.1	14.1	96	88.4	37.5	56	143.6	61.0	16	198.8	84.4	76	254.1	107.8			
37	34.1	14.5	97	89.3	37.9	57	144.5	61.3	17	199.7	84.8	77	255.0	108.2			
38	35.0	14.8	98	90.2	38.3	58	145.4	61.7	18	200.7	85.2	78	255.9	108.6			
39	35.9	15.2	99	91.1	38.7	59	146.4	62.1	19	201.6	85.6	79	256.8	109.0			
40	36.8	15.6	100	92.1	39.1	60	147.3	62.5	20	202.5	86.0	80	257.7	109.4			
41	37.7	16.0	101	93.0	39.5	161	148.2	62.9	221	203.4	86.4	281	258.7	109.8			
42	38.7	16.4	02	93.9	39.9	62	149.1	63.3	22	204.4	86.7	82	259.6	110.2			
43	39.6	16.8	03	94.8	40.2	63	150.0	63.7	23	205.3	87.1	83	260.5	110.6			
44	40.5	17.2	04	95.7	40.6	64	151.0	64.1	24	206.2	87.5	84	261.4	111.0			
45	41.4	17.6	05	96.7	41.0	65	151.9	64.5	25	207.1	87.9	85	262.3	111.4			
46	42.3	18.0	06	97.6	41.4	66	152.8	64.9	26	208.0	88.3	86	263.3	111.7			
47	43.3	18.4	07	98.5	41.8	67	153.7	65.3	27	209.0	88.7	87	264.2	112.1			
48	44.2	18.8	08	99.4	42.2	68	154.6	65.6	28	209.9	89.1	88	265.1	112.5			
49	45.1	19.1	09	100.3	42.6	69	155.6	66.0	29	210.8	89.5	89	266.0	112.9			
50	46.0	19.5	10	101.3	43.0	70	156.5	66.4	30	211.7	89.9	90	266.9	113.3			
51	46.9	19.9	111	102.2	43.4	171	157.4	66.8	231	212.6	90.3	291	267.9	113.7			
52	47.9	20.3	12	103.1	43.8	72	158.3	67.2	32	213.6	90.6	92	268.8	114.1			
53	48.8	20.7	13	104.0	44.2	73	159.2	67.6	33	214.5	91.0	93	269.7	114.5			
54	49.7	21.1	14	104.9	44.5	74	160.2	68.0	34	215.4	91.4	94	270.6	114.9			
55	50.6	21.5	15	105.9	44.9	75	161.1	68.4	35	216.3	91.8	95	271.5	115.3			
56	51.5	21.9	16	106.8	45.3	76	162.0	68.8	36	217.2	92.2	96	272.5	115.7			
57	52.5	22.3	17	107.7	45.7	77	162.9	69.2	37	218.2	92.6	97	273.4	116.0			
58	53.4	22.7	18	108.6	46.1	78	163.8	69.6	38	219.1	93.0	98	274.3	116.4			
59	54.3	23.1	19	109.5	46.5	79	164.8	69.9	39	220.0	93.4	99	275.2	116.8			
60	55.2	23.4	20	110.5	46.9	80	165.7	70.3	40	220.9	93.8	300	276.2	117.2			
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.			

[For 67 Degrees.]

## Difference of Latitude and Departure for 24 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.4	61	55.7	21.8	121	110.5	49.2	181	165.4	73.6	241	220.2	98.0
2	01.8	00.8	62	56.6	22.2	22	111.5	49.6	82	166.3	74.0	42	221.1	98.4
3	02.7	01.2	63	57.6	22.6	23	112.4	50.0	83	167.2	74.4	43	222.0	98.8
4	03.7	01.6	64	58.5	23.0	24	113.3	50.4	84	168.1	74.8	44	222.9	99.2
5	04.6	02.0	65	59.4	23.4	25	114.2	50.8	85	169.0	75.2	45	223.8	99.6
6	05.5	02.4	66	60.3	23.8	26	115.1	51.2	86	169.9	75.6	46	224.7	100.1
7	06.4	02.8	67	61.2	24.2	27	116.0	51.6	87	170.8	76.0	47	225.6	100.5
8	07.3	03.3	68	62.1	24.6	28	116.9	52.0	88	171.7	76.4	48	226.5	100.9
9	08.2	03.7	69	63.0	25.0	29	117.8	52.4	89	172.6	76.8	49	227.4	101.3
10	09.1	04.1	70	63.9	25.4	30	118.7	52.8	90	173.5	77.2	50	228.3	101.7
11	10.0	04.5	71	64.9	25.8	31	119.6	53.2	91	174.4	77.6	51	229.2	102.1
12	11.0	04.9	72	65.8	26.2	32	120.5	53.6	92	175.3	78.0	52	230.1	102.5
13	11.9	05.3	73	66.7	26.6	33	121.4	54.0	93	176.2	78.4	53	231.0	102.9
14	12.8	05.7	74	67.6	27.0	34	122.3	54.4	94	177.1	78.8	54	231.9	103.3
15	13.7	06.1	75	68.5	27.4	35	123.2	54.8	95	178.0	79.2	55	232.8	103.7
16	14.6	06.5	76	69.4	27.8	36	124.1	55.2	96	178.9	79.6	56	233.7	104.1
17	15.5	06.9	77	70.3	28.2	37	125.0	55.6	97	179.8	80.0	57	234.6	104.5
18	16.4	07.3	78	71.2	28.6	38	125.9	56.0	98	180.7	80.4	58	235.5	104.9
19	17.4	07.7	79	72.1	29.0	39	126.8	56.4	99	181.6	80.8	59	236.4	105.3
20	18.3	08.1	80	73.0	29.4	40	127.7	56.8	200	182.5	81.2	60	237.3	105.7
21	19.2	08.5	81	74.0	29.8	41	128.6	57.2	201	183.4	81.6	61	238.2	106.1
22	20.1	08.9	82	74.9	30.2	42	129.5	57.6	202	184.3	82.0	62	239.1	106.5
23	21.0	09.3	83	75.8	30.6	43	130.4	58.0	203	185.2	82.4	63	240.0	106.9
24	21.9	09.7	84	76.7	31.0	44	131.3	58.4	204	186.1	82.8	64	240.9	107.3
25	22.8	10.1	85	77.6	31.4	45	132.2	58.8	205	187.0	83.2	65	241.8	107.7
26	23.7	10.5	86	78.5	31.8	46	133.1	59.2	206	187.9	83.6	66	242.7	108.1
27	24.6	10.9	87	79.4	32.2	47	134.0	59.6	207	188.8	84.0	67	243.6	108.5
28	25.5	11.3	88	80.3	32.6	48	134.9	60.0	208	189.7	84.4	68	244.5	108.9
29	26.4	11.7	89	81.2	33.0	49	135.8	60.4	209	190.6	84.8	69	245.4	109.3
30	27.3	12.1	90	82.1	33.4	50	136.7	60.8	210	191.5	85.2	70	246.3	109.7
31	28.2	12.5	91	83.0	33.8	51	137.6	61.2	211	192.4	85.6	71	247.2	110.1
32	29.1	12.9	92	83.9	34.2	52	138.5	61.6	212	193.3	86.0	72	248.1	110.5
33	30.0	13.3	93	84.8	34.6	53	139.4	62.0	213	194.2	86.4	73	249.0	110.9
34	30.9	13.7	94	85.7	35.0	54	140.3	62.4	214	195.1	86.8	74	250.0	111.3
35	31.8	14.1	95	86.6	35.4	55	141.2	62.8	215	196.0	87.2	75	251.0	111.7
36	32.7	14.5	96	87.5	35.8	56	142.1	63.2	216	196.9	87.6	76	252.0	112.1
37	33.6	14.9	97	88.4	36.2	57	143.0	63.6	217	197.8	88.0	77	253.0	112.5
38	34.5	15.3	98	89.3	36.6	58	143.9	64.0	218	198.7	88.4	78	254.0	112.9
39	35.4	15.7	99	90.2	37.0	59	144.8	64.4	219	199.6	88.8	79	255.0	113.3
40	36.3	16.1	100	91.1	37.4	60	145.7	64.8	220	200.5	89.2	80	256.0	113.7
41	37.2	16.5	101	92.0	37.8	61	146.6	65.2	221	201.4	89.6	81	257.0	114.1
42	38.1	16.9	102	92.9	38.2	62	147.5	65.6	222	202.3	90.0	82	258.0	114.5
43	39.0	17.3	103	93.8	38.6	63	148.4	66.0	223	203.2	90.4	83	259.0	114.9
44	39.9	17.7	104	94.7	39.0	64	149.3	66.4	224	204.1	90.8	84	260.0	115.3
45	40.8	18.1	105	95.6	39.4	65	150.2	66.8	225	205.0	91.2	85	261.0	115.7
46	41.7	18.5	106	96.5	39.8	66	151.1	67.2	226	205.9	91.6	86	262.0	116.1
47	42.6	18.9	107	97.4	40.2	67	152.0	67.6	227	206.8	92.0	87	263.0	116.5
48	43.5	19.3	108	98.3	40.6	68	152.9	68.0	228	207.7	92.4	88	264.0	116.9
49	44.4	19.7	109	99.2	41.0	69	153.8	68.4	229	208.6	92.8	89	265.0	117.3
50	45.3	20.1	110	100.1	41.4	70	154.7	68.8	230	209.5	93.2	90	266.0	117.7
51	46.2	20.5	111	101.0	41.8	71	155.6	69.2	231	210.4	93.6	91	267.0	118.1
52	47.1	20.9	112	101.9	42.2	72	156.5	69.6	232	211.3	94.0	92	268.0	118.5
53	48.0	21.3	113	102.8	42.6	73	157.4	70.0	233	212.2	94.4	93	269.0	118.9
54	48.9	21.7	114	103.7	43.0	74	158.3	70.4	234	213.1	94.8	94	270.0	119.3
55	49.8	22.1	115	104.6	43.4	75	159.2	70.8	235	214.0	95.2	95	271.0	119.7
56	50.7	22.5	116	105.5	43.8	76	160.1	71.2	236	214.9	95.6	96	272.0	120.1
57	51.6	22.9	117	106.4	44.2	77	161.0	71.6	237	215.8	96.0	97	273.0	120.5
58	52.5	23.3	118	107.3	44.6	78	161.9	72.0	238	216.7	96.4	98	274.0	120.9
59	53.4	23.7	119	108.2	45.0	79	162.8	72.4	239	217.6	96.8	99	275.0	121.3
60	54.3	24.1	120	109.1	45.4	80	163.7	72.8	240	218.5	97.2	100	276.0	121.7
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 66 Degrees.]

TABLE II.

Difference of Latitude and Departure for 25 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.4	61	35.3	25.8	121	109.7	51.1	181	164.0	76.5	241	218.4	101.9
2	01.8	00.8	62	36.2	26.2	22	110.6	51.6	82	164.9	76.9	42	219.3	102.3
3	02.7	01.3	63	37.1	26.6	23	111.5	52.0	83	165.9	77.3	43	220.2	102.7
4	03.6	01.7	64	38.0	27.0	24	112.4	52.4	84	166.8	77.8	44	221.1	103.1
5	04.5	02.1	65	38.9	27.5	25	113.3	52.8	85	167.7	78.2	45	222.0	103.5
6	05.4	02.5	66	39.8	27.9	26	114.2	53.2	86	168.6	78.6	46	223.0	104.0
7	06.3	03.0	67	40.7	28.3	27	115.1	53.7	87	169.5	79.0	47	223.9	104.4
8	07.3	03.4	68	41.6	28.7	28	116.0	54.1	88	170.4	79.5	48	224.8	104.8
9	08.2	03.8	69	42.5	29.2	29	116.9	54.5	89	171.3	79.9	49	225.7	105.2
10	09.1	04.2	70	43.4	29.6	30	117.8	54.9	90	172.2	80.3	50	226.6	105.7
11	10.0	04.6	71	44.3	30.0	131	118.7	55.4	191	173.1	80.7	251	227.5	106.1
12	10.9	05.1	72	45.3	30.4	32	119.6	55.8	92	174.0	81.1	52	228.4	106.5
13	11.8	05.5	73	46.2	30.9	33	120.5	56.2	93	174.9	81.6	53	229.3	106.9
14	12.7	05.9	74	47.1	31.3	34	121.4	56.6	94	175.8	82.0	54	230.2	107.3
15	13.6	06.3	75	48.0	31.7	35	122.4	57.1	95	176.7	82.4	55	231.1	107.8
16	14.5	06.8	76	48.9	32.1	36	123.3	57.5	96	177.6	82.8	56	232.0	108.2
17	15.4	07.2	77	49.8	32.5	37	124.2	57.9	97	178.5	83.3	57	232.9	108.6
18	16.3	07.6	78	50.7	33.0	38	125.1	58.3	98	179.4	83.7	58	233.8	109.0
19	17.2	08.0	79	51.6	33.4	39	126.0	58.7	99	180.4	84.1	59	234.7	109.5
20	18.1	08.5	80	52.5	33.8	40	126.9	59.2	200	181.3	84.5	60	235.6	109.9
21	19.0	08.9	81	53.4	34.2	141	127.8	59.6	201	182.2	84.9	261	236.5	110.3
22	19.9	09.3	82	54.3	34.7	42	128.7	60.0	02	183.1	85.4	62	237.5	110.7
23	20.8	09.7	83	55.2	35.1	43	129.6	60.4	03	184.0	85.8	63	238.4	111.1
24	21.8	10.1	84	56.1	35.5	44	130.5	60.9	04	184.9	86.2	64	239.3	111.6
25	22.7	10.6	85	57.0	35.9	45	131.4	61.3	05	185.8	86.6	65	240.2	112.0
26	23.6	11.0	86	57.9	36.3	46	132.3	61.7	06	186.7	87.1	66	241.1	112.4
27	24.5	11.4	87	58.8	36.8	47	133.2	62.1	07	187.6	87.5	67	242.0	112.8
28	25.4	11.8	88	59.7	37.2	48	134.1	62.5	08	188.5	87.9	68	242.9	113.3
29	26.3	12.3	89	60.7	37.6	49	135.0	63.0	09	189.4	88.3	69	243.8	113.7
30	27.2	12.7	90	61.6	38.0	50	135.9	63.4	10	190.3	88.7	70	244.7	114.1
31	28.1	13.1	91	62.5	38.5	151	136.9	63.8	211	191.2	89.2	271	245.6	114.5
32	29.0	13.5	92	63.4	38.9	52	137.8	64.2	12	192.1	89.6	72	246.5	115.0
33	29.9	13.9	93	64.3	39.3	53	138.7	64.7	13	193.0	90.0	73	247.4	115.4
34	30.8	14.4	94	65.2	39.7	54	139.6	65.1	14	193.9	90.4	74	248.3	115.8
35	31.7	14.8	95	66.1	40.1	55	140.5	65.5	15	194.9	90.9	75	249.2	116.2
36	32.6	15.2	96	67.0	40.6	56	141.4	65.9	16	195.8	91.3	76	250.1	116.6
37	33.5	15.6	97	67.9	41.0	57	142.3	66.4	17	196.7	91.7	77	251.0	117.1
38	34.4	16.1	98	68.8	41.4	58	143.2	66.8	18	197.6	92.1	78	252.0	117.5
39	35.3	16.5	99	69.7	41.8	59	144.1	67.2	19	198.5	92.6	79	252.9	117.9
40	36.3	16.9	100	70.6	42.3	60	145.0	67.6	20	199.4	93.0	80	253.8	118.3
41	37.2	17.3	101	71.5	42.7	161	145.9	68.0	221	200.3	93.4	281	254.7	118.8
42	38.1	17.7	02	72.4	43.1	62	146.8	68.5	22	201.2	93.8	82	255.6	119.2
43	39.0	18.2	03	73.3	43.5	63	147.7	68.9	23	202.1	94.2	83	256.5	119.6
44	39.9	18.6	04	74.2	44.0	64	148.6	69.3	24	203.0	94.7	84	257.4	120.0
45	40.8	19.0	05	75.1	44.4	65	149.5	69.7	25	203.9	95.1	85	258.3	120.4
46	41.7	19.4	06	76.0	44.8	66	150.4	70.2	26	204.8	95.5	86	259.2	120.9
47	42.6	19.9	07	76.9	45.2	67	151.4	70.6	27	205.7	95.9	87	260.1	121.3
48	43.5	20.3	08	77.8	45.6	68	152.3	71.0	28	206.6	96.4	88	261.0	121.7
49	44.4	20.7	09	78.7	46.1	69	153.2	71.4	29	207.5	96.8	89	261.9	122.1
50	45.3	21.1	10	79.6	46.5	70	154.1	71.8	30	208.5	97.2	90	262.8	122.6
51	46.2	21.6	111	100.6	46.9	171	155.0	72.3	231	209.4	97.6	291	263.7	123.0
52	47.1	22.0	12	101.5	47.3	72	155.9	72.7	32	210.3	98.0	92	264.6	123.4
53	48.0	22.4	13	102.4	47.8	73	156.8	73.1	33	211.2	98.5	93	265.5	123.8
54	48.9	22.8	14	103.3	48.2	74	157.7	73.5	34	212.1	98.9	94	266.4	124.2
55	49.8	23.2	15	104.2	48.6	75	158.6	74.0	35	213.0	99.3	95	267.3	124.7
56	50.8	23.7	16	105.1	49.0	76	159.5	74.4	36	213.9	99.7	96	268.2	125.1
57	51.7	24.1	17	106.0	49.4	77	160.4	74.8	37	214.8	100.2	97	269.1	125.5
58	52.6	24.5	18	106.9	49.9	78	161.3	75.2	38	215.7	100.6	98	270.0	125.9
59	53.5	24.9	19	107.8	50.3	79	162.2	75.6	39	216.6	101.0	99	271.0	126.4
60	54.4	25.4	20	108.7	50.7	80	163.1	76.1	40	217.5	101.4	300	271.9	126.8

[For 65 Degrees.]

## Difference of Latitude and Departure for 26 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.4	61	54.8	26.7	121	108.8	53.0	181	162.7	79.3	241	216.6	105.6
2	01.8	00.9	62	55.7	27.2	22	109.7	53.5	82	163.6	79.8	42	217.5	106.1
3	02.7	01.3	63	56.6	27.6	23	110.6	53.9	83	164.5	80.2	43	218.4	106.5
4	03.6	01.8	64	57.5	28.1	24	111.5	54.4	84	165.4	80.7	44	219.3	107.0
5	04.5	02.2	65	58.4	28.5	25	112.3	54.8	85	166.3	81.1	45	220.2	107.4
6	05.4	02.6	66	59.3	28.9	26	113.2	55.2	86	167.2	81.5	46	221.1	107.8
7	06.3	03.1	67	60.2	29.4	27	114.1	55.7	87	168.1	82.0	47	222.0	108.3
8	07.2	03.5	68	61.1	29.8	28	115.0	56.1	88	169.0	82.4	48	222.9	108.7
9	08.1	03.9	69	62.0	30.2	29	115.9	56.5	89	169.9	82.9	49	223.8	109.2
10	09.0	04.4	70	62.9	30.7	30	116.8	57.0	90	170.8	83.3	50	224.7	109.6
11	09.9	04.8	71	63.8	31.1	131	117.7	57.4	191	171.7	83.7	251	225.6	110.0
12	10.8	05.3	72	64.7	31.6	32	118.6	57.9	92	172.6	84.2	52	226.5	110.5
13	11.7	05.7	73	65.6	32.0	33	119.5	58.3	93	173.5	84.6	53	227.4	110.9
14	12.6	06.1	74	66.5	32.4	34	120.4	58.7	94	174.4	85.0	54	228.3	111.3
15	13.5	06.6	75	67.4	32.9	35	121.3	59.2	95	175.3	85.5	55	229.2	111.8
16	14.4	07.0	76	68.3	33.3	36	122.2	59.6	96	176.2	85.9	56	230.1	112.2
17	15.3	07.5	77	69.2	33.8	37	123.1	60.1	97	177.1	86.4	57	231.0	112.7
18	16.2	07.9	78	70.1	34.2	38	124.0	60.5	98	178.0	86.8	58	231.9	113.1
19	17.1	08.3	79	71.0	34.6	39	124.9	60.9	99	178.9	87.2	59	232.8	113.5
20	18.0	08.8	80	71.9	35.1	40	125.8	61.4	200	179.8	87.7	200	233.7	114.0
21	18.9	09.2	81	72.8	35.5	141	126.7	61.8	201	180.7	88.1	261	234.6	114.4
22	19.8	09.6	82	73.7	35.9	42	127.6	62.2	02	181.6	88.6	62	235.5	114.9
23	20.7	10.1	83	74.6	36.4	43	128.5	62.7	03	182.5	89.0	63	236.4	115.3
24	21.6	10.5	84	75.5	36.8	44	129.4	63.1	04	183.4	89.4	64	237.3	115.7
25	22.5	11.0	85	76.4	37.3	45	130.3	63.6	05	184.3	89.9	65	238.2	116.2
26	23.4	11.4	86	77.3	37.7	46	131.2	64.0	06	185.2	90.3	66	239.1	116.6
27	24.3	11.8	87	78.2	38.1	47	132.1	64.4	07	186.1	90.7	67	240.0	117.0
28	25.2	12.3	88	79.1	38.6	48	133.0	64.9	08	187.0	91.2	68	240.9	117.5
29	26.1	12.7	89	80.0	39.0	49	133.9	65.3	09	187.9	91.6	69	241.8	117.9
30	27.0	13.2	90	80.9	39.5	50	134.8	65.8	10	188.7	92.1	70	242.7	118.4
31	27.9	13.6	91	81.8	39.9	151	135.7	66.2	211	189.6	92.5	271	243.6	118.8
32	28.8	14.0	92	82.7	40.3	52	136.6	66.6	12	190.5	92.9	72	244.5	119.2
33	29.7	14.5	93	83.6	40.8	53	137.5	67.1	13	191.4	93.4	73	245.4	119.7
34	30.6	14.9	94	84.5	41.2	54	138.4	67.5	14	192.3	93.8	74	246.3	120.1
35	31.5	15.3	95	85.4	41.6	55	139.3	67.9	15	193.2	94.2	75	247.2	120.6
36	32.4	15.8	96	86.3	42.1	56	140.2	68.4	16	194.1	94.7	76	248.1	121.0
37	33.3	16.2	97	87.2	42.5	57	141.1	68.8	17	195.0	95.1	77	249.0	121.4
38	34.2	16.7	98	88.1	43.0	58	142.0	69.3	18	195.9	95.6	78	249.9	121.9
39	35.1	17.1	99	89.0	43.4	59	142.9	69.7	19	196.8	96.0	79	250.8	122.3
40	36.0	17.5	100	89.9	43.8	60	143.8	70.1	20	197.7	96.4	80	251.7	122.7
41	36.9	18.0	101	90.8	44.3	161	144.7	70.6	221	198.6	96.9	281	252.6	123.2
42	37.7	18.4	02	91.7	44.7	62	145.6	71.0	22	199.5	97.3	82	253.5	123.6
43	38.6	18.8	03	92.6	45.2	63	146.5	71.5	23	200.4	97.8	83	254.4	124.1
44	39.5	19.3	04	93.5	45.6	64	147.4	71.9	24	201.3	98.2	84	255.3	124.5
45	40.4	19.7	05	94.4	46.0	65	148.3	72.3	25	202.2	98.6	85	256.2	124.9
46	41.3	20.2	06	95.3	46.5	66	149.2	72.8	26	203.1	99.1	86	257.1	125.4
47	42.2	20.6	07	96.2	46.9	67	150.1	73.2	27	204.0	99.5	87	258.0	125.8
48	43.1	21.0	08	97.1	47.3	68	151.0	73.6	28	204.9	99.9	88	258.9	126.3
49	44.0	21.5	09	98.0	47.8	69	151.9	74.1	29	205.8	100.4	89	259.8	126.7
50	44.9	21.9	10	98.9	48.2	70	152.8	74.5	30	206.7	100.8	90	260.7	127.1
51	45.8	22.4	111	99.8	48.7	171	153.7	75.0	231	207.6	101.3	291	261.6	127.6
52	46.7	22.8	12	100.7	49.1	72	154.6	75.4	32	208.5	101.7	92	262.5	128.0
53	47.6	23.2	13	101.6	49.5	73	155.5	75.8	33	209.4	102.1	93	263.4	128.4
54	48.5	23.7	14	102.5	50.0	74	156.4	76.3	34	210.3	102.6	94	264.3	128.9
55	49.4	24.1	15	103.4	50.4	75	157.3	76.7	35	211.2	103.0	95	265.2	129.3
56	50.3	24.5	16	104.3	50.9	76	158.2	77.2	36	212.1	103.5	96	266.1	129.8
57	51.2	25.0	17	105.2	51.3	77	159.1	77.6	37	213.0	103.9	97	267.0	130.2
58	52.1	25.4	18	106.1	51.7	78	160.0	78.0	38	213.9	104.3	98	267.9	130.6
59	53.0	25.9	19	107.0	52.2	79	160.9	78.5	39	214.8	104.8	99	268.8	131.1
60	53.9	26.3	20	107.9	52.6	80	161.8	78.9	40	215.7	105.2	300	269.7	131.5
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 64 Degrees.]

TABLE II.

Difference of Latitude and Departure for 27 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.5	61	54.4	27.7	121	107.8	54.9	181	161.3	82.2	241	214.7	109.4
2	01.8	00.9	62	55.2	28.1	22	108.7	55.4	82	162.2	82.6	42	215.6	109.9
3	02.7	01.4	63	56.1	28.6	23	109.6	55.8	83	163.1	83.1	43	216.5	110.3
4	03.6	01.8	64	57.0	29.1	24	110.5	56.3	84	163.9	83.5	44	217.4	110.8
5	04.5	02.3	65	57.9	29.5	25	111.4	56.7	85	164.8	84.0	45	218.3	111.2
6	05.3	02.7	66	58.8	30.0	26	112.3	57.2	86	165.7	84.4	46	219.2	111.7
7	06.2	03.2	67	59.7	30.4	27	113.2	57.7	87	166.6	84.9	47	220.1	112.1
8	07.1	03.6	68	60.6	30.9	28	114.0	58.1	88	167.5	85.4	48	221.0	112.6
9	08.0	04.1	69	61.5	31.3	29	114.9	58.6	89	168.4	85.8	49	221.9	113.0
10	08.9	04.5	70	62.4	31.8	30	115.8	59.0	90	169.3	86.3	50	222.8	113.5
11	09.8	05.0	71	63.3	32.2	131	116.7	59.5	191	170.2	86.7	251	223.6	114.0
12	10.7	05.4	72	64.2	32.7	32	117.6	59.9	92	171.1	87.2	62	224.5	114.4
13	11.6	05.9	73	65.0	33.1	33	118.5	60.4	93	172.0	87.6	63	225.4	114.9
14	12.5	06.4	74	65.9	33.6	34	119.4	60.8	94	172.9	88.1	64	226.3	115.3
15	13.4	06.8	75	66.8	34.0	35	120.3	61.3	95	173.7	88.5	65	227.2	115.8
16	14.3	07.3	76	67.7	34.5	36	121.2	61.7	96	174.6	89.0	66	228.1	116.2
17	15.1	07.7	77	68.6	35.0	37	122.1	62.2	97	175.5	89.4	67	229.0	116.7
18	16.0	08.2	78	69.5	35.4	38	123.0	62.7	98	176.4	89.9	68	229.9	117.1
19	16.9	08.6	79	70.4	35.9	39	123.8	63.1	99	177.3	90.3	69	230.8	117.6
20	17.8	09.1	80	71.3	36.3	40	124.7	63.6	200	178.2	90.8	60	231.7	118.0
21	18.7	09.5	81	72.2	36.8	141	125.6	64.0	201	179.1	91.3	261	232.6	118.5
22	19.6	10.0	82	73.1	37.2	42	126.5	64.5	02	180.0	91.7	62	233.4	118.9
23	20.5	10.4	83	74.0	37.7	43	127.4	64.9	03	180.9	92.2	63	234.3	119.4
24	21.4	10.9	84	74.8	38.1	44	128.3	65.4	04	181.8	92.6	64	235.2	119.9
25	22.3	11.3	85	75.7	38.6	45	129.2	65.8	05	182.7	93.1	65	236.1	120.3
26	23.2	11.8	86	76.6	39.0	46	130.1	66.3	06	183.5	93.5	66	237.0	120.8
27	24.1	12.3	87	77.5	39.5	47	131.0	66.7	07	184.4	94.0	67	237.9	121.2
28	24.9	12.7	88	78.4	40.0	48	131.9	67.2	08	185.3	94.4	68	238.8	121.7
29	25.8	13.2	89	79.3	40.4	49	132.8	67.6	09	186.2	94.9	69	239.7	122.1
30	26.7	13.6	90	80.2	40.9	50	133.7	68.1	10	187.1	95.3	70	240.6	122.6
31	27.6	14.1	91	81.1	41.3	151	134.5	68.6	211	188.0	95.8	271	241.5	123.0
32	28.5	14.5	92	82.0	41.8	52	135.4	69.0	12	188.9	96.2	72	242.4	123.5
33	29.4	15.0	93	82.9	42.2	53	136.3	69.5	13	189.8	96.7	73	243.2	123.9
34	30.3	15.4	94	83.8	42.7	54	137.2	69.9	14	190.7	97.2	74	244.1	124.4
35	31.2	15.9	95	84.6	43.1	55	138.1	70.4	15	191.6	97.6	75	245.0	124.8
36	32.1	16.3	96	85.5	43.6	56	139.0	70.8	16	192.5	98.1	76	245.9	125.3
37	33.0	16.8	97	86.4	44.0	57	139.9	71.3	17	193.3	98.5	77	246.8	125.8
38	33.9	17.3	98	87.3	44.5	58	140.8	71.7	18	194.2	99.0	78	247.7	126.2
39	34.7	17.7	99	88.2	44.9	59	141.7	72.2	19	195.1	99.4	79	248.6	126.7
40	35.6	18.2	100	89.1	45.4	60	142.6	72.6	20	196.0	99.9	80	249.5	127.1
41	36.5	18.6	101	90.0	45.9	161	143.5	73.1	221	196.9	100.3	281	250.4	127.6
42	37.4	19.1	02	90.9	46.3	62	144.3	73.5	22	197.8	100.8	82	251.3	128.0
43	38.3	19.5	03	91.8	46.8	63	145.2	74.0	23	198.7	101.2	83	252.2	128.5
44	39.2	20.0	04	92.7	47.2	64	146.1	74.5	24	199.6	101.7	84	253.0	128.9
45	40.1	20.4	05	93.6	47.7	65	147.0	74.9	25	200.5	102.1	85	253.9	129.4
46	41.0	20.9	06	94.4	48.1	66	147.9	75.4	26	201.4	102.6	86	254.8	129.8
47	41.9	21.3	07	95.3	48.6	67	148.8	75.8	27	202.3	103.1	87	255.7	130.3
48	42.8	21.8	08	96.2	49.0	68	149.7	76.3	28	203.1	103.5	88	256.6	130.7
49	43.7	22.2	09	97.1	49.5	69	150.6	76.7	29	204.0	104.0	89	257.5	131.2
50	44.6	22.7	10	98.0	49.9	70	151.5	77.2	30	204.9	104.4	90	258.4	131.7
51	45.4	23.2	111	98.9	50.4	171	152.4	77.6	231	205.8	104.9	291	259.3	132.1
52	46.3	23.6	12	99.8	50.8	72	153.3	78.1	32	206.7	105.3	92	260.2	132.6
53	47.2	24.1	13	100.7	51.3	73	154.1	78.5	33	207.6	105.8	93	261.1	133.0
54	48.1	24.5	14	101.6	51.8	74	155.0	79.0	34	208.5	106.2	94	262.0	133.5
55	49.0	25.0	15	102.5	52.2	75	155.9	79.4	35	209.4	106.7	95	262.8	133.9
56	49.9	25.4	16	103.4	52.7	76	156.8	79.9	36	210.3	107.1	96	263.7	134.4
57	50.8	25.9	17	104.2	53.1	77	157.7	80.4	37	211.2	107.6	97	264.6	134.8
58	51.7	26.3	18	105.1	53.6	78	158.6	80.8	38	212.1	108.0	98	265.5	135.3
59	52.6	26.8	19	106.0	54.0	79	159.5	81.3	39	213.0	108.5	99	266.4	135.7
60	53.5	27.2	20	106.9	54.5	80	160.4	81.7	40	213.8	109.0	300	267.3	136.2
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 63 Degrees.]



TABLE II.

Difference of Latitude and Departure for 28 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.5	61	53.9	28.6	121	106.8	56.8	181	159.8	85.0	241	212.8	113.1
2	01.8	00.9	62	54.7	29.1	22	107.7	57.3	82	160.7	85.4	42	213.7	113.6
3	02.6	01.4	63	55.6	29.6	23	108.6	57.7	83	161.6	85.9	43	214.6	114.1
4	03.5	01.9	64	56.5	30.0	24	109.5	58.2	84	162.5	86.4	44	215.4	114.6
5	04.4	02.3	65	57.4	30.5	25	110.4	58.7	85	163.3	86.9	45	216.3	115.0
6	05.3	02.8	66	58.3	31.0	26	111.3	59.2	86	164.2	87.3	46	217.2	115.5
7	06.2	03.3	67	59.2	31.5	27	112.1	59.6	87	165.1	87.8	47	218.1	116.0
8	07.1	03.8	68	60.0	31.9	28	113.0	60.1	88	166.0	88.3	48	219.0	116.4
9	07.9	04.2	69	60.9	32.4	29	113.9	60.6	89	166.9	88.7	49	219.9	116.9
10	07.8	04.7	70	61.8	32.9	30	114.8	61.0	90	167.8	89.2	50	220.7	117.4
11	09.7	05.2	71	62.7	33.3	131	115.7	61.5	191	168.6	89.7	251	221.6	117.8
12	10.6	05.6	72	63.6	33.8	32	116.5	62.0	92	169.5	90.1	52	222.5	118.3
13	11.5	06.1	73	64.5	34.3	33	117.4	62.4	93	170.4	90.6	53	223.4	118.8
14	12.4	06.6	74	65.3	34.7	34	118.3	62.9	94	171.3	91.1	54	224.3	119.2
15	13.2	07.0	75	66.2	35.2	35	119.2	63.4	95	172.2	91.5	55	225.2	119.7
16	14.1	07.5	76	67.1	35.7	36	120.1	63.8	96	173.1	92.0	56	226.0	120.2
17	15.0	08.0	77	68.0	36.1	37	121.0	64.3	97	173.9	92.5	57	226.9	120.7
18	15.9	08.5	78	68.9	36.6	38	121.8	64.8	98	174.8	93.0	58	227.8	121.1
19	16.8	08.9	79	69.8	37.1	39	122.7	65.3	99	175.7	93.4	59	228.7	121.6
20	17.7	09.4	80	70.6	37.6	40	123.6	65.7	200	176.6	93.9	60	229.6	122.1
21	18.5	09.9	81	71.5	38.0	141	124.5	66.2	201	177.5	94.4	261	230.4	122.5
22	19.4	10.3	82	72.4	38.5	42	125.4	66.7	02	178.4	94.8	63	231.3	123.0
23	20.3	10.8	83	73.3	39.0	43	126.3	67.1	03	179.2	95.3	64	232.2	123.5
24	21.2	11.3	84	74.2	39.4	44	127.1	67.6	04	180.1	95.8	65	233.1	123.9
25	22.1	11.7	85	75.1	39.9	45	128.0	68.1	05	181.0	96.2	66	234.0	124.4
26	23.0	12.2	86	75.9	40.4	46	128.9	68.5	06	181.9	96.7	67	234.9	124.9
27	23.8	12.7	87	76.8	40.8	47	129.8	69.0	07	182.8	97.2	68	235.7	125.3
28	24.7	13.1	88	77.7	41.3	48	130.7	69.5	08	183.7	97.7	69	236.6	125.8
29	25.6	13.6	89	78.6	41.8	49	131.6	70.0	09	184.6	98.1	70	237.5	126.3
30	26.5	14.1	90	79.5	42.3	50	132.4	70.4	10	185.4	98.6	71	238.4	126.8
31	27.4	14.6	91	80.3	42.7	151	133.3	70.9	211	186.3	99.1	271	239.3	127.2
32	28.3	15.0	92	81.2	43.2	52	134.2	71.4	12	187.2	99.5	73	240.2	127.7
33	29.1	15.5	93	82.1	43.7	53	135.1	71.8	13	188.1	100.0	74	241.0	128.2
34	30.0	16.0	94	83.0	44.1	54	136.0	72.3	14	189.0	100.5	75	241.9	128.6
35	30.9	16.4	95	83.9	44.6	55	136.9	72.8	15	189.8	100.9	76	242.8	129.1
36	31.8	16.9	96	84.8	45.1	56	137.7	73.2	16	190.7	101.4	77	243.7	129.6
37	32.7	17.4	97	85.6	45.5	57	138.6	73.7	17	191.6	101.9	78	244.6	130.0
38	33.6	17.8	98	86.5	46.0	58	139.5	74.2	18	192.5	102.3	79	245.5	130.5
39	34.4	18.3	99	87.4	46.5	59	140.4	74.6	19	193.4	102.8	80	246.3	131.0
40	35.3	18.8	100	88.3	46.9	60	141.3	75.1	20	194.2	103.3	81	247.2	131.5
41	36.2	19.2	101	89.2	47.4	161	142.2	75.6	221	195.1	103.8	281	248.1	131.9
42	37.1	19.7	02	90.1	47.9	62	143.0	76.1	22	196.0	104.2	82	249.0	132.4
43	38.0	20.2	03	90.9	48.4	63	143.9	76.5	23	196.9	104.7	83	249.9	132.9
44	38.9	20.7	04	91.8	48.8	64	144.8	77.0	24	197.8	105.2	84	250.8	133.3
45	39.7	21.1	05	92.7	49.3	65	145.7	77.5	25	198.7	105.6	85	251.6	133.8
46	40.6	21.6	06	93.6	49.8	66	146.6	77.9	26	199.5	106.1	86	252.5	134.3
47	41.5	22.1	07	94.5	50.2	67	147.5	78.4	27	200.4	106.6	87	253.4	134.7
48	42.4	22.5	08	95.4	50.7	68	148.3	78.9	28	201.3	107.0	88	254.3	135.2
49	43.3	23.0	09	96.2	51.2	69	149.2	79.3	29	202.2	107.5	89	255.2	135.7
50	44.1	23.5	10	97.1	51.6	70	150.1	79.8	30	203.1	108.0	90	256.1	136.1
51	45.0	23.9	111	98.0	52.1	171	151.0	80.3	231	204.0	108.4	291	256.9	136.6
52	45.9	24.4	12	98.9	52.6	72	151.9	80.7	32	204.8	108.9	92	257.8	137.1
53	46.8	24.9	13	99.8	53.1	73	152.7	81.2	33	205.7	109.4	93	258.7	137.6
54	47.7	25.4	14	100.7	53.5	74	153.6	81.7	34	206.6	109.9	94	259.6	138.0
55	48.6	25.8	15	101.5	54.0	75	154.5	82.2	35	207.5	110.3	95	260.5	138.5
56	49.4	26.3	16	102.4	54.5	76	155.4	82.6	36	208.4	110.8	96	261.4	139.0
57	50.3	26.8	17	103.3	54.9	77	156.3	83.1	37	209.3	111.3	97	262.3	139.4
58	51.2	27.2	18	104.2	55.4	78	157.2	83.6	38	210.1	111.7	98	263.1	139.9
59	52.1	27.7	19	105.1	55.9	79	158.0	84.0	39	211.0	112.2	99	264.0	140.4
60	53.0	28.2	20	106.0	56.3	80	158.9	84.5	40	211.9	112.7	300	264.9	140.8
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 62 Degrees.

TABLE II.

Difference of Latitude and Departure for 29 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.5	61	53.4	29.6	121	105.8	58.7	181	158.3	87.8	241	210.6	116.8
2	01.7	01.0	62	54.2	30.1	22	106.7	59.1	82	159.2	88.2	42	211.7	117.3
3	02.6	01.5	63	55.1	30.5	23	107.6	59.6	83	160.1	88.7	43	212.5	117.8
4	03.5	01.9	64	56.0	31.0	24	108.5	60.1	84	160.9	89.2	44	213.4	118.3
5	04.4	02.4	65	56.9	31.5	25	109.3	60.6	85	161.8	89.7	45	214.3	118.8
6	05.2	02.9	66	57.7	32.0	26	110.2	61.1	86	162.7	90.2	46	215.2	119.3
7	06.1	03.4	67	58.6	32.5	27	111.1	61.6	87	163.6	90.7	47	216.0	119.7
8	07.0	03.9	68	59.5	33.0	28	112.0	62.1	88	164.4	91.1	48	216.9	120.2
9	07.9	04.4	69	60.3	33.5	29	112.8	62.5	89	165.3	91.6	49	217.8	120.7
10	08.7	04.8	70	61.2	33.9	30	113.7	63.0	90	166.2	92.1	50	218.7	121.2
11	09.6	05.3	71	62.1	34.4	131	114.6	63.5	191	167.1	92.6	251	219.5	121.7
12	10.5	05.8	72	63.0	34.9	32	115.4	64.0	92	167.9	93.1	52	220.4	122.2
13	11.4	06.3	73	63.8	35.4	33	116.3	64.5	93	168.8	93.6	53	221.3	122.7
14	12.2	06.8	74	64.7	35.9	34	117.2	65.0	94	169.7	94.1	54	222.2	123.1
15	13.1	07.3	75	65.6	36.4	35	118.1	65.4	95	170.6	94.5	55	223.0	123.6
16	14.0	07.8	76	66.5	36.8	36	119.0	65.9	96	171.4	95.0	56	223.9	124.1
17	14.9	08.2	77	67.3	37.3	37	119.9	66.4	97	172.3	95.5	57	224.8	124.6
18	15.7	08.7	78	68.2	37.8	38	120.7	66.9	98	173.2	96.0	58	225.7	125.1
19	16.6	09.2	79	69.1	38.3	39	121.6	67.4	99	174.0	96.5	59	226.5	125.6
20	17.5	09.7	80	70.0	38.8	40	122.4	67.9	200	174.9	97.0	60	227.4	126.1
21	18.4	10.2	81	70.8	39.3	141	123.3	68.4	201	175.8	97.4	261	228.3	126.5
22	19.2	10.7	82	71.7	39.8	42	124.2	68.8	92	176.7	97.9	62	229.2	127.0
23	20.1	11.2	83	72.6	40.2	43	125.1	69.3	93	177.5	98.4	63	230.0	127.5
24	21.0	11.6	84	73.5	40.7	44	125.9	69.8	94	178.4	98.9	64	230.9	128.0
25	21.9	12.1	85	74.3	41.2	45	126.8	70.3	95	179.3	99.4	65	231.8	128.5
26	22.7	12.6	86	75.2	41.7	46	127.7	70.8	96	180.2	99.9	66	232.6	129.0
27	23.6	13.1	87	76.1	42.2	47	128.6	71.3	97	181.0	100.4	67	233.5	129.4
28	24.5	13.6	88	77.0	42.7	48	129.4	71.8	98	181.9	100.8	68	234.4	129.9
29	25.4	14.1	89	77.8	43.1	49	130.3	72.2	99	182.8	101.3	69	235.3	130.4
30	26.2	14.6	90	78.7	43.6	50	131.2	72.7	200	183.7	101.8	70	236.1	130.9
31	27.1	15.0	91	79.6	44.1	151	132.1	73.2	211	184.5	102.3	271	237.0	131.4
32	28.0	15.5	92	80.5	44.6	52	132.9	73.7	12	185.4	102.8	72	237.9	131.9
33	28.9	16.0	93	81.3	45.1	53	133.8	74.2	13	186.3	103.3	73	238.8	132.4
34	29.7	16.5	94	82.2	45.6	54	134.7	74.7	14	187.2	103.7	74	239.6	132.8
35	30.6	17.0	95	83.1	46.1	55	135.6	75.1	15	188.0	104.2	75	240.5	133.3
36	31.5	17.5	96	84.0	46.5	56	136.4	75.6	16	188.9	104.7	76	241.4	133.8
37	32.4	17.9	97	84.8	47.0	57	137.3	76.1	17	189.8	105.2	77	242.3	134.3
38	33.2	18.4	98	85.7	47.5	58	138.2	76.6	18	190.7	105.7	78	243.1	134.8
39	34.1	18.9	99	86.6	48.0	59	139.1	77.1	19	191.5	106.2	79	244.0	135.3
40	35.0	19.4	100	87.5	48.5	60	139.9	77.6	20	192.4	106.7	80	244.9	135.7
41	35.9	19.9	101	88.3	49.0	161	140.8	78.1	221	193.3	107.1	281	245.8	136.2
42	36.7	20.4	02	89.2	49.5	62	141.7	78.5	22	194.2	107.6	82	246.6	136.7
43	37.6	20.8	03	90.1	49.9	63	142.6	79.0	23	195.0	108.1	83	247.5	137.2
44	38.5	21.3	04	91.0	50.4	64	143.4	79.5	24	195.9	108.6	84	248.4	137.7
45	39.4	21.8	05	91.8	50.9	65	144.3	80.0	25	196.8	109.1	85	249.3	138.2
46	40.2	22.3	06	92.7	51.4	66	145.2	80.5	26	197.7	109.6	86	250.1	138.7
47	41.1	22.8	07	93.6	51.9	67	146.1	81.0	27	198.5	110.1	87	251.0	139.1
48	42.0	23.3	08	94.5	52.4	68	146.9	81.4	28	199.4	110.5	88	251.9	139.6
49	42.9	23.8	09	95.3	52.8	69	147.8	81.9	29	200.3	111.0	89	252.8	140.1
50	43.7	24.2	10	96.2	53.3	70	148.7	82.4	30	201.2	111.5	90	253.6	140.6
51	44.6	24.7	111	97.1	53.8	171	149.6	82.9	231	202.0	112.0	291	254.5	141.1
52	45.5	25.2	12	98.0	54.3	72	150.4	83.4	32	202.9	112.5	92	255.4	141.6
53	46.4	25.7	13	98.8	54.8	73	151.3	83.9	33	203.8	113.0	93	256.3	142.0
54	47.2	26.2	14	99.7	55.3	74	152.2	84.4	34	204.7	113.4	94	257.1	142.5
55	48.1	26.7	15	100.6	55.8	75	153.1	84.8	35	205.5	113.9	95	258.0	143.0
56	49.0	27.1	16	101.5	56.2	76	153.9	85.3	36	206.4	114.4	96	258.9	143.5
57	49.9	27.6	17	102.3	56.7	77	154.8	85.8	37	207.3	114.9	97	259.8	144.0
58	50.7	28.1	18	103.2	57.2	78	155.7	86.3	38	208.2	115.4	98	260.6	144.5
59	51.6	28.6	19	104.1	57.7	79	156.6	86.8	39	209.0	115.9	99	261.5	145.0
60	52.5	29.1	20	105.0	58.2	80	157.4	87.3	40	209.9	116.4	300	262.4	145.4
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 61 Degrees.]

TABLE II.

Difference of Latitude and Departure for 30 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.5	61	52.8	30.5	121	104.8	60.5	181	156.8	90.5	241	208.7	120.5
2	01.7	01.0	62	53.7	31.0	22	105.7	61.0	82	157.6	91.0	42	209.6	121.0
3	02.6	01.6	63	54.6	31.5	23	106.5	61.5	83	158.5	91.5	43	210.4	121.5
4	03.5	02.0	64	55.4	32.0	24	107.4	62.0	84	159.3	92.0	44	211.3	122.0
5	04.3	02.5	65	56.3	32.5	25	108.3	62.5	85	160.2	92.5	45	212.2	122.5
6	05.2	03.0	66	57.2	33.0	26	109.1	63.0	86	161.1	93.0	46	213.0	123.0
7	06.1	03.5	67	58.0	33.5	27	110.0	63.5	87	161.9	93.5	47	213.9	123.5
8	06.9	04.0	68	58.9	34.0	28	110.9	64.0	88	162.8	94.0	48	214.8	124.0
9	07.8	04.5	69	59.8	34.5	29	111.7	64.5	89	163.7	94.5	49	215.6	124.5
10	08.7	05.0	70	60.6	35.0	30	112.6	65.0	90	164.5	95.0	50	216.5	125.0
11	09.5	05.5	71	61.5	35.5	131	113.4	65.5	191	165.4	95.5	251	217.4	125.5
12	10.4	06.0	72	62.4	36.0	32	114.3	66.0	92	166.3	96.0	52	218.2	126.0
13	11.3	06.5	73	63.2	36.5	33	115.2	66.5	93	167.1	96.5	53	219.1	126.5
14	12.1	07.0	74	64.1	37.0	34	116.0	67.0	94	168.0	97.0	54	220.0	127.0
15	13.0	07.5	75	65.0	37.5	35	116.9	67.5	95	168.9	97.5	55	220.8	127.5
16	13.9	08.0	76	65.8	38.0	36	117.8	68.0	96	169.7	98.0	56	221.7	128.0
17	14.7	08.5	77	66.7	38.5	37	118.6	68.5	97	170.6	98.5	57	222.6	128.5
18	15.6	09.0	78	67.5	39.0	38	119.5	69.0	98	171.5	99.0	58	223.4	129.0
19	16.5	09.5	79	68.4	39.5	39	120.4	69.5	99	172.3	99.5	59	224.3	129.5
20	17.3	10.0	80	69.3	40.0	40	121.2	70.0	200	173.2	100.0	60	225.2	130.0
21	18.2	10.5	81	70.1	40.5	141	122.1	70.5	201	174.1	100.5	261	226.0	130.5
22	19.1	11.0	82	71.0	41.0	42	123.0	71.0	02	174.9	101.0	62	226.9	131.0
23	19.9	11.5	83	71.9	41.5	43	123.8	71.5	03	175.8	101.5	63	227.8	131.5
24	20.8	12.0	84	72.7	42.0	44	124.7	72.0	04	176.7	102.0	64	228.6	132.0
25	21.7	12.5	85	73.6	42.5	45	125.6	72.5	05	177.5	102.5	65	229.5	132.5
26	22.5	13.0	86	74.5	43.0	46	126.4	73.0	06	178.4	103.0	66	230.4	133.0
27	23.4	13.5	87	75.3	43.5	47	127.3	73.5	07	179.3	103.5	67	231.2	133.5
28	24.2	14.0	88	76.2	44.0	48	128.2	74.0	08	180.1	104.0	68	232.1	134.0
29	25.1	14.5	89	77.1	44.5	49	129.0	74.5	09	181.0	104.5	69	233.0	134.5
30	26.0	15.0	90	77.9	45.0	50	129.9	75.0	10	181.9	105.0	70	233.8	135.0
31	26.8	15.5	91	78.8	45.5	151	130.8	75.5	211	182.7	105.5	271	234.7	135.5
32	27.7	16.0	92	79.7	46.0	52	131.6	76.0	12	183.6	106.0	72	235.6	136.0
33	28.6	16.5	93	80.5	46.5	53	132.5	76.5	13	184.5	106.5	73	236.4	136.5
34	29.4	17.0	94	81.4	47.0	54	133.4	77.0	14	185.3	107.0	74	237.3	137.0
35	30.3	17.5	95	82.3	47.5	55	134.2	77.5	15	186.2	107.5	75	238.2	137.5
36	31.2	18.0	96	83.1	48.0	56	135.1	78.0	16	187.1	108.0	76	239.0	138.0
37	32.0	18.5	97	84.0	48.5	57	136.0	78.5	17	187.9	108.5	77	239.9	138.5
38	32.9	19.0	98	84.9	49.0	58	136.8	79.0	18	188.8	109.0	78	240.8	139.0
39	33.8	19.5	99	85.7	49.5	59	137.7	79.5	19	189.7	109.5	79	241.6	139.5
40	34.6	20.0	100	86.6	50.0	60	138.6	80.0	20	190.5	110.0	80	242.5	140.0
41	35.5	20.5	101	87.5	50.5	161	139.4	80.5	221	191.4	110.5	281	243.4	140.5
42	36.4	21.0	02	88.3	51.0	62	140.3	81.0	22	192.3	111.0	82	244.2	141.0
43	37.2	21.5	03	89.2	51.5	63	141.2	81.5	23	193.1	111.5	83	245.1	141.5
44	38.1	22.0	04	90.1	52.0	64	142.0	82.0	24	194.0	112.0	84	246.0	142.0
45	39.0	22.5	05	90.9	52.5	65	142.9	82.5	25	194.9	112.5	85	246.8	142.5
46	39.8	23.0	06	91.8	53.0	66	143.8	83.0	26	195.7	113.0	86	247.7	143.0
47	40.7	23.5	07	92.7	53.5	67	144.6	83.5	27	196.6	113.5	87	248.5	143.5
48	41.6	24.0	08	93.5	54.0	68	145.5	84.0	28	197.5	114.0	88	249.4	144.0
49	42.4	24.5	09	94.4	54.5	69	146.4	84.5	29	198.3	114.5	89	250.3	144.5
50	43.3	25.0	10	95.3	55.0	70	147.2	85.0	30	199.2	115.0	90	251.1	145.0
51	44.2	25.5	111	96.1	55.5	171	148.1	85.5	231	200.1	115.5	291	252.0	145.5
52	45.0	26.0	12	97.0	56.0	72	149.0	86.0	32	200.9	116.0	92	252.9	146.0
53	45.9	26.5	13	97.9	56.5	73	149.8	86.5	33	201.8	116.5	93	253.7	146.5
54	46.8	27.0	14	98.7	57.0	74	150.7	87.0	34	202.6	117.0	94	254.6	147.0
55	47.6	27.5	15	99.6	57.5	75	151.6	87.5	35	203.5	117.5	95	255.5	147.5
56	48.5	28.0	16	100.5	58.0	76	152.4	88.0	36	204.4	118.0	96	256.3	148.0
57	49.4	28.5	17	101.3	58.5	77	153.3	88.5	37	205.2	118.5	97	257.2	148.5
58	50.2	29.0	18	102.2	59.0	78	154.2	89.0	38	206.1	119.0	98	258.1	149.0
59	51.1	29.5	19	103.1	59.5	79	155.0	89.5	39	207.0	119.5	99	258.9	149.5
60	52.0	30.0	20	103.9	60.0	80	155.9	90.0	40	207.8	120.0	300	259.8	150.0
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 60 Degrees.]

TABLE II.

Difference of Latitude and Departure for 31 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.9	00.5	61	52.3	31.4	121	103.7	62.3	181	155.1	93.2	241	206.6	124.1
2	01.7	01.0	62	53.1	31.9	22	104.6	62.8	82	156.0	93.7	42	207.4	124.6
3	02.6	01.5	63	54.0	32.4	23	105.4	63.3	83	156.9	94.3	43	208.3	125.2
4	03.4	02.1	64	54.9	33.0	24	106.3	63.9	84	157.7	94.8	44	209.1	125.7
5	04.3	02.6	65	55.7	33.6	25	107.1	64.4	85	158.6	95.3	45	210.0	126.2
6	05.1	03.1	66	56.6	34.0	26	108.0	64.9	86	159.4	95.8	46	210.9	126.7
7	06.0	03.6	67	57.4	34.5	27	108.9	65.4	87	160.3	96.3	47	211.7	127.2
8	06.9	04.1	68	58.3	35.0	28	109.7	65.9	88	161.1	96.8	48	212.6	127.7
9	07.7	04.6	69	59.1	35.5	29	110.6	66.4	89	162.0	97.3	49	213.4	128.2
10	08.6	05.2	70	60.0	36.1	30	111.4	67.0	90	162.9	97.9	50	214.3	128.8
11	09.4	05.7	71	60.9	36.6	131	112.3	67.5	191	163.7	98.4	251	215.1	129.3
12	10.3	06.2	72	61.7	37.1	32	113.1	68.0	92	164.6	98.9	52	216.0	129.8
13	11.1	06.7	73	62.6	37.6	33	114.0	68.5	93	165.4	99.4	53	216.9	130.3
14	12.0	07.2	74	63.4	38.1	34	114.9	69.0	94	166.3	99.9	54	217.7	130.8
15	12.9	07.7	75	64.3	38.6	35	115.7	69.5	95	167.1	100.4	55	218.6	131.3
16	13.7	08.2	76	65.1	39.1	36	116.6	70.0	96	168.0	100.9	56	219.4	131.8
17	14.6	08.8	77	66.0	39.7	37	117.4	70.6	97	168.9	101.5	57	220.3	132.4
18	15.4	09.3	78	66.9	40.2	38	118.3	71.1	98	169.7	102.0	58	221.1	132.9
19	16.3	09.8	79	67.7	40.7	39	119.1	71.6	99	170.6	102.5	59	222.0	133.4
20	17.1	10.3	80	68.6	41.2	40	120.0	72.1	200	171.4	103.0	60	222.9	133.9
21	18.0	10.8	81	69.4	41.7	141	120.9	72.6	201	172.3	103.5	261	223.7	134.4
22	18.9	11.3	82	70.3	42.2	42	121.7	73.1	02	173.1	104.0	62	224.6	134.9
23	19.7	11.8	83	71.1	42.7	43	122.6	73.7	03	174.0	104.6	63	225.4	135.5
24	20.6	12.4	84	72.0	43.3	44	123.4	74.2	04	174.9	105.1	64	226.3	136.0
25	21.4	12.9	85	72.9	43.8	45	124.3	74.7	05	175.7	105.6	65	227.1	136.5
26	22.3	13.4	86	73.7	44.3	46	125.1	75.2	06	176.6	106.1	66	228.0	137.0
27	23.1	13.9	87	74.6	44.8	47	126.0	75.7	07	177.4	106.6	67	228.9	137.5
28	24.0	14.4	88	75.4	45.3	48	126.9	76.2	08	178.3	107.1	68	229.7	138.0
29	24.9	14.9	89	76.3	45.8	49	127.7	76.7	09	179.1	107.6	69	230.6	138.5
30	25.7	15.5	90	77.1	46.4	50	128.6	77.3	10	180.0	108.2	70	231.4	139.1
31	26.6	16.0	91	78.0	46.9	151	129.4	77.8	211	180.9	108.7	271	232.3	139.6
32	27.4	16.5	92	78.9	47.4	52	130.3	78.3	12	181.7	109.2	72	233.1	140.1
33	28.3	17.0	93	79.7	47.9	53	131.1	78.8	13	182.6	109.7	73	234.0	140.6
34	29.1	17.5	94	80.6	48.4	54	132.0	79.3	14	183.4	110.2	74	234.9	141.1
35	30.0	18.0	95	81.4	48.9	55	132.9	79.8	15	184.3	110.7	75	235.7	141.6
36	30.9	18.5	96	82.3	49.4	56	133.7	80.3	16	185.1	111.2	76	236.6	142.2
37	31.7	19.1	97	83.1	50.0	57	134.6	80.9	17	186.0	111.8	77	237.4	142.7
38	32.6	19.6	98	84.0	50.5	58	135.4	81.4	18	186.9	112.3	78	238.3	143.2
39	33.4	20.1	99	84.9	51.0	59	136.3	81.9	19	187.7	112.8	79	239.1	143.7
40	34.3	20.6	100	85.7	51.5	60	137.1	82.4	20	188.6	113.3	80	240.0	144.2
41	35.1	21.1	101	86.6	52.0	161	138.0	82.9	221	189.4	113.8	281	240.9	144.7
42	36.0	21.6	02	87.4	52.5	62	138.9	83.4	22	190.3	114.3	82	241.7	145.2
43	36.9	22.1	03	88.3	53.0	63	139.7	84.0	23	191.1	114.9	83	242.6	145.8
44	37.7	22.7	04	89.1	53.6	64	140.6	84.5	24	192.0	115.4	84	243.4	146.3
45	38.6	23.2	05	90.0	54.1	65	141.4	85.0	25	192.9	115.9	85	244.3	146.8
46	39.4	23.7	06	90.9	54.6	66	142.3	85.5	26	193.7	116.4	86	245.1	147.3
47	40.3	24.2	07	91.7	55.1	67	143.1	86.0	27	194.6	116.9	87	246.0	147.8
48	41.1	24.7	08	92.6	55.6	68	144.0	86.5	28	195.4	117.4	88	246.9	148.3
49	42.0	25.2	09	93.4	56.1	69	144.9	87.0	29	196.3	117.9	89	247.7	148.8
50	42.9	25.8	10	94.3	56.7	70	145.7	87.6	30	197.1	118.5	90	248.6	149.4
51	43.7	26.3	111	95.1	57.2	171	146.6	88.1	231	198.0	119.0	291	249.4	149.9
52	44.6	26.8	12	96.0	57.7	72	147.4	88.6	32	198.9	119.5	92	250.3	150.4
53	45.4	27.3	13	96.9	58.2	73	148.3	89.1	33	199.7	120.0	93	251.2	150.9
54	46.3	27.8	14	97.7	58.7	74	149.1	89.6	34	200.6	120.5	94	252.0	151.4
55	47.1	28.3	15	98.6	59.2	75	150.0	90.1	35	201.4	121.0	95	252.9	151.9
56	48.0	28.8	16	99.4	59.7	76	150.9	90.6	36	202.3	121.5	96	253.7	152.5
57	48.9	29.4	17	100.3	60.3	77	151.7	91.2	37	203.1	122.1	97	254.6	153.0
58	49.7	29.9	18	101.1	60.8	78	152.6	91.7	38	204.0	122.6	98	255.4	153.5
59	50.6	30.4	19	102.0	61.3	79	153.4	92.2	39	204.9	123.1	99	256.3	154.0
60	51.4	30.9	20	102.9	61.8	80	154.3	92.7	40	205.7	123.6	300	257.1	154.5

[For 59 Degrees.]

TABLE II.

Difference of Latitude and Departure for 32 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.5	61	51.7	32.3	121	102.6	64.1	181	153.5	95.9	241	204.4	127.7
2	01.7	01.1	62	52.6	32.9	22	103.5	64.7	82	151.3	96.4	42	205.2	128.2
3	02.5	01.6	63	53.4	33.4	23	101.3	65.2	83	155.2	97.0	43	206.1	128.8
4	03.4	02.1	64	54.3	33.9	24	105.2	65.7	84	156.0	97.5	44	206.9	129.3
5	04.2	02.6	65	55.1	34.4	25	106.0	66.2	85	156.9	98.0	45	207.8	129.8
6	05.1	03.2	66	56.0	35.0	26	106.9	66.8	86	157.7	98.6	46	208.6	130.4
7	05.9	03.7	67	56.8	35.5	27	107.7	67.3	87	158.6	99.1	47	209.5	130.9
8	06.8	04.2	68	57.7	36.0	28	108.6	67.8	88	159.4	99.6	48	210.3	131.4
9	07.6	04.8	69	58.5	36.6	29	109.4	68.4	89	160.3	100.2	49	211.2	131.9
10	08.5	05.3	70	59.4	37.1	30	110.2	68.9	90	161.1	100.7	50	212.0	132.5
11	09.3	05.8	71	60.2	37.6	31	111.1	69.4	191	162.0	101.2	251	212.9	133.0
12	10.2	06.4	72	61.1	38.2	32	111.9	69.9	92	162.8	101.7	52	213.7	133.5
13	11.0	06.9	73	61.9	38.7	33	112.8	70.5	93	163.7	102.3	53	214.6	134.1
14	11.9	07.4	74	62.8	39.2	34	113.6	71.0	94	164.5	102.8	54	215.4	134.6
15	12.7	07.9	75	63.6	39.7	35	114.5	71.5	95	165.4	103.3	55	216.3	135.1
16	13.6	08.5	76	64.5	40.3	36	115.3	72.1	96	166.2	103.9	56	217.1	135.7
17	14.4	09.0	77	65.3	40.8	37	116.2	72.6	97	167.1	104.4	57	217.9	136.2
18	15.3	09.5	78	66.1	41.3	38	117.0	73.1	98	167.9	104.9	58	218.8	136.7
19	16.1	10.1	79	67.0	41.9	39	117.9	73.7	99	168.8	105.5	59	219.6	137.2
20	17.0	10.6	80	67.8	42.4	40	118.7	74.2	200	169.6	106.0	60	220.5	137.8
21	17.8	11.1	81	68.7	42.9	41	119.6	74.7	201	170.5	106.5	261	221.3	138.3
22	18.7	11.7	82	69.5	43.5	42	120.4	75.2	02	171.3	107.0	62	222.2	138.8
23	19.5	12.2	83	70.4	44.0	43	121.3	75.8	03	172.2	107.6	63	223.0	139.4
24	20.4	12.7	84	71.2	44.5	44	122.1	76.3	04	173.0	108.1	64	223.9	139.9
25	21.2	13.2	85	72.1	45.0	45	123.0	76.8	05	173.8	108.6	65	224.7	140.4
26	22.0	13.8	86	72.9	45.6	46	123.8	77.4	06	174.7	109.2	66	225.6	141.0
27	22.9	14.3	87	73.8	46.1	47	124.7	77.9	07	175.5	109.7	67	226.4	141.5
28	23.7	14.9	88	74.6	46.6	48	125.5	78.4	08	176.4	110.2	68	227.3	142.0
29	24.6	15.4	89	75.5	47.2	49	126.4	79.0	09	177.2	110.8	69	228.1	142.5
30	25.4	15.9	90	76.3	47.7	50	127.2	79.5	10	178.1	111.3	70	229.0	143.1
31	26.3	16.4	91	77.2	48.2	51	128.1	80.0	211	178.9	111.8	271	229.8	143.6
32	27.1	17.0	92	78.0	48.8	52	128.9	80.5	12	179.8	112.3	72	230.7	144.1
33	28.0	17.5	93	78.9	49.3	53	129.8	81.1	13	180.6	112.9	73	231.5	144.7
34	28.8	18.0	94	79.7	49.8	54	130.6	81.6	14	181.5	113.4	74	232.4	145.2
35	29.7	18.5	95	80.6	50.3	55	131.4	82.1	15	182.3	113.9	75	233.2	145.7
36	30.5	19.1	96	81.4	50.9	56	132.3	82.7	16	183.2	114.5	76	234.1	146.3
37	31.4	19.6	97	82.3	51.4	57	133.1	83.2	17	184.0	115.0	77	234.9	146.8
38	32.2	20.1	98	83.1	51.9	58	134.0	83.7	18	184.9	115.5	78	235.8	147.3
39	33.1	20.7	99	84.0	52.5	59	134.8	84.3	19	185.7	116.1	79	236.6	147.8
40	33.9	21.2	100	84.8	53.0	60	135.7	84.8	20	186.6	116.6	80	237.5	148.4
41	34.8	21.7	101	85.7	53.5	61	136.5	85.3	221	187.4	117.1	231	238.3	148.9
42	35.6	22.3	02	86.5	54.1	62	137.4	85.8	22	188.3	117.6	82	239.1	149.4
43	36.5	22.8	03	87.3	54.6	63	138.2	86.4	23	189.1	118.2	83	240.0	150.0
44	37.3	23.3	04	88.2	55.1	64	139.1	86.9	24	190.0	118.7	84	240.8	150.5
45	38.2	23.8	05	89.0	55.6	65	139.9	87.4	25	190.8	119.2	85	241.7	151.0
46	39.0	24.4	06	89.9	56.2	66	140.8	88.0	26	191.7	119.8	86	242.5	151.6
47	39.9	24.9	07	90.7	56.7	67	141.6	88.5	27	192.5	120.3	87	243.4	152.1
48	40.7	25.4	08	91.6	57.2	68	142.5	89.0	28	193.4	120.8	88	244.2	152.6
49	41.6	26.0	09	92.4	57.8	69	143.3	89.6	29	194.2	121.4	89	245.1	153.1
50	42.4	26.5	10	93.3	58.3	70	144.2	90.1	30	195.1	121.9	90	245.9	153.7
51	43.3	27.0	111	94.1	58.8	171	145.0	90.6	231	195.9	122.4	291	246.8	154.2
52	44.1	27.6	12	95.0	59.4	72	145.9	91.1	32	196.7	122.9	92	247.6	154.7
53	44.9	28.1	13	95.8	59.9	73	146.7	91.7	33	197.6	123.5	93	248.5	155.3
54	45.8	28.6	14	96.7	60.4	74	147.6	92.2	34	198.4	124.0	94	249.3	155.8
55	46.6	29.1	15	97.5	60.9	75	148.4	92.7	35	199.3	124.5	95	250.2	156.3
56	47.5	29.7	16	98.4	61.5	76	149.3	93.3	36	200.1	125.1	96	251.0	156.9
57	48.3	30.2	17	99.2	62.0	77	150.1	93.8	37	201.0	125.6	97	251.9	157.4
58	49.2	30.7	18	100.1	62.5	78	151.0	94.3	38	201.8	126.1	98	252.7	157.9
59	50.0	31.3	19	100.9	63.1	79	151.8	94.9	39	202.7	126.7	99	253.6	158.4
60	50.9	31.8	20	101.8	63.6	80	152.6	95.4	40	203.5	127.2	300	254.4	159.0
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 58 Degrees.]

TABLE II.

49

Difference of Latitude and Departure for 33 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.5	61	51.2	33.2	121	101.5	65.9	181	151.8	98.6	241	202.1	131.3
2	01.7	01.1	62	52.0	33.8	22	102.3	66.4	82	152.6	99.1	42	203.0	131.8
3	02.5	01.6	63	52.8	34.3	23	103.2	67.0	83	153.5	99.7	43	203.8	132.3
4	03.4	02.2	64	53.7	34.9	24	104.0	67.5	84	154.3	100.2	44	204.6	132.9
5	04.2	02.7	65	54.5	35.4	25	104.8	68.1	85	155.2	100.8	45	205.5	133.4
6	05.0	03.3	66	55.4	35.9	26	105.7	68.6	86	156.0	101.3	46	206.3	134.0
7	05.9	03.8	67	56.2	36.5	27	106.5	69.2	87	156.8	101.8	47	207.2	134.5
8	06.7	04.4	68	57.0	37.0	28	107.3	69.7	88	157.7	102.4	48	208.0	135.1
9	07.5	04.9	69	57.9	37.6	29	108.2	70.3	89	158.5	102.9	49	208.8	135.6
10	08.4	05.4	70	58.7	38.1	30	109.0	70.8	90	159.3	103.5	50	209.7	136.2
11	09.2	06.0	71	59.5	38.7	131	109.9	71.3	191	160.2	104.0	251	210.5	136.7
12	10.1	06.5	72	60.4	39.2	32	110.7	71.9	92	161.0	104.6	52	211.3	137.2
13	10.9	07.1	73	61.2	39.8	33	111.5	72.4	93	161.9	105.1	53	212.2	137.8
14	11.7	07.6	74	62.1	40.3	34	112.4	73.0	94	162.7	105.7	54	213.0	138.3
15	12.6	08.2	75	62.9	40.8	35	113.2	73.5	95	163.5	106.2	55	213.9	138.9
16	13.4	08.7	76	63.7	41.4	36	114.1	74.1	96	164.4	106.7	56	214.7	139.4
17	14.3	09.3	77	64.6	41.9	37	114.9	74.6	97	165.2	107.3	57	215.5	140.0
18	15.1	09.8	78	65.4	42.5	38	115.7	75.2	98	166.1	107.8	58	216.4	140.5
19	15.9	10.3	79	66.3	43.0	39	116.6	75.7	99	166.9	108.4	59	217.2	141.1
20	16.8	10.9	80	67.1	43.6	40	117.4	76.2	200	167.7	108.9	60	218.1	141.6
21	17.6	11.4	81	67.9	44.1	141	118.3	76.8	201	168.6	109.5	261	218.9	142.2
22	18.5	12.0	82	68.8	44.7	42	119.1	77.3	02	169.4	110.0	62	219.7	142.7
23	19.3	12.5	83	69.6	45.2	43	119.9	77.9	03	170.3	110.6	63	220.6	143.2
24	20.1	13.1	84	70.4	45.7	44	120.8	78.4	04	171.1	111.1	64	221.4	143.8
25	21.0	13.6	85	71.3	46.3	45	121.6	79.0	05	171.9	111.7	65	222.2	144.3
26	21.8	14.2	86	72.1	46.8	46	122.4	79.5	06	172.8	112.2	66	223.1	144.9
27	22.6	14.7	87	73.0	47.4	47	123.3	80.1	07	173.6	112.7	67	223.9	145.4
28	23.5	15.2	88	73.8	47.9	48	124.1	80.6	08	174.4	113.3	68	224.8	146.0
29	24.3	15.8	89	74.6	48.5	49	125.0	81.2	09	175.3	113.8	69	225.6	146.5
30	25.2	16.3	90	75.5	49.0	50	125.8	81.7	10	176.1	114.4	70	226.4	147.1
31	26.0	16.9	91	76.3	49.6	151	126.6	82.2	211	177.0	114.9	271	227.3	147.6
32	26.8	17.4	92	77.2	50.1	52	127.5	82.8	12	177.8	115.5	72	228.1	148.1
33	27.7	18.0	93	78.0	50.7	53	128.3	83.3	13	178.6	116.0	73	229.0	148.7
34	28.5	18.5	94	78.8	51.2	54	129.2	83.9	14	179.5	116.6	74	229.8	149.2
35	29.4	19.1	95	79.7	51.7	55	130.0	84.4	15	180.3	117.1	75	230.6	149.8
36	30.2	19.6	96	80.5	52.3	56	130.8	85.0	16	181.2	117.6	76	231.5	150.3
37	31.0	20.2	97	81.4	52.8	57	131.7	85.5	17	182.0	118.2	77	232.3	150.9
38	31.9	20.7	98	82.2	53.4	58	132.5	86.1	18	182.8	118.7	78	233.2	151.4
39	32.7	21.2	99	83.0	53.9	59	133.3	86.6	19	183.7	119.3	79	234.0	152.0
40	33.5	21.8	100	83.9	54.5	60	134.2	87.1	20	184.5	119.8	80	234.8	152.5
41	34.4	22.3	101	84.7	55.0	161	135.0	87.7	221	185.3	120.4	281	235.7	153.0
42	35.2	22.9	02	85.5	55.6	62	135.9	88.2	22	186.2	120.9	82	236.5	153.6
43	36.1	23.4	03	86.4	56.1	63	136.7	88.8	23	187.0	121.5	83	237.3	154.1
44	36.9	24.0	04	87.2	56.6	64	137.6	89.3	24	187.9	122.0	84	238.2	154.7
45	37.7	24.5	05	88.1	57.2	65	138.4	89.9	25	188.7	122.5	85	239.0	155.2
46	38.6	25.1	06	88.9	57.7	66	139.2	90.4	26	189.5	123.1	86	239.9	155.8
47	39.4	25.6	07	89.7	58.3	67	140.1	91.0	27	190.4	123.6	87	240.7	156.3
48	40.3	26.1	08	90.6	58.8	68	140.9	91.5	28	191.2	124.2	88	241.5	156.9
49	41.1	26.7	09	91.4	59.4	69	141.7	92.0	29	192.1	124.7	89	242.4	157.4
50	41.9	27.2	10	92.3	59.9	70	142.6	92.6	30	192.9	125.3	90	243.2	157.9
51	42.8	27.8	111	93.1	60.5	171	143.4	93.1	231	193.7	125.8	291	244.1	158.5
52	43.6	28.3	12	93.9	61.0	72	144.3	93.7	32	194.6	126.4	92	244.9	159.0
53	44.4	28.9	13	94.8	61.5	73	145.1	94.2	33	195.4	126.9	93	245.7	159.6
54	45.3	29.4	14	95.6	62.1	74	145.9	94.8	34	196.2	127.4	94	246.6	160.1
55	46.1	30.0	15	96.4	62.6	75	146.8	95.3	35	197.1	128.0	95	247.4	160.7
56	47.0	30.5	16	97.3	63.2	76	147.6	95.9	36	197.9	128.5	96	248.2	161.2
57	47.8	31.0	17	98.1	63.7	77	148.4	96.4	37	198.8	129.1	97	249.1	161.8
58	48.6	31.5	18	99.0	64.3	78	149.3	96.9	38	199.6	129.6	98	249.9	162.3
59	49.5	32.1	19	99.8	64.8	79	150.1	97.5	39	200.4	130.2	99	250.8	162.8
60	50.3	32.7	20	100.6	65.4	80	151.0	98.0	40	201.3	130.7	300	251.6	163.4

[For 57 Degrees.]

Difference of Latitude and Departure for 34 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.6	61	50.6	34.1	121	100.3	67.7	181	150.1	101.2	241	199.8	134.8
2	01.7	01.1	62	51.4	34.7	22	101.1	68.2	82	150.9	101.8	42	200.6	135.3
3	02.5	01.7	63	52.2	35.2	23	102.0	68.8	83	151.7	102.3	43	201.5	135.9
4	03.3	02.2	64	53.1	35.8	24	102.8	69.3	84	152.5	102.9	44	202.3	136.4
5	04.1	02.8	65	53.9	36.3	25	103.6	69.9	85	153.4	103.5	45	203.1	137.0
6	05.0	03.4	66	54.7	36.9	26	104.5	70.5	86	154.2	104.0	46	203.9	137.6
7	05.8	03.9	67	55.5	37.5	27	105.3	71.0	87	155.0	104.6	47	204.8	138.1
8	06.6	04.5	68	56.4	38.0	28	106.1	71.6	88	155.9	105.1	48	205.6	138.7
9	07.5	05.0	69	57.2	38.6	29	106.9	72.1	89	156.7	105.7	49	206.4	139.2
10	08.3	05.6	70	58.0	39.1	30	107.8	72.7	90	157.5	106.2	50	207.3	139.8
11	09.1	06.2	71	58.9	39.7	131	108.6	73.3	191	158.3	106.8	251	208.1	140.4
12	09.9	06.7	72	59.7	40.3	32	109.4	73.8	92	159.2	107.4	52	208.9	140.9
13	10.8	07.3	73	60.5	40.8	33	110.3	74.4	93	160.0	107.9	53	209.7	141.5
14	11.6	07.8	74	61.3	41.4	34	111.1	74.9	94	160.8	108.5	54	210.6	142.0
15	12.4	08.4	75	62.2	41.9	35	111.9	75.5	95	161.7	109.0	55	211.4	142.6
16	13.3	08.9	76	63.0	42.5	36	112.7	76.1	96	162.5	109.6	56	212.2	143.2
17	14.1	09.5	77	63.8	43.1	37	113.6	76.6	97	163.3	110.2	57	213.1	143.7
18	14.9	10.1	78	64.7	43.6	38	114.4	77.2	98	164.1	110.7	58	213.9	144.3
19	15.8	10.6	79	65.5	44.2	39	115.2	77.7	99	165.0	111.3	59	214.7	144.8
20	16.6	11.2	80	66.3	44.7	40	116.1	78.3	200	165.8	111.8	60	215.5	145.4
21	17.4	11.7	81	67.2	45.3	141	116.9	78.8	201	166.6	112.4	261	216.4	145.9
22	18.2	12.3	82	68.0	45.9	42	117.7	79.4	02	167.5	113.0	62	217.2	146.5
23	19.1	12.9	83	68.8	46.4	43	118.6	80.0	03	168.3	113.5	63	218.0	147.1
24	19.9	13.4	84	69.6	47.0	44	119.4	80.5	04	169.1	114.1	64	218.9	147.6
25	20.7	14.0	85	70.5	47.5	45	120.2	81.1	05	170.0	114.6	65	219.7	148.2
26	21.6	14.5	86	71.3	48.1	46	121.0	81.6	06	170.8	115.2	66	220.5	148.7
27	22.4	15.1	87	72.1	48.6	47	121.9	82.2	07	171.7	115.8	67	221.4	149.3
28	23.2	15.7	88	73.0	49.2	48	122.7	82.8	08	172.4	116.3	68	222.2	149.9
29	24.0	16.2	89	73.8	49.8	49	123.5	83.3	09	173.3	116.9	69	223.0	150.4
30	24.9	16.8	90	74.6	50.3	50	124.4	83.9	10	174.1	117.4	70	223.8	151.0
31	25.7	17.3	91	75.4	50.9	151	125.2	84.4	211	174.9	118.0	271	224.7	151.5
32	26.5	17.9	92	76.3	51.4	52	126.0	85.0	12	175.8	118.5	72	225.5	152.1
33	27.4	18.5	93	77.1	52.0	53	126.8	85.6	13	176.6	119.1	73	226.3	152.7
34	28.2	19.0	94	77.9	52.6	54	127.7	86.1	14	177.4	119.7	74	227.2	153.2
35	29.0	19.6	95	78.8	53.1	55	128.5	86.7	15	178.2	120.2	75	228.0	153.8
36	29.8	20.1	96	79.6	53.7	56	129.3	87.2	16	179.1	120.8	76	228.8	154.3
37	30.7	20.7	97	80.4	54.2	57	130.2	87.8	17	179.9	121.3	77	229.6	154.9
38	31.5	21.2	98	81.2	54.8	58	131.0	88.4	18	180.7	121.9	78	230.5	155.5
39	32.3	21.8	99	82.1	55.4	59	131.8	88.9	19	181.6	122.5	79	231.3	156.0
40	33.2	22.4	100	82.9	55.9	60	132.6	89.5	20	182.4	123.0	80	232.1	156.6
41	34.0	22.9	101	83.7	56.5	161	133.5	90.0	221	183.2	123.6	281	233.0	157.1
42	34.8	23.5	02	84.6	57.0	62	134.3	90.6	22	184.0	124.1	82	233.8	157.7
43	35.6	24.0	03	85.4	57.6	63	135.1	91.1	23	184.9	124.7	83	234.6	158.3
44	36.5	24.6	04	86.2	58.2	64	136.0	91.7	24	185.7	125.3	84	235.4	158.8
45	37.3	25.2	05	87.0	58.7	65	136.8	92.3	25	186.5	125.8	85	236.3	159.4
46	38.1	25.7	06	87.9	59.3	66	137.6	92.8	26	187.4	126.4	86	237.1	159.9
47	39.0	26.3	07	88.7	59.8	67	138.4	93.4	27	188.2	126.9	87	237.9	160.5
48	39.8	26.8	08	89.5	60.4	68	139.3	93.9	28	189.0	127.5	88	238.8	161.0
49	40.6	27.4	09	90.4	61.0	69	140.1	94.5	29	189.8	128.1	89	239.6	161.6
50	41.5	28.0	10	91.2	61.5	70	140.9	95.1	30	190.7	128.6	90	240.4	162.2
51	42.3	28.5	111	92.0	62.1	171	141.8	95.6	231	191.5	129.2	291	241.2	162.7
52	43.1	29.1	12	92.9	62.6	72	142.6	96.2	32	192.3	129.7	92	242.1	163.3
53	43.9	29.6	13	93.7	63.2	73	143.4	96.7	33	193.2	130.3	93	242.9	163.8
54	44.8	30.2	14	94.5	63.7	74	144.3	97.3	34	194.0	130.9	94	243.7	164.4
55	45.6	30.8	15	95.3	64.3	75	145.1	97.9	35	194.8	131.4	95	244.6	165.0
56	46.4	31.3	16	96.2	64.9	76	145.9	98.4	36	195.7	132.0	96	245.4	165.5
57	47.3	31.9	17	97.0	65.4	77	146.7	99.0	37	196.5	132.5	97	246.2	166.1
58	48.1	32.4	18	97.8	66.0	78	147.6	99.5	38	197.3	133.1	98	247.1	166.6
59	48.9	33.0	19	98.7	66.6	79	148.4	100.1	39	198.1	133.6	99	247.9	167.2
60	49.7	33.6	20	99.5	67.1	80	149.2	100.7	40	199.0	134.2	300	248.7	167.8
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 36 Degrees.

TABLE II.

Difference of Latitude and Departure for 35 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.6	61	50.0	35.0	121	99.1	69.4	181	148.3	103.8	241	197.4	138.2
2	01.6	01.1	62	50.8	35.6	22	99.9	70.0	82	149.1	104.4	42	198.2	138.8
3	02.5	01.7	63	51.6	36.1	23	100.8	70.5	83	149.9	105.0	43	199.1	139.4
4	03.3	02.3	64	52.4	36.7	24	101.6	71.1	84	150.7	105.5	44	199.9	140.0
5	04.1	02.9	65	53.2	37.3	25	102.4	71.7	85	151.5	106.1	45	200.7	140.5
6	04.9	03.4	66	54.1	37.9	26	103.2	72.3	86	152.4	106.7	46	201.5	141.1
7	05.7	04.0	67	54.9	38.4	27	104.0	72.8	87	153.2	107.3	47	202.3	141.7
8	06.6	04.6	68	55.7	39.0	28	104.9	73.4	88	154.0	107.8	48	203.1	142.2
9	07.4	05.2	69	56.5	39.6	29	105.7	74.0	89	154.8	108.4	49	204.0	142.8
10	08.2	05.7	70	57.3	40.2	30	106.5	74.6	90	155.6	109.0	50	204.8	143.4
11	09.0	06.3	71	58.2	40.7	131	107.3	75.1	191	156.5	109.6	251	205.6	144.0
12	09.8	06.9	72	59.0	41.3	32	108.1	75.7	92	157.3	110.1	52	206.4	144.5
13	10.6	07.5	73	59.9	41.9	33	108.9	76.3	93	158.1	110.7	53	207.2	145.1
14	11.5	08.0	74	60.6	42.4	34	109.8	76.9	94	158.9	111.3	54	208.1	145.7
15	12.3	08.6	75	61.4	43.0	35	110.6	77.4	95	159.7	111.8	55	208.9	146.3
16	13.1	09.2	76	62.3	43.6	26	111.4	78.0	96	160.6	112.4	56	209.7	146.8
17	13.9	09.8	77	63.1	44.2	37	112.2	78.6	97	161.4	113.0	57	210.5	147.4
18	14.7	10.3	78	63.9	44.7	38	113.0	79.2	98	162.2	113.6	58	211.3	148.0
19	15.6	10.9	79	64.7	45.3	39	113.9	79.7	99	163.0	114.1	59	212.2	148.6
20	16.4	11.5	80	65.5	45.9	40	114.7	80.3	200	163.8	114.7	60	213.0	149.1
21	17.2	12.0	81	66.4	46.5	141	115.5	80.9	201	164.6	115.3	261	213.8	149.7
22	18.0	12.6	82	67.2	47.0	42	116.3	81.4	02	165.5	115.9	62	214.6	150.3
23	18.8	13.2	83	68.0	47.6	43	117.1	82.0	03	166.3	116.4	63	215.4	150.9
24	19.7	13.8	84	68.8	48.2	44	118.0	82.6	04	167.1	117.0	64	216.3	151.4
25	20.5	14.3	85	69.6	48.8	45	118.8	83.2	05	167.9	117.6	65	217.1	152.0
26	21.3	14.9	86	70.4	49.3	46	119.6	83.7	06	168.7	118.2	66	217.9	152.6
27	22.1	15.5	87	71.3	49.9	47	120.4	84.3	07	169.6	118.7	67	218.7	153.1
28	22.9	16.1	88	72.1	50.5	48	121.2	84.9	08	170.4	119.3	68	219.5	153.7
29	23.8	16.6	89	72.9	51.0	49	122.1	85.5	09	171.2	119.9	69	220.4	154.3
30	24.6	17.2	90	73.7	51.6	50	122.9	86.0	10	172.0	120.5	70	221.2	154.9
31	25.4	17.8	91	74.5	52.2	151	123.7	86.6	211	172.8	121.0	271	222.0	155.4
32	26.2	18.4	92	75.3	52.8	52	124.5	87.2	12	173.7	121.6	72	222.8	156.0
33	27.0	18.9	93	76.2	53.3	53	125.3	87.8	13	174.5	122.2	73	223.6	156.6
34	27.9	19.5	94	77.0	53.9	54	126.1	88.3	14	175.3	122.7	74	224.4	157.2
35	28.7	20.1	95	77.8	54.5	55	127.0	88.9	15	176.1	123.3	75	225.3	157.7
36	29.5	20.6	96	78.6	55.1	56	127.8	89.5	16	176.9	123.9	76	226.1	158.3
37	30.3	21.2	97	79.5	55.6	57	128.6	90.1	17	177.8	124.5	77	226.9	158.9
38	31.1	21.8	98	80.3	56.2	58	129.4	90.6	18	178.6	125.0	78	227.7	159.5
39	31.9	22.4	99	81.1	56.8	59	130.2	91.2	19	179.4	125.6	79	228.5	160.0
40	32.8	22.9	100	81.9	57.4	60	131.1	91.8	20	180.2	126.2	80	229.4	160.6
41	33.6	23.5	101	82.7	57.9	161	131.9	92.3	211	181.0	126.8	281	230.2	161.2
42	34.4	24.1	02	83.6	58.5	62	132.7	92.9	22	181.9	127.3	82	231.0	161.7
43	35.2	24.7	03	84.4	59.1	63	133.5	93.5	23	182.7	127.9	83	231.8	162.3
44	36.0	25.2	04	85.2	59.7	64	134.3	94.1	24	183.5	128.5	84	232.6	162.9
45	36.9	25.8	05	86.0	60.2	65	135.2	94.6	25	184.3	129.1	85	233.5	163.5
46	37.7	26.4	06	86.8	60.8	66	136.0	95.2	26	185.1	129.6	86	234.3	164.0
47	38.5	27.0	07	87.6	61.4	67	136.8	95.8	27	185.9	130.2	87	235.1	164.6
48	39.3	27.5	08	88.5	61.9	68	137.6	96.4	28	186.8	130.8	88	235.9	165.2
49	40.1	28.1	09	89.3	62.5	69	138.4	96.9	29	187.6	131.3	89	236.7	165.8
50	41.0	28.7	10	90.1	63.1	70	139.3	97.5	30	188.4	131.9	90	237.5	166.3
51	41.8	29.3	111	90.9	63.7	171	140.1	98.1	231	189.2	132.5	291	238.4	166.9
52	42.6	29.8	12	91.7	64.2	72	140.9	98.7	32	190.0	133.1	92	239.2	167.5
53	43.4	30.4	13	92.6	64.8	73	141.7	99.2	33	190.9	133.6	93	240.0	168.1
54	44.2	31.0	14	93.4	65.4	74	142.5	99.8	34	191.7	134.2	94	240.8	168.6
55	45.1	31.5	15	94.2	66.0	75	143.4	100.4	35	192.5	134.8	95	241.6	169.2
56	45.9	32.1	16	95.0	66.5	76	144.2	100.9	36	193.3	135.4	96	242.5	169.8
57	46.7	32.7	17	95.8	67.1	77	145.0	101.5	37	194.1	135.9	97	243.3	170.4
58	47.5	33.3	18	96.7	67.7	78	145.8	102.1	38	195.0	136.5	98	244.1	170.9
59	48.3	33.8	19	97.5	68.3	79	146.6	102.7	39	195.8	137.1	99	244.9	171.5
60	49.1	34.4	20	98.3	68.8	80	147.4	103.2	40	196.6	137.7	300	245.7	172.1

[For 55 Degrees.



TABLE II.

Difference of Latitude and Departure for 36 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.6	61	49.4	35.9	121	97.9	71.1	181	146.4	106.4	241	195.0	141.7
2	01.6	01.2	62	50.2	36.4	22	98.7	71.7	82	147.2	107.0	42	195.8	142.2
3	02.4	01.8	63	51.0	37.0	23	99.5	72.3	83	148.1	107.6	43	196.6	142.8
4	03.2	02.4	64	51.8	37.6	24	100.3	72.9	84	148.9	108.2	44	197.4	143.4
5	04.0	02.9	65	52.6	38.2	25	101.1	73.5	85	149.7	108.7	45	198.2	144.0
6	04.9	03.5	66	53.4	38.8	26	101.9	74.1	86	150.5	109.3	46	199.0	144.6
7	05.7	04.1	67	54.2	39.4	27	102.7	74.6	87	151.3	109.9	47	199.8	145.2
8	06.5	04.7	68	55.0	40.0	28	103.6	75.2	88	152.1	110.5	48	200.6	145.8
9	07.3	05.3	69	55.8	40.6	29	104.4	75.8	89	152.9	111.1	49	201.4	146.4
10	08.1	05.9	70	56.6	41.1	30	105.2	76.4	90	153.7	111.7	50	202.3	146.9
11	08.9	06.5	71	57.4	41.7	131	106.0	77.0	191	154.5	112.3	251	203.1	147.5
12	09.7	07.1	72	58.2	42.3	32	106.8	77.6	92	155.3	112.9	52	203.9	148.1
13	10.5	07.6	73	59.1	42.9	33	107.6	78.2	93	156.1	113.4	53	204.7	148.7
14	11.3	08.2	74	59.9	43.5	34	108.4	78.8	94	156.9	114.0	54	205.5	149.3
15	12.1	08.8	75	60.7	44.1	35	109.2	79.4	95	157.8	114.6	55	206.3	149.9
16	12.9	09.4	76	61.5	44.7	36	110.0	79.9	96	158.6	115.2	56	207.1	150.5
17	13.8	10.0	77	62.3	45.3	37	110.8	80.5	97	159.4	115.8	57	207.9	151.1
18	14.6	10.6	78	63.1	45.8	38	111.6	81.1	98	160.2	116.4	58	208.7	151.6
19	15.4	11.2	79	63.9	46.4	39	112.5	81.7	99	161.0	117.0	59	209.5	152.2
20	16.2	11.8	80	64.7	47.0	40	113.3	82.3	200	161.8	117.6	60	210.3	152.8
21	17.0	12.3	81	65.5	47.6	141	114.1	82.9	201	162.6	118.1	261	211.2	153.4
22	17.8	12.9	82	66.3	48.2	42	114.9	83.5	02	163.4	118.7	62	212.0	154.0
23	18.6	13.5	83	67.1	48.8	43	115.7	84.1	03	164.2	119.3	63	212.8	154.6
24	19.4	14.1	84	68.0	49.4	44	116.5	84.6	04	165.0	119.9	64	213.6	155.2
25	20.2	14.7	85	68.8	50.0	45	117.3	85.2	05	165.8	120.5	65	214.4	155.8
26	21.0	15.3	86	69.6	50.5	46	118.1	85.8	06	166.6	121.1	66	215.2	156.4
27	21.8	15.9	87	70.4	51.1	47	118.9	86.4	07	167.5	121.7	67	216.0	156.9
28	22.7	16.5	88	71.2	51.7	48	119.7	87.0	08	168.3	122.3	68	216.8	157.5
29	23.5	17.0	89	72.0	52.3	49	120.5	87.6	09	169.1	122.8	69	217.6	158.1
30	24.3	17.6	90	72.8	52.9	50	121.4	88.2	10	169.9	123.4	70	218.4	158.7
31	25.1	18.2	91	73.6	53.5	151	122.2	88.8	211	170.7	124.0	271	219.2	159.3
32	25.9	18.8	92	74.4	54.1	52	123.0	89.3	12	171.5	124.6	72	220.1	159.9
33	26.7	19.4	93	75.2	54.7	53	123.8	89.9	13	172.3	125.2	73	220.9	160.5
34	27.5	20.0	94	76.0	55.3	54	124.6	90.5	14	173.1	125.8	74	221.7	161.1
35	28.3	20.6	95	76.9	55.8	55	125.4	91.1	15	173.9	126.4	75	222.5	161.6
36	29.1	21.2	96	77.7	56.4	56	126.2	91.7	16	174.7	127.0	76	223.3	162.2
37	29.9	21.7	97	78.5	57.0	57	127.0	92.3	17	175.6	127.5	77	224.1	162.8
38	30.7	22.3	98	79.3	57.6	58	127.8	92.9	18	176.4	128.1	78	224.9	163.4
39	31.6	22.9	99	80.1	58.2	59	128.6	93.5	19	177.2	128.7	79	225.7	164.0
40	32.4	23.5	100	80.9	58.8	60	129.4	94.0	20	178.0	129.3	80	226.5	164.6
41	33.2	24.1	101	81.7	59.4	161	130.3	94.6	221	178.8	129.9	281	227.3	165.2
42	34.0	24.7	02	82.5	60.0	62	131.1	95.2	22	179.6	130.5	82	228.1	165.8
43	34.8	25.3	03	83.3	60.5	63	131.9	95.8	23	180.4	131.1	83	229.0	166.3
44	35.6	25.9	04	84.1	61.1	64	132.7	96.4	24	181.2	131.7	84	229.8	166.9
45	36.4	26.5	05	84.9	61.7	65	133.5	97.0	25	182.0	132.3	85	230.6	167.5
46	37.2	27.0	06	85.8	62.3	66	134.3	97.6	26	182.8	132.8	86	231.4	168.1
47	38.0	27.6	07	86.6	62.9	67	135.1	98.2	27	183.6	133.4	87	232.2	168.7
48	38.8	28.2	08	87.4	63.5	68	135.9	98.7	28	184.5	134.0	88	233.0	169.3
49	39.6	28.8	09	88.2	64.1	69	136.7	99.3	29	185.3	134.6	89	233.8	169.9
50	40.5	29.4	10	89.0	64.7	70	137.5	99.9	30	186.1	135.2	90	234.6	170.5
51	41.3	30.0	111	89.8	65.2	171	138.3	100.5	231	186.9	135.8	291	235.4	171.0
52	42.1	30.6	12	90.6	65.8	72	139.2	101.1	32	187.7	136.4	92	236.2	171.6
53	42.9	31.2	13	91.4	66.4	73	140.0	101.7	33	188.5	137.0	93	237.0	172.2
54	43.7	31.7	14	92.2	67.0	74	140.8	102.3	34	189.3	137.5	94	237.9	172.8
55	44.5	32.3	15	93.0	67.6	75	141.6	102.9	35	190.1	138.1	95	238.7	173.4
56	45.3	32.9	16	93.8	68.2	76	142.4	103.5	36	190.9	138.7	96	239.5	174.0
57	46.1	33.5	17	94.7	68.8	77	143.2	104.0	37	191.7	139.3	97	240.3	174.6
58	46.9	34.1	18	95.5	69.4	78	144.0	104.6	38	192.5	139.9	98	241.1	175.2
59	47.7	34.7	19	96.3	69.9	79	144.8	105.2	39	193.4	140.5	99	241.9	175.7
60	48.5	35.3	20	97.1	70.5	80	145.6	105.8	40	194.2	141.1	300	242.7	176.3
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 54 Degrees.]

TABLE II.

Difference of Latitude and Departure for 37 Degrees.

Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
00.8	00.6	61	48.7	36.7	121	96.6	72.8	181	144.6	108.9	241	192.5	145.0
01.6	01.2	62	49.5	37.3	22	97.4	73.4	82	145.4	109.5	42	193.3	145.6
02.4	01.8	63	50.3	37.9	23	98.2	74.0	83	146.2	110.1	43	194.1	146.2
03.2	02.4	64	51.1	38.5	24	99.0	74.6	84	146.9	110.7	44	194.9	146.8
04.0	03.0	65	51.9	39.1	25	99.8	75.2	85	147.7	111.3	45	195.7	147.4
04.8	03.6	66	52.7	39.7	26	100.6	75.8	86	148.5	111.9	46	196.5	148.0
05.6	04.2	67	53.5	40.3	27	101.4	76.4	87	149.3	112.5	47	197.3	148.6
06.4	04.8	68	54.3	40.9	28	102.2	77.0	88	150.1	113.1	48	198.1	149.3
07.2	05.4	69	55.1	41.5	29	103.0	77.6	89	150.9	113.7	49	198.9	149.9
08.0	06.0	70	55.9	42.1	30	103.8	78.2	90	151.7	114.3	50	199.7	150.5
08.8	06.6	71	56.7	42.7	131	104.6	78.8	191	152.5	114.9	251	200.5	151.1
09.6	07.2	72	57.5	43.3	32	105.4	79.4	92	153.3	115.5	52	201.3	151.7
10.4	07.8	73	58.3	43.9	33	106.2	80.0	93	154.1	116.2	53	202.1	152.3
11.2	08.4	74	59.1	44.5	34	107.0	80.6	94	154.9	116.8	54	202.9	152.9
12.0	09.0	75	59.9	45.1	35	107.8	81.2	95	155.7	117.4	55	203.7	153.5
12.8	09.6	76	60.7	45.7	36	108.6	81.8	96	156.5	118.0	56	204.5	154.1
13.6	10.2	77	61.5	46.3	37	109.4	82.4	97	157.3	118.6	57	205.2	154.7
14.4	10.8	78	62.3	46.9	38	110.2	83.1	98	158.1	119.2	58	206.0	155.3
15.2	11.4	79	63.1	47.5	39	111.0	83.7	99	158.9	119.8	59	206.8	155.9
16.0	12.0	80	63.9	48.1	40	111.8	84.3	200	159.7	120.4	60	207.6	156.5
16.8	12.6	81	64.7	48.7	141	112.6	84.9	201	160.5	121.0	261	208.4	157.1
17.6	13.2	82	65.5	49.3	42	113.4	85.5	02	161.3	121.6	62	209.2	157.7
18.4	13.8	83	66.3	50.0	43	114.2	86.1	03	162.1	122.2	63	210.0	158.3
19.2	14.4	84	67.1	50.6	44	115.0	86.7	04	162.9	122.8	64	210.8	158.9
20.0	15.0	85	67.9	51.2	45	115.8	87.3	05	163.7	123.4	65	211.6	159.5
20.8	15.6	86	68.7	51.8	46	116.6	87.9	06	164.5	124.0	66	212.4	160.1
21.6	16.2	87	69.5	52.4	47	117.4	88.5	07	165.3	124.6	67	213.2	160.7
22.4	16.8	88	70.3	53.0	48	118.2	89.1	08	166.1	125.2	68	214.0	161.3
23.2	17.4	89	71.1	53.6	49	119.0	89.7	09	166.9	125.8	69	214.8	161.9
24.0	18.0	90	71.9	54.2	50	119.8	90.3	10	167.7	126.4	70	215.6	162.5
24.8	18.6	91	72.7	54.8	151	120.6	90.9	211	168.5	127.0	271	216.4	163.1
25.6	19.2	92	73.5	55.4	52	121.4	91.5	12	169.3	127.6	72	217.2	163.7
26.4	19.8	93	74.3	56.0	53	122.2	92.1	13	170.1	128.2	73	218.0	164.3
27.2	20.4	94	75.1	56.6	54	123.0	92.7	14	170.9	128.8	74	218.8	164.9
28.0	21.0	95	75.9	57.2	55	123.8	93.3	15	171.7	129.4	75	219.6	165.5
28.8	21.6	96	76.7	57.8	56	124.6	93.9	16	172.5	130.0	76	220.4	166.1
29.6	22.2	97	77.5	58.4	57	125.4	94.5	17	173.3	130.6	77	221.2	166.7
30.4	22.8	98	78.3	59.0	58	126.2	95.1	18	174.1	131.2	78	222.0	167.3
31.2	23.4	99	79.1	59.6	59	127.0	95.7	19	174.9	131.8	79	222.8	167.9
31.9	24.0	100	79.9	60.2	60	127.8	96.3	20	175.7	132.4	80	223.6	168.5
32.7	24.6	101	80.7	60.8	161	128.6	96.9	221	176.5	133.0	281	224.4	169.1
33.5	25.2	02	81.5	61.4	62	129.4	97.5	22	177.3	133.6	82	225.2	169.7
34.3	25.8	03	82.3	62.0	63	130.2	98.1	23	178.1	134.2	83	226.0	170.3
35.1	26.4	04	83.1	62.6	64	131.0	98.7	24	178.9	134.8	84	226.8	170.9
35.9	27.0	05	83.9	63.2	65	131.8	99.3	25	179.7	135.4	85	227.6	171.5
36.7	27.6	06	84.7	63.8	66	132.6	99.9	26	180.5	136.0	86	228.4	172.1
37.5	28.2	07	85.5	64.4	67	133.4	100.5	27	181.3	136.6	87	229.2	172.7
38.3	28.8	08	86.3	65.0	68	134.2	101.1	28	182.1	137.2	88	230.0	173.3
39.1	29.4	09	87.1	65.6	69	135.0	101.7	29	182.9	137.8	89	230.8	173.9
39.9	30.0	10	87.9	66.2	70	135.8	102.3	30	183.7	138.4	90	231.6	174.5
40.7	30.6	111	88.6	66.8	171	136.6	102.9	231	184.5	139.0	291	232.4	175.1
41.5	31.2	12	89.4	67.4	72	137.4	103.5	32	185.3	139.6	92	233.2	175.7
42.3	31.8	13	90.2	68.0	73	138.2	104.1	33	186.1	140.2	93	234.0	176.3
43.1	32.4	14	91.0	68.6	74	139.0	104.7	34	186.9	140.8	94	234.8	176.9
43.9	33.0	15	91.8	69.2	75	139.8	105.3	35	187.7	141.4	95	235.6	177.5
44.7	33.6	16	92.6	69.8	76	140.6	105.9	36	188.5	142.0	96	236.4	178.1
45.5	34.2	17	93.4	70.4	77	141.4	106.5	37	189.3	142.6	97	237.2	178.7
46.3	34.8	18	94.2	71.0	78	142.2	107.1	38	190.1	143.2	98	238.0	179.3
47.1	35.4	19	95.0	71.6	79	143.0	107.7	39	190.9	143.8	99	238.8	179.9
47.9	36.0	20	95.8	72.2	80	143.8	108.3	40	191.7	144.4	300	239.6	180.5
Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 53 Degrees.]

TABLE II.

Difference of Latitude and Departure for 38 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.6	61	48.1	37.6	121	95.3	74.5	181	142.6	111.4	241	189.9	148.4			
2	01.6	01.2	62	48.9	38.2	22	96.1	75.1	82	143.4	112.1	42	190.7	149.0			
3	02.4	01.8	63	49.6	38.8	23	96.9	75.7	83	144.2	112.7	43	191.5	149.6			
4	03.2	02.5	64	50.4	39.4	24	97.7	76.3	84	145.0	113.3	44	192.3	150.2			
5	03.9	03.1	65	51.2	40.0	25	98.5	77.0	85	145.8	113.9	45	193.1	150.8			
6	04.7	03.7	66	52.0	40.6	26	99.3	77.6	86	146.6	114.5	46	193.9	151.5			
7	05.5	04.3	67	52.8	41.2	27	100.1	78.2	87	147.4	115.1	47	194.6	152.1			
8	06.3	04.9	68	53.6	41.9	28	100.9	78.8	88	148.1	115.7	48	195.4	152.7			
9	07.1	05.5	69	54.4	42.5	29	101.7	79.4	89	148.9	116.4	49	196.2	153.3			
10	07.9	06.2	70	55.2	43.1	30	102.4	80.0	90	149.7	117.0	50	197.0	153.9			
11	08.7	06.8	71	55.9	43.7	131	103.2	80.7	191	150.5	117.6	251	197.8	154.5			
12	09.5	07.4	72	56.7	44.3	32	104.0	81.3	92	151.3	118.2	52	198.6	155.1			
13	10.2	08.0	73	57.5	44.9	33	104.8	81.9	93	152.1	118.8	53	199.4	155.8			
14	11.0	08.6	74	58.3	45.6	34	105.6	82.5	94	152.9	119.4	54	200.2	156.4			
15	11.8	09.2	75	59.1	46.2	35	106.4	83.1	95	153.7	120.1	55	200.9	157.0			
16	12.6	09.9	76	59.9	46.8	36	107.2	83.7	96	154.5	120.7	56	201.7	157.6			
17	13.4	10.5	77	60.7	47.4	37	108.0	84.3	97	155.2	121.3	57	202.5	158.2			
18	14.2	11.1	78	61.5	48.0	38	108.7	85.0	98	155.9	121.9	58	203.3	158.8			
19	15.0	11.7	79	62.3	48.6	39	109.5	85.6	99	156.6	122.5	59	204.1	159.5			
20	15.8	12.3	80	63.0	49.3	40	110.3	86.2	200	157.6	123.1	60	204.9	160.1			
21	16.5	12.9	81	63.8	49.9	141	111.1	86.8	201	158.4	123.7	261	205.7	160.7			
22	17.3	13.5	82	64.6	50.5	42	111.9	87.4	02	159.2	124.4	62	206.5	161.3			
23	18.1	14.2	83	65.4	51.1	43	112.7	88.0	03	160.0	125.0	63	207.2	161.9			
24	18.9	14.8	84	66.2	51.7	44	113.5	88.7	04	160.8	125.6	64	208.0	162.5			
25	19.7	15.4	85	67.0	52.3	45	114.3	89.3	05	161.5	126.2	65	208.8	163.2			
26	20.5	16.0	86	67.8	52.9	46	115.0	89.9	06	162.3	126.8	66	209.6	163.8			
27	21.3	16.6	87	68.6	53.6	47	115.8	90.5	07	163.1	127.4	67	210.4	164.4			
28	22.1	17.2	88	69.3	54.2	48	116.6	91.1	08	163.9	128.1	68	211.2	165.0			
29	22.9	17.9	89	70.1	54.8	49	117.4	91.7	09	164.7	128.7	69	212.0	165.6			
30	23.6	18.5	90	70.9	55.4	50	118.2	92.3	10	165.5	129.3	70	212.8	166.2			
31	24.4	19.1	91	71.7	56.0	151	119.0	93.0	211	166.3	129.9	271	213.6	166.8			
32	25.2	19.7	92	72.5	56.6	52	119.8	93.6	12	167.1	130.5	72	214.3	167.5			
33	26.0	20.3	93	73.3	57.3	53	120.6	94.2	13	167.8	131.1	73	215.1	168.1			
34	26.8	20.9	94	74.1	57.9	54	121.4	94.8	14	168.6	131.8	74	215.9	168.7			
35	27.6	21.5	95	74.9	58.5	55	122.1	95.4	15	169.4	132.4	75	216.7	169.3			
36	28.4	22.2	96	75.6	59.1	56	122.9	96.0	16	170.2	133.0	76	217.5	169.9			
37	29.2	22.8	97	76.4	59.7	57	123.7	96.7	17	171.0	133.6	77	218.3	170.5			
38	29.9	23.4	98	77.2	60.3	58	124.5	97.3	18	171.8	134.2	78	219.1	171.2			
39	30.7	24.0	99	78.0	61.0	59	125.3	97.9	19	172.6	134.8	79	219.9	171.8			
40	31.5	24.6	100	78.8	61.6	60	126.1	98.5	20	173.4	135.4	80	220.6	172.4			
41	32.3	25.2	101	79.6	62.2	161	126.9	99.1	221	174.2	136.1	281	221.4	173.0			
42	33.1	25.9	02	80.4	62.8	62	127.7	99.7	22	174.9	136.7	82	222.2	173.6			
43	33.9	26.5	03	81.2	63.4	63	128.4	100.4	23	175.7	137.3	83	223.0	174.2			
44	34.7	27.1	04	82.0	64.0	64	129.2	101.0	24	176.5	137.9	84	223.8	174.8			
45	35.5	27.7	05	82.7	64.6	65	130.0	101.6	25	177.3	138.5	85	224.6	175.5			
46	36.2	28.3	06	83.5	65.3	66	130.8	102.2	26	178.1	139.1	86	225.4	176.1			
47	37.0	28.9	07	84.3	65.9	67	131.5	102.8	27	178.9	139.8	87	226.2	176.7			
48	37.8	29.6	08	85.1	66.5	68	132.4	103.4	28	179.7	140.4	88	226.9	177.3			
49	38.6	30.2	09	85.9	67.1	69	133.2	104.0	29	180.5	141.0	89	227.7	177.9			
50	39.4	30.8	10	86.7	67.7	70	134.0	104.7	30	181.2	141.6	90	228.5	178.5			
51	40.2	31.4	111	87.5	68.3	171	134.7	105.3	231	182.0	142.2	291	229.3	179.2			
52	41.0	32.0	12	88.3	69.0	72	135.5	105.9	32	182.8	142.8	92	230.1	179.8			
53	41.8	32.6	13	89.0	69.6	73	136.3	106.5	33	183.6	143.4	93	230.9	180.4			
54	42.6	33.2	14	89.8	70.2	74	137.1	107.1	34	184.4	144.1	94	231.7	181.0			
55	43.3	33.9	15	90.6	70.8	75	137.9	107.7	35	185.2	144.7	95	232.5	181.6			
56	44.1	34.5	16	91.4	71.4	76	138.7	108.4	36	186.0	145.3	96	233.3	182.2			
57	44.9	35.1	17	92.2	72.0	77	139.5	109.0	37	186.8	145.9	97	234.0	182.9			
58	45.7	35.7	18	93.0	72.6	78	140.3	109.6	38	187.5	146.5	98	234.8	183.5			
59	46.5	36.3	19	93.8	73.3	79	141.1	110.2	39	188.3	147.1	99	235.6	184.1			
60	47.3	36.9	20	94.6	73.9	80	141.8	110.8	40	189.1	147.8	300	236.4	184.7			
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 32 Degrees.]

TABLE II.

55

Difference of Latitude and Departure for 39 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.6	61	47.4	38.4	121	94.0	76.1	181	140.7	113.9	241	187.3	151.7
2	01.6	01.3	62	48.2	39.0	22	94.8	76.8	82	141.4	114.5	42	188.1	152.3
3	02.3	01.9	63	49.0	39.6	23	95.6	77.4	83	142.2	115.2	43	188.8	152.9
4	03.1	02.5	64	49.7	40.3	24	96.4	78.0	84	143.0	115.8	44	189.6	153.6
5	03.9	03.1	65	50.5	40.9	25	97.1	78.7	85	143.8	116.4	45	190.4	154.2
6	04.7	03.8	66	51.3	41.5	26	97.9	79.3	86	144.5	117.1	46	191.2	154.8
7	05.4	04.4	67	52.1	42.2	27	98.7	79.9	87	145.3	117.7	47	192.0	155.4
8	06.2	05.0	68	52.8	42.8	28	99.5	80.6	88	146.1	118.3	48	192.7	156.1
9	07.0	05.7	69	53.6	43.4	29	100.3	81.2	89	146.9	118.9	49	193.5	156.7
10	07.8	06.3	70	54.4	44.1	30	101.0	81.8	90	147.7	119.6	50	194.3	157.3
11	08.5	06.9	71	55.2	44.7	31	101.8	82.4	91	148.4	120.2	51	195.1	158.0
12	09.3	07.6	72	56.0	45.3	32	102.6	83.1	92	149.2	120.8	52	195.8	158.6
13	10.1	08.2	73	56.7	45.9	33	103.4	83.7	93	150.0	121.5	53	196.6	159.2
14	10.9	08.8	74	57.5	46.6	34	104.1	84.3	94	150.8	122.1	54	197.4	159.8
15	11.7	09.4	75	58.3	47.2	35	104.9	85.0	95	151.5	122.7	55	198.2	160.5
16	12.4	10.1	76	59.1	47.8	36	105.7	85.6	96	152.3	123.3	56	198.9	161.1
17	13.2	10.7	77	59.8	48.5	37	106.5	86.2	97	153.1	124.0	57	199.7	161.7
18	14.0	11.3	78	60.6	49.1	38	107.2	86.8	98	153.9	124.6	58	200.5	162.4
19	14.8	12.0	79	61.4	49.7	39	108.0	87.5	99	154.7	125.2	59	201.3	163.0
20	15.5	12.6	80	62.2	50.3	40	108.8	88.1	200	155.4	125.9	60	202.1	163.6
21	16.3	13.2	81	62.9	51.0	41	109.6	88.7	201	156.2	126.5	61	202.8	164.3
22	17.1	13.8	82	63.7	51.6	42	110.4	89.4	02	157.0	127.1	62	203.6	164.9
23	17.9	14.5	83	64.5	52.2	43	111.1	90.0	03	157.8	127.8	63	204.4	165.5
24	18.7	15.1	84	65.3	52.9	44	111.9	90.6	04	158.5	128.4	64	205.2	166.1
25	19.4	15.7	85	66.1	53.5	45	112.7	91.3	05	159.3	129.0	65	205.9	166.8
26	20.2	16.4	86	66.8	54.1	46	113.5	91.9	06	160.1	129.6	66	206.7	167.4
27	21.0	17.0	87	67.6	54.8	47	114.2	92.5	07	160.9	130.3	67	207.5	168.0
28	21.8	17.6	88	68.4	55.4	48	115.0	93.1	08	161.6	130.9	68	208.3	168.7
29	22.5	18.3	89	69.2	56.0	49	115.8	93.8	09	162.4	131.5	69	209.1	169.3
30	23.3	18.9	90	69.9	56.6	50	116.6	94.4	10	163.2	132.2	70	209.8	169.9
31	24.1	19.5	91	70.7	57.3	51	117.3	95.0	211	164.0	132.8	271	210.6	170.5
32	24.9	20.1	92	71.5	57.9	52	118.1	95.7	12	164.8	133.4	72	211.4	171.2
33	25.6	20.8	93	72.3	58.5	53	118.9	96.3	13	165.5	134.0	73	212.2	171.8
34	26.4	21.4	94	73.1	59.2	54	119.7	96.9	14	166.3	134.7	74	212.9	172.4
35	27.2	22.0	95	73.8	59.8	55	120.5	97.5	15	167.1	135.3	75	213.7	173.1
36	28.0	22.7	96	74.6	60.4	56	121.2	98.2	16	167.9	135.9	76	214.5	173.7
37	28.8	23.3	97	75.4	61.0	57	122.0	98.8	17	168.6	136.6	77	215.3	174.3
38	29.5	23.9	98	76.2	61.7	58	122.8	99.4	18	169.4	137.2	78	216.0	175.0
39	30.3	24.5	99	76.9	62.3	59	123.6	100.1	19	170.2	137.8	79	216.8	175.6
40	31.1	25.2	100	77.7	62.9	60	124.3	100.7	20	171.0	138.5	80	217.6	176.2
41	31.9	25.8	101	78.5	63.6	161	125.1	101.3	21	171.7	139.1	281	218.4	176.8
42	32.6	26.4	02	79.3	64.2	62	125.9	101.9	22	172.5	139.7	82	219.2	177.5
43	33.4	27.1	03	80.0	64.8	63	126.7	102.6	23	173.3	140.3	83	219.9	178.1
44	34.2	27.7	04	80.8	65.4	64	127.5	103.2	24	174.1	141.0	84	220.7	178.7
45	35.0	28.3	05	81.6	66.1	65	128.2	103.8	25	174.9	141.6	85	221.5	179.4
46	35.7	28.9	06	82.4	66.7	66	129.0	104.5	26	175.6	142.2	86	222.3	180.0
47	36.5	29.6	07	83.2	67.3	67	129.8	105.1	27	176.4	142.9	87	223.0	180.6
48	37.3	30.2	08	83.9	68.0	68	130.6	105.7	28	177.2	143.5	88	223.8	181.2
49	38.1	30.8	09	84.7	68.6	69	131.3	106.4	29	178.0	144.1	89	224.6	181.9
50	38.9	31.5	10	85.5	69.2	70	132.1	107.0	30	178.7	144.7	90	225.4	182.5
51	39.6	32.1	111	86.3	69.9	171	132.9	107.6	231	179.5	145.4	291	226.1	183.1
52	40.4	32.7	12	87.0	70.5	72	133.7	108.2	32	180.3	146.0	92	226.9	183.8
53	41.2	33.4	13	87.8	71.1	73	134.4	108.9	33	181.1	146.6	93	227.7	184.4
54	42.0	34.0	14	88.6	71.7	74	135.2	109.5	34	181.9	147.3	94	228.5	185.0
55	42.7	34.6	15	89.4	72.4	75	136.0	110.1	35	182.6	147.9	95	229.3	185.6
56	43.5	35.2	16	90.1	73.0	76	136.8	110.8	36	183.4	148.5	96	230.0	186.3
57	44.3	35.9	17	90.9	73.6	77	137.6	111.4	37	184.2	149.1	97	230.8	186.9
58	45.1	36.5	18	91.7	74.3	78	138.3	112.0	38	185.0	149.8	98	231.6	187.5
59	45.9	37.1	19	92.5	74.9	79	139.1	112.6	39	185.7	150.4	99	232.4	188.2
60	46.6	37.8	20	93.3	75.5	80	139.9	113.3	40	186.5	151.0	300	233.1	188.8
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 51 Degrees.]

## Difference of Latitude and Departure for 40 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.6	61	46.7	39.2	121	92.7	77.8	181	138.7	116.3	241	184.6	154.9			
2	01.5	01.3	62	47.5	39.9	22	93.5	78.4	82	139.4	117.0	42	185.4	155.6			
3	02.3	01.9	63	48.3	40.5	23	94.2	79.1	83	140.2	117.6	43	186.1	156.2			
4	03.1	02.6	64	49.0	41.1	24	95.0	79.7	84	141.0	118.3	44	186.9	156.8			
5	03.8	03.2	65	49.8	41.8	25	95.8	80.3	85	141.7	118.9	45	187.7	157.5			
6	04.6	03.9	66	50.6	42.4	26	96.5	81.0	86	142.5	119.6	46	188.4	158.1			
7	05.4	04.5	67	51.3	43.1	27	97.3	81.6	87	143.3	120.2	47	189.2	158.8			
8	06.1	05.1	68	52.1	43.7	28	98.1	82.3	88	144.0	120.8	48	190.0	159.4			
9	06.9	05.8	69	52.9	44.4	29	98.8	82.9	89	144.8	121.5	49	190.7	160.1			
10	07.7	06.4	70	53.6	45.0	30	99.6	83.6	90	145.5	122.1	50	191.5	160.7			
11	08.4	07.1	71	54.4	45.6	131	100.4	84.2	191	146.3	122.8	251	192.3	161.3			
12	09.2	07.7	72	55.2	46.3	32	101.1	84.8	92	147.1	123.4	52	193.0	162.0			
13	10.0	08.4	73	55.9	46.9	33	101.9	85.5	93	147.8	124.1	53	193.8	162.6			
14	10.7	09.0	74	56.7	47.6	34	102.6	86.1	94	148.6	124.7	54	194.6	163.3			
15	11.5	09.6	75	57.5	48.2	35	103.4	86.8	95	149.4	125.3	55	195.3	163.9			
16	12.3	10.3	76	58.2	48.9	36	104.2	87.4	96	150.1	126.0	56	196.1	164.6			
17	13.0	10.9	77	59.0	49.5	37	104.9	88.1	97	150.9	126.6	57	196.9	165.2			
18	13.8	11.6	78	59.8	50.1	38	105.7	88.7	98	151.7	127.3	58	197.6	165.8			
19	14.6	12.2	79	60.5	50.8	39	106.5	89.3	99	152.4	127.9	59	198.4	166.5			
20	15.3	12.9	80	61.3	51.4	40	107.2	90.0	200	153.2	128.6	60	199.2	167.1			
21	16.1	13.6	81	62.0	52.1	141	108.0	90.6	201	154.0	129.2	261	199.9	167.8			
22	16.9	14.1	82	62.8	52.7	42	108.8	91.3	02	154.7	129.8	62	200.7	168.4			
23	17.6	14.8	83	63.6	53.4	43	109.5	91.9	03	155.5	130.5	63	201.5	169.1			
24	18.4	15.4	84	64.3	54.0	44	110.3	92.6	04	156.3	131.1	64	202.2	169.7			
25	19.2	16.1	85	65.1	54.6	45	111.1	93.2	05	157.0	131.8	65	203.0	170.3			
26	19.9	16.7	86	65.9	55.3	46	111.8	93.8	06	157.8	132.4	66	203.8	171.0			
27	20.7	17.4	87	66.6	55.9	47	112.6	94.5	07	158.6	133.1	67	204.5	171.6			
28	21.4	18.0	88	67.4	56.6	48	113.4	95.1	08	159.3	133.7	68	205.3	172.3			
29	22.2	18.6	89	68.2	57.2	49	114.1	95.8	09	160.1	134.3	69	206.1	172.9			
30	23.0	19.3	90	68.9	57.9	50	114.9	96.4	10	160.9	135.0	70	206.8	173.6			
31	23.7	19.9	91	69.7	58.5	151	115.7	97.1	211	161.6	135.6	271	207.6	174.2			
32	24.5	20.6	92	70.5	59.1	52	116.4	97.7	12	162.4	136.3	72	208.4	174.8			
33	25.3	21.2	93	71.2	59.8	53	117.2	98.3	13	163.2	136.9	73	209.1	175.5			
34	26.0	21.9	94	72.0	60.4	54	118.0	99.0	14	163.9	137.6	74	209.9	176.1			
35	26.8	22.5	95	72.8	61.1	55	118.7	99.6	15	164.7	138.2	75	210.7	176.8			
36	27.6	23.1	96	73.5	61.7	56	119.5	100.3	16	165.5	138.8	76	211.4	177.4			
37	28.3	23.8	97	74.3	62.4	57	120.3	100.9	17	166.2	139.5	77	212.2	178.1			
38	29.1	24.4	98	75.1	63.0	58	121.0	101.6	18	167.0	140.1	78	213.0	178.7			
39	29.9	25.1	99	75.8	63.6	59	121.8	102.2	19	167.8	140.8	79	213.7	179.3			
40	30.6	25.7	100	76.6	64.3	60	122.6	102.8	20	168.5	141.4	80	214.5	180.0			
41	31.4	26.4	101	77.4	64.9	161	123.3	103.5	221	169.3	142.1	281	215.3	180.6			
42	32.2	27.0	02	78.1	65.6	62	124.1	104.1	22	170.1	142.7	82	216.0	181.3			
43	32.9	27.6	03	78.9	66.2	63	124.9	104.8	23	170.8	143.3	83	216.8	181.9			
44	33.7	28.3	04	79.7	66.8	64	125.6	105.4	24	171.6	144.0	84	217.6	182.6			
45	34.5	28.9	05	80.4	67.5	65	126.4	106.1	25	172.4	144.6	85	218.3	183.2			
46	35.2	29.6	06	81.2	68.1	66	127.2	106.7	26	173.1	145.3	86	219.1	183.8			
47	36.0	30.2	07	82.0	68.8	67	127.9	107.3	27	173.9	145.9	87	219.9	184.5			
48	36.8	30.9	08	82.7	69.4	68	128.7	108.0	28	174.7	146.6	88	220.6	185.1			
49	37.5	31.5	09	83.5	70.1	69	129.5	108.6	29	175.4	147.2	89	221.4	185.8			
50	38.3	32.1	10	84.3	70.7	70	130.2	109.3	30	176.2	147.8	90	222.2	186.4			
51	39.1	32.8	111	85.0	71.3	171	131.0	109.9	231	177.0	148.5	291	222.9	187.1			
52	39.8	33.4	12	85.8	72.0	72	131.8	110.6	32	177.7	149.1	92	223.7	187.7			
53	40.6	34.1	13	86.6	72.6	73	132.5	111.2	33	178.5	149.8	93	224.5	188.3			
54	41.4	34.7	14	87.3	73.3	74	133.3	111.8	34	179.3	150.4	94	225.3	189.0			
55	42.1	35.4	15	88.1	73.9	75	134.1	112.5	35	180.0	151.1	95	226.0	189.6			
56	42.9	36.0	16	88.9	74.6	76	134.8	113.1	36	180.8	151.7	96	226.7	190.3			
57	43.7	36.6	17	89.6	75.2	77	135.6	113.8	37	181.6	152.3	97	227.5	190.9			
58	44.4	37.3	18	90.4	75.8	78	136.4	114.4	38	182.3	153.0	98	228.3	191.6			
59	45.2	37.9	19	91.2	76.5	79	137.1	115.1	39	183.1	153.6	99	229.0	192.2			
60	46.0	38.6	20	91.9	77.1	80	137.9	115.7	40	183.9	154.3	300	229.8	192.8			
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 50 Degrees.]

TABLE II.

Difference of Latitude and Departure for 41 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.7	61	46.0	40.0	121	91.3	79.4	181	136.6	118.7	241	181.9	158.1
2	01.5	01.3	62	46.8	40.7	22	92.1	80.0	82	137.4	119.4	42	182.6	158.8
3	02.3	02.0	63	47.5	41.3	23	92.8	80.7	83	138.1	120.1	43	183.4	159.4
4	03.0	02.6	64	48.3	42.0	24	93.6	81.4	84	138.9	120.7	44	184.1	160.1
5	03.8	03.3	65	49.1	42.6	25	94.3	82.0	85	139.6	121.4	45	184.9	160.7
6	04.5	03.9	66	49.8	43.3	26	95.1	82.7	86	140.4	122.0	46	185.7	161.4
7	05.3	04.6	67	50.6	44.0	27	95.8	83.3	87	141.1	122.7	47	186.4	162.0
8	06.0	05.2	68	51.3	44.6	28	96.6	84.0	88	141.9	123.3	48	187.2	162.7
9	06.8	05.9	69	52.1	45.3	29	97.4	84.6	89	142.6	124.0	49	187.9	163.4
10	07.5	06.6	70	52.8	45.9	30	98.1	85.3	90	143.4	124.7	50	188.7	164.0
11	08.3	07.2	71	53.6	46.6	131	98.9	85.9	191	144.1	125.3	251	189.4	164.7
12	09.1	07.9	72	54.3	47.2	32	99.6	86.6	92	144.9	126.0	52	190.2	165.3
13	09.8	08.6	73	55.1	47.9	33	100.4	87.3	93	145.7	126.6	53	190.9	166.0
14	10.6	09.2	74	55.8	48.5	34	101.1	87.9	94	146.4	127.3	54	191.7	166.6
15	11.3	09.8	75	56.6	49.2	35	101.9	88.6	95	147.2	127.9	55	192.5	167.3
16	12.1	10.5	76	57.4	49.9	36	102.6	89.2	96	147.9	128.6	56	193.2	168.0
17	12.8	11.2	77	58.1	50.5	37	103.4	89.9	97	148.7	129.2	57	194.0	168.6
18	13.6	11.8	78	58.9	51.2	38	104.1	90.5	98	149.4	129.9	58	194.7	169.3
19	14.3	12.5	79	59.6	51.8	39	104.9	91.2	99	150.2	130.6	59	195.5	169.9
20	15.1	13.1	80	60.4	52.5	40	105.7	91.8	200	150.9	131.2	60	196.2	170.6
21	15.8	13.8	81	61.1	53.1	141	106.4	92.5	201	151.7	131.9	261	197.0	171.2
22	16.6	14.4	82	61.9	53.8	42	107.2	93.2	02	152.5	132.5	62	197.7	171.9
23	17.4	15.1	83	62.6	54.5	43	107.9	93.8	03	153.2	133.2	63	198.5	172.5
24	18.1	15.7	84	63.4	55.1	44	108.7	94.5	04	154.0	133.8	64	199.2	173.2
25	18.9	16.4	85	64.2	55.8	45	109.4	95.1	05	154.7	134.5	65	200.0	173.9
26	19.6	17.1	86	64.9	56.4	46	110.2	95.8	06	155.5	135.1	66	200.8	174.5
27	20.4	17.7	87	65.7	57.1	47	110.9	96.4	07	156.2	135.8	67	201.5	175.2
28	21.1	18.4	88	66.4	57.7	48	111.7	97.1	08	157.0	136.5	68	202.3	175.8
29	21.9	19.0	89	67.2	58.4	49	112.5	97.8	09	157.7	137.1	69	203.0	176.5
30	22.6	19.7	90	67.9	59.0	50	113.2	98.4	10	158.5	137.8	70	203.8	177.1
31	23.4	20.3	91	68.7	59.7	151	114.0	99.1	211	159.2	138.4	271	204.5	177.8
32	24.2	21.0	92	69.4	60.4	52	114.7	99.7	12	160.0	139.1	72	205.3	178.4
33	24.9	21.6	93	70.2	61.0	53	115.5	100.4	13	160.8	139.7	73	206.0	179.1
34	25.7	22.3	94	70.9	61.7	54	116.2	101.0	14	161.5	140.4	74	206.8	179.8
35	26.4	22.9	95	71.7	62.3	55	117.0	101.7	15	162.3	141.1	75	207.5	180.4
36	27.2	23.6	96	72.5	63.0	56	117.7	102.3	16	163.0	141.7	76	208.3	181.1
37	27.9	24.3	97	73.2	63.6	57	118.5	103.0	17	163.8	142.4	77	209.1	181.7
38	28.7	24.9	98	74.0	64.3	58	119.2	103.7	18	164.5	143.0	78	209.8	182.4
39	29.4	25.6	99	74.7	64.9	59	120.0	104.3	19	165.3	143.7	79	210.6	183.0
40	30.2	26.2	100	75.5	65.6	60	120.8	105.0	20	166.0	144.3	80	211.3	183.7
41	30.9	26.9	101	76.2	66.3	161	121.5	105.6	221	166.8	145.0	281	212.1	184.4
42	31.7	27.6	02	77.0	66.9	62	122.3	106.3	22	167.5	145.6	82	212.8	185.0
43	32.5	28.2	03	77.7	67.6	63	123.0	106.9	23	168.3	146.3	83	213.6	185.7
44	33.2	28.9	04	78.5	68.2	64	123.8	107.6	24	169.1	147.0	84	214.3	186.3
45	34.0	29.5	05	79.2	68.9	65	124.5	108.2	25	169.8	147.6	85	215.1	187.0
46	34.7	30.2	06	80.0	69.5	66	125.3	108.9	26	170.6	148.3	86	215.8	187.6
47	35.5	30.8	07	80.8	70.2	67	126.0	109.6	27	171.3	148.9	87	216.6	188.3
48	36.2	31.5	08	81.5	70.9	68	126.8	110.2	28	172.1	149.6	88	217.4	188.9
49	37.0	32.1	09	82.3	71.5	69	127.5	110.9	29	172.8	150.2	89	218.1	189.6
50	37.7	32.8	10	83.0	72.2	70	128.3	111.5	30	173.6	150.9	90	218.9	190.3
51	38.5	33.5	111	83.8	72.8	171	129.1	112.2	231	174.3	151.5	291	219.6	190.9
52	39.2	34.1	12	84.5	73.5	72	129.8	112.8	32	175.1	152.2	92	220.4	191.6
53	40.0	34.8	13	85.3	74.1	73	130.6	113.5	33	175.8	152.9	93	221.1	192.2
54	40.8	35.4	14	86.0	74.8	74	131.3	114.2	34	176.6	153.5	94	221.9	192.9
55	41.5	36.1	15	86.8	75.4	75	132.1	114.8	35	177.4	154.2	95	222.6	193.5
56	42.3	36.7	16	87.5	76.1	76	132.8	115.5	36	178.1	154.8	96	223.4	194.2
57	43.0	37.4	17	88.3	76.8	77	133.6	116.1	37	178.9	155.5	97	224.1	194.8
58	43.8	38.1	18	89.1	77.4	78	134.3	116.8	38	179.6	156.1	98	224.9	195.5
59	44.5	38.7	19	89.8	78.1	79	135.1	117.4	39	180.4	156.8	99	225.7	196.2
60	45.3	39.4	20	90.6	78.7	80	135.8	118.1	40	181.1	157.5	300	226.4	196.8
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 49 Degrees.]

## Difference of Latitude and Departure for 42 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.7	00.7	61	45.3	40.8	121	89.9	81.0	181	134.5	121.1	241	179.1	161.3			
2	01.5	01.3	62	46.1	41.5	22	90.7	81.6	82	135.3	121.8	42	179.8	161.9			
3	02.2	02.0	63	46.8	42.2	23	91.4	82.3	83	136.0	122.5	43	180.6	162.6			
4	03.0	02.7	64	47.6	42.8	24	92.1	83.0	84	136.7	123.1	44	181.3	163.3			
5	03.7	03.3	65	48.3	43.5	25	92.9	83.6	85	137.5	123.8	45	182.1	163.9			
6	04.5	04.0	66	49.0	44.2	26	93.6	84.3	86	138.2	124.5	46	182.8	164.6			
7	05.2	04.7	67	49.8	44.8	27	94.4	85.0	87	139.0	125.1	47	183.6	165.3			
8	05.9	05.4	68	50.5	45.5	28	95.1	85.6	88	139.7	125.8	48	184.3	165.9			
9	06.7	06.0	69	51.3	46.2	29	95.9	86.3	89	140.5	126.5	49	185.0	166.6			
10	07.4	06.7	70	52.0	46.8	30	96.6	87.0	90	141.2	127.1	50	185.8	167.3			
11	08.2	07.4	71	52.8	47.5	131	97.4	87.7	191	141.9	127.8	251	186.5	168.0			
12	08.9	08.0	72	53.5	48.2	32	98.1	88.3	92	142.7	128.5	52	187.3	168.6			
13	09.7	08.7	73	54.2	48.8	33	98.8	89.0	93	143.4	129.1	53	188.0	169.3			
14	10.4	09.4	74	55.0	49.5	34	99.6	89.7	94	144.2	129.8	54	188.8	170.0			
15	11.1	10.0	75	55.7	50.2	35	100.3	90.3	95	144.9	130.5	55	189.5	170.6			
16	11.9	10.7	76	56.5	50.9	36	101.1	91.0	96	145.7	131.1	56	190.2	171.3			
17	12.6	11.4	77	57.2	51.5	37	101.8	91.7	97	146.4	131.8	57	191.0	172.0			
18	13.4	12.0	78	58.0	52.2	38	102.6	92.3	98	147.1	132.5	58	191.7	172.6			
19	14.1	12.7	79	58.7	52.9	39	103.3	93.0	99	147.9	133.2	59	192.5	173.3			
20	14.9	13.4	80	59.5	53.6	40	104.0	93.7	200	148.6	133.8	60	193.2	174.0			
21	15.6	14.1	81	60.2	54.2	141	104.8	94.3	201	149.4	134.5	261	194.0	174.6			
22	16.3	14.7	82	60.9	54.9	42	105.5	95.0	02	150.1	135.2	62	194.7	175.3			
23	17.1	15.4	83	61.7	55.5	43	106.3	95.7	03	150.9	135.8	63	195.4	176.0			
24	17.8	16.1	84	62.4	56.2	44	107.0	96.4	04	151.6	136.5	64	196.2	176.7			
25	18.6	16.7	85	63.2	56.9	45	107.8	97.0	05	152.3	137.2	65	196.9	177.3			
26	19.3	17.4	86	63.9	57.5	46	108.5	97.7	06	153.1	137.8	66	197.7	178.0			
27	20.1	18.1	87	64.7	58.2	47	109.2	98.4	07	153.8	138.5	67	198.4	178.7			
28	20.8	18.7	88	65.4	58.9	48	110.0	99.0	08	154.6	139.2	68	199.2	179.3			
29	21.6	19.4	89	66.1	59.6	49	110.7	99.7	09	155.3	139.8	69	199.9	180.0			
30	22.3	20.1	90	66.9	60.2	50	111.5	100.4	10	156.1	140.5	70	200.6	180.7			
31	23.0	20.7	91	67.6	60.9	151	112.2	101.0	211	156.8	141.2	271	201.4	181.3			
32	23.8	21.4	92	68.4	61.6	52	113.0	101.7	12	157.5	141.9	72	202.1	182.0			
33	24.5	22.1	93	69.1	62.2	53	113.7	102.4	13	158.3	142.5	73	202.9	182.7			
34	25.3	22.8	94	69.9	62.9	54	114.4	103.0	14	159.0	143.2	74	203.6	183.3			
35	26.0	23.4	95	70.6	63.6	55	115.2	103.7	15	159.8	143.9	75	204.4	184.0			
36	26.8	24.1	96	71.3	64.2	56	115.9	104.4	16	160.5	144.5	76	205.1	184.7			
37	27.5	24.8	97	72.1	64.9	57	116.7	105.1	17	161.3	145.2	77	205.9	185.3			
38	28.2	25.4	98	72.8	65.6	58	117.4	105.7	18	162.0	145.9	78	206.6	186.0			
39	29.0	26.1	99	73.6	66.2	59	118.2	106.4	19	162.7	146.5	79	207.3	186.7			
40	29.7	26.8	100	74.3	66.9	60	118.9	107.1	20	163.5	147.2	80	208.1	187.4			
41	30.5	27.4	101	75.1	67.6	161	119.6	107.7	221	164.2	147.9	281	208.8	188.0			
42	31.2	28.1	02	75.8	68.3	62	120.4	108.4	22	165.0	148.5	82	209.6	188.7			
43	32.0	28.8	03	76.5	68.9	63	121.1	109.1	23	165.7	149.2	83	210.3	189.4			
44	32.7	29.4	04	77.3	69.6	64	121.9	109.7	24	166.5	149.9	84	211.1	190.0			
45	33.4	30.1	05	78.0	70.3	65	122.6	110.4	25	167.2	150.6	85	211.8	190.7			
46	34.2	30.8	06	78.8	70.9	66	123.4	111.1	26	168.0	151.2	86	212.5	191.4			
47	34.9	31.4	07	79.5	71.6	67	124.1	111.7	27	168.7	151.9	87	213.3	192.0			
48	35.7	32.1	08	80.3	72.3	68	124.8	112.4	28	169.4	152.6	88	214.0	192.7			
49	36.4	32.8	09	81.0	72.9	69	125.6	113.1	29	170.2	153.2	89	214.8	193.4			
50	37.2	33.5	10	81.7	73.6	70	126.3	113.8	30	170.9	153.9	90	215.5	194.0			
51	37.9	34.1	111	82.5	74.3	171	127.1	114.4	231	171.7	154.6	291	216.3	194.7			
52	38.6	34.8	12	83.2	74.9	72	127.8	115.1	32	172.4	155.2	92	217.0	195.4			
53	39.4	35.5	13	84.0	75.6	73	128.6	115.8	33	173.2	155.9	93	217.7	196.1			
54	40.1	36.1	14	84.7	76.3	74	129.3	116.4	34	173.9	156.6	94	218.5	196.7			
55	40.9	36.8	15	85.5	77.0	75	130.1	117.1	35	174.6	157.2	95	219.2	197.4			
56	41.6	37.5	16	86.2	77.6	76	130.8	117.8	36	175.4	157.9	96	220.0	198.1			
57	42.4	38.1	17	86.9	78.3	77	131.5	118.4	37	176.1	158.6	97	220.7	198.7			
58	43.1	38.8	18	87.7	79.0	78	132.3	119.1	38	176.9	159.3	98	221.5	199.4			
59	43.8	39.5	19	88.4	79.6	79	133.0	119.8	39	177.6	159.9	99	222.2	200.1			
60	44.6	40.1	20	89.2	80.3	80	133.8	120.4	40	178.4	160.6	300	222.9	200.7			
Dist. Dep.	Lat.		Dist. Dep.	Lat.		Dist. Dep.	Lat.		Dist. Dep.	Lat.		Dist. Dep.	Lat.		Dist. Dep.	Lat.	

[For 48 Degrees.

TABLE II.

Difference of Latitude and Departure for 43 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.7	00.7	61	44.6	41.6	121	88.5	82.5	181	132.4	123.4	241	176.3	164.4
2	01.5	01.4	62	45.3	42.3	22	89.2	83.2	82	133.1	124.1	42	177.0	165.0
3	02.2	02.0	63	46.1	43.0	23	90.0	83.9	83	133.8	124.8	43	177.7	165.7
4	02.9	02.7	64	46.8	43.6	24	90.7	84.6	84	134.6	125.5	44	178.5	166.4
5	03.7	03.4	65	47.5	44.3	25	91.4	85.2	85	135.3	126.2	45	179.2	167.1
6	04.4	04.1	66	48.3	45.0	26	92.2	85.9	86	136.0	126.9	46	179.9	167.8
7	05.1	04.8	67	49.0	45.7	27	92.9	86.6	87	136.8	127.5	47	180.6	168.5
8	05.9	05.5	68	49.7	46.4	28	93.6	87.3	88	137.5	128.2	48	181.4	169.1
9	06.6	06.1	69	50.5	47.1	29	94.3	88.0	89	138.2	128.9	49	182.1	169.8
10	07.3	06.8	70	51.2	47.7	30	95.1	88.7	90	139.0	129.6	50	182.8	170.5
11	08.0	07.5	71	51.9	48.4	31	95.8	89.3	191	139.7	130.3	251	183.6	171.2
12	08.8	08.2	72	52.7	49.1	32	96.5	90.0	92	140.4	130.9	52	184.3	171.9
13	09.5	08.9	73	53.4	49.8	33	97.3	90.7	93	141.2	131.6	53	185.0	172.5
14	10.2	09.5	74	54.1	50.5	34	98.0	91.4	94	141.9	132.3	54	185.8	173.2
15	11.0	10.2	75	54.9	51.1	35	98.7	92.1	95	142.6	133.0	55	186.5	173.9
16	11.7	10.9	76	55.6	51.8	36	99.5	92.8	96	143.3	133.7	56	187.2	174.6
17	12.4	11.6	77	56.3	52.5	37	100.2	93.4	97	144.1	134.4	57	188.0	175.3
18	13.2	12.3	78	57.0	53.2	38	100.9	94.1	98	144.8	135.0	58	188.7	176.0
19	13.9	13.0	79	57.8	53.9	39	101.7	94.8	99	145.5	135.7	59	189.4	176.6
20	14.6	13.6	80	58.5	54.6	40	102.4	95.5	200	146.3	136.4	60	190.2	177.3
21	15.4	14.3	81	59.2	55.2	41	103.1	96.2	201	147.0	137.1	261	190.9	178.0
22	16.1	15.0	82	60.0	55.9	42	103.9	96.8	02	147.7	137.8	62	191.6	178.7
23	16.8	15.7	83	60.7	56.6	43	104.6	97.5	03	148.5	138.4	63	192.3	179.4
24	17.6	16.4	84	61.4	57.3	44	105.3	98.2	04	149.2	139.1	64	193.1	180.0
25	18.3	17.0	85	62.2	58.0	45	106.0	98.9	05	149.9	139.8	65	193.8	180.7
26	19.0	17.7	86	62.9	58.7	46	106.8	99.6	06	150.7	140.5	66	194.5	181.4
27	19.7	18.4	87	63.6	59.3	47	107.5	100.3	07	151.4	141.2	67	195.3	182.1
28	20.5	19.1	88	64.4	60.0	48	108.2	100.9	08	152.1	141.9	68	196.0	182.8
29	21.2	19.8	89	65.1	60.7	49	109.0	101.6	09	152.9	142.5	69	196.7	183.5
30	21.9	20.5	90	65.8	61.4	50	109.7	102.3	10	153.6	143.2	70	197.5	184.1
31	22.7	21.1	91	66.6	62.1	151	110.4	103.0	211	164.3	143.9	271	198.2	184.8
32	23.4	21.8	92	67.3	62.7	52	111.2	103.7	12	155.0	144.6	72	198.9	185.5
33	24.1	22.5	93	68.0	63.4	53	111.9	104.3	13	155.8	145.3	73	199.7	186.2
34	24.9	23.2	94	68.7	64.1	54	112.6	105.0	14	156.5	145.9	74	200.4	186.9
35	25.6	23.9	95	69.5	64.8	55	113.4	105.7	15	157.2	146.6	75	201.1	187.5
36	26.3	24.6	96	70.2	65.5	56	114.1	106.4	16	158.0	147.3	76	201.9	188.2
37	27.1	25.2	97	70.9	66.2	57	114.8	107.1	17	158.7	148.0	77	202.6	188.9
38	27.8	25.9	98	71.7	66.8	58	115.6	107.8	18	159.4	148.7	78	203.3	189.6
39	28.5	26.6	99	72.4	67.5	59	116.3	108.4	19	160.2	149.4	79	204.0	190.3
40	29.3	27.3	100	73.1	68.2	60	117.0	109.1	20	160.9	150.0	80	204.8	191.0
41	30.0	28.0	101	73.9	68.9	161	117.7	109.8	221	161.6	150.7	281	205.5	191.6
42	30.7	28.6	02	74.6	69.6	62	118.5	110.5	22	162.4	151.4	82	206.2	192.3
43	31.4	29.3	03	75.3	70.2	63	119.2	111.2	23	163.1	152.1	83	207.0	193.0
44	32.2	30.0	04	76.1	70.9	64	119.9	111.8	24	163.8	152.8	84	207.7	193.7
45	32.9	30.7	05	76.8	71.6	65	120.7	112.5	25	164.6	153.4	85	208.4	194.4
46	33.6	31.4	06	77.5	72.3	66	121.4	113.2	26	165.3	154.1	86	209.2	195.1
47	34.4	32.1	07	78.3	73.0	67	122.1	113.9	27	166.0	154.8	87	209.9	195.7
48	35.1	32.7	08	79.0	73.7	68	122.9	114.6	28	166.7	155.5	88	210.6	196.4
49	35.8	33.4	09	79.7	74.3	69	123.6	115.3	29	167.5	156.2	89	211.4	197.1
50	36.6	34.1	10	80.4	75.0	70	124.3	115.9	30	168.2	156.9	90	212.1	197.8
51	37.3	34.8	111	81.2	75.7	171	125.1	116.6	231	168.9	157.5	291	212.8	198.5
52	38.0	35.5	12	81.9	76.4	72	125.8	117.3	32	169.7	158.2	92	213.6	199.1
53	38.8	36.1	13	82.6	77.1	73	126.5	118.0	33	170.4	158.9	93	214.3	199.8
54	39.5	36.8	14	83.4	77.7	74	127.3	118.7	34	171.1	159.6	94	215.0	200.5
55	40.2	37.5	15	84.1	78.4	75	128.0	119.3	35	171.9	160.3	95	215.7	201.2
56	41.0	38.2	16	84.8	79.1	76	128.7	120.0	36	172.6	161.0	96	216.5	201.9
57	41.7	38.9	17	85.6	79.8	77	129.4	120.7	37	173.3	161.6	97	217.2	202.6
58	42.4	39.6	18	86.3	80.5	78	130.2	121.4	38	174.1	162.3	98	217.9	203.2
59	43.1	40.2	19	87.0	81.2	79	130.9	122.1	39	174.8	163.0	99	218.7	203.9
60	43.9	40.9	20	87.8	81.8	80	131.6	122.8	40	175.5	163.7	300	219.4	204.6

[For 47 Degrees.]



## Difference of Latitude and Departure for 34 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.6	61	50.6	34.1	121	100.3	67.7	181	150.1	101.2	241	199.8	134.8
2	01.7	01.1	62	51.4	34.7	22	101.1	68.2	82	150.9	101.8	42	200.6	135.3
3	02.5	01.7	63	52.2	35.2	23	102.0	68.8	83	151.7	102.3	43	201.5	135.9
4	03.3	02.2	64	53.1	35.8	24	102.8	69.3	84	152.5	102.9	44	202.3	136.4
5	04.1	02.8	65	53.9	36.3	25	103.6	69.9	85	153.4	103.5	45	203.1	137.0
6	05.0	03.4	66	54.7	36.9	26	104.5	70.5	86	154.2	104.0	46	203.9	137.6
7	05.8	03.9	67	55.5	37.5	27	105.3	71.0	87	155.0	104.6	47	204.8	138.1
8	06.6	04.5	68	56.4	38.0	28	106.1	71.6	88	155.9	105.1	48	205.6	138.7
9	07.5	05.0	69	57.2	38.6	29	106.9	72.1	89	156.7	105.7	49	206.4	139.2
10	08.3	05.6	70	58.0	39.1	30	107.8	72.7	90	157.5	106.2	50	207.3	139.8
11	09.1	06.2	71	58.9	39.7	31	108.6	73.3	91	158.3	106.8	51	208.1	140.4
12	09.9	06.7	72	59.7	40.3	32	109.4	73.8	92	159.2	107.4	52	208.9	140.9
13	10.8	07.3	73	60.5	40.8	33	110.3	74.4	93	160.0	107.9	53	209.7	141.5
14	11.6	07.8	74	61.3	41.4	34	111.1	74.9	94	160.8	108.5	54	210.6	142.0
15	12.4	08.4	75	62.2	41.9	35	111.9	75.5	95	161.7	109.0	55	211.4	142.6
16	13.3	08.9	76	63.0	42.5	36	112.7	76.1	96	162.5	109.6	56	212.2	143.2
17	14.1	09.5	77	63.8	43.1	37	113.6	76.6	97	163.3	110.2	57	213.1	143.7
18	14.9	10.1	78	64.7	43.6	38	114.4	77.2	98	164.1	110.7	58	213.9	144.3
19	15.8	10.6	79	65.5	44.2	39	115.2	77.7	99	165.0	111.3	59	214.7	144.8
20	16.6	11.2	80	66.3	44.7	40	116.1	78.3	200	165.8	111.8	60	215.5	145.4
21	17.4	11.7	81	67.2	45.3	41	116.9	78.8	201	166.6	112.4	61	216.4	145.9
22	18.2	12.3	82	68.0	45.9	42	117.7	79.4	02	167.5	113.0	62	217.2	146.5
23	19.1	12.9	83	68.8	46.4	43	118.6	80.0	03	168.3	113.5	63	218.0	147.1
24	19.9	13.4	84	69.6	47.0	44	119.4	80.5	04	169.1	114.1	64	218.9	147.6
25	20.7	14.0	85	70.5	47.5	45	120.2	81.1	05	170.0	114.6	65	219.7	148.2
26	21.6	14.5	86	71.3	48.1	46	121.0	81.6	06	170.8	115.2	66	220.5	148.7
27	22.4	15.1	87	72.1	48.6	47	121.9	82.2	07	171.6	115.8	67	221.4	149.3
28	23.2	15.7	88	73.0	49.2	48	122.7	82.8	08	172.4	116.3	68	222.2	149.9
29	24.0	16.2	89	73.8	49.8	49	123.5	83.3	09	173.3	116.9	69	223.0	150.4
30	24.9	16.8	90	74.6	50.3	50	124.4	83.9	10	174.1	117.4	70	223.8	151.0
31	25.7	17.3	91	75.4	50.9	51	125.2	84.4	211	174.9	118.0	271	224.7	151.5
32	26.5	17.9	92	76.3	51.4	52	126.0	85.0	12	175.8	118.5	72	225.5	152.1
33	27.4	18.5	93	77.1	52.0	53	126.8	85.6	13	176.6	119.1	73	226.3	152.7
34	28.2	19.0	94	77.9	52.6	54	127.7	86.1	14	177.4	119.7	74	227.2	153.2
35	29.0	19.6	95	78.8	53.1	55	128.5	86.7	15	178.2	120.2	75	228.0	153.8
36	29.8	20.1	96	79.6	53.7	56	129.3	87.2	16	179.1	120.8	76	228.8	154.3
37	30.7	20.7	97	80.4	54.2	57	130.2	87.8	17	179.9	121.3	77	229.6	154.9
38	31.5	21.2	98	81.2	54.8	58	131.0	88.4	18	180.7	121.9	78	230.5	155.5
39	32.3	21.8	99	82.1	55.4	59	131.8	88.9	19	181.6	122.5	79	231.3	156.0
40	33.2	22.4	100	82.9	55.9	60	132.6	89.5	20	182.4	123.0	80	232.1	156.6
41	34.0	22.9	101	83.7	56.5	61	133.5	90.0	221	183.2	123.6	281	233.0	157.1
42	34.8	23.5	02	84.6	57.0	62	134.3	90.6	22	184.0	124.1	82	233.8	157.7
43	35.6	24.0	03	85.4	57.6	63	135.1	91.1	23	184.9	124.7	83	234.6	158.3
44	36.5	24.6	04	86.2	58.2	64	136.0	91.7	24	185.7	125.3	84	235.4	158.8
45	37.3	25.2	05	87.0	58.7	65	136.8	92.3	25	186.5	125.8	85	236.3	159.4
46	38.1	25.7	06	87.9	59.3	66	137.6	92.8	26	187.4	126.4	86	237.1	159.9
47	39.0	26.3	07	88.7	59.8	67	138.4	93.4	27	188.2	126.9	87	237.9	160.5
48	39.8	26.8	08	89.5	60.4	68	139.3	93.9	28	189.0	127.5	88	238.8	161.0
49	40.6	27.4	09	90.4	61.0	69	140.1	94.5	29	189.8	128.1	89	239.6	161.6
50	41.5	28.0	10	91.2	61.5	70	140.9	95.1	30	190.7	128.6	90	240.4	162.2
51	42.3	28.5	111	92.0	62.1	171	141.8	95.6	231	191.5	129.2	291	241.2	162.7
52	43.1	29.1	12	92.9	62.6	72	142.6	96.2	32	192.3	129.7	92	242.1	163.3
53	43.9	29.6	13	93.7	63.2	73	143.4	96.7	33	193.2	130.3	93	242.9	163.8
54	44.8	30.2	14	94.5	63.7	74	144.3	97.3	34	194.0	130.9	94	243.7	164.4
55	45.6	30.8	15	95.3	64.3	75	145.1	97.9	35	194.8	131.4	95	244.6	165.0
56	46.4	31.3	16	96.2	64.9	76	145.9	98.4	36	195.7	132.0	96	245.4	165.5
57	47.3	31.9	17	97.0	65.4	77	146.7	99.0	37	196.5	132.5	97	246.2	166.1
58	48.1	32.4	18	97.8	66.0	78	147.6	99.5	38	197.3	133.1	98	247.1	166.6
59	48.9	33.0	19	98.7	66.5	79	148.4	100.1	39	198.1	133.6	99	247.9	167.2
60	49.7	33.6	20	99.5	67.1	80	149.2	100.7	40	199.0	134.2	300	248.7	167.8
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

(For 56 Degrees.)

TABLE II.

Difference of Latitude and Departure for 35 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.6	61	50.0	35.0	121	99.1	69.4	181	148.3	103.8	241	197.4	138.2
2	01.6	01.1	62	50.8	35.6	22	99.9	70.0	82	149.1	104.4	42	198.2	138.8
3	02.5	01.7	63	51.6	36.1	23	100.8	70.5	83	149.9	105.0	43	199.1	139.4
4	03.3	02.3	64	52.4	36.7	24	101.6	71.1	84	150.7	105.5	44	199.9	140.0
5	04.1	02.9	65	53.2	37.3	25	102.4	71.7	85	151.5	106.1	45	200.7	140.5
6	04.9	03.4	66	54.1	37.9	26	103.2	72.3	86	152.4	106.7	46	201.5	141.1
7	05.7	04.0	67	54.9	38.4	27	104.0	72.8	87	153.2	107.3	47	202.3	141.7
8	06.6	04.6	68	55.7	39.0	28	104.9	73.4	88	154.0	107.8	48	203.1	142.2
9	07.4	05.2	69	56.5	39.6	29	105.7	74.0	89	154.8	108.4	49	204.0	142.8
10	08.2	05.7	70	57.3	40.2	30	106.5	74.6	90	155.6	109.0	50	204.8	143.4
11	09.0	06.3	71	58.2	40.7	31	107.3	75.1	191	156.5	109.6	251	205.6	144.0
12	09.8	06.9	72	59.0	41.3	32	108.1	75.7	92	157.3	110.1	52	206.4	144.5
13	10.6	07.5	73	59.9	41.9	33	108.9	76.3	93	158.1	110.7	53	207.2	145.1
14	11.5	08.6	74	60.6	42.4	34	109.8	76.9	94	158.9	111.3	54	208.1	145.7
15	12.3	08.6	75	61.4	43.0	35	110.6	77.4	95	159.7	111.8	55	208.9	146.3
16	13.1	09.2	76	62.3	43.6	36	111.4	78.0	96	160.6	112.4	56	209.7	146.8
17	13.9	09.8	77	63.1	44.2	37	112.2	78.6	97	161.4	113.0	57	210.5	147.4
18	14.7	10.3	78	63.9	44.7	38	113.0	79.2	98	162.2	113.6	58	211.3	148.0
19	15.6	10.9	79	64.7	45.3	39	113.9	79.7	99	163.0	114.1	59	212.2	148.6
20	16.4	11.5	80	65.5	45.9	40	114.7	80.3	200	163.8	114.7	60	213.0	149.1
21	17.2	12.0	81	66.4	46.5	41	115.5	80.9	201	164.6	115.3	261	213.8	149.7
22	18.0	12.6	82	67.2	47.0	42	116.3	81.4	02	165.5	115.9	62	214.6	150.3
23	18.8	13.2	83	68.0	47.5	43	117.1	82.0	03	166.3	116.4	63	215.4	150.9
24	19.7	13.8	84	68.8	48.2	44	118.0	82.6	04	167.1	117.0	64	216.3	151.4
25	20.5	14.3	85	69.6	48.8	45	118.8	83.2	05	167.9	117.6	65	217.1	152.0
26	21.3	14.9	86	70.4	49.3	46	119.6	83.7	06	168.7	118.2	66	217.9	152.6
27	22.1	15.5	87	71.3	49.9	47	120.4	84.3	07	169.6	118.7	67	218.7	153.1
28	22.9	16.1	88	72.1	50.5	48	121.2	84.9	08	170.4	119.3	68	219.5	153.7
29	23.8	16.6	89	72.9	51.0	49	122.1	85.5	09	171.2	119.9	69	220.4	154.3
30	24.6	17.2	90	73.7	51.6	50	122.9	86.0	10	172.0	120.5	70	221.2	154.9
31	25.4	17.8	91	74.5	52.2	151	123.7	86.6	211	172.8	121.0	271	222.0	155.4
32	26.2	18.4	92	75.3	52.7	52	124.5	87.2	12	173.7	121.6	72	222.8	156.0
33	27.0	18.9	93	76.2	53.3	53	125.3	87.8	13	174.5	122.2	73	223.6	156.6
34	27.9	19.5	94	77.0	53.9	54	126.1	88.3	14	175.3	122.7	74	224.4	157.2
35	28.7	20.1	95	77.8	54.5	55	127.0	88.9	15	176.1	123.3	75	225.3	157.7
36	29.5	20.6	96	78.6	55.1	56	127.8	89.5	16	176.9	123.9	76	226.1	158.3
37	30.3	21.2	97	79.5	55.6	57	128.6	90.1	17	177.8	124.5	77	226.9	158.9
38	31.1	21.8	98	80.3	56.2	58	129.4	90.6	18	178.6	125.0	78	227.7	159.5
39	31.9	22.4	99	81.1	56.8	59	130.2	91.2	19	179.4	125.6	79	228.5	160.1
40	32.8	22.9	100	81.9	57.4	60	131.1	91.8	20	180.2	126.2	80	229.4	160.6
41	33.6	23.5	101	82.7	57.9	161	131.9	92.3	221	181.0	126.8	281	230.2	161.2
42	34.4	24.1	02	83.6	58.5	62	132.7	92.9	22	181.9	127.3	82	231.0	161.7
43	35.2	24.7	03	84.4	59.1	63	133.5	93.5	23	182.7	127.9	83	231.8	162.3
44	36.0	25.2	04	85.2	59.7	64	134.3	94.1	24	183.5	128.5	84	232.6	162.9
45	36.9	25.8	05	86.0	60.2	65	135.2	94.6	25	184.3	129.1	85	233.5	163.5
46	37.7	26.4	06	86.8	60.8	66	136.0	95.2	26	185.1	129.6	86	234.3	164.0
47	38.5	27.0	07	87.6	61.4	67	136.8	95.8	27	185.9	130.2	87	235.1	164.6
48	39.3	27.5	08	88.5	61.9	68	137.6	96.4	28	186.8	130.8	88	235.9	165.2
49	40.1	28.1	09	89.3	62.5	69	138.4	96.9	29	187.6	131.3	89	236.7	165.8
50	41.0	28.7	10	90.1	63.1	70	139.3	97.5	30	188.4	131.9	90	237.5	166.3
51	41.8	29.3	111	90.9	63.7	171	140.1	98.1	231	189.2	132.5	291	238.4	166.9
52	42.6	29.8	12	91.7	64.2	72	140.9	98.7	32	190.0	133.1	92	239.2	167.5
53	43.4	30.4	13	92.6	64.8	73	141.7	99.2	33	190.9	133.6	93	240.0	168.1
54	44.2	31.0	14	93.4	65.4	74	142.5	99.8	34	191.7	134.2	94	240.8	168.6
55	45.1	31.5	15	94.2	66.0	75	143.4	100.4	35	192.5	134.8	95	241.6	169.2
56	45.9	32.1	16	95.0	66.5	76	144.2	100.9	36	193.3	135.4	96	242.5	169.8
57	46.7	32.7	17	95.8	67.1	77	145.0	101.5	37	194.1	135.9	97	243.3	170.4
58	47.5	33.3	18	96.7	67.7	78	145.8	102.1	38	195.0	136.5	98	244.1	170.9
59	48.3	33.8	19	97.5	68.3	79	146.6	102.7	39	195.8	137.1	99	244.9	171.5
60	49.1	34.4	20	98.3	68.8	80	147.4	103.2	40	196.6	137.7	300	245.7	172.1
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 35 Degrees.]

TABLE II.

Difference of Latitude and Departure for 37 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.6	61	48.7	36.7	121	96.6	72.8	181	144.6	108.9	241	192.5	145.0
2	01.6	01.2	62	49.5	37.3	22	97.4	73.4	82	145.4	109.5	42	193.3	145.6
3	02.4	01.8	63	50.3	37.9	23	98.2	74.0	83	146.2	110.1	43	194.1	146.2
4	03.2	02.4	64	51.1	38.5	24	99.0	74.6	84	146.9	110.7	44	194.9	146.8
5	04.0	03.0	65	51.9	39.1	25	99.8	75.2	85	147.7	111.3	45	195.7	147.4
6	04.8	03.6	66	52.7	39.7	26	100.6	75.8	86	148.5	111.9	46	196.5	148.0
7	05.6	04.2	67	53.5	40.3	27	101.4	76.4	87	149.3	112.5	47	197.3	148.6
8	06.4	04.8	68	54.3	40.9	28	102.2	77.0	88	150.1	113.1	48	198.1	149.3
9	07.2	05.4	69	55.1	41.5	29	103.0	77.6	89	150.9	113.7	49	198.9	149.9
10	08.0	06.0	70	55.9	42.1	30	103.8	78.2	90	151.7	114.3	50	199.7	150.5
11	08.8	06.6	71	56.7	42.7	131	104.6	78.8	191	152.5	114.9	251	200.5	151.1
12	09.6	07.2	72	57.5	43.3	32	105.4	79.4	92	153.3	115.5	52	201.3	151.7
13	10.4	07.8	73	58.3	43.9	33	106.2	80.0	93	154.1	116.2	53	202.1	152.3
14	11.2	08.4	74	59.1	44.5	34	107.0	80.6	94	154.9	116.8	54	202.9	152.9
15	12.0	09.0	75	59.9	45.1	35	107.8	81.2	95	155.7	117.4	55	203.7	153.5
16	12.8	09.6	76	60.7	45.7	36	108.6	81.8	96	156.5	118.0	56	204.5	154.1
17	13.6	10.2	77	61.5	46.3	37	109.4	82.4	97	157.3	118.6	57	205.2	154.7
18	14.4	10.8	78	62.3	46.9	38	110.2	83.0	98	158.1	119.2	58	206.0	155.3
19	15.2	11.4	79	63.1	47.5	39	111.0	83.7	99	158.9	119.8	59	206.8	155.9
20	16.0	12.0	80	63.9	48.1	40	111.8	84.3	200	159.7	120.4	60	207.6	156.5
21	16.8	12.6	81	64.7	48.7	141	112.6	84.9	201	160.5	121.0	261	208.4	157.1
22	17.6	13.2	82	65.5	49.3	42	113.4	85.5	02	161.3	121.6	62	209.2	157.7
23	18.4	13.8	83	66.3	50.0	43	114.2	86.1	03	162.1	122.2	63	210.0	158.3
24	19.2	14.4	84	67.1	50.6	44	115.0	86.7	04	162.9	122.8	64	210.8	158.9
25	20.0	15.0	85	67.9	51.2	45	115.8	87.3	05	163.7	123.4	65	211.6	159.5
26	20.8	15.6	86	68.7	51.8	46	116.6	87.9	06	164.5	124.0	66	212.4	160.1
27	21.6	16.2	87	69.5	52.4	47	117.4	88.5	07	165.3	124.6	67	213.2	160.7
28	22.4	16.9	88	70.3	53.0	48	118.2	89.1	08	166.1	125.2	68	214.0	161.3
29	23.2	17.5	89	71.1	53.6	49	119.0	89.7	09	166.9	125.8	69	214.8	161.9
30	24.0	18.1	90	71.9	54.2	50	119.8	90.3	10	167.7	126.4	70	215.6	162.5
31	24.8	18.7	91	72.7	54.8	151	120.6	90.9	211	168.5	127.0	271	216.4	163.1
32	25.6	19.3	92	73.5	55.4	52	121.4	91.5	12	169.3	127.6	72	217.2	163.7
33	26.4	19.9	93	74.3	56.0	53	122.2	92.1	13	170.1	128.2	73	218.0	164.3
34	27.2	20.5	94	75.1	56.6	54	123.0	92.7	14	170.9	128.8	74	218.8	164.9
35	28.0	21.1	95	75.9	57.2	55	123.8	93.3	15	171.7	129.4	75	219.6	165.5
36	28.8	21.7	96	76.7	57.8	56	124.6	93.9	16	172.5	130.0	76	220.4	166.1
37	29.6	22.3	97	77.5	58.4	57	125.4	94.5	17	173.3	130.6	77	221.2	166.7
38	30.4	22.9	98	78.3	59.0	58	126.2	95.1	18	174.1	131.2	78	222.0	167.3
39	31.1	23.5	99	79.1	59.6	59	127.0	95.7	19	174.9	131.8	79	222.8	167.9
40	31.9	24.1	100	79.9	60.2	60	127.8	96.3	20	175.7	132.4	80	223.6	168.5
41	32.7	24.7	101	80.7	60.8	161	128.6	96.9	221	176.5	133.0	281	224.4	169.1
42	33.5	25.3	02	81.5	61.4	62	129.4	97.5	22	177.3	133.6	82	225.2	169.7
43	34.3	25.9	03	82.3	62.0	63	130.2	98.1	23	178.1	134.2	83	226.0	170.3
44	35.1	26.5	04	83.1	62.6	64	131.0	98.7	24	178.9	134.8	84	226.8	170.9
45	35.9	27.1	05	83.9	63.2	65	131.8	99.3	25	179.7	135.4	85	227.6	171.5
46	36.7	27.7	06	84.7	63.8	66	132.6	99.9	26	180.5	136.0	86	228.4	172.1
47	37.5	28.3	07	85.5	64.4	67	133.4	100.5	27	181.3	136.6	87	229.2	172.7
48	38.3	28.9	08	86.3	65.0	68	134.2	101.1	28	182.1	137.2	88	230.0	173.3
49	39.1	29.5	09	87.1	65.6	69	135.0	101.7	29	182.9	137.8	89	230.8	173.9
50	39.9	30.1	10	87.9	66.2	70	135.8	102.3	30	183.7	138.4	90	231.6	174.5
51	40.7	30.7	111	88.6	66.8	171	136.6	102.9	231	184.5	139.0	291	232.4	175.1
52	41.5	31.3	12	89.4	67.4	72	137.4	103.5	32	185.3	139.6	92	233.2	175.7
53	42.3	31.9	13	90.2	68.0	73	138.2	104.1	33	186.1	140.2	93	234.0	176.3
54	43.1	32.5	14	91.0	68.6	74	139.0	104.7	34	186.9	140.8	94	234.8	176.9
55	43.9	33.1	15	91.8	69.2	75	139.8	105.3	35	187.7	141.4	95	235.6	177.5
56	44.7	33.7	16	92.6	69.8	76	140.6	105.9	36	188.5	142.0	96	236.4	178.1
57	45.5	34.3	17	93.4	70.4	77	141.4	106.5	37	189.3	142.6	97	237.2	178.7
58	46.3	34.9	18	94.2	71.0	78	142.2	107.1	38	190.1	143.2	98	238.0	179.3
59	47.1	35.5	19	95.0	71.6	79	143.0	107.7	39	190.9	143.8	99	238.8	179.9
60	47.9	36.1	20	95.8	72.2	80	143.8	108.3	40	191.7	144.4	300	239.6	180.5
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 53 Degrees.]

TABLE II.

Difference of Latitude and Departure for 39 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.6	61	47.4	38.4	121	94.0	76.1	181	140.7	113.9	241	187.3	151.7
2	01.6	01.3	62	48.2	39.0	22	94.8	76.8	82	141.4	114.5	42	188.1	152.3
3	02.3	01.9	63	49.0	39.6	23	95.6	77.4	83	142.2	115.2	43	188.8	152.9
4	03.1	02.5	64	49.7	40.3	24	96.4	78.0	84	143.0	115.8	44	189.6	153.6
5	03.9	03.1	65	50.5	40.9	25	97.1	78.7	85	143.8	116.4	45	190.4	154.2
6	04.7	03.8	66	51.3	41.5	26	97.9	79.3	86	144.5	117.1	46	191.2	154.8
7	05.4	04.4	67	52.1	42.2	27	98.7	79.9	87	145.3	117.7	47	192.0	155.4
8	06.2	05.0	68	52.8	42.8	28	99.5	80.6	88	146.1	118.3	48	192.7	156.1
9	07.0	05.7	69	53.6	43.4	29	100.3	81.2	89	146.9	118.9	49	193.5	156.7
10	07.8	06.3	70	54.4	44.1	30	101.0	81.8	90	147.7	119.6	50	194.3	157.3
11	08.5	06.9	71	55.2	44.7	131	101.8	82.4	191	148.4	120.2	251	195.1	158.0
12	09.3	07.6	72	56.0	45.3	32	102.6	83.1	92	149.2	120.8	52	195.8	158.6
13	10.1	08.2	73	56.7	45.9	33	103.4	83.7	93	150.0	121.5	53	196.6	159.2
14	10.9	08.8	74	57.5	46.6	34	104.1	84.3	94	150.8	122.1	54	197.4	159.8
15	11.7	09.4	75	58.3	47.2	35	104.9	85.0	95	151.5	122.7	55	198.2	160.4
16	12.4	10.1	76	59.1	47.8	36	105.7	85.6	96	152.3	123.3	56	199.0	161.1
17	13.2	10.7	77	59.8	48.5	37	106.5	86.2	97	153.1	124.0	57	199.7	161.7
18	14.0	11.3	78	60.6	49.1	38	107.2	86.8	98	153.9	124.6	58	200.5	162.4
19	14.8	12.0	79	61.4	49.7	39	108.0	87.5	99	154.7	125.2	59	201.3	163.0
20	15.6	12.6	80	62.2	50.3	40	108.8	88.1	200	155.4	125.9	60	202.1	163.6
21	16.3	13.2	81	62.9	51.0	141	109.6	88.7	201	156.2	126.5	261	202.8	164.3
22	17.1	13.8	82	63.7	51.6	42	110.4	89.4	02	157.0	127.1	62	203.6	164.9
23	17.9	14.5	83	64.5	52.2	43	111.1	90.0	03	157.8	127.8	63	204.4	165.5
24	18.7	15.1	84	65.3	52.9	44	111.9	90.6	04	158.5	128.4	64	205.2	166.1
25	19.4	15.7	85	66.1	53.5	45	112.7	91.3	05	159.3	129.0	65	205.9	166.8
26	20.2	16.4	86	66.8	54.1	46	113.5	91.9	06	160.1	129.6	66	206.7	167.4
27	21.0	17.0	87	67.6	54.8	47	114.2	92.5	07	160.9	130.3	67	207.5	168.0
28	21.8	17.6	88	68.4	55.4	48	115.0	93.1	08	161.6	130.9	68	208.3	168.7
29	22.5	18.3	89	69.2	56.0	49	115.8	93.8	09	162.4	131.5	69	209.1	169.3
30	23.3	18.9	90	69.9	56.6	50	116.6	94.4	10	163.2	132.2	70	209.8	169.9
31	24.1	19.5	91	70.7	57.3	151	117.3	95.0	211	164.0	132.8	271	210.6	170.5
32	24.9	20.1	92	71.5	57.9	52	118.1	95.7	12	164.8	133.4	72	211.4	171.2
33	25.6	20.8	93	72.3	58.5	53	118.9	96.3	13	165.5	134.0	73	212.2	171.8
34	26.4	21.4	94	73.1	59.2	54	119.7	96.9	14	166.3	134.7	74	212.9	172.4
35	27.2	22.0	95	73.8	59.8	55	120.5	97.5	15	167.1	135.3	75	213.7	173.1
36	28.0	22.7	96	74.6	60.4	56	121.2	98.2	16	167.9	135.9	76	214.5	173.7
37	28.8	23.3	97	75.4	61.0	57	122.0	98.8	17	168.6	136.6	77	215.3	174.3
38	29.5	23.9	98	76.2	61.7	58	122.8	99.4	18	169.4	137.2	78	216.0	175.0
39	30.3	24.5	99	76.9	62.3	59	123.6	100.1	19	170.2	137.8	79	216.8	175.6
40	31.1	25.2	100	77.7	62.9	60	124.3	100.7	20	171.0	138.5	80	217.6	176.2
41	31.9	25.8	101	78.5	63.6	161	125.1	101.3	221	171.7	139.1	281	218.4	176.8
42	32.6	26.4	02	79.3	64.2	62	125.9	101.9	22	172.5	139.7	82	219.2	177.5
43	33.4	27.1	03	80.0	64.8	63	126.7	102.6	23	173.3	140.3	83	219.9	178.1
44	34.2	27.7	04	80.8	65.4	64	127.5	103.2	24	174.1	141.0	84	220.7	178.7
45	35.0	28.3	05	81.6	66.1	65	128.2	103.8	25	174.9	141.6	85	221.5	179.4
46	35.7	28.9	06	82.4	66.7	66	129.0	104.5	26	175.6	142.2	86	222.3	180.0
47	36.5	29.6	07	83.2	67.3	67	129.8	105.1	27	176.4	142.9	87	223.0	180.6
48	37.3	30.2	08	83.9	68.0	68	130.6	105.7	28	177.2	143.5	88	223.8	181.2
49	38.1	30.8	09	84.7	68.6	69	131.3	106.4	29	178.0	144.1	89	224.6	181.9
50	38.9	31.5	10	85.5	69.2	70	132.1	107.0	30	178.7	144.7	90	225.4	182.5
51	39.6	32.1	111	86.3	69.9	171	132.9	107.6	231	179.5	145.4	291	226.1	183.1
52	40.4	32.7	12	87.0	70.5	72	133.7	108.2	32	180.3	146.0	92	226.9	183.8
53	41.2	33.4	13	87.8	71.1	73	134.4	108.9	33	181.1	146.6	93	227.7	184.4
54	42.0	34.0	14	88.6	71.7	74	135.2	109.5	34	181.9	147.3	94	228.5	185.0
55	42.7	34.6	15	89.4	72.4	75	136.0	110.1	35	182.6	147.9	95	229.3	185.6
56	43.5	35.2	16	90.1	73.0	76	136.8	110.8	36	183.4	148.5	96	230.0	186.3
57	44.3	35.9	17	90.9	73.6	77	137.6	111.4	37	184.2	149.1	97	230.8	186.9
58	45.1	36.5	18	91.7	74.3	78	138.3	112.0	38	185.0	149.8	98	231.6	187.5
59	45.9	37.1	19	92.5	74.9	79	139.1	112.6	39	185.7	150.4	99	232.4	188.2
60	46.6	37.8	20	93.3	75.5	80	139.9	113.3	40	186.5	151.0	300	233.1	188.8

[For 51 Degrees.]

## Difference of Latitude and Departure for 40 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.6	61	46.7	39.2	121	92.7	77.8	181	138.7	116.3	241	184.6	154.9			
2	01.5	01.3	62	47.5	39.9	22	93.5	78.4	82	139.4	117.0	42	185.4	155.6			
3	02.3	01.9	63	48.3	40.5	23	94.2	79.1	83	140.2	117.6	43	186.1	156.2			
4	03.1	02.6	64	49.0	41.1	24	95.0	79.7	84	141.0	118.3	44	186.9	156.8			
5	03.8	03.2	65	49.8	41.8	25	95.8	80.3	85	141.7	118.9	45	187.7	157.5			
6	04.6	03.9	66	50.6	42.4	26	96.5	81.0	86	142.5	119.6	46	188.4	158.1			
7	05.4	04.5	67	51.3	43.1	27	97.3	81.6	87	143.3	120.2	47	189.2	158.8			
8	06.1	05.1	68	52.1	43.7	28	98.1	82.3	88	144.0	120.8	48	190.0	159.4			
9	06.9	05.8	69	52.9	44.4	29	98.8	82.9	89	144.8	121.5	49	190.7	160.1			
10	07.7	06.4	70	53.6	45.0	30	99.6	83.6	90	145.5	122.1	50	191.5	160.7			
11	08.4	07.1	71	54.4	45.6	131	100.4	84.2	191	146.3	122.8	251	192.3	161.3			
12	09.2	07.7	72	55.2	46.3	32	101.1	84.8	92	147.1	123.4	52	193.0	162.0			
13	10.0	08.4	73	55.9	46.9	33	101.9	85.5	93	147.8	124.1	53	193.8	162.6			
14	10.7	09.0	74	56.7	47.6	34	102.6	86.1	94	148.6	124.7	54	194.6	163.3			
15	11.5	09.6	75	57.5	48.2	35	103.4	86.8	95	149.4	125.3	55	195.3	163.9			
16	12.3	10.3	76	58.2	48.9	36	104.2	87.4	96	150.1	126.0	56	196.1	164.6			
17	13.0	10.9	77	59.0	49.5	37	104.9	88.1	97	150.9	126.6	57	196.9	165.2			
18	13.8	11.6	78	59.8	50.1	38	105.7	88.7	98	151.7	127.3	58	197.6	165.8			
19	14.6	12.2	79	60.5	50.8	39	106.5	89.3	99	152.4	127.9	59	198.4	166.5			
20	15.3	12.9	80	61.3	51.4	40	107.2	90.0	200	153.2	128.6	60	199.2	167.1			
21	16.1	13.5	81	62.0	52.1	141	108.0	90.6	201	154.0	129.2	261	199.9	167.8			
22	16.9	14.1	82	62.8	52.7	42	108.8	91.3	02	154.7	129.8	62	200.7	168.4			
23	17.6	14.8	83	63.6	53.4	43	109.5	91.9	03	155.5	130.5	63	201.5	169.1			
24	18.4	15.4	84	64.3	54.0	44	110.3	92.6	04	156.3	131.1	64	202.2	169.7			
25	19.2	16.1	85	65.1	54.6	45	111.1	93.2	05	157.0	131.8	65	203.0	170.3			
26	19.9	16.7	86	65.9	55.3	46	111.8	93.8	06	157.8	132.4	66	203.8	171.0			
27	20.7	17.4	87	66.6	55.9	47	112.6	94.5	07	158.6	133.1	67	204.5	171.6			
28	21.4	18.0	88	67.4	56.6	48	113.4	95.1	08	159.3	133.7	68	205.3	172.3			
29	22.2	18.6	89	68.2	57.2	49	114.1	95.8	09	160.1	134.3	69	206.1	172.9			
30	23.0	19.3	90	68.9	57.9	50	114.9	96.4	10	160.9	135.0	70	206.8	173.6			
31	23.7	19.9	91	69.7	58.5	151	115.7	97.1	211	161.6	135.6	271	207.6	174.2			
32	24.5	20.6	92	70.5	59.1	52	116.4	97.7	12	162.4	136.3	72	208.4	174.8			
33	25.3	21.2	93	71.2	59.8	53	117.2	98.3	13	163.2	136.9	73	209.1	175.5			
34	26.0	21.9	94	72.0	60.4	54	118.0	99.0	14	163.9	137.6	74	209.9	176.1			
35	26.8	22.5	95	72.8	61.1	55	118.7	99.6	15	164.7	138.2	75	210.7	176.8			
36	27.6	23.1	96	73.5	61.7	56	119.5	100.3	16	165.5	138.8	76	211.4	177.4			
37	28.3	23.8	97	74.3	62.4	57	120.3	100.9	17	166.2	139.5	77	212.2	178.1			
38	29.1	24.4	98	75.1	63.0	58	121.0	101.6	18	167.0	140.1	78	213.0	178.7			
39	29.9	25.1	99	75.8	63.6	59	121.8	102.2	19	167.8	140.8	79	213.7	179.3			
40	30.6	25.7	100	76.6	64.3	60	122.6	102.8	20	168.5	141.4	80	214.5	180.0			
41	31.4	26.4	101	77.4	64.9	161	123.3	103.5	221	169.3	142.1	281	215.3	180.6			
42	32.2	27.0	02	78.1	65.6	62	124.1	104.1	22	170.1	142.7	82	216.0	181.3			
43	32.9	27.6	03	78.9	66.2	63	124.9	104.8	23	170.8	143.3	83	216.8	181.9			
44	33.7	28.3	04	79.7	66.8	64	125.6	105.4	24	171.6	144.0	84	217.6	182.6			
45	34.5	28.9	05	80.4	67.5	65	126.4	106.1	25	172.4	144.6	85	218.3	183.2			
46	35.2	29.6	06	81.2	68.1	66	127.2	106.7	26	173.1	145.3	86	219.1	183.8			
47	36.0	30.2	07	82.0	68.8	67	127.9	107.3	27	173.9	145.9	87	219.9	184.5			
48	36.8	30.9	08	82.7	69.4	68	128.7	108.0	28	174.7	146.6	88	220.6	185.1			
49	37.5	31.5	09	83.5	70.1	69	129.5	108.6	29	175.4	147.2	89	221.4	185.8			
50	38.3	32.1	10	84.3	70.7	70	130.2	109.3	30	176.2	147.8	90	222.2	186.4			
51	39.1	32.8	111	85.0	71.3	171	131.0	109.9	231	177.0	148.5	291	222.9	187.1			
52	39.8	33.4	12	85.8	72.0	72	131.8	110.6	32	177.7	149.1	92	223.7	187.7			
53	40.6	34.1	13	86.6	72.6	73	132.5	111.2	33	178.5	149.8	93	224.5	188.3			
54	41.4	34.7	14	87.3	73.3	74	133.3	111.8	34	179.3	150.4	94	225.2	189.0			
55	42.1	35.4	15	88.1	73.9	75	134.1	112.5	35	180.0	151.1	95	226.0	189.6			
56	42.9	36.0	16	88.9	74.6	76	134.8	113.1	36	180.8	151.7	96	226.7	190.3			
57	43.7	36.6	17	89.6	75.2	77	135.6	113.8	37	181.6	152.3	97	227.5	190.9			
58	44.4	37.3	18	90.4	75.8	78	136.4	114.4	38	182.3	153.0	98	228.3	191.6			
59	45.2	37.9	19	91.2	76.5	79	137.1	115.1	39	183.1	153.6	99	229.0	192.2			
60	46.0	38.6	20	91.9	77.1	80	137.9	115.7	40	183.9	154.3	300	229.8	192.8			
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.			

[For 50 Degrees.]

TABLE II.

Difference of Latitude and Departure for 41 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.8	00.7	61	46.0	40.0	121	91.3	79.4	181	136.6	118.7	241	181.9	158.1
2	01.5	01.3	62	46.8	40.7	22	92.1	80.0	82	137.4	119.4	42	182.6	158.8
3	02.3	02.0	63	47.5	41.3	23	92.8	80.7	83	138.1	120.1	43	183.4	159.4
4	03.0	02.6	64	48.3	42.0	24	93.6	81.4	84	138.9	120.7	44	184.1	160.1
5	03.8	03.3	65	49.1	42.6	25	94.3	82.0	85	139.6	121.4	45	184.9	160.7
6	04.5	03.9	66	49.8	43.3	26	95.1	82.7	86	140.4	122.0	46	185.7	161.4
7	05.3	04.6	67	50.6	44.0	27	95.8	83.3	87	141.1	122.7	47	186.4	162.0
8	06.0	05.2	68	51.3	44.6	28	96.6	84.0	88	141.9	123.3	48	187.2	162.7
9	06.8	05.9	69	52.1	45.3	29	97.4	84.6	89	142.6	124.0	49	187.9	163.4
10	07.5	06.6	70	52.8	45.9	30	98.1	85.3	90	143.4	124.7	50	188.7	164.0
11	08.3	07.2	71	53.6	46.6	131	98.9	85.9	191	144.1	125.3	251	189.4	164.7
12	09.1	07.9	72	54.3	47.2	32	99.6	86.6	92	144.9	126.0	52	190.2	165.3
13	09.8	08.5	73	55.1	47.9	33	100.4	87.3	93	145.7	126.6	53	190.9	166.0
14	10.6	09.2	74	55.8	48.5	34	101.1	87.9	94	146.4	127.3	54	191.7	166.6
15	11.3	09.8	75	56.6	49.2	35	101.9	88.6	95	147.2	127.9	55	192.5	167.3
16	12.1	10.5	76	57.4	49.9	36	102.6	89.2	96	147.9	128.6	56	193.2	168.0
17	12.8	11.2	77	58.1	50.5	37	103.4	89.9	97	148.7	129.2	57	194.0	168.6
18	13.6	11.8	78	58.9	51.2	38	104.1	90.5	98	149.4	129.9	58	194.7	169.3
19	14.3	12.5	79	59.6	51.8	39	104.9	91.2	99	150.2	130.6	59	195.5	169.9
20	15.1	13.1	80	60.4	52.5	40	105.7	91.8	200	150.9	131.2	60	196.2	170.6
21	15.8	13.8	81	61.1	53.1	141	106.4	92.5	201	151.7	131.9	261	197.0	171.2
22	16.6	14.4	82	61.9	53.8	42	107.2	93.2	02	152.5	132.5	62	197.7	171.9
23	17.4	15.1	83	62.6	54.5	43	107.9	93.8	03	153.2	133.2	63	198.5	172.5
24	18.1	15.7	84	63.4	55.1	44	108.7	94.5	04	154.0	133.8	64	199.2	173.2
25	18.9	16.4	85	64.2	55.8	45	109.4	95.1	05	154.7	134.5	65	200.0	173.9
26	19.6	17.1	86	64.9	56.4	46	110.2	95.8	06	155.5	135.1	66	200.8	174.5
27	20.4	17.7	87	65.7	57.1	47	110.9	96.4	07	156.2	135.8	67	201.5	175.2
28	21.1	18.4	88	66.4	57.7	48	111.7	97.1	08	157.0	136.5	68	202.3	175.8
29	21.9	19.0	89	67.2	58.4	49	112.5	97.8	09	157.7	137.1	69	203.0	176.5
30	22.6	19.7	90	67.9	59.0	50	113.2	98.4	10	158.5	137.8	70	203.8	177.1
31	23.4	20.3	91	68.7	59.7	151	114.0	99.1	211	159.2	138.4	271	204.5	177.8
32	24.2	21.0	92	69.4	60.4	52	114.7	99.7	12	160.0	139.1	72	205.3	178.4
33	24.9	21.6	93	70.2	61.0	53	115.5	100.4	13	160.8	139.7	73	206.0	179.1
34	25.7	22.3	94	70.9	61.7	54	116.2	101.0	14	161.5	140.4	74	206.8	179.8
35	26.4	23.0	95	71.7	62.3	55	117.0	101.7	15	162.3	141.1	75	207.5	180.4
36	27.2	23.6	96	72.5	63.0	56	117.7	102.3	16	163.0	141.7	76	208.3	181.1
37	27.9	24.3	97	73.2	63.6	57	118.5	103.0	17	163.8	142.4	77	209.1	181.7
38	28.7	24.9	98	74.0	64.3	58	119.2	103.7	18	164.5	143.0	78	209.8	182.4
39	29.4	25.6	99	74.7	64.9	59	120.0	104.3	19	165.3	143.7	79	210.6	183.0
40	30.2	26.2	100	75.5	65.6	60	120.8	105.0	20	166.0	144.3	80	211.3	183.7
41	30.9	26.9	101	76.2	66.3	161	121.5	105.6	221	166.8	145.0	281	212.1	184.4
42	31.7	27.6	02	77.0	66.9	62	122.3	106.3	22	167.5	145.6	82	212.8	185.0
43	32.5	28.2	03	77.7	67.6	63	123.0	106.9	23	168.3	146.3	83	213.6	185.7
44	33.2	28.9	04	78.5	68.2	64	123.8	107.6	24	169.1	147.0	84	214.3	186.3
45	34.0	29.5	05	79.2	68.9	65	124.5	108.2	25	169.8	147.6	85	215.1	187.0
46	34.7	30.2	06	80.0	69.5	66	125.3	108.9	26	170.6	148.3	86	215.8	187.6
47	35.5	30.8	07	80.8	70.2	67	126.0	109.6	27	171.3	148.9	87	216.6	188.3
48	36.2	31.5	08	81.5	70.9	68	126.8	110.2	28	172.1	149.6	88	217.4	188.9
49	37.0	32.1	09	82.3	71.5	69	127.5	110.9	29	172.8	150.2	89	218.1	189.6
50	37.7	32.8	10	83.0	72.2	70	128.3	111.5	30	173.6	150.9	90	218.9	190.3
51	38.5	33.5	111	83.8	72.8	171	129.1	112.2	231	174.3	151.5	291	219.6	190.9
52	39.2	34.1	12	84.5	73.5	72	129.8	112.8	32	175.1	152.2	92	220.4	191.6
53	40.0	34.8	13	85.3	74.1	73	130.6	113.5	33	175.8	152.9	93	221.1	192.2
54	40.8	35.4	14	86.0	74.8	74	131.3	114.2	34	176.6	153.5	94	221.9	192.9
55	41.5	36.1	15	86.8	75.4	75	132.1	114.8	35	177.4	154.2	95	222.6	193.5
56	42.3	36.7	16	87.5	76.1	76	132.8	115.5	36	178.1	154.8	96	223.4	194.2
57	43.0	37.4	17	88.3	76.8	77	133.6	116.1	37	178.9	155.5	97	224.1	194.8
58	43.8	38.1	18	89.1	77.4	78	134.3	116.8	38	179.6	156.1	98	224.9	195.5
59	44.5	38.7	19	89.8	78.1	79	135.1	117.4	39	180.4	156.8	99	225.7	196.2
60	45.3	39.4	20	90.6	78.7	80	135.8	118.1	40	181.1	157.5	300	226.4	196.8

[For 49 Degrees.

## Difference of Latitude and Departure for 42 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.7	00.7	61	45.3	40.8	121	89.9	81.0	181	134.5	121.1	241	179.1	161.3
2	01.5	01.3	62	46.1	41.5	22	90.7	81.6	82	135.3	121.8	42	179.8	161.9
3	02.2	02.0	63	46.8	42.2	23	91.4	82.3	83	136.0	122.5	43	180.6	162.6
4	03.0	02.7	64	47.6	42.8	24	92.1	83.0	84	136.7	123.1	44	181.3	163.3
5	03.7	03.3	65	48.3	43.5	25	92.9	83.6	85	137.5	123.8	45	182.1	163.9
6	04.5	04.0	66	49.0	44.2	26	93.6	84.3	86	138.2	124.5	46	182.8	164.6
7	05.2	04.7	67	49.8	44.8	27	94.4	85.0	87	139.0	125.1	47	183.6	165.3
8	05.9	05.4	68	50.5	45.5	28	95.1	85.6	88	139.7	125.8	48	184.3	165.9
9	06.7	06.0	69	51.3	46.2	29	95.9	86.3	89	140.5	126.5	49	185.0	166.6
10	07.4	06.7	70	52.0	46.8	30	96.6	87.0	90	141.2	127.1	50	185.8	167.3
11	08.2	07.4	71	52.8	47.5	131	97.4	87.7	191	141.9	127.8	251	186.5	168.0
12	08.9	08.0	72	53.5	48.2	32	98.1	88.3	92	142.7	128.5	52	187.3	168.6
13	09.7	08.7	73	54.2	48.8	33	98.8	89.0	93	143.4	129.1	53	188.0	169.3
14	10.4	09.4	74	55.0	49.5	34	99.6	89.7	94	144.2	129.8	54	188.8	170.0
15	11.1	10.0	75	55.7	50.2	35	100.3	90.3	95	144.9	130.5	55	189.5	170.6
16	11.9	10.7	76	56.5	50.9	36	101.1	91.0	96	145.7	131.1	56	190.2	171.3
17	12.6	11.4	77	57.2	51.5	37	101.8	91.7	97	146.4	131.8	57	191.0	172.0
18	13.4	12.0	78	58.0	52.2	38	102.6	92.3	98	147.1	132.5	58	191.7	172.6
19	14.1	12.7	79	58.7	52.9	39	103.3	93.0	99	147.9	133.2	59	192.5	173.3
20	14.9	13.4	80	59.5	53.5	40	104.0	93.7	200	148.6	133.8	60	193.2	174.0
21	15.6	14.1	81	60.2	54.2	141	104.8	94.3	201	149.4	134.5	261	194.0	174.6
22	16.3	14.7	82	60.9	54.9	42	105.5	95.0	02	150.1	135.2	62	194.7	175.3
23	17.1	15.4	83	61.7	55.5	43	106.3	95.7	03	150.9	135.8	63	195.4	176.0
24	17.8	16.1	84	62.4	56.2	44	107.0	96.4	04	151.6	136.5	64	196.2	176.7
25	18.6	16.7	85	63.2	56.9	45	107.8	97.0	05	152.3	137.2	65	196.9	177.3
26	19.3	17.4	86	63.9	57.5	46	108.2	97.7	06	153.1	137.8	66	197.7	178.0
27	20.1	18.1	87	64.7	58.2	47	109.2	98.4	07	153.8	138.5	67	198.4	178.7
28	20.8	18.7	88	65.4	58.9	48	110.0	99.0	08	154.6	139.2	68	199.2	179.3
29	21.6	19.4	89	66.1	59.6	49	110.7	99.7	09	155.3	139.8	69	199.9	180.0
30	22.3	20.1	90	66.9	60.2	50	111.5	100.4	10	156.1	140.5	70	200.6	180.7
31	23.0	20.7	91	67.6	60.9	151	112.2	101.0	211	156.8	141.2	271	201.4	181.3
32	23.8	21.4	92	68.4	61.6	52	113.0	101.7	12	157.5	141.9	72	202.1	182.0
33	24.5	22.1	93	69.1	62.2	53	113.7	102.4	13	158.3	142.5	73	202.9	182.7
34	25.3	22.8	94	69.9	62.9	54	114.4	103.0	14	159.0	143.2	74	203.6	183.3
35	26.0	23.4	95	70.6	63.6	55	115.2	103.7	15	159.8	143.9	75	204.4	184.0
36	26.8	24.1	96	71.3	64.2	56	115.9	104.4	16	160.5	144.5	76	205.1	184.7
37	27.5	24.8	97	72.1	64.9	57	116.7	105.1	17	161.3	145.2	77	205.9	185.3
38	28.2	25.4	98	72.8	65.6	58	117.4	105.7	18	162.0	145.9	78	206.6	186.0
39	29.0	26.1	99	73.6	66.2	59	118.2	106.4	19	162.7	146.5	79	207.3	186.7
40	29.7	26.8	100	74.3	66.9	60	118.9	107.1	20	163.5	147.2	80	208.1	187.4
41	30.5	27.4	101	75.1	67.6	161	119.6	107.7	221	164.2	147.9	281	208.8	188.0
42	31.2	28.1	02	75.8	68.3	62	120.4	108.4	22	165.0	148.5	82	209.6	188.7
43	32.0	28.8	03	76.5	68.9	63	121.1	109.1	23	165.7	149.2	83	210.3	189.4
44	32.7	29.4	04	77.3	69.6	64	121.9	109.7	24	166.5	149.9	84	211.1	190.0
45	33.4	30.1	05	78.0	70.3	65	122.6	110.4	25	167.2	150.6	85	211.8	190.7
46	34.2	30.8	06	78.8	70.9	66	123.4	111.1	26	168.0	151.2	86	212.5	191.4
47	34.9	31.4	07	79.5	71.6	67	124.1	111.7	27	168.7	151.9	87	213.3	192.0
48	35.7	32.1	08	80.3	72.3	68	124.8	112.4	28	169.4	152.6	88	214.0	192.7
49	36.4	32.8	09	81.0	72.9	69	125.6	113.1	29	170.2	153.2	89	214.8	193.4
50	37.2	33.5	10	81.7	73.6	70	126.3	113.8	30	170.9	153.9	90	215.5	194.0
51	37.9	34.1	111	82.5	74.3	171	127.1	114.4	231	171.7	154.6	291	216.3	194.7
52	38.6	34.8	12	83.2	74.9	72	127.8	115.1	32	172.4	155.2	92	217.0	195.4
53	39.4	35.5	13	84.0	75.6	73	128.6	115.8	33	173.2	155.9	93	217.7	196.1
54	40.1	36.1	14	84.7	76.3	74	129.3	116.4	34	173.9	156.6	94	218.5	196.7
55	40.9	36.8	15	85.5	77.0	75	130.1	117.1	35	174.6	157.2	95	219.2	197.4
56	41.6	37.5	16	86.2	77.6	76	130.8	117.8	36	175.4	157.9	96	220.0	198.1
57	42.4	38.1	17	86.9	78.3	77	131.5	118.4	37	176.1	158.6	97	220.7	198.7
58	43.1	38.8	18	87.7	79.0	78	132.3	119.1	38	176.9	159.3	98	221.5	199.4
59	43.8	39.5	19	88.4	79.6	79	133.0	119.8	39	177.6	159.9	99	222.2	200.1
60	44.6	40.1	20	89.2	80.3	80	133.8	120.4	40	178.4	160.6	300	222.9	200.7
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 48 Degrees.]

TABLE II.

## Difference of Latitude and Departure for 43 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.7	00.7	61	44.6	41.6	121	88.5	82.5	181	132.4	123.4	241	176.3	164.4
2	01.5	01.4	62	45.3	42.3	22	89.2	83.2	82	133.1	124.1	42	177.0	165.0
3	02.2	02.0	63	46.1	43.0	23	90.0	83.9	83	133.8	124.8	43	177.7	165.7
4	02.9	02.7	64	46.8	43.6	24	90.7	84.6	84	134.6	125.5	44	178.5	166.4
5	03.7	03.4	65	47.5	44.3	25	91.4	85.2	85	135.3	126.2	45	179.2	167.1
6	04.4	04.1	66	48.3	45.0	26	92.2	85.9	86	136.0	126.9	46	179.9	167.8
7	05.1	04.8	67	49.0	45.7	27	92.9	86.6	87	136.8	127.5	47	180.6	168.5
8	05.9	05.5	68	49.7	46.4	28	93.6	87.3	88	137.5	128.2	48	181.4	169.1
9	06.6	06.1	69	50.5	47.1	29	94.3	88.0	89	138.2	128.9	49	182.1	169.8
10	07.3	06.8	70	51.2	47.7	30	95.1	88.7	90	139.0	129.6	50	182.8	170.5
11	08.0	07.5	71	51.9	48.4	131	95.8	89.3	191	139.7	130.3	251	183.6	171.2
12	08.8	08.2	72	52.7	49.1	32	96.5	90.0	92	140.4	130.9	52	184.3	171.9
13	09.5	08.9	73	53.4	49.8	33	97.3	90.7	93	141.2	131.6	53	185.0	172.5
14	10.2	09.5	74	54.1	50.5	34	98.0	91.4	94	141.9	132.3	54	185.8	173.2
15	11.0	10.2	75	54.9	51.1	35	98.7	92.1	95	142.6	133.0	55	186.5	173.9
16	11.7	10.9	76	55.6	51.8	36	99.5	92.8	96	143.3	133.7	56	187.2	174.6
17	12.4	11.6	77	56.3	52.5	37	100.2	93.4	97	144.1	134.4	57	188.0	175.3
18	13.2	12.3	78	57.0	53.2	38	100.9	94.1	98	144.8	135.0	58	188.7	176.0
19	13.9	13.0	79	57.8	53.9	39	101.7	94.8	99	145.5	135.7	59	189.4	176.6
20	14.6	13.6	80	58.5	54.6	40	102.4	95.5	200	146.3	136.4	60	190.2	177.3
21	15.4	14.3	81	59.2	55.2	141	103.1	96.2	201	147.0	137.1	261	190.9	178.0
22	16.1	15.0	82	60.0	55.9	42	103.9	96.8	02	147.7	137.8	62	191.6	178.7
23	16.8	15.7	83	60.7	56.6	43	104.6	97.5	03	148.5	138.4	63	192.3	179.4
24	17.6	16.4	84	61.4	57.3	44	105.3	98.2	04	149.2	139.1	64	193.1	180.0
25	18.3	17.0	85	62.2	58.0	45	106.0	98.9	05	149.9	139.8	65	193.8	180.7
26	19.0	17.7	86	62.9	58.7	46	106.8	99.6	06	150.7	140.5	66	194.5	181.4
27	19.7	18.4	87	63.6	59.3	47	107.5	100.3	07	151.4	141.2	67	195.3	182.1
28	20.5	19.1	88	64.4	60.0	48	108.2	100.9	08	152.1	141.9	68	196.0	182.8
29	21.2	19.8	89	65.1	60.7	49	109.0	101.6	09	152.9	142.5	69	196.7	183.5
30	21.9	20.5	90	65.8	61.4	50	109.7	102.3	10	153.6	143.2	70	197.5	184.1
31	22.7	21.1	91	66.6	62.1	151	110.4	103.0	211	154.3	143.9	271	198.2	184.8
32	23.4	21.8	92	67.3	62.7	52	111.2	103.7	12	155.0	144.6	72	198.9	185.5
33	24.1	22.5	93	68.0	63.4	53	111.9	104.3	13	155.8	145.3	73	199.7	186.2
34	24.9	23.2	94	68.7	64.1	54	112.6	105.0	14	156.5	145.9	74	200.4	186.9
35	25.6	23.9	95	69.5	64.8	55	113.4	105.7	15	157.2	146.6	75	201.1	187.5
36	26.3	24.6	96	70.2	65.5	56	114.1	106.4	16	158.0	147.3	76	201.9	188.2
37	27.1	25.2	97	70.9	66.2	57	114.8	107.1	17	158.7	148.0	77	202.6	188.9
38	27.8	25.9	98	71.7	66.8	58	115.6	107.8	18	159.4	148.7	78	203.3	189.6
39	28.5	26.6	99	72.4	67.5	59	116.3	108.4	19	160.2	149.4	79	204.0	190.3
40	29.3	27.3	100	73.1	68.2	60	117.0	109.1	20	160.9	150.0	80	204.8	191.0
41	30.0	28.0	101	73.9	68.9	161	117.7	109.8	221	161.6	150.7	281	205.5	191.6
42	30.7	28.6	02	74.6	69.6	62	118.5	110.5	22	162.4	151.4	82	206.2	192.3
43	31.4	29.3	03	75.3	70.2	63	119.2	111.2	23	163.1	152.1	83	207.0	193.0
44	32.2	30.0	04	76.1	70.9	64	119.9	111.8	24	163.8	152.8	84	207.7	193.7
45	32.9	30.7	05	76.8	71.6	65	120.7	112.5	25	164.6	153.4	85	208.4	194.4
46	33.6	31.4	06	77.5	72.3	66	121.4	113.2	26	165.3	154.1	86	209.2	195.1
47	34.4	32.1	07	78.3	73.0	67	122.1	113.9	27	166.0	154.8	87	209.9	195.7
48	35.1	32.7	08	79.0	73.7	68	122.9	114.6	28	166.7	155.5	88	210.6	196.4
49	35.8	33.4	09	79.7	74.3	69	123.6	115.3	29	167.5	156.2	89	211.4	197.1
50	36.6	34.1	10	80.4	75.0	70	124.3	115.9	30	168.2	156.9	90	212.1	197.8
51	37.3	34.8	111	81.2	75.7	171	125.1	116.6	231	168.9	157.5	291	212.8	198.5
52	38.0	35.5	12	81.9	76.4	72	125.8	117.3	32	169.7	158.2	92	213.6	199.1
53	38.8	36.1	13	82.6	77.1	73	126.5	118.0	33	170.4	158.9	93	214.3	199.8
54	39.5	36.8	14	83.4	77.7	74	127.3	118.7	34	171.1	159.6	94	215.0	200.5
55	40.2	37.5	15	84.1	78.4	75	128.0	119.3	35	171.9	160.3	95	215.7	201.2
56	41.0	38.2	16	84.8	79.1	76	128.7	120.0	36	172.6	161.0	96	216.5	201.9
57	41.7	38.9	17	85.6	79.8	77	129.4	120.7	37	173.3	161.6	97	217.2	202.6
58	42.4	39.6	18	86.3	80.5	78	130.2	121.4	38	174.1	162.3	98	217.9	203.2
59	43.1	40.2	19	87.0	81.2	79	130.9	122.1	39	174.8	163.0	99	218.7	203.9
60	43.9	40.9	20	87.8	81.8	80	131.6	122.8	40	175.5	163.7	300	219.4	204.6
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 47 Degrees.]



Difference of Latitude and Departure for 44 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.7	00.7	61	43.9	42.4	121	87.0	84.1	181	130.2	125.7	241	173.4	167.4
2	01.4	01.4	62	44.6	43.1	22	87.8	84.7	82	130.9	126.4	42	174.1	168.1
3	02.2	02.1	63	45.3	43.8	23	88.5	85.4	83	131.6	127.1	43	174.8	168.8
4	02.9	02.8	64	46.0	44.5	24	89.2	86.1	84	132.4	127.8	44	175.5	169.5
5	03.6	03.5	65	46.8	45.2	25	89.9	86.8	85	133.1	128.5	45	176.2	170.2
6	04.3	04.2	66	47.5	45.8	26	90.6	87.5	86	133.8	129.2	46	177.0	170.9
7	05.0	04.9	67	48.2	46.5	27	91.4	88.2	87	134.5	129.9	47	177.7	171.6
8	05.8	05.6	68	48.9	47.2	28	92.1	88.9	88	135.2	130.6	48	178.4	172.3
9	06.5	06.3	69	49.6	47.9	29	92.8	89.6	89	136.0	131.3	49	179.1	173.0
10	07.2	06.9	70	50.4	48.6	30	93.5	90.3	90	136.7	132.0	50	179.8	173.7
11	07.9	07.6	71	51.1	49.3	131	94.2	91.0	191	137.4	132.7	251	180.6	174.4
12	08.6	08.3	72	51.8	50.0	32	95.0	91.7	92	138.1	133.4	52	181.3	175.1
13	09.4	09.0	73	52.5	50.7	33	95.7	92.4	93	138.8	134.1	53	182.0	175.7
14	10.1	09.7	74	53.2	51.4	34	96.4	93.1	94	139.6	134.8	54	182.7	176.4
15	10.8	10.4	75	54.0	52.1	35	97.1	93.8	95	140.3	135.5	55	183.4	177.1
16	11.5	11.1	76	54.7	52.8	36	97.8	94.5	96	141.0	136.2	56	184.2	177.8
17	12.2	11.8	77	55.4	53.5	37	98.5	95.2	97	141.7	136.8	57	184.9	178.5
18	12.9	12.5	78	56.1	54.2	38	99.3	95.9	98	142.4	137.5	58	185.6	179.2
19	13.7	13.2	79	56.8	54.9	39	100.0	96.6	99	143.1	138.2	59	186.3	179.9
20	14.4	13.9	80	57.5	55.6	40	100.7	97.3	200	143.9	138.9	60	187.0	180.6
21	15.1	14.6	81	58.3	56.3	141	101.4	97.9	201	144.6	139.6	261	187.7	181.3
22	15.8	15.3	82	59.0	57.0	42	102.1	98.6	02	145.3	140.3	62	188.5	182.0
23	16.5	16.0	83	59.7	57.7	43	102.9	99.3	03	146.0	141.0	63	189.2	182.7
24	17.3	16.7	84	60.4	58.4	44	103.6	100.0	04	146.7	141.7	64	189.9	183.4
25	18.0	17.4	85	61.1	59.0	45	104.3	100.7	05	147.5	142.4	65	190.6	184.1
26	18.7	18.1	86	61.9	59.7	46	105.0	101.4	06	148.2	143.1	66	191.3	184.8
27	19.4	18.8	87	62.6	60.4	47	105.7	102.1	07	148.9	143.8	67	192.1	185.5
28	20.1	19.5	88	63.3	61.1	48	106.5	102.8	08	149.6	144.5	68	192.8	186.2
29	20.9	20.1	89	64.0	61.8	49	107.2	103.5	09	150.3	145.2	69	193.5	186.9
30	21.6	20.8	90	64.7	62.5	50	107.9	104.2	10	151.1	145.9	70	194.2	187.6
31	22.3	21.5	91	65.5	63.2	151	108.6	104.9	211	151.8	146.6	271	194.9	188.3
32	23.0	22.2	92	66.2	63.9	52	109.3	105.6	12	152.5	147.3	72	195.7	188.9
33	23.7	22.9	93	66.9	64.6	53	110.1	106.3	13	153.2	148.0	73	196.4	189.6
34	24.5	23.6	94	67.6	65.3	54	110.8	107.0	14	153.9	148.7	74	197.1	190.3
35	25.2	24.3	95	68.3	66.0	55	111.5	107.7	15	154.7	149.4	75	197.8	191.0
36	25.9	25.0	96	69.1	66.7	56	112.2	108.4	16	155.4	150.0	76	198.5	191.7
37	26.6	25.7	97	69.8	67.4	57	112.9	109.1	17	156.1	150.7	77	199.3	192.4
38	27.3	26.4	98	70.5	68.1	58	113.7	109.8	18	156.8	151.4	78	200.0	193.1
39	28.1	27.1	99	71.2	68.8	59	114.4	110.5	19	157.5	152.1	79	200.7	193.8
40	28.8	27.9	100	71.9	69.5	60	115.1	111.1	20	158.3	152.8	80	201.4	194.5
41	29.5	28.5	101	72.7	70.2	161	115.8	111.8	221	159.0	153.5	281	202.1	195.2
42	30.2	29.2	02	73.4	70.9	62	116.5	112.5	22	159.7	154.2	82	202.9	195.9
43	30.9	29.9	03	74.1	71.5	63	117.3	113.2	23	160.4	154.9	83	203.6	196.6
44	31.7	30.6	04	74.8	72.2	64	118.0	113.9	24	161.1	155.6	84	204.3	197.3
45	32.4	31.3	05	75.5	72.9	65	118.7	114.6	25	161.9	156.3	85	205.0	198.0
46	33.1	32.0	06	76.3	73.6	66	119.4	115.3	26	162.6	157.0	86	205.7	198.7
47	33.8	32.6	07	77.0	74.3	67	120.1	116.0	27	163.3	157.7	87	206.5	199.4
48	34.5	33.3	08	77.7	75.0	68	120.8	116.7	28	164.0	158.4	88	207.2	200.1
49	35.2	34.0	09	78.4	75.7	69	121.6	117.4	29	164.7	159.1	89	207.9	200.8
50	36.0	34.7	10	79.1	76.4	70	122.3	118.1	30	165.4	159.8	90	208.6	201.5
51	36.7	35.4	111	79.8	77.1	171	123.0	118.8	231	166.2	160.5	291	209.3	202.1
52	37.4	36.1	12	80.6	77.8	72	123.7	119.5	32	166.9	161.2	92	210.0	202.8
53	38.1	36.8	13	81.3	78.5	73	124.4	120.2	33	167.6	161.9	93	210.8	203.5
54	38.8	37.5	14	82.0	79.2	74	125.2	120.9	34	168.3	162.6	94	211.5	204.2
55	39.6	38.2	15	82.7	79.9	75	125.9	121.6	35	169.0	163.3	95	212.2	204.9
56	40.3	38.9	16	83.4	80.6	76	126.6	122.3	36	169.8	163.9	96	212.9	205.6
57	41.0	39.6	17	84.2	81.3	77	127.3	123.0	37	170.5	164.6	97	213.6	206.3
58	41.7	40.3	18	84.9	82.0	78	128.0	123.6	38	171.2	165.3	98	214.4	207.0
59	42.4	41.0	19	85.6	82.7	79	128.8	124.3	39	171.9	166.0	99	215.1	207.7
60	43.2	41.7	20	86.3	83.4	80	129.5	125.0	40	172.6	166.7	300	215.8	208.4
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 46 Degrees.

TABLE II.

Difference of Latitude and Departure for 45 Degrees.

Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.	Dist.	Lat.	Dep.
1	00.7	00.7	61	43.1	43.1	121	85.6	85.6	181	123.0	123.0	241	170.4	170.4
2	01.4	01.4	62	43.8	43.8	22	86.3	86.3	82	123.7	123.7	42	171.1	171.1
3	02.1	02.1	63	44.5	44.5	23	87.0	87.0	83	124.4	124.4	43	171.8	171.8
4	02.8	02.8	64	45.3	45.3	24	87.7	87.7	84	130.1	130.1	44	172.5	172.5
5	03.5	03.5	65	46.0	46.0	25	88.4	88.4	85	130.8	130.8	45	173.2	173.2
6	04.2	04.2	66	46.7	46.7	26	89.1	89.1	86	131.5	131.5	46	173.9	173.9
7	04.9	04.9	67	47.4	47.4	27	89.8	89.8	87	132.2	132.2	47	174.7	174.7
8	05.7	05.7	68	48.1	48.1	28	90.5	90.5	88	132.9	132.9	48	175.4	175.4
9	06.4	06.4	69	48.8	48.8	29	91.2	91.2	89	133.6	133.6	49	176.1	176.1
10	07.1	07.1	70	49.5	49.5	30	91.9	91.9	90	134.4	134.4	50	176.8	176.8
11	07.8	07.8	71	50.2	50.2	131	92.6	92.6	191	135.1	135.1	251	177.5	177.5
12	08.5	08.5	72	50.9	50.9	32	93.3	93.3	92	135.8	135.8	52	178.2	178.2
13	09.2	09.2	73	51.6	51.6	33	94.0	94.0	93	136.5	136.5	53	178.9	178.9
14	09.9	09.9	74	52.3	52.3	34	94.7	94.7	94	137.2	137.2	54	179.6	179.6
15	10.6	10.6	75	53.0	53.0	35	95.5	95.5	95	137.9	137.9	55	180.3	180.3
16	11.3	11.3	76	53.7	53.7	36	96.2	96.2	96	138.6	138.6	56	181.0	181.0
17	12.0	12.0	77	54.4	54.4	37	96.9	96.9	97	139.3	139.3	57	181.7	181.7
18	12.7	12.7	78	55.2	55.2	38	97.6	97.6	98	140.0	140.0	58	182.4	182.4
19	13.4	13.4	79	55.9	55.9	39	98.3	98.3	99	140.7	140.7	59	183.1	183.1
20	14.1	14.1	80	56.6	56.6	40	99.0	99.0	200	141.4	141.4	60	183.8	183.8
21	14.8	14.8	81	57.3	57.3	141	99.7	99.7	201	142.1	142.1	261	184.6	184.6
22	15.6	15.6	82	58.0	58.0	42	100.4	100.4	02	142.8	142.8	62	185.3	185.3
23	16.3	16.3	83	58.7	58.7	43	101.1	101.1	03	143.5	143.5	63	186.0	186.0
24	17.0	17.0	84	59.4	59.4	44	101.8	101.8	04	144.2	144.2	64	186.7	186.7
25	17.7	17.7	85	60.1	60.1	45	102.5	102.5	05	145.0	145.0	65	187.4	187.4
26	18.4	18.4	86	60.8	60.8	46	103.2	103.2	06	145.7	145.7	66	188.1	188.1
27	19.1	19.1	87	61.5	61.5	47	103.9	103.9	07	146.4	146.4	67	188.8	188.8
28	19.8	19.8	88	62.2	62.2	48	104.7	104.7	08	147.1	147.1	68	189.5	189.5
29	20.5	20.5	89	62.9	62.9	49	105.4	105.4	09	147.8	147.8	69	190.2	190.2
30	21.2	21.2	90	63.6	63.6	50	106.1	106.1	10	148.5	148.5	70	190.9	190.9
31	21.9	21.9	91	64.3	64.3	151	106.8	106.8	211	149.2	149.2	271	191.6	191.6
32	22.6	22.6	92	65.1	65.1	52	107.5	107.5	12	149.9	149.9	72	192.3	192.3
33	23.3	23.3	93	65.8	65.8	53	108.2	108.2	13	150.6	150.6	73	193.0	193.0
34	24.0	24.0	94	66.5	66.5	54	108.9	108.9	14	151.3	151.3	74	193.7	193.7
35	24.7	24.7	95	67.2	67.2	55	109.6	109.6	15	152.0	152.0	75	194.5	194.5
36	25.5	25.5	96	67.9	67.9	56	110.3	110.3	16	152.7	152.7	76	195.2	195.2
37	26.2	26.2	97	68.6	68.6	57	111.0	111.0	17	153.4	153.4	77	195.9	195.9
38	26.9	26.9	98	69.3	69.3	58	111.7	111.7	18	154.1	154.1	78	196.6	196.6
39	27.6	27.6	99	70.0	70.0	59	112.4	112.4	19	154.9	154.9	79	197.3	197.3
40	28.3	28.3	100	70.7	70.7	60	113.1	113.1	20	155.6	155.6	80	198.0	198.0
41	29.0	29.0	101	71.4	71.4	161	113.8	113.8	221	156.3	156.3	281	198.7	198.7
42	29.7	29.7	02	72.1	72.1	62	114.6	114.6	22	157.0	157.0	82	199.4	199.4
43	30.4	30.4	03	72.8	72.8	63	115.3	115.3	23	157.7	157.7	83	200.1	200.1
44	31.1	31.1	04	73.5	73.5	64	116.0	116.0	24	158.4	158.4	84	200.8	200.8
45	31.8	31.8	05	74.2	74.2	65	116.7	116.7	25	159.1	159.1	85	201.5	201.5
46	32.5	32.5	06	75.0	75.0	66	117.4	117.4	26	159.8	159.8	86	202.2	202.2
47	33.2	33.2	07	75.7	75.7	67	118.1	118.1	27	160.5	160.5	87	202.9	202.9
48	33.9	33.9	08	76.4	76.4	68	118.8	118.8	28	161.2	161.2	88	203.6	203.6
49	34.6	34.6	09	77.1	77.1	69	119.5	119.5	29	161.9	161.9	89	204.4	204.4
50	35.4	35.4	10	77.8	77.8	70	120.2	120.2	30	162.6	162.6	90	205.1	205.1
51	36.1	36.1	111	78.5	78.5	171	120.9	120.9	231	163.3	163.3	291	205.8	205.8
52	36.8	36.8	12	79.2	79.2	72	121.6	121.6	32	164.0	164.0	92	206.5	206.5
53	37.5	37.5	13	79.9	79.9	73	122.3	122.3	33	164.8	164.8	93	207.2	207.2
54	38.2	38.2	14	80.6	80.6	74	123.0	123.0	34	165.5	165.5	94	207.9	207.9
55	38.9	38.9	15	81.3	81.3	75	123.7	123.7	35	166.2	166.2	95	208.6	208.6
56	39.6	39.6	16	82.0	82.0	76	124.5	124.5	36	166.9	166.9	96	209.3	209.3
57	40.3	40.3	17	82.7	82.7	77	125.2	125.2	37	167.6	167.6	97	210.0	210.0
58	41.0	41.0	18	83.4	83.4	78	125.9	125.9	38	168.3	168.3	98	210.7	210.7
59	41.7	41.7	19	84.1	84.1	79	126.6	126.6	39	169.0	169.0	99	211.4	211.4
60	42.4	42.4	20	84.9	84.9	80	127.3	127.3	40	169.7	169.7	300	212.1	212.1
Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.	Dist.	Dep.	Lat.

[For 45 Degrees.]

## MERIDIONAL PARTS.

M.	0d.	1d.	2d.	3d.	4d.	5d.	6d.	7d.	8d.	9d.	10d.	11d.	12d.	13d.	M.
0	0	60	120	180	240	300	361	421	482	542	603	664	725	787	0
1	1	61	121	181	241	301	362	422	483	543	604	665	726	788	1
2	2	62	122	182	242	302	363	423	484	544	605	666	727	789	2
3	3	63	123	183	243	303	364	424	485	545	606	667	728	790	3
4	4	64	124	184	244	304	365	425	486	546	607	668	729	791	4
5	5	65	125	185	245	305	366	426	487	547	608	669	730	792	5
6	6	66	126	186	246	306	367	427	488	548	609	670	731	793	6
7	7	67	127	187	247	307	368	428	489	549	610	671	732	794	7
8	8	68	128	188	248	308	369	429	490	550	611	672	734	795	8
9	9	69	129	189	249	309	370	430	491	551	612	673	735	796	9
10	10	70	130	190	250	310	371	431	492	552	613	674	736	797	10
11	11	71	131	191	251	311	372	432	493	553	614	675	737	798	11
12	12	72	132	192	252	312	373	433	494	554	615	676	738	799	12
13	13	73	133	193	253	313	374	434	495	555	616	677	739	800	13
14	14	74	134	194	254	314	375	435	496	556	617	678	740	801	14
15	15	75	135	195	255	315	376	436	497	557	618	679	741	802	15
16	16	76	136	196	256	316	377	437	498	558	619	680	742	803	16
17	17	77	137	197	257	317	378	438	499	559	620	681	743	804	17
18	18	78	138	198	258	318	379	439	500	560	621	682	744	805	18
19	19	79	139	199	259	319	380	440	501	561	622	683	745	806	19
20	20	80	140	200	260	320	381	441	502	562	623	684	746	807	20
21	21	81	141	201	261	321	382	442	503	564	624	685	747	808	21
22	22	82	142	202	262	322	383	443	504	565	625	687	748	809	22
23	23	83	143	203	263	323	384	444	505	566	626	688	749	810	23
24	24	84	144	204	264	324	385	445	506	567	627	689	750	811	24
25	25	85	145	205	265	325	386	446	507	568	628	690	751	812	25
26	26	86	146	206	266	326	387	447	508	569	629	691	752	813	26
27	27	87	147	207	267	327	388	448	509	570	631	692	753	815	27
28	28	88	148	208	268	328	389	449	510	571	632	693	754	816	28
29	29	89	149	209	269	330	390	450	511	572	633	694	755	817	29
30	30	90	150	210	270	331	391	451	512	573	634	695	756	818	30
31	31	91	151	211	271	332	392	452	513	574	635	696	757	819	31
32	32	92	152	212	272	333	393	453	514	575	636	697	758	820	32
33	33	93	153	213	273	334	394	454	515	576	637	698	759	821	33
34	34	94	154	214	274	335	395	455	516	577	638	699	760	822	34
35	35	95	155	215	275	336	396	456	517	578	639	700	761	823	35
36	36	96	156	216	276	337	397	457	518	579	640	701	762	824	36
37	37	97	157	217	277	338	398	458	519	580	641	702	763	825	37
38	38	98	158	218	278	339	399	459	520	581	642	703	764	826	38
39	39	99	159	219	279	340	400	460	521	582	643	704	765	827	39
40	40	100	160	220	280	341	401	461	522	583	644	705	766	828	40
41	41	101	161	221	281	342	402	462	523	584	645	706	767	829	41
42	42	102	162	222	282	343	403	463	524	585	646	707	768	830	42
43	43	103	163	223	283	344	404	464	525	586	647	708	769	831	43
44	44	104	164	224	284	345	405	465	526	587	648	709	770	832	44
45	45	105	165	225	285	346	406	466	527	588	649	710	771	833	45
46	46	106	166	226	286	347	407	467	528	589	650	711	772	834	46
47	47	107	167	227	287	348	408	468	529	590	651	712	773	835	47
48	48	108	168	228	288	349	409	469	530	591	652	713	774	836	48
49	49	109	169	229	289	350	410	470	531	592	653	714	775	837	49
50	50	110	170	230	290	351	411	471	532	593	654	715	777	838	50
51	51	111	171	231	291	352	412	472	533	594	655	716	778	839	51
52	52	112	172	232	292	353	413	473	534	595	656	717	779	840	52
53	53	113	173	233	293	354	414	474	535	596	657	718	780	841	53
54	54	114	174	234	294	355	415	475	536	597	658	719	781	842	54
55	55	115	175	235	295	356	416	477	537	598	659	720	782	843	55
56	56	116	176	236	296	357	417	478	538	599	660	721	783	844	56
57	57	117	177	237	297	358	418	479	539	600	661	722	784	845	57
58	58	118	178	238	298	359	419	480	540	601	662	723	785	846	58
59	59	119	179	239	299	360	420	481	541	602	663	724	786	847	59
M.	0d.	1d.	2d.	3d.	4d.	5d.	6d.	7d.	8d.	9d.	10d.	11d.	12d.	13d.	M.

TABLE III.

63

## MERIDIONAL PARTS.

M.	14d.	15d.	16d.	17d.	18d.	19d.	20d.	21d.	22d.	23d.	24d.	25d.	26d.	27d.	M.
0	848	910	973	1035	1098	1161	1225	1289	1354	1419	1484	1550	1616	1684	0
1	850	911	974	36	99	63	26	90	55	20	85	51	18	85	1
2	851	913	975	37	1100	64	27	91	56	21	86	52	19	86	2
3	852	914	976	38	01	65	28	92	57	22	87	53	20	87	3
4	853	915	977	39	02	66	29	93	58	23	88	54	21	88	4
5	854	916	978	1041	1103	1167	1230	1295	1359	1424	1490	1556	1622	1689	5
6	855	917	979	42	05	68	32	96	60	25	91	57	23	90	6
7	856	918	980	43	06	69	33	97	61	26	92	58	24	91	7
8	857	919	981	44	07	70	34	98	62	27	93	59	25	93	8
9	858	920	982	45	08	71	35	99	63	28	94	60	26	94	9
10	859	921	983	1046	1109	1172	1236	1300	1364	1430	1495	1561	1628	1695	10
11	860	922	984	47	10	73	37	01	66	31	96	62	29	96	11
12	861	923	985	48	11	74	38	02	67	32	97	63	30	97	12
13	862	924	986	49	12	75	39	03	68	33	98	64	31	98	13
14	863	925	987	50	13	76	40	04	69	34	99	65	32	99	14
15	864	926	988	1051	1114	1177	1241	1305	1370	1435	1500	1567	1633	1700	15
16	865	927	989	52	15	78	42	06	71	36	02	68	34	01	16
17	866	928	990	53	16	79	43	07	72	37	03	69	35	03	17
18	867	929	991	54	17	81	44	08	73	38	04	70	37	04	18
19	868	930	993	55	18	82	45	10	74	39	05	71	38	05	19
20	869	931	994	1056	1119	1183	1246	1311	1375	1440	1506	1572	1639	1706	20
21	870	932	995	57	20	84	48	12	76	41	07	73	40	07	21
22	871	933	996	58	21	85	49	13	77	43	08	74	41	08	22
23	872	934	997	59	22	86	50	14	79	44	09	75	42	09	23
24	873	935	998	60	23	87	51	15	80	45	10	77	43	11	24
25	874	936	999	1061	1125	1188	1252	1316	1381	1446	1511	1578	1644	1712	25
26	875	937	1000	63	26	89	53	17	82	47	13	79	45	13	26
27	876	938	01	64	27	90	54	18	83	48	14	80	47	14	27
28	877	939	02	65	28	91	55	19	84	49	15	81	48	15	28
29	878	941	03	66	29	92	56	20	85	50	16	82	49	16	29
30	879	942	1004	1067	1130	1193	1257	1321	1386	1451	1517	1583	1650	1717	30
31	880	943	05	68	31	94	58	22	87	52	18	84	51	18	31
32	882	944	06	69	32	95	59	24	88	53	19	85	52	20	32
33	883	945	07	70	33	96	60	25	89	55	20	86	53	21	33
34	884	946	08	71	34	98	61	26	90	56	21	88	54	22	34
35	885	947	1009	1072	1135	1199	1262	1327	1392	1457	1522	1589	1656	1723	35
36	886	948	10	73	36	1200	64	29	93	58	24	90	57	24	36
37	887	949	11	74	37	01	65	29	94	59	25	91	58	25	37
38	888	950	12	75	38	02	66	30	95	60	26	92	59	26	38
39	889	951	13	76	39	03	67	31	96	61	27	93	60	27	39
40	890	952	1014	1077	1140	1204	1268	1332	1397	1462	1528	1594	1661	1729	40
41	891	953	15	78	41	05	69	33	98	63	29	95	62	30	41
42	892	954	16	79	42	06	70	34	99	64	30	96	63	31	42
43	893	955	18	80	44	07	71	35	1400	65	31	98	64	32	43
44	894	956	19	81	45	08	72	36	01	67	32	99	66	33	44
45	895	957	1020	1082	1146	1209	1273	1338	1402	1468	1533	1600	1667	1734	45
46	896	958	21	84	47	10	74	39	03	69	35	01	68	35	46
47	897	959	22	85	48	11	75	40	05	70	36	02	69	36	47
48	898	960	23	86	49	12	76	41	06	71	37	03	70	38	48
49	899	961	24	87	50	13	77	42	07	72	38	04	71	39	49
50	900	962	1025	1088	1151	1215	1278	1343	1408	1473	1539	1606	1672	1740	50
51	901	963	26	89	52	16	80	44	09	74	40	06	73	41	51
52	902	964	27	90	53	17	81	45	10	75	41	08	75	42	52
53	903	965	28	91	54	18	82	46	11	76	42	09	76	43	53
54	904	966	29	92	55	19	83	47	12	77	43	10	77	44	54
55	905	968	1030	1093	1156	1220	1284	1348	1413	1479	1544	1611	1678	1746	55
56	906	969	31	94	57	21	86	49	14	80	46	12	79	47	56
57	907	970	32	95	58	22	86	50	15	81	47	13	80	48	57
58	908	971	33	96	59	23	87	52	16	82	48	14	81	49	58
59	909	972	34	97	60	24	88	53	18	83	49	15	82	50	59
M.	14d.	15d.	16d.	17d.	18d.	19d.	20d.	21d.	22d.	23d.	24d.	25d.	26d.	27d.	M.

TABLE III.

## MERIDIONAL PARTS.

M.	28d.	29d.	30d.	31d.	32d.	33d.	34d.	35d.	36d.	37d.	38d.	39d.	40d.	41d.	M.
0	1751	1819	1888	1958	2028	2100	2171	2244	2318	2393	2468	2545	2623	2702	0
1	52	21	90	59	30	01	73	46	19	94	70	46	24	03	1
2	53	22	91	60	31	02	74	47	20	95	71	48	25	04	2
3	55	23	92	62	32	03	75	48	22	96	72	49	27	06	3
4	56	24	93	63	33	04	76	49	23	98	73	50	28	07	4
5	1757	1825	1894	1964	2034	2105	2178	2250	2324	2399	2475	2551	2629	2708	5
6	58	26	95	65	35	07	79	52	25	2400	76	53	31	10	6
7	59	27	96	66	37	08	80	53	27	01	77	54	32	11	7
8	60	29	98	67	38	09	81	54	28	03	78	55	33	12	8
9	61	30	99	69	39	10	82	55	29	04	80	57	34	14	9
10	1762	1831	1900	1970	2040	2111	2184	2257	2330	2405	2481	2558	2636	2715	10
11	64	32	01	71	41	13	85	58	32	06	82	59	37	16	11
12	65	33	02	72	43	14	86	59	33	08	84	60	38	18	12
13	66	34	03	73	44	15	87	60	34	09	85	62	40	19	13
14	67	35	05	74	45	16	88	61	35	10	86	63	41	20	14
15	1768	1837	1906	1976	2046	2117	2190	2263	2337	2411	2487	2564	2642	2722	15
16	69	38	07	77	47	19	91	64	38	13	89	66	44	23	16
17	70	39	08	78	48	20	92	65	39	14	90	67	45	24	17
18	72	40	09	79	50	21	93	66	40	15	91	68	46	26	18
19	73	41	10	80	51	22	94	68	42	16	92	69	48	27	19
20	1774	1842	1912	1981	2052	2123	2196	2269	2343	2418	2494	2571	2649	2728	20
21	75	43	13	83	53	25	97	70	44	19	95	72	50	29	21
22	76	45	14	84	54	26	98	71	45	20	96	73	51	31	22
23	77	46	15	85	56	27	99	72	46	22	98	75	53	32	23
24	78	47	16	86	57	28	2000	74	48	23	99	76	54	33	24
25	1780	1848	1917	1987	2058	2129	2202	2275	2349	2424	2500	2577	2655	2735	25
26	81	49	18	88	59	31	03	76	50	25	01	78	57	36	26
27	82	50	20	90	60	32	04	77	51	27	03	80	58	37	27
28	83	52	21	91	61	33	05	79	53	28	04	81	59	39	28
29	84	53	22	92	63	34	07	80	54	29	05	82	61	40	29
30	1785	1854	1923	1993	2064	2135	2208	2281	2355	2430	2506	2584	2662	2742	30
31	86	56	24	94	65	37	09	82	56	32	08	85	63	43	31
32	87	56	25	95	66	38	10	83	58	33	09	86	65	44	32
33	89	57	27	97	67	39	11	85	59	34	10	88	66	46	33
34	90	58	28	98	69	40	13	86	60	35	12	89	67	47	34
35	1791	1860	1929	1999	2070	2141	2214	2287	2361	2437	2513	2590	2669	2748	35
36	92	61	30	2000	71	43	15	88	63	38	14	91	70	50	36
37	93	62	31	01	72	44	16	90	64	39	15	93	71	51	37
38	94	63	32	02	73	45	17	91	65	40	17	94	73	52	38
39	95	64	34	04	75	46	19	92	66	42	18	95	74	54	39
40	1797	1865	1935	2005	2076	2147	2220	2293	2368	2443	2519	2597	2675	2755	40
41	98	66	36	06	77	49	21	95	69	44	21	98	76	56	41
42	99	68	37	07	78	50	22	96	70	45	22	99	78	58	42
43	1800	69	38	08	79	51	24	97	71	47	23	2601	79	59	43
44	01	70	39	10	80	52	25	98	73	48	24	02	80	60	44
45	1802	1871	1941	2011	2082	2153	2226	2299	2374	2449	2526	2603	2682	2762	45
46	03	72	42	12	83	55	27	2301	75	51	27	04	83	63	46
47	05	73	43	13	84	56	28	02	76	52	28	06	84	64	47
48	06	75	44	14	85	57	30	03	78	53	30	07	86	66	48
49	07	76	45	15	86	58	31	04	79	54	31	08	87	67	49
50	1808	1877	1946	2017	2088	2159	2232	2306	2380	2456	2532	2610	2688	2768	50
51	09	78	48	18	89	61	33	07	81	57	33	11	90	70	51
52	10	79	49	19	90	62	35	08	83	58	35	12	91	71	52
53	11	80	50	20	91	63	36	09	84	59	36	14	92	72	53
54	13	81	51	21	92	64	37	11	85	61	37	15	94	74	54
55	1814	1883	1952	2022	2094	2165	2238	2312	2386	2462	2538	2616	2695	2775	55
56	15	84	53	24	95	67	39	13	88	63	40	17	96	76	56
57	16	85	55	25	96	68	41	14	89	64	41	19	98	78	57
58	17	86	56	26	97	69	42	16	90	66	42	20	99	79	58
59	18	87	57	27	98	70	43	17	91	67	44	21	2700	80	59
M.	28d.	29d.	30d.	31d.	32d.	33d.	34d.	35d.	36d.	37d.	38d.	39d.	40d.	41d.	M.

TABLE III.

## MERIDIONAL PARTS.

M.	42d.	43d.	44d.	45d.	46d.	47d.	48d.	49d.	50d.	51d.	52d.	53d.	54d.	55d.	M.
0	2782	2863	2946	3030	3116	3203	3292	3382	3474	3569	3665	3764	3865	3968	0
1	83	64	47	31	17	04	93	84	76	70	67	65	66	70	1
2	84	66	49	33	18	06	95	85	78	72	68	67	68	71	2
3	86	67	50	34	20	07	96	87	79	74	70	69	70	73	3
4	87	69	51	36	21	09	98	88	81	75	72	70	71	75	4
5	2788	2870	2953	3037	3123	3210	3299	3390	3482	3577	3673	3772	3873	3977	5
6	90	71	54	38	24	12	3301	91	84	78	75	74	75	78	6
7	91	73	56	40	26	13	02	93	85	80	77	75	77	80	7
8	92	74	57	41	27	14	03	94	87	82	78	77	78	82	8
9	94	75	58	43	29	16	05	96	88	83	80	79	80	84	9
10	2795	2877	2960	3044	3130	3217	3306	3397	3490	3585	3681	3780	3882	3985	10
11	97	78	61	46	31	19	08	99	92	86	83	82	83	87	11
12	98	80	63	47	33	20	09	3400	93	88	85	84	85	89	12
13	99	81	64	48	34	22	11	02	95	90	86	85	87	91	13
14	2801	82	65	50	36	23	12	03	96	91	88	87	89	92	14
15	2802	2884	2967	3051	3137	3225	3314	3405	3498	3593	3690	3789	3890	3994	15
16	03	85	68	53	39	26	16	07	99	94	91	90	92	96	16
17	05	86	70	54	40	28	17	08	3501	96	93	92	94	98	17
18	06	88	71	56	42	29	19	10	03	98	95	94	95	99	18
19	07	89	72	57	43	31	20	11	04	99	96	95	97	4001	19
20	2809	2891	2974	3058	3144	3232	3322	3413	3506	3601	3698	3797	3899	4003	20
21	10	92	75	60	46	34	23	14	07	02	99	99	99	03	21
22	11	93	76	61	47	35	25	16	09	04	3701	3800	02	06	22
23	13	95	78	63	49	37	26	17	10	06	03	02	04	08	23
24	14	96	79	64	50	38	28	19	12	07	04	04	06	10	24
25	2815	2897	2981	3065	3152	3240	3329	3420	3514	3609	3706	3806	3907	4012	25
26	17	99	82	67	53	41	31	22	15	10	08	07	09	11	26
27	18	2900	83	68	55	42	32	23	17	12	09	09	11	13	27
28	20	02	85	70	56	44	34	25	18	14	11	11	13	17	28
29	21	03	86	71	57	45	35	27	20	15	13	12	14	19	29
30	2822	2904	2988	3073	3159	3247	3337	3428	3521	3617	3714	3814	3915	4021	30
31	24	06	89	74	60	48	38	30	23	18	16	16	18	22	31
32	25	07	91	75	62	50	40	31	25	20	17	17	19	24	32
33	26	08	92	77	63	51	41	33	26	22	19	19	21	26	33
34	28	10	93	78	65	53	43	34	28	23	21	21	23	28	34
35	2829	2911	2995	3080	3166	3254	3344	3436	3529	3625	3722	3821	3921	4023	35
36	30	13	96	81	68	56	46	37	31	26	24	24	26	31	36
37	32	14	98	83	69	57	47	39	32	28	26	26	28	33	37
38	33	15	99	84	71	59	49	40	34	30	27	27	29	35	38
39	34	17	3000	85	72	60	50	42	36	31	29	29	31	37	39
40	2836	2918	3002	3087	3173	3262	3352	3443	3537	3633	3731	3831	3933	4035	40
41	37	19	03	88	75	63	53	46	39	34	32	32	33	37	41
42	39	21	05	90	76	65	55	47	40	36	34	34	37	41	42
43	40	22	06	91	78	66	56	48	42	38	36	36	38	44	43
44	41	24	07	93	79	68	58	50	43	39	37	38	40	45	44
45	2843	2925	3009	3094	3181	3269	3359	3451	3545	3641	3739	3839	3942	4047	45
46	44	26	10	95	82	71	61	53	47	43	41	41	44	49	46
47	45	28	12	97	84	72	62	54	48	44	42	43	45	51	47
48	47	29	13	98	85	74	64	56	50	46	44	44	47	52	48
49	48	31	14	3100	87	76	65	57	51	47	46	46	49	54	49
50	2849	2932	3016	3101	3188	3277	3367	3459	3553	3649	3747	3848	3951	4056	50
51	51	33	17	03	90	78	68	60	55	51	49	49	52	58	51
52	52	35	19	04	91	80	70	62	56	52	50	51	54	60	52
53	54	36	20	05	92	81	71	64	58	54	52	53	56	61	53
54	55	37	21	07	94	83	73	65	59	55	54	54	58	63	54
55	2856	2939	3023	3108	3195	3284	3374	3467	3561	3657	3755	3856	3959	4065	55
56	58	40	24	10	97	86	76	68	62	59	57	58	61	67	56
57	59	42	26	11	98	87	78	70	64	60	59	60	63	69	57
58	60	43	27	13	3200	89	79	71	66	62	60	61	64	70	58
59	62	44	29	14	01	90	81	73	67	64	62	63	66	72	59
M.	42d.	43d.	44d.	45d.	46d.	47d.	48d.	49d.	50d.	51d.	52d.	53d.	54d.	55d.	M.

TABLE III.

## MERIDIONAL PARTS.

M.	56d.	57d.	58d.	59d.	60d.	61d.	62d.	63d.	64d.	65d.	66d.	67d.	68d.	69d.	M.
0	4074	4183	4294	4409	4527	4649	4775	4905	5039	5179	5324	5474	5631	5795	0
1	76	84	96	11	29	51	77	07	42	81	26	77	33	97	1
2	77	86	98	13	31	53	79	09	44	84	28	79	36	5800	2
3	79	88	4300	15	33	55	81	12	46	86	31	82	39	03	3
4	81	90	02	17	35	57	84	14	49	88	33	84	42	06	4
5	4083	4192	4304	4419	4537	4660	4786	4916	5051	5191	5336	5487	5644	5809	5
6	85	94	06	21	39	62	88	18	53	93	38	89	47	11	6
7	86	95	08	23	41	64	90	20	55	95	41	92	50	14	7
8	88	97	09	25	43	66	92	23	58	98	43	95	52	17	8
9	90	99	11	27	45	68	94	25	60	5200	46	97	55	20	9
10	4092	4201	4313	4429	4547	4670	4796	4927	5062	5203	5348	5500	5658	5823	10
11	94	03	15	31	49	72	98	29	65	05	51	02	60	25	11
12	95	05	17	33	51	74	4801	31	67	07	53	05	63	28	12
13	97	07	19	34	53	76	03	34	69	10	56	07	66	31	13
14	99	08	21	36	55	78	05	36	71	12	58	10	68	34	14
15	4101	4210	4323	4438	4557	4680	4807	4938	5074	5214	5361	5513	5671	5837	15
16	03	12	25	40	59	82	09	40	76	17	63	15	74	39	16
17	04	14	27	42	62	84	11	43	78	19	66	18	76	42	17
18	06	16	28	44	64	87	14	45	81	22	68	20	79	45	18
19	08	18	30	46	66	89	16	47	83	24	71	23	82	48	19
20	4110	4220	4332	4448	4568	4691	4818	4949	5085	5226	5373	5526	5685	5851	20
21	12	21	34	50	70	93	20	51	88	29	76	28	87	54	21
22	13	23	36	52	72	95	22	54	90	31	78	31	90	56	22
23	15	25	38	54	74	97	24	56	92	34	80	33	93	59	23
24	17	27	40	56	76	99	26	58	95	36	83	36	95	62	24
25	4119	4229	4342	4458	4578	4701	4829	4960	5097	5238	5385	5539	5698	5865	25
26	21	31	44	60	80	03	31	63	99	41	88	41	5701	68	26
27	22	32	46	62	82	05	33	65	5102	43	90	44	04	71	27
28	24	34	47	64	84	07	35	67	04	46	93	46	06	74	28
29	26	36	49	66	86	10	37	69	06	48	95	49	09	76	29
30	4128	4238	4351	4468	4588	4712	4839	4972	5108	5250	5398	5552	5712	5879	30
31	30	40	53	70	90	14	42	74	11	53	5401	54	15	82	31
32	32	42	55	72	92	16	44	76	13	55	03	57	17	85	32
33	33	44	57	74	94	18	46	78	15	58	06	59	20	88	33
34	35	46	59	76	96	20	48	81	18	60	08	62	23	91	34
35	4137	4247	4361	4478	4598	4722	4850	4983	5120	5263	5411	5565	5725	5894	35
36	39	49	63	80	4600	24	52	85	22	65	13	67	28	96	36
37	41	51	65	82	02	26	55	87	25	67	16	70	31	99	37
38	42	53	67	84	04	28	57	90	27	70	18	73	34	5902	38
39	44	55	69	86	06	31	59	92	29	72	21	75	36	05	39
40	4146	4257	4370	4488	4608	4733	4861	4994	5132	5275	5423	5578	5739	5908	40
41	48	59	72	90	10	35	63	96	34	77	26	80	42	11	41
42	50	60	74	92	12	37	65	99	36	80	28	83	45	14	42
43	52	62	76	94	14	39	68	5001	39	82	31	86	47	17	43
44	53	64	78	95	16	41	70	03	41	84	33	88	50	19	44
45	4155	4266	4380	4497	4618	4743	4872	5005	5143	5287	5436	5591	5753	5922	45
46	57	68	82	99	20	45	74	08	46	89	38	94	56	25	46
47	59	70	84	4501	23	47	76	10	48	92	41	96	58	28	47
48	61	72	86	03	25	50	79	12	51	94	43	99	61	31	48
49	62	74	88	05	27	52	81	14	53	97	46	5602	64	34	49
50	4164	4275	4390	4507	4629	4754	4883	5017	5155	5299	5448	5604	5767	5937	50
51	66	77	92	09	31	56	85	19	58	5301	51	07	70	40	51
52	68	79	94	11	33	58	87	21	60	04	54	10	72	43	52
53	70	81	96	13	35	60	90	23	62	06	56	12	75	46	53
54	72	83	98	15	37	62	92	26	65	09	59	15	78	48	54
55	4173	4285	4399	4517	4639	4764	4894	5028	5167	5311	5461	5617	5781	5951	55
56	75	87	4401	19	41	66	96	30	69	14	64	20	83	54	56
57	77	89	03	21	43	69	98	33	72	16	66	23	86	57	57
58	79	91	05	23	45	71	4901	35	74	19	69	25	89	60	58
59	81	92	07	25	47	73	03	37	76	21	71	28	92	63	59
M.	56d.	57d.	58d.	59d.	60d.	61d.	62d.	63d.	64d.	65d.	66d.	67d.	68d.	69d.	M.

TABLE III.

67

## MERIDIONAL PARTS.

M.	70d.	71d.	72d.	73d.	74d.	75d.	76d.	77d.	78d.	79d.	80d.	81d.	82d.	83d.	M.
0	5966	6146	6335	6534	6746	6970	7210	7467	7745	8046	8375	8739	9145	9606	0
1	69	49	38	38	49	74	14	72	49	51	11	45	53	14	1
2	72	52	41	41	53	78	18	76	54	56	37	52	60	22	2
3	75	55	45	45	57	82	22	81	59	61	93	58	67	31	3
4	78	58	48	48	60	86	27	85	64	67	98	65	74	39	4
5	5981	6161	6351	6552	6764	6990	7231	7490	7769	8072	8404	8771	9182	9647	5
6	84	64	54	55	68	94	35	94	74	77	10	78	89	55	6
7	86	67	58	58	71	97	39	98	78	83	16	84	96	64	7
8	89	70	61	62	75	100	43	100	83	88	22	91	102	72	8
9	92	73	64	65	79	105	47	107	88	93	27	97	111	80	9
10	5995	6177	6367	6569	6782	7009	7252	7512	7793	8099	8433	8804	9218	9689	10
11	98	80	71	72	86	13	56	16	98	8104	39	10	25	97	11
12	6001	63	74	76	90	17	60	21	7803	09	45	17	33	9706	12
13	04	86	77	79	93	21	64	25	08	15	51	23	40	14	13
14	07	8	80	83	97	25	68	30	13	20	57	30	48	23	14
15	6010	6192	6384	6586	6801	7029	7273	7535	7817	8125	8463	8836	9255	9731	15
16	13	95	87	90	104	33	77	39	22	31	69	43	62	40	16
17	16	96	90	93	108	37	81	44	27	36	74	49	70	48	17
18	19	6201	94	97	12	41	85	48	32	41	80	56	77	57	18
19	22	05	97	6600	15	45	89	53	37	47	86	63	85	65	19
20	6.25	6208	6400	6603	6819	7048	7294	7557	7842	8152	8492	8869	9292	9774	20
21	28	11	03	07	23	52	98	62	47	58	98	76	9300	83	21
22	31	14	07	10	26	56	7302	66	52	63	8504	83	07	91	22
23	34	17	10	14	30	60	06	71	57	68	10	89	15	9800	23
24	37	20	13	17	34	64	11	76	62	74	16	96	22	09	24
25	6040	6223	6417	6621	6838	7068	7315	7580	7867	8179	8522	8903	9330	9817	25
26	43	26	20	24	41	72	19	85	72	85	28	09	37	26	26
27	46	30	23	28	45	76	23	89	77	90	34	16	45	35	27
28	49	33	27	31	49	80	28	94	82	96	40	23	53	44	28
29	52	36	30	35	53	84	32	99	87	8201	46	30	60	52	29
30	6055	6239	6433	6639	6856	7088	7336	7603	7892	8207	8552	8936	9368	9861	30
31	58	42	37	42	60	92	41	08	97	12	58	43	76	70	31
32	61	45	40	46	64	96	45	12	7902	16	65	50	83	79	32
33	64	49	43	49	68	100	49	17	07	23	71	57	91	88	33
34	67	52	47	53	71	104	53	22	12	29	77	63	99	97	34
35	6070	6255	6450	6656	6875	7108	7358	7626	7917	8234	8583	8970	9407	9906	35
36	73	58	53	60	79	12	62	31	22	40	89	77	14	15	36
37	76	61	57	63	83	16	66	36	27	45	95	84	22	24	37
38	79	64	60	67	86	20	71	40	32	51	8601	91	30	33	38
39	82	67	63	70	90	24	75	45	37	56	07	98	33	42	39
40	6085	6271	6467	6674	6894	7128	7379	7650	7942	8262	8614	9005	9445	9951	40
41	88	74	70	77	98	32	84	54	48	67	20	12	53	60	41
42	91	77	73	81	101	36	88	59	53	73	26	18	61	69	42
43	94	80	77	85	105	40	92	64	58	79	32	25	69	78	43
44	97	83	80	88	109	45	97	68	63	84	38	32	77	87	44
45	6100	6287	6483	6692	6913	7149	7401	7673	7968	8290	8644	9039	9485	9996	45
46	03	90	87	95	17	53	06	78	73	95	51	46	93	10005	46
47	06	93	90	99	20	57	10	83	78	8301	57	53	9601	10015	47
48	09	96	94	102	24	61	14	87	83	07	63	60	09	10024	48
49	12	99	97	106	28	65	19	92	89	12	69	67	17	10033	49
50	6115	6303	6500	6710	6932	7169	7423	7697	7994	8318	8676	9074	9525	10043	50
51	18	06	04	13	36	73	27	7702	99	24	82	81	33	10052	51
52	21	09	07	17	40	77	32	06	8004	29	88	88	41	10061	52
53	24	12	11	20	43	81	36	11	09	35	95	96	49	10071	53
54	27	15	14	24	47	85	41	16	14	41	8701	9103	57	10080	54
55	6130	6319	6517	6728	6951	7189	7445	7721	8020	8347	8707	9110	9565	10089	55
56	33	22	21	31	55	94	49	25	25	52	14	17	73	10099	56
57	36	25	24	35	59	98	54	30	30	58	20	24	81	10108	57
58	40	28	28	38	63	102	58	35	35	64	26	31	89	10118	58
59	43	32	31	42	66	106	63	40	40	69	33	38	98	10127	59
M.	70d.	71d.	72d.	73d.	74d.	75d.	76d.	77d.	78d.	79d.	80d.	81d.	82d.	83d.	M.



## TABLE IV. THE SUN'S DECLINATION

FOR THE YEAR 1824,

WHICH WILL ANSWER NEARLY FOR THE YEARS 1820, 1828, 1832, 1836.

DAYS.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	DAYS.
	South.	South.	South.	North.	North.	North.	North.	North.	North.	South.	South.	South.	
1	23.5	17.18	7.99	4.38	15.9	22.6	23.7	18.0	8.14	3.16	14.31	21.59	1
2	23.00	17.1	7.6	5.1	15.27	22.14	23.3	17.45	7.52	3.39	14.50	22.1	2
3	22.55	16.44	6.43	5.24	15.45	22.21	22.59	17.29	7.30	4.3	15.9	22.10	3
4	22.49	16.26	6.20	5.47	16.2	22.28	22.53	17.13	7.8	4.26	15.28	22.14	4
5	22.42	16.8	5.57	6.10	16.19	22.35	22.48	16.57	6.45	4.49	15.46	22.26	5
6	22.36	15.50	5.34	6.33	16.36	22.41	22.42	16.41	6.23	5.12	16.4	22.33	6
7	22.29	15.32	5.10	6.55	16.53	22.47	22.36	16.24	6.1	5.35	16.22	22.40	7
8	22.21	15.13	4.47	7.18	17.9	22.53	22.29	16.7	5.38	5.58	16.40	22.46	8
9	22.13	14.54	4.23	7.40	17.25	22.58	22.22	15.50	6.15	6.21	16.57	22.52	9
10	22.5	14.35	4.00	8.2	17.41	23.3	22.14	15.32	4.53	6.44	17.14	22.58	10
11	21.56	14.15	3.36	8.24	17.56	23.7	22.7	15.15	4.30	7.6	17.31	23.3	11
12	21.46	13.56	3.13	8.46	15.12	23.11	21.58	14.57	1.7	7.29	17.47	23.7	12
13	21.37	13.36	2.49	9.8	18.27	23.14	21.50	14.38	3.44	7.52	18.3	23.11	13
14	21.26	13.16	2.26	9.30	18.41	23.18	21.41	14.20	3.21	8.14	18.19	23.15	14
15	21.16	12.65	2.2	9.51	13.55	23.20	21.32	14.1	2.58	8.36	18.34	23.18	15
16	21.5	12.35	1.35	10.12	19.9	23.23	21.22	13.42	2.35	9.58	18.49	23.21	16
17	20.54	12.14	1.15	10.33	19.23	23.24	21.12	13.23	2.11	9.21	19.4	23.25	17
18	20.42	11.53	0.51	10.54	19.36	23.26	21.1	13.4	1.48	9.42	19.18	23.25	18
19	20.30	11.32	0.27	11.15	19.49	23.27	20.51	12.44	1.25	10.4	19.35	23.26	19
20	20.17	11.11	0.4S	11.36	20.2	23.28	20.39	12.25	1.1	10.26	19.46	23.27	20
21	20.4	10.49	0.20N	11.56	20.14	23.28	20.28	12.5	0.39	10.47	20.00	23.28	21
22	19.51	10.27	0.44	12.16	20.26	23.29	20.16	11.44	0.15N	11.9	20.13	23.28	22
23	19.37	10.61	8	12.36	20.38	23.27	20.4	11.24	0.9S	11.30	20.25	23.27	23
24	19.23	9.44	1.31	12.56	20.49	23.26	19.52	11.4	0.32	11.51	20.37	23.26	24
25	19.9	9.21	1.55	13.16	21.00	23.25	19.39	10.43	0.56	12.19	20.49	23.25	25
26	18.54	8.59	2.18	13.35	21.10	23.23	19.26	10.22	1.19	12.32	21.1	23.23	26
27	18.39	8.37	2.42	13.54	21.20	23.20	19.12	10.1	1.43	12.53	21.12	23.20	27
28	18.23	8.14	3.5	14.13	21.30	23.18	18.58	9.40	2.6	13.13	21.23	23.17	28
29	18.8	7.52	3.29	14.32	21.40	23.15	18.44	9.19	2.29	13.33	21.33	23.14	29
30	17.51		3.52	14.51	21.49	23.11	18.30	8.57	2.53	13.52	21.43	23.10	30
31	17.35		4.15		21.57		18.15	8.35		14.12		23.6	31

## TABLE IV. A.—THE EQUATION OF TIME

FOR THE YEAR 1824,

WHICH WILL ANSWER NEARLY FOR THE YEARS 1828, 1832, 1836.

DAYS.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	DAYS.
	Add to ap. tim.	Add to ap. tim.	Add to ap. tim.	Add to ap. tim.	Sub. fr. ap. tim.	Sub. fr. ap. tim.	Add to ap. tim.	Add to ap. tim.	Sub. fr. ap. tim.	Sub. fr. ap. tim.	Sub. fr. ap. tim.	Sub. fr. ap. tim.	
	M. S.	M. S.	M. S.	M. S.	M. S.	M. S.	M. S.	M. S.	M. S.	M. S.	M. S.	M. S.	
1	8.35	13.92	12.56	8.56	3.5	2.93	3.25	5.58	0.12	10.23	16.15	10.57	1
2	4	14.1	12.24	3.37	3.12	2.24	3.37	5.54	0.51	10.41	16.16	10.14	2
3	4.32	14.8	12.11	3.19	3.19	2.14	3.4	5.50	0.51	11.00	16.16	9.51	3
4	8.0	14.14	11.58	3.1	3.25	2.5	3.59	5.45	1.10	11.18	16.15	9.26	4
5	5.27	14.20	11.44	2.44	3.31	1.84	4.9	5.39	1.50	11.36	16.14	9.2	5
6	5.54	14.25	11.30	2.26	3.38	1.41	4.19	5.33	1.50	11.54	16.11	8.96	6
7	6.21	14.29	11.15	2.9	3.41	1.33	4.29	5.26	2.10	12.11	16.8	8.10	7
8	6.47	14.32	11.00	1.51	3.45	1.22	4.39	5.19	2.30	12.28	16.4	7.44	8
9	7.18	14.34	10.45	1.54	3.48	1.11	4.48	5.10	2.51	12.44	15.59	7.17	9
10	7.38	14.36	10.29	1.16	3.51	0.99	4.56	5.2	3.12	13.00	15.53	6.90	10
11	8.2	14.36	10.18	1.1	3.58	0.47	5.4	4.58	3.52	13.15	15.48	6.22	11
12	8.29	14.36	9.97	0.45	3.55	0.35	5.12	4.43	3.53	13.30	15.39	5.54	12
13	8.49	14.35	9.40	0.29	3.56	0.23	5.19	4.32	4.14	13.44	15.30	5.26	13
14	9.11	14.34	9.25	0.14	3.57	0.10	5.26	4.22	4.55	13.58	15.21	4.57	14
15	9.38	14.31	9.6	subo. 2	3.57	add. 0.02	5.32	4.10	4.56	14.11	15.10	4.28	15
16	9.54	14.28	8.48	0.16	3.56	0.15	5.38	3.98	5.17	14.24	14.98	3.58	16
17	10.15	14.24	8.30	0.31	3.55	0.28	5.44	3.46	5.38	14.38	14.47	3.28	17
18	10.34	14.20	8.13	0.45	3.54	0.40	5.49	3.33	5.59	14.47	14.55	2.59	18
19	10.54	14.15	7.54	0.59	3.51	0.53	5.53	3.20	6.20	14.58	14.21	2.29	19
20	11.12	14.9	7.36	1.12	3.48	1.6	5.57	3.6	6.41	15.8	14.6	1.59	20
21	11.30	14.2	7.18	1.25	3.45	1.19	6.00	2.52	7.2	15.18	13.51	1.28	21
22	11.46	13.65	7.00	1.37	3.41	1.32	6.3	2.37	7.23	15.26	13.33	0.98	22
23	12.9	13.47	6.41	1.49	3.36	1.45	6.5	2.22	7.44	15.35	13.18	0.78	23
24	12.18	13.39	6.23	2.00	3.31	1.58	6.7	2.6	8.4	15.42	13.1	addo. 2.24	24
25	12.33	13.33	6.4	2.11	3.26	2.11	6.8	1.50	8.24	15.49	12.42	0.32	25
26	12.46	13.20	5.48	2.21	3.20	2.24	6.8	1.34	8.45	15.55	12.23	1.28	26
27	12.59	13.10	5.27	2.31	3.13	2.37	6.8	1.17	9.5	16.00	12.3	1.31	27
28	13.12	12.59	5.9	2.40	3.6	2.49	6.7	1.00	9.24	16.6	11.43	2.1	28
29	13.23	12.41	4.50	2.49	2.58	3.1	6.6	0.62	9.44	16.8	11.22	3.20	29
30	13.34		4.32	2.58	2.60	3.13	6.4	0.24	10.3	16.12	11.00	2.36	30
31	13.44		4.13		2.42		6.1	0.6		16.14		3.38	31



TABLE IV. THE SUN'S DECLINATION

FOR THE YEAR 1825,

WHICH WILL ANSWER NEARLY FOR THE YEARS 1829, 1833, 1837.

DAY	Jan.		Feb.		March.		April.		May.		June.		July.		Aug.		Sept.		Oct.		Nov.		Dec.		DAY
	South.	South.	South.	South.	North.	North.	North.	North.	North.	North.	North.	North.	North.	North.	North.	North.	North.	South.	South.	South.	South.	South.	South.	South.	
1		17.5	7.34	4.33	15.4	22.4	23.8	18.4	8.19	3.10	14.27	21.50	1												
2	22.56	16.48	7.11	4.56	15.22	22.12	23.4	17.48	7.57	3.34	14.46	21.59	2												
3	22.50	16.31	6.49	5.19	15.40	22.19	23.00	17.33	7.35	3.57	15.5	22.8	3												
4	22.44	16.15	6.26	5.42	15.58	22.26	22.55	17.17	7.13	4.20	15.23	22.16	4												
5	22.37	15.55	6.2	6.4	16.15	22.33	22.49	17.16	6.51	4.43	15.49	22.24	5												
6	22.30	15.36	5.39	6.27	16.32	22.40	22.43	16.45	6.29	5.7	16.00	22.31	6												
7	22.27	15.18	5.16	6.50	16.49	22.46	22.37	16.25	6.6	5.30	16.18	22.38	7												
8	22.15	14.58	4.53	7.19	17.5	22.51	22.31	16.11	5.44	5.53	16.33	22.45	8												
9	22.7	14.40	4.29	7.34	17.21	22.57	22.24	15.54	5.21	6.15	16.53	22.51	9												
10	21.58	14.20	4.6	7.57	17.37	23.1	22.16	15.37	4.58	6.38	17.10	22.56	10												
11	21.49	4.13	4.42	8.19	17.53	23.6	22.9	15.19	4.35	7.1	17.27	23.1	11												
12	21.39	13.41	3.19	8.41	18.8	23.10	22.00	15.14	4.12	7.24	17.43	23.6	12												
13	21.29	13.21	2.55	9.3	18.27	23.14	21.52	14.43	3.49	7.46	17.59	23.10	13												
14	21.18	13.00	2.31	9.24	18.37	23.17	21.43	14.24	3.26	8.18	18.15	23.14	14												
15	21.1	12.40	2.8	9.46	18.52	23.20	21.34	14.63	3.5	8.31	18.31	23.18	15												
16	20.56	12.19	1.44	10.7	19.6	23.24	21.24	13.47	2.40	8.53	18.46	23.20	16												
17	20.44	11.58	1.20	10.28	19.20	23.24	21.14	13.28	2.17	9.15	19.1	23.23	17												
18	20.33	11.37	0.57	10.49	19.33	23.26	21.4	13.8	1.54	9.37	19.15	23.25	18												
19	20.20	11.16	0.33	11.10	19.46	23.27	20.53	12.49	1.30	9.59	19.29	23.26	19												
20	20.7	11.54	0.98	11.31	19.59	23.27	20.42	12.29	1.7	10.21	19.43	23.27	20												
21	19.54	11.33	0.15N	11.51	20.11	23.28	20.31	12.9	0.44	10.42	19.56	23.28	21												
22	19.40	10.11	0.38	12.12	20.23	23.28	20.19	11.49	0.20N	11.4	20.10	23.28	22												
23	19.26	9.49	1.2	12.32	20.33	23.27	20.7	11.29	0.38	11.25	20.22	23.27	23												
24	19.12	9.27	1.25	12.53	20.46	23.26	19.55	11.9	0.27	11.46	20.35	23.26	24												
25	18.57	9.5	1.49	13.11	20.57	23.25	19.42	10.48	0.50	12.7	20.46	23.25	25												
26	18.42	8.48	2.13	13.31	21.8	23.23	19.29	10.27	1.13	12.27	20.58	23.23	26												
27	18.27	8.90	2.36	13.50	21.18	23.21	19.15	10.6	1.37	12.48	21.9	23.21	27												
28	18.11	7.57	3.00	14.9	21.28	23.18	19.2	9.45	2.00	13.8	21.30	23.18	28												
29	17.55		3.23	14.28	21.37	23.15	18.42	9.24	2.24	13.22	21.30	23.15	29												
30	17.39		3.46	14.46	21.46	23.12	18.33	9.2	2.47	13.48	21.40	23.11	30												
31	17.22		4.9		21.55			18.19	8.41	14.7		23.73	31												

TABLE IV. A.—THE EQUATION OF TIME

FOR THE YEAR 1825,

WHICH WILL ANSWER NEARLY FOR THE YEARS 1829, 1833, 1837.

DAY	Jan.		Feb.		March.		April.		May.		June.		July.		Aug.		Sept.		Oct.		Nov.		Dec.		DAY
	Add to app. time	M. S.	Add to app. time	M. S.	Add to app. time	M. S.	Add to app. time	M. S.	Sub. fr. app. time	M. S.	Sub. fr. app. time	M. S.	Add to app. time	M. S.	Sub. fr. app. time	M. S.	Add to app. time	M. S.	Sub. fr. app. time	M. S.	Sub. fr. app. time	M. S.	Sub. fr. app. time	M. S.	
1	3.57	13.38	12.20	5.58	3.4	2.37	3.21	5.58	0.9	10.18	16.15	10.40	1												
2	4.25	11.6	12.27	3.41	3.12	2.22	3.23	5.54	0.22	10.37	16.16	10.20	2												
3	4.55	14.12	12.14	3.23	3.19	2.16	3.43	5.50	0.47	10.56	16.16	9.56	3												
4	5.20	14.15	12.1	3.9	3.25	2.9	3.54	5.45	1.6	11.14	16.15	9.29	4												
5	5.47	14.23	11.47	2.47	3.31	1.59	4.5	5.39	1.24	11.32	16.14	9.7	5												
6	6.19	14.27	11.35	2.2	3.3	1.47	4.15	5.33	1.4	11.50	16.11	9.42	6												
7	6.39	14.30	11.17	2.12	3.41	1.37	4.23	5.28	2.6	12.7	16.8	8.16	7												
8	7.5	14.3	11.5	1.54	3.45	1.28	4.3	5.19	2.2	12.28	16.4	7.49	8												
9	7.20	14.34	10.44	1.37	3.45	1.15	4.44	5.11	2.4	12.38	15.59	7.22	9												
10	7.55	14.35	10.32	1.21	3.32	1.9	4.52	5.9	3.7	12.56	15.53	6.54	10												
11	8.17	14.35	10.16	1.4	3.54	0.31	5.1	4.54	3.27	13.11	15.46	6.21	11												
12	8.42	14.35	10.0	0.48	3.54	0.39	5.3	4.45	3.48	13.23	15.39	5.59	12												
13	9.5	14.33	9.43	0.3	3.57	0.27	5.17	4.33	4.9	13.40	15.30	5.31	13												
14	9.27	14.31	9.28	0.17	3.58	0.14	5.24	4.24	4.29	13.53	15.21	5.2	14												
15	9.48	14.29	9.19	0.2	3.58	0.2	5.30	4.18	4.50	14.7	15.11	4.35	15												
16	10.9	14.25	8.52	0.13	3.57	0.11	5.37	4.1	5.11	14.19	15.0	4.3	16												
17	10.29	14.21	8.35	0.22	3.58	0.24	5.42	3.49	5.32	14.31	14.48	3.34	17												
18	10.49	14.18	8.17	0.41	3.54	0.37	5.47	3.37	5.53	14.45	14.36	3.4	18												
19	11.7	14.10	7.59	0.55	3.52	0.50	5.52	3.23	6.14	14.54	14.23	2.35	19												
20	11.25	14.4	7.41	1.8	3.49	1.9	5.56	3.10	6.35	15.4	14.8	2.20	20												
21	11.43	13.57	7.29	1.21	3.47	1.16	5.59	2.56	6.56	15.14	13.54	1.55	21												
22	11.59	13.50	7.5	1.33	3.42	1.29	6.2	2.41	7.17	15.23	13.38	1.9	22												
23	12.1	13.41	6.46	1.43	3.37	1.42	6.4	2.28	7.38	15.32	13.21	0.35	23												
24	12.30	13.32	6.28	1.57	3.32	1.55	6.6	2.10	7.59	15.35	13.4	0.524	24												
25	12.44	13.23	6.9	2.5	3.27	2.8	6.7	1.84	8.19	15.48	12.46	0.25	25												
26	12.57	13.13	5.51	2.18	3.21	2.20	6.8	1.38	8.40	15.58	12.57	0.55	26												
27	13.9	13.5	5.22	2.29	3.15	2.33	6.7	1.21	8.0	15.58	12.8	1.24	27												
28	13.21	12.51	5.14	2.34	3.6	2.45	6.7	1.4	8.20	16.3	11.48	1.54	28												
29	13.53		4.56	2.47	3.1	2.57	6.5	0.68	8.40	16.7	11.27	2.23	29												
30	13.41		4.36	2.56	2.53	3.5	6.5	0.28	8.59	16.11	11.5	2.65	30												
31	13.50		4.18		2.40		6.1	0.10		16.15		3.21	31												

TABLE IV. THE SUN'S DECLINATION

FOR THE YEAR 1826,

WHICH WILL ANSWER NEARLY FOR THE YEARS 1830, 1834, 1838.

Table with columns for months (Jan. to Dec.) and days (DAYS), showing solar declination values. Each month's column has sub-columns for 'South' and 'North' with 'D' and 'I' markers. Values range from 17.26 to 23.81.

TABLE IV. A.—THE EQUATION OF TIME

FOR THE YEAR 1826,

WHICH WILL ANSWER NEARLY FOR THE YEARS 1830, 1834.

Table with columns for months (Jan. to Dec.) and days (DAYS), showing equation of time values. Each month's column has sub-columns for 'Add to ap. time' and 'Sub. fr. ap. time' with 'M. S.' markers. Values range from 13.47 to 31.81.

**TABLE IV. THE SUN'S DECLINATION**

71

FOR THE YEAR 1897,

WHICH WILL ANSWER NEARLY FOR THE YEARS 1831, 1835.

DAYS.	Jan.			Feb.			March			April			May			June			July			Aug.			Sept.			Oct.			Nov.			Dec.			DAYS.
	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.	South.			
1	23.31	17.14	7.45				4.21	14.56	22.00	23.10	18.11	8.29	2.89	14.17	21.45	1																					
2	22.58	16.57	7.23	4.45	15.14	22.8	4.45	15.14	22.8	23.6	17.56	8.8	3.22	14.36	21.54	2																					
3	22.53	16.39	7.00	5.8	15.32	22.16	5.8	15.32	22.16	23.2	17.40	7.46	3.46	14.55	22.3	3																					
4	22.47	16.21	6.37	5.31	15.49	22.23	5.31	15.49	22.23	22.57	17.25	7.24	4.9	15.14	22.12	4																					
5	22.41	16.36	6.14	5.53	16.7	22.30	5.53	16.7	22.30	22.52	17.97	2	4.32	15.33	22.20	5																					
6	22.34	15.45	5.50	6.16	16.24	22.37	6.16	16.24	22.37	22.46	16.52	6.39	4.55	15.51	22.27	6																					
7	22.26	15.27	5.27	6.39	16.11	22.43	6.39	16.11	22.43	22.40	16.36	6.17	5.18	16.9	22.35	7																					
8	22.19	15.85	4	7.1	16.57	22.49	7.1	16.57	22.49	22.34	16.19	5.54	5.41	16.27	22.41	8																					
9	22.11	14.49	4.41	7.24	17.13	22.54	7.24	17.13	22.54	22.27	16.25	5.32	6.4	16.44	22.48	9																					
10	22.2	14.30	4.17	7.46	17.29	22.59	7.46	17.29	22.59	22.20	15.45	5.9	6.27	17.1	22.53	10																					
11	21.53	14.10	3.54	8.8	17.45	23.4	8.8	17.45	23.4	22.12	15.27	4.46	6.50	17.18	22.59	11																					
12	21.44	13.50	3.30	9.30	18.00	23.8	9.30	18.00	23.8	22.4	15.10	4.94	7.13	17.35	23.4	12																					
13	21.34	13.30	3.6	8.52	18.16	23.12	8.52	18.16	23.12	21.56	14.51	4.1	7.35	17.51	23.8	13																					
14	21.23	13.10	2.43	9.14	18.30	23.15	9.14	18.30	23.15	21.47	14.33	3.39	7.58	18.7	23.12	14																					
15	21.13	12.50	2.19	9.35	18.45	23.18	9.35	18.45	23.18	21.38	14.15	3.15	8.20	18.23	23.16	15																					
16	21.2	12.29	1.56	9.57	18.59	23.21	9.57	18.59	23.21	21.29	13.56	2.51	8.42	18.38	23.19	16																					
17	20.50	12.8	1.32	10.15	19.13	23.23	10.15	19.13	23.23	21.19	13.37	2.98	9.4	18.53	23.22	17																					
18	20.38	11.47	1.8	10.39	19.26	23.25	10.39	19.26	23.25	21.9	13.18	2.5	9.26	19.9	23.24	18																					
19	20.26	11.26	0.44	11.00	19.40	23.26	11.00	19.40	23.26	20.58	12.58	1.42	9.49	19.22	23.25	19																					
20	20.13	11.5	0.21	11.21	19.53	23.27	11.21	19.53	23.27	20.47	12.39	1.18	10.10	19.36	23.27	20																					
21	20.00	10.43	0.35	11.41	20.5	23.28	11.41	20.5	23.28	20.36	12.19	0.55	10.32	19.50	23.27	21																					
22	19.47	10.21	0.27	12.2	20.17	23.28	12.2	20.17	23.28	20.25	11.59	0.32	10.53	20.3	23.23	22																					
23	19.33	10.00	0.50	12.22	20.29	23.27	12.22	20.29	23.27	20.13	11.39	0.8	11.14	20.16	23.27	23																					
24	19.19	9.38	1.14	12.42	20.41	23.27	12.42	20.41	23.27	20.00	11.18	0.15	11.35	20.28	23.27	24																					
25	19.5	9.15	1.38	13.2	20.52	23.25	13.2	20.52	23.25	19.48	10.58	0.39	11.56	20.41	23.26	25																					
26	18.50	8.53	2.1	13.21	21.3	23.24	13.21	21.3	23.24	19.35	10.37	1.2	12.17	20.52	23.24	26																					
27	18.34	8.31	2.25	13.40	21.13	23.22	13.40	21.13	23.22	19.22	10.16	1.26	12.38	21.4	23.22	27																					
28	18.19	8.2	2.48	14.00	21.23	23.20	14.00	21.23	23.20	19.9	9.55	1.49	12.58	21.15	23.19	28																					
29	18.3	3.12		14.18	21.33	23.17	14.18	21.33	23.17	18.54	9.34	2.12	13.18	21.25	23.16	29																					
30	17.47	3.35		14.37	21.42	23.14	14.37	21.42	23.14	18.40	9.13	2.36	13.38	21.35	23.13	30																					
31	17.30	3.58			21.51			21.51		18.26	8.51		13.58		23.9	31																					

**TABLE IV. A.—THE EQUATION OF TIME**

FOR THE YEAR 1897,

WHICH WILL ANSWER NEARLY FOR THE YEARS 1831, 1835.

DAYS.	Jan.		Feb.		March		April		May		June		July		Aug.		Sept.		Oct.		Nov.		Dec.		DAYS.
	Add to ap. tim.	M. S.	Add to ap. tim.	M. S.	Add to ap. tim.	M. S.	Add to ap. tim.	M. S.	Add to ap. tim.	M. S.	Add to ap. tim.	M. S.	Add to ap. tim.	M. S.	Add to ap. tim.	M. S.	Add to ap. tim.	M. S.	Add to ap. tim.	M. S.	Add to ap. tim.	M. S.	Add to ap. tim.	M. S.	
1	3.43	13.51	12.44	4.9	2.53	2.34	3.17	6.1	0.1	10.8	16.14	10.54	1												
2	4.11	11.2	12.32	3.50	3.7	2.0	3.24	5.58	10.18	10.28	18.16	10.51	2												
3	4.46	14.9	12.50	3.32	3.11	2.30	3.10	5.53	10.37	10.47	16.16	10.8	3												
4	5.7	14.15	12.7	3.14	3.26	2.11	3.51	5.49	0.56	11.5	16.16	9.44	4												
5	5.34	14.21	11.54	2.56	3.2	2.1	4.2	5.43	1.16	11.23	16.19	9.20	5												
6	6.1	14.25	11.40	2.38	3.32	1.57	4.12	5.38	1.35	11.41	16.13	8.55	6												
7	6.22	14.29	11.25	2.21	3.37	1.49	4.22	5.31	1.53	11.59	16.11	8.30	7												
8	6.53	14.32	11.11	2.4	3.11	1.24	4.32	5.24	2.16	12.18	16.7	8.3	8												
9	7.19	14.34	10.58	1.47	3.45	1.19	4.41	5.16	2.36	12.32	16.2	7.37	9												
10	7.43	14.35	10.40	1.30	3.4	1.7	4.50	5.8	2.57	12.43	15.57	7.10	10												
11	8.1	14.35	10.24	1.13	3.51	0.55	4.59	4.59	3.17	13.4	15.51	6.42	11												
12	8.51	14.35	10.6	0.57	3.50	0.43	5.7	4.50	3.35	13.19	15.44	6.15	12												
13	8.54	11.31	3.51	0.41	3.55	0.31	5.14	4.40	3.36	13.54	15.36	5.46	13												
14	9.16	14.32	9.55	0.25	3.56	0.19	5.21	4.30	4.20	13.48	15.27	5.18	14												
15	3.38	14.29	9.18	0.9	3.57	0.6	5.28	4.19	4.41	14.1	15.18	4.49	15												
16	8.52	14.28	9.0	0.7	3.56	0.6	5.34	4.7	5.2	14.14	15.7	4.20	16												
17	10.14	11.22	8.43	0.25	3.57	0.17	5.40	3.56	5.23	14.27	14.56	3.50	17												
18	10.35	11.17	8.25	0.38	3.54	0.32	5.46	3.43	5.44	14.34	14.44	3.20	18												
19	10.58	11.12	8.7	0.49	3.52	0.45	5.50	3.30	6.5	14.50	14.31	2.51	19												
20	11.16	11.1	7.49	1.2	3.50	0.58	5.55	3.16	6.26	15.0	14.17	2.21	20												
21	11.33	11.54	7.31	1.15	3.47	1.11	5.58	3.3	6.47	15.10	14.2	1.51	21												
22	11.50	11.52	7.13	1.27	3.48	1.24	6.2	2.48	7.7	15.20	13.47	1.26	22												
23	12.6	13.44	6.44	1.40	3.36	1.37	6.4	2.35	7.2	15.28	13.30	0.50	23												
24	12.21	13.36	6.36	1.51	3.34	1.50	6.6	2.18	7.49	15.36	13.13	0.20	24												
25	12.57	13.27	6.15	2.2	3.24	2.3	6.8	2.2	8.9	15.44	12.57	0.10	25												
26	12.4	13.17	5.59	2.15	3.23	2.16	6.9	1.47	8.30	15.50	12.57	0.40	26												
27	13.2	13.7	5.11	2.23	3.17	2.26	6.9	1.30	8.50	15.56	12.15	1.10	27												
28	13.14	12.50	5.22	2.33	3.10	2.41	6.9	1.19	9.10	16.1	11.58	1.50	28												
29	13.25		5.4	2.42	3.3	2.50	6.6	0.52	9.30	16.6	11.37	2.50	29												
30	13.34		4.45	2.51	2.55	3.5	6.6	0.33	8.19	16.9	11.16	2.30	30												
31	13.47		4.27		2.47		6.4	0.31		16.13		3.7	31												

TABLE V.

For reducing the SUN'S DECLINATION as given in the Nautical Almanac for noon at GREENWICH, to any other Time under any other Meridian.

Add aft. N. Sub. bef. N.	Sub. aft. N. Add bef. N.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	Sub. aft. N. Add bef. N.	Add aft. N. Sub. bef. N.
Add in W. Sub. in E.	Sub. in W. Add in E.	5 Deg.	10 Deg.	15 Deg.	20 Deg.	25 Deg.	30 Deg.	35 Deg.	40 Deg.	Sub. in W. Add in E.	Add in W. Sub. in E.	
Days.	Days.	M.S.	M.S.	M.S.	M.S.	M.S.	M.S.	M.S.	M.S.	Days.	Days.	
Decemb. 21	Decemb. 21	0. 0	0. 0	0. 0	0. 0	0. 0	0. 0	0. 0	0. 0	21 June	21 June	
20	22	0. 0	0. 1	0. 1	0. 1	0. 2	0. 2	0. 2	0. 3	22	20	
19	23	0. 0	0. 1	0. 2	0. 2	0. 3	0. 4	0. 5	0. 6	23	19	
18	24	0. 1	0. 2	0. 3	0. 4	0. 6	0. 7	0. 8	0. 9	24	18	
17	25	0. 1	0. 3	0. 4	0. 6	0. 7	0. 9	0.11	0.12	25	17	
16	26	0. 2	0. 4	0. 5	0. 7	0. 9	0.11	0.13	0.15	26	16	
15	27	0. 2	0. 5	0. 6	0. 8	0.11	0.13	0.15	0.18	27	15	
14	28	0. 3	0. 6	0. 7	0.10	0.12	0.15	0.18	0.21	28	14	
13	29	0. 3	0. 7	0. 9	0.12	0.15	0.18	0.21	0.24	29	13	
12	30	0. 3	0. 7	0.10	0.13	0.17	0.20	0.23	0.27	30 June	12	
11	Decemb. 31	0. 4	0. 8	0.11	0.16	0.19	0.22	0.26	0.30	1 July	11	
10	January 1	0. 4	0. 8	0.12	0.16	0.20	0.24	0.28	0.32	2	10	
9	2	0. 4	0. 8	0.13	0.17	0.21	0.26	0.30	0.35	3	9	
8	3	0. 5	0. 9	0.14	0.19	0.24	0.29	0.33	0.38	4	8	
7	4	0. 5	0.10	0.15	0.21	0.26	0.31	0.36	0.41	5	7	
6	5	0. 5	0.11	0.16	0.22	0.28	0.33	0.38	0.44	6	6	
5	6	0. 6	0.12	0.17	0.24	0.30	0.35	0.41	0.47	7	5	
4	7	0. 6	0.12	0.18	0.25	0.31	0.37	0.43	0.49	8	4	
3	8	0. 6	0.13	0.19	0.26	0.33	0.39	0.45	0.52	9	3	
2	9	0. 7	0.14	0.20	0.27	0.34	0.41	0.48	0.55	10	2	
Decemb. 1	10	0. 7	0.14	0.21	0.29	0.36	0.43	0.50	0.57	11	1 June	
Novemb. 30	11	0. 7	0.15	0.22	0.30	0.37	0.45	0.52	1. 0	12	31 May	
29	12	0. 8	0.16	0.23	0.31	0.39	0.47	0.55	1. 3	13	30	
28	13	0. 8	0.16	0.24	0.33	0.41	0.49	0.57	1. 6	14	29	
27	14	0. 8	0.17	0.25	0.34	0.42	0.51	0.59	1. 8	15	28	
26	15	0. 9	0.18	0.26	0.35	0.44	0.53	1. 2	1.11	16	27	
25	16	0. 9	0.18	0.27	0.37	0.46	0.55	1. 4	1.13	17	26	
24	17	0. 9	0.19	0.28	0.38	0.47	0.57	1. 6	1.16	18	25	
23	18	0.10	0.20	0.29	0.39	0.49	0.58	1. 9	1.19	19	24	
22	19	0.10	0.20	0.30	0.40	0.50	1. 0	1.10	1.20	20	23	
21	20	0.10	0.21	0.31	0.41	0.51	1. 2	1.12	1.22	21	22	
20	21	0.11	0.22	0.32	0.43	0.53	1. 4	1.14	1.25	22	21	
19	22	0.11	0.22	0.33	0.44	0.55	1. 6	1.17	1.28	23	20	
18	23	0.11	0.23	0.34	0.46	0.56	1. 7	1.19	1.30	24	19	
17	24	0.12	0.23	0.34	0.46	0.57	1. 9	1.21	1.32	25	18	
16	25	0.12	0.24	0.35	0.47	0.59	1.11	1.23	1.35	26	17	
15	26	0.12	0.24	0.36	0.48	1. 0	1.12	1.24	1.36	27	16	
14	27	0.12	0.25	0.37	0.49	1. 2	1.14	1.26	1.39	28	15	
13	28	0.13	0.26	0.38	0.51	1. 4	1.16	1.28	1.41	29	14	
12	29	0.13	0.26	0.39	0.53	1. 6	1.19	1.32	1.45	30	13	
11	January 30	0.13	0.26	0.39	0.53	1. 6	1.19	1.32	1.45	31 July	12	
10	1	0.13	0.27	0.41	0.55	1. 9	1.22	1.36	1.50	2 August	10	
9	2	0.14	0.28	0.42	0.57	1.11	1.25	1.39	1.53	4	9	
8	3	0.14	0.29	0.43	0.58	1.13	1.27	1.42	1.56	6	8	
7	4	0.15	0.30	0.45	1. 0	1.15	1.30	1.44	1.59	8	7	
6	5	0.15	0.31	0.46	1. 2	1.17	1.32	1.47	2. 3	10	6	
5	6	0.16	0.32	0.47	1. 3	1.19	1.35	1.50	2. 6	12	5	
4	7	0.16	0.32	0.48	1. 5	1.21	1.37	1.53	2. 9	14	4	
3	8	0.16	0.33	0.49	1. 6	1.22	1.39	1.56	2.12	16	3	
2	9	0.17	0.34	0.50	1. 7	1.24	1.41	1.58	2.15	18	2	
1	10	0.17	0.34	0.52	1. 9	1.27	1.44	2. 1	2.19	21	1	
Novemb. 30	11	0.17	0.35	0.53	1.11	1.29	1.46	2. 4	2.22	24	Novemb. 30	
29	12	0.18	0.36	0.54	1.13	1.31	1.49	2. 7	2.25	27	29	
28	13	0.18	0.37	0.55	1.14	1.32	1.51	2. 9	2.28	30	28	
27	14	0.19	0.38	0.56	1.15	1.34	1.53	2.12	2.30	2 Sept.	27	
26	15	0.19	0.38	0.57	1.16	1.35	1.54	2.13	2.32	5	26	
25	16	0.19	0.38	0.57	1.17	1.36	1.55	2.14	2.34	8	25	
24	17	0.19	0.39	0.58	1.17	1.37	1.56	2.15	2.35	11	24	
23	18	0.19	0.39	0.58	1.18	1.38	1.57	2.16	2.36	14	23	
22	19	0.20	0.39	0.58	1.18	1.38	1.57	2.16	2.36	17	22	
21	20	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	20	21	
20	21	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	23	20	
19	22	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	26	19	
18	23	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	29	18	
17	24	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	31	17	
16	25	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	3	16	
15	26	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	6	15	
14	27	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	9	14	
13	28	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	12	13	
12	29	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	15	12	
11	30	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	18	11	
10	31	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	21	10	
9	1	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	24	9	
8	2	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	27	8	
7	3	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	30	7	
6	4	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	31	6	
5	5	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	3	5	
4	6	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	6	4	
3	7	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	9	3	
2	8	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	12	2	
1	9	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	15	1	
After Equinox.	Before Equinox.	0.20	0.40	0.59	1.19	1.39	1.58	2.17	2.36	Before Equinox.	After Equinox.	

**TABLE V.**

**For reducing the Sun's DECLINATION as given in the Nautical Almanac for noon at GREENWICH, to any Other Time under any other Meridian.**

Add aft. N.	Sub. aft. N.	H.M.	H.M.	H.M.	H.M.	H.M.	H.M.	H.M.	Sub. aft. N.	Add aft. N.					
Sub. bef. N.	Add bef. N.	3.	03.	20	3.	40	4.	04.	20	4.	40	5.	0	Add bef. N.	Sub. bef. N.
Add in W.	Sub. in W.	45	50	55	60	65	70	75	Sub. in W.	Add in W.					
Sub. in E.	Add in E.	Deg.	Deg.	Deg.	Deg.	Deg.	Deg.	Deg.	Add in E.	Sub. in E.					
Days.	Days.	M.S.	M.S.	M.S.	M.S.	M.S.	M.S.	M.S.	Days.	Days.					
Decemb. 21	Decemb. 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21 June					
20	22	0.3	0.3	0.4	0.4	0.4	0.5	0.5	0.5	22 June					
19	23	0.6	0.7	0.8	0.9	0.9	1.0	1.1	1.1	23 June					
18	24	0.10	0.11	0.12	0.13	0.14	0.15	0.16	0.16	24 June					
17	25	0.13	0.15	0.16	0.18	0.19	0.20	0.22	0.22	25 June					
16	26	0.16	0.18	0.20	0.22	0.24	0.26	0.27	0.27	26 June					
15	27	0.20	0.22	0.24	0.26	0.29	0.31	0.33	0.33	27 June					
14	28	0.23	0.25	0.28	0.31	0.34	0.36	0.38	0.38	28 June					
13	29	0.26	0.29	0.32	0.35	0.38	0.41	0.44	0.44	29 June					
12	30	0.30	0.33	0.36	0.40	0.43	0.46	0.50	0.50	30 June					
11	Decemb. 31	0.33	0.37	0.40	0.44	0.48	0.51	0.55	1.0	1 July					
10	January 1	0.36	0.40	0.44	0.48	0.53	0.57	1.1	1.1	2 July					
9	2	0.39	0.44	0.48	0.53	0.57	1.2	1.2	1.2	3 July					
8	3	0.43	0.48	0.53	0.57	1.2	1.7	1.11	1.11	4 July					
7	4	0.46	0.51	0.56	1.1	1.7	1.12	1.17	1.17	5 July					
6	5	0.49	0.55	1.0	1.6	1.11	1.17	1.22	1.22	6 July					
5	6	0.52	0.58	1.4	1.10	1.16	1.22	1.27	1.27	7 July					
4	7	0.55	1.1	1.7	1.14	1.20	1.26	1.32	1.32	8 July					
3	8	0.58	1.5	1.11	1.18	1.24	1.31	1.37	1.37	9 July					
2	9	1.1	1.8	1.15	1.22	1.29	1.36	1.43	1.43	10 July					
Decemb. 1	10	1.4	1.12	1.19	1.26	1.33	1.41	1.48	1.48	11 July					
Novemb. 30	11	1.7	1.15	1.23	1.30	1.37	1.45	1.52	1.52	12 July					
29	12	1.10	1.18	1.26	1.34	1.42	1.50	1.57	1.57	13 July					
28	13	1.13	1.22	1.30	1.38	1.46	1.54	2.0	2.0	14 July					
27	14	1.16	1.25	1.34	1.42	1.50	1.58	2.1	2.1	15 July					
26	15	1.19	1.28	1.37	1.46	1.55	2.0	2.12	2.12	16 July					
25	16	1.22	1.31	1.40	1.49	1.59	2.0	2.17	2.17	17 July					
24	17	1.25	1.35	1.44	1.53	2.0	2.12	2.21	2.21	18 July					
23	18	1.28	1.38	1.47	1.57	2.0	2.16	2.26	2.26	19 July					
22	19	1.30	1.41	1.51	2.0	2.11	2.21	2.31	2.31	20 July					
21	20	1.33	1.44	1.54	2.0	2.15	2.25	2.35	2.35	21 July					
20	21	1.36	1.47	1.57	2.0	2.19	2.29	2.40	2.40	22 July					
19	22	1.39	1.50	2.0	2.11	2.22	2.33	2.44	2.44	23 July					
18	23	1.41	1.53	2.0	2.15	2.26	2.37	2.48	2.48	24 July					
17	24	1.43	1.55	2.0	2.18	2.30	2.41	2.52	2.52	25 July					
16	25	1.46	1.58	2.10	2.21	2.33	2.45	2.56	2.56	26 July					
15	26	1.48	2.0	2.13	2.25	2.37	2.49	3.0	3.0	27 July					
14	27	1.51	2.0	2.16	2.28	2.40	2.52	3.0	3.0	28 July					
13	28	1.54	2.0	2.19	2.31	2.44	2.56	3.0	3.0	29 July					
12	11 January 30	1.58	2.11	2.24	2.37	2.51	3.0	3.17	3.17	31 July					
9	February 1	2.0	2.17	2.30	2.45	2.57	3.11	3.24	3.24	2 August					
7	3	2.0	2.21	2.35	2.49	3.0	3.17	3.32	3.32	4 August					
6	5	2.11	2.25	2.40	2.54	3.0	3.23	3.38	3.38	6 August					
5	7	2.14	2.29	2.44	2.59	3.14	3.29	3.44	3.44	8 August					
Novemb. 1	9	2.18	2.33	2.49	3.0	3.19	3.35	3.50	3.50	10 August					
October 30	11	2.22	2.38	2.53	3.0	3.25	3.41	3.56	3.56	12 August					
28	13	2.25	2.41	2.58	3.14	3.30	3.46	4.0	4.0	14 August					
26	15	2.29	2.45	3.0	3.18	3.35	3.51	4.0	4.0	16 August					
24	17	2.32	2.49	3.0	3.22	3.39	3.56	4.13	4.13	18 August					
21	20	2.36	2.53	3.11	3.28	3.45	4.0	4.20	4.20	21 August					
18	23	2.40	2.58	3.15	3.33	3.51	4.0	4.26	4.26	24 August					
15	February 26	2.43	3.0	3.20	3.38	3.56	4.14	4.32	4.32	27 August					
12	March 1	2.46	3.0	3.23	3.42	4.0	4.19	4.38	4.38	30 August					
9	4	2.49	3.0	3.26	3.45	4.0	4.23	4.41	4.41	2 Sept.					
6	7	2.51	3.10	3.29	3.48	4.0	4.26	4.45	4.45	5 Sept.					
October 3	10	2.53	3.13	3.32	3.51	4.10	4.29	4.49	4.49	8 Sept.					
Septemb. 30	13	2.55	3.14	3.33	3.53	4.13	4.32	4.51	4.51	11 Sept.					
27	16	2.56	3.15	3.34	3.54	4.14	4.33	4.52	4.52	14 Sept.					
24	19	2.56	3.15	3.35	3.55	4.15	4.33	4.52	4.52	17 Sept.					
After Equinox.	Before Equinox.	2.56	3.15	3.35	3.55	4.15	4.34	4.53	4.53	Before Equinox.					
										After Equinox.					

TABLE V.

For reducing the SUN'S DECLINATION as given in the Nautical Almanac for noon at GREENWICH, to any other Time under any other Meridian.

Add aft. N. Sub. bef. N.	Sub. aft. N. Add bef. N.	H.M. 5.20	H.M. 5.40	H.M. 6.0	H.M. 6.20	H.M. 6.40	H.M. 7.0	H.M. 7.20	Sub. aft. N. Add bef. N.	Add aft. N. Sub. bef. N.
Add in W. Sub. in E.	Sub. in W. Add in E.	80 Deg.	85 Deg.	90 Deg.	95 Deg.	100 Deg.	105 Deg.	110 Deg.	Sub. in W. Add in E.	Add in W. Sub. in E.
Days.	Days.	M.S.	M.S.	M.S.	M.S.	M.S.	M.S.	M.S.	Days.	Days.
Decemb. 21	Decemb. 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21 June	21 June
20	22	0.5	0.6	0.6	0.7	0.8	0.8	0.8	22	20
19	23	0.11	0.12	0.13	0.14	0.15	0.16	0.16	23	19
18	24	0.17	0.19	0.20	0.21	0.22	0.23	0.24	24	18
17	25	0.23	0.25	0.26	0.28	0.29	0.31	0.32	25	17
16	26	0.29	0.31	0.33	0.35	0.37	0.38	0.40	26	16
15	27	0.35	0.38	0.40	0.42	0.44	0.46	0.49	27	15
14	28	0.41	0.43	0.46	0.49	0.51	0.54	0.57	28	14
13	29	0.47	0.50	0.53	0.56	0.59	1.2	1.5	29	13
12	30	0.53	0.56	0.59	1.3	1.6	1.9	1.12	30 June	12
11	Decemb. 31	0.59	1.2	1.6	1.10	1.13	1.17	1.21	1 July	11
10	January 1	1.5	1.9	1.13	1.17	1.21	1.25	1.29	2	10
9	2	1.11	1.15	1.19	1.24	1.26	1.32	1.37	3	9
8	3	1.16	1.21	1.26	1.31	1.35	1.40	1.46	4	8
7	4	1.22	1.27	1.32	1.37	1.42	1.47	1.53	5	7
6	5	1.27	1.33	1.38	1.44	1.49	1.54	2.0	6	6
5	6	1.33	1.39	1.45	1.51	1.57	2.2	2.8	7	5
4	7	1.39	1.45	1.51	1.57	2.3	2.9	2.16	8	4
3	8	1.44	1.50	1.57	2.4	2.10	2.16	2.23	9	3
2	9	1.50	1.56	2.3	2.10	2.17	2.23	2.30	10	2
Decemb. 1	10	1.55	2.2	2.9	2.16	2.23	2.30	2.38	11	1 June
Novemb. 30	11	2.0	2.7	2.15	2.22	2.30	2.37	2.45	12	31 May
29	12	2.5	2.13	2.21	2.29	2.37	2.44	2.52	13	30
28	13	2.10	2.19	2.27	2.35	2.43	2.51	3.0	14	29
27	14	2.16	2.25	2.33	2.42	2.50	2.58	3.7	15	28
26	15	2.21	2.30	2.38	2.47	2.56	3.5	3.13	16	27
25	16	2.26	2.35	2.44	2.53	3.2	3.11	3.21	17	26
24	17	2.31	2.40	2.50	2.59	3.9	3.18	3.28	18	25
23	18	2.36	2.46	2.55	3.5	3.16	3.24	3.34	19	24
22	19	2.41	2.51	3.1	3.11	3.21	3.31	3.41	20	23
21	20	2.46	2.56	3.6	3.17	3.27	3.37	3.48	21	22
20	21	2.50	3.2	3.12	3.23	3.33	3.44	3.55	22	21
19	22	2.55	3.6	3.17	3.28	3.39	3.50	4.123	23	20
18	23	3.0	3.11	3.22	3.33	3.45	3.56	4.724	24	19
17	24	3.4	3.16	3.27	3.39	3.50	4.1	4.1325	25	18
16	25	3.8	3.20	3.32	3.44	3.56	4.7	4.1926	26	17
15	26	3.13	3.25	3.37	3.49	4.1	4.13	4.2627	27	16
14	27	3.17	3.29	3.42	3.54	4.6	4.19	4.3128	28	15
13	28	3.22	3.34	3.47	4.0	4.12	4.25	4.3829	29	14
12	January 30	3.30	3.43	3.56	4.9	4.22	4.36	4.49	31 July	12
9	February 1	3.38	3.51	4.5	4.18	4.32	4.46	4.59	2 August	10
7	3	4.6	4.0	4.14	4.28	4.42	4.56	5.10	4	8
5	5	3.52	4.6	4.21	4.36	4.50	5.6	5.19	6	6
3	7	3.59	4.14	4.29	4.44	4.59	5.14	5.29	8	4
Novemb. 1	9	4.5	4.21	4.36	4.52	5.7	5.23	5.38	10	2 May
October 30	11	4.12	4.28	4.44	5.0	5.16	5.31	5.47	12	30 April
28	13	4.19	4.35	4.51	5.7	5.23	5.40	5.56	14	28
26	15	4.24	4.41	4.57	5.14	5.30	5.47	6.3	16	26
24	17	4.30	4.47	5.3	5.21	5.38	5.55	6.12	18	24
21	20	4.37	4.55	5.12	5.29	5.47	6.4	6.21	21	21
18	23	4.44	5.2	5.19	5.37	5.55	6.13	6.31	24	18
15	February 26	4.50	5.8	5.26	5.44	6.2	6.20	6.38	27	15
12	March 1	4.56	5.15	5.33	5.52	6.10	6.29	6.47	30 August	12
9	4	5.0	5.19	5.38	5.57	6.16	6.34	6.53	2 Sept.	9
6	7	5.4	5.23	5.42	6.1	6.20	6.39	6.58	5	6
October 3	10	5.8	5.27	5.46	6.5	6.25	6.44	7.3	8	3 April
Septemb. 30	13	5.11	5.30	5.49	6.8	6.28	6.47	7.6	11	31 March
27	16	5.12	5.31	5.51	6.11	6.31	6.50	7.9	14	28
24	19	5.12	5.32	5.52	6.12	6.32	6.51	7.11	17	25
After Equinox.	Before Equinox.	5.13	5.33	5.53	6.13	6.33	6.52	7.11	Before Equinox.	After Equinox.

TABLE V.

For reducing the SUN'S DECLINATION as given in the Nautical Almanac for noon at GREENWICH, to any other Time under any other Meridian.

Add aft. N.	Sub. aft. N.	H.M.	H.M.	H.M.	H.M.	H.M.	H.M.	H.M.	Add aft. N.	Sub. aft. N.
Sub. bef. N.	Add bef. N.	7.40S.	08.20S.	08.40S.	09.00S.	09.20S.	09.40S.	09.40S.	Add bef. N.	Sub. bef. N.
Add in W.	Sub. in W.	115	120	125	130	135	140	145	Sub. in W.	Add in W.
Sub. in E.	Add in E.	Deg.	Deg.	Deg.	Deg.	Deg.	Deg.	Deg.	Add in E.	Sub. in E.
Days.	Days.	M.S.	M.S.	M.S.	M.S.	M.S.	M.S.	M.S.	Days.	Days.
Decemb. 21	Decemb. 21	0. 0	0. 0	0. 0	0. 0	0. 0	0. 0	0. 0	21 June	21 June
20	22	0. 9	0. 9	0. 9	0. 10	0. 10	0. 10	0. 10	20	20
19	23	0.17	0.18	0.18	0.19	0.19	0.20	0.21	23	19
18	24	0.25	0.26	0.27	0.28	0.29	0.30	0.31	24	18
17	25	0.34	0.35	0.36	0.38	0.39	0.41	0.43	25	17
16	26	0.42	0.44	0.46	0.48	0.49	0.51	0.53	26	16
15	27	0.51	0.53	0.55	0.57	0.59	1. 1	1. 1	327	15
14	28	0.59	1. 2	1. 5	1. 7	1. 9	1.12	1.14	28	14
13	29	1. 8	1.11	1.14	1.17	1.19	1.22	1.25	29	13
12	30	1.16	1.19	1.23	1.26	1.29	1.32	1.35	30 June	12
11	Decemb. 31	1.24	1.28	1.32	1.35	1.39	1.43	1.46	1 July	11
10	January 1	1.33	1.37	1.41	1.45	1.49	1.53	1.57	2	10
9	2	1.42	1.46	1.51	1.55	1.59	2. 3	2. 7	3	9
8	3	1.49	1.54	1.59	2. 4	2. 9	2.13	2.18	4	8
7	4	1.58	2. 3	2. 8	2.13	2.19	2.23	2.28	5	7
6	5	2. 5	2.11	2.16	2.22	2.28	2.33	2.39	6	6
5	6	2.14	2.20	2.26	2.32	2.38	2.43	2.49	7	5
4	7	2.22	2.28	2.34	2.41	2.47	2.53	2.59	8	4
3	8	2.29	2.36	2.43	2.49	2.56	3. 3	3. 9	9	3
2	9	2.37	2.44	2.51	2.58	3. 5	3.12	3.19	10	2
Decemb. 1	10	2.45	2.52	2.59	3. 6	3.14	3.21	3.28	11	1 June
Novemb. 30	11	2.52	3. 0	3. 7	3.15	3.23	3.30	3.38	12	31 May
29	12	3. 0	3. 8	3.16	3.24	3.32	3.39	3.47	13	30
28	13	3. 8	3.16	3.24	3.32	3.40	3.49	3.57	14	29
27	14	3.15	3.24	3.32	3.41	3.49	3.58	4. 6	15	28
26	15	3.22	3.31	3.40	3.49	3.58	4. 7	4.16	16	27
25	16	3.30	3.39	3.48	3.57	4. 7	4.16	4.25	17	26
24	17	3.37	3.46	3.56	4. 6	4.16	4.24	4.34	18	25
23	18	3.44	3.54	4. 4	4.14	4.24	4.33	4.43	19	24
22	19	3.51	4. 1	4.11	4.21	4.31	4.41	4.51	20	23
21	20	3.58	4. 8	4.19	4.29	4.39	4.50	5. 0	21	22
20	21	4. 5	4.16	4.27	4.37	4.48	4.59	5. 9	22	21
19	22	4.12	4.23	4.34	4.45	4.56	5. 7	5.18	23	20
18	23	4.19	4.30	4.41	4.53	5. 4	5.15	5.26	24	19
17	24	4.25	4.36	4.48	5. 0	5.12	5.23	5.34	25	18
16	25	4.31	4.43	4.55	5. 7	5.19	5.30	5.42	26	17
15	26	4.38	4.50	5. 2	5.14	5.26	5.38	5.50	27	16
14	27	4.43	4.56	5. 8	5.21	5.33	5.46	5.58	28	15
13	28	4.50	5. 3	5.16	5.28	5.40	5.54	6. 6	29	14
11	January 30	5. 2	5.15	5.28	5.41	5.54	6. 8	6.21	31 July	12
9	February 1	5.13	5.27	5.40	5.54	6. 8	6.22	6.35	2 August	10
7	3	5.24	5.38	5.52	6. 6	6.20	6.35	6.49	4	8
5	5	5.34	5.49	6. 4	6.18	6.33	6.47	7. 2	6	6
3	7	5.44	5.59	6.14	6.29	6.44	6.59	7.14	8	4
Novemb. 1	9	5.53	6. 9	6.24	6.40	6.55	7.11	7.26	10	2 May
October 30	11	6. 3	6.18	6.34	6.50	7. 6	7.21	7.37	12	30 April
28	13	6.12	6.28	6.44	7. 0	7.16	7.32	7.48	14	28
26	15	6.20	6.36	6.53	7.10	7.26	7.42	7.58	16	26
24	17	6.29	6.45	7. 2	7.19	7.36	7.52	8. 9	18	24
21	20	6.39	6.56	7.13	7.31	7.48	8. 5	8.22	21	21
18	23	6.48	7. 6	7.24	7.42	8. 0	8.17	8.34	24	18
15	February 26	6.57	7.15	7.34	7.52	8.10	8.28	8.46	27	15
12	March 1	7. 6	7.24	7.42	8. 1	8.20	8.38	8.57	30 August	12
9	4	7.12	7.31	7.50	8. 9	8.28	8.46	9. 6	2 Sept.	9
6	7	7.17	7.36	7.55	8.14	8.33	8.53	9.12	5	6
October 8	10	7.23	7.42	8. 1	8.20	8.39	8.59	9.18	8	3 April
Septemb. 30	13	7.26	7.45	8. 4	8.24	8.43	9. 3	9.22	11	31 March
27	16	7.29	7.48	8. 7	8.27	8.47	9. 6	9.25	14	28
24	19	7.30	7.50	8.10	8.29	8.49	9. 8	9.27	17	25
After Equinox.	Before Equinox.	7.31	7.50	8.10	8.30	8.50	9. 9	9.28	Before Equinox.	After Equinox.



TABLE V.

For reducing the SUN'S DECLINATION as given in the Nautical Almanac for noon at GREENWICH, to any other Time under any other Meridian.

Add aft. N. Sub. bef. N.	Sub. aft. N. Add bef. N.	H. M. H. M. 10. 0 10. 20	H. M. H. M. 10. 40 11. 0	H. M. H. M. 11. 20 11. 40	H. M. H. M. 12. 0 12. 20	H. M. H. M. 12. 40 1. 0	Sub. aft. N. Add bef. N.	Add aft. N. Sub. bef. N.		
Add in W. Sub. in E.	Sub. in W. Add in E.	150 Deg.	155 Deg.	160 Deg.	165 Deg.	170 Deg.	175 Deg.	180 Deg.	Sub. in W. Add in E.	Add in W. Sub. in E.
Days.	Days.	M. S.	M. S.	M. S.	M. S.	M. S.	M. S.	Days.	Days.	
Decemb. 21	Decemb. 21	0. 0	0. 0	0. 0	0. 0	0. 0	0. 0	0. 0	21 June	21 June
20	22	0.11	0.11	0.12	0.12	0.12	0.13	0.13	22	20
19	23	0.22	0.23	0.24	0.24	0.25	0.26	0.26	23	19
18	24	0.33	0.34	0.35	0.36	0.37	0.38	0.39	24	18
17	25	0.44	0.46	0.47	0.48	0.50	0.51	0.53	25	17
16	26	0.55	0.57	0.58	1. 0	1. 2	1. 4	1. 6	26	16
15	27	1. 6	1. 8	1.11	1.13	1.15	1.17	1.19	27	15
14	28	1.17	1.20	1.23	1.25	1.27	1.30	1.32	28	14
13	29	1.28	1.31	1.34	1.37	1.40	1.43	1.46	29	13
12	30	1.39	1.42	1.45	1.49	1.52	1.55	1.59	30 June	12
11	Decemb. 31	1.50	1.54	1.57	2. 1	2. 5	2. 8	2.12	1 July	11
10	January 1	2. 1	2. 5	2. 9	2.13	2.17	2.21	2.25	2	10
9	2	2.12	2.16	2.20	2.25	2.30	2.34	2.38	3	9
8	3	2.23	2.27	2.32	2.37	2.42	2.47	2.51	4	8
7	4	2.34	2.39	2.44	2.49	2.54	2.59	3. 4	5	7
6	5	2.44	2.50	2.55	3. 0	3. 6	3.12	3.17	6	6
5	6	2.55	3. 1	3. 6	3.12	3.18	3.24	3.30	7	5
4	7	3. 5	3.11	3.17	3.23	3.29	3.36	3.42	8	4
3	8	3.15	3.21	3.28	3.34	3.41	3.48	3.54	9	3
2	9	3.25	3.32	3.38	3.45	3.52	3.59	4. 6	10	2
Decemb. 1	10	3.36	3.42	3.49	3.56	4. 4	4.11	4.18	11	1 June
Novemb. 30	11	3.45	3.52	3.59	4. 7	4.15	4.22	4.30	12	31 May
29	12	3.55	4. 3	4.10	4.18	4.26	4.34	4.42	13	30
28	13	4. 5	4.13	4.21	4.29	4.38	4.46	4.54	14	29
27	14	4.15	4.23	4.31	4.40	4.49	4.57	5. 6	15	28
26	15	4.24	4.33	4.41	4.50	4.59	5. 8	5.17	16	27
25	16	4.34	4.43	4.52	5. 1	5.10	5.19	5.28	17	26
24	17	4.43	4.53	5. 2	5.11	5.21	5.30	5.40	18	25
23	18	4.52	5. 2	5.12	5.22	5.32	5.41	5.51	19	24
22	19	5. 1	5.12	5.22	5.32	5.42	5.52	6. 2	20	23
21	20	5.10	5.21	5.31	5.42	5.53	6. 3	6.13	21	22
20	21	5.20	5.31	5.41	5.52	6. 3	6.14	6.24	22	21
19	22	5.29	5.40	5.51	6. 2	6.13	6.24	6.34	23	20
18	23	5.37	5.49	6. 0	6.11	6.23	6.34	6.44	24	19
17	24	5.45	5.57	6. 9	6.20	6.32	6.43	6.54	25	18
16	25	5.54	6. 6	6.17	6.29	6.41	6.53	7. 4	26	17
15	26	6. 2	6.14	6.26	6.38	6.51	7. 3	7.14	27	16
14	27	6.10	6.22	6.34	6.47	7. 0	7.12	7.24	28	15
13	28	6.19	6.31	6.43	6.56	7. 9	7.22	7.34	29	14
12	January 30	6.34	6.47	7. 0	7.13	7.26	7.40	7.53	31 July	12
9	February 1	6.49	7. 3	7.16	7.30	7.43	7.57	8.11	2 August	10
8	2	7. 3	7.17	7.31	7.45	7.59	8.13	8.28	4	8
7	3	7.16	7.31	7.45	8. 0	8.14	8.28	8.43	6	7
6	4	7.29	7.44	7.59	8.14	8.28	8.43	8.58	8	6
5	5	7.41	7.56	8.12	8.27	8.42	8.58	9.13	10	5
4	6	7.53	8. 8	8.24	8.40	8.56	9.12	9.28	12	4
3	7	8. 4	8.20	8.36	8.53	9. 9	9.25	9.42	14	3
2	8	8.15	8.32	8.48	9. 5	9.21	9.38	9.54	16	2
1	9	8.26	8.43	9. 0	9.17	9.34	9.50	10. 7	18	1
0	10	8.40	8.57	9.14	9.32	9.49	10. 6	10.24	21	0
18	23	8.52	9.10	9.28	9.46	10. 3	10.21	10.39	24	18
15	February 26	9. 4	9.22	9.40	9.58	10.16	10.34	10.53	27	15
12	March 1	9.15	9.33	9.51	10.10	10.29	10.47	11. 6	30 August	12
9	4	9.24	9.43	10. 1	10.20	10.39	10.58	11.16	2 Sept.	9
6	7	9.30	9.50	10. 9	10.28	10.47	11. 6	11.24	5	6
3	10	9.37	9.56	10.16	10.35	10.54	11.13	11.32	8	3
0	13	9.41	10. 0	10.21	10.40	10.59	11.18	11.38	11	0
October 30	16	9.45	10. 4	10.24	10.44	11. 3	11.22	11.42	14	31 March
27	19	9.47	10. 6	10.26	10.46	11. 5	11.24	11.44	17	28
24	22	9.48	10. 7	10.27	10.47	11. 6	11.25	11.45	20	25
After Equinox.	Before Equinox.	9.48	10. 7	10.27	10.47	11. 6	11.25	11.45	Before Equinox.	After Equinox.

**TABLE VI.—SUN'S RIGHT ASCENSION.**

Day.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Day.
	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	
1	18.45	20.58	22.48	0.42	2.33	4.35	6.40	8.44	10.41	12.29	14.25	16.29	1
2	18.50	21. 2	22.52	0.45	2.37	4.39	6.44	8.48	10.44	12.32	14.29	16.33	2
3	18.54	21. 6	22.55	0.49	2.40	4.44	6.48	8.52	10.48	12.36	14.33	16.37	3
4	18.59	21.10	22.59	0.52	2.44	4.48	6.52	8.56	10.51	12.40	14.37	16.42	4
5	19. 3	21.14	23. 3	0.56	2.48	4.52	6.56	9. 0	10.55	12.43	14.41	16.46	5
6	19. 7	21.18	23. 7	1. 0	2.52	4.56	7. 0	9. 4	10.59	12.47	14.45	16.50	6
7	19.12	21.22	23.10	1. 3	2.56	5. 0	7. 4	9. 8	11. 2	12.51	14.49	16.55	7
8	19.16	21.26	23.14	1. 7	3. 0	5. 4	7. 8	9.11	11. 6	12.54	14.53	16.59	8
9	19.21	21.30	23.18	1.11	3. 3	5. 8	7.13	9.15	11.10	12.58	14.57	17. 4	9
10	19.25	21.34	23.21	1.14	3. 7	5.12	7.17	9.19	11.13	13. 2	15. 1	17. 8	10
11	19.29	21.38	23.25	1.18	3.11	5.17	7.21	9.23	11.17	13. 5	15. 5	17.12	11
12	19.34	21.42	23.29	1.22	3.15	5.21	7.25	9.27	11.20	13. 9	15. 9	17.17	12
13	19.38	21.46	23.32	1.25	3.19	5.25	7.29	9.30	11.24	13.13	15.13	17.21	13
14	19.42	21.50	23.36	1.29	3.23	5.29	7.33	9.34	11.28	13.16	15.17	17.26	14
15	19.47	21.54	23.40	1.33	3.27	5.33	7.37	9.38	11.31	13.20	15.21	17.30	15
16	19.51	21.58	23.43	1.36	3.31	5.37	7.41	9.42	11.35	13.24	15.25	17.34	16
17	19.55	22. 1	23.47	1.40	3.35	5.41	7.45	9.45	11.38	13.28	15.29	17.39	17
18	19.59	22. 5	23.51	1.44	3.39	5.46	7.49	9.49	11.42	13.31	15.34	17.43	18
19	20. 4	22. 9	23.54	1.48	3.43	5.50	7.53	9.53	11.45	13.35	15.38	17.48	19
20	20. 8	22.13	23.58	1.51	3.47	5.54	7.57	9.57	11.49	13.39	15.42	17.52	20
21	20.12	22.17	0. 2	1.55	3.51	5.58	8. 1	10. 0	11.53	13.43	15.46	17.57	21
22	20.16	22.21	0. 5	1.59	3.55	6. 2	8. 5	10. 4	11.56	13.46	15.50	18. 1	22
23	20.21	22.24	0. 9	2. 2	3.59	6. 6	8. 9	10. 8	12. 0	13.50	15.55	18. 6	23
24	20.25	22.28	0.12	2. 6	4. 3	6.11	8.13	10.11	12. 3	13.54	15.59	18.10	24
25	20.29	22.32	0.16	2.10	4. 7	6.15	8.17	10.15	12. 7	13.58	16. 3	18.14	25
26	20.33	22.36	0.20	2.14	4.11	6.19	8.21	10.19	12.11	14. 2	16. 7	18.19	26
27	20.37	22.39	0.23	2.18	4.15	6.23	8.25	10.22	12.14	14. 6	16.11	18.23	27
28	20.41	22.43	0.27	2.21	4.19	6.27	8.29	10.26	12.18	14. 9	16.16	18.28	28
29	20.46	22.46	0.31	2.25	4.23	6.31	8.33	10.30	12.21	14.13	16.20	18.32	29
30	20.50		0.34	2.29	4.27	6.35	8.37	10.33	12.25	14.17	16.24	18.37	30
31	20.54		0.38	2.33	4.31		8.41	10.37		14.21		18.41	31

This Table gives nearly the mean of the Sun's Right Ascension for the years 1817, 1818, 1819, and 1820, and isSciently exact for finding when any Star comes to the meridian. But in all calculations for determining the gitate by celestial observations, the Sun's Right Ascension must be taken from the Nautical Almanac, where s calculated to a greater degree of accuracy.

**TABLE VI. A.**

*Correction for the daily variation of the Equation of Time found in Table IV. A.*

Find the daily variation of Equation of Time at the top, the hour at Greenwich at the side.

Hour	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	Deg.
0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	15
0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	3	30
0	0	0	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	4	4	4	45
0	0	1	1	1	1	1	1	2	2	2	2	2	2	2	2	3	3	3	3	4	4	4	4	4	4	4	5	5	5	5	60
0	0	1	1	1	1	1	2	2	2	2	2	2	2	3	3	3	3	3	4	4	4	4	4	4	5	5	5	6	6	6	75
0	1	1	1	1	2	2	2	2	2	3	3	3	3	3	4	4	4	4	5	5	5	5	5	6	6	6	7	7	7	8	90
0	1	1	1	1	2	2	2	3	3	3	3	3	4	4	4	5	5	5	6	6	6	6	7	7	7	8	8	8	8	9	105
0	1	1	1	2	2	2	2	3	3	4	4	4	5	5	5	6	6	6	7	7	8	8	8	9	9	9	9	10	10	10	120
0	1	1	2	2	2	3	3	3	3	4	4	4	5	5	5	6	6	7	7	8	8	8	9	9	10	10	11	11	11	11	135
0	1	1	2	2	3	3	3	4	4	4	5	5	5	6	6	7	7	8	8	9	9	10	10	10	11	11	11	12	12	12	150
0	1	1	2	2	3	3	4	4	5	5	6	6	6	7	7	8	8	9	9	10	10	11	11	11	12	12	13	13	13	14	165
0	1	1	2	2	3	3	4	4	5	6	6	7	7	8	8	9	9	10	10	11	11	12	12	13	13	14	14	15	15	15	180
1	1	2	2	3	3	4	4	5	5	6	7	7	8	8	9	9	10	10	11	11	12	12	13	13	14	14	15	16	16	16	195
1	1	2	3	3	4	4	5	5	6	6	7	8	8	9	9	10	10	11	11	12	12	13	13	14	14	15	16	17	17	18	210
1	1	2	3	3	4	4	5	6	6	7	8	8	9	9	10	10	11	11	12	12	13	14	14	15	16	16	17	18	18	19	225
1	1	2	3	3	4	5	5	6	7	7	8	9	9	10	10	11	11	12	13	13	14	14	15	16	16	17	18	18	19	20	240
1	1	2	3	4	4	5	6	6	7	8	8	9	9	10	10	11	11	12	13	13	14	15	15	16	16	17	18	19	20	21	255
1	1	2	3	4	5	5	6	7	7	8	9	9	10	10	11	12	12	13	14	14	15	16	16	17	17	18	19	20	21	22	270
1	1	2	3	4	5	6	6	7	8	8	9	10	10	11	12	13	13	14	15	16	16	17	17	18	19	20	21	22	23	24	285
1	1	2	3	4	5	6	7	8	8	9	10	11	12	13	13	14	15	16	17	18	18	19	20	21	22	23	24	25	26	290	
1	1	2	3	4	5	6	7	8	9	9	10	11	12	13	14	15	16	17	18	18	19	20	21	22	23	24	25	26	27	300	
1	1	2	3	4	5	6	7	8	9	10	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	315	
1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	330	
1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	345	
1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	360



TABLE VII.

## AMPLITUDES.

79

Lat.	DECLINATION IN DEGREES.																										Lat.	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26		
34 <sup>o</sup>	1.12	2.25	3.37	4.50	6.0	7.15	9.27	9.40	10.53	12.0	13.13	14.31	15.45	16.58	18.11	19.25	20.39	21.53	23.0	24.22	25.37	26.52	27.7	28.83	29.9	31.0	34 <sup>o</sup>	
35	1.13	2.27	3.40	4.53	6.6	7.20	8.33	9.47	11.1	12.14	13.28	14.42	15.56	17.11	18.25	19.40	20.55	22.10	23.25	24.41	25.57	27.13	28.29	29.45	30.6	31.7	35	
36	1.14	2.28	3.43	4.57	6.11	7.25	8.40	9.54	11.9	12.94	13.39	14.84	16.0	17.17	18.34	19.50	21.11	22.27	23.44	24.6	25.8	27.0	28.23	29.4	30.6	31.8	36	
37	1.15	2.32	3.45	5.1	6.16	7.31	8.47	10.11	11.18	12.33	13.49	15.0	16.22	17.38	18.55	20.11	21.28	22.46	23.6	24.8	26.0	27.2	28.4	29.6	30.8	32.0	37	
38	1.16	2.32	3.48	5.6	6.21	7.37	8.54	10.10	11.27	12.44	14.1	15.18	16.35	17.53	19.10	20.28	21.47	22.6	23.8	25.0	26.3	27.5	28.8	29.9	31.1	32.3	38	
39	1.17	2.34	3.52	5.9	6.26	7.44	9.1	10.19	11.37	12.56	14.13	15.31	16.50	18.19	19.48	20.78	22.0	23.3	24.6	25.9	27.2	28.5	29.8	31.1	32.4	39		
40	1.18	2.37	3.55	6.13	6.32	7.51	9.10	10.28	11.47	13.1	14.25	15.45	17.1	18.35	19.60	20.85	22.1	23.4	24.7	26.0	27.3	28.6	29.9	31.2	32.5	33.8	40	
41	1.20	2.39	3.59	6.18	6.38	7.58	9.18	10.38	11.58	13.18	14.39	15.59	17.20	18.42	19.65	20.88	22.11	23.35	24.59	25.8	27.0	28.3	29.5	30.8	32.1	33.4	41	
42	1.21	2.42	3.6	6.24	6.44	8.1	9.26	10.48	12.1	13.31	14.53	16.15	17.37	18.60	19.82	21.04	22.27	23.5	24.7	25.9	27.1	28.3	29.5	30.8	32.1	33.4	42	
43	1.22	2.44	3.65	6.28	6.51	8.13	9.36	10.58	12.21	13.44	15.1	16.31	17.55	19.19	20.44	21.6	22.9	24.1	25.3	26.5	27.7	28.9	30.1	31.3	32.5	33.8	43	
44	1.23	2.47	3.7	6.34	6.58	8.21	9.45	11.1	12.34	13.58	15.18	16.48	18.19	19.51	20.8	22.1	23.4	24.7	25.9	27.2	28.5	29.8	31.1	32.4	33.7	35.0	44	
45	1.25	2.50	3.75	6.4	6.7	8.30	9.55	11.21	12.47	14.13	15.39	17.1	18.32	19.60	20.9	22.2	23.5	24.8	26.1	27.4	28.7	29.9	31.2	32.5	33.8	35.1	45	
46	1.26	2.53	3.79	6.45	6.72	8.39	10.6	11.33	13.1	14.29	15.57	17.25	18.54	19.83	21.13	22.4	23.7	25.0	26.3	27.6	28.9	30.2	31.5	32.8	34.1	35.4	46	
47	1.28	2.56	3.83	6.52	6.81	8.49	10.18	11.46	13.16	14.45	16.15	17.45	19.15	20.85	22.18	23.8	25.5	27.2	28.9	30.6	32.3	33.9	35.6	37.3	39.0	40.7	47	
48	1.30	2.59	3.89	6.59	7.29	8.59	10.30	12.0	13.31	15.1	16.34	18.1	19.39	21.1	22.45	24.2	25.5	26.8	28.1	29.4	30.7	32.0	33.3	34.6	35.9	37.2	48	
49	1.31	3.0	3.96	6.7	7.38	9.10	10.42	12.15	13.49	15.21	16.54	18.29	20.0	21.8	23.14	24.51	25.8	27.1	28.4	29.7	31.0	32.3	33.6	34.9	36.2	37.5	49	
50	1.33	3.1	4.06	6.14	7.48	9.22	10.56	12.30	14.0	15.40	17.16	18.92	20.68	22.4	24.2	26.0	27.8	29.6	31.4	33.2	35.0	36.8	38.6	40.4	42.2	44.0	50	
51	1.35	3.11	4.06	6.22	7.58	9.34	11.10	12.47	14.24	16.1	17.39	19.17	20.57	22.36	24.17	25.97	27.7	29.5	31.3	33.1	34.9	36.7	38.5	40.3	42.1	43.9	51	
52	1.37	3.15	4.06	6.30	7.8	9.47	11.25	13.414	15.23	18.319	19.44	21.26	23.08	24.9	26.7	28.5	30.3	32.1	33.9	35.7	37.5	39.3	41.1	42.9	44.7	46.5	52	
53	1.40	3.19	4.09	6.39	8.20	10.0	11.41	13.22	15.4	16.46	18.29	20.13	21.97	23.82	25.67	27.52	29.37	31.22	33.07	34.92	36.77	38.62	40.47	42.32	44.17	46.0	53	
54	1.42	3.24	4.14	6.49	8.32	10.15	11.68	13.42	15.26	17.11	18.57	20.43	22.30	24.16	26.0	27.88	29.75	31.6	33.48	35.35	37.22	39.09	40.96	42.83	44.7	46.5	54	
55	1.45	3.29	4.16	6.59	8.44	10.30	12.16	14.315	16.10	17.97	19.85	21.75	23.6	25.5	27.4	29.3	31.2	33.1	35.0	36.9	38.8	40.7	42.6	44.5	46.4	48.3	55	
56	1.47	3.35	4.22	7.0	8.58	10.46	12.35	14.25	16.18	18.1	19.57	21.5	23.4	25.3	27.3	29.2	31.1	33.0	34.9	36.8	38.7	40.6	42.5	44.4	46.3	48.2	56	
57	1.50	3.40	4.31	7.22	9.13	11.412	13.1	14.816	16.43	18.36	20.30	22.24	24.18	26.12	28.06	30.0	31.94	33.88	35.82	37.76	39.7	41.64	43.58	45.52	47.46	49.4	57	
58	1.53	3.45	4.37	7.34	9.28	11.23	13.18	15.14	17.10	19.1	21.1	23.1	25.1	27.1	29.1	31.1	33.1	35.1	37.1	39.1	41.1	43.1	45.1	47.1	49.1	51.0	58	
59	1.57	3.53	4.50	7.47	9.45	11.43	13.41	15.41	17.41	19.42	21.45	23.48	25.51	27.54	29.57	31.6	33.63	35.66	37.69	39.72	41.75	43.78	45.81	47.84	49.87	51.9	59	
60	2.0	3.6	4.6	7.6	10.2	12.4	14.6	16.10	18.20	19.22	21.24	23.26	25.28	27.3	29.34	31.36	33.38	35.4	37.42	39.44	41.46	43.48	45.5	47.52	49.54	51.5	60	
61	2.4	3.6	4.6	7.6	10.2	12.4	14.6	16.10	18.20	19.22	21.24	23.26	25.28	27.3	29.34	31.36	33.38	35.4	37.42	39.44	41.46	43.48	45.5	47.52	49.54	51.5	61	
62	2.8	4.16	2.48	3.30	4.42	12.52	15.3	17.15	19.23	21.4	23.2	25.0	26.8	28.6	30.4	32.2	34.0	35.8	37.6	39.4	41.2	43.0	44.8	46.6	48.4	50.2	52.0	62
63	2.12	4.25	6.37	8.60	11.4	13.19	15.34	17.51	20.2	22.29	24.51	27.15	29.32	32.34	34.58	37.52	40.54	43.64	46.83	50.02	53.2	56.4	59.6	62.8	66.0	69.2	72.4	63
64	2.17	4.34	6.51	9.11	22.13	4.36	8.18	10.54	20.25	43.28	19.30	52.33	20.36	11.38	58	41	50.44	49.58	48.63	47.68	46.73	45.78	44.83	43.88	42.93	41.98	41.03	64
65	2.22	4.44	7.9	30	11.54	14.14	16.46	19.14	21.54	24.16	26.59	29.32	32.34	35.36	38.38	41.4	44.42	47.4	50.38	53.36	56.34	59.32	62.3	65.3	68.3	71.3	74.3	65
66	2.28	4.57	9.24	9.53	12.22	14.54	17.56	20.1	22.37	25.16	27.59	30.3	33.56	36.9	39.31	42.40	45.67	49.14	52.61	56.08	59.55	63.02	66.49	69.96	73.43	76.9	80.3	66

TABLE VIII.

Right Ascensions and Declinations of some of the principal fixed Stars, adapted to the beginning of the year 1920, with their annual variations.

<i>Names and situations of the STARS.</i>	<i>Character.</i>	<i>Magnitudes.</i>	<i>Right Ascension.</i>	<i>Ann. Var. R. A. add. after. 1820.</i>	<i>Declination.</i>	<i>Annual Variation.</i>
			H.M.S.	"	O	"
Extremity of the wing of Pegasus, <i>Algenib</i>	$\gamma$	2	0. 3.59	3.08	14.11 N.	+20.1
In the head of the Phenix	$\alpha$	2.3	0.17.22	2.99	43.16 S.	-20.0
Bright Star in the tail of the Whale	$\beta$	2.3	0.34.32	3.00	18.59 S.	-19.9
Polar Star, tail of the Little Bear	$\alpha$	2.3	0.57. 1	14.26	88.21 N.	+19.4
In the girdle of Andromeda	$\beta$	2	0.59.40	3.80	34.40 N.	+19.5
The spring of the River Erida, <i>Achernar</i>	$\alpha$	1	1.31. 0	2.25	58. 9 S.	-18.5
Almach in the foot of Andromeda	$\gamma$	2	1.52.53	3.62	41.28 N.	+17.7
*The following horn of the Ram, $\alpha$ ARIETIS	$\alpha$	2	1.57. 3	3.35	22.36 N.	+17.4
In the neck of the Whale	$\sigma$	2	2.10.15	3.02	3.48 S.	-17.0
In the jaw of the Whale	$\alpha$	2	2.52.52	3.12	3.23 N.	+14.3
In the head of Medusa, <i>Algol</i>	$\beta$	2	2.56.28	3.85	40.15 N.	+14.6
The bright Star in Perseus	$\alpha$	2	3.11.31	4.20	49.13 N.	+15.6
The bright Star of the Pleiades, or Seven Stars	$\eta$	3	3.36.47	3.54	23.33 N.	+11.3
*The southern eye of the Bull, ALDEBARAN	$\alpha$	1	4.25.36	3.43	16. 2 N.	+ 3.0
In the left shoulder of Auriga, <i>Capella</i>	$\alpha$	1	5. 3.24	4.41	45.48 N.	+ 4.6
The bright foot of Orion, <i>Rigel</i>	$\beta$	1	5. 5.53	2.88	8.25 S.	- 4.9
The northern horn of the Bull	$\beta$	2	5.14.55	3.78	28.27 N.	+ 3.8
The western shoulder of Orion	$\gamma$	2	5.15.29	3.21	6.11 N.	+ 4.0
In the belt of Orion	$\delta$	2	5.22.49	3.06	0.27 S.	- 3.5
	$\epsilon$	2	5.27. 4	3.03	1.19 S.	- 3.0
	$\zeta$	2	5.31.41	3.02	2. 3 S.	- 2.6
Bright Star in the Dove	$\alpha$	2	5.33. 9	2.17	31.10 S.	- 2.4
The eastern shoulder of Orion	$\alpha$	1	5.45.26	3.25	7.22 N.	+ 1.4
In the foot of the Great Dog	$\beta$	2.3	6.14.46	2.64	17.52 S.	+ 1.2
In the poop of the ship Argo <i>Canopus</i>	$\alpha$	1	6.19.57	1.33	52.36 S.	+ 1.7
In the ankle of Pollux	$\gamma$	2.3	6.27.19	3.46	16.33 N.	- 2.3
In the mouth of the Greater Dog, <i>Sirius</i>	$\alpha$	1	6.37.13	2.64	16.29 S.	+ 4.4
In the thigh of the Greater Dog	$\epsilon$	2.3	6.51.32	2.35	23.44 S.	+ 4.4
In the back of the Greater Dog	$\delta$	2.3	7. 1. 3	2.44	26. 7 S.	+ 5.2
In the tail of the Greater Dog	$\eta$	2	7.16.59	2.38	28.57 S.	+ 6.5
In the head of the northern Twin, <i>Castor</i>	$\alpha$	1.2	7.23. 6	3.35	32.16 N.	- 7.1

TABLE VIII.

81

Right Ascensions and Declinations of some of the principal fixed Stars, adapted to the beginning of the year 1820, with their annual variations.

Names & situations of the STARS.	Characters.	Magnitudes	Right Ascension.	Ann. Var. R. A. add after 1820.	Declination.	Annual Variation.
			H. M. S.	"	° ' "	"
The Lesser Dog <i>Procyon</i>	$\alpha$	1.2	7.29.52	3.15	5.41 N.	- 8.5
* In the head of the southern Twin, <i>POLLUX</i>	$\beta$	1.2	7.34.17	3.69	23.27 N.	- 8.0
In the row lock of the ship <i>Argo</i>	$\xi$	2	7.57.16	2.12	39.30 S.	+ 9.7
In the poop of the ship <i>Argo</i>	$\gamma$	2	8. 4. 1	1.38	46.48 S.	+ 10.3
In the middle of the ship <i>Argo</i>	$\delta$	2.3	8.39.45	1.66	54. 3 S.	+ 12.9
In the oars of the ship <i>Argo</i>	$\beta$	2.3	9.11.13	0.75	68.59 S.	+ 14.9
The heart of the female <i>Hydra</i> , <i>Alphard</i>	$\alpha$	2	9.18.44	2.95	7.53 S.	+ 15.2
* The Lion's heart <i>REGULUS</i>	$\alpha$	1.2	9.58.46	3.21	12.51 N.	- 17.3
South pointer in the sq. of the Great Bear	$\beta$	2	10.50.54	3.71	57.21 N.	- 19.1
North pointer in the sq. of the Great Bear	$\alpha$	1.2	10.52.32	3.33	62.48 N.	- 19.3
The Lion's tail— <i>Denebola</i>	$\beta$	1.2	11.39.52	3.07	15.35 N.	- 20.0
S. E. Star of $\square$ of the Great Bear	$\gamma$	2	11.44.19	3.20	54.42 N.	- 20.0
N. E. Star of $\square$ of the Great Bear	$\delta$	3	12. 6.27	3.02	56. 2 N.	- 20.1
In the foot of the Cross	$\alpha$	1	12.16.41	3.24	62. 6 S.	+ 20.0
In the top of the Cross	$\gamma$	2	12.21.13	3.24	56. 6 S.	+ 20.0
In the following arm of the Cross	$\beta$	2	12.37.18	3.41	52.41 S.	+ 19.8
<i>Alloth</i> , first star in the tail of the Great Bear	$\epsilon$	2.3	12.46. 8	2.75	56.56 N.	- 19.7
* The Virgin's spike— <i>SPICA</i>	$\alpha$	1	13.15.43	3.14	10.13 S.	+ 19.0
The second Star in the tail of the Great Bear	$\zeta$	2.3	13.16.39	2.43	55.52 N.	- 19.0
Last Star in the tail of the Great Bear	$\eta$	2	13.40.28	2.38	50.13 N.	- 18.2
The western foot of the Centaur	$\beta$	2	13.51.14	4.10	59.30 S.	+ 17.3
In the tail of the Dragon	$\alpha$	2.3	13.59.31	1.63	65.14 N.	- 17.4
The bright Star in <i>Bootes</i> — <i>Arcturus</i>	$\alpha$	1	14. 7.28	2.73	20. 8 N.	- 19.0
The eastern foot of the Centaur	$\alpha$	1	14.28. 0	4.44	60. 7 S.	- 16.1
The southern scale of the Balance	$\alpha$	2.3	14.40.56	3.29	15.17 S.	+ 15.2
The northern scale of the Balance	$\beta$	2.3	15. 7.20	3.22	8.43 S.	+ 13.8
Bright Star in the crown <i>Gemma</i>	$\alpha$	2	15.27. 4	2.53	27.20 N.	- 12.5

Right Ascensions and Declinations of some of the principal fixed Stars, adapted to the beginning of the year 1820, with their annual variations.

Names & situations of the STARS.	Characters.	Magnitudes.	Right Ascension.	Ann. Var. R. A. add. after 1820.	Declination.	Annual Variation.
			H. M. S.	"	° ' "	"
In the neck of the Serpent	$\alpha$	$\alpha$	15.35.24	2.94	7. 0 N.	-11.7
The northernmost Star of the Scorpion's forehead	$\beta$	$\beta$	15.55. 0	3.47	19.18 S.	+10.5
*The Scorpion's heart, ANTARES	$\alpha$	1	16.18.23	3.66	26. 1 S.	+ 8.6
In the eastern knee of Ophiuchus	$\eta$	2.3	17. 0. 3	3.42	15.30 S.	+ 5.3
In the head of Hercules	$\alpha$	$\alpha$	17. 6.27	2.78	14.36 N.	- 4.5
In the head of Ophiuchus	$\alpha$	$\alpha$	17.26.35	2.77	12.42 N.	- 3.1
In the head of the Dragon	$\gamma$	2.3	17.52.25	1.33	51.31 N.	- 0.7
In the bow of Sagittarius	$\epsilon$	2.3	18.12.14	3.93	34.28 S.	- 0.9
The bright Star in the Harp, Wega, LYRA	$\alpha$	1	18.30.51	2.03	38.37 N.	+ 3.0
*Bright Star in the Eagle, Atair, $\alpha$ AQUILA	$\alpha$	1	19.42. 0	2.93	3.24 N.	+ 9.1
The eye of the Peacock	$\alpha$	$\alpha$	20.11.20	4.85	57.18 S.	-10.8
The tail of the Swan Deneb	$\alpha$	1.2	20.35.13	2.04	44.39 N.	+12.6
The western wing of the Crane	$\alpha$	$\alpha$	21.56.49	3.85	47.49 S.	-17.4
*In the mouth of the southern fish, FOMALHAUT	$\alpha$	1	22.47.41	3.34	30.34 S.	-19.1
In the shoulder of Pegasus	$\beta$	$\beta$	22.55. 3	2.87	27. 7 N.	+19.2
*In the wing of Pegasus, Markab $\alpha$ PEGASI	$\alpha$	$\alpha$	22.55.48	2.98	14.14 N.	+19.4
In the head of Andromeda	$\alpha$	$\alpha$	23.59. 6	3.03	28. 6 N.	+20.0
Near the shoulder of Cassiopea	$\beta$	2.3	23.59.35	3.05	58. 9 N.	+20.1

NOTE.—If the places of these stars are wanted for any time before the beginning of the year 1820, multiply the annual variation, in right ascension, by the number of years before 1820, and subtract the product from the right ascension standing in the table; but the product of the annual variation in declination by the number of years before 1820 must be added to, or subtracted from the declination, according as the sign — or + is marked in the Table; but for any years after 1820, the annual variation in right ascension multiplied by the number of years after 1820 must be added to the right ascension in the Table, and the annual variation in declination multiplied by the number of years after 1820 must be either added to, or subtracted from the declination, according to the signs in the Table.—The annual variation is set down for seconds and decimals of a second. An asterisk is prefixed to the stars whose distances from the moon are given in the Nautical Almanac. When very great accuracy is required, the corrections found in Tables XLII. and XLIII. for aberration and nutation, are to be applied to the numbers deduced from Table VIII. but these corrections are generally not of much importance in nautical calculations. The corrected values are however given in the Nautical Almanac for 24 of the bright stars of this catalogue for every ten days in the year, and these values are always to be preferred.

**A TABLE showing the time of the Sun's setting, when the latitude and declination are of the same name, and the time of its rising, when the latitude and declination are of different names.**

**DEGREES OF DECLINATION.**

Lat.	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	Lat.	
1°	H	M	H	M	H	M	H	M	H	M	H	M	H	M	H	M	H	M	H	M	H	M	H	M	H	M	H	M	1°
2°	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.01	6.01	6.01	6.01	6.02	6.02	6.02	6.02	6.03	6.03	6.03	6.03	6.04	6.04	6.04	6.05	6.05	6.05	6.06	6.06	2°
3°	6.00	6.00	6.00	6.01	6.01	6.01	6.01	6.01	6.01	6.02	6.02	6.02	6.03	6.03	6.03	6.04	6.04	6.04	6.05	6.05	6.05	6.06	6.06	6.06	6.07	6.07	6.07	6.08	3°
4°	6.00	6.00	6.01	6.01	6.01	6.02	6.02	6.02	6.03	6.03	6.03	6.04	6.04	6.04	6.05	6.05	6.05	6.06	6.06	6.06	6.07	6.07	6.08	6.08	6.09	6.09	6.09	6.10	4°
5°	6.00	6.00	6.01	6.01	6.02	6.02	6.03	6.03	6.03	6.04	6.04	6.04	6.05	6.05	6.06	6.06	6.06	6.07	6.07	6.07	6.08	6.08	6.09	6.09	6.10	6.10	6.10	6.11	5°
6°	6.00	6.00	6.01	6.01	6.02	6.02	6.03	6.03	6.04	6.04	6.04	6.05	6.05	6.06	6.06	6.06	6.07	6.07	6.08	6.08	6.09	6.09	6.10	6.10	6.11	6.11	6.11	6.12	6°
7°	6.00	6.00	6.01	6.01	6.02	6.02	6.03	6.03	6.04	6.04	6.05	6.05	6.06	6.06	6.07	6.07	6.08	6.08	6.09	6.09	6.10	6.10	6.11	6.11	6.12	6.12	6.12	6.13	7°
8°	6.00	6.01	6.01	6.02	6.02	6.03	6.03	6.04	6.05	6.05	6.06	6.06	6.07	6.07	6.08	6.08	6.09	6.09	6.10	6.10	6.11	6.11	6.12	6.12	6.13	6.13	6.14	6.14	8°
9°	6.00	6.01	6.01	6.02	6.03	6.03	6.04	6.05	6.05	6.06	6.06	6.07	6.08	6.08	6.09	6.09	6.10	6.10	6.11	6.11	6.12	6.12	6.13	6.13	6.14	6.15	6.15	6.16	9°
10°	6.00	6.01	6.02	6.02	6.03	6.04	6.04	6.05	6.06	6.06	6.07	6.08	6.09	6.09	6.10	6.11	6.12	6.12	6.13	6.13	6.14	6.15	6.16	6.16	6.17	6.17	6.18	6.18	10°
11°	6.00	6.01	6.02	6.03	6.03	6.04	6.05	6.05	6.06	6.07	6.08	6.09	6.09	6.10	6.11	6.12	6.13	6.13	6.14	6.15	6.16	6.17	6.18	6.18	6.19	6.19	6.20	6.20	11°
12°	6.00	6.01	6.02	6.03	6.04	6.04	6.05	6.06	6.07	6.08	6.09	6.09	6.10	6.11	6.12	6.13	6.14	6.15	6.16	6.17	6.18	6.19	6.20	6.21	6.21	6.22	6.22	6.23	12°
13°	6.00	6.01	6.02	6.03	6.04	6.05	6.06	6.06	6.07	6.08	6.09	6.10	6.11	6.12	6.13	6.14	6.15	6.16	6.17	6.18	6.19	6.20	6.21	6.22	6.23	6.23	6.24	6.24	13°
14°	6.00	6.01	6.02	6.03	6.04	6.05	6.06	6.07	6.08	6.09	6.10	6.11	6.12	6.13	6.14	6.15	6.16	6.17	6.18	6.19	6.20	6.21	6.22	6.23	6.24	6.25	6.25	6.26	14°
15°	6.00	6.01	6.02	6.03	6.04	6.05	6.06	6.07	6.08	6.09	6.10	6.11	6.12	6.13	6.14	6.15	6.16	6.17	6.18	6.19	6.20	6.21	6.22	6.23	6.24	6.25	6.26	6.27	15°
16°	6.00	6.01	6.02	6.03	6.04	6.05	6.06	6.07	6.08	6.09	6.10	6.11	6.12	6.13	6.14	6.15	6.16	6.17	6.18	6.19	6.20	6.21	6.22	6.23	6.24	6.25	6.26	6.27	16°
17°	6.00	6.01	6.02	6.03	6.04	6.05	6.06	6.07	6.08	6.09	6.10	6.11	6.12	6.13	6.14	6.15	6.16	6.17	6.18	6.19	6.20	6.21	6.22	6.23	6.24	6.25	6.26	6.27	17°
18°	6.00	6.01	6.03	6.04	6.05	6.07	6.08	6.09	6.10	6.12	6.13	6.14	6.16	6.17	6.19	6.20	6.21	6.23	6.24	6.26	6.27	6.29	6.30	6.32	6.34	6.34	6.36	6.38	18°
19°	6.00	6.01	6.03	6.04	6.06	6.07	6.08	6.10	6.11	6.13	6.14	6.16	6.18	6.20	6.21	6.23	6.24	6.26	6.27	6.29	6.30	6.32	6.34	6.36	6.38	6.39	6.41	6.43	19°
20°	6.00	6.01	6.03	6.04	6.06	6.07	6.09	6.10	6.12	6.13	6.15	6.16	6.18	6.19	6.21	6.22	6.24	6.26	6.27	6.29	6.30	6.32	6.34	6.36	6.38	6.40	6.42	6.44	20°
21°	6.00	6.02	6.03	6.05	6.06	6.07	6.09	6.11	6.12	6.14	6.16	6.17	6.19	6.20	6.22	6.24	6.25	6.27	6.29	6.30	6.32	6.34	6.36	6.38	6.40	6.42	6.44	6.46	21°
22°	6.00	6.02	6.03	6.05	6.06	6.08	6.10	6.11	6.13	6.15	6.16	6.18	6.20	6.21	6.23	6.25	6.27	6.29	6.30	6.32	6.34	6.36	6.38	6.39	6.40	6.42	6.44	6.46	22°
23°	6.00	6.02	6.03	6.05	6.07	6.09	6.10	6.12	6.14	6.15	6.17	6.19	6.21	6.22	6.24	6.26	6.28	6.29	6.31	6.32	6.34	6.36	6.38	6.39	6.42	6.44	6.46	6.48	23°
24°	6.00	6.02	6.04	6.06	6.07	6.09	6.11	6.13	6.14	6.16	6.18	6.20	6.22	6.23	6.25	6.27	6.29	6.31	6.33	6.35	6.37	6.39	6.41	6.44	6.46	6.47	6.49	6.51	24°
25°	6.00	6.02	6.04	6.06	6.07	6.09	6.11	6.13	6.15	6.17	6.19	6.21	6.23	6.25	6.27	6.29	6.31	6.33	6.35	6.37	6.39	6.41	6.43	6.46	6.48	6.49	6.51	6.53	25°
26°	6.00	6.02	6.04	6.06	6.08	6.10	6.12	6.14	6.16	6.18	6.20	6.22	6.24	6.26	6.28	6.30	6.32	6.34	6.36	6.38	6.41	6.43	6.45	6.48	6.49	6.51	6.53	6.55	26°
27°	6.00	6.02	6.04	6.06	6.08	6.10	6.12	6.14	6.16	6.19	6.21	6.23	6.25	6.27	6.29	6.31	6.34	6.36	6.38	6.40	6.43	6.45	6.48	6.50	6.51	6.53	6.55	6.57	27°
28°	6.00	6.02	6.04	6.06	6.09	6.11	6.13	6.15	6.17	6.19	6.22	6.24	6.26	6.28	6.30	6.33	6.35	6.37	6.39	6.42	6.44	6.47	6.49	6.52	6.54	6.56	6.57	6.59	28°
29°	6.00	6.02	6.04	6.06	6.09	6.11	6.13	6.16	6.18	6.20	6.22	6.25	6.27	6.29	6.32	6.34	6.37	6.39	6.41	6.44	6.46	6.49	6.51	6.54	6.56	6.57	6.59	6.61	29°
30°	6.00	6.02	6.05	6.07	6.09	6.12	6.14	6.16	6.19	6.21	6.23	6.26	6.28	6.31	6.33	6.36	6.38	6.41	6.43	6.46	6.48	6.51	6.54	6.57	6.59	6.61	6.63	6.66	30°



A TABLE shewing the time of the Sun's setting, when the latitude and declination are of the same name, and the time of its rising, when the latitude and declination are of different names.

Lat.	DEGREES OF DECLINATION.																				23	28.		Lat.						
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19		20	21		22	H	M	H	M	
31 <sup>o</sup>	6.00	6.05	6.07	6.10	6.12	6.14	6.17	6.19	6.22	6.25	6.27	6.30	6.32	6.35	6.38	6.41	6.43	6.46	6.48	6.51	6.53	6.56	6.59	7.00	7.00	7.00	7.03	7.07	7.08	34
32	6.00	6.02	6.03	6.08	6.10	6.13	6.18	6.20	6.23	6.26	6.29	6.33	6.36	6.39	6.42	6.45	6.48	6.50	6.53	6.56	6.59	7.02	7.05	7.08	7.11	7.14	7.17	7.19	35	
33	6.00	6.03	6.05	6.08	6.10	6.13	6.16	6.18	6.21	6.24	6.27	6.31	6.34	6.37	6.40	6.43	6.45	6.48	6.50	6.53	6.57	7.00	7.03	7.06	7.09	7.12	7.15	7.17	36	
34	6.00	6.03	6.05	6.09	6.11	6.14	6.16	6.19	6.22	6.25	6.27	6.30	6.33	6.36	6.40	6.42	6.45	6.47	6.50	6.53	6.57	7.00	7.03	7.06	7.09	7.12	7.15	7.17	37	
35	6.00	6.03	6.06	6.08	6.11	6.14	6.17	6.20	6.23	6.25	6.28	6.32	6.35	6.38	6.41	6.44	6.47	6.49	6.53	6.56	6.59	7.02	7.05	7.08	7.11	7.14	7.17	7.19	38	
36	6.00	6.03	6.06	6.09	6.12	6.15	6.18	6.20	6.23	6.26	6.29	6.32	6.35	6.38	6.41	6.44	6.47	6.49	6.53	6.56	6.59	7.02	7.05	7.08	7.11	7.14	7.17	7.19	39	
37	6.00	6.03	6.06	6.09	6.12	6.15	6.18	6.21	6.24	6.27	6.31	6.34	6.37	6.40	6.43	6.46	6.48	6.53	6.56	6.59	7.02	7.05	7.08	7.11	7.14	7.17	7.19	40		
38	6.00	6.03	6.06	6.09	6.13	6.16	6.19	6.22	6.25	6.28	6.32	6.35	6.38	6.41	6.44	6.47	6.49	6.53	6.56	6.59	7.02	7.05	7.08	7.11	7.14	7.17	7.19	41		
39	6.00	6.03	6.06	6.10	6.13	6.16	6.20	6.24	6.26	6.29	6.33	6.36	6.40	6.43	6.46	6.48	6.53	6.56	6.59	7.02	7.05	7.08	7.11	7.14	7.17	7.19	42			
40	6.00	6.03	6.07	6.10	6.13	6.17	6.20	6.24	6.27	6.30	6.34	6.38	6.41	6.44	6.47	6.49	6.53	6.56	6.59	7.02	7.05	7.08	7.11	7.14	7.17	7.19	43			
41	6.00	6.03	6.07	6.10	6.14	6.17	6.21	6.25	6.28	6.32	6.35	6.39	6.43	6.46	6.50	6.54	6.57	6.60	6.64	6.67	6.70	7.03	7.07	7.11	7.15	7.18	7.22	7.27	44	
42	6.00	6.04	6.07	6.11	6.14	6.18	6.22	6.25	6.29	6.33	6.37	6.41	6.44	6.48	6.52	6.56	6.60	6.64	6.68	6.72	6.75	7.09	7.13	7.17	7.21	7.25	7.30	7.33	45	
43	6.00	6.04	6.07	6.11	6.15	6.19	6.22	6.26	6.30	6.34	6.38	6.42	6.46	6.50	6.54	6.58	6.62	6.66	6.70	6.74	7.07	7.11	7.15	7.19	7.23	7.27	7.32	7.37	46	
44	6.00	6.04	6.08	6.12	6.15	6.19	6.23	6.27	6.31	6.35	6.39	6.43	6.47	6.52	6.56	7.00	7.04	7.07	7.11	7.16	7.21	7.25	7.29	7.33	7.37	7.42	7.47	7.51	47	
45	6.00	6.04	6.08	6.12	6.16	6.20	6.24	6.28	6.32	6.36	6.41	6.45	6.49	6.53	6.58	7.02	7.07	7.11	7.16	7.21	7.25	7.30	7.34	7.39	7.44	7.49	7.54	7.58	48	
46	6.02	6.04	6.05	6.12	6.17	6.21	6.25	6.29	6.33	6.38	6.42	6.46	6.51	6.55	7.00	7.04	7.09	7.14	7.19	7.24	7.29	7.34	7.39	7.44	7.49	7.54	7.59	7.64	49	
47	6.00	6.04	6.09	6.13	6.17	6.22	6.26	6.30	6.35	6.39	6.44	6.48	6.53	6.57	7.02	7.07	7.12	7.17	7.22	7.27	7.32	7.37	7.43	7.48	7.51	7.55	7.59	7.64	50	
48	6.00	6.04	6.09	6.13	6.18	6.22	6.27	6.31	6.36	6.41	6.45	6.50	6.55	6.59	7.04	7.09	7.14	7.19	7.24	7.30	7.35	7.41	7.47	7.53	7.58	7.64	7.69	7.74	51	
49	6.00	6.05	6.09	6.14	6.18	6.23	6.28	6.32	6.37	6.42	6.47	6.52	6.57	7.02	7.07	7.12	7.17	7.22	7.28	7.33	7.39	7.45	7.51	7.57	7.63	7.69	7.75	7.81	52	
50	6.00	6.05	6.10	6.14	6.19	6.24	6.29	6.34	6.39	6.44	6.49	6.54	6.59	7.04	7.09	7.14	7.20	7.25	7.31	7.36	7.43	7.49	7.55	7.62	7.68	7.75	7.82	7.89	53	
51	6.00	6.05	6.10	6.15	6.20	6.25	6.30	6.35	6.40	6.45	6.50	6.56	7.01	7.06	7.12	7.17	7.23	7.29	7.35	7.41	7.47	7.53	7.60	7.66	7.73	7.80	7.87	7.94	54	
52	6.00	6.05	6.10	6.15	6.21	6.26	6.31	6.36	6.41	6.47	6.52	6.58	7.03	7.09	7.14	7.20	7.26	7.32	7.39	7.45	7.51	7.58	7.65	7.72	7.80	7.87	7.95	8.02	55	
53	6.00	6.05	6.11	6.16	6.21	6.27	6.32	6.38	6.43	6.49	6.54	7.00	7.06	7.11	7.17	7.23	7.29	7.36	7.42	7.49	7.56	7.62	7.70	7.77	7.85	7.93	8.01	8.09	56	
54	6.00	6.06	6.11	6.17	6.22	6.28	6.33	6.39	6.45	6.50	6.56	7.02	7.08	7.14	7.20	7.27	7.33	7.40	7.46	7.53	7.60	7.67	7.75	7.83	7.92	8.00	8.08	8.17	57	
55	6.00	6.06	6.11	6.17	6.23	6.29	6.35	6.40	6.46	6.52	6.58	7.04	7.11	7.17	7.23	7.30	7.37	7.44	7.51	7.59	7.65	7.73	7.81	7.90	7.99	8.08	8.17	8.27	58	
56	6.00	6.06	6.12	6.18	6.24	6.30	6.36	6.42	6.48	6.54	7.00	7.07	7.13	7.20	7.27	7.34	7.41	7.48	7.56	7.63	7.71	7.80	7.88	7.97	8.06	8.16	8.26	8.36	59	
57	6.00	6.06	6.12	6.19	6.25	6.31	6.37	6.44	6.50	6.56	7.03	7.10	7.16	7.23	7.30	7.37	7.45	7.52	7.60	7.68	7.75	7.84	7.93	8.03	8.13	8.24	8.35	8.46	60	
58	6.00	6.06	6.13	6.19	6.26	6.32	6.39	6.45	6.52	7.00	7.06	7.12	7.20	7.27	7.34	7.42	7.49	7.57	7.65	7.73	7.82	7.90	8.00	8.09	8.19	8.30	8.41	8.51	61	
59	6.00	6.07	6.13	6.20	6.27	6.33	6.40	6.47	6.54	7.01	7.08	7.15	7.23	7.30	7.38	7.46	7.54	7.62	7.71	7.80	7.88	7.98	8.07	8.17	8.28	8.39	8.50	8.61	62	
60	6.00	6.07	6.14	6.21	6.28	6.35	6.42	6.49	6.56	7.04	7.11	7.19	7.26	7.34	7.41	7.50	7.58	7.66	7.75	7.84	7.93	8.03	8.13	8.24	8.35	8.46	8.58	9.10	9.22	

**TABLE X.**

**For finding the Distance of Terrestrial Objects at Sea, in Statute miles.**

Height in feet.	Distance. Mil. Dec.	Height in feet.	Distance. Mil. Dec.	Height in feet.	Distance. Mil. Dec.	Height in feet.	Distance. M. Tenths.
1	1.32	44	8.78	320	23.67	1060	41.8
2	1.87	45	8.87	330	24.03	1100	43.9
3	2.29	46	8.97	340	24.39	1200	45.8
4	2.65	47	9.07	350	24.75	1300	47.7
5	2.96	48	9.17	360	25.10	1400	49.5
6	3.24	49	9.26	370	25.45	1500	51.2
7	3.50	50	9.35	380	25.79	1600	52.9
8	3.74	55	9.81	390	26.13	1700	54.5
9	3.97	60	10.25	400	26.46	1800	56.1
10	4.18	65	10.67	410	26.79	1900	57.7
11	4.39	70	11.07	420	27.11	2000	59.2
12	4.58	75	11.46	430	27.43	2100	60.6
13	4.77	80	11.83	440	27.75	2200	62.1
14	4.95	85	12.20	450	28.06	2300	63.4
15	5.12	90	12.55	460	28.37	2400	64.8
16	5.29	95	12.89	470	28.68	2500	66.1
17	5.45	100	13.23	480	28.98	2600	67.5
18	5.61	105	13.56	490	29.29	2700	68.7
19	5.77	110	13.88	500	29.58	2800	70.0
20	5.92	115	14.19	520	30.17	2900	71.2
21	6.06	120	14.49	540	30.74	3000	72.5
22	6.21	125	14.79	560	31.31	3100	73.7
23	6.34	130	15.08	580	31.86	3200	74.8
24	6.48	135	15.37	600	32.41	3300	76.0
25	6.61	140	15.65	620	32.94	3400	77.1
26	6.75	145	15.93	640	33.47	3500	78.3
27	6.87	150	16.20	660	33.99	3600	79.4
28	7.00	160	16.73	680	34.50	3700	80.5
29	7.12	170	17.25	700	35.00	3800	81.6
30	7.25	180	17.75	720	35.50	3900	82.6
31	7.37	190	18.24	740	35.99	4000	83.7
32	7.48	200	18.71	760	36.47	4100	84.7
33	7.60	210	19.17	780	36.95	4200	85.7
34	7.71	220	19.62	800	37.42	4300	86.8
35	7.83	230	20.06	820	37.88	4400	87.8
36	7.94	240	20.50	840	38.34	4500	88.7
37	8.05	250	20.92	860	38.80	4600	89.7
38	8.16	260	21.33	880	39.25	4700	90.7
39	8.26	270	21.74	900	39.69	4800	91.7
40	8.37	280	22.14	920	40.13	4900	92.6
41	8.47	290	22.53	940	40.56	5000	93.5
42	8.57	300	22.91	960	40.99	1 mile.	96.1
43	8.68	310	23.29	980	41.42		

TABLE XI.

Seek the nearest number to the reduced time in the top column, and the difference of paralax, proportional logarithm, or semi-diameter for 12 hours in the side column; under the former and opposite the latter, is the correction to be applied to the number, marked first in the Nautical Almanac, additive if increasing, subtractive if decreasing.

VARIABLES IN HOURS	REDUCED TIME.																									
	h 0	h 1	h 2	h 3	h 4	h 5	h 6	h 7	h 8	h 9	h 10	h 11	h 12	h 13	h 14	h 15	h 16	h 17	h 18	h 19	h 20	h 21	h 22	h 23	h 24	
	12	13	14	15	16	17	18	19	20	21	22	23	24	12	13	14	15	16	17	18	19	20	21	22	23	24
1	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6	0	0	1	1	1	1	1	2	2	2	2	2	2	3	3	3	3	3	3	3	4	4	4	4	4	4
7	0	1	1	1	1	2	2	2	2	2	2	2	2	3	3	3	3	3	3	4	4	4	4	4	4	4
8	0	1	1	1	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	4	4	4	4	4	4	4
9	0	1	1	1	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	4	4	4	4	4	4	4
10	0	1	1	2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	4	4	4	4	4	4	4
11	0	1	1	2	2	2	3	3	3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	5	5
12	0	1	1	2	2	3	3	3	3	3	3	3	3	4	4	4	4	4	4	5	5	5	5	5	5	5
13	1	1	2	2	3	3	3	3	4	4	4	4	4	4	4	4	4	4	4	5	5	5	5	5	5	5
14	1	1	2	2	3	3	3	3	4	4	4	4	4	4	4	4	4	4	4	5	5	5	5	5	5	5
15	1	1	2	2	3	3	3	3	4	4	4	4	4	4	4	4	4	4	4	5	5	5	5	5	5	5
16	1	1	2	3	3	4	4	4	4	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6
17	1	1	2	3	3	4	4	4	4	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6
18	1	1	2	3	3	4	4	4	4	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6
19	1	2	2	3	3	4	4	5	5	5	5	5	5	6	6	6	6	6	6	7	7	7	7	7	7	7
20	1	2	2	3	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
21	1	2	3	3	4	4	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
22	1	2	3	3	4	4	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
23	1	2	3	3	4	4	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
24	1	2	3	3	4	4	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
25	1	2	3	3	4	4	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
26	1	2	3	3	4	4	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
27	1	2	3	3	4	4	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
28	1	2	3	3	4	4	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
29	1	2	3	3	4	4	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
30	1	2	3	3	4	4	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
31	1	2	3	3	4	4	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
32	1	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
33	1	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
34	1	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
35	1	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
36	1	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
37	2	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
38	2	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
39	2	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
40	2	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
41	2	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
42	2	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
43	2	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
44	2	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7
45	2	3	4	4	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7

XII. The Refraction of the heavenly Bodies in Altitude.

Ref.	App. Alt.	Ref.	App. Alt.	Ref.	
M. S.	D. M. M. S.	D.	M. S.	M. S.	
33.	0	6.30	7.52	30	1.38
32.	11	6.40	7.41	31	1.35
31.	22	6.50	7.31	32	1.31
30.	36	7. 0	7.21	33	1.28
29.	50	7.10	7.12	34	1.24
29.	6	7.20	7. 3	35	1.21
28.	23	7.30	6.54	36	1.18
27.	41	7.40	6.46	37	1.16
27.	0	7.50	6.38	38	1.13
26.	20	8. 0	6.30	39	1.10
25.	42	8.10	6.22	40	1. 8
25.	5	8.20	6.15	41	1. 5
24.	29	8.30	6. 8	42	1. 3
23.	54	8.40	6. 1	43	1. 1
23.	20	8.50	5.55	44	0.59
22.	47	9. 0	5.49	45	0.57
22.	15	9.10	5.43	46	0.55
21.	44	9.20	5.37	47	0.53
21.	15	9.30	5.31	48	0.51
20.	46	9.40	5.26	49	0.50
20.	18	9.50	5.20	50	0.48
19.	51	10. 0	5.15	51	0.46
19.	25	10.15	5. 8	52	0.45
18.	59	10.30	5. 0	53	0.43
18.	35	10.45	4.54	54	0.41
18.	11	10.59	4.47	55	0.40
17.	48	11.15	4.41	56	0.38
17.	26	11.30	4.35	57	0.37
17.	4	11.45	4.29	58	0.36
16.	44	12. 0	4.23	59	0.34
16.	23	12.20	4.16	60	0.33
16.	4	12.40	4. 9	61	0.32
15.	46	13. 0	4. 3	62	0.30
15.	27	13.20	3.57	63	0.29
15.	9	13.40	3.51	64	0.28
14.	52	14. 0	3.46	65	0.27
14.	35	14.20	3.40	66	0.25
14.	19	14.40	3.35	67	0.24
14.	3	14.55	3.30	68	0.23
13.	48	15.30	3.23	69	0.22
13.	33	16. 0	3.17	70	0.21
13.	19	16.30	3.11	71	0.20
13.	5	17. 0	3. 5	72	0.19
12.	39	17.30	2.59	73	0.17
12.	14	18. 0	2.54	74	0.16
11.	50	18.30	2.49	75	0.15
11.	28	19. 0	2.44	76	0.14
11.	7	19.30	2.40	77	0.13
10.	47	20. 0	2.36	78	0.12
10.	28	20.30	2.32	79	0.11
10.	10	21. 0	2.28	80	0.10
9.	53	21.30	2.24	81	0. 9
9.	37	22. 0	2.20	82	0. 8
9.	21	23. 0	2.14	83	0. 7
9.	7	24. 0	2. 7	84	0. 6
8.	53	25. 0	2. 2	85	0. 5
8.	39	26. 0	1.56	86	0. 4
8.	27	27. 0	1.51	87	0. 3
8.	15	28. 0	1.47	88	0. 2
8.	3	29. 0	1.43	89	0. 1

TABLE XIII. Depression or Dip of the Horizon of the sea.

Height of the eye.	Dip of the Horizon.
Feet.	M. S.
1	0.59
2	1.24
3	1.42
4	1.58
5	2.12
6	2.25
7	2.36
8	2.47
9	2.57
10	3. 7
11	3.16
12	3.25
13	3.35
14	3.41
15	3.49
16	3.56
17	4. 3
18	4.11
19	4.17
20	4.24
21	4.31
22	4.37
23	4.43
24	4.49
26	5. 1
28	5.13
30	5.23
35	5.49
40	6.14
45	6.36
50	6.58
60	7.37
70	8.14
80	8.43
90	9.20
100	9.51

TABLE XIV. The Sun's Parallax in Altitude.

Sun's Alt.	Sun's Parallax.
D.	S.
0	9
10	9
20	8
30	8
40	7
50	6
55	5
60	4
65	4
70	3
75	2
80	2
85	1
90	0

TABLE XV. Augmentation of the Moon's Semi-diameter.

Moon's Alt.	Augmentation.
D.	S.
0	0
5	1
10	3
15	4
20	5
25	7
30	8
35	9
40	10
45	11
50	12
55	13
60	14
70	15
80	15
90	16

TABLE XVI. Dip of the Sea at different Distances from the Observer.

Dist. of the land in Sea miles.	Height of the Eye above the Sea in Feet.							
	5	10	15	20	25	30	35	40
	Dip.	Dip.	Dip.	Dip.	Dip.	Dip.	Dip.	Dip.
	M.	M.	M.	M.	M.	M.	M.	M.
	11	23	34	45	57	68	79	91
	6	12	17	23	28	34	40	45
	4	8	12	15	19	23	27	30
	3	6	9	12	15	17	20	23
1 1/2	3	5	7	10	12	14	16	19
1 3/4	3	4	6	8	10	12	14	16
2	2	4	5	7	8	9	11	12
2 1/2	2	3	4	6	7	8	9	10
3	2	3	4	5	6	7	8	9
3 1/2	2	3	4	5	6	6	7	8
4	2	3	4	5	5	6	7	7
5	2	3	4	4	5	6	6	7
6	2	3	4	4	5	5	6	6

TO TABLE XVI.—The numbers of this table below the black lines, are the numbers given in Table XIII. the visible horizon, corresponding to those heights, so far distant as the land.







**TABLE XIX.**

**CORRECTION.**

1	J's Horizontal Parallax.							TABLE A. Proportional part for Seconds of Parallax. Add.									Tab. B For M of alt. Add.		
	55'	56'	57'	58'	59'	60'	61'	S.	0	1	2	3	4	5	6	7		8	9
	21	11.22	10.22	9.22	8.23	7.23	6.24	5.24	0	59	58	57	56	55	54	53		52	51
13	11.13	10.14	9.14	8.15	7.15	6.16	5.16	10	49	48	47	46	45	44	43	42	41	40	
	5.11	4.10	3.09	2.08	1.07	0.07	5.11	20	39	38	37	36	35	34	33	32	31	30	
58	10.58	9.58	8.58	7.58	6.57	5.57	4.57	30	29	28	27	26	25	24	23	22	21	20	
50	10.51	9.51	8.51	7.51	6.51	5.51	4.51	40	19	18	17	16	15	14	13	12	11	10	
								50	9	8	7	6	5	4	3	2	1	0	

**TABLE XIX. LOGARITHMS.**

**Apparent Altitude of J's centre.**

**TABLE C.  
Cor. for Seconds of Parallax. Add.**

3-7	6-7	9-7	12-7	15-7	18-7	21-7	24-7	27-7	30-7	33-7	36-7	S. Cor.	
1	2636	2631	2627	2623	2619	2615	2611	2607	2603	2799	2795	0	13
2	2921	2916	2912	2908	2904	2900	2896	2892	2887	2783	2780	1	12
10	2905	2900	2896	2892	2888	2884	2880	2876	2872	2768	2765	2	10
14	2790	2785	2781	2777	2773	2769	2765	2761	2757	2753	2749	3	9
19	2774	2770	2766	2762	2758	2754	2750	2746	2742	2738	2734	4	7
34	2759	2755	2751	2747	2743	2739	2735	2731	2727	2723	2719	5	6
18	2744	2739	2735	2731	2727	2723	2719	2716	2712	2709	2704	6	4
33	2729	2724	2720	2716	2712	2708	2704	2700	2696	2692	2689	7	3
16	2714	2709	2705	2701	2697	2693	2689	2685	2681	2677	2673	8	1
22	2699	2694	2690	2686	2682	2678	2674	2671	2667	2663	2659	9	0
31	2684	2679	2675	2671	2667	2663	2659	2656	2652	2648	2644		
73	2669	2664	2660	2656	2652	2649	2645	2641	2637	2633	2630	S.	Cor.
38	2654	2649	2645	2641	2638	2634	2630	2626	2622	2618	2615	0	13
13	2639	2635	2631	2627	2623	2619	2615	2611	2607	2603	2600	1	12
26	2624	2620	2616	2612	2608	2604	2600	2597	2593	2589	2586	2	10
11	2610	2606	2602	2598	2594	2590	2586	2582	2578	2574	2571	3	9
9	2595	2591	2587	2583	2579	2575	2571	2567	2563	2559	2556	4	7
14	2580	2576	2572	2568	2564	2560	2556	2553	2549	2545	2542	5	6
70	2565	2562	2558	2554	2550	2546	2542	2538	2534	2530	2527	6	4
35	2551	2547	2543	2539	2535	2531	2527	2523	2520	2516	2513	7	3
10	2536	2532	2528	2524	2521	2517	2513	2510	2506	2502	2499	8	1
26	2522	2518	2514	2510	2506	2503	2499	2495	2491	2487	2484	9	0
12	2508	2504	2500	2496	2492	2488	2484	2481	2477	2473	2470		
47	2493	2489	2485	2481	2478	2474	2470	2467	2463	2459	2456	S.	Cor.
53	2479	2475	2471	2467	2463	2460	2456	2452	2448	2444	2441	0	13
39	2465	2461	2457	2453	2449	2445	2441	2438	2434	2430	2427	1	12
51	2450	2446	2442	2438	2435	2431	2427	2424	2420	2416	2413	2	10
10	2436	2432	2428	2424	2421	2417	2413	2410	2406	2402	2399	3	9
26	2422	2418	2414	2410	2407	2403	2399	2396	2392	2388	2385	4	7
12	2408	2404	2400	2396	2393	2389	2385	2382	2378	2374	2371	5	6
78	2394	2390	2386	2382	2379	2375	2371	2368	2364	2360	2357	6	5
21	2380	2376	2372	2368	2365	2361	2357	2354	2350	2346	2343	7	3
70	2366	2362	2358	2354	2351	2347	2343	2340	2336	2332	2329	8	2
56	2352	2348	2344	2341	2337	2334	2330	2327	2323	2319	2316	9	1
42	2338	2334	2331	2327	2323	2320	2316	2313	2309	2305	2302		
28	2324	2320	2317	2313	2309	2306	2302	2299	2295	2291	2288	S.	Cor.
14	2311	2307	2303	2300	2296	2292	2289	2286	2282	2278	2275	0	13
31	2297	2293	2290	2286	2282	2279	2275	2272	2268	2264	2261	1	12
37	2283	2279	2276	2272	2268	2265	2261	2258	2254	2250	2247	2	10
73	2270	2266	2262	2258	2255	2251	2248	2245	2241	2237	2234	3	9
70	2256	2252	2248	2245	2241	2238	2234	2231	2227	2223	2220	4	8
16	2243	2239	2235	2231	2228	2224	2221	2218	2214	2210	2207	5	6
33	2229	2225	2221	2218	2214	2211	2207	2204	2200	2196	2193	6	5
19	2216	2212	2209	2205	2201	2198	2194	2191	2187	2183	2180	7	4
16	2202	2198	2195	2191	2187	2184	2181	2178	2174	2170	2167	8	2
92	2189	2185	2182	2178	2174	2171	2167	2164	2160	2157	2154	9	1







TABLE XI.

Seek the nearest number to the reduced time in the top column, and the difference of paral-  
 lax, proportional logarithm, or semi-diameter for 12 hours in the side column ; under the  
 former and opposite the latter, is the correction to be applied to the number, marked first  
 in the Nautical Almanac, additive if increasing, subtractive if decreasing.

Var. in 12 hrs.	REDUCED TIME.																								
	h	h	h	h	h	h	h	h	h	h	h	h	h	h	h	h	h	h	h	h	h	h	h	h	h
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1
1	0	0	0	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2
2	0	0	0	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2
3	0	0	0	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2
4	0	0	0	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2
5	0	0	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2
6	0	0	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3
7	0	1	1	1	1	1	2	2	2	2	2	2	3	3	3	3	3	3	3	4	4	4	4	4	4
8	0	1	1	1	1	2	2	2	2	3	3	3	3	4	4	4	4	4	4	4	5	5	5	5	5
9	0	1	1	1	1	2	2	2	3	3	3	3	4	4	4	4	4	4	5	5	5	5	6	6	6
10	0	1	1	1	2	2	2	3	3	3	3	4	4	4	4	4	4	5	5	5	6	6	6	6	6
11	0	1	1	2	2	2	3	3	4	4	4	5	5	5	5	5	6	6	6	6	7	7	7	7	7
12	0	1	1	2	2	3	3	4	4	4	5	5	5	6	6	6	6	7	7	7	8	8	8	8	8
13	1	1	2	2	3	3	3	4	4	4	5	5	5	6	6	6	7	8	8	8	9	9	9	9	9
14	1	1	2	2	3	3	4	4	4	5	5	5	6	6	6	7	8	8	9	9	10	10	10	10	10
15	1	1	2	2	3	3	4	4	4	5	5	5	6	6	7	7	8	8	9	9	10	11	11	11	11
16	1	1	2	3	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11	11	12	12	12	12
17	1	1	2	3	4	4	4	5	5	6	6	7	7	8	8	9	10	10	11	11	12	13	13	13	13
18	1	1	2	3	4	4	5	5	6	6	7	7	8	8	9	10	10	11	11	12	13	14	14	14	14
19	1	2	2	3	4	4	5	5	6	6	7	7	8	9	9	10	11	11	12	12	13	14	15	15	15
20	1	2	2	3	4	4	5	5	6	6	7	7	8	9	10	11	12	12	13	14	15	16	16	16	16
21	1	2	3	3	4	4	5	5	6	6	7	7	8	9	10	11	12	12	13	14	15	16	17	17	17
22	1	2	3	4	4	5	5	6	6	7	7	8	8	9	10	11	12	12	13	14	15	16	17	18	18
23	1	2	3	4	4	5	5	6	6	7	7	8	8	9	10	11	12	13	13	14	15	16	17	18	18
24	1	2	3	4	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	19
25	1	2	3	4	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	19
26	1	2	3	4	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	19
27	1	2	3	4	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	19
28	1	2	3	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20
29	1	2	3	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20
30	1	2	4	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20
31	1	3	4	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20
32	1	3	4	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20
33	1	3	4	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20
34	1	3	4	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20
35	1	3	4	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20
36	1	3	4	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20
37	2	3	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20	20
38	2	3	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20	20
39	2	3	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20	20
40	2	3	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20	20
41	2	3	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20	20
42	2	3	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20	20
43	2	3	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20	20
44	2	3	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20	20
45	2	3	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17	18	19	20	20	20













TABLE XIX.

CORRECTION.

App. alt. J's cen.		J's Horizontal Parallax.								TABLE A. Proportional part for Seconds of Parallax. Add.									Tab. B. For M of alt. Add.				
		D	M	54'	55'	56'	57'	58'	59'	60'	61'	S.	0'	1'	2'	3'	4'	5'	6'	7'	8'	9'	M
7	30	11.58	10.58	9.59	8.59	8.67	7.66	6.65	5.64	4.64	0	59	58	57	56	55	54	53	52	51	50		
	40	11.50	10.51	9.51	8.52	7.53	6.53	5.54	4.54		10	49	48	47	46	45	44	43	42	41	40		
	50	11.44	10.44	9.45	8.45	7.46	6.46	5.47	4.47		20	39	38	37	36	35	34	33	32	31	30		
8	0	11.37	10.38	9.38	8.39	7.40	6.40	5.41	4.41		30	29	28	27	26	25	24	23	22	21	20		
	10	11.31	10.32	9.32	8.33	7.33	6.34	5.35	4.35		40	19	18	17	16	15	14	13	12	11	10		
	20	11.25	10.26	9.26	8.27	7.28	6.28	5.29	4.30		50	9	8	7	6	5	4	3	2	1	0		

TABLE XIX. LOGARITHMS.

J's Hor. Parallax.		Apparent Altitude of J's centre.												TABLE C. Cor. for Seconds of Parallax. Add.								
		M	S	7	30	7	45	7	48	7	51	7	54	7	57	8	0	3	6	8	9	12
54	0	2791	2787	2783	2780	2777	2774	2770	2766	2762	2759	2756	2751	2747	2744	2741	2738	0	13			
	10	2776	2772	2768	2765	2762	2759	2755	2751	2747	2744	2741	2738	2734	2731	2728	2725	1	12			
	20	2761	2757	2753	2750	2747	2743	2739	2736	2732	2729	2726	2723	2719	2716	2713	2710	2	10			
	30	2745	2741	2737	2734	2731	2727	2724	2721	2717	2714	2711	2708	2704	2701	2698	2695	3	9			
	40	2730	2726	2722	2719	2716	2712	2709	2706	2702	2699	2696	2693	2689	2686	2683	2680	4	7			
	50	2715	2711	2707	2704	2701	2697	2694	2691	2687	2684	2681	2678	2674	2671	2668	2665	5	6			
55	0	2700	2696	2692	2689	2686	2683	2679	2676	2672	2669	2666	2663	2659	2656	2653	2650	6	4			
	10	2685	2681	2677	2674	2671	2667	2664	2661	2657	2654	2651	2648	2644	2641	2638	2635	7	3			
	20	2670	2666	2662	2659	2656	2652	2649	2646	2642	2639	2636	2633	2629	2626	2623	2620	8	1			
	30	2655	2651	2647	2644	2641	2637	2634	2631	2627	2624	2621	2618	2614	2611	2608	2605	9	0			
	40	2640	2637	2633	2630	2627	2623	2620	2616	2612	2609	2606	2603	2600	2596	2593	2590					
	50	2626	2622	2618	2615	2612	2608	2605	2602	2598	2595	2592	2589	2585	2582	2579	2576					
56	0	2611	2607	2603	2600	2597	2593	2590	2587	2583	2580	2577	2574	2570	2567	2564	2561	0	13			
	10	2596	2592	2589	2586	2583	2579	2576	2572	2569	2566	2563	2560	2556	2553	2550	2547	1	12			
	20	2582	2578	2574	2571	2568	2564	2561	2558	2554	2551	2548	2545	2541	2538	2535	2532	2	10			
	30	2567	2563	2559	2556	2553	2549	2546	2543	2540	2537	2534	2531	2527	2524	2521	2518	3	9			
	40	2552	2548	2545	2542	2539	2535	2532	2529	2525	2522	2519	2516	2512	2509	2506	2503	4	7			
	50	2537	2534	2530	2527	2524	2520	2517	2514	2511	2508	2505	2502	2498	2495	2492	2489	5	6			
57	0	2523	2519	2516	2513	2510	2506	2503	2500	2496	2493	2490	2487	2483	2480	2477	2474	6	4			
	10	2509	2505	2502	2499	2496	2492	2489	2486	2482	2479	2476	2473	2469	2466	2463	2460	7	3			
	20	2494	2491	2487	2484	2481	2477	2474	2471	2468	2465	2462	2459	2455	2452	2449	2446	8	1			
	30	2479	2476	2473	2470	2467	2463	2460	2457	2454	2451	2448	2445	2441	2438	2435	2432	9	0			
	40	2465	2462	2459	2456	2453	2449	2446	2443	2440	2437	2434	2431	2427	2424	2421	2418					
	50	2451	2448	2445	2442	2439	2435	2432	2429	2425	2422	2419	2416	2412	2409	2406	2403					
58	0	2438	2434	2431	2428	2425	2421	2418	2415	2411	2408	2405	2402	2398	2395	2392	2389	0	13			
	10	2424	2420	2416	2413	2410	2407	2404	2401	2397	2394	2391	2388	2384	2381	2378	2375	1	12			
	20	2410	2406	2402	2399	2396	2393	2390	2387	2383	2380	2377	2374	2370	2367	2364	2361	2	10			
	30	2396	2392	2388	2385	2382	2379	2376	2373	2369	2366	2363	2360	2356	2353	2350	2347	3	9			
	40	2382	2378	2375	2372	2369	2365	2362	2359	2356	2353	2350	2347	2343	2340	2337	2334	4	7			
	50	2368	2364	2361	2358	2355	2351	2348	2345	2342	2339	2336	2333	2329	2326	2323	2320	5	6			
59	0	2354	2350	2347	2344	2341	2337	2334	2331	2328	2325	2322	2319	2315	2312	2309	2306	6	5			
	10	2340	2336	2333	2330	2327	2323	2320	2317	2314	2311	2308	2305	2301	2298	2295	2292	7	3			
	20	2326	2322	2319	2316	2313	2310	2307	2304	2301	2298	2295	2292	2288	2285	2282	2279	8	2			
	30	2312	2308	2305	2302	2299	2296	2293	2290	2287	2284	2281	2278	2274	2271	2268	2265	9	1			
	40	2299	2295	2292	2289	2286	2283	2279	2276	2273	2270	2267	2264	2260	2257	2254	2251					
	50	2285	2281	2278	2275	2272	2269	2266	2263	2260	2257	2254	2251	2247	2244	2241	2238					
60	0	2271	2268	2265	2262	2259	2255	2252	2249	2246	2243	2240	2237	2233	2230	2227	2224	0	13			
	10	2258	2254	2251	2248	2245	2242	2239	2236	2233	2230	2227	2224	2220	2217	2214	2211	1	12			
	20	2244	2240	2237	2234	2231	2228	2225	2222	2219	2216	2213	2210	2206	2203	2200	2197	2	10			
	30	2231	2227	2224	2221	2218	2215	2212	2209	2206	2203	2200	2197	2193	2190	2187	2184	3	9			
	40	2217	2214	2211	2208	2205	2201	2198	2195	2192	2189	2186	2183	2179	2176	2173	2170	4	8			
	50	2204	2200	2197	2194	2191	2188	2185	2182	2179	2176	2173	2170	2166	2163	2160	2157	5	6			
61	0	2190	2187	2184	2181	2178	2175	2172	2169	2166	2163	2160	2157	2153	2150	2147	2144	6	5			
	10	2177	2174	2171	2168	2165	2161	2158	2155	2152	2149	2147	2144	2140	2137	2134	2131	7	4			
	20	2164	2160	2157	2154	2151	2148	2145	2142	2139	2136	2133	2130	2126	2123	2120	2117	8	2			
	30	2151	2147	2144	2141	2138	2135	2132	2129	2126	2123	2120	2117	2113	2110	2107	2104	9	1			

TABLE XIX.

CORRECTION.

)s Horizontal Parallax.							TABLE A. Proportional part for Seconds of Parallax. Add.										Tab. B. For M of Alt. Add.	
55'	56'	57'	58'	59'	60'	61'	S. 0	1'	2'	3'	4'	5'	6'	7'	8'	9'	M	S
10.34	9.34	8.35	7.35	6.36	5.37	4.37	0.58	57	56	55	54	53	52	51	50	49	0	0
10.28	9.28	8.29	7.30	6.30	5.31	4.32	10.43	47	46	45	44	43	42	41	40	39	0	0
10.22	9.23	8.24	7.24	6.25	5.25	4.26	20.38	37	36	35	34	33	32	31	30	29	0	0
10.17	9.18	8.18	7.19	6.20	5.20	4.21	30.28	27	26	25	24	23	22	21	20	19	0	0
10.12	9.13	8.13	7.14	6.15	5.15	4.16	40.18	17	16	15	14	13	12	11	10	9	0	0
							50.	9	8	7	6	5	4	3	2	1	0	0

TABLE XIX. LOGARITHMS.

Apparent Altitude of )s centre.										TABLE C. Cor. for Seconds of Parallax. Add.	
18	19	20	21	22	23	24	25	26	27	S.	Cor.
746	2713	2710	2707	2704	2701	2698	2695	2692	2689	0	13
731	2728	2725	2722	2719	2716	2713	2710	2707	2704	1	12
716	2743	2740	2737	2734	2731	2728	2725	2722	2719	2	10
701	2758	2755	2752	2749	2746	2743	2740	2737	2734	3	9
686	2773	2770	2767	2764	2761	2758	2755	2752	2749	4	7
671	2788	2785	2782	2779	2776	2773	2770	2767	2764	5	6
656	2803	2800	2797	2794	2791	2788	2785	2782	2779	6	4
641	2818	2815	2812	2809	2806	2803	2800	2797	2794	7	3
626	2833	2830	2827	2824	2821	2818	2815	2812	2809	8	1
612	2848	2845	2842	2839	2836	2833	2830	2827	2824	9	0
597	2863	2860	2857	2854	2851	2848	2845	2842	2839	S.	Cor.
582	2878	2875	2872	2869	2866	2863	2860	2857	2854	0	13
568	2893	2890	2887	2884	2881	2878	2875	2872	2869	1	12
553	2908	2905	2902	2899	2896	2893	2890	2887	2884	2	10
539	2923	2920	2917	2914	2911	2908	2905	2902	2899	3	9
524	2938	2935	2932	2929	2926	2923	2920	2917	2914	4	7
510	2953	2950	2947	2944	2941	2938	2935	2932	2929	5	6
496	2968	2965	2962	2959	2956	2953	2950	2947	2944	6	5
481	2983	2980	2977	2974	2971	2968	2965	2962	2959	7	3
467	2998	2995	2992	2989	2986	2983	2980	2977	2974	8	1
453	3013	3010	3007	3004	3001	2998	2995	2992	2989	9	0
439	3028	3025	3022	3019	3016	3013	3010	3007	3004	S.	Cor.
424	3043	3040	3037	3034	3031	3028	3025	3022	3019	0	13
410	3058	3055	3052	3049	3046	3043	3040	3037	3034	1	12
396	3073	3070	3067	3064	3061	3058	3055	3052	3049	2	10
382	3088	3085	3082	3079	3076	3073	3070	3067	3064	3	9
368	3103	3100	3097	3094	3091	3088	3085	3082	3079	4	7
353	3118	3115	3112	3109	3106	3103	3100	3097	3094	5	6
341	3133	3130	3127	3124	3121	3118	3115	3112	3109	6	5
327	3148	3145	3142	3139	3136	3133	3130	3127	3124	7	3
313	3163	3160	3157	3154	3151	3148	3145	3142	3139	8	2
300	3178	3175	3172	3169	3166	3163	3160	3157	3154	9	1
286	3193	3190	3187	3184	3181	3178	3175	3172	3169	S.	Cor.
272	3208	3205	3202	3199	3196	3193	3190	3187	3184	0	13
259	3223	3220	3217	3214	3211	3208	3205	3202	3199	1	12
245	3238	3235	3232	3229	3226	3223	3220	3217	3214	2	10
232	3253	3250	3247	3244	3241	3238	3235	3232	3229	3	9
218	3268	3265	3262	3259	3256	3253	3250	3247	3244	4	3
205	3283	3280	3277	3274	3271	3268	3265	3262	3259	5	6
192	3298	3295	3292	3289	3286	3283	3280	3277	3274	6	5
178	3313	3310	3307	3304	3301	3298	3295	3292	3289	7	4
165	3328	3325	3322	3319	3316	3313	3310	3307	3304	8	2
151	3343	3340	3337	3334	3331	3328	3325	3322	3319	9	1
138	3358	3355	3352	3349	3346	3343	3340	3337	3334		
125	3373	3370	3367	3364	3361	3358	3355	3352	3349		
112	3388	3385	3382	3379	3376	3373	3370	3367	3364		





TABLE XIX.

CORRECTION.

J's Horizontal Parallax.							TABLE A. Proportional part for Seconds of Parallax. Add.										Tab.B For M of alt. Add.	
55'	56'	57'	58'	59'	60'	61'	S. 0'	1'	2'	3'	4'	5'	6'	7'	8'	9'	M	S
9.56	8.57	7.58	6.59	5.59	5.04	4.1	0.58	57	56	55	54	53	52	51	50	49	0	1
9.52	8.53	7.54	6.55	5.56	4.56	3.57	10.48	47	46	45	44	43	42	41	40	39	1	12
9.49	8.49	7.50	6.51	5.52	4.53	3.54	20.38	37	36	35	34	33	32	31	30	29	2	10
9.45	8.46	7.47	6.48	5.49	4.50	3.50	30.28	27	26	25	24	23	22	21	20	19	3	9
9.42	8.43	7.44	6.45	5.45	4.46	3.47	40.19	18	17	16	15	14	13	12	11	10	4	8
9.39	8.40	7.41	6.41	5.42	4.43	3.44	50.9	8	7	6	5	4	3	2	1	0	5	6

TABLE XIX. LOGARITHMS.

Apparent Altitude of J's centre.													TABLE C. Cor. for Seconds of Parallax. Add.			
34	38	42	46	50	54	58	10	2	10	6	10	10	14	18	S.	Cor.
676	2673	2669	2666	2663	2660	2657	2654	2651	2648	2645	2642	2640	2637	2634	0	13
661	2658	2654	2651	2648	2645	2642	2640	2637	2634	2631	2628	2626	2623	2620	1	12
646	2643	2639	2636	2633	2630	2627	2625	2622	2619	2616	2613	2611	2608	2605	2	10
631	2628	2624	2621	2618	2615	2612	2610	2607	2604	2601	2598	2596	2593	2590	3	9
616	2613	2610	2607	2604	2601	2598	2595	2592	2589	2587	2584	2582	2579	2576	4	7
602	2599	2595	2592	2589	2586	2583	2581	2578	2575	2572	2569	2567	2564	2561	5	6
587	2584	2580	2577	2574	2571	2568	2566	2563	2560	2557	2554	2552	2549	2546	6	4
572	2569	2566	2563	2560	2557	2554	2552	2549	2546	2543	2540	2538	2535	2532	7	3
558	2555	2551	2548	2545	2542	2539	2537	2534	2531	2528	2525	2523	2520	2517	8	2
543	2540	2537	2534	2531	2528	2525	2523	2520	2517	2514	2511	2509	2506	2503	9	0
529	2526	2523	2520	2517	2514	2511	2508	2505	2502	2500	2497	2495	2492	2489	S.	Cor.
514	2511	2508	2505	2502	2499	2496	2494	2491	2488	2485	2482	2480	2477	2474	0	13
500	2497	2494	2491	2488	2485	2482	2480	2477	2474	2471	2468	2466	2463	2460	1	12
486	2483	2480	2477	2474	2471	2468	2465	2462	2459	2457	2454	2452	2449	2446	2	10
471	2468	2465	2462	2459	2456	2453	2451	2448	2445	2443	2440	2438	2435	2432	3	9
457	2454	2451	2448	2445	2442	2439	2437	2434	2431	2428	2425	2423	2420	2417	4	7
443	2440	2437	2434	2431	2428	2425	2423	2420	2417	2414	2411	2409	2406	2403	5	6
429	2426	2423	2420	2417	2414	2411	2409	2406	2403	2400	2397	2395	2392	2389	6	5
415	2412	2409	2406	2403	2400	2397	2395	2392	2389	2386	2383	2381	2378	2375	7	3
401	2398	2395	2392	2389	2386	2383	2381	2378	2375	2372	2369	2367	2364	2361	8	2
387	2384	2381	2378	2375	2372	2369	2367	2364	2361	2358	2355	2353	2350	2347	9	0
373	2370	2367	2364	2361	2358	2355	2353	2350	2347	2345	2342	2340	2337	2334	S.	Cor.
359	2356	2353	2350	2347	2344	2341	2339	2336	2333	2331	2328	2326	2323	2320	0	13
345	2342	2339	2336	2333	2330	2327	2325	2322	2319	2317	2314	2312	2309	2306	1	12
331	2328	2325	2322	2319	2316	2313	2311	2308	2306	2303	2300	2298	2295	2292	2	10
317	2314	2311	2308	2306	2303	2300	2298	2295	2292	2290	2287	2285	2282	2279	3	9
303	2300	2297	2294	2292	2289	2286	2284	2281	2278	2276	2273	2271	2268	2265	4	8
290	2287	2284	2281	2278	2275	2272	2270	2267	2264	2262	2259	2257	2254	2251	5	6
276	2273	2270	2267	2265	2262	2259	2257	2254	2251	2249	2246	2244	2241	2238	6	5
262	2259	2257	2254	2251	2248	2245	2243	2240	2237	2235	2232	2230	2227	2224	7	4
249	2246	2243	2240	2238	2235	2232	2230	2227	2224	2222	2219	2217	2214	2211	8	2
235	2233	2230	2227	2224	2221	2218	2216	2213	2210	2208	2205	2203	2200	2197	9	1
222	2219	2216	2213	2211	2208	2205	2203	2200	2197	2195	2192	2190	2187	2184	S.	Cor.
208	2206	2203	2200	2197	2194	2191	2189	2186	2184	2182	2179	2177	2174	2171	0	13
2195	2192	2189	2186	2184	2181	2178	2176	2173	2170	2168	2165	2163	2160	2157	1	12
2182	2179	2176	2173	2171	2168	2165	2163	2160	2157	2155	2152	2150	2147	2144	2	10
2168	2166	2163	2160	2158	2155	2152	2150	2147	2144	2142	2139	2137	2134	2131	3	9
2155	2152	2149	2146	2144	2141	2138	2136	2133	2131	2129	2126	2124	2121	2118	4	8
2142	2139	2136	2133	2131	2128	2125	2123	2120	2117	2115	2112	2110	2107	2104	5	6
2129	2126	2123	2120	2118	2115	2112	2110	2107	2104	2102	2099	2097	2094	2091	6	5
2115	2113	2110	2107	2105	2102	2099	2097	2094	2091	2089	2086	2084	2081	2078	7	4
2102	2100	2097	2094	2092	2089	2086	2084	2081	2078	2076	2073	2071	2068	2065	8	2
2089	2087	2084	2081	2079	2076	2073	2071	2068	2065	2063	2060	2058	2055	2052	9	1
2076	2074	2071	2068	2066	2063	2060	2058	2055	2052	2050	2047	2045	2042	2039	0	13
2063	2061	2058	2055	2053	2050	2047	2045	2042	2039	2037	2034	2032	2029	2027	1	12
2050	2048	2045	2042	2040	2037	2034	2032	2029	2027	2025	2022	2020	2017	2014	2	10

TABLE XIX.

CORRECTION.

D	M	) 's Horizontal Parallax.									TABLE A. Proportional part for Seconds of Parallax. Add.									TABLE B. Form of alt. Add.		
		54'	55'	56'	57'	58'	59'	60'	61'	S.	1"	2"	3"	4"	5"	6"	7"	8"	9"	M	S	
		10	20	10.38	9.39	8.40	7.41	6.41	5.42	4.43	3.44	0	58	57	56	55	54	53	52	51	50	49
30	10.35	9.36	8.37	7.38	6.39	5.40	4.41	3.42	10	48	47	46	45	44	43	42	41	40	39	1	0	
40	10.32	9.33	8.34	7.35	6.36	5.37	4.38	3.39	20	38	37	36	35	34	33	32	31	30	29	2	0	
50	10.29	9.30	8.31	7.32	6.33	5.34	4.35	3.36	30	29	28	27	26	25	24	23	22	21	20	3	0	
11	10	10.27	9.28	8.29	7.30	6.31	5.32	4.33	3.34	40	19	18	17	16	15	14	13	12	11	10	4	0
10	10.24	9.25	8.26	7.27	6.28	5.29	4.30	3.31	2.32	50	9	8	7	6	5	4	3	2	1	0	5	0

TABLE XIX. LOGARITHMS.

M	S.	Apparent Altitude of ) 's centre.																		TABLE C. Cor. for Seconds of Parallax. Add.	
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	S.	Cor.	
		54	0	2639	2637	2634	2631	2628	2626	2623	2621	2618	2616	2614	2611	0	13				
10	2625	2622	2619	2616	2613	2611	2608	2606	2603	2601	2599	2597	1	12							
20	2610	2608	2605	2602	2599	2597	2594	2591	2588	2586	2584	2582	2	10							
30	2595	2593	2590	2587	2584	2582	2579	2577	2574	2572	2570	2567	3	9							
40	2581	2578	2575	2572	2570	2568	2565	2562	2560	2557	2555	2552	4	7							
50	2566	2564	2561	2558	2555	2553	2550	2548	2545	2543	2541	2538	5	6							
55	0	2551	2549	2546	2543	2540	2538	2535	2533	2530	2528	2526	2523	6	4						
10	2537	2535	2532	2529	2526	2524	2521	2519	2516	2514	2512	2509	7	3							
20	2522	2520	2517	2514	2512	2510	2507	2504	2502	2499	2497	2495	8	2							
30	2508	2506	2503	2500	2497	2495	2492	2490	2487	2485	2483	2480	9	6							
40	2494	2492	2489	2486	2483	2481	2478	2476	2473	2471	2469	2466	S.	Cor.							
50	2479	2477	2474	2471	2469	2467	2464	2462	2459	2457	2455	2452	0	13							
56	0	2465	2463	2460	2457	2455	2453	2450	2447	2445	2442	2440	2438	1	12						
10	2451	2449	2446	2443	2440	2438	2435	2433	2430	2428	2426	2424	2	10							
20	2437	2435	2432	2429	2426	2424	2421	2419	2416	2414	2412	2410	3	9							
30	2423	2420	2418	2415	2412	2410	2407	2405	2402	2400	2398	2396	4	7							
40	2409	2406	2404	2401	2398	2396	2393	2391	2388	2386	2384	2382	5	6							
50	2395	2392	2390	2387	2384	2382	2379	2377	2374	2372	2370	2368	6	5							
57	0	2381	2378	2376	2373	2370	2368	2365	2363	2360	2358	2356	2351	7	3						
10	2367	2364	2362	2359	2356	2354	2351	2349	2346	2344	2342	2340	8	2							
20	2353	2350	2348	2345	2342	2340	2337	2335	2333	2331	2329	2326	9	0							
30	2339	2337	2334	2331	2329	2327	2324	2322	2319	2317	2315	2312	S.	Cor.							
40	2325	2323	2320	2317	2315	2313	2310	2308	2305	2303	2301	2299	0	13							
50	2311	2309	2306	2303	2301	2299	2296	2294	2291	2289	2287	2285	1	12							
58	0	2298	2295	2293	2290	2288	2286	2283	2281	2278	2276	2274	2271	2	10						
10	2284	2282	2279	2276	2274	2272	2269	2267	2264	2262	2260	2258	3	9							
20	2270	2268	2265	2262	2260	2258	2255	2253	2251	2249	2247	2244	4	8							
30	2257	2254	2252	2249	2247	2245	2242	2240	2237	2235	2233	2231	5	6							
40	2243	2241	2238	2235	2233	2231	2228	2226	2224	2222	2220	2217	6	5							
50	2230	2227	2225	2222	2220	2218	2215	2213	2210	2208	2206	2204	7	4							
59	0	2216	2214	2211	2208	2206	2204	2201	2199	2197	2195	2193	2191	8	2						
10	2203	2200	2198	2195	2193	2191	2188	2186	2183	2181	2179	2177	9	1							
20	2190	2187	2185	2182	2180	2178	2175	2173	2170	2168	2166	2164	S.	Cor.							
30	2176	2174	2171	2168	2166	2164	2161	2159	2157	2155	2153	2151	0	13							
40	2163	2160	2158	2155	2153	2151	2148	2146	2144	2142	2140	2138	1	12							
50	2150	2147	2145	2142	2140	2138	2135	2133	2130	2128	2126	2124	2	10							
60	0	2137	2134	2132	2129	2127	2125	2122	2120	2117	2115	2113	2111	3	9						
10	2123	2121	2118	2115	2113	2111	2109	2107	2104	2102	2100	2098	4	8							
20	2110	2107	2105	2102	2100	2098	2096	2094	2091	2089	2087	2085	5	6							
30	2097	2094	2092	2089	2087	2085	2083	2081	2078	2076	2074	2072	6	5							
40	2084	2081	2079	2076	2074	2072	2070	2068	2065	2063	2061	2059	7	4							
50	2071	2068	2066	2063	2061	2059	2057	2055	2052	2050	2048	2046	8	2							
61	0	2058	2055	2053	2050	2048	2046	2044	2042	2039	2037	2035	2033	9	1						
10	2045	2042	2040	2037	2035	2033	2031	2029	2026	2024	2022	2020									
20	2032	2029	2027	2024	2022	2020	2018	2016	2014	2012	2010	2008									
30	2020	2017	2015	2012	2009	2007	2005	2003	2001	1999	1997	1995									

TABLE XIX.

CORRECTION.

)s Horizontal Parallax.								TABLE A. Proportional part for Seconds of Parallax. Add.									Tab.B For M of alt. Add.			
55'	56'	57'	58'	59'	60'	61'		S.	0'	1''	2''	3''	4''	5''	6''	7''	8''	9''	M	S
25	9.26	3.27	7.28	6.30	5.31	4.32	3.33	0	58	57	56	55	54	53	52	51	50	49	0	13
23	9.24	8.25	7.26	6.28	5.29	4.30	3.31	10	48	47	46	45	44	43	42	41	40	39	1	12
21	9.22	8.23	7.24	6.26	5.27	4.28	3.29	20	38	37	36	35	34	33	32	31	30		2	10
19	9.20	8.21	7.22	6.24	5.25	4.26	3.27	30	29	28	27	26	25	24	23	22	21	20	3	9
17	9.18	8.19	7.21	6.22	5.23	4.24	3.26	40	19	18	17	16	15	14	13	12	11	10	4	8
15	9.16	8.18	7.19	6.20	5.22	4.23	3.24	50	9	8	7	6	5	4	3	2	1	0	5	6

TABLE XIX. LOGARITHMS.

Apparent Altitude of )s centre.												TABLE C. Cor. for Seconds of Parallax. Add.									
10	11	15	11	20	11	25	11	30	11	35	11	40	11	45	11	50	11	55	12	S.	Cor.
09	2606	2603	2600	2597	2594	2592	2589	2586	2584	2581										0	13
94	2591	2588	2585	2582	2579	2577	2574	2571	2569	2566										1	12
79	2576	2573	2571	2568	2565	2563	2560	2557	2555	2552										2	10
55	2562	2559	2556	2553	2550	2548	2545	2542	2540	2537										3	9
50	2547	2544	2542	2539	2536	2534	2531	2528	2526	2523										4	7
36	2533	2530	2527	2524	2521	2519	2516	2513	2511	2508										5	6
21	2518	2515	2513	2510	2507	2505	2502	2499	2497	2494										6	4
07	2504	2501	2498	2495	2492	2490	2487	2485	2482	2480										7	3
93	2490	2487	2484	2481	2478	2476	2473	2470	2468	2465										8	2
78	2476	2472	2470	2467	2464	2462	2459	2456	2454	2451										9	0
64	2461	2458	2456	2453	2450	2448	2445	2442	2440	2437											
50	2447	2444	2442	2439	2436	2434	2431	2428	2426	2423										S.	Cor.
36	2433	2430	2427	2424	2421	2419	2416	2414	2411	2409										0	13
22	2419	2416	2413	2410	2407	2405	2402	2400	2397	2395										1	12
08	2405	2402	2399	2396	2393	2391	2388	2386	2383	2381										2	10
94	2391	2388	2385	2382	2379	2377	2374	2372	2369	2367										3	9
80	2377	2374	2371	2368	2365	2363	2360	2358	2355	2353										4	7
66	2363	2360	2357	2354	2352	2349	2347	2344	2342	2339										5	6
52	2349	2346	2344	2341	2338	2336	2333	2330	2328	2325										6	5
38	2335	2332	2330	2327	2324	2322	2319	2317	2314	2312										7	3
24	2321	2318	2316	2313	2310	2308	2305	2303	2300	2298										8	2
10	2307	2304	2302	2299	2297	2294	2292	2289	2287	2284										9	0
97	2294	2291	2289	2286	2283	2281	2278	2276	2273	2271											
83	2280	2277	2275	2272	2269	2267	2264	2262	2259	2257										S.	Cor.
69	2266	2263	2261	2258	2256	2253	2251	2248	2246	2243										0	13
56	2253	2250	2248	2245	2242	2240	2237	2235	2232	2230										1	12
42	2239	2236	2234	2231	2229	2226	2224	2221	2219	2216										2	10
29	2226	2223	2221	2218	2215	2213	2210	2208	2205	2203										3	9
15	2212	2209	2207	2204	2202	2199	2197	2195	2192	2190										4	8
02	2199	2196	2194	2191	2189	2186	2184	2181	2179	2176										5	6
89	2186	2183	2181	2178	2175	2173	2170	2168	2165	2163										6	5
75	2172	2169	2167	2164	2162	2159	2157	2155	2152	2150										7	4
62	2159	2156	2154	2151	2149	2146	2144	2141	2139	2136										8	2
49	2146	2143	2141	2138	2135	2133	2130	2128	2125	2123										9	1
36	2133	2130	2128	2125	2122	2120	2117	2115	2112	2110											
22	2119	2117	2114	2112	2109	2107	2104	2102	2099	2097										S.	Cor.
09	2106	2104	2101	2099	2096	2094	2091	2089	2086	2084										0	13
96	2093	2091	2088	2086	2083	2081	2078	2076	2073	2071										1	12
83	2080	2078	2075	2073	2070	2068	2065	2063	2060	2058										2	10
70	2067	2065	2062	2060	2057	2055	2052	2050	2047	2045										3	9
57	2054	2052	2049	2047	2044	2042	2039	2037	2034	2032										4	8
44	2041	2039	2036	2034	2031	2029	2026	2024	2021	2019										5	6
31	2028	2026	2023	2021	2018	2016	2013	2011	2008	2006										6	5
18	2015	2013	2010	2008	2006	2003	2001	1999	1996	1994										7	4
06	2003	2000	1998	1995	1993	1990	1988	1986	1983	1981										8	2
93	1990	1987	1985	1982	1980	1977	1975	1973	1970	1968										9	1

TABLE XIX.

CORRECTION.

D	M	)s Horizontal Parallax.									TABLE A. Proportional part for Seconds of Parallax. Add.										Tab. B For M of ah. Add.	
		54'	55'	56'	57'	58'	59'	60'	61'	S.	10''	11''	12''	13''	14''	15''	16''	17''	18''	19''	M	S
		0	10	20	30	40	50	0	10	20	30	40	50	0	10	20	30	40	50	0	10	
0	10.16	9.17	8.19	7.20	6.21	5.23	4.24	3.25		0	58	57	56	55	54	53	52	51	50	49	0	10
10	10.15	9.16	8.17	7.19	6.20	5.21	4.23	3.24		10	48	47	46	45	44	43	42	41	40	39	10	10
20	10.13	9.14	8.16	7.17	6.19	5.20	4.21	3.23		20	38	37	37	36	35	34	33	32	31	30	20	10
30	10.12	9.13	8.14	7.16	6.17	5.19	4.20	3.22		30	29	28	27	26	25	24	23	22	21	20	30	10
40	10.10	9.12	8.13	7.15	6.16	5.18	4.19	3.21		40	19	18	17	16	15	14	13	12	11	10	40	10
50	10.9	9.11	8.12	7.14	6.15	5.17	4.18	3.20		50	9	8	7	6	5	4	3	2	1	0	50	10

TABLE XIX. LOGARITHMS.

M	S.	Apparent Altitude of )s centre.											
		0	10	10	10	10	10	10	10	10	10	10	10
54	0	2578	2576	2573	2571	2568	2566	2564	2561	2559	2557	2554	
10		2564	2561	2559	2556	2554	2551	2549	2546	2544	2542	2540	
20		2549	2547	2544	2542	2539	2537	2535	2532	2530	2528	2525	
30		2534	2532	2529	2527	2524	2522	2520	2517	2515	2513	2511	
40		2520	2518	2515	2513	2510	2508	2506	2503	2501	2499	2496	
50		2506	2503	2501	2499	2496	2494	2492	2489	2487	2485	2482	
55	0	2491	2489	2486	2484	2481	2479	2477	2474	2472	2470	2468	
10		2477	2475	2472	2470	2467	2465	2463	2460	2458	2456	2454	
20		2463	2461	2458	2456	2453	2451	2449	2446	2444	2442	2439	
30		2449	2447	2444	2442	2439	2437	2435	2432	2430	2428	2425	
40		2435	2433	2430	2428	2425	2423	2421	2418	2416	2414	2411	
50		2421	2419	2416	2414	2411	2409	2407	2404	2402	2400	2397	
56	0	2407	2405	2402	2400	2397	2395	2393	2390	2388	2386	2383	
10		2393	2391	2388	2386	2383	2381	2379	2376	2374	2372	2369	
20		2379	2377	2374	2372	2369	2367	2365	2362	2360	2358	2355	
30		2365	2363	2360	2358	2355	2353	2351	2348	2346	2344	2341	
40		2351	2349	2346	2344	2341	2339	2337	2334	2332	2330	2328	
50		2337	2335	2332	2330	2327	2325	2323	2320	2318	2316	2314	
57	0	2323	2321	2318	2316	2313	2311	2309	2307	2305	2303	2300	
10		2310	2307	2304	2302	2300	2298	2296	2293	2291	2289	2287	
20		2296	2294	2291	2289	2286	2284	2282	2279	2277	2275	2273	
30		2282	2280	2277	2275	2272	2270	2268	2266	2264	2262	2259	
40		2269	2266	2263	2261	2259	2257	2255	2252	2250	2248	2246	
50		2255	2252	2250	2248	2245	2243	2241	2239	2237	2235	2232	
58	0	2241	2238	2236	2234	2232	2230	2228	2225	2223	2221	2219	
10		2228	2225	2223	2221	2218	2216	2214	2212	2210	2208	2205	
20		2214	2211	2209	2207	2205	2203	2201	2198	2196	2194	2192	
30		2201	2198	2196	2194	2191	2189	2187	2185	2183	2181	2179	
40		2188	2185	2183	2181	2178	2176	2174	2172	2170	2168	2165	
50		2174	2171	2169	2167	2165	2163	2161	2158	2156	2154	2152	
59	0	2161	2158	2156	2154	2151	2149	2147	2145	2143	2141	2139	
10		2148	2145	2143	2141	2138	2136	2134	2132	2130	2128	2126	
20		2134	2132	2130	2128	2125	2123	2121	2119	2117	2115	2113	
30		2121	2118	2116	2114	2112	2110	2108	2106	2104	2102	2100	
40		2108	2105	2103	2101	2099	2097	2095	2092	2090	2088	2086	
50		2095	2092	2090	2088	2086	2084	2082	2079	2077	2075	2073	
60	0	2082	2079	2077	2075	2073	2071	2069	2066	2064	2062	2060	
10		2069	2066	2064	2062	2060	2058	2056	2054	2052	2050	2048	
20		2056	2053	2051	2049	2047	2045	2043	2041	2039	2037	2035	
30		2043	2040	2038	2036	2034	2032	2030	2028	2026	2024	2022	
40		2030	2027	2025	2023	2021	2019	2017	2015	2013	2011	2009	
50		2017	2015	2013	2011	2008	2006	2004	2002	2000	1998	1996	
61	0	2004	2002	2000	1998	1995	1993	1991	1989	1987	1985	1983	
10		1992	1989	1987	1985	1983	1981	1979	1977	1975	1973	1970	
20		1979	1976	1974	1972	1970	1968	1966	1964	1962	1960	1958	
30		1966	1964	1962	1960	1957	1955	1953	1951	1949	1947	1945	

TABLE C. Cor. for Seconds of Parallax. Add.

S.	Cor.
0	13
1	12
2	10
3	9
4	7
5	6
6	4
7	3
8	2
9	0
S.	Cor.
0	13
1	12
2	10
3	9
4	7
5	6
6	5
7	3
8	2
9	0
S.	Cor.
0	13
1	12
2	10
3	9
4	8
5	6
6	5
7	4
8	2
9	1
S.	Cor.
0	13
1	12
2	10
3	9
4	8
5	6
6	5
7	4
8	2
9	1

TABLE XIX.

CORRECTION.

)s Horizontal Parallax.								TABLE A.									Tab.B For M of alt. Add.	
								Proportional part for Seconds of Parallax. Add.										
V'	55'	56'	57'	58'	59'	60'	61'	S.	0'	1'	2'	3'	4'	5'	6'	7'	8'	9'
.10	9.12	8.13	7.15	6.16	5.18	4.19	3.21	0	57	56	55	54	53	52	51	50	49	48
.9	9.11	8.12	7.14	6.15	5.17	4.19	3.20	10	47	46	45	44	43	42	41	40	39	39
.8	9.10	8.12	7.13	6.15	5.16	4.18	3.20	20	38	37	36	35	34	33	32	31	30	29
.8	9.9	8.11	7.13	6.14	5.16	4.17	3.19	30	28	27	26	25	24	23	22	21	20	19
.7	9.9	8.10	7.12	6.14	5.15	4.17	3.19	40	18	17	16	15	14	13	12	11	10	9
.6	9.8	8.10	7.12	6.13	5.15	4.17	3.18	50	8	7	6	5	4	4	3	2	1	0

TABLE XIX. LOGARITHMS.

Apparent Altitude of )s centre.													TABLE C. Cor. for Seconds of Parallax. Add.							
0	10	20	30	40	50	60	70	80	90	100	110	120	S.	Cor.						
0	13	5	13	10	13	15	13	20	13	25	13	35	13	40	13	45	13	50	13	55
52	2550	2548	2545	2543	2541	2539	2537	2535	2533	2531	2529	2527	0	13						
38	2536	2534	2531	2529	2527	2525	2523	2521	2519	2517	2515	2513	1	12						
23	2521	2519	2517	2515	2513	2511	2509	2507	2505	2503	2501	2499	2	10						
09	2507	2505	2502	2500	2498	2496	2494	2492	2490	2488	2486	2484	3	9						
94	2492	2490	2488	2486	2484	2482	2480	2478	2476	2474	2472	2470	4	7						
80	2478	2476	2474	2472	2470	2468	2466	2464	2462	2460	2458	2456	5	6						
56	2464	2462	2460	2458	2456	2454	2452	2450	2448	2446	2444	2442	6	5						
52	2450	2448	2446	2444	2442	2440	2438	2436	2434	2432	2430	2428	7	3						
37	2435	2433	2431	2429	2427	2425	2423	2421	2419	2417	2415	2413	8	2						
23	2421	2419	2417	2415	2413	2411	2409	2407	2405	2403	2401	2399	9	0						
09	2407	2405	2403	2401	2399	2397	2395	2393	2391	2389	2387	2385	S.	Cor.						
95	2393	2391	2389	2387	2385	2383	2381	2379	2377	2375	2373	2371	0	13						
81	2379	2377	2375	2373	2371	2369	2367	2365	2364	2362	2360	2358	1	12						
67	2365	2363	2361	2359	2357	2355	2353	2351	2350	2348	2346	2344	2	10						
53	2351	2349	2347	2345	2343	2341	2339	2337	2336	2334	2332	2330	3	9						
39	2337	2335	2333	2331	2329	2327	2325	2323	2322	2320	2318	2316	4	8						
26	2324	2322	2320	2318	2316	2314	2312	2310	2308	2306	2304	2302	5	6						
12	2310	2308	2306	2304	2302	2300	2298	2296	2295	2293	2291	2289	6	5						
98	2296	2294	2292	2290	2288	2286	2284	2282	2281	2279	2277	2275	7	3						
85	2283	2281	2279	2277	2275	2273	2271	2269	2267	2265	2263	2261	8	2						
71	2269	2267	2265	2263	2261	2259	2257	2255	2254	2252	2250	2248	9	1						
57	2255	2253	2251	2249	2247	2245	2243	2241	2240	2238	2236	2234	S.	Cor.						
44	2242	2240	2238	2236	2234	2232	2230	2228	2227	2225	2223	2221	0	13						
30	2229	2226	2224	2222	2220	2218	2216	2214	2213	2211	2209	2207	1	12						
17	2215	2213	2211	2209	2207	2205	2203	2201	2200	2198	2196	2194	2	10						
03	2201	2199	2198	2196	2194	2192	2190	2188	2187	2185	2183	2181	3	9						
90	2188	2186	2184	2182	2180	2178	2176	2174	2173	2171	2169	2167	4	8						
77	2175	2173	2171	2169	2167	2165	2163	2161	2160	2158	2156	2154	5	6						
63	2161	2159	2158	2156	2154	2152	2150	2148	2147	2145	2143	2141	6	5						
50	2148	2146	2145	2143	2141	2139	2137	2135	2134	2132	2130	2128	7	4						
37	2135	2133	2131	2129	2127	2125	2123	2122	2120	2118	2117	2115	8	3						
24	2122	2120	2118	2116	2114	2112	2110	2108	2107	2105	2103	2101	9	1						
11	2109	2107	2105	2103	2101	2099	2097	2095	2094	2092	2090	2088	S.	Cor.						
98	2096	2094	2092	2090	2088	2086	2084	2082	2081	2079	2077	2075	0	13						
85	2083	2081	2079	2077	2075	2073	2071	2069	2068	2066	2064	2062	1	12						
72	2070	2068	2066	2064	2062	2060	2058	2056	2055	2053	2051	2049	2	10						
59	2057	2055	2053	2051	2049	2047	2045	2043	2042	2040	2038	2036	3	9						
46	2044	2042	2040	2038	2036	2034	2032	2031	2029	2027	2026	2024	4	8						
33	2031	2029	2027	2025	2023	2021	2019	2018	2016	2014	2013	2011	5	7						
20	2018	2016	2014	2012	2010	2008	2006	2005	2003	2001	2000	1999	6	5						
07	2005	2003	2002	2000	1998	1996	1994	1992	1990	1989	1987	1985	7	4						
94	1992	1990	1989	1987	1985	1983	1981	1979	1977	1976	1974	1972	8	3						
81	1979	1977	1976	1974	1972	1970	1968	1967	1965	1963	1962	1960	9	1						
69	1967	1965	1963	1961	1959	1957	1955	1954	1952	1950	1949	1947	S.	Cor.						
56	1954	1952	1951	1949	1947	1945	1943	1942	1940	1938	1937	1935	0	13						
43	1941	1939	1938	1936	1934	1932	1930	1929	1927	1925	1924	1922	1	12						



TABLE XIX.

CORRECTION.

D	M	) s Horizontal Parallax.									TABLE A. Proportional part for Seconds of Parallax. Add.									Tab. B For M of alt. Add.		
		54'	55'	56'	57'	58'	59'	60'	61'	S.	0''	1''	2''	3''	4''	5''	6''	7''	8''	9''	M	S
14	0	10.69	8.8	9.7	11.6	13.5	15.4	17.3	1.8	0	57	56	55	54	53	52	51	50	49	48	0	0
10	10	59.78	9.7	11.6	13.5	15.4	16.3	1.8	10	47	46	45	44	43	42	41	40	39	38	37	0	0
20	10	59.78	9.7	11.6	13.5	14.4	1.6	3.18	20	38	37	36	35	34	33	32	31	30	29	28	0	0
30	10	59.78	9.7	11.6	13.5	14.4	1.6	3.18	30	28	27	26	25	24	23	22	21	20	19	18	0	0
40	10	59.78	9.7	11.6	13.5	14.4	1.6	3.18	40	18	17	16	15	14	13	12	11	10	9	8	0	0
50	10	59.78	9.7	11.6	13.5	14.4	1.6	3.18	50	9	8	7	6	5	4	3	2	1	0	0	0	0

TABLE XIX. LOGARITHMS.

D	M	) s Horizontal Parallax.																TABLE C. Cor. for Seconds of Parallax. Add.					
		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	S.	Cor.				
54	0	2527	2525	2523	2521	2520	2518	2516	2514	2513	2511	2509	2508	2506	2504	2502	2500	2499	2497	2495	2494	0	13
10	10	2513	2511	2509	2507	2506	2504	2502	2500	2499	2497	2495	2494	2492	2490	2488	2486	2485	2483	2481	2480	1	12
20	20	2499	2497	2495	2493	2492	2490	2488	2486	2485	2483	2481	2480	2478	2476	2474	2471	2470	2468	2466	2465	2	10
30	30	2484	2482	2480	2478	2477	2475	2473	2471	2470	2468	2466	2465	2463	2461	2459	2457	2456	2454	2452	2451	3	9
40	40	2470	2468	2466	2464	2463	2461	2459	2457	2456	2454	2452	2451	2449	2447	2445	2443	2442	2440	2438	2437	4	7
50	50	2456	2454	2452	2450	2449	2447	2445	2443	2442	2440	2438	2437	2435	2433	2431	2429	2428	2426	2424	2423	5	6
55	0	2442	2440	2438	2436	2435	2433	2431	2429	2428	2426	2424	2423	2421	2419	2417	2415	2414	2412	2410	2409	6	5
10	10	2428	2426	2424	2422	2421	2419	2417	2415	2414	2412	2410	2409	2407	2405	2403	2401	2400	2398	2396	2395	7	3
20	20	2413	2412	2410	2408	2406	2405	2403	2401	2400	2398	2396	2395	2393	2391	2389	2387	2386	2384	2382	2381	8	2
30	30	2399	2398	2396	2394	2392	2391	2389	2387	2386	2384	2382	2381	2379	2377	2375	2373	2372	2370	2368	2367	9	0
40	40	2385	2384	2382	2380	2378	2377	2375	2373	2372	2370	2368	2367	2365	2363	2361	2359	2358	2356	2354	2353		
50	50	2371	2370	2368	2366	2364	2363	2361	2359	2358	2356	2354	2353	2351	2349	2347	2345	2344	2342	2340	2339		
56	0	2358	2356	2354	2352	2351	2349	2347	2345	2344	2342	2340	2339	2337	2335	2333	2331	2330	2328	2326	2325	0	13
10	10	2344	2342	2340	2338	2337	2335	2333	2331	2330	2328	2326	2325	2323	2321	2319	2317	2316	2314	2312	2311	1	12
20	20	2330	2328	2326	2324	2323	2321	2319	2317	2316	2314	2312	2311	2309	2307	2305	2303	2302	2300	2298	2297	2	10
30	30	2316	2314	2313	2311	2309	2308	2306	2304	2303	2301	2299	2298	2296	2294	2292	2290	2289	2287	2285	2284	3	9
40	40	2302	2300	2299	2297	2295	2294	2292	2290	2289	2287	2285	2284	2282	2280	2278	2276	2275	2274	2272	2271	4	8
50	50	2289	2287	2285	2283	2282	2280	2278	2276	2275	2274	2272	2271	2269	2267	2265	2263	2262	2260	2258	2257	5	6
57	0	2275	2273	2272	2270	2268	2267	2265	2263	2262	2260	2258	2257	2255	2253	2251	2249	2248	2246	2244	2243	6	5
10	10	2261	2259	2258	2256	2254	2253	2251	2249	2248	2246	2244	2243	2241	2239	2237	2235	2234	2232	2231	2230	7	3
20	20	2247	2246	2245	2243	2241	2240	2238	2236	2235	2233	2231	2230	2228	2226	2224	2222	2221	2219	2217	2216	8	2
30	30	2234	2232	2231	2229	2227	2226	2224	2222	2221	2219	2217	2216	2214	2212	2210	2208	2207	2205	2204	2203	9	1
40	40	2221	2219	2218	2216	2214	2213	2211	2209	2208	2206	2204	2203	2201	2199	2197	2195	2194	2193	2191	2190		
50	50	2207	2206	2204	2202	2200	2199	2197	2195	2194	2193	2191	2190	2188	2186	2184	2182	2181	2179	2177	2176		
58	0	2194	2192	2191	2189	2187	2186	2184	2182	2181	2179	2177	2176	2174	2172	2170	2168	2167	2165	2164	2163	0	13
10	10	2181	2179	2178	2176	2174	2173	2171	2169	2168	2166	2164	2163	2161	2159	2157	2155	2154	2152	2151	2150	1	12
20	20	2167	2165	2164	2162	2160	2159	2157	2155	2154	2152	2151	2150	2148	2146	2144	2142	2141	2140	2138	2137	2	10
30	30	2154	2152	2151	2149	2147	2146	2144	2142	2141	2140	2138	2137	2135	2133	2131	2129	2128	2126	2124	2123	3	9
40	40	2141	2139	2138	2136	2134	2133	2131	2129	2128	2126	2124	2123	2121	2119	2117	2115	2114	2112	2111	2110	4	8
50	50	2128	2126	2125	2123	2121	2120	2118	2116	2115	2113	2111	2110	2108	2106	2104	2102	2101	2100	2098	2097	5	6
59	0	2115	2113	2112	2110	2108	2107	2105	2103	2102	2100	2098	2097	2095	2093	2091	2089	2088	2087	2085	2084	6	5
10	10	2101	2099	2098	2096	2094	2093	2091	2089	2088	2087	2085	2084	2082	2080	2078	2076	2075	2074	2072	2071	7	4
20	20	2088	2086	2085	2083	2081	2080	2078	2076	2075	2074	2072	2071	2069	2067	2065	2063	2062	2061	2059	2058	8	3
30	30	2075	2073	2072	2070	2068	2067	2065	2063	2062	2061	2059	2058	2056	2054	2052	2050	2049	2048	2046	2045	9	1
40	40	2062	2060	2059	2057	2055	2054	2052	2050	2049	2048	2046	2045	2043	2041	2039	2037	2036	2035	2033	2032		
50	50	2049	2047	2046	2045	2043	2042	2040	2038	2037	2035	2033	2032	2030	2028	2026	2024	2023	2022	2020	2019		
60	0	2036	2034	2033	2032	2030	2029	2027	2025	2024	2022	2020	2019	2017	2015	2013	2011	2010	2008	2007	2006	0	13
10	10	2024	2022	2021	2019	2017	2016	2014	2012	2011	2010	2008	2007	2005	2003	2001	1999	1998	1997	1995	1994	1	12
20	20	2011	2009	2008	2006	2004	2003	2001	1999	1998	1997	1995	1994	1992	1990	1988	1986	1985	1984	1982	1981	2	10
30	30	1996	1995	1994	1992	1990	1988	1986	1984	1983	1982	1980	1979	1977	1975	1973	1971	1970	1969	1968	1967	3	9
40	40	1985	1983	1982	1980	1978	1977	1975	1973	1972	1971	1969	1968	1966	1964	1962	1960	1959	1958	1957	1956	4	8
50	50	1972	1970	1969	1968	1966	1965	1963	1961	1960	1959	1957	1956	1954	1952	1950	1948	1947	1946	1944	1943	5	7
61	0	1960	1958	1957	1955	1953	1952	1950	1948	1947	1946	1944	1943	1941	1939	1937	1935	1934	1933	1931	1930	6	6
10	10	1947	1945	1944	1942	1940	1939	1937	1935	1934	1933	1931	1930	1928	1926	1924	1922	1921	1919	1918	1917	7	4
20	20	1935	1933	1932	1930	1928	1927	1925	1923	1922	1921	1919	1918	1916	1914	1912	1910	1909	1908	1906	1905	8	3
30	30	1922	1920	1919	1917	1915	1914	1912	1910	1909	1908	1906	1905	1903	1901	1899	1897	1896	1895	1893	1892	9	2

TABLE XIX. CORRECTION.

J's Horizontal Parallax.							TABLE A. Prop. part for Sec. of Paral. Add.											Tab. B. For Miles of alt. Add.		
54'	55'	56'	57'	58'	59'	60'	61'	S	0''	1''	2''	3''	4''	5''	6''	7''	8''	9''	M	S
0.59	78.97	7.11	6.13	5.15	4.17	3.19	0.57	56	55	54	53	52	51	50	49	48			0	0
0.59	78.97	11.6	13.5	15.15	4.17	3.19	10.47	46	45	44	43	42	41	40	39			0	0	
0.59	78.97	11.6	13.5	16.4	18.3	2.20	20.38	37	36	35	34	33	32	31	30	29			0	0
0.59	78.10	7.12	6.14	5.16	4.18	3.20	30.28	27	26	25	24	23	22	21	20	19			0	0
0.69	88.10	7.12	6.14	5.17	4.19	3.21	40.18	17	16	15	14	13	12	11	10			0	0	
0.69	88.10	7.13	6.15	5.17	4.19	3.22	50.9	8	7	6	5	4	3	2	1	0			0	0
0.69	98.11	7.13	6.16	5.18	4.20	3.23	0.57	56	55	54	53	52	51	50	49	48			0	0
0.79	98.12	7.14	6.16	5.19	4.21	3.23	10.47	46	45	44	43	42	41	40	39			0	0	
0.79	108.12	7.15	6.17	5.20	4.22	3.24	20.38	37	36	35	34	33	32	31	30	29			0	0
0.89	118.13	7.15	6.18	5.20	4.23	3.25	30.28	27	26	25	24	23	22	21	20	19			0	0
0.99	118.14	7.16	6.19	5.21	4.24	3.26	40.18	17	16	15	14	13	12	11	10			0	0	
0.109	128.15	7.17	6.20	5.22	4.25	3.27	50.9	8	7	6	5	4	3	2	1	0			0	0

TABLE XIX. LOGARITHMS.

Apparent Altitude of J's centre.										
5	0	10	20	30	40	50	60	70	80	90
5	0	15	10	15	20	15	30	15	40	15
506	2503	2500	2497	2494	2491	2488	2485	2482	2479	2476
592	2488	2485	2482	2479	2476	2473	2471	2468	2465	2462
678	2474	2471	2468	2465	2462	2459	2457	2454	2451	2448
663	2460	2457	2454	2451	2448	2445	2442	2439	2436	2434
649	2446	2443	2440	2437	2434	2431	2428	2425	2422	2420
635	2432	2429	2426	2423	2420	2417	2414	2411	2408	2406
621	2418	2415	2412	2409	2406	2403	2400	2397	2394	2392
607	2404	2401	2398	2395	2392	2389	2386	2383	2380	2378
593	2390	2387	2384	2381	2378	2375	2372	2369	2366	2364
579	2376	2373	2370	2367	2364	2361	2358	2355	2352	2350
565	2362	2359	2356	2353	2350	2347	2344	2342	2339	2336
551	2348	2345	2342	2339	2336	2333	2330	2328	2325	2322
537	2334	2331	2328	2325	2322	2319	2316	2314	2311	2308
523	2320	2317	2314	2311	2308	2305	2302	2300	2297	2295
510	2307	2304	2301	2298	2295	2292	2289	2287	2284	2281
496	2293	2290	2287	2284	2281	2278	2275	2273	2270	2267
482	2279	2276	2273	2270	2267	2264	2261	2259	2256	2254
469	2265	2262	2259	2256	2254	2251	2248	2246	2243	2240
455	2252	2249	2246	2243	2240	2237	2234	2232	2229	2227
441	2238	2235	2232	2230	2227	2224	2221	2219	2216	2213
428	2225	2222	2219	2216	2213	2210	2207	2205	2203	2200
414	2211	2208	2205	2203	2200	2197	2194	2192	2189	2187
401	2198	2195	2192	2190	2187	2184	2181	2179	2176	2173
388	2185	2182	2179	2176	2173	2170	2167	2165	2162	2160
374	2171	2168	2165	2163	2160	2157	2154	2152	2149	2147
361	2158	2155	2152	2150	2147	2144	2141	2139	2136	2134
348	2145	2142	2139	2137	2134	2131	2128	2126	2123	2121
335	2132	2129	2126	2123	2120	2117	2114	2112	2110	2108
321	2119	2116	2113	2110	2107	2104	2101	2099	2097	2094
308	2106	2103	2100	2097	2094	2091	2088	2086	2084	2081
295	2092	2089	2086	2084	2081	2078	2075	2073	2071	2068
282	2079	2076	2073	2071	2068	2065	2062	2060	2058	2055
269	2066	2063	2060	2058	2055	2052	2049	2047	2045	2042
256	2053	2050	2047	2045	2042	2039	2036	2034	2032	2030
243	2041	2038	2035	2032	2029	2026	2023	2021	2019	2017
230	2028	2025	2022	2020	2017	2014	2011	2009	2006	2004
217	2015	2012	2009	2007	2004	2001	1998	1996	1993	1991
205	2002	1999	1996	1994	1991	1988	1985	1983	1981	1979
192	1989	1986	1983	1981	1978	1975	1972	1970	1968	1966
179	1977	1974	1971	1969	1966	1963	1960	1958	1955	1953
166	1964	1961	1958	1956	1953	1950	1947	1945	1942	1940
154	1951	1948	1945	1943	1940	1937	1934	1932	1930	1928
141	1939	1936	1933	1931	1928	1925	1922	1920	1917	1915
128	1926	1923	1920	1918	1915	1912	1909	1907	1905	1902
116	1914	1911	1908	1906	1903	1900	1897	1895	1892	1890
103	1901	1898	1895	1893	1890	1887	1885	1883	1880	1878

TABLE C.  
Cor. for Sec. of Paral.  
Add.

S.	Cor.
0	13
1	12
2	10
3	9
4	7
5	6
6	5
7	3
8	2
9	1
S.	Cor.
0	13
1	12
2	10
3	9
4	8
5	6
6	5
7	4
8	3
9	1
S.	Cor.
0	13
1	12
2	10
3	9
4	8
5	6
6	5
7	4
8	3
9	2

Ap. alt cent.		)'s Horizontal Parallax.										TABLE A. Prop. part for Sec. of Paral. Add.									Tab. B. For Miles of alt. Add.	
D	M	54'	55'	56'	57'	58'	59'	60'	61'	S	0'	1'	2'	3'	4'	5'	6'	7'	8'	9'	M	S
17	0	10.11	9.14	8.17	7.19	6.22	5.24	4.27	3.30	0	56	55	54	53	52	51	50	49	48	47	0	0
	10	10.12	9.15	8.18	7.20	6.23	5.26	4.28	3.31	10	46	46	45	44	43	42	41	40	39	38	0	0
	20	10.13	9.16	8.19	7.21	6.24	5.27	4.30	3.32	20	37	36	35	34	33	32	31	30	29	28	0	0
	30	10.14	9.17	8.20	7.23	6.25	5.28	4.31	3.34	30	27	26	25	24	23	22	21	20	19		0	0
	40	10.15	9.18	8.21	7.24	6.27	5.29	4.32	3.35	40	18	17	16	15	14	13	12	11	10	9	0	0
	50	10.16	9.19	8.22	7.25	6.28	5.31	4.34	3.37	50	8	7	6	5	4	3	2	1	0		0	0
18	0	10.18	9.21	8.23	7.26	6.29	5.32	4.35	3.38	0	56	55	54	53	52	51	50	49	48	47	0	0
	10	10.19	9.22	8.25	7.28	6.31	5.34	4.37	3.40	10	47	46	45	44	43	42	41	40	39	38	0	0
	20	10.20	9.23	8.26	7.29	6.32	5.35	4.38	3.41	20	37	36	35	34	33	32	31	30	29	28	0	0
	30	10.22	9.25	8.28	7.31	6.34	5.37	4.40	3.43	30	28	27	26	25	24	23	22	21	20	19	0	0
	40	10.23	9.26	8.29	7.32	6.36	5.39	4.42	3.45	40	18	17	16	15	14	13	12	11	10	9	0	0
	50	10.24	9.28	8.31	7.34	6.37	5.40	4.44	3.47	50	9	8	7	6	5	4	3	2	1	0	0	0

Hor. Paral.		TABLE XIX. LOGARITHMS. Apparent Altitude of )'s centre.																TABLE C. Cor. for Sec. of Par. Add.	
M	S	17	17 10	17 20	17 30	17 40	17 50	18 0	18 10	18 20	18 30	18 40	18 50	S.	Cor.				
54	0	2471	2469	2466	2464	2462	2459	2457	2455	2452	2450	2448	2446	0	13				
	10	2457	2454	2452	2449	2447	2444	2442	2440	2438	2436	2434	2431	1	12				
	20	2443	2440	2438	2435	2433	2430	2428	2426	2424	2422	2420	2417	2	10				
	30	2429	2426	2424	2421	2419	2416	2414	2412	2410	2408	2406	2403	3	9				
	40	2415	2412	2410	2407	2405	2402	2400	2398	2396	2394	2392	2389	4	7				
	50	2401	2398	2396	2393	2391	2388	2386	2384	2382	2380	2378	2375	5	6				
55	0	2387	2384	2382	2379	2377	2374	2372	2370	2368	2366	2364	2361	6	5				
	10	2373	2370	2368	2365	2363	2360	2358	2356	2354	2352	2350	2348	7	3				
	20	2359	2356	2354	2351	2349	2346	2344	2342	2340	2338	2336	2334	8	2				
	30	2345	2342	2340	2337	2335	2333	2331	2329	2326	2324	2322	2320	9	0				
	40	2331	2329	2326	2324	2322	2319	2317	2315	2312	2310	2308	2306						
	50	2317	2315	2312	2310	2308	2305	2303	2301	2299	2297	2295	2293	S.	Cor.				
56	0	2303	2301	2298	2296	2294	2291	2289	2287	2285	2283	2281	2279	0	13				
	10	2290	2287	2285	2282	2280	2278	2276	2274	2271	2269	2267	2265	1	12				
	20	2276	2274	2271	2269	2267	2264	2262	2260	2258	2256	2254	2252	2	10				
	30	2262	2260	2257	2255	2253	2250	2248	2246	2244	2242	2240	2238	3	9				
	40	2249	2247	2244	2242	2240	2237	2235	2233	2231	2229	2227	2225	4	8				
	50	2235	2233	2230	2228	2226	2223	2221	2219	2217	2215	2213	2211	5	6				
57	0	2222	2220	2217	2215	2213	2210	2208	2206	2204	2202	2200	2198	6	5				
	10	2208	2206	2203	2201	2199	2197	2195	2193	2190	2188	2186	2185	7	3				
	20	2195	2193	2190	2188	2186	2183	2181	2179	2177	2175	2173	2171	8	2				
	30	2182	2180	2177	2175	2173	2170	2168	2166	2164	2162	2160	2158	9	1				
	40	2168	2166	2163	2161	2159	2157	2155	2153	2151	2149	2147	2145						
	50	2155	2153	2150	2148	2146	2143	2141	2139	2137	2135	2133	2131	S.	Cor.				
58	0	2142	2140	2137	2135	2133	2130	2128	2126	2124	2122	2120	2118	0	13				
	10	2129	2127	2124	2122	2120	2117	2115	2113	2111	2109	2107	2105	1	12				
	20	2116	2114	2111	2109	2107	2104	2102	2100	2098	2096	2094	2092	2	10				
	30	2102	2100	2097	2095	2093	2091	2089	2087	2085	2083	2081	2079	3	9				
	40	2089	2087	2084	2082	2080	2078	2076	2074	2072	2070	2068	2066	4	8				
	50	2076	2074	2071	2069	2067	2065	2063	2061	2059	2057	2055	2053	5	6				
59	0	2063	2061	2058	2056	2054	2052	2050	2048	2046	2044	2042	2040	6	5				
	10	2050	2048	2046	2044	2042	2039	2037	2035	2033	2031	2029	2027	7	4				
	20	2037	2035	2033	2031	2029	2026	2024	2022	2020	2018	2016	2015	8	3				
	30	2025	2023	2020	2018	2016	2013	2011	2009	2007	2005	2003	2002	9	1				
	40	2012	2010	2007	2005	2003	2001	1999	1997	1995	1993	1991	1989						
	50	1999	1997	1994	1992	1990	1988	1986	1984	1982	1980	1978	1976	S.	Cor.				
60	0	1986	1984	1981	1979	1977	1975	1973	1971	1969	1967	1965	1964	0	13				
	10	1973	1971	1969	1967	1965	1962	1960	1958	1956	1954	1952	1951	1	12				
	20	1961	1959	1956	1954	1952	1950	1948	1946	1944	1942	1940	1938	2	10				
	30	1948	1946	1943	1941	1939	1937	1935	1933	1931	1929	1927	1926	3	9				
	40	1935	1933	1931	1929	1927	1925	1923	1921	1919	1917	1915	1913	4	8				
	50	1923	1921	1918	1916	1914	1912	1910	1908	1906	1904	1902	1901	5	7				
61	0	1910	1908	1906	1904	1902	1899	1897	1895	1894	1892	1890	1888	6	5				
	10	1898	1896	1893	1891	1889	1887	1885	1883	1881	1879	1877	1876	7	4				
	20	1885	1883	1881	1879	1877	1875	1873	1871	1869	1867	1865	1863	8	3				
	30	1873	1871	1868	1866	1864	1862	1860	1858	1856	1854	1852	1851	9	2				

TABLE XIX. CORRECTION.

Ap. alt. cent.	J's Horizontal Parallax.									TABLE A. Prop. part for Sec. of Paral. Add.									Tab. B. For Miles of alt. Add.				
	D	M	54'	55'	56'	57'	58'	59'	60'	61'	S.	0	1	2	3	4	5	6	7	8	9	M	S
19	0	10.26	9.29	8.32	7.36	6.39	5.42	4.46	3.49	0.56	55	54	53	52	51	50	49	48	47	46	1	0	
10	10.28	9.31	8.34	7.37	6.41	5.44	4.47	3.51		10	47	46	45	44	43	42	41	40	39	38	1	0	
20	10.29	9.33	8.36	7.39	6.43	5.46	4.49	3.53		20	37	36	35	34	33	32	31	30	29				
30	10.31	9.34	8.38	7.41	6.45	5.48	4.51	3.55		30	28	27	26	25	24	23	22	21	20	19			
40	10.33	9.36	8.39	7.43	6.46	5.50	4.53	3.57		40	18	17	16	15	14	13	12	11	10				
50	10.34	9.38	8.41	7.45	6.48	5.52	4.56	3.59		50	9	8	7	6	5	4	3	2	1	0			
20	0	10.37	9.41	8.44	7.48	6.51	5.55	4.59	4.2	0	55	54	53	52	51	50	49	48	47	46	1	0	
10	10.39	9.43	8.46	7.50	6.54	5.57	5.1	4.5		10	46	45	44	43	42	41	40	39	38	37	1	0	
20	10.41	9.45	8.48	7.52	6.56	5.59	5.3	4.7		20	36	35	34	33	32	31	30	29	28				
30	10.43	9.47	8.50	7.54	6.58	5.6	5.4	4.9		30	27	26	25	24	23	22	21	20	19	18			
40	10.45	9.49	8.52	7.56	7.0	6.4	5.8	4.12		40	17	17	16	15	14	13	12	11	10	9			
50	10.47	9.51	8.55	7.59	7.2	6.6	5.10	4.14		50	8	7	6	5	4	3	2	1	0				

Hor. Paral.	TABLE XIX. LOGARITHMS. Apparent Altitude of J's centre.																					TABLE C. Cor. for Sec. of Paral. Add.	
	M	S	19	0	10	20	30	40	50	60	70	80	90	10	20	30	40	50	60	70	80	90	S.
54	0	2445	2443	2441	2439	2437	2435	2433	2431	2429	2427	2426	2424	0	12								
10	2430	2428	2427	2425	2423	2421	2419	2417	2415	2413	2412	2410	1	11									
20	2416	2414	2412	2410	2408	2407	2405	2403	2401	2399	2398	2396	2	9									
30	2402	2400	2398	2396	2394	2393	2391	2389	2387	2385	2384	2382	3	8									
40	2388	2386	2384	2382	2380	2379	2377	2375	2373	2371	2370	2368	4	6									
50	2374	2372	2370	2368	2366	2365	2363	2361	2359	2357	2356	2354	5	5									
55	0	2360	2358	2357	2355	2353	2351	2349	2347	2346	2344	2341	6	4									
10	2347	2345	2343	2341	2339	2337	2335	2333	2332	2330	2328	2327	7	2									
20	2333	2331	2329	2327	2325	2323	2321	2319	2318	2316	2314	2313	8	1									
30	2319	2317	2315	2313	2311	2310	2308	2306	2304	2302	2301	2299	9	0									
40	2305	2303	2301	2299	2297	2296	2294	2292	2291	2289	2287	2286	S. <th>Cor.</th>	Cor.									
50	2292	2290	2288	2286	2284	2282	2280	2278	2277	2275	2273	2272	0	12									
56	0	2278	2276	2274	2272	2270	2269	2267	2265	2264	2262	2260	2259	1	11								
10	2264	2262	2261	2259	2257	2255	2253	2251	2250	2248	2246	2245	2	9									
20	2251	2249	2247	2245	2243	2242	2240	2238	2236	2234	2233	2231	3	8									
30	2237	2235	2233	2231	2229	2228	2226	2224	2223	2221	2219	2218	4	7									
40	2224	2222	2220	2218	2216	2215	2213	2211	2210	2208	2206	2205	5	5									
50	2210	2208	2207	2205	2203	2201	2199	2197	2196	2194	2192	2191	6	4									
57	0	2197	2195	2193	2191	2189	2188	2186	2184	2183	2181	2179	2178	7	3								
10	2184	2182	2180	2178	2176	2175	2173	2171	2170	2168	2166	2165	8	1									
20	2170	2168	2167	2165	2163	2161	2159	2157	2156	2154	2152	2151	9	0									
30	2157	2155	2153	2151	2149	2148	2146	2144	2143	2141	2139	2138	S. <th>Cor.</th>	Cor.									
40	2144	2142	2140	2138	2136	2135	2133	2131	2130	2128	2126	2125	0	12									
50	2130	2128	2127	2125	2123	2122	2120	2118	2117	2115	2113	2112	1	11									
58	0	2117	2115	2114	2112	2110	2109	2107	2105	2104	2102	2100	2099	2	9								
10	2104	2102	2101	2099	2097	2095	2093	2091	2090	2088	2087	2086	3	8									
20	2091	2089	2088	2086	2084	2082	2080	2078	2077	2075	2074	2073	4	7									
30	2078	2076	2075	2073	2071	2069	2067	2065	2064	2062	2061	2060	5	6									
40	2065	2063	2062	2060	2058	2056	2054	2052	2051	2049	2048	2047	6	4									
50	2052	2050	2049	2047	2045	2043	2041	2039	2038	2036	2035	2034	7	3									
59	0	2039	2037	2036	2034	2032	2031	2029	2027	2026	2024	2022	2021	8	2								
10	2026	2024	2023	2021	2019	2018	2016	2014	2013	2011	2009	2008	9	0									
20	2014	2012	2010	2008	2006	2005	2003	2001	2000	1998	1996	1995											
30	2001	1999	1997	1995	1993	1992	1990	1988	1987	1985	1984	1983											
40	1988	1986	1985	1983	1981	1979	1977	1975	1974	1972	1971	1970											
50	1975	1973	1972	1970	1968	1967	1965	1963	1962	1960	1958	1957											
60	0	1963	1961	1959	1957	1955	1954	1952	1950	1949	1947	1946	1945	0	12								
10	1950	1948	1946	1944	1942	1941	1939	1937	1936	1934	1933	1932	1	11									
20	1937	1935	1934	1932	1930	1929	1927	1925	1924	1922	1920	1919	2	10									
30	1925	1923	1921	1919	1917	1916	1914	1912	1911	1909	1908	1907	3	8									
40	1912	1910	1909	1907	1905	1904	1902	1900	1899	1897	1895	1894	4	7									
50	1900	1898	1896	1894	1892	1891	1889	1887	1886	1884	1883	1882	5	6									
61	0	1887	1885	1884	1882	1880	1879	1877	1875	1874	1872	1871	1870	6	5								
10	1875	1873	1871	1869	1867	1866	1864	1862	1861	1859	1858	1857	7	3									
20	1862	1860	1859	1857	1855	1854	1852	1850	1849	1847	1846	1845	8	2									
30	1850	1848	1847	1845	1843	1842	1840	1838	1837	1835	1834	1833	9	1									

TABLE XIX.

CORRECTION.

D	M	Moon's Horizontal Parallax.									TABLE A. Prop. part for Seconds of Paral. Add.									Tab. B. For M. of alt. Add.					
		54'	55'	56'	57'	58'	59'	60'	61'	S	0''	1''	2''	3''	4''	5''	6''	7''	8''	9''	M	S			
21	0	10.42	9.53	8.57	7.8	1.7	5.6	9	5.13	4.17	0	55	54	53	52	51	50	49	48	47	0	0			
	10	10.51	9.55	8.59	8	3.7	7.6	11	5.15	4.19	10	46	45	44	43	42	41	40	39	38	0	0			
	20	10.53	9.57	9	1.8	6.7	10	6.14	5.18	4.22	20	36	35	34	33	32	31	30	29	28	0	0			
	30	10.55	10	0	9	4.8	8.7	12	6.16	5.20	4.25	30	27	26	25	24	23	22	21	20	19	18			
	40	10.58	10	2	9	6.8	10.7	15	6.19	5.23	4.27	40	18	17	16	15	14	13	12	11	10	9			
	50	11	0	10	4	9	9.8	13.7	17	6.22	5.26	4.30	50	8	8	7	6	5	4	3	2	1	0		
22	0	11	2	10	7	9	11	8.15	7.20	6.24	5.29	4.33	0	55	54	53	52	51	50	49	48	47	46		
	10	11	5	10	9	9	14	8.18	7.22	6.27	5.31	4.36	10	46	45	44	43	42	41	40	39	38	37		
	20	11	7	10	12	9	16	8.21	7.25	6.30	5.34	4.39	20	37	36	35	34	33	32	31	30	29	28		
	30	11	10	10	14	9	19	8.23	7.28	6.32	5.37	4.42	30	27	26	25	24	23	22	21	20	19	18		
	40	11	12	10	17	9	21	8.26	7.31	6.35	5.40	4.45	40	18	17	16	15	14	13	12	11	10	9		
	50	11	15	10	19	9	24	8.29	7.34	6.38	5.43	4.48	50	9	8	7	6	5	4	3	2	1	0		
23	0	11	18	10	23	9	28	8.33	7.37	6.42	5.47	4.52	0	54	53	52	51	50	49	48	47	46	45		
	10	11	21	10	26	9	31	8.35	7.40	6.45	5.50	4.55	10	45	44	43	42	41	40	39	38	37	36		
	20	11	24	10	29	9	33	8.38	7.43	6.48	5.53	4.58	20	36	35	34	33	32	31	30	29	28	27		
	30	11	26	10	31	9	36	8.41	7.46	6.51	5.56	5	30	26	25	24	23	22	21	20	19	18	17		
	40	11	29	10	34	9	39	8.44	7.49	6.54	5.59	5	40	17	16	15	14	13	12	11	10	9	8		
	50	11	32	10	37	9	42	8.47	7.52	6.57	6	35	8	7	6	5	4	3	2	1	0	0	0		
24	0	11	35	10	40	9	45	8.50	7.55	7	16	6.5	11	0	54	53	52	51	50	49	48	47	46		
	10	11	38	10	43	9	48	8.53	7.59	7	46	9	5	14	10	45	44	43	42	41	40	39	38	37	
	20	11	40	10	46	9	51	8.56	8	27	7	6	15	18	20	36	35	34	33	32	31	30	29	28	
	30	11	43	10	49	9	54	9	08	57	10	6	16	5	21	30	27	26	25	24	23	22	21	20	19
	40	11	46	10	52	9	57	9	38	87	14	6	19	5	25	40	18	17	16	15	14	13	12	11	10
	50	11	49	10	55	10	0	9	68	12	17	6	23	5	28	50	8	8	7	6	5	4	3	2	1

Explanation of Table XIX.

This table consists of two parts, for finding a correction of the moon's distance and a logarithm corresponding: they are both in the same page from the beginning of the table to the altitude of 21 degrees, after which the correction is on the left hand page, and the logarithm on the right, both being found at the same opening of the book, in the following manner.

To find the correction of Table XIX.

1. Enter the table marked *Correction*, and find in the side column the moon's apparent altitude, or the altitude next less if there be any units of miles in the altitude; opposite to this and under the minutes of the moon's horizontal parallax will be the approximate correction.

2. Enter table A, abreast of the approximate correction, and find the seconds of the moon's horizontal parallax, viz. the tens of seconds at the side, and the units at the top, under the latter, and opposite the former will be the correction of table A.

3. Enter table B, abreast of the approximate correction, and find the units of miles in the moon's apparent altitude (neglected above) opposite to which will be a number of seconds, which being added to the corrections found from table XIX. and from table A, will give the sought correction.

To find the Logarithm of Table XIX.

Enter the table marked *Logarithms*, in the column titled at the top with the degrees and minutes *nearest* to the moon's apparent altitude, and find the logarithm corresponding to the moon's horizontal parallax in the side column, or the next less parallax if there be units of seconds in it. Abreast of this in the table C, opposite the units of seconds of parallax neglected, will be a correction, to be added to the former logarithm, to obtain the logarithm sought.

It was observed in a former part of this work that in fixing these tables so as to render the corrections of the tables A, B, C, additive, it had been found necessary to make the greatest corrections correspond to 0' of parallax and 0' of altitude, so that when you find the exact parallax and altitude in the side and top columns of table XIX. it will still be necessary to refer to the tables A, B, or C, to take out the corrections corresponding to 0' of parallax or 0' of altitude. This is evident from the inspection of the tables, but it was proper to make this remark as a caution to prevent mistakes. To illustrate these rules, the following examples are given, in which all the corrections are put down and added together, but after a little practice it will be very easy to take the numbers from the table by inspection, and add them together without the trouble of writing them down separately.

TABLE XIX.

105

LOGARITHMS.

Apparent Altitude of $\delta$ 's centre.													TABLE C. Cor. for Seconds of Parallax. Add.	
$\delta$	10	10	10	10	10	10	10	10	10	10	10	10	S.	Cor.
21 0	2120	2140	22 0	2220	2240	23 0	2320	2340	24 0	2420	2440		0	12
2422	2419	2416	2413	2410	2407	2404	2401	2399	2396	2394	2391		1	11
2408	2405	2402	2399	2396	2393	2390	2387	2385	2382	2380	2377		2	9
2394	2391	2388	2385	2382	2379	2376	2373	2371	2368	2366	2363		3	8
2380	2377	2374	2371	2368	2365	2362	2360	2357	2355	2352	2350		4	6
2366	2363	2360	2357	2354	2352	2349	2346	2344	2341	2339	2336		5	5
2352	2349	2346	2343	2340	2338	2335	2332	2330	2327	2325	2322		6	4
2339	2335	2332	2329	2326	2324	2321	2318	2316	2313	2311	2308		7	2
2325	2322	2319	2316	2313	2310	2307	2304	2302	2299	2297	2294		8	1
2311	2308	2306	2302	2299	2296	2293	2291	2288	2286	2284	2281		9	0
2297	2294	2291	2288	2285	2283	2280	2277	2275	2272	2270	2267		S.	Cor.
2284	2281	2278	2275	2272	2269	2266	2263	2261	2258	2256	2253		0	12
2270	2267	2264	2261	2258	2256	2253	2250	2248	2245	2243	2240		1	11
2257	2253	2250	2247	2244	2242	2239	2236	2234	2231	2229	2226		2	9
2243	2240	2237	2234	2231	2229	2226	2223	2221	2218	2216	2213		3	8
2229	2226	2223	2220	2217	2215	2212	2210	2207	2205	2203	2200		4	7
2216	2213	2210	2207	2204	2202	2199	2196	2194	2191	2189	2186		5	5
2203	2200	2197	2194	2191	2188	2185	2183	2180	2178	2176	2173		6	4
2189	2186	2183	2180	2177	2175	2172	2170	2167	2165	2163	2160		7	3
2176	2173	2170	2167	2164	2162	2159	2156	2154	2151	2149	2146		8	1
2163	2160	2157	2154	2151	2149	2146	2143	2141	2138	2136	2133		9	0
2149	2146	2144	2141	2138	2135	2132	2130	2128	2125	2123	2120		S.	Cor.
2136	2133	2130	2127	2124	2122	2119	2117	2115	2112	2110	2107		0	12
2123	2120	2117	2114	2111	2109	2106	2104	2101	2099	2097	2094		1	11
2110	2107	2104	2101	2098	2096	2093	2091	2088	2086	2084	2081		2	9
2097	2094	2091	2088	2085	2083	2080	2078	2075	2073	2071	2068		3	8
2084	2081	2078	2075	2072	2070	2067	2065	2062	2060	2058	2055		4	7
2071	2068	2065	2062	2059	2057	2054	2052	2049	2047	2045	2042		5	6
2058	2055	2052	2049	2046	2044	2041	2039	2036	2034	2032	2029		6	4
2045	2042	2039	2036	2033	2031	2028	2026	2023	2021	2019	2016		7	3
2032	2029	2026	2023	2020	2018	2015	2013	2010	2008	2006	2003		8	2
2019	2016	2013	2010	2008	2006	2003	2000	1998	1995	1993	1991		9	0
2006	2003	2001	1998	1995	1993	1990	1987	1985	1982	1980	1978		S.	Cor.
1993	1990	1988	1985	1982	1980	1977	1975	1972	1970	1968	1965		0	12
1981	1978	1975	1972	1969	1967	1964	1962	1959	1957	1955	1953		1	11
1968	1965	1962	1959	1957	1954	1952	1949	1947	1944	1942	1940		2	10
1955	1952	1950	1947	1944	1942	1939	1937	1934	1932	1930	1927		3	8
1943	1940	1937	1934	1931	1929	1926	1924	1921	1919	1917	1915		4	7
1930	1927	1925	1922	1919	1917	1914	1912	1909	1907	1905	1902		5	6
1917	1914	1912	1909	1906	1904	1901	1899	1896	1894	1892	1890		6	5
1905	1902	1900	1897	1894	1892	1889	1887	1884	1882	1880	1877		7	3
1892	1889	1887	1884	1881	1879	1876	1874	1871	1869	1867	1865		8	2
1880	1877	1875	1872	1869	1867	1864	1862	1859	1857	1855	1853		9	0
1868	1865	1862	1859	1857	1854	1852	1850	1847	1845	1843	1840		S.	Cor.
1855	1852	1850	1847	1844	1842	1839	1837	1834	1832	1830	1828		0	12
1843	1840	1838	1835	1832	1830	1827	1825	1822	1820	1818	1816		1	11
1831	1828	1825	1822	1820	1817	1815	1813	1810	1808	1806	1803		2	10

TABLE XIX.

CORRECTION.

App. alt. D M	Moon's Horizontal Parallax.										TABLE A. Proportional part for Seconds of Parallax. Add.								Tab. B For M. of alt. Add
	54'	55'	56'	57'	58'	59'	60'	61'	S. 0"	1"	2"	3"	4"	5"	6"	7"	8"	9"	
25 0	11.53	10.59	10.5	9.10	8.16	7.22	6.27	5.33	0.53	52	51	50	49	48	48	47	46	45	0
10	11.57	11.2	10.8	9.11	8.19	7.25	6.31	5.36	10.44	43	42	41	40	39	39	38	37	36	0
20	12.0	11.5	10.11	9.17	8.23	7.28	6.34	5.40	20.35	34	33	32	31	30	30	29	28	27	0
30	12.3	11.5	10.15	9.20	8.26	7.32	6.38	5.44	30.26	25	24	23	22	21	20	20	19	18	0
40	12.6	11.12	10.18	9.24	8.30	7.36	6.41	5.47	40.17	16	15	14	13	12	11	11	10	9	0
50	12.9	11.15	10.21	9.27	8.33	7.39	6.45	5.51	50.8	7	6	5	4	3	2	1	1	0	0
26 0	12.13	11.19	10.25	9.31	8.37	7.43	6.49	5.55	0.53	52	51	50	49	48	48	47	46	45	0
10	12.16	11.22	10.28	9.34	8.40	7.47	6.53	5.59	10.44	43	42	41	40	40	39	38	37	36	0
20	12.19	11.25	10.32	9.38	8.44	7.50	6.56	6.3	20.35	34	33	32	32	31	30	29	28	27	0
30	12.23	11.29	10.35	9.41	8.46	7.54	7.06	7	30.26	25	24	23	23	22	21	20	19	18	0
40	12.26	11.32	10.39	9.45	8.51	7.58	7.46	7.11	40.17	16	15	14	14	13	12	11	10	9	0
50	12.29	11.36	10.42	9.49	8.55	8.27	8.6	7.15	50.8	7	6	6	5	4	3	2	1	1	0
27 0	12.31	11.38	10.47	9.53	9.0	8.67	8.13	7.20	0.52	51	50	49	48	48	47	46	45	44	0
10	12.37	11.41	10.51	9.57	9.4	8.10	7.17	6.24	10.43	42	41	40	40	39	38	37	36	35	0
20	12.41	11.43	10.54	10.1	9.8	8.14	7.21	6.28	20.34	33	32	32	31	30	29	28	27	26	0
30	12.44	11.51	10.58	10.5	9.11	8.18	7.25	6.32	30.25	24	24	23	22	21	20	19	18	17	0
40	12.48	11.55	11.2	10.9	9.15	8.22	7.29	6.36	40.17	16	15	14	13	12	11	10	9	9	0
50	12.52	11.59	11.5	10.12	9.19	8.26	7.33	6.40	50.8	7	6	5	4	3	2	1	1	0	0
28 0	12.55	12.2	11.9	10.16	9.23	8.30	7.37	6.44	0.52	51	50	49	48	48	47	46	45	44	0
10	12.59	12.6	11.13	10.20	9.27	8.34	7.42	6.49	10.43	42	41	40	40	39	38	37	36	35	0
20	13.3	12.10	11.17	10.24	9.31	8.39	7.46	6.53	20.34	33	32	31	30	29	28	27	26	25	0
30	13.6	12.14	11.21	10.28	9.36	8.43	7.50	6.57	30.26	25	24	23	22	21	20	19	18	17	0
40	13.10	12.18	11.25	10.32	9.40	8.47	7.54	7.2	40.17	16	15	14	13	12	11	10	9	9	0
50	13.14	12.22	11.29	10.36	9.44	8.51	7.59	7.6	50.8	7	6	5	4	3	2	1	1	0	0
29 0	13.19	12.26	11.34	10.42	9.49	8.57	8.47	7.12	0.51	50	49	48	47	47	46	45	44	43	0
10	13.23	12.30	11.38	10.46	9.53	9.18	8.37	7.16	10.42	41	40	39	38	37	36	35	34	33	0
20	13.27	12.34	11.42	10.50	9.57	9.58	8.13	7.21	20.34	33	32	31	30	29	28	27	26	25	0
30	13.31	12.38	11.46	10.54	10.29	10.8	8.17	7.25	30.25	24	23	22	21	21	20	19	18	17	0
40	13.35	12.43	11.50	10.58	10.69	14.8	8.22	7.30	40.16	15	14	14	13	12	11	10	9	8	0
50	13.39	12.47	11.55	11.3	10.10	9.18	8.26	7.34	50.7	7	6	5	4	3	2	1	0	0	0

EXAMPLE I.

Given the moon's apparent altitude  $41^{\circ} 27'$ , and her horizontal parallax  $56' 55''$ . Required the correction and logarithm?

<i>For the Correction.</i>		<i>For the Logarithm.</i>	
In Tab. xix. to alt. $41^{\circ} 20'$ and par. $56'$ is $19' 51''$	In Tab. xix. to nearest alt. $41^{\circ}$ and par. $56' 50''$ is	3	2093
.. Tab. A. $55''$ parallax	.. Tab. C. $5''$ parallax	5	
.. Tab. B. $7'$ altitude	Sought logarithm		2093
Sought correction		$20' 2''$	

EXAMPLE II.

Given the moon's apparent altitude  $50^{\circ} 16'$ , and horizontal parallax  $59' 0''$ . Required the correction and logarithm?

<i>For the Correction.</i>		<i>For the Logarithm.</i>	
In Tab. xix. to alt. $50^{\circ} 10'$ and par. $59'$ is $22' 3''$	In Tab. xix. to alt. $50^{\circ}$ and par. $59' 0''$		1915
.. Tab. A. $0''$ parallax	.. Tab. C. $0''$ parallax	38	19
.. Tab. B. $6'$ altitude	Sought logarithm	4	1925
Sought correction		$22' 15''$	

EXAMPLE III.

Given the moon's apparent altitude  $23^{\circ} 27'$ , and horizontal parallax  $54' 10''$ . Required the correction and logarithm?

<i>For the Correction.</i>		<i>For the Logarithm.</i>	
In Tab. xix. to alt. $23^{\circ} 20'$ and par. $54'$ is $13' 3''$	In Tab. xix. to nearest alt. $23^{\circ} 30'$ and par. $54' 10''$		2364
.. Tab. A. $10''$ parallax	.. Tab. C. $0''$ parallax	43	19
.. Tab. B. $7'$ altitude	Sought logarithm	5	2366
Sought correction		$13' 49''$	

TABLE XIX.

107

LOGARITHMS.

Apparent Altitude of Sun's centre.

TABLE C.  
Cor. for Seconds  
of Parallax.  
Add.

Apparent Altitude of Sun's centre.											TABLE C. Cor. for Seconds of Parallax. Add.					
25	25 20	25 40	26	0 20	26 40	27	0 27	30	28	0 28	30	29	0 29	30	S.	Cor.
2389	2387	2384	2382	2380	2378	2376	2374	2371	2368	2365	2362			0	12	
2375	2373	2371	2369	2367	2364	2362	2360	2357	2354	2351	2348			1	11	
2361	2359	2357	2355	2353	2351	2349	2346	2343	2341	2338	2335			2	9	
2347	2345	2343	2341	2339	2337	2335	2332	2329	2327	2324	2321			3	8	
2334	2332	2329	2327	2325	2323	2321	2318	2315	2313	2310	2307			4	6	
2320	2318	2315	2313	2311	2309	2307	2304	2301	2299	2296	2293			5	5	
2306	2304	2301	2299	2297	2295	2293	2291	2288	2286	2283	2280			6	4	
2292	2290	2288	2286	2284	2282	2280	2277	2274	2272	2269	2266			7	2	
2279	2277	2274	2272	2270	2268	2266	2264	2261	2258	2255	2253			8	1	
2265	2263	2261	2259	2257	2255	2253	2250	2247	2245	2242	2239			9	0	
2251	2249	2247	2245	2243	2241	2239	2236	2233	2231	2229	2226					
2238	2236	2234	2232	2230	2228	2226	2223	2220	2218	2215	2213			S.	Cor.	
2224	2222	2220	2218	2216	2214	2212	2210	2207	2205	2203	2199			0	12	
2211	2209	2207	2205	2203	2201	2199	2196	2193	2191	2188	2185			1	11	
2198	2196	2194	2192	2190	2187	2185	2183	2180	2178	2175	2172			2	9	
2184	2182	2180	2178	2176	2174	2172	2170	2167	2165	2162	2159			3	8	
2171	2169	2167	2165	2163	2161	2159	2156	2153	2151	2148	2146			4	7	
2158	2156	2153	2151	2149	2147	2146	2143	2140	2137	2135	2132			5	5	
2144	2142	2140	2138	2136	2134	2132	2130	2127	2125	2122	2119			6	4	
2131	2129	2127	2125	2123	2121	2119	2117	2114	2112	2109	2106			7	3	
2118	2116	2114	2112	2110	2108	2106	2104	2101	2099	2096	2093			8	1	
2105	2103	2101	2099	2097	2095	2093	2091	2088	2086	2083	2080			9	0	
2093	2090	2088	2086	2084	2082	2080	2078	2076	2073	2070	2067					
2079	2077	2075	2073	2071	2069	2067	2065	2062	2059	2057	2054			S.	Cor.	
2066	2064	2062	2060	2058	2056	2054	2052	2049	2046	2044	2041			0	12	
2053	2051	2049	2047	2045	2043	2041	2039	2036	2033	2031	2028			1	11	
2040	2038	2036	2034	2032	2030	2028	2026	2023	2020	2018	2015			2	9	
2027	2025	2023	2021	2019	2017	2015	2013	2010	2007	2005	2003			3	8	
2014	2012	2010	2008	2006	2005	2003	2000	1997	1994	1992	1990			4	7	
2001	1999	1997	1995	1993	1992	1990	1987	1984	1982	1980	1977			5	6	
1989	1987	1985	1983	1981	1979	1977	1975	1972	1969	1967	1964			6	4	
1976	1974	1972	1970	1968	1966	1964	1962	1959	1956	1954	1952			7	3	
1963	1961	1959	1957	1955	1954	1952	1949	1946	1944	1942	1939			8	2	
1951	1949	1947	1945	1943	1941	1939	1937	1934	1931	1929	1927			9	0	
1936	1934	1932	1930	1928	1926	1924	1921	1918	1916	1914						
1925	1923	1921	1919	1917	1916	1914	1912	1909	1906	1904	1902			S.	Cor.	
1913	1911	1909	1907	1905	1903	1901	1899	1896	1893	1891	1889			0	12	
1900	1898	1896	1894	1892	1891	1889	1887	1884	1881	1879	1877			1	11	
1888	1886	1884	1882	1880	1878	1876	1874	1871	1869	1867	1864			2	10	
1875	1873	1871	1869	1867	1866	1864	1862	1859	1856	1854	1852			3	8	
1863	1861	1859	1857	1855	1854	1852	1849	1846	1844	1842	1839			4	7	
1851	1849	1847	1845	1843	1841	1839	1837	1834	1832	1830	1827			5	6	
1838	1836	1834	1832	1830	1829	1827	1825	1822	1819	1817	1815			6	5	
1826	1824	1822	1820	1818	1817	1815	1813	1810	1807	1805	1803			7	3	
1814	1812	1810	1808	1806	1805	1803	1800	1797	1795	1793	1791			8	2	
1801	1799	1798	1796	1794	1792	1790	1788	1785	1783	1781	1778			9	1	



TABLE XIX.

CORRECTION.

Ap. alt. D's cen.	)s Horizontal Parallax.										TABLE A. Proportional part for Seconds of Parallax. Add.									Tab B. For M of alt. Add.			
	D	M	54'	55'	56'	57'	58'	59'	60'	61'	S.	0''	1''	2''	3''	4''	5''	6''	7''	8''	9''	M	S
30	0		13.43	12.51	11.59	11.7	10.15	9.23	8.31	7.39	0	51	50	49	48	47	46	45	44	43	0	1	0
	10		13.47	12.55	12.3	11.11	10.19	9.27	8.35	7.44	10	42	42	41	40	39	38	37	36	35	0	1	0
	20		13.51	12.59	12.7	11.16	10.24	9.32	8.40	7.48	20	34	33	32	31	30	29	28	27	26	0	1	0
	30		13.55	13.3	12.12	11.20	10.29	9.37	8.45	7.53	30	25	24	23	22	21	20	19	18	17	0	1	0
	40		13.59	13.8	12.16	11.24	10.33	9.41	8.49	7.58	40	17	16	15	14	13	12	11	10	10	9	0	1
50		14.3	13.12	12.20	11.29	10.37	9.46	8.54	8.3	50	8	7	6	5	4	4	3	2	1	0	0	1	0
31	0		14.9	13.17	12.26	11.34	10.43	9.51	9.0	8.9	0	50	49	48	47	46	45	44	43	42	0	1	0
	10		14.13	13.22	12.30	11.39	10.47	9.56	9.5	8.13	10	41	41	40	39	38	37	36	35	34	0	1	0
	20		14.17	13.26	12.35	11.43	10.52	10.1	9.10	8.18	20	33	32	31	30	29	28	27	26	25	0	1	0
	30		14.21	13.30	12.39	11.48	10.57	10.6	9.14	8.23	30	24	24	23	22	21	20	19	18	17	0	1	0
	40		14.26	13.35	12.44	11.53	11.2	10.10	9.19	8.28	40	16	15	14	13	12	12	11	10	9	8	0	1
50		14.30	13.39	12.48	11.57	11.6	10.15	9.24	8.33	50	7	6	6	5	4	3	2	1	0	0	0	1	0
32	0		14.35	13.44	12.53	12.2	11.11	10.20	9.29	8.38	0	50	49	48	47	46	45	44	43	42	0	1	0
	10		14.39	13.48	12.57	12.7	11.16	10.25	9.34	8.43	10	42	41	40	39	38	37	36	35	34	0	1	0
	20		14.43	13.53	13.2	12.11	11.21	10.30	9.39	8.48	20	33	32	31	31	30	29	28	27	26	0	1	0
	30		14.48	13.57	13.7	12.16	11.25	10.35	9.44	8.54	30	25	24	23	22	21	20	20	19	18	0	1	0
	40		14.52	14.2	13.11	12.21	11.30	10.40	9.49	8.59	40	16	15	15	14	13	12	11	10	9	8	0	1
50		14.57	14.7	13.16	12.26	11.35	10.45	9.54	9.4	50	8	7	6	5	4	4	3	2	1	0	0	1	0
33	0		15.2	14.12	13.22	12.31	11.41	10.51	10.1	9.10	0	49	48	47	46	45	44	43	42	41	0	1	0
	10		15.7	14.17	13.27	12.36	11.46	10.56	10.6	9.15	10	41	40	39	38	37	36	35	34	33	0	1	0
	20		15.12	14.22	13.31	12.41	11.51	11.1	10.11	9.21	20	32	31	31	30	29	28	27	26	25	0	1	0
	30		15.16	14.26	13.36	12.46	11.56	11.6	10.16	9.26	30	24	23	22	21	21	20	19	18	17	0	1	0
	40		15.21	14.31	13.41	12.51	12.1	11.11	10.21	9.31	40	16	15	14	13	12	11	11	10	9	8	0	1
50		15.26	14.36	13.46	12.56	12.6	11.17	10.27	9.37	50	7	6	6	5	4	3	2	1	0	0	0	1	0
34	0		15.31	14.41	13.51	13.1	12.11	11.22	10.32	9.42	0	49	48	47	46	45	44	43	42	42	0	1	0
	10		15.35	14.46	13.56	13.6	12.17	11.27	10.37	9.48	10	41	40	39	38	37	37	36	35	34	0	1	0
	20		15.40	14.50	14.1	13.11	12.22	11.32	10.43	9.53	20	32	32	31	30	29	28	27	26	25	0	1	0
	30		15.45	14.55	14.6	13.16	12.27	11.38	10.48	9.59	30	24	23	23	22	21	20	19	18	18	0	1	0
	40		15.50	15.0	14.11	13.22	12.32	11.43	10.54	10.4	40	16	15	14	14	13	12	11	10	9	8	0	1
50		15.55	15.5	14.16	13.27	12.38	11.48	10.59	10.10	50	8	7	6	5	4	4	3	2	1	0	0	1	0
35	0		16.0	15.11	14.22	13.33	12.44	11.55	11.5	10.16	0	48	47	46	45	44	43	42	41	41	0	1	0
	10		16.5	15.16	14.27	13.38	12.49	12.0	11.11	10.22	10	40	39	38	37	37	36	35	34	33	0	1	0
	20		16.10	15.21	14.32	13.43	12.54	12.6	11.17	10.28	20	32	31	30	29	28	28	27	26	25	0	1	0
	30		16.15	15.26	14.38	13.49	13.0	12.11	11.22	10.33	30	24	23	22	21	20	19	19	18	17	0	1	0
	40		16.20	15.32	14.43	13.54	13.5	12.17	11.28	10.39	40	15	15	14	13	12	11	11	10	9	8	0	1
50		16.25	15.37	14.48	13.59	13.11	12.22	11.33	10.45	50	7	6	6	5	4	3	2	1	0	0	0	1	0

EXAMPLE IV.

Given the moon's apparent altitude 76° 36' and her horizontal parallax 56' 18". Required the correction and logarithm?

<i>For the Correction.</i>		<i>For the Logarithm.</i>	
In Tab. xix. to alt. 76° 30' and par. 56' 37" is	46' 37"	In Tab. xix. to nearest alt. 77° and par. 56' 10" 2110	
.. Tab. A. 18" parallax	10	.. Tab. C. 8" parallax	2
.. Tab. B. 6' altitude	6	Sought logarithm	2112
Sought correction	46' 53"		

EXAMPLE V.

Given the moon's apparent altitude 16° 25' and her horizontal parallax 58' 45". Required the correction and logarithm?

<i>For the Correction.</i>		<i>For the Logarithm.</i>	
In Tab. xix. to alt. 16° 20' and par. 58' is	6' 17"	Tab. xix. to nearest alt. 16° 20' and par. 58' 40" is	2099
.. Tab. A. 45" parallax	14	.. Tab. C. 5" parallax	6
.. Tab. B. 5' altitude	0	Sought logarithm	2105
Sought correction	6' 31"		

TABLE XIX.

LOGARITHMS.

Apparent Altitude of $\gamma$ 's centre.												TABLE C. Cor. for Seconds of Parallax. Add.	
$30^{\circ}$	$31^{\circ}$	$32^{\circ}$	$33^{\circ}$	$34^{\circ}$	$35^{\circ}$	$36^{\circ}$	$37^{\circ}$	$38^{\circ}$	$39^{\circ}$	$40^{\circ}$	$41^{\circ}$	S.	Cor.
360	2358	2356	2354	2352	2349	2347	2345	2344	2342	2340	2338	0	12
146	2344	2342	2340	2338	2336	2334	2332	2330	2328	2326	2324	1	11
333	2330	2328	2326	2324	2322	2320	2318	2316	2314	2312	2310	2	9
119	2316	2314	2312	2310	2308	2306	2304	2302	2300	2299	2297	3	8
305	2302	2300	2298	2296	2294	2292	2290	2289	2287	2285	2283	4	7
291	2289	2287	2285	2283	2281	2279	2277	2275	2274	2272	2270	5	5
178	2275	2273	2271	2269	2267	2265	2263	2262	2260	2258	2256	6	4
64	2262	2260	2258	2256	2254	2252	2250	2248	2246	2245	2243	7	2
151	2248	2246	2244	2242	2240	2238	2236	2234	2232	2231	2229	8	1
137	2235	2233	2231	2229	2227	2225	2223	2221	2219	2218	2216	9	0
24	2221	2219	2217	2215	2213	2211	2209	2208	2206	2204	2202	S.	Cor.
11	2208	2206	2204	2202	2200	2198	2196	2194	2192	2191	2189	0	12
97	2194	2192	2190	2188	2186	2184	2182	2181	2179	2177	2175	1	11
83	2181	2179	2177	2175	2173	2171	2169	2168	2166	2164	2162	2	9
70	2168	2166	2164	2162	2160	2158	2156	2154	2152	2151	2149	3	8
57	2155	2153	2150	2148	2146	2145	2143	2141	2139	2138	2136	4	7
44	2141	2139	2137	2135	2133	2131	2129	2128	2126	2124	2122	5	5
30	2128	2126	2124	2122	2120	2118	2116	2115	2113	2111	2109	6	4
17	2115	2113	2111	2109	2107	2105	2103	2102	2100	2098	2096	7	3
04	2102	2100	2098	2096	2094	2092	2090	2089	2087	2085	2083	8	1
91	2089	2087	2085	2083	2081	2079	2077	2076	2074	2072	2070	9	0
78	2076	2074	2072	2070	2068	2066	2064	2063	2061	2059	2057	S.	Cor.
65	2063	2061	2059	2057	2055	2053	2051	2050	2048	2046	2044	0	12
52	2050	2048	2045	2044	2042	2040	2038	2037	2035	2033	2031	1	11
39	2037	2035	2033	2031	2029	2027	2025	2024	2022	2020	2018	2	9
26	2024	2022	2020	2018	2016	2014	2013	2011	2009	2008	2006	3	8
13	2011	2009	2007	2005	2003	2002	2000	1998	1996	1995	1993	4	7
01	1998	1996	1994	1993	1991	1989	1987	1985	1983	1982	1980	5	6
38	1986	1984	1982	1980	1978	1976	1974	1973	1971	1969	1967	6	4
75	1973	1971	1969	1967	1965	1963	1961	1960	1958	1957	1955	7	3
52	1960	1958	1956	1954	1952	1951	1949	1947	1945	1944	1942	8	2
50	1948	1946	1944	1942	1940	1938	1936	1935	1933	1931	1930	9	1
37	1935	1933	1931	1929	1927	1925	1923	1922	1920	1919	1917	S.	Cor.
25	1923	1921	1919	1917	1915	1913	1911	1910	1908	1906	1904	0	12
12	1910	1908	1906	1904	1902	1900	1898	1897	1895	1894	1892	1	11
30	1898	1896	1894	1892	1890	1888	1886	1885	1883	1881	1880	2	10
17	1885	1883	1881	1879	1877	1875	1873	1872	1870	1869	1867	3	8
75	1873	1871	1869	1867	1865	1863	1861	1860	1858	1857	1855	4	7
52	1860	1858	1856	1854	1852	1851	1849	1847	1845	1844	1842	5	6
50	1848	1846	1844	1842	1840	1838	1836	1835	1833	1832	1830	6	5
17	1835	1833	1831	1830	1828	1826	1824	1823	1821	1820	1818	7	3
15	1823	1821	1819	1817	1815	1814	1812	1811	1809	1807	1806	8	2
3	1811	1809	1807	1805	1803	1802	1800	1798	1796	1795	1793	9	1
11	1799	1797	1795	1793	1791	1789	1787	1786	1784	1783	1781	S.	Cor.
19	1787	1785	1783	1781	1779	1777	1775	1774	1772	1771	1769	0	12
6	1774	1772	1770	1769	1767	1765	1763	1762	1760	1759	1757	1	11

TABLE XIX.

CORRECTION.

D	M	Moon's Horizontal Parallax.									TABLE A. Prop. part for Seconds of Paral. Add.									M	S
		54'	55'	56'	57'	58'	59'	60'	61'	S	0"	1"	2"	3"	4"	5"	6"	7"	8"		
36	0	16.31	15.43	14.54	14.6	13.17	12.29	11.40	10.51	0	47	46	45	44	43	42	41	41	40		
10		16.36	15.48	15.0	14.11	13.23	12.34	11.46	10.57	10	39	38	37	37	36	35	34	33	33		
20		16.42	15.53	15.5	14.17	13.28	12.40	11.51	11.3	20	31	30	29	28	28	27	26	25	24		
30		16.47	15.58	15.10	14.22	13.34	12.45	11.57	11.9	30	23	22	21	20	20	19	18	17	16		
40		16.52	16.4	15.16	14.27	13.39	12.51	12.3	11.15	40	15	14	13	12	12	11	10	9	8		
50		16.57	16.9	15.21	14.33	13.45	12.57	12.9	11.21	50	7	6	5	4	4	3	2	1	0		
37	0	17.2	16.14	15.26	14.38	13.50	13.3	12.15	11.27	0	47	46	45	44	43	42	41	41	40		
10		17.7	16.20	15.32	14.44	13.56	13.8	12.20	11.33	10	39	38	37	37	36	35	34	33	33		
20		17.13	16.25	15.37	14.50	14.2	13.14	12.26	11.39	20	31	30	29	28	27	26	25	24	23		
30		17.16	16.30	15.43	14.55	14.8	13.20	12.32	11.45	30	23	22	21	20	19	18	17	16	15		
40		17.23	16.36	15.48	15.1	14.13	13.26	12.38	11.51	40	15	14	13	12	11	10	9	8	8		
50		17.29	16.41	15.54	15.6	14.19	13.32	12.44	11.57	50	7	6	5	4	3	3	2	1	0		
38	0	17.35	16.48	16.0	15.13	14.26	13.38	12.51	12.4	0	46	45	44	44	43	42	41	41	40		
10		17.40	16.53	16.6	15.19	14.32	13.44	12.57	12.10	10	38	37	37	36	35	34	33	33	32		
20		17.46	16.59	16.12	15.25	14.37	13.50	13.3	12.16	20	30	30	29	28	27	26	25	24	23		
30		17.51	17.4	16.17	15.30	14.43	13.56	13.9	12.22	30	22	22	21	20	19	18	17	16	15		
40		17.57	17.10	16.23	15.36	14.49	14.2	13.15	12.29	40	15	14	13	12	12	11	10	9	8		
50		18.2	17.15	16.29	15.42	14.55	14.8	13.22	12.35	50	7	6	5	4	4	3	2	1	0		
39	0	18.8	17.21	16.34	15.48	15.1	14.14	13.28	12.41	0	46	45	44	44	43	42	41	41	40		
10		18.13	17.27	16.40	15.54	15.7	14.20	13.34	12.47	10	38	37	37	36	35	34	33	32	31		
20		18.19	17.32	16.46	15.59	15.13	14.27	13.40	12.54	20	31	30	29	28	27	26	25	24	23		
30		18.24	17.38	16.52	16.5	15.19	14.33	13.46	13.0	30	23	22	21	20	19	18	17	16	15		
40		18.30	17.44	16.57	16.11	15.25	14.39	13.53	13.6	40	15	14	13	12	11	10	9	8	8		
50		18.36	17.49	17.3	16.17	15.31	14.45	13.59	13.13	50	7	6	5	4	3	3	2	1	0		
40	0	18.42	17.56	17.10	16.24	15.38	14.52	14.6	13.20	0	45	44	43	43	42	41	40	40	39		
10		18.48	18.2	17.16	16.30	15.44	14.59	14.13	13.27	10	37	37	36	35	34	33	32	31	31		
20		18.53	18.6	17.22	16.36	15.51	15.5	14.19	13.33	20	30	29	28	27	26	25	24	23	22		
30		18.59	18.14	17.29	16.42	15.57	15.11	14.25	13.40	30	22	21	20	19	18	17	16	15	14		
40		19.5	18.19	17.34	16.48	16.3	15.17	14.32	13.46	40	15	14	13	12	11	10	9	8	8		
50		19.11	18.25	17.40	16.55	16.9	15.24	14.38	13.53	50	7	6	5	4	3	2	2	1	0		
41	0	19.18	18.32	17.47	17.2	16.16	15.31	14.46	14.0	0	44	43	42	42	41	40	39	39	38		
10		19.23	18.38	17.53	17.3	16.23	15.37	14.52	14.7	10	36	36	35	34	33	32	31	30	30		
20		19.29	18.44	17.59	17.14	16.29	15.44	14.59	14.14	20	29	28	27	27	26	25	24	23	22		
30		19.35	18.50	18.5	17.20	16.35	15.50	15.5	14.20	30	21	21	20	19	18	17	16	15	14		
40		19.41	18.56	18.11	17.26	16.42	15.57	15.12	14.27	40	14	13	12	12	11	10	9	8	7		
50		19.47	19.2	18.17	17.33	16.48	16.3	15.19	14.34	50	6	6	5	4	3	3	2	1	0		

EXAMPLE VI.

Given the moon's apparent altitude  $11^{\circ} 20'$  and horizontal parallax  $60' 45''$ . Required the correction and logarithm.

<i>To find the Correction.</i>		<i>To find the Logarithm.</i>	
In Tab. xix. to alt. $11^{\circ} 20'$ and par. is $60' 4' 30''$		Tab. xix. to nearest alt. $11^{\circ} 20'$ and par. $60' 40'' 30''$	
.. Tab. A. $43''$ parallax	16	Tab. C. $3''$ parallax	9
.. Tab. B. $0'$ altitude	2	Sought logarithm	2061
Sought correction	$4' 43''$		

EXAMPLE VII.

Given the moon's apparent altitude  $3^{\circ} 40'$  and horizontal parallax  $56' 20''$ . Required the correction and logarithm.

<i>To find the Correction.</i>		<i>To find the Logarithm.</i>	
In Tab. xix. to alt. $3^{\circ} 40'$ and par. $56'$ is $9' 18''$		Tab. xix. to nearest alt. $3^{\circ} 39'$ and par. $56' 20'' 2519$	
.. Tab. A. $20''$ parallax	38	Tab. C. $0''$ parallax	15
.. Tab. B. $0'$ altitude	5	Sought logarithm	2531
Sought correction	$10' 1''$		



TABLE XIX.

CORRECTION.

D	M	) s Horizontal Parallax.								TABLE A. Prop. part for Sec. of Par. Add.									Tab. B Form of alt. Add.				
		54'	55'	56'	57'	58'	59'	60'	61'	S	0'	1'	2'	3'	4'	5'	6'	7'	8'	9'	M	S	
42	0	19.53	19.8	18.24	17.39	16.54	16.10	15.25	14.41	0	44	43	43	42	41	40	40	39	38	37	36	0	0
	10	19.59	19.14	18.30	17.45	17.1	16.16	15.32	14.47	10	37	36	35	34	33	32	31	31	30	29	28	27	26
	20	20.5	19.20	18.36	17.52	17.7	16.23	15.39	14.54	20	29	28	28	27	26	26	25	24	23	23	22	21	20
	30	20.11	19.26	18.42	17.58	17.14	16.29	15.45	15.1	30	22	21	20	20	19	18	17	17	16	15	15	14	13
	40	20.17	19.33	18.48	18.4	17.20	16.36	15.52	15.8	40	14	14	13	12	11	11	10	9	9	8	8	7	6
	50	20.23	19.39	18.55	18.11	17.27	16.43	15.59	15.15	50	7	6	6	5	4	3	3	2	1	0	0	0	0
43	0	20.30	19.46	19.2	18.18	17.34	16.50	16.6	15.23	0	43	42	42	41	40	39	39	38	37	36	35	34	33
	10	20.36	19.52	19.8	18.25	17.41	16.57	16.13	15.30	10	36	35	34	34	33	32	31	31	30	29	28	27	26
	20	20.42	19.58	19.15	18.31	17.47	17.4	16.20	15.37	20	28	28	27	26	26	25	24	23	23	22	21	20	19
	30	20.48	20.5	19.21	18.38	17.54	17.11	16.27	15.44	30	21	21	20	19	18	18	17	16	15	15	14	13	12
	40	20.54	20.11	19.28	18.44	18.1	17.17	16.34	15.51	40	14	13	13	12	11	10	10	9	8	8	7	7	6
	50	21.0	20.17	19.34	18.51	18.7	17.24	16.41	15.58	50	7	6	5	5	4	3	2	2	1	0	0	0	0
44	0	21.8	20.25	19.41	18.58	18.15	17.32	16.49	16.6	0	42	41	41	40	39	38	38	37	36	35	35	34	33
	10	21.14	20.31	19.48	19.5	18.22	17.39	16.56	16.13	10	35	34	33	33	32	31	31	30	29	28	28	27	26
	20	21.20	20.37	19.54	19.11	18.28	17.46	17.3	16.20	20	28	27	26	26	25	24	23	23	22	21	21	20	19
	30	21.26	20.44	20.1	19.18	18.35	17.52	17.10	16.27	30	21	20	19	18	18	17	16	16	15	14	14	13	12
	40	21.33	20.50	20.7	19.25	18.42	17.59	17.17	16.34	40	13	13	12	11	11	10	9	8	8	7	7	6	5
	50	21.39	20.56	20.14	19.31	18.49	18.6	17.24	16.41	50	6	6	5	4	3	2	1	1	0	0	0	0	0
45	0	21.46	21.4	20.21	19.39	18.57	18.14	17.32	16.49	0	41	40	40	39	38	37	37	36	35	35	34	33	32
	10	21.53	21.10	20.28	19.46	19.3	18.21	17.39	16.57	10	34	33	33	32	31	30	30	29	28	28	27	26	25
	20	21.59	21.17	20.35	19.52	19.10	18.28	17.46	17.4	20	27	26	26	25	24	23	23	22	21	21	20	19	18
	30	22.5	21.23	20.41	19.59	19.17	18.35	17.53	17.11	30	20	19	19	18	17	16	16	15	14	14	13	12	11
	40	22.12	21.30	20.48	20.6	19.24	18.42	18.0	17.18	40	13	12	12	11	10	9	9	8	8	7	7	6	5
	50	22.18	21.36	20.55	20.13	19.31	18.49	18.7	17.26	50	6	5	5	4	3	2	1	1	0	0	0	0	0
46	0	22.25	21.43	21.1	20.20	19.38	18.56	18.15	17.33	0	41	40	40	39	38	38	37	36	35	35	34	33	32
	10	22.31	21.50	21.8	20.27	19.45	19.3	18.22	17.40	10	34	33	33	32	31	31	30	29	28	28	27	26	25
	20	22.37	21.56	21.15	20.33	19.52	19.11	18.29	17.48	20	27	27	26	26	25	24	24	23	22	21	21	20	19
	30	22.44	22.3	21.22	20.40	19.59	19.18	18.36	17.55	30	20	20	19	18	18	17	16	16	15	15	14	13	12
	40	22.51	22.10	21.28	20.47	20.6	19.25	18.44	18.2	40	13	13	12	11	11	10	9	9	8	8	7	7	6
	50	22.57	22.16	21.35	20.54	20.13	19.32	18.51	18.10	50	7	6	5	4	3	2	2	1	0	0	0	0	0
47	0	23.5	22.24	21.43	21.2	20.21	19.40	18.59	18.18	0	40	39	39	38	37	37	36	35	35	34	33	32	31
	10	23.11	22.31	21.50	21.9	20.28	19.47	19.7	18.26	10	33	33	32	31	31	30	29	28	28	27	26	25	24
	20	23.18	22.37	21.57	21.16	20.35	19.55	19.14	18.33	20	26	26	25	24	24	23	22	22	21	21	20	19	18
	30	23.25	22.44	22.4	21.23	20.43	20.2	19.21	18.41	30	20	19	18	18	17	16	16	15	14	14	13	12	11
	40	23.31	22.51	22.11	21.30	20.50	20.9	19.29	18.48	40	13	12	12	11	10	10	9	8	8	7	7	6	5
	50	23.38	22.58	22.18	21.37	20.57	20.17	19.36	18.56	50	6	5	5	4	3	2	1	1	0	0	0	0	0
48	0	23.46	23.6	22.25	21.45	21.5	20.25	19.45	19.5	0	39	38	38	37	36	36	35	34	34	33	32	31	30
	10	23.52	23.12	22.32	21.52	21.12	20.32	19.52	19.12	10	32	32	31	30	30	29	28	28	27	26	25	24	23
	20	23.59	23.19	22.39	22.0	21.20	20.40	20.0	19.20	20	26	25	24	24	23	22	22	21	20	20	19	18	17
	30	24.6	23.26	22.46	22.7	21.27	20.47	20.7	19.28	30	19	18	18	17	16	16	15	14	14	13	12	11	10
	40	24.13	23.33	22.53	22.14	21.34	20.55	20.15	19.35	40	12	12	11	10	10	9	8	8	7	7	6	5	4
	50	24.20	23.40	23.1	22.21	21.42	21.2	20.23	19.43	50	6	5	4	4	3	2	2	1	0	0	0	0	0
49	0	24.27	23.48	23.9	22.29	21.50	21.10	20.31	19.52	0	38	37	37	36	35	35	34	33	33	32	31	30	29
	10	24.34	23.55	23.16	22.36	21.57	21.18	20.39	20.0	10	31	31	30	30	29	28	28	27	26	26	25	24	23
	20	24.41	24.2	23.23	22.44	22.5	21.26	20.46	20.7	20	25	24	24	23	22	22	21	20	20	19	18	17	16
	30	24.48	24.9	23.30	22.51	22.12	21.33	20.54	20.15	30	18	18	17	17	16	15	15	14	13	13	12	11	10
	40	24.55	24.16	23.37	22.58	22.19	21.41	21.2	20.23	40	12	11	11	10	9	9	8	8	7	7	6	5	4
	50	25.2	24.23	23.44	23.6	22.27	21.48	21.9	20.31	50	5	5	4	4	3	2	2	1	0	0	0	0	0



TABLE XIX.

LOGARITHMS.

M	S	Apparent Altitude of $\delta$ 's centre.																		TABLE C.	
		Cor. for Seconds of Parallax. Add.																		S.	Cor.
		42°	42 <sup>1</sup>	43°	43 <sup>1</sup>	44°	44 <sup>1</sup>	45°	45 <sup>1</sup>	46°	46 <sup>1</sup>	47°	47 <sup>1</sup>	48°	48 <sup>1</sup>	49°	S.	Cor.			
54	0	2321	2320	2319	2318	2317	2316	2315	2314	2313	2311	2309	2308	0	12						
	10	2307	2306	2305	2304	2303	2302	2301	2300	2299	2297	2296	2294	1	11						
	20	2293	2292	2291	2290	2289	2288	2287	2286	2285	2284	2282	2280	2	9						
	30	2280	2279	2278	2277	2276	2275	2274	2273	2272	2270	2268	2267	3	8						
	40	2266	2265	2264	2263	2262	2261	2260	2259	2258	2256	2255	2253	4	7						
	50	2253	2251	2250	2249	2248	2247	2246	2245	2244	2243	2241	2240	5	5						
55	0	2239	2238	2237	2236	2235	2234	2233	2232	2231	2229	2228	2226	6	4						
	10	2226	2224	2223	2222	2221	2220	2219	2219	2218	2216	2214	2213	7	3						
	20	2212	2211	2210	2209	2208	2207	2206	2205	2204	2203	2201	2199	8	1						
	30	2199	2198	2197	2196	2195	2194	2193	2192	2191	2189	2188	2186	9	0						
	40	2185	2184	2183	2182	2181	2180	2179	2179	2178	2176	2174	2173	S.	Cor.						
	50	2172	2171	2170	2169	2168	2167	2166	2165	2164	2163	2161	2159	0	12						
56	0	2159	2158	2157	2156	2155	2154	2153	2152	2151	2149	2148	2146	1	11						
	10	2146	2144	2143	2142	2141	2140	2139	2138	2138	2136	2134	2133	2	9						
	20	2132	2131	2130	2129	2128	2127	2126	2125	2125	2123	2121	2120	3	8						
	30	2119	2118	2117	2116	2115	2114	2113	2112	2111	2110	2108	2107	4	7						
	40	2106	2105	2104	2103	2102	2101	2100	2099	2098	2097	2095	2093	5	5						
	50	2093	2092	2091	2090	2089	2088	2087	2086	2085	2084	2082	2080	6	4						
57	0	2080	2079	2078	2077	2076	2075	2074	2073	2072	2071	2069	2067	7	3						
	10	2067	2066	2065	2064	2063	2062	2061	2060	2059	2058	2056	2054	8	2						
	20	2054	2053	2052	2051	2050	2049	2048	2047	2046	2045	2043	2042	9	0						
	30	2041	2040	2039	2038	2037	2036	2035	2034	2033	2032	2030	2029	S.	Cor.						
	40	2028	2027	2026	2025	2024	2023	2022	2021	2021	2019	2017	2016	0	12						
	50	2015	2014	2013	2012	2011	2010	2009	2008	2008	2006	2005	2003	1	11						
58	0	2002	2001	2000	1999	1998	1998	1997	1996	1995	1993	1992	1990	2	9						
	10	1990	1989	1988	1987	1986	1985	1984	1983	1982	1981	1979	1977	3	8						
	20	1977	1976	1975	1974	1973	1972	1971	1970	1970	1968	1966	1965	4	7						
	30	1964	1963	1962	1961	1960	1959	1958	1957	1957	1955	1954	1952	5	6						
	40	1952	1951	1950	1949	1948	1947	1946	1945	1944	1943	1941	1939	6	4						
	50	1939	1938	1937	1936	1935	1934	1933	1932	1932	1930	1928	1927	7	3						
59	0	1926	1925	1924	1923	1922	1922	1921	1920	1919	1917	1916	1914	8	2						
	10	1914	1913	1912	1911	1910	1909	1908	1907	1906	1905	1903	1902	9	1						
	20	1901	1900	1899	1898	1897	1897	1896	1895	1894	1892	1891	1889	S.	Cor.						
	30	1889	1888	1887	1886	1885	1884	1883	1882	1882	1880	1878	1877	0	12						
	40	1876	1875	1874	1873	1872	1872	1871	1870	1869	1867	1866	1864	1	11						
	50	1864	1863	1862	1861	1860	1859	1858	1857	1857	1855	1854	1852	2	10						
60	0	1852	1851	1850	1849	1848	1847	1846	1845	1844	1843	1841	1840	3	8						
	10	1839	1838	1837	1836	1835	1835	1834	1833	1832	1830	1829	1827	4	7						
	20	1827	1826	1825	1824	1823	1822	1821	1820	1820	1818	1817	1815	5	6						
	30	1815	1814	1813	1812	1811	1810	1809	1808	1808	1806	1804	1803	6	5						
	40	1802	1801	1800	1800	1799	1798	1797	1796	1795	1794	1792	1791	7	3						
	50	1790	1789	1788	1787	1786	1786	1785	1784	1783	1782	1780	1779	8	2						
61	0	1778	1777	1776	1775	1774	1774	1773	1772	1771	1769	1768	1766	9	1						
	10	1766	1765	1764	1763	1762	1761	1760	1759	1759	1757	1756	1754	S.	Cor.						
	20	1754	1753	1752	1751	1750	1749	1748	1747	1747	1745	1744	1742	0	12						
	30	1742	1741	1740	1739	1738	1737	1736	1735	1735	1733	1732	1730	1	11						

TABLE XIX.

CORRECTION.

Ap. alt. cent.	Sun's Horizontal Parallax.										TABLE A. Proport. part for Sec. of Par. Add.									Tab B Form of Alt. Add.				
	D	M	54'	55'	56'	57'	58'	59'	60'	61'	S	0'	1''	2''	3''	4''	5''	6''	7''		8''	9''	M	S
50	0	25.9	24.30	23.51	23.13	22.34	21.56	21.17	20.39	0	38	37	37	36	35	35	34	34	33	32	0			
	10	25.16	24.37	23.59	23.20	22.42	22.3	21.25	20.47	10	32	31	30	30	29	28	28	27	27	26	0			
	20	25.23	24.44	24.6	23.28	22.49	22.11	21.33	20.54	20	25	25	24	23	23	22	21	21	20	19	0			
	30	25.30	24.51	24.13	23.35	22.57	22.19	21.41	21.2	30	19	18	18	17	16	16	15	14	14	13	0			
	40	25.37	24.5	24.21	23.42	23.4	22.26	21.48	21.10	40	12	11	11	10	9	9	8	8	7	7	0			
50	25.44	25.6	24.23	23.50	23.12	22.34	21.56	21.18	50	6	5	5	4	4	3	2	2	1	0	0				
51	0	25.52	25.14	24.36	23.58	23.21	22.43	22.5	21.27	0	37	36	36	35	35	34	33	33	32	31	0			
	10	25.59	25.21	24.43	24.6	23.28	22.51	22.13	21.35	10	31	30	30	29	28	28	27	26	26	25	0			
	20	26.6	25.28	24.51	24.13	23.36	22.58	22.21	21.43	20	25	24	23	23	22	21	21	20	20	19	0			
	30	26.13	25.36	24.58	24.21	23.43	23.6	22.29	21.51	30	18	17	17	16	16	15	15	14	14	13	0			
	40	26.20	25.43	25.6	24.28	23.51	23.14	22.37	21.59	40	12	11	11	10	9	9	8	8	7	7	0			
50	26.27	25.50	25.13	24.36	23.59	23.22	22.45	22.8	50	6	5	5	4	3	3	2	2	1	0	0				
52	0	26.35	25.58	25.21	24.44	24.7	23.31	22.54	22.17	0	36	35	35	34	34	33	32	32	31	31	0			
	10	26.42	26.6	25.29	24.52	24.15	23.38	23.2	22.25	10	30	29	29	28	27	27	26	26	25	24	0			
	20	26.50	26.13	25.36	25.0	24.23	23.46	23.10	22.33	20	24	23	23	22	21	21	20	20	19	18	0			
	30	26.57	26.20	25.44	25.7	24.31	23.54	23.18	22.41	30	18	17	16	16	15	15	14	13	13	12	0			
	40	27.4	26.28	25.51	25.15	24.39	24.2	23.26	22.49	40	12	11	10	10	9	9	8	8	7	7	0			
50	27.11	26.35	25.59	25.23	24.46	24.10	23.34	22.58	50	6	5	4	4	3	2	2	1	1	0	0				
53	0	27.20	26.43	26.7	25.31	24.55	24.19	23.43	23.7	0	35	34	34	33	33	32	31	31	30	30	0			
	10	27.27	26.51	26.15	25.39	25.3	24.27	23.51	23.15	10	29	28	28	27	27	26	25	25	24	24	0			
	20	27.34	26.58	26.22	25.47	25.11	24.35	23.59	23.23	20	23	22	22	21	21	20	20	19	18	18	0			
	30	27.41	27.6	26.30	25.54	25.19	24.43	24.7	23.32	30	17	17	16	15	15	14	14	13	12	12	0			
	40	27.49	27.13	26.38	26.2	25.27	24.51	24.15	23.40	40	11	10	9	9	8	8	7	7	6	6	0			
50	27.56	27.21	26.45	26.10	25.34	24.59	24.24	23.48	50	5	5	4	4	3	2	2	1	1	0	0				
54	0	28.4	27.29	26.54	26.19	25.43	25.8	24.33	23.58	0	34	33	33	32	32	31	31	30	29	29	0			
	10	28.12	27.37	27.2	26.26	25.51	25.16	24.41	24.6	10	28	27	27	26	26	25	25	24	24	23	0			
	20	28.19	27.44	27.9	26.34	25.59	25.24	24.49	24.14	20	22	22	21	21	20	19	19	18	18	17	0			
	30	28.27	27.52	27.17	26.42	26.7	25.32	24.58	24.23	30	17	16	15	15	14	14	13	12	12	11	0			
	40	28.34	27.59	27.25	26.50	26.15	25.41	25.6	24.31	40	11	10	10	9	9	8	8	7	7	6	5	0		
50	28.42	28.7	27.32	26.58	26.23	25.49	25.14	24.40	50	5	4	4	3	3	2	2	1	1	0	0				
55	0	28.50	28.16	27.41	27.7	26.32	25.58	25.24	24.49	0	33	32	32	31	31	30	30	29	28	28	0			
	10	28.58	28.23	27.49	27.15	26.40	26.6	25.32	24.58	10	27	27	26	26	25	24	24	23	23	22	0			
	20	29.5	28.31	27.57	27.23	26.49	26.14	25.40	25.6	20	22	21	21	20	19	19	18	18	17	17	0			
	30	29.13	28.39	28.5	27.31	26.57	26.23	25.49	25.15	30	16	15	15	14	14	13	13	12	12	11	0			
	40	29.20	28.46	28.12	27.39	27.5	26.31	25.57	25.23	40	10	10	9	9	8	8	7	7	6	6	5	0		
50	29.28	28.54	28.20	27.47	27.13	26.39	26.5	25.32	50	5	4	4	3	3	2	2	1	1	0	0				
56	0	29.35	29.2	28.28	27.55	27.21	26.47	26.14	25.40	0	33	32	32	31	31	30	30	29	28	28	0			
	10	29.43	29.9	28.36	28.3	27.29	26.56	26.22	25.49	10	27	27	26	26	25	24	24	23	23	22	0			
	20	29.50	29.17	28.41	28.11	27.37	27.4	26.31	25.58	20	22	21	21	20	20	19	19	18	18	17	0			
	30	29.58	29.25	28.52	28.19	27.46	27.12	26.39	26.6	30	16	15	15	15	14	14	13	13	12	12	0			
	40	30.6	29.33	29.0	28.27	27.54	27.21	26.48	26.15	40	11	10	10	9	9	8	8	7	7	6	5	0		
50	30.13	29.40	29.8	28.35	28.2	27.29	26.56	26.23	50	5	5	4	4	3	3	2	2	1	1	0	0			
57	0	30.22	29.49	29.17	28.44	28.11	27.39	27.6	26.33	0	32	31	31	30	30	29	29	28	28	27	0			
	10	30.30	29.57	29.25	28.52	28.19	27.47	27.14	26.42	10	27	26	26	25	24	24	23	23	22	22	0			
	20	30.37	30.5	29.33	29.0	28.28	27.55	27.23	26.51	20	21	21	20	20	19	19	18	17	17	16	0			
	30	30.45	30.13	29.41	29.8	28.36	28.4	27.32	26.59	30	16	15	15	14	14	13	13	12	12	11	0			
	40	30.53	30.21	29.49	29.16	28.44	28.12	27.40	27.8	40	10	10	9	9	8	8	7	7	6	6	5	0		
50	31.1	30.29	29.57	29.25	28.53	28.21	27.49	27.17	50	5	5	4	4	3	3	2	2	1	1	0	0			
58	0	31.9	30.37	30.6	29.34	29.2	28.30	27.58	27.27	0	31	30	30	29	29	28	28	27	27	26	0			
	10	31.17	30.45	30.14	29.42	29.10	28.39	28.7	27.35	10	26	25	25	24	24	23	23	22	22	21	0			
	20	31.25	30.53	30.22	29.50	29.19	28.47	28.16	27.44	20	21	20	19	19	18	18	17	17	16	16	0			
	30	31.33	31.1	30.30	29.59	29.27	28.56	28.24	27.53	30	15	15	14	14	13	13	12	12	11	11	0			
	40	31.40	31.9	30.38	30.7	29.36	29.4	28.33	28.2	40	10	10	9	9	8	8	7	7	6	6	5	0		
50	31.48	31.17	30.46	30.15	29.44	29.13	28.42	28.11	50	5	4	4	3	3	2	2	1	1	0	0				
59	0	31.57	31.26	30.55	30.24	29.53	29.23	28.52	28.21	0	30	29	29	28	28	27	27	26	26	25	0			
	10	32.5	31.34	31.3	30.33	30.2	29.31	29.0	28.30	10	25	24	24	23	23	22	22	21	21	20	0			
	20	32.13	31.42	31.12	30.41	30.10	29.40	29.9	28.39	20	20</													





TABLE XIX.  
CORRECTION.

Ap. alt. ☾'s cent	☾'s Horizontal Parallax.									TABLE A. Propor. part for Sec. of Par. Add.									Tab. B for M. of Alt. Add.				
	D	M	54'	55'	56'	57'	58'	59'	60'	61'	S	0'	1'	2'	3'	4'	5'	6'	7'	8'	9'	M	S
60	0	32.45	32.15	31.45	31.15	30.45	30.15	29.45	29.15	0	29	29	28	28	27	27	26	26	25	25	0	0	0
	10	32.53	32.24	31.54	31.24	30.54	30.24	29.54	29.24	10	24	24	23	23	22	22	21	21	20	20	0	0	0
	20	33.1	32.32	32.2	31.32	31.3	30.33	30.3	29.34	20	19	19	18	18	17	17	16	16	15	15	0	0	0
	30	33.9	32.40	32.10	31.41	31.11	30.42	30.12	29.43	30	14	14	13	13	12	12	11	11	10	10	0	0	0
	50	33.17	32.48	32.19	31.49	31.20	30.50	30.21	29.52	40	9	9	8	8	7	7	6	6	5	5	0	0	0
61	0	33.34	33.5	32.36	32.7	31.38	31.9	30.40	30.11	0	28	28	27	27	26	26	25	25	24	24	0	0	0
	10	33.42	33.14	32.45	32.16	31.47	31.18	30.49	30.20	10	23	23	22	22	21	21	20	20	19	19	0	0	0
	20	33.51	33.22	32.53	32.24	31.55	31.27	30.58	30.29	20	18	18	17	17	16	16	15	15	14	14	0	0	0
	30	33.59	33.30	33.1	32.33	32.4	31.35	31.7	30.38	30	14	13	13	12	12	11	11	10	10	9	0	0	0
	50	34.7	33.38	33.10	32.41	32.13	31.44	31.16	30.47	40	9	8	8	7	7	6	6	5	5	5	0	0	0
62	0	34.24	33.56	33.27	32.59	32.31	32.3	31.35	31.7	0	27	27	26	26	25	25	24	24	23	23	0	0	0
	10	34.32	34.4	33.36	33.8	32.40	32.12	31.44	31.16	10	22	22	21	21	20	20	19	19	18	18	0	0	0
	20	34.40	34.12	33.44	33.17	32.49	32.21	31.53	31.25	20	18	17	17	16	16	15	15	14	14	14	0	0	0
	30	34.48	34.21	33.53	33.25	32.57	32.30	32.2	31.34	30	13	13	12	12	11	11	10	10	9	9	0	0	0
	50	34.56	34.29	34.1	33.34	33.6	32.39	32.11	31.44	40	8	8	8	7	7	6	6	5	5	4	0	0	0
63	0	35.14	34.46	34.19	33.52	33.25	32.58	32.30	32.3	0	26	26	25	25	24	24	23	23	22	22	0	0	0
	10	35.22	34.55	34.28	34.1	33.34	33.7	32.39	32.12	10	22	21	21	20	20	19	19	18	18	18	0	0	0
	20	35.30	35.3	34.36	34.9	33.42	33.16	32.49	32.22	20	17	17	16	16	15	15	14	14	13	13	0	0	0
	30	35.38	35.12	34.45	34.18	33.51	33.25	32.58	32.31	30	13	12	12	11	11	10	10	9	9	9	0	0	0
	50	35.47	35.20	34.53	34.27	34.0	33.34	33.7	32.40	40	8	8	7	7	6	6	5	5	5	4	0	0	0
64	0	36.4	35.38	35.12	34.45	34.19	33.53	33.26	33.0	0	25	25	24	24	23	23	22	22	22	21	0	0	0
	10	36.12	35.46	35.20	34.54	34.28	34.2	33.36	33.9	10	21	20	20	19	19	18	18	17	17	17	0	0	0
	20	36.21	35.55	35.29	35.3	34.37	34.1	33.45	33.19	20	16	16	16	15	15	14	14	13	13	12	0	0	0
	30	36.29	36.3	35.37	35.12	34.46	34.20	33.54	33.28	30	12	12	11	11	10	10	9	9	9	8	0	0	0
	50	36.37	36.12	35.46	35.20	34.55	34.29	34.3	33.38	40	8	7	7	6	6	6	5	5	4	4	0	0	0
65	0	36.55	36.30	36.4	35.39	35.14	34.48	34.23	33.57	0	24	24	23	23	22	22	21	21	21	20	0	0	0
	10	37.3	36.38	36.13	35.48	35.23	34.57	34.32	34.7	10	20	19	19	18	18	17	17	17	16	16	0	0	0
	20	37.12	36.47	36.22	35.57	35.32	35.6	34.41	34.16	20	16	15	15	14	14	13	13	12	12	12	0	0	0
	30	37.20	36.55	36.30	36.5	35.41	35.16	34.51	34.26	30	12	11	11	10	10	9	9	9	8	8	0	0	0
	50	37.28	37.12	36.47	36.23	35.58	35.34	35.9	34.45	50	7	7	7	6	6	6	5	5	4	4	0	0	0
66	0	37.45	37.21	36.46	36.32	36.8	35.43	35.19	34.54	0	24	24	23	23	22	22	21	21	21	20	0	0	0
	10	37.54	37.29	37.5	36.41	36.17	35.52	35.28	35.4	10	20	20	19	19	18	18	18	17	17	16	0	0	0
	20	38.2	37.38	37.14	36.50	36.26	36.2	35.38	35.13	20	16	16	15	15	14	14	14	13	13	12	0	0	0
	30	38.11	37.47	37.23	36.59	36.35	36.11	35.47	35.23	30	12	12	11	11	10	10	10	9	9	8	0	0	0
	50	38.19	37.55	37.31	37.8	36.44	36.20	35.56	35.33	40	8	8	7	7	6	6	6	5	5	4	0	0	0
67	0	38.37	38.13	37.50	37.27	37.3	36.40	36.16	35.53	0	23	23	22	22	21	21	21	20	20	20	0	0	0
	10	38.45	38.22	37.59	37.36	37.12	36.49	36.26	36.2	10	19	19	18	18	17	17	17	16	16	16	0	0	0
	20	38.54	38.31	38.8	37.45	37.21	36.58	36.35	36.12	20	15	15	15	14	14	13	13	13	12	12	0	0	0
	30	39.2	38.39	38.17	37.54	37.31	37.8	36.48	36.22	30	11	11	11	10	10	10	9	9	9	8	0	0	0
	50	39.11	38.48	38.25	38.3	37.40	37.17	36.54	36.31	40	8	7	7	6	6	6	5	5	5	4	0	0	0
68	0	39.29	39.7	38.44	38.22	37.59	37.37	37.14	36.52	0	22	22	21	21	21	20	20	20	19	19	0	0	0
	10	39.38	39.15	38.53	38.31	38.8	37.46	37.24	37.1	10	18	18	18	17	17	16	16	16	15	15	0	0	0
	20	39.46	39.24	39.2	38.40	38.18	37.55	37.33	37.11	20	15	14	14	14	13	13	12	12	12	11	0	0	0
	30	39.55	39.33	39.11	38.49	38.27	38.5	37.43	37.21	30	11	11	10	10	9	9	9	8	8	8	0	0	0
	50	40.3	39.41	39.20	38.58	38.36	38.14	37.52	37.30	40	7	7	6	6	6	5	5	5	4	4	0	0	0
69	0	40.12	39.50	39.29	39.7	38.45	38.24	38.2	37.40	0	4	3	3	2	2	2	1	1	1	1	0	0	0
	10	40.21	40.0	39.38	39.17	38.55	38.34	38.12	37.51	0	21	21	20	20	20	19	19	19	18	18	0	0	0
	20	40.30	40.9	39.47	39.26	39.5	38.43	38.22	38.1	10	17	17	17	16	16	16	15	15	15	14	0	0	0
	30	40.39	40.18	39.56	39.35	39.14	38.53	38.32	38.10	20	14	14	13	13	13	12	12	12	11	11	0	0	0
	50	40.47	40.26	40.5	39.44	39.23	39.2	38.41	38.20	30	10	10	10	9	9	9	8	8	8	7	0	0	0
50	41.5	40.44	40.23	40.3	39.42	39.21	39.1	38.40	50	3	3	3	2	2	2	1	1	1	1	0	0	0	

TABLE XIX.

LOGARITHMS.

☽'s Hor. Parallax.		Apparent Altitude of ☽'s centre.										TABLE C. Cor. for Seconds of Parallax. Add.		
		M	S	60°	61°	62°	63°	64°	65°	66°	67°	68°	69°	S.
54	0	2295	2294	2293	2292	2291	2291	2290	2289	2289	2288	2288	0	12
	10	2281	2280	2279	2278	2278	2277	2276	2276	2275	2274	2274	1	11
	20	2267	2266	2266	2265	2264	2263	2263	2262	2261	2261	2261	2	9
	30	2254	2253	2252	2251	2250	2250	2249	2248	2248	2247	2247	3	8
	40	2240	2239	2238	2238	2237	2236	2236	2235	2234	2234	2234	4	7
	50	2227	2226	2225	2224	2223	2223	2222	2221	2221	2220	2220	5	5
55	0	2213	2212	2212	2211	2210	2209	2209	2208	2207	2207	2207	6	4
	10	2200	2199	2198	2197	2197	2196	2195	2195	2194	2194	2194	7	3
	20	2186	2186	2185	2184	2183	2183	2182	2181	2181	2180	2180	8	1
	30	2173	2172	2171	2171	2170	2169	2169	2168	2167	2167	2167	9	0
	40	2160	2159	2158	2157	2157	2156	2155	2155	2154	2154	2154		
	50	2147	2146	2145	2144	2143	2143	2142	2141	2141	2140	2140		
56	0	2133	2133	2132	2131	2130	2130	2129	2128	2128	2127	2127	S.	Cor.
	10	2120	2119	2119	2118	2117	2116	2116	2115	2114	2114	0	12	
	20	2107	2106	2105	2105	2104	2103	2103	2102	2101	2101	1	11	
	30	2094	2093	2092	2092	2091	2090	2090	2089	2088	2088	2	9	
	40	2081	2080	2079	2078	2078	2077	2077	2076	2075	2075	3	8	
	50	2068	2067	2066	2065	2065	2064	2064	2063	2062	2062	4	7	
57	0	2055	2054	2053	2053	2052	2051	2051	2050	2049	2049	2049	5	5
	10	2042	2041	2040	2040	2039	2038	2038	2037	2036	2036	2036	6	4
	20	2029	2028	2028	2027	2026	2025	2025	2024	2024	2023	2023	7	3
	30	2016	2016	2015	2014	2013	2013	2012	2011	2011	2010	2010	8	2
	40	2004	2003	2002	2001	2000	2000	1999	1999	1998	1998	1998	9	0
	50	1991	1990	1989	1988	1988	1987	1986	1986	1985	1985	1985	S.	Cor.
58	0	1978	1977	1976	1976	1975	1974	1974	1973	1972	1972	1972	0	12
	10	1966	1965	1964	1963	1962	1962	1961	1960	1960	1959	1959	1	11
	20	1953	1952	1951	1950	1950	1949	1948	1948	1947	1947	1947	2	9
	30	1940	1939	1938	1938	1937	1936	1936	1935	1934	1934	1934	3	8
	40	1927	1927	1926	1925	1924	1924	1923	1923	1922	1921	1921	4	7
	50	1915	1914	1913	1912	1912	1911	1911	1910	1909	1909	1909	5	6
59	0	1902	1902	1901	1900	1899	1899	1898	1898	1897	1896	1896	6	4
	10	1890	1889	1888	1887	1887	1886	1886	1885	1884	1884	1884	7	3
	20	1877	1877	1876	1875	1874	1874	1873	1873	1872	1872	1872	8	2
	30	1865	1864	1863	1863	1862	1861	1861	1860	1860	1859	1859	9	1
	40	1853	1852	1851	1850	1850	1849	1848	1848	1847	1847	1847		
	50	1840	1840	1839	1838	1837	1837	1836	1836	1835	1834	1834	S.	Cor.
60	0	1828	1827	1826	1826	1825	1824	1824	1823	1823	1822	1822	0	12
	10	1816	1815	1814	1813	1813	1812	1812	1811	1810	1810	1810	1	11
	20	1803	1803	1802	1801	1801	1800	1799	1799	1798	1798	1798	2	10
	30	1791	1791	1790	1789	1788	1788	1787	1787	1786	1786	1786	3	8
	40	1779	1778	1778	1777	1776	1776	1775	1774	1774	1773	1773	4	7
	50	1767	1766	1765	1765	1764	1763	1763	1762	1762	1761	1761	5	6
61	0	1755	1754	1753	1753	1752	1751	1751	1750	1750	1749	1749	6	5
	10	1743	1742	1741	1740	1740	1739	1739	1738	1737	1737	1737	7	4
	20	1731	1730	1729	1728	1728	1727	1727	1726	1725	1725	1725	8	2
	30	1719	1718	1717	1716	1716	1715	1715	1714	1713	1713	1713	9	1

App. alt. 's cent	's Horizontal Parallax.									TABLE A. Correction for Sec. of Par. Add.										Tab. B Form of alt. Add.				
	L	M	54'	55'	56'	57'	58'	59'	60'	61'	S	0''	1''	2''	3''	4''	5''	6''	7''	8''	9''	M	S	
			0	10	20	30	40	50	0	10	20	30	40	50	0	10	20	30	40	50				
70	0	41	14	40.54	40.33	40.13	39.52	39.32	39.11	38.51	0	20	20	19	19	19	18	18	18	18	17	17	17	
	10	41	23	41.3	40.42	40.22	40.2	39.41	39.21	39.1	10	17	16	16	16	15	15	15	15	14	14	14	14	
	20	41	32	41.12	40.51	40.31	40.11	39.51	39.31	39.10	20	13	13	13	12	12	11	11	11	11	11	11	11	
	30	41	40	41.20	41.0	40.40	40.20	40.0	39.40	39.20	30	10	10	9	9	9	8	8	8	8	7	7	7	7
	40	41	45	41.29	41.9	40.50	40.30	40.10	39.50	39.30	40	7	6	6	6	5	5	5	5	4	4	4	4	4
50	41	53	41.38	41.18	40.59	40.39	40.19	40.0	39.40	50	3	3	3	2	2	2	1	1	1	1	1	0	0	0
71	0	42	8	41.48	41.28	41.9	40.49	40.30	40.10	39.51	0	19	19	18	18	18	17	17	17	17	17	16	16	
	10	42	16	41.57	41.38	41.18	40.59	40.39	40.20	40.1	10	16	15	15	15	14	14	14	14	13	13	13	13	
	20	42	25	42.6	41.47	41.27	41.8	40.49	40.30	40.11	20	13	12	12	12	11	11	11	11	10	10	10	10	
	30	42	34	42.15	41.56	41.37	41.18	40.59	40.39	40.20	30	9	9	9	8	8	8	8	8	7	7	7	7	
	40	42	43	42.24	42.5	41.46	41.27	41.8	40.49	40.30	40	6	6	6	5	5	5	4	4	4	4	3	3	3
50	42	51	42.33	42.14	41.56	41.36	41.18	40.59	40.40	50	3	3	2	2	2	1	1	1	1	1	1	0	0	0
72	0	43	1	42.43	42.24	42.5	41.47	41.28	41.10	40.51	0	18	18	17	17	17	16	16	16	16	16	15	15	
	10	43	10	42.51	42.33	42.15	41.56	41.38	41.20	41.1	10	15	15	14	14	14	13	13	13	13	13	13	12	
	20	43	19	43.0	42.42	42.24	42.6	41.48	41.29	41.11	20	12	12	11	11	11	10	10	10	10	10	9	9	
	30	43	27	43.9	42.51	42.33	42.15	41.57	41.39	41.21	30	9	9	8	8	8	7	7	7	7	7	6	6	
	40	43	36	43.18	43.0	42.43	42.25	42.7	41.49	41.31	40	6	6	5	5	5	4	4	4	4	3	3	3	
50	43	45	43.27	43.10	42.52	42.34	42.17	41.59	41.41	50	3	3	2	2	2	1	1	1	1	1	0	0	0	0
73	0	43	55	43.37	43.20	43.2	42.45	42.27	42.10	41.52	0	17	17	16	16	16	15	15	15	15	15	15	14	
	10	44	4	43.46	43.29	43.12	42.54	42.37	42.19	42.2	10	14	14	14	13	13	13	12	12	12	12	12	12	
	20	44	13	43.55	43.38	43.21	43.4	42.47	42.29	42.12	20	11	11	11	10	10	10	10	10	9	9	9	9	
	30	44	21	44.4	43.47	43.30	43.13	42.56	42.39	42.22	30	8	8	8	8	7	7	7	7	6	6	6	6	
	40	44	30	44.13	43.57	43.40	43.23	43.6	42.49	42.32	40	6	5	5	5	4	4	4	4	4	3	3	3	
50	44	39	44.22	44.6	43.49	43.32	43.16	42.59	42.42	50	3	2	2	2	2	1	1	1	1	0	0	0	0	
74	0	44	49	44.32	44.16	43.59	43.43	43.26	43.10	42.53	0	16	16	15	15	15	14	14	14	14	14	14	14	
	10	44	58	44.42	44.25	44.9	43.52	43.36	43.20	43.3	10	13	13	13	12	12	12	12	12	11	11	11	11	
	20	45	7	44.51	44.34	44.18	44.2	43.46	43.30	43.13	20	11	11	10	10	10	9	9	9	9	9	8	8	
	30	45	16	45.0	44.44	44.28	44.12	43.56	43.40	43.23	30	8	8	7	7	7	6	6	6	6	6	6	6	
	40	45	25	45.9	44.53	44.37	44.21	44.5	43.49	43.34	40	5	5	4	4	4	4	4	4	3	3	3	3	
50	45	34	45.18	45.2	44.46	44.31	44.15	43.59	43.44	50	3	2	2	2	2	1	1	1	1	1	0	0	0	
75	0	45	43	45.28	45.12	44.57	44.41	44.26	44.10	43.55	0	15	15	14	14	14	14	13	13	13	13	13	13	
	10	45	52	45.37	45.22	45.6	44.51	44.36	44.20	44.5	10	12	12	12	12	11	11	11	11	11	11	11	11	
	20	46	1	45.46	45.31	45.16	45.1	44.45	44.30	44.15	20	10	10	9	9	9	8	8	8	8	8	8	8	
	30	46	10	45.55	45.40	45.25	45.10	44.55	44.40	44.25	30	7	7	7	6	6	6	6	6	5	5	5	5	
	40	46	19	46.4	45.50	45.35	45.20	45.5	44.50	44.35	40	5	5	4	4	4	4	3	3	3	3	3	3	
50	46	28	46.14	45.59	45.44	45.29	45.15	45.0	44.45	50	2	2	2	2	1	1	1	1	1	0	0	0	0	
76	0	46	38	46.24	46.9	45.55	45.40	45.26	45.11	44.57	0	14	14	14	13	13	13	13	12	12	12	12		
	10	46	47	46.33	46.18	46.4	45.50	45.35	45.21	45.7	10	12	11	11	11	11	10	10	10	10	10	10		
	20	46	56	46.42	46.28	46.14	45.59	45.45	45.31	45.17	20	9	9	9	8	8	8	8	8	7	7	7		
	30	47	5	46.51	46.37	46.23	46.9	45.55	45.41	45.27	30	7	7	7	6	6	6	6	6	5	5	5		
	40	47	14	47.0	46.46	46.33	46.19	46.5	45.51	45.37	40	5	4	4	4	4	3	3	3	3	3	3		
50	47	23	47.9	46.56	46.42	46.28	46.15	46.1	45.47	50	2	2	2	2	1	1	1	1	1	0	0	0		
77	0	47	33	47.20	47.6	46.53	46.39	46.26	46.12	45.59	0	13	13	13	12	12	12	12	11	11	11	11		
	10	47	42	47.29	47.15	47.2	46.49	46.35	46.22	46.9	10	11	11	10	10	10	10	10	9	9	9	9		
	20	47	51	47.38	47.25	47.12	46.59	46.45	46.32	46.19	20	9	8	8	8	8	7	7	7	7	7	7		
	30	48	0	47.47	47.34	47.21	47.8	46.55	46.42	46.29	30	6	6	6	6	5	5	5	5	5	5	5		
	40	48	9	47.56	47.44	47.31	47.18	47.5	46.52	46.39	40	4	4	4	4	3	3	3	3	3	3	2		
50	48	18	48.6	47.53	47.40	47.28	47.15	47.2	46.50	50	2	2	2	1	1	1	1	1	1	0	0	0		
78	0	48	28	48.16	48.3	47.51	47.38	47.26	47.13	47.1	0	12	12	12	11	11	11	11	11	11	11	10		
	10	48	37	48.25	48.13	48.0	47.48	47.36	47.24	47.11	10	10	10	10	9	9	9	9	9	9	8	8		
	20	48	46	48.34	48.22	48.10	47.58	47.46	47.34	47.21	20	8	8	8	7	7	7	7	7	6	6	6		
	30	48	55	48.44	48.32	48.20	48.8	47.56	47.44	47.32	30	6	6	6	5	5	5	5	5	5	4	4		
	40	49	5	48.53	48.41	48.29	48.17	48.6	47.54	47.42	40	4	4	4	3	3	3	3	3	3	2	2		
50	49	14	49.2	48.50	48.39	48.27	48.16	48.4	47.52	50	2	2	2	1	1	1	1	1	1	0	0	0		
79	0	49	24	49.12	49.1	48.49	48.38	48.26	48.15	48.4	0	11	11	11	10	10	10	10	10	10	10	9		
	10	49	33	49.22	49.10	48.59	48.48	48.36	48.25	48.14	10	9	9	9	8	8	8	8	8	8	8	8		
	20	49	42	49.31	49.20	49.9	48.57	48.46	48.35	48.24	20	7	7	7	7	6	6	6	6	6	6	6		
	30	49	51	49.40	49.29	49.18	49.7	48.56	48.45	48.34	30	5	5	5	5	4								

TABLE XIX.

LOGARITHMS.

☉'s Hor. Parallax.		Apparent Altitude of ☉'s centre.										TABLE C. Cor. for Seconds of Parallax. Add.			
		M	S	70°	71°	72°	73°	74°	75°	76°	77°	78°	79°	S.	Cor.
54	0		2287	2267	2236	2236	2285	2285	2285	2284	2284	2284	2284	0	12
	10		2274	2273	2273	2272	2272	2272	2271	2271	2271	2271	2271	1	11
	20		2260	2260	2259	2259	2258	2258	2258	2257	2257	2257	2257	2	9
	30		2247	2246	2246	2245	2245	2245	2244	2244	2243	2243	2243	3	8
	40		2233	2233	2232	2232	2231	2231	2231	2230	2230	2230	2230	4	7
	50		2220	2219	2219	2218	2218	2218	2217	2217	2217	2216	2216	5	5
55	0		2206	2206	2205	2205	2204	2204	2204	2203	2203	2203	2203	6	4
	10		2193	2192	2192	2191	2191	2191	2190	2190	2190	2190	2190	7	3
	20		2179	2179	2179	2178	2178	2178	2177	2176	2176	2176	2176	8	1
	30		2166	2166	2165	2165	2164	2164	2164	2163	2163	2163	2163	9	0
	40		2153	2152	2152	2152	2151	2151	2150	2150	2150	2150	2150		
	50		2140	2139	2139	2138	2138	2138	2137	2137	2137	2137	2137	S.	Cor.
56	0		2126	2126	2126	2125	2125	2125	2124	2123	2123	2123	0	12	
	10		2113	2113	2112	2112	2112	2111	2111	2110	2110	2110	1	11	
	20		2100	2100	2099	2099	2098	2098	2098	2097	2097	2097	2	9	
	30		2087	2087	2086	2086	2085	2085	2085	2084	2084	2084	3	8	
	40		2074	2074	2073	2073	2072	2072	2072	2071	2071	2071	4	7	
	50		2061	2061	2060	2060	2059	2059	2059	2058	2058	2058	2058	5	5
57	0		2048	2048	2047	2047	2046	2046	2045	2045	2045	2045	6	4	
	10		2035	2035	2034	2034	2033	2033	2033	2032	2032	2032	7	3	
	20		2022	2022	2021	2021	2021	2021	2020	2019	2019	2019	8	2	
	30		2010	2009	2009	2008	2008	2008	2007	2007	2007	2007	2007	9	0
	40		1997	1996	1996	1995	1995	1995	1994	1994	1994	1994			
	50		1984	1984	1983	1983	1982	1982	1982	1981	1981	1981	S.	Cor.	
58	0		1971	1971	1970	1970	1970	1970	1969	1969	1968	1968	0	12	
	10		1959	1958	1958	1957	1957	1957	1956	1956	1956	1956	1	11	
	20		1946	1946	1945	1945	1944	1944	1944	1943	1943	1943	2	9	
	30		1933	1933	1933	1932	1932	1932	1931	1931	1930	1930	3	8	
	40		1921	1920	1920	1920	1919	1919	1919	1918	1918	1918	4	7	
	50		1908	1908	1907	1907	1907	1907	1906	1905	1905	1905	5	6	
59	0		1896	1895	1895	1895	1894	1894	1893	1893	1893	1893	6	4	
	10		1883	1883	1882	1882	1882	1882	1881	1880	1880	1880	7	3	
	20		1871	1870	1870	1870	1869	1869	1869	1868	1868	1868	8	2	
	30		1858	1858	1858	1857	1857	1857	1856	1856	1856	1856	9	1	
	40		1846	1846	1845	1845	1844	1844	1844	1843	1843	1843			
	50		1834	1833	1833	1833	1832	1832	1832	1831	1831	1831	S.	Cor.	
60	0		1822	1821	1821	1820	1820	1820	1819	1819	1819	1819	0	12	
	10		1809	1809	1808	1808	1808	1808	1807	1806	1806	1806	1	11	
	20		1797	1797	1796	1796	1795	1795	1795	1794	1794	1794	2	10	
	30		1785	1784	1784	1784	1783	1783	1783	1782	1782	1782	3	8	
	40		1773	1772	1772	1771	1771	1771	1770	1770	1770	1770	4	7	
	50		1761	1760	1760	1759	1759	1759	1758	1758	1758	1758	5	6	
61	0		1749	1748	1748	1747	1747	1747	1746	1746	1746	1746	6	5	
	10		1736	1736	1736	1735	1735	1735	1734	1734	1734	1734	7	3	
	20		1724	1724	1724	1723	1723	1723	1722	1722	1722	1722	8	2	
	30		1712	1712	1712	1711	1711	1711	1710	1710	1710	1710	9	1	

CORRECTION.

App. alt. D. M	s Horizontal Parallax.									TABLE A. Propor. part for Sec. of Par. Add.									Tab. B Form of alt. Add.		
	54'	55'	56'	57'	58'	59'	60'	61'	S	0'	1'	2'	3'	4'	5'	6'	7'	8'	9'	M	S
										0	10	20	30	40	50	60	70	80	90		
80	0	50.19	50.9	49.58	49.43	49.38	49.27	49.17	49.6	0	10	10	10	10	9	9	9	9	9	9	9
10	50.23	50.18	50.8	49.58	49.47	49.37	49.27	49.17	49.6	10	8	8	8	8	8	7	7	7	7	7	7
20	50.33	50.27	50.17	50.7	49.57	49.47	49.37	49.27	49.6	20	7	7	6	6	6	6	6	6	6	6	6
30	50.47	50.37	50.27	50.17	50.7	49.57	49.47	49.37	49.6	30	5	5	5	5	4	4	4	4	4	4	4
40	50.56	50.46	50.36	50.27	50.17	50.7	49.57	49.48	49.6	40	3	3	3	3	3	2	2	2	2	2	2
50	51.5	50.55	50.46	50.36	50.27	50.17	50.7	49.58	49.6	50	2	2	2	2	1	1	1	1	1	1	0
81	0	51.15	51.6	50.56	50.47	50.37	50.28	50.19	50.9	0	9	9	9	9	8	8	8	8	8	8	8
10	51.24	51.15	51.6	50.57	50.47	50.38	50.29	50.20	50.9	10	8	7	7	7	7	7	7	7	7	7	7
20	51.33	51.24	51.15	51.6	50.57	50.48	50.39	50.30	50.9	20	6	6	6	6	6	5	5	5	5	5	5
30	51.42	51.34	51.25	51.16	51.7	50.58	50.49	50.40	50.9	30	5	4	4	4	4	4	4	4	4	4	4
40	51.52	51.43	51.34	51.26	51.17	51.8	50.59	50.51	50.9	40	3	3	3	3	2	2	2	2	2	2	2
50	52.1	51.52	51.44	51.35	51.27	51.18	51.10	51.1	50.9	50	2	2	2	2	1	1	1	1	1	1	0
82	0	52.11	52.3	51.54	51.46	51.38	51.29	51.21	51.13	0	8	8	8	8	7	7	7	7	7	7	7
10	52.20	52.12	52.4	51.56	51.47	51.39	51.31	51.23	51.15	10	7	7	6	6	6	6	6	6	6	6	6
20	52.29	52.21	52.13	52.5	51.57	51.49	51.41	51.33	51.25	20	5	5	5	5	5	5	5	5	5	5	5
30	52.39	52.31	52.23	52.15	52.7	51.59	51.52	51.44	51.36	30	4	4	4	4	4	3	3	3	3	3	3
40	52.48	52.40	52.32	52.25	52.17	52.9	52.8	52.7	52.6	40	3	3	3	3	2	2	2	2	2	2	2
50	52.57	52.49	52.42	52.34	52.27	52.19	52.12	52.4	52.3	50	1	1	1	1	1	1	1	1	1	1	0
83	0	53.7	53.0	52.52	52.45	52.38	52.30	52.23	52.16	0	7	7	7	7	7	6	6	6	6	6	6
10	53.16	53.9	53.2	52.55	52.48	52.41	52.33	52.26	52.19	10	6	6	6	6	6	5	5	5	5	5	5
20	53.25	53.18	53.11	53.5	52.58	52.61	52.44	52.37	52.30	20	5	5	4	4	4	4	4	4	4	4	4
30	53.35	53.28	53.21	53.14	53.7	53.3	53.24	52.47	52.40	30	4	3	3	3	3	3	3	3	3	3	3
40	53.44	53.37	53.31	53.24	53.17	53.11	53.4	52.57	52.50	40	2	2	2	2	2	2	2	2	2	2	2
50	53.53	53.47	53.40	53.34	53.27	53.21	53.14	53.8	53.7	50	1	1	1	1	1	1	1	1	1	1	0
84	0	54.3	53.57	53.51	53.44	53.38	53.32	53.26	53.19	0	6	6	6	6	6	6	5	5	5	5	5
10	54.12	54.6	54.0	53.54	53.48	53.42	53.36	53.30	53.24	10	5	5	5	5	5	5	4	4	4	4	4
20	54.22	54.16	54.10	54.4	53.58	53.52	53.46	53.40	53.34	20	4	4	4	4	4	4	3	3	3	3	3
30	54.31	54.25	54.19	54.14	54.8	54.2	53.56	53.51	53.46	30	3	3	3	3	3	3	2	2	2	2	2
40	54.40	54.35	54.29	54.23	54.18	54.12	54.7	54.1	54.0	40	2	2	2	2	2	2	2	2	2	2	2
50	54.49	54.44	54.39	54.33	54.28	54.22	54.17	54.11	54.0	50	1	1	1	1	1	1	1	1	1	1	0
85	0	55.0	54.54	54.49	54.44	54.39	54.33	54.28	54.23	0	5	5	5	5	5	5	4	4	4	4	4
10	55.9	55.4	54.59	54.54	54.49	54.43	54.38	54.33	54.28	10	4	4	4	4	4	4	4	4	4	4	4
20	55.13	55.13	55.8	55.5	54.58	54.54	54.49	54.44	54.39	20	3	3	3	3	3	3	3	3	3	3	3
30	55.27	55.23	55.18	55.13	55.8	55.4	54.59	54.54	54.49	30	3	3	2	2	2	2	2	2	2	2	2
40	55.36	55.32	55.27	55.23	55.18	55.14	55.9	55.5	55.4	40	2	2	2	2	2	2	2	2	2	2	2
50	55.46	55.41	55.37	55.33	55.28	55.24	55.20	55.15	55.10	50	1	1	1	1	1	1	1	1	1	1	0
86	0	55.56	55.52	55.48	55.43	55.39	55.35	55.31	55.27	0	4	4	4	4	4	4	4	4	4	4	4
10	56.9	55.6	55.57	55.53	55.49	55.45	55.41	55.37	55.33	10	3	3	3	3	3	3	3	3	3	3	3
20	56.14	56.11	56.7	56.3	55.59	55.55	55.52	55.48	55.44	20	3	3	3	3	3	2	2	2	2	2	2
30	56.24	56.20	56.16	56.13	56.9	56.5	56.2	55.58	55.54	30	2	2	2	2	2	2	2	2	2	2	2
40	56.33	56.29	56.26	56.22	56.19	56.15	56.12	56.8	56.7	40	2	1	1	1	1	1	1	1	1	1	1
50	56.42	56.39	56.36	56.32	56.29	56.26	56.22	56.19	56.15	50	1	1	1	1	1	1	1	1	1	1	0
87	0	56.52	56.49	56.46	56.43	56.40	56.37	56.34	56.30	0	3	3	3	3	3	3	3	3	3	3	3
10	57.2	56.59	56.56	56.53	56.50	56.47	56.44	56.41	56.38	10	3	3	2	2	2	2	2	2	2	2	2
20	57.11	57.8	57.3	57.0	56.57	56.54	56.51	56.48	56.45	20	2	2	2	2	2	2	2	2	2	2	2
30	57.20	57.18	57.15	57.12	57.10	57.7	57.4	57.2	57.0	30	2	2	2	2	2	1	1	1	1	1	1
40	57.29	57.27	57.25	57.22	57.20	57.17	57.15	57.12	57.10	40	1	1	1	1	1	1	1	1	1	1	1
50	57.39	57.36	57.34	57.32	57.30	57.27	57.25	57.23	57.21	50	1	1	1	1	1	1	1	1	1	1	0
88	0	57.49	57.47	57.45	57.43	57.41	57.38	57.36	57.34	0	2	2	2	2	2	2	2	2	2	2	2
10	57.58	57.56	57.54	57.52	57.50	57.49	57.47	57.45	57.43	10	2	2	2	2	2	2	2	2	2	2	2
20	58.7	58.6	58.4	58.2	58.0	57.59	57.57	57.55	57.53	20	1	1	1	1	1	1	1	1	1	1	1
30	58.17	58.15	58.14	58.12	58.10	58.9	58.7	58.6	58.5	30	1	1	1	1	1	1	1	1	1	1	1
40	58.26	58.25	58.23	58.22	58.20	58.19	58.18	58.16	58.15	40	1	1	1	1	1	1	1	1	1	1	1
50	58.35	58.34	58.33	58.32	58.30	58.29	58.28	58.27	58.26	50	1	1	1	1	1	0	0	0	0	0	0
89	0	58.45	58.44	58.43	58.42	58.41	58.40	58.39	58.38	0	1	1	1	1	1	1	1	1	1	1	1
10	58.55	58.54	58.53	58.52	58.51	58.50	58.49	58.48	58.47	10	1	1	1	1	1	1	1	1	1	1	1
20	59.4	59.3	59.3	59.2	59.1	59.0	58.9	58.8	58.7	20	1	1	1	1	1	1	1	1	1	1	1
30	59.13	59.13	59.12	59.12	59.11	59.11	59.10	59.10	59.0	30	1	1	1	1	1	1	1	1	1	1	1
40	59.22	59.22	59.22	59.21	59.21	59.21	59.21	59.21	59.20	40	1	1	1	1	1	1	1	1	1	1	1
50	59.32	59.32	59.31	59.31	59.31	59.31	59.31	59.31	59.30	50	1	1	1	1	1	0	0	0	0	0	0

TABLE XIX.

LOGARITHMS.

M	S	Apparent Altitude of $\delta$ 's centre.										TABLE C. Correction for Seconds of Parallax. Add.		
		80°	81°	82°	83°	84°	85°	86°	87°	88°	89°	S.	Cor.	
54	0	2283	2283	2283	2283	2283	2283	2283	2283	2283	2283	2283	0	12
	10	2270	2270	2270	2270	2269	2269	2269	2269	2269	2269	2269	1	11
	20	2256	2256	2256	2256	2256	2256	2256	2256	2256	2256	2256	2	9
	30	2243	2243	2242	2242	2242	2242	2242	2242	2242	2242	2242	3	8
	40	2229	2229	2229	2229	2229	2229	2229	2229	2229	2229	2229	4	7
	50	2216	2216	2216	2215	2215	2215	2215	2215	2215	2215	2215	5	5
55	0	2202	2202	2202	2202	2202	2202	2202	2202	2202	2202	2202	6	4
	10	2189	2189	2189	2189	2189	2189	2189	2188	2188	2188	2188	7	3
	20	2176	2175	2175	2175	2175	2175	2175	2175	2175	2175	2175	8	1
	30	2162	2162	2162	2162	2162	2162	2162	2162	2162	2162	2162	9	0
	40	2149	2149	2149	2149	2149	2149	2149	2149	2149	2149	2149		
	50	2136	2136	2136	2136	2136	2135	2135	2135	2135	2135	2135	S.	Cor.
56	0	2123	2123	2122	2122	2122	2122	2122	2122	2122	2122	2122	0	12
	10	2109	2109	2109	2109	2109	2109	2109	2109	2109	2109	2109	1	11
	20	2096	2096	2096	2096	2096	2096	2096	2096	2096	2096	2096	2	9
	30	2083	2083	2083	2083	2083	2083	2083	2083	2083	2083	2083	3	8
	40	2070	2070	2070	2070	2070	2070	2070	2070	2070	2070	2070	4	7
	50	2057	2057	2057	2057	2057	2057	2057	2057	2057	2057	2057	5	5
57	0	2044	2044	2044	2044	2044	2044	2044	2044	2044	2044	2044	6	4
	10	2032	2031	2031	2031	2031	2031	2031	2031	2031	2031	2031	7	3
	20	2019	2019	2019	2018	2018	2018	2018	2018	2018	2018	2018	8	2
	30	2006	2006	2006	2006	2006	2006	2006	2005	2005	2005	2005	9	0
	40	1993	1993	1993	1993	1993	1993	1993	1993	1993	1993	1993		
	50	1980	1980	1980	1980	1980	1980	1980	1980	1980	1980	1980	S.	Cor.
58	0	1968	1968	1967	1967	1967	1967	1967	1967	1967	1967	1967	0	12
	10	1955	1955	1955	1955	1955	1955	1955	1955	1955	1955	1955	1	11
	20	1942	1942	1942	1942	1942	1942	1942	1942	1942	1942	1942	2	9
	30	1930	1930	1930	1929	1929	1929	1929	1929	1929	1929	1929	3	8
	40	1917	1917	1917	1917	1917	1917	1917	1917	1917	1917	1917	4	7
	50	1905	1905	1904	1904	1904	1904	1904	1904	1904	1904	1904	5	6
59	0	1892	1892	1892	1892	1892	1892	1892	1892	1892	1892	1892	6	4
	10	1880	1880	1880	1879	1879	1879	1879	1879	1879	1879	1879	7	3
	20	1867	1867	1867	1867	1867	1867	1867	1867	1867	1867	1867	8	2
	30	1855	1855	1855	1855	1855	1855	1855	1855	1855	1855	1855	9	1
	40	1843	1842	1842	1842	1842	1842	1842	1842	1842	1842	1842		
	50	1830	1830	1830	1830	1830	1830	1830	1830	1830	1830	1830	S.	Cor.
60	0	1818	1818	1818	1818	1818	1818	1818	1818	1818	1818	1818	0	12
	10	1806	1806	1806	1806	1805	1805	1805	1805	1805	1805	1805	1	11
	20	1793	1793	1793	1793	1793	1793	1793	1793	1793	1793	1793	2	10
	30	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	3	8
	40	1769	1769	1769	1769	1769	1769	1769	1769	1769	1769	1769	4	7
	50	1757	1757	1757	1757	1757	1757	1757	1757	1757	1757	1757	5	6
61	0	1745	1745	1745	1745	1745	1745	1745	1745	1745	1745	1745	6	5
	10	1733	1733	1733	1733	1733	1733	1733	1733	1733	1733	1733	7	4
	20	1721	1721	1721	1721	1721	1721	1721	1721	1721	1721	1721	8	2
	30	1709	1709	1709	1709	1709	1709	1709	1709	1709	1709	1709	9	1
	M	S	80°	81°	82°	83°	84°	85°	86°	87°	88°	89°		













TABLE XX.

Corr. Tab.19.		Apparent Distance.															
Corr. Tab.19. +2Cr.		47°		48°		49°		50°		51°		52°		53°		54°	
M	M.	Tab.19.	Tab.19. +2Cor.	Tab.19.	Tab.19. +2Cor.	Tab.19.	Tab.19. +2Cor.	Tab.19.	Tab.19. +2Cor.	Tab.19.	Tab.19. +2Cor.	Tab.19.	Tab.19. +2Cor.	Tab.19.	Tab.19. +2Cor.	Tab.19.	Tab.19. +2Cor.
0	120	47	29	46	28	45	27	44	26	43	25	42	24	41	23	40	22
1	119	46	28	45	27	44	26	43	25	42	24	41	23	40	22	39	21
2	118	45	27	44	26	43	25	42	24	41	23	40	22	39	21	38	20
3	117	44	26	43	25	42	24	41	23	40	22	39	21	38	20	37	19
4	116	44	26	43	25	42	24	41	23	40	22	39	21	38	20	37	19
5	115	43	25	42	24	41	23	40	22	39	21	38	20	37	19	36	18
6	114	42	24	41	23	40	22	39	21	38	20	37	19	36	18	35	17
7	113	41	23	40	22	39	21	38	20	37	19	36	18	35	17	34	16
8	112	40	22	39	21	38	20	37	19	36	18	35	17	34	16	33	15
9	111	39	21	38	20	37	19	36	18	35	17	34	16	33	15	32	14
10	110	38	20	37	19	36	18	35	17	34	16	33	15	32	14	31	13
11	109	38	20	37	19	36	18	35	17	34	16	33	15	32	14	31	13
12	108	37	19	36	18	35	17	34	16	33	15	32	14	31	13	30	12
13	107	36	18	35	17	34	16	33	15	32	14	31	13	30	12	29	11
14	106	35	17	34	16	33	15	32	14	31	13	30	12	29	11	28	10
15	105	34	16	33	15	32	14	31	13	30	12	29	11	28	10	27	9
16	104	34	16	33	15	32	14	31	13	30	12	29	11	28	10	27	9
17	103	33	15	32	14	31	13	30	12	29	11	28	10	27	9	26	8
18	102	32	14	31	13	30	12	29	11	28	10	27	9	26	8	25	7
19	101	32	14	31	13	30	12	29	11	28	10	27	9	26	8	25	7
20	100	31	13	30	12	29	11	28	10	27	9	26	8	25	7	24	6
21	99	30	12	29	11	28	10	27	9	26	8	25	7	24	6	23	5
22	98	30	12	29	11	28	10	27	9	26	8	25	7	24	6	23	5
23	97	29	11	28	10	27	9	26	8	25	7	24	6	23	5	22	4
24	96	29	11	28	10	27	9	26	8	25	7	24	6	23	5	22	4
25	95	28	10	27	9	26	8	25	7	24	6	23	5	22	4	21	3
26	94	27	9	26	8	25	7	24	6	23	5	22	4	21	3	20	2
27	93	27	9	26	8	25	7	24	6	23	5	22	4	21	3	20	2
28	92	26	8	25	7	24	6	23	5	22	4	21	3	20	2	19	1
29	91	26	8	25	7	24	6	23	5	22	4	21	3	20	2	19	1
30	90	25	7	24	6	23	5	22	4	21	3	20	2	19	1	18	0
31	89	25	7	24	6	23	5	22	4	21	3	20	2	19	1	18	0
32	88	24	6	23	5	22	4	21	3	20	2	19	1	18	0	17	0
33	87	24	6	23	5	22	4	21	3	20	2	19	1	18	0	17	0
34	86	24	6	23	5	22	4	21	3	20	2	19	1	18	0	17	0
35	85	23	5	22	4	21	3	20	2	19	1	18	0	17	0	16	0
36	84	23	5	22	4	21	3	20	2	19	1	18	0	17	0	16	0
37	83	22	4	21	3	20	2	19	1	18	0	17	0	16	0	15	0
38	82	22	4	21	3	20	2	19	1	18	0	17	0	16	0	15	0
39	81	22	4	21	3	20	2	19	1	18	0	17	0	16	0	15	0
40	80	21	3	20	2	19	1	18	0	17	0	16	0	15	0	14	0
41	79	21	3	20	2	19	1	18	0	17	0	16	0	15	0	14	0
42	78	21	3	20	2	19	1	18	0	17	0	16	0	15	0	14	0
43	77	20	2	19	1	18	0	17	0	16	0	15	0	14	0	13	0
44	76	20	2	19	1	18	0	17	0	16	0	15	0	14	0	13	0
45	75	20	2	19	1	18	0	17	0	16	0	15	0	14	0	13	0
46	74	20	2	19	1	18	0	17	0	16	0	15	0	14	0	13	0
47	73	19	1	18	0	17	0	16	0	15	0	14	0	13	0	12	0
48	72	19	1	18	0	17	0	16	0	15	0	14	0	13	0	12	0
49	71	19	1	18	0	17	0	16	0	15	0	14	0	13	0	12	0
50	70	19	1	18	0	17	0	16	0	15	0	14	0	13	0	12	0
51	68	19	1	18	0	17	0	16	0	15	0	14	0	13	0	12	0
52	66	18	0	17	0	16	0	15	0	14	0	13	0	12	0	11	0
53	65	18	0	17	0	16	0	15	0	14	0	13	0	12	0	11	0
60	60	18	0	17	0	16	0	15	0	14	0	13	0	12	0	11	0



TABLE XX.

Corr. Tab. 19		Apparent Distance.																			
		75°		80°		85°		90°		95°		100°		105°		110°		115°		120°	
Cor. Tab. 19	+2Cr	Tab. 19	+2Cor	Tab. 19	+2Cor	Tab. 19	+2Cor	Tab. 19	+2Cor	Tab. 19	+2Cor	Tab. 19	+2Cor	Tab. 19	+2Cor	Tab. 19	+2Cor	Tab. 19	+2Cor	Tab. 19	+2Cor
M.	M.	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
0	129	26	8	24	6	21	3	18	0	3	21	6	24	8	26	11	29	15	33	18	36
1	119	26	8	23	5	21	3	18	0	3	21	5	23	8	26	11	29	14	32	18	36
2	118	26	8	23	5	21	3	18	0	3	21	5	23	8	26	11	29	14	32	17	35
3	117	26	8	23	5	20	2	18	0	2	20	5	23	8	26	10	28	13	31	16	34
4	116	25	7	23	5	20	2	18	0	2	20	5	23	7	25	10	28	13	31	16	34
5	115	25	7	23	5	20	2	18	0	2	20	6	23	7	25	10	28	12	30	15	33
6	114	25	7	22	4	20	2	18	0	2	20	4	22	7	25	9	27	12	30	15	33
7	113	25	7	22	4	20	2	18	0	2	20	4	22	7	25	9	27	11	29	14	32
8	112	24	6	22	4	20	2	18	0	2	20	4	22	6	24	9	27	11	29	14	32
9	111	24	6	22	4	20	2	18	0	2	20	4	22	6	24	8	26	11	29	13	31
10	110	24	6	22	4	20	2	18	0	2	20	4	22	6	24	8	26	10	28	13	31
11	109	24	6	22	4	20	2	18	0	2	20	4	22	6	24	8	26	10	28	12	30
12	108	23	5	22	4	20	2	18	0	2	20	4	22	5	23	7	25	9	27	12	30
13	107	23	5	21	3	20	2	18	0	2	20	3	21	5	23	7	25	9	27	11	29
14	106	23	5	21	3	20	2	18	0	2	20	3	21	5	23	7	25	9	27	11	29
15	105	23	5	21	3	20	2	18	0	2	20	3	21	5	23	6	24	8	26	10	28
16	104	23	5	21	3	19	1	18	0	1	19	3	21	5	23	6	24	8	26	10	28
17	103	22	4	21	3	19	1	18	0	1	19	3	21	4	22	6	24	8	26	9	27
18	102	22	4	21	3	19	1	18	0	1	19	3	21	4	22	6	24	7	25	9	27
19	101	22	4	21	3	19	1	18	0	1	19	3	21	4	22	5	23	7	25	8	26
20	100	22	4	20	2	19	1	18	0	1	19	2	20	4	22	5	23	7	25	8	26
21	99	22	4	20	2	19	1	18	0	1	19	2	20	4	22	5	23	6	24	8	26
22	98	21	3	20	2	19	1	18	0	1	19	2	20	3	21	5	23	6	24	7	25
23	97	21	3	20	2	19	1	18	0	1	19	2	20	3	21	4	22	6	24	7	25
24	96	21	3	20	2	19	1	18	0	1	19	2	20	3	21	4	22	5	23	7	25
25	95	21	3	20	2	19	1	18	0	1	19	2	20	3	21	4	22	5	23	6	24
26	94	21	3	20	2	19	1	18	0	1	19	2	20	3	21	4	22	5	23	6	24
27	93	21	3	20	2	19	1	18	0	1	19	2	20	3	21	3	21	4	22	5	23
28	92	20	2	20	2	19	1	18	0	1	19	2	20	3	21	3	21	4	22	5	23
29	91	20	2	19	1	19	1	18	0	1	19	1	19	2	20	3	21	4	22	5	23
30	90	20	2	19	1	19	1	18	0	1	19	1	19	2	20	3	21	4	22	5	23
31	89	20	2	19	1	19	1	18	0	1	19	1	19	2	20	3	21	3	21	4	22
32	88	20	2	19	1	19	1	18	0	1	19	1	19	2	20	2	20	3	21	4	22
33	87	20	2	19	1	19	1	18	0	1	19	1	19	2	20	2	20	2	21	4	22
34	86	20	2	19	1	19	1	18	0	1	19	1	19	2	20	2	20	3	21	3	21
35	85	19	1	19	1	18	0	18	0	0	18	1	19	1	19	2	20	3	21	3	21
36	84	19	1	19	1	18	0	18	0	0	18	1	19	1	19	2	20	2	20	3	21
37	83	19	1	19	1	18	0	18	0	0	18	1	19	1	19	2	20	2	20	3	21
38	82	19	1	19	1	18	0	18	0	0	18	1	19	1	19	2	20	2	20	3	21
39	81	19	1	19	1	18	0	18	0	0	18	1	19	1	19	1	19	2	20	2	20
40	80	19	1	19	1	18	0	18	0	0	18	1	19	1	19	1	19	2	20	2	20
41	79	19	1	19	1	18	0	18	0	0	18	1	19	1	19	1	19	1	19	2	20
42	78	19	1	18	0	18	0	18	0	0	18	0	18	1	19	1	19	1	19	2	20
43	77	19	1	18	0	18	0	18	0	0	18	0	18	1	19	1	19	1	19	1	19
44	76	19	1	18	0	18	0	18	0	0	18	0	18	1	19	1	19	1	19	1	19
45	75	19	1	18	0	18	0	18	0	0	18	0	18	1	19	1	19	1	19	1	19
46	74	18	0	18	0	18	0	18	0	0	18	0	18	0	18	1	19	1	19	1	19
47	73	18	0	18	0	18	0	18	0	0	18	0	18	0	18	1	19	1	19	1	19
48	72	18	0	18	0	18	0	18	0	0	18	0	18	0	18	0	18	1	19	1	19
49	71	18	0	18	0	18	0	18	0	0	18	0	18	0	18	0	18	0	18	1	19
50	70	18	0	18	0	18	0	18	0	0	18	0	18	0	18	0	18	0	18	1	19
52	68	18	0	18	0	18	0	18	0	0	18	0	18	0	18	0	18	0	18	0	18
55	65	18	0	18	0	18	0	18	0	0	18	0	18	0	18	0	18	0	18	0	18
60	60	18	0	18	0	18	0	18	0	0	18	0	18	0	18	0	18	0	18	0	18

For turning Degrees and Minutes into Time, and the contrary.

D	HM	D	HM	D	HM	D	HM	D	HM	D	HM
M	MS	M	MS	M	MS	M	MS	M	MS	M	MS
1	0.4	61	4.4	121	8.4	181	12.4	241	16.4	301	20.4
2	0.8	62	4.8	122	8.8	182	12.8	242	16.8	302	20.8
3	0.12	63	4.12	123	8.12	183	12.12	243	16.12	303	20.12
4	0.16	64	4.16	124	8.16	184	12.16	244	16.16	304	20.16
5	0.20	65	4.20	125	8.20	185	12.20	245	16.20	305	20.20
6	0.24	66	4.24	126	8.24	186	12.24	246	16.24	306	20.24
7	0.28	67	4.28	127	8.28	187	12.28	247	16.28	307	20.28
8	0.32	68	4.32	128	8.32	188	12.32	248	16.32	308	20.32
9	0.36	69	4.36	129	8.36	189	12.36	249	16.36	309	20.36
10	0.40	70	4.40	130	8.40	190	12.40	250	16.40	310	20.40
11	0.44	71	4.44	131	8.44	191	12.44	251	16.44	311	20.44
12	0.48	72	4.48	132	8.48	192	12.48	252	16.48	312	20.48
13	0.52	73	4.52	133	8.52	193	12.52	253	16.52	313	20.52
14	0.56	74	4.56	134	8.56	194	12.56	254	16.56	314	20.56
15	1.0	75	5.0	135	9.0	195	13.0	255	17.0	315	21.0
16	1.4	76	5.4	136	9.4	196	13.4	256	17.4	316	21.4
17	1.8	77	5.8	137	9.8	197	13.8	257	17.8	317	21.8
18	1.12	78	5.12	138	9.12	198	13.12	258	17.12	318	21.12
19	1.16	79	5.16	139	9.16	199	13.16	259	17.16	319	21.16
20	1.20	80	5.20	140	9.20	200	13.20	260	17.20	320	21.20
21	1.24	81	5.24	141	9.24	201	13.24	261	17.24	321	21.24
22	1.28	82	5.28	142	9.28	202	13.28	262	17.28	322	21.28
23	1.32	83	5.32	143	9.32	203	13.32	263	17.32	323	21.32
24	1.36	84	5.36	144	9.36	204	13.36	264	17.36	324	21.36
25	1.40	85	5.40	145	9.40	205	13.40	265	17.40	325	21.40
26	1.44	86	5.44	146	9.44	206	13.44	266	17.44	326	21.44
27	1.48	87	5.48	147	9.48	207	13.48	267	17.48	327	21.48
28	1.52	88	5.52	148	9.52	208	13.52	268	17.52	328	21.52
29	1.56	89	5.56	149	9.56	209	13.56	269	17.56	329	21.56
30	2.0	90	6.0	150	10.0	210	14.0	270	18.0	330	22.0
31	2.4	91	6.4	151	10.4	211	14.4	271	18.4	331	22.4
32	2.8	92	6.8	152	10.8	212	14.8	272	18.8	332	22.8
33	2.12	93	6.12	153	10.12	213	14.12	273	18.12	333	22.12
34	2.16	94	6.16	154	10.16	214	14.16	274	18.16	334	22.16
35	2.20	95	6.20	155	10.20	215	14.20	275	18.20	335	22.20
36	2.24	96	6.24	156	10.24	216	14.24	276	18.24	336	22.24
37	2.28	97	6.28	157	10.28	217	14.28	277	18.28	337	22.28
38	2.32	98	6.32	158	10.32	218	14.32	278	18.32	338	22.32
39	2.36	99	6.36	159	10.36	219	14.36	279	18.36	339	22.36
40	2.40	100	6.40	160	10.40	220	14.40	280	18.40	340	22.40
41	2.44	101	6.44	161	10.44	221	14.44	281	18.44	341	22.44
42	2.48	102	6.48	162	10.48	222	14.48	282	18.48	342	22.48
43	2.52	103	6.52	163	10.52	223	14.52	283	18.52	343	22.52
44	2.56	104	6.56	164	10.56	224	14.56	284	18.56	344	22.56
45	3.0	105	7.0	165	11.0	225	15.0	285	19.0	345	23.0
46	3.4	106	7.4	166	11.4	226	15.4	286	19.4	346	23.4
47	3.8	107	7.8	167	11.8	227	15.8	287	19.8	347	23.8
48	3.12	108	7.12	168	11.12	228	15.12	288	19.12	348	23.12
49	3.16	109	7.16	169	11.16	229	15.16	289	19.16	349	23.16
50	3.20	110	7.20	170	11.20	230	15.20	290	19.20	350	23.20
51	3.24	111	7.24	171	11.24	231	15.24	291	19.24	351	23.24
52	3.28	112	7.28	172	11.28	232	15.28	292	19.28	352	23.28
53	3.32	113	7.32	173	11.32	233	15.32	293	19.32	353	23.32
54	3.36	114	7.36	174	11.36	234	15.36	294	19.36	354	23.36
55	3.40	115	7.40	175	11.40	235	15.40	295	19.40	355	23.40
56	3.44	116	7.44	176	11.44	236	15.44	296	19.44	356	23.44
57	3.48	117	7.48	177	11.48	237	15.48	297	19.48	357	23.48
58	3.52	118	7.52	178	11.52	238	15.52	298	19.52	358	23.52
59	3.56	119	7.56	179	11.56	239	15.56	299	19.56	359	23.56
60	4.0	120	8.0	180	12.0	240	16.0	300	20.0	360	24.0

TABLE XXII

PROPORTIONAL LOGARITHMS.

S.	h	m	h	m	h	m	h	m	h	m	h	m	S.
	0°	0'0"	1'0"	2'0"	3'0"	4'0"	5'0"	6'0"	7'0"	8'0"	9'0"		
0			2.2553	1.9542	1.7752	1.6532	1.5563	1.4771	1.4102	1.3522		0	
1	4.0334		2.2481	1.9506	1.7757	1.6514	1.5549	1.4759	1.4091	1.3513		1	
2	3.7324		2.2410	1.9171	1.7734	1.6496	1.5534	1.4717	1.4081	1.3501		2	
3	3.5563		2.2341	1.9435	1.7710	1.6473	1.5520	1.4735	1.4071	1.3495		3	
4	3.4311		2.2272	1.9400	1.7686	1.6460	1.5506	1.4723	1.4061	1.3486		4	
5	3.3415		2.2205	1.9365	1.7663	1.6443	1.5491	1.4711	1.4050	1.3477		5	
6	3.2553		2.2139	1.9331	1.7639	1.6425	1.5477	1.4699	1.4010	1.3468		6	
7	3.1823		2.2073	1.9296	1.7616	1.6407	1.5463	1.4682	1.4030	1.3459		7	
8	3.1304		2.2009	1.9262	1.7593	1.6390	1.5449	1.4676	1.4020	1.3450		8	
9	3.0792		2.1946	1.9229	1.7570	1.6372	1.5435	1.4664	1.4010	1.3441		9	
10	3.0334		2.1883	1.9195	1.7547	1.6355	1.5421	1.4652	1.4000	1.3432		10	
11	2.9920		2.1822	1.9162	1.7524	1.6338	1.5407	1.4640	1.3989	1.3423		11	
12	2.9512		2.1761	1.9128	1.7501	1.6320	1.5393	1.4629	1.3979	1.3415		12	
13	2.9195		2.1701	1.9096	1.7479	1.6303	1.5379	1.4617	1.3969	1.3406		13	
14	2.8873		2.1642	1.9063	1.7456	1.6286	1.5365	1.4606	1.3959	1.3397		14	
15	2.8553		2.1584	1.9031	1.7434	1.6269	1.5351	1.4594	1.3949	1.3388		15	
16	2.8293		2.1526	1.8999	1.7412	1.6252	1.5337	1.4582	1.3939	1.3379		16	
17	2.8050		2.1469	1.8967	1.7390	1.6235	1.5324	1.4571	1.3929	1.3371		17	
18	2.7792		2.1413	1.8935	1.7368	1.6218	1.5310	1.4559	1.3919	1.3362		18	
19	2.7547		2.1358	1.8904	1.7346	1.6201	1.5296	1.4546	1.3910	1.3353		19	
20	2.7321		2.1303	1.8873	1.7324	1.6185	1.5283	1.4536	1.3900	1.3345		20	
21	2.7112		2.1249	1.8842	1.7302	1.6168	1.5269	1.4525	1.3890	1.3336		21	
22	2.6910		2.1196	1.8811	1.7281	1.6151	1.5256	1.4514	1.3880	1.3327		22	
23	2.6717		2.1143	1.8781	1.7259	1.6135	1.5242	1.4502	1.3870	1.3319		23	
24	2.6532		2.1091	1.8751	1.7238	1.6118	1.5229	1.4491	1.3860	1.3310		24	
25	2.6355		2.1040	1.8721	1.7217	1.6102	1.5215	1.4480	1.3851	1.3301		25	
26	2.6183		2.0989	1.8691	1.7196	1.6085	1.5202	1.4468	1.3841	1.3293		26	
27	2.6021		2.0939	1.8661	1.7175	1.6068	1.5189	1.4457	1.3831	1.3284		27	
28	2.5863		2.0889	1.8632	1.7154	1.6053	1.5175	1.4446	1.3821	1.3276		28	
29	2.5710		2.0840	1.8602	1.7133	1.6037	1.5162	1.4435	1.3812	1.3267		29	
30	2.5561		2.0792	1.8573	1.7112	1.6021	1.5149	1.4424	1.3802	1.3259		30	
31	2.5421		2.0744	1.8544	1.7091	1.6005	1.5136	1.4412	1.3792	1.3250		31	
32	2.5283		2.0696	1.8516	1.7071	1.5989	1.5123	1.4401	1.3783	1.3242		32	
33	2.5148		2.0649	1.8487	1.7050	1.5973	1.5110	1.4390	1.3773	1.3233		33	
34	2.5019		2.0603	1.8459	1.7030	1.5957	1.5097	1.4379	1.3764	1.3225		34	
35	2.4891		2.0557	1.8431	1.7010	1.5941	1.5084	1.4369	1.3754	1.3216		35	
36	2.4771		2.0512	1.8403	1.6990	1.5925	1.5071	1.4358	1.3745	1.3208		36	
37	2.4652		2.0467	1.8375	1.6970	1.5909	1.5058	1.4347	1.3735	1.3199		37	
38	2.4536		2.0422	1.8348	1.6950	1.5894	1.5045	1.4336	1.3726	1.3191		38	
39	2.4424		2.0377	1.8320	1.6930	1.5878	1.5032	1.4325	1.3716	1.3183		39	
40	2.4314		2.0334	1.8293	1.6910	1.5863	1.5019	1.4314	1.3707	1.3174		40	
41	2.4206		2.0291	1.8266	1.6890	1.5847	1.5007	1.4303	1.3697	1.3166		41	
42	2.4102		2.0248	1.8239	1.6871	1.5832	1.4994	1.4292	1.3688	1.3158		42	
43	2.4000		2.0206	1.8212	1.6851	1.5816	1.4981	1.4281	1.3679	1.3149		43	
44	2.3900		2.0164	1.8186	1.6832	1.5801	1.4969	1.4270	1.3669	1.3141		44	
45	2.3802		2.0122	1.8159	1.6812	1.5786	1.4956	1.4260	1.3660	1.3133		45	
46	2.3707		2.0081	1.8133	1.6793	1.5771	1.4943	1.4249	1.3650	1.3124		46	
47	2.3613		2.0040	1.8107	1.6774	1.5755	1.4931	1.4238	1.3641	1.3116		47	
48	2.3522		2.0000	1.8081	1.6755	1.5740	1.4918	1.4228	1.3632	1.3108		48	
49	2.3432		1.9960	1.8055	1.6736	1.5725	1.4906	1.4217	1.3623	1.3100		49	
50	2.3345		1.9920	1.8030	1.6717	1.5710	1.4894	1.4206	1.3613	1.3091		50	
51	2.3259		1.9881	1.8004	1.6698	1.5695	1.4881	1.4196	1.3604	1.3083		51	
52	2.3174		1.9842	1.7979	1.6679	1.5680	1.4869	1.4185	1.3595	1.3075		52	
53	2.3091		1.9803	1.7954	1.6661	1.5666	1.4856	1.4175	1.3586	1.3067		53	
54	2.3010		1.9765	1.7929	1.6642	1.5651	1.4844	1.4164	1.3576	1.3059		54	
55	2.2931		1.9727	1.7904	1.6624	1.5636	1.4832	1.4154	1.3567	1.3051		55	
56	2.2852		1.9690	1.7879	1.6605	1.5621	1.4820	1.4143	1.3558	1.3043		56	
57	2.2773		1.9652	1.7855	1.6587	1.5607	1.4809	1.4133	1.3549	1.3034		57	
58	2.2706		1.9615	1.7830	1.6568	1.5592	1.4795	1.4122	1.3540	1.3026		58	
59	2.2636		1.9579	1.7806	1.6550	1.5578	1.4783	1.4112	1.3531	1.3018		59	
S.	0°	0'0"	1'0"	2'0"	3'0"	4'0"	5'0"	6'0"	7'0"	8'0"	9'0"	S.	



## PROPORTIONAL LOGARITHMS.

S.	h 0°	m 9'0"	h 10°	m 11'0"	h 12°	m 13'0"	h 14°	m 15'0"	h 16°	m 17'0"	S.
0	1.3010	1.2553	1.2139	1.1761	1.1413	1.1091	1.0792	1.0512	1.0248	0	
1	1.3002	1.2545	1.2132	1.1755	1.1403	1.1086	1.0787	1.0507	1.0244	1	
2	1.2994	1.2538	1.2126	1.1749	1.1402	1.1081	1.0782	1.0502	1.0240	2	
3	1.2986	1.2531	1.2119	1.1743	1.1397	1.1076	1.0777	1.0498	1.0235	3	
4	1.2978	1.2524	1.2113	1.1737	1.1391	1.1071	1.0773	1.0493	1.0231	4	
5	1.2970	1.2517	1.2106	1.1731	1.1386	1.1066	1.0768	1.0489	1.0227	5	
6	1.2962	1.2510	1.2099	1.1725	1.1380	1.1061	1.0763	1.0484	1.0223	6	
7	1.2954	1.2502	1.2093	1.1719	1.1374	1.1055	1.0758	1.0480	1.0219	7	
8	1.2946	1.2495	1.2086	1.1713	1.1369	1.1050	1.0753	1.0475	1.0214	8	
9	1.2939	1.2488	1.2080	1.1707	1.1363	1.1045	1.0749	1.0471	1.0210	9	
10	1.2931	1.2481	1.2073	1.1701	1.1358	1.1040	1.0744	1.0467	1.0206	10	
11	1.2923	1.2474	1.2067	1.1695	1.1352	1.1035	1.0739	1.0462	1.0202	11	
12	1.2915	1.2467	1.2061	1.1689	1.1347	1.1030	1.0734	1.0458	1.0197	12	
13	1.2907	1.2460	1.2054	1.1683	1.1342	1.1025	1.0730	1.0453	1.0193	13	
14	1.2899	1.2453	1.2048	1.1677	1.1336	1.1020	1.0725	1.0449	1.0189	14	
15	1.2891	1.2445	1.2041	1.1671	1.1331	1.1015	1.0720	1.0444	1.0185	15	
16	1.2883	1.2438	1.2035	1.1665	1.1325	1.1009	1.0715	1.0440	1.0181	16	
17	1.2876	1.2431	1.2028	1.1660	1.1320	1.1004	1.0711	1.0435	1.0176	17	
18	1.2868	1.2424	1.2022	1.1654	1.1314	1.0999	1.0706	1.0431	1.0172	18	
19	1.2860	1.2417	1.2016	1.1648	1.1309	1.0994	1.0701	1.0426	1.0168	19	
20	1.2852	1.2410	1.2009	1.1642	1.1303	1.0989	1.0696	1.0422	1.0164	20	
21	1.2845	1.2403	1.2003	1.1636	1.1298	1.0984	1.0692	1.0418	1.0160	21	
22	1.2837	1.2396	1.1996	1.1630	1.1292	1.0979	1.0687	1.0413	1.0156	22	
23	1.2829	1.2389	1.1990	1.1624	1.1287	1.0974	1.0682	1.0409	1.0151	23	
24	1.2821	1.2382	1.1984	1.1619	1.1282	1.0969	1.0678	1.0404	1.0147	24	
25	1.2814	1.2375	1.1977	1.1613	1.1276	1.0964	1.0673	1.0400	1.0143	25	
26	1.2806	1.2368	1.1971	1.1607	1.1271	1.0959	1.0668	1.0395	1.0139	26	
27	1.2798	1.2362	1.1965	1.1601	1.1266	1.0954	1.0663	1.0391	1.0135	27	
28	1.2791	1.2355	1.1958	1.1595	1.1260	1.0949	1.0659	1.0387	1.0131	28	
29	1.2783	1.2348	1.1952	1.1589	1.1255	1.0944	1.0654	1.0382	1.0126	29	
30	1.2775	1.2341	1.1946	1.1584	1.1249	1.0939	1.0649	1.0378	1.0122	30	
31	1.2768	1.2334	1.1939	1.1578	1.1244	1.0934	1.0645	1.0374	1.0118	31	
32	1.2760	1.2327	1.1933	1.1572	1.1239	1.0929	1.0640	1.0369	1.0114	32	
33	1.2753	1.2320	1.1927	1.1566	1.1233	1.0924	1.0635	1.0365	1.0110	33	
34	1.2745	1.2313	1.1921	1.1561	1.1228	1.0919	1.0631	1.0360	1.0106	34	
35	1.2738	1.2307	1.1914	1.1555	1.1223	1.0914	1.0626	1.0356	1.0102	35	
36	1.2730	1.2300	1.1908	1.1549	1.1217	1.0909	1.0621	1.0352	1.0098	36	
37	1.2722	1.2293	1.1902	1.1543	1.1212	1.0904	1.0617	1.0347	1.0093	37	
38	1.2715	1.2286	1.1896	1.1538	1.1207	1.0899	1.0612	1.0343	1.0089	38	
39	1.2707	1.2279	1.1889	1.1532	1.1201	1.0894	1.0608	1.0339	1.0085	39	
40	1.2700	1.2272	1.1883	1.1526	1.1196	1.0889	1.0603	1.0334	1.0081	40	
41	1.2692	1.2266	1.1877	1.1520	1.1191	1.0884	1.0598	1.0330	1.0077	41	
42	1.2685	1.2259	1.1871	1.1515	1.1186	1.0880	1.0594	1.0326	1.0073	42	
43	1.2678	1.2252	1.1865	1.1509	1.1180	1.0875	1.0589	1.0321	1.0069	43	
44	1.2670	1.2245	1.1859	1.1503	1.1175	1.0870	1.0585	1.0317	1.0065	44	
45	1.2663	1.2239	1.1852	1.1498	1.1170	1.0865	1.0580	1.0313	1.0061	45	
46	1.2655	1.2232	1.1846	1.1492	1.1164	1.0860	1.0575	1.0308	1.0057	46	
47	1.2648	1.2225	1.1840	1.1486	1.1159	1.0855	1.0571	1.0304	1.0053	47	
48	1.2640	1.2218	1.1834	1.1481	1.1154	1.0850	1.0566	1.0300	1.0049	48	
49	1.2633	1.2212	1.1828	1.1475	1.1149	1.0845	1.0562	1.0295	1.0044	49	
50	1.2626	1.2205	1.1822	1.1469	1.1143	1.0840	1.0557	1.0291	1.0040	50	
51	1.2618	1.2198	1.1816	1.1464	1.1138	1.0835	1.0552	1.0287	1.0036	51	
52	1.2611	1.2192	1.1809	1.1458	1.1133	1.0831	1.0548	1.0282	1.0032	52	
53	1.2604	1.2185	1.1803	1.1452	1.1128	1.0826	1.0543	1.0278	1.0028	53	
54	1.2596	1.2178	1.1797	1.1447	1.1123	1.0821	1.0539	1.0274	1.0024	54	
55	1.2589	1.2172	1.1791	1.1441	1.1117	1.0816	1.0534	1.0270	1.0020	55	
56	1.2582	1.2165	1.1785	1.1436	1.1112	1.0811	1.0530	1.0265	1.0016	56	
57	1.2574	1.2159	1.1779	1.1430	1.1107	1.0806	1.0525	1.0261	1.0012	57	
58	1.2567	1.2152	1.1773	1.1424	1.1102	1.0801	1.0521	1.0257	1.0008	58	
59	1.2560	1.2145	1.1767	1.1419	1.1097	1.0797	1.0516	1.0252	1.0004	59	
S.	0°	9'0"	10'0"	11'0"	12'0"	13'0"	14'0"	15'0"	16'0"	17'0"	S.

TABLE XXII.

133

## PROPORTIONAL LOGARITHMS.

S.	h m 0° 18'	h m 0° 19'	h m 0° 20'	h m 0° 21'	h m 0° 22'	h m 0° 23'	h m 0° 24'	h m 0° 25'	h m 0° 26'	h m 0° 27'	h m 0° 28'	h m 0° 29'	S.
0	10000	9765	9542	9331	9128	8935	8751	8573	8403	8239	8081	7929	0
1	9996	9761	9539	9327	9125	8932	8748	8570	8400	8236	8079	7926	1
2	9992	9757	9535	9324	9122	8929	8745	8568	8397	8234	8076	7924	2
3	9988	9754	9532	9320	9119	8926	8742	8565	8395	8231	8073	7921	3
4	9984	9750	9528	9317	9115	8923	8739	8562	8392	8228	8071	7919	4
5	9980	9746	9524	9313	9112	8920	8736	8559	8389	8226	8068	7916	5
6	9976	9742	9521	9310	9109	8917	8733	8556	8386	8223	8066	7914	6
7	9972	9739	9517	9306	9106	8913	8730	8553	8384	8220	8063	7911	7
8	9968	9735	9514	9303	9102	8910	8727	8550	8381	8218	8061	7909	8
9	9964	9731	9510	9300	9099	8907	8724	8547	8378	8215	8058	7906	9
10	9960	9727	9506	9296	9096	8904	8721	8544	8375	8212	8055	7904	10
11	9956	9723	9503	9293	9092	8901	8718	8542	8372	8210	8053	7901	11
12	9952	9720	9499	9289	9089	8898	8715	8539	8370	8207	8050	7899	12
13	9948	9716	9496	9286	9086	8895	8712	8536	8367	8204	8048	7896	13
14	9944	9712	9492	9283	9083	8892	8709	8533	8364	8202	8045	7894	14
15	9940	9708	9488	9279	9079	8888	8706	8530	8361	8199	8043	7891	15
16	9936	9705	9485	9276	9076	8885	8703	8527	8359	8196	8040	7889	16
17	9932	9701	9481	9272	9073	8882	8700	8524	8356	8194	8037	7887	17
18	9928	9697	9478	9269	9070	8879	8697	8522	8353	8191	8035	7884	18
19	9924	9693	9474	9266	9066	8876	8694	8519	8350	8188	8032	7882	19
20	9920	9690	9471	9262	9063	8873	8691	8516	8348	8186	8030	7879	20
21	9916	9686	9467	9259	9060	8870	8688	8513	8345	8183	8027	7877	21
22	9912	9682	9464	9255	9057	8867	8685	8510	8342	8181	8025	7874	22
23	9908	9678	9460	9252	9053	8864	8682	8507	8339	8178	8022	7872	23
24	9905	9675	9456	9249	9050	8861	8679	8504	8337	8175	8020	7869	24
25	9901	9671	9453	9245	9047	8857	8676	8502	8334	8173	8017	7867	25
26	9897	9667	9449	9242	9044	8854	8673	8499	8331	8170	8014	7864	26
27	9893	9664	9446	9238	9041	8851	8670	8496	8328	8167	8012	7862	27
28	9889	9660	9442	9235	9037	8848	8667	8493	8326	8165	8009	7859	28
29	9885	9656	9439	9232	9034	8845	8664	8490	8323	8162	8007	7857	29
30	9881	9652	9435	9228	9031	8842	8661	8487	8320	8159	8004	7855	30
31	9877	9649	9432	9225	9028	8839	8658	8484	8318	8157	8002	7852	31
32	9873	9645	9428	9222	9024	8836	8655	8482	8315	8154	7999	7850	32
33	9869	9641	9425	9218	9021	8833	8652	8479	8312	8152	7997	7847	33
34	9865	9638	9421	9215	9018	8830	8649	8476	8309	8149	7994	7845	34
35	9861	9634	9418	9212	9015	8827	8646	8473	8307	8146	7992	7842	35
36	9858	9630	9414	9208	9012	8824	8643	8470	8304	8144	7989	7840	36
37	9854	9626	9411	9205	9008	8821	8640	8467	8301	8141	7987	7837	37
38	9850	9623	9407	9201	9005	8817	8637	8465	8298	8138	7984	7835	38
39	9846	9619	9404	9198	9002	8814	8635	8462	8296	8136	7981	7832	39
40	9842	9615	9400	9195	8999	8811	8632	8459	8293	8133	7979	7830	40
41	9838	9612	9397	9191	8996	8808	8629	8456	8290	8131	7976	7828	41
42	9834	9608	9393	9188	8992	8805	8626	8453	8288	8128	7974	7825	42
43	9830	9604	9390	9185	8989	8802	8623	8451	8285	8125	7971	7823	43
44	9827	9601	9386	9181	8986	8799	8620	8448	8282	8123	7969	7820	44
45	9823	9597	9383	9178	8983	8796	8617	8445	8279	8120	7966	7818	45
46	9819	9593	9379	9175	8980	8793	8614	8442	8277	8117	7964	7815	46
47	9815	9590	9376	9171	8977	8790	8611	8439	8274	8115	7961	7813	47
48	9811	9586	9372	9168	8973	8787	8608	8437	8271	8112	7959	7811	48
49	9807	9582	9369	9165	8970	8784	8605	8434	8269	8110	7956	7808	49
50	9803	9579	9365	9162	8967	8781	8602	8431	8266	8107	7954	7806	50
51	9800	9575	9362	9158	8964	8778	8599	8428	8263	8104	7951	7803	51
52	9796	9571	9358	9155	8961	8775	8597	8425	8261	8102	7949	7801	52
53	9792	9568	9355	9152	8958	8772	8594	8423	8258	8099	7946	7798	53
54	9788	9564	9351	9148	8954	8769	8591	8420	8255	8097	7944	7796	54
55	9784	9561	9348	9145	8951	8766	8588	8417	8253	8094	7941	7794	55
56	9780	9557	9344	9142	8948	8763	8585	8414	8250	8091	7939	7791	56
57	9777	9553	9341	9138	8945	8760	8582	8411	8247	8089	7937	7789	57
58	9773	9550	9337	9135	8942	8757	8579	8409	8244	8086	7934	7786	58
59	9769	9546	9334	9132	8939	8754	8576	8406	8242	8084	7931	7784	59
S.	0° 18'	0° 19'	0° 20'	0° 21'	0° 22'	0° 23'	0° 24'	0° 25'	0° 26'	0° 27'	0° 28'	0° 29'	S.

## PROPORTIONAL LOGARITHMS.

S.	h m 0° 30'	h m 0° 31'	h m 0° 32'	h m 0° 33'	h m 0° 34'	h m 0° 35'	h m 0° 36'	h m 0° 37'	h m 0° 38'	h m 0° 39'	h m 0° 40'	h m 0° 41'	S.
0	7782	7639	7501	7368	7238	7112	6990	6871	6755	6642	6532	6425	0
1	7779	7637	7499	7365	7236	7110	6988	6869	6753	6640	6530	6423	1
2	7777	7634	7497	7363	7234	7108	6986	6867	6751	6638	6529	6421	2
3	7774	7632	7494	7361	7232	7106	6984	6865	6749	6637	6527	6420	3
4	7772	7630	7492	7359	7229	7104	6982	6863	6747	6635	6525	6418	4
5	7769	7627	7490	7357	7227	7102	6980	6861	6745	6633	6523	6416	5
6	7767	7625	7488	7354	7225	7100	6978	6859	6743	6631	6521	6414	6
7	7765	7623	7485	7352	7223	7098	6976	6857	6742	6629	6519	6413	7
8	7762	7620	7483	7350	7221	7096	6974	6855	6740	6627	6518	6411	8
9	7760	7618	7481	7348	7219	7093	6972	6853	6738	6625	6516	6409	9
10	7757	7616	7479	7346	7217	7091	6970	6851	6736	6624	6514	6407	10
11	7755	7613	7476	7344	7215	7089	6968	6849	6734	6622	6512	6406	11
12	7753	7611	7474	7341	7212	7087	6966	6847	6732	6620	6510	6404	12
13	7750	7609	7472	7339	7210	7085	6964	6845	6730	6618	6509	6402	13
14	7748	7607	7470	7337	7208	7083	6962	6843	6728	6616	6507	6400	14
15	7745	7604	7467	7335	7206	7081	6960	6841	6726	6614	6505	6398	15
16	7743	7602	7465	7333	7204	7079	6958	6840	6725	6612	6503	6397	16
17	7741	7600	7463	7330	7202	7077	6956	6838	6723	6611	6501	6395	17
18	7738	7597	7461	7328	7200	7075	6954	6836	6721	6609	6500	6393	18
19	7736	7595	7458	7326	7198	7073	6952	6834	6719	6607	6498	6391	19
20	7734	7593	7456	7324	7196	7071	6950	6832	6717	6605	6496	6390	20
21	7731	7590	7454	7322	7193	7069	6948	6830	6715	6603	6494	6388	21
22	7729	7588	7452	7320	7191	7067	6946	6828	6713	6601	6492	6386	22
23	7726	7586	7450	7317	7189	7065	6944	6826	6711	6600	6491	6384	23
24	7724	7583	7447	7315	7187	7063	6942	6824	6709	6598	6489	6383	24
25	7722	7581	7445	7313	7185	7061	6940	6822	6708	6596	6487	6381	25
26	7719	7579	7443	7311	7183	7059	6938	6820	6706	6594	6485	6379	26
27	7717	7577	7441	7309	7181	7057	6936	6818	6704	6592	6484	6377	27
28	7714	7574	7438	7307	7179	7055	6934	6816	6702	6590	6482	6376	28
29	7712	7572	7436	7305	7177	7053	6932	6814	6700	6589	6480	6374	29
30	7710	7570	7434	7302	7175	7050	6930	6812	6698	6587	6478	6372	30
31	7707	7567	7432	7300	7172	7048	6928	6810	6696	6585	6476	6371	31
32	7705	7565	7429	7298	7170	7046	6926	6809	6694	6583	6475	6369	32
33	7703	7563	7427	7296	7168	7044	6924	6807	6692	6581	6473	6367	33
34	7700	7560	7425	7294	7166	7042	6922	6805	6691	6579	6471	6365	34
35	7698	7558	7423	7291	7164	7040	6920	6803	6689	6578	6469	6364	35
36	7696	7556	7421	7289	7162	7038	6918	6801	6687	6576	6467	6362	36
37	7693	7554	7418	7287	7160	7036	6916	6799	6685	6574	6466	6360	37
38	7691	7551	7416	7285	7158	7034	6914	6797	6683	6572	6464	6358	38
39	7688	7549	7414	7283	7156	7032	6912	6795	6681	6570	6462	6357	39
40	7686	7547	7412	7281	7154	7030	6910	6793	6679	6568	6460	6355	40
41	7684	7544	7409	7279	7152	7028	6908	6791	6677	6567	6459	6353	41
42	7681	7542	7407	7276	7149	7026	6906	6789	6676	6565	6457	6351	42
43	7679	7540	7405	7274	7147	7024	6904	6787	6674	6563	6455	6350	43
44	7677	7538	7403	7272	7145	7022	6902	6785	6672	6561	6453	6348	44
45	7674	7535	7401	7270	7143	7020	6900	6784	6670	6559	6451	6346	45
46	7672	7533	7398	7268	7141	7018	6898	6782	6668	6558	6450	6344	46
47	7670	7531	7396	7266	7139	7016	6896	6780	6666	6556	6448	6343	47
48	7667	7528	7394	7264	7137	7014	6894	6778	6664	6554	6446	6341	48
49	7665	7526	7392	7261	7135	7012	6892	6776	6663	6552	6444	6339	49
50	7663	7524	7390	7259	7133	7010	6890	6774	6661	6550	6443	6338	50
51	7660	7522	7387	7257	7131	7008	6888	6772	6659	6548	6441	6336	51
52	7658	7519	7385	7255	7129	7006	6886	6770	6657	6547	6439	6334	52
53	7655	7517	7383	7253	7127	7004	6884	6768	6655	6545	6437	6332	53
54	7653	7515	7381	7251	7124	7002	6882	6766	6653	6543	6435	6331	54
55	7651	7513	7379	7249	7122	7000	6881	6764	6651	6541	6434	6329	55
56	7648	7510	7376	7246	7120	6998	6879	6763	6650	6539	6432	6327	56
57	7646	7508	7374	7244	7118	6996	6877	6761	6648	6538	6430	6325	57
58	7644	7506	7372	7242	7116	6994	6875	6759	6646	6536	6428	6324	58
59	7641	7503	7370	7240	7114	6992	6873	6757	6644	6534	6427	6322	59
S.	0° 30'	0° 31'	0° 32'	0° 33'	0° 34'	0° 35'	0° 36'	0° 37'	0° 38'	0° 39'	0° 40'	0° 41'	S.

TABLE XXII.

PROPORTIONAL LOGARITHMS.

S.	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	S.
	0° 42'	0° 43'	0° 44'	0° 45'	0° 46'	0° 47'	0° 48'	0° 49'	0° 50'	0° 51'	0° 52'	0° 53'		
0	6320	6218	6118	6021	5925	5832	5740	5651	5563	5477	5393	5310	0	
1	6319	6216	6117	6019	5924	5830	5739	5649	5562	5476	5391	5309	1	
2	6317	6215	6115	6017	5922	5829	5737	5648	5560	5474	5389	5307	2	
3	6315	6213	6113	6016	5920	5827	5736	5646	5559	5473	5388	5306	3	
4	6313	6211	6112	6014	5919	5826	5734	5645	5557	5471	5387	5305	4	
5	6312	6210	6110	6013	5917	5824	5733	5643	5556	5470	5386	5303	5	
6	6310	6208	6108	6011	5916	5823	5731	5642	5554	5469	5384	5302	6	
7	6308	6206	6107	6009	5914	5821	5730	5640	5553	5467	5383	5300	7	
8	6306	6205	6105	6008	5913	5819	5728	5639	5551	5466	5382	5299	8	
9	6305	6203	6103	6006	5911	5818	5727	5637	5550	5464	5380	5298	9	
10	6303	6201	6102	6005	5909	5816	5725	5636	5549	5463	5379	5296	10	
11	6301	6200	6100	6003	5908	5815	5724	5635	5547	5461	5377	5295	11	
12	6300	6198	6099	6001	5906	5813	5722	5633	5546	5460	5376	5294	12	
13	6298	6196	6097	6000	5905	5812	5721	5632	5544	5459	5375	5292	13	
14	6296	6195	6095	5998	5903	5810	5719	5630	5543	5457	5373	5291	14	
15	6294	6193	6094	5997	5902	5809	5718	5629	5541	5456	5372	5290	15	
16	6293	6191	6092	5995	5900	5807	5716	5627	5540	5454	5370	5288	16	
17	6291	6190	6090	5993	5898	5806	5715	5626	5538	5453	5369	5287	17	
18	6289	6188	6089	5992	5897	5804	5713	5624	5537	5452	5368	5285	18	
19	6288	6186	6087	5990	5895	5803	5712	5623	5536	5450	5366	5284	19	
20	6286	6185	6085	5989	5894	5801	5710	5621	5534	5449	5365	5283	20	
21	6284	6183	6084	5987	5892	5800	5709	5620	5533	5447	5364	5281	21	
22	6282	6181	6082	5985	5891	5798	5707	5618	5531	5446	5362	5280	22	
23	6281	6179	6081	5984	5889	5796	5706	5617	5530	5445	5361	5279	23	
24	6279	6178	6079	5982	5888	5795	5704	5615	5528	5443	5359	5277	24	
25	6277	6176	6077	5981	5886	5793	5703	5614	5527	5442	5358	5276	25	
26	6276	6174	6076	5979	5884	5792	5701	5613	5526	5440	5357	5275	26	
27	6274	6173	6074	5977	5883	5790	5700	5611	5524	5439	5355	5273	27	
28	6272	6171	6072	5976	5881	5789	5698	5610	5523	5437	5354	5272	28	
29	6271	6169	6071	5974	5880	5787	5697	5608	5521	5436	5353	5271	29	
30	6269	6168	6069	5973	5878	5786	5695	5607	5520	5435	5351	5269	30	
31	6267	6166	6067	5971	5877	5784	5694	5605	5518	5433	5350	5268	31	
32	6265	6165	6066	5969	5875	5783	5692	5604	5517	5432	5348	5266	32	
33	6264	6163	6064	5968	5874	5781	5691	5602	5516	5430	5347	5265	33	
34	6262	6161	6063	5966	5872	5780	5689	5601	5514	5429	5346	5264	34	
35	6260	6160	6061	5965	5870	5778	5688	5599	5513	5428	5344	5263	35	
36	6259	6158	6059	5963	5869	5777	5686	5598	5511	5426	5343	5261	36	
37	6257	6156	6058	5961	5867	5775	5685	5596	5510	5425	5341	5260	37	
38	6255	6155	6056	5960	5866	5774	5683	5595	5508	5423	5340	5258	38	
39	6254	6153	6055	5958	5864	5772	5682	5594	5507	5422	5339	5257	39	
40	6252	6151	6053	5957	5863	5771	5680	5592	5506	5421	5337	5256	40	
41	6250	6150	6051	5955	5861	5769	5679	5591	5504	5419	5336	5254	41	
42	6248	6148	6050	5954	5860	5768	5677	5589	5503	5418	5335	5253	42	
43	6247	6146	6048	5952	5858	5766	5676	5588	5501	5416	5333	5252	43	
44	6245	6145	6046	5950	5856	5765	5674	5586	5500	5415	5332	5250	44	
45	6243	6143	6045	5949	5855	5763	5673	5585	5498	5414	5331	5249	45	
46	6242	6141	6043	5947	5853	5761	5671	5583	5497	5412	5329	5248	46	
47	6240	6140	6042	5946	5852	5760	5670	5582	5496	5411	5328	5246	47	
48	6238	6138	6040	5944	5850	5758	5669	5580	5494	5409	5326	5245	48	
49	6237	6136	6038	5942	5849	5757	5667	5579	5493	5408	5325	5244	49	
50	6235	6135	6037	5941	5847	5755	5666	5578	5491	5407	5324	5242	50	
51	6233	6133	6035	5939	5846	5754	5664	5576	5490	5405	5322	5241	51	
52	6232	6131	6033	5938	5844	5752	5663	5575	5489	5404	5321	5240	52	
53	6230	6130	6032	5936	5843	5751	5661	5573	5487	5402	5320	5238	53	
54	6228	6128	6030	5935	5841	5749	5660	5572	5486	5401	5318	5237	54	
55	6226	6126	6029	5933	5839	5748	5658	5570	5484	5400	5317	5235	55	
56	6225	6125	6027	5931	5838	5746	5657	5569	5483	5398	5315	5234	56	
57	6223	6123	6025	5930	5836	5745	5655	5567	5481	5397	5314	5233	57	
58	6221	6121	6024	5928	5835	5743	5654	5566	5480	5395	5313	5231	58	
59	6220	6120	6022	5927	5833	5742	5652	5564	5478	5394	5311	5230	59	
S.	0° 42'	0° 43'	0° 44'	0° 45'	0° 46'	0° 47'	0° 48'	0° 49'	0° 50'	0° 51'	0° 52'	0° 53'	S.	

TABLE XXII.

PROPORTIONAL LOGARITHMS.

S.	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	S.
	0° 54'	0° 55'	0° 56'	0° 57'	0° 58'	0° 59'	1° 0'	1° 1'	1° 2'	1° 3'	1° 4'	1° 5'			
0	5229	5149	5071	4994	4918	4844	4771	4699	4629	4559	4491	4424	0		
1	5227	5148	5070	4993	4917	4843	4770	4698	4628	4558	4490	4422	1		
2	5226	5146	5068	4991	4916	4842	4769	4697	4626	4557	4489	4421	2		
3	5225	5145	5067	4990	4915	4841	4768	4696	4625	4556	4488	4420	3		
4	5223	5144	5066	4989	4913	4839	4766	4695	4624	4555	4486	4419	4		
5	5222	5143	5064	4988	4912	4838	4765	4693	4623	4554	4485	4418	5		
6	5221	5141	5063	4986	4911	4837	4764	4692	4622	4552	4484	4417	6		
7	5219	5140	5062	4985	4910	4836	4763	4691	4621	4551	4483	4416	7		
8	5218	5139	5061	4984	4908	4834	4762	4690	4619	4550	4482	4415	8		
9	5217	5137	5059	4983	4907	4833	4760	4689	4618	4549	4481	4414	9		
10	5215	5136	5058	4981	4906	4832	4759	4688	4617	4548	4480	4412	10		
11	5214	5135	5057	4980	4905	4831	4758	4686	4616	4547	4479	4411	11		
12	5213	5133	5055	4979	4903	4830	4757	4685	4615	4546	4477	4410	12		
13	5211	5132	5054	4977	4902	4828	4756	4684	4614	4544	4476	4409	13		
14	5210	5131	5053	4976	4901	4827	4754	4683	4612	4543	4475	4408	14		
15	5209	5129	5051	4975	4900	4826	4753	4682	4611	4542	4474	4407	15		
16	5207	5128	5050	4974	4899	4825	4752	4680	4610	4541	4473	4406	16		
17	5206	5127	5049	4972	4897	4823	4751	4679	4609	4540	4472	4405	17		
18	5205	5125	5048	4971	4896	4822	4750	4678	4608	4539	4471	4404	18		
19	5203	5124	5046	4970	4895	4821	4748	4677	4607	4538	4469	4402	19		
20	5202	5123	5045	4969	4894	4820	4747	4676	4606	4536	4468	4401	20		
21	5201	5122	5044	4967	4892	4819	4746	4675	4604	4535	4467	4400	21		
22	5199	5120	5043	4966	4891	4817	4745	4673	4603	4534	4466	4399	22		
23	5198	5119	5041	4965	4890	4816	4744	4672	4602	4533	4465	4398	23		
24	5197	5118	5040	4964	4889	4815	4742	4671	4601	4532	4464	4397	24		
25	5195	5116	5039	4962	4887	4814	4741	4670	4600	4531	4463	4396	25		
26	5194	5115	5037	4961	4886	4812	4740	4669	4599	4530	4462	4395	26		
27	5193	5114	5036	4960	4885	4811	4739	4668	4597	4528	4460	4394	27		
28	5191	5112	5035	4959	4884	4810	4738	4666	4596	4527	4459	4393	28		
29	5190	5111	5034	4957	4882	4809	4736	4665	4595	4526	4458	4391	29		
30	5189	5110	5032	4956	4881	4808	4735	4664	4594	4525	4457	4390	30		
31	5187	5108	5031	4955	4880	4806	4734	4663	4593	4524	4456	4389	31		
32	5186	5107	5030	4954	4879	4805	4733	4662	4592	4523	4455	4388	32		
33	5185	5106	5029	4952	4877	4804	4732	4660	4590	4522	4454	4387	33		
34	5183	5105	5027	4951	4876	4803	4730	4659	4589	4520	4453	4386	34		
35	5182	5103	5026	4950	4875	4801	4729	4658	4588	4519	4452	4385	35		
36	5181	5102	5025	4949	4874	4800	4728	4657	4587	4518	4450	4384	36		
37	5179	5101	5023	4947	4873	4799	4727	4656	4586	4517	4449	4383	37		
38	5178	5099	5022	4946	4871	4798	4726	4655	4585	4516	4448	4381	38		
39	5177	5098	5021	4945	4870	4797	4724	4653	4584	4515	4447	4380	39		
40	5175	5097	5019	4943	4869	4795	4723	4652	4582	4514	4446	4379	40		
41	5174	5095	5018	4942	4868	4794	4722	4651	4581	4512	4445	4378	41		
42	5173	5094	5017	4941	4866	4793	4721	4650	4580	4511	4444	4377	42		
43	5172	5093	5016	4940	4865	4792	4720	4649	4579	4510	4443	4376	43		
44	5170	5092	5014	4938	4864	4791	4718	4648	4578	4509	4441	4375	44		
45	5169	5090	5013	4937	4863	4789	4717	4646	4577	4508	4440	4374	45		
46	5168	5089	5012	4936	4861	4788	4716	4645	4575	4507	4439	4373	46		
47	5166	5088	5011	4935	4860	4787	4715	4644	4574	4506	4438	4372	47		
48	5165	5086	5009	4933	4859	4786	4714	4643	4573	4505	4437	4370	48		
49	5164	5085	5008	4932	4858	4785	4712	4642	4572	4503	4436	4369	49		
50	5162	5084	5007	4931	4856	4783	4711	4640	4571	4502	4435	4368	50		
51	5161	5082	5005	4930	4855	4782	4710	4639	4570	4501	4434	4367	51		
52	5160	5081	5004	4928	4854	4781	4709	4638	4569	4500	4433	4366	52		
53	5158	5080	5003	4927	4853	4780	4708	4637	4567	4499	4431	4365	53		
54	5157	5079	5002	4926	4852	4778	4707	4636	4566	4498	4430	4364	54		
55	5156	5077	5000	4925	4850	4777	4705	4635	4565	4497	4429	4363	55		
56	5154	5076	4999	4923	4849	4776	4704	4633	4564	4496	4428	4362	56		
57	5153	5075	4998	4922	4848	4775	4703	4632	4563	4494	4427	4361	57		
58	5152	5073	4997	4921	4847	4774	4702	4631	4562	4493	4426	4359	58		
59	5150	5072	4995	4920	4845	4772	4701	4630	4560	4492	4425	4358	59		
S.	0° 54'	0° 55'	0° 56'	0° 57'	0° 58'	0° 59'	1° 0'	1° 1'	1° 2'	1° 3'	1° 4'	1° 5'	S.		

TABLE XXII.

PROPORTIONAL LOGARITHMS.

S.	h m 1° 6'	h m 1° 7'	h m 1° 8'	h m 1° 9'	h m 1° 10'	h m 1° 11'	h m 1° 12'	h m 1° 13'	h m 1° 14'	h m 1° 15'	h m 1° 16'	h m 1° 17'	S.
0	4357	4292	4228	4164	4102	4040	3979	3919	3860	3802	3745	3688	0
1	4356	4291	4227	4163	4101	4039	3978	3919	3859	3801	3744	3687	1
2	4355	4290	4226	4162	4100	4038	3977	3918	3858	3800	3743	3686	2
3	4354	4289	4225	4161	4099	4037	3976	3917	3857	3799	3742	3685	3
4	4353	4288	4224	4160	4098	4036	3975	3916	3856	3798	3741	3684	4
5	4352	4287	4223	4159	4097	4035	3974	3915	3855	3797	3740	3683	5
6	4351	4286	4222	4158	4096	4034	3973	3914	3854	3796	3739	3682	6
7	4350	4284	4220	4157	4095	4033	3972	3913	3853	3795	3738	3681	7
8	4349	4283	4219	4156	4093	4032	3971	3912	3852	3794	3737	3680	8
9	4347	4282	4218	4155	4092	4031	3970	3911	3852	3793	3736	3679	9
10	4346	4281	4217	4154	4091	4030	3969	3910	3851	3792	3735	3678	10
11	4345	4280	4216	4153	4090	4029	3968	3909	3850	3792	3734	3677	11
12	4344	4279	4215	4152	4089	4028	3967	3908	3849	3791	3733	3676	12
13	4343	4278	4214	4151	4088	4027	3966	3907	3848	3790	3732	3675	13
14	4342	4277	4213	4150	4087	4026	3965	3906	3847	3789	3731	3674	14
15	4341	4276	4212	4149	4086	4025	3964	3905	3846	3788	3730	3674	15
16	4340	4275	4211	4147	4085	4024	3963	3904	3845	3787	3729	3673	16
17	4339	4274	4210	4146	4084	4023	3962	3903	3844	3786	3728	3672	17
18	4338	4273	4209	4145	4083	4022	3961	3902	3843	3785	3727	3671	18
19	4336	4271	4207	4144	4082	4021	3960	3901	3842	3784	3727	3670	19
20	4335	4270	4206	4143	4081	4020	3959	3900	3841	3783	3726	3669	20
21	4334	4269	4205	4142	4080	4019	3958	3899	3840	3782	3725	3668	21
22	4333	4268	4204	4141	4079	4018	3957	3898	3839	3781	3724	3667	22
23	4332	4267	4203	4140	4078	4017	3956	3897	3838	3780	3723	3666	23
24	4331	4266	4202	4139	4077	4016	3955	3896	3837	3779	3722	3665	24
25	4330	4265	4201	4138	4076	4015	3954	3895	3836	3778	3721	3664	25
26	4329	4264	4200	4137	4075	4014	3953	3894	3835	3777	3720	3663	26
27	4328	4263	4199	4136	4074	4013	3952	3893	3834	3776	3719	3662	27
28	4327	4262	4198	4135	4073	4012	3951	3892	3833	3775	3718	3662	28
29	4326	4261	4197	4134	4072	4011	3950	3891	3832	3774	3717	3661	29
30	4325	4260	4196	4133	4071	4010	3949	3890	3831	3773	3716	3660	30
31	4323	4259	4195	4132	4070	4009	3948	3889	3830	3772	3715	3659	31
32	4322	4258	4194	4131	4069	4008	3947	3888	3829	3771	3714	3658	32
33	4321	4256	4193	4130	4068	4007	3946	3887	3828	3770	3713	3657	33
34	4320	4255	4192	4129	4067	4006	3945	3886	3827	3769	3712	3656	34
35	4319	4254	4191	4128	4066	4005	3944	3885	3826	3768	3711	3655	35
36	4318	4253	4189	4127	4065	4004	3943	3884	3825	3768	3710	3654	36
37	4317	4252	4188	4126	4064	4003	3942	3883	3824	3767	3709	3653	37
38	4316	4251	4187	4125	4063	4002	3941	3882	3823	3766	3709	3652	38
39	4315	4250	4186	4124	4062	4001	3940	3881	3822	3765	3708	3651	39
40	4314	4249	4185	4122	4061	4000	3939	3880	3821	3764	3707	3650	40
41	4313	4248	4184	4121	4060	3999	3938	3879	3820	3763	3706	3649	41
42	4311	4247	4183	4120	4059	3998	3937	3878	3820	3762	3705	3649	42
43	4310	4246	4182	4119	4058	3997	3936	3877	3819	3761	3704	3648	43
44	4309	4245	4181	4118	4056	3996	3935	3876	3818	3760	3703	3647	44
45	4308	4244	4180	4117	4055	3995	3934	3875	3817	3759	3702	3646	45
46	4307	4243	4179	4116	4054	3993	3933	3874	3816	3758	3701	3645	46
47	4306	4241	4178	4115	4053	3992	3932	3873	3815	3757	3700	3644	47
48	4305	4240	4177	4114	4052	3991	3931	3872	3814	3756	3699	3643	48
49	4304	4239	4176	4113	4051	3990	3930	3871	3813	3755	3698	3642	49
50	4303	4238	4175	4112	4050	3989	3929	3870	3812	3754	3697	3641	50
51	4302	4237	4174	4111	4049	3988	3928	3869	3811	3753	3696	3640	51
52	4301	4236	4173	4110	4048	3987	3927	3868	3810	3752	3695	3639	52
53	4300	4235	4172	4109	4047	3986	3926	3867	3809	3751	3694	3638	53
54	4299	4234	4171	4108	4046	3985	3925	3866	3808	3750	3693	3637	54
55	4297	4233	4169	4107	4045	3984	3924	3865	3807	3749	3692	3636	55
56	4296	4232	4168	4106	4044	3983	3923	3864	3806	3748	3692	3635	56
57	4295	4231	4167	4105	4043	3982	3922	3863	3805	3747	3691	3634	57
58	4294	4230	4166	4104	4042	3981	3921	3862	3804	3746	3690	3633	58
59	4293	4229	4165	4103	4041	3980	3920	3861	3803	3746	3689	3633	59

PROPORTIONAL LOGARITHMS.

S.	h m 10 18	h m 10 19	h m 10 20	h m 10 21	h m 10 22	h m 10 23	h m 10 24	h m 10 25	h m 10 26	h m 10 27	h m 10 28	h m 10 29	S.
0	3632	3576	3522	3468	3415	3362	3310	3259	3208	3158	3108	3059	0
1	3631	3576	3521	3467	3414	3361	3309	3258	3207	3157	3107	3058	1
2	3630	3575	3520	3466	3413	3360	3308	3257	3206	3156	3106	3057	2
3	3629	3574	3519	3465	3412	3359	3307	3256	3205	3155	3105	3056	3
4	3628	3573	3518	3464	3411	3358	3306	3255	3204	3154	3105	3056	4
5	3627	3572	3517	3463	3410	3358	3306	3254	3203	3153	3104	3055	5
6	3626	3571	3516	3463	3409	3357	3305	3253	3202	3153	3103	3054	6
7	3625	3570	3515	3462	3408	3356	3304	3253	3202	3152	3102	3053	7
8	3624	3569	3515	3461	3408	3355	3303	3252	3201	3151	3101	3052	8
9	3623	3568	3514	3460	3407	3354	3302	3251	3200	3150	3101	3052	9
10	3623	3567	3513	3459	3406	3353	3301	3250	3199	3149	3100	3051	10
11	3622	3566	3512	3458	3405	3352	3300	3249	3198	3148	3099	3050	11
12	3621	3565	3511	3457	3404	3351	3300	3248	3198	3148	3098	3049	12
13	3620	3565	3510	3456	3403	3351	3299	3247	3197	3147	3097	3048	13
14	3619	3564	3509	3455	3402	3350	3298	3247	3196	3146	3096	3047	14
15	3618	3563	3508	3454	3401	3349	3297	3246	3195	3145	3095	3047	15
16	3617	3562	3507	3454	3400	3348	3296	3245	3194	3144	3095	3046	16
17	3616	3561	3506	3453	3400	3347	3295	3244	3193	3143	3094	3045	17
18	3615	3560	3505	3452	3399	3346	3294	3243	3193	3143	3093	3044	18
19	3614	3559	3505	3451	3398	3345	3294	3242	3192	3142	3092	3043	19
20	3613	3558	3504	3450	3397	3345	3293	3241	3191	3141	3091	3043	20
21	3612	3557	3503	3449	3396	3344	3292	3241	3190	3140	3091	3042	21
22	3611	3556	3502	3448	3395	3343	3291	3240	3189	3139	3090	3041	22
23	3610	3555	3501	3447	3394	3342	3290	3239	3188	3138	3089	3040	23
24	3610	3555	3500	3446	3393	3341	3289	3238	3188	3138	3088	3039	24
25	3609	3554	3499	3446	3393	3340	3288	3237	3187	3137	3087	3039	25
26	3608	3553	3498	3445	3392	3339	3288	3236	3186	3136	3087	3038	26
27	3607	3552	3497	3444	3391	3338	3287	3236	3185	3135	3086	3037	27
28	3606	3551	3497	3443	3390	3338	3286	3235	3184	3135	3085	3036	28
29	3605	3550	3496	3442	3389	3337	3285	3234	3183	3133	3084	3035	29
30	3604	3549	3495	3441	3388	3336	3284	3233	3183	3133	3083	3034	30
31	3603	3548	3494	3440	3387	3335	3283	3232	3182	3132	3082	3034	31
32	3602	3547	3493	3439	3386	3334	3282	3231	3181	3131	3082	3033	32
33	3601	3546	3492	3438	3386	3333	3282	3231	3180	3130	3081	3032	33
34	3600	3545	3491	3438	3385	3332	3281	3230	3179	3129	3080	3031	34
35	3599	3544	3490	3437	3384	3332	3280	3229	3178	3129	3079	3030	35
36	3598	3544	3489	3436	3383	3331	3279	3228	3178	3128	3078	3030	36
37	3598	3543	3488	3435	3382	3330	3278	3227	3177	3127	3078	3029	37
38	3597	3542	3488	3434	3381	3329	3277	3226	3176	3126	3077	3028	38
39	3596	3541	3487	3433	3380	3328	3276	3225	3175	3125	3076	3027	39
40	3595	3540	3486	3432	3379	3327	3276	3225	3174	3124	3075	3026	40
41	3594	3539	3485	3431	3379	3326	3275	3224	3173	3124	3074	3026	41
42	3593	3538	3484	3431	3378	3325	3274	3223	3173	3123	3073	3025	42
43	3592	3537	3483	3430	3377	3325	3273	3222	3172	3122	3073	3024	43
44	3591	3536	3482	3429	3376	3324	3272	3221	3171	3121	3072	3023	44
45	3590	3535	3481	3428	3375	3323	3271	3220	3170	3120	3071	3022	45
46	3589	3535	3480	3427	3374	3322	3270	3220	3169	3119	3070	3022	46
47	3588	3534	3480	3426	3373	3321	3270	3219	3168	3119	3069	3021	47
48	3587	3533	3479	3425	3372	3320	3269	3218	3167	3118	3069	3020	48
49	3587	3532	3478	3424	3372	3319	3268	3217	3166	3117	3068	3019	49
50	3586	3531	3477	3423	3371	3319	3267	3216	3166	3116	3067	3018	50
51	3585	3530	3476	3423	3370	3318	3266	3215	3165	3115	3066	3018	51
52	3584	3529	3475	3422	3369	3317	3265	3214	3164	3114	3065	3017	52
53	3583	3528	3474	3421	3368	3316	3265	3214	3163	3114	3065	3016	53
54	3582	3527	3473	3420	3367	3315	3264	3213	3163	3113	3064	3015	54
55	3581	3526	3472	3419	3366	3314	3263	3212	3162	3112	3063	3014	55
56	3580	3525	3471	3418	3365	3313	3262	3211	3161	3111	3062	3014	56
57	3579	3525	3471	3417	3365	3313	3261	3210	3160	3110	3061	3013	57
58	3578	3524	3470	3416	3364	3312	3260	3209	3159	3110	3060	3012	58
59	3577	3523	3469	3415	3363	3311	3259	3209	3158	3109	3060	3011	59
S.	10 18	10 19	10 20	10 21	10 22	10 23	10 24	10 25	10 26	10 27	10 28	10 29	S.

TABLE XXII.

PROPORTIONAL LOGARITHMS.

S.	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	S.
	30'	31'	32'	33'	34'	35'	36'	37'	38'	39'	40'	41'		
0	3010	2962	2915	2868	2821	2775	2730	2685	2640	2596	2553	2510	0	
1	3009	2962	2914	2867	2821	2775	2729	2684	2640	2596	2552	2509	1	
2	3009	2961	2913	2866	2820	2774	2729	2684	2639	2595	2551	2508	2	
3	3003	2960	2912	2865	2819	2773	2728	2683	2638	2594	2551	2507	3	
4	3007	2959	2912	2865	2818	2772	2727	2682	2638	2593	2550	2507	4	
5	3006	2958	2911	2864	2817	2772	2726	2681	2637	2593	2549	2506	5	
6	3005	2958	2910	2863	2817	2771	2725	2681	2636	2592	2548	2505	6	
7	3005	2957	2909	2862	2816	2770	2725	2680	2635	2591	2548	2504	7	
8	3004	2956	2909	2862	2815	2769	2724	2679	2635	2591	2547	2504	8	
9	3003	2955	2908	2861	2815	2769	2723	2678	2634	2590	2546	2503	9	
10	3002	2954	2907	2860	2814	2768	2722	2678	2633	2589	2545	2502	10	
11	3001	2954	2906	2859	2813	2767	2722	2677	2632	2588	2544	2502	11	
12	3001	2953	2905	2859	2812	2766	2721	2676	2632	2588	2544	2501	12	
13	3000	2952	2904	2858	2811	2766	2720	2675	2631	2587	2543	2500	13	
14	2999	2951	2903	2857	2811	2765	2719	2675	2630	2586	2543	2499	14	
15	2993	2950	2903	2856	2810	2764	2719	2674	2629	2585	2542	2499	15	
16	2997	2950	2902	2855	2809	2763	2718	2673	2628	2583	2541	2498	16	
17	2997	2949	2901	2855	2808	2763	2717	2672	2628	2584	2540	2497	17	
18	2996	2948	2901	2854	2807	2762	2716	2672	2627	2583	2540	2497	18	
19	2995	2947	2900	2853	2807	2761	2716	2671	2626	2583	2539	2496	19	
20	2994	2946	2899	2852	2806	2760	2715	2670	2626	2582	2538	2495	20	
21	2993	2946	2898	2852	2805	2760	2714	2669	2625	2581	2538	2494	21	
22	2993	2945	2898	2851	2805	2759	2713	2669	2624	2580	2537	2494	22	
23	2992	2944	2897	2850	2804	2758	2713	2668	2624	2580	2536	2493	23	
24	2991	2943	2896	2849	2803	2757	2712	2667	2623	2579	2535	2492	24	
25	2990	2942	2895	2848	2802	2756	2711	2666	2622	2578	2535	2492	25	
26	2989	2942	2894	2848	2801	2756	2710	2666	2621	2577	2534	2491	26	
27	2989	2941	2894	2847	2801	2755	2710	2665	2621	2577	2533	2490	27	
28	2988	2940	2893	2846	2800	2754	2709	2664	2620	2576	2533	2489	28	
29	2987	2939	2892	2845	2799	2753	2708	2663	2619	2575	2532	2489	29	
30	2986	2939	2891	2845	2798	2753	2707	2663	2618	2574	2531	2488	30	
31	2985	2938	2891	2844	2798	2752	2707	2662	2618	2574	2530	2487	31	
32	2985	2937	2890	2843	2797	2751	2706	2661	2617	2573	2530	2487	32	
33	2984	2936	2889	2842	2796	2750	2705	2660	2616	2572	2529	2486	33	
34	2983	2935	2888	2842	2795	2750	2704	2660	2615	2572	2529	2485	34	
35	2982	2935	2887	2841	2795	2749	2704	2659	2615	2571	2527	2485	35	
36	2981	2934	2887	2840	2794	2748	2703	2658	2614	2570	2527	2484	36	
37	2981	2933	2886	2839	2793	2747	2702	2657	2613	2569	2526	2483	37	
38	2980	2932	2885	2838	2792	2747	2701	2657	2612	2569	2525	2482	38	
39	2979	2931	2884	2838	2792	2746	2701	2656	2612	2568	2525	2482	39	
40	2978	2931	2883	2837	2791	2745	2700	2655	2611	2567	2524	2481	40	
41	2977	2930	2883	2836	2790	2744	2699	2655	2610	2566	2523	2480	41	
42	2977	2929	2882	2835	2789	2744	2698	2654	2610	2566	2522	2480	42	
43	2976	2928	2881	2835	2788	2743	2698	2653	2609	2565	2522	2479	43	
44	2975	2927	2880	2834	2788	2742	2697	2652	2608	2564	2521	2478	44	
45	2974	2927	2880	2833	2787	2741	2696	2652	2607	2564	2520	2477	45	
46	2973	2926	2879	2832	2786	2741	2695	2651	2607	2563	2520	2477	46	
47	2973	2925	2878	2831	2785	2740	2695	2650	2606	2562	2519	2476	47	
48	2972	2924	2877	2831	2785	2739	2694	2649	2605	2561	2518	2475	48	
49	2971	2924	2876	2830	2784	2738	2693	2648	2604	2561	2517	2475	49	
50	2970	2923	2876	2829	2783	2737	2692	2647	2604	2560	2517	2474	50	
51	2969	2922	2875	2828	2782	2737	2692	2647	2603	2559	2516	2473	51	
52	2969	2921	2874	2828	2782	2736	2691	2646	2602	2559	2515	2472	52	
53	2968	2920	2873	2827	2781	2735	2690	2646	2601	2558	2515	2472	53	
54	2967	2920	2873	2826	2780	2735	2689	2645	2601	2557	2514	2471	54	
55	2966	2919	2872	2825	2779	2734	2689	2644	2600	2556	2513	2470	55	
56	2965	2918	2871	2825	2779	2733	2688	2643	2599	2556	2512	2469	56	
57	2965	2917	2870	2824	2778	2732	2687	2643	2599	2555	2512	2469	57	
58	2964	2916	2869	2823	2777	2731	2687	2642	2598	2554	2511	2468	58	
59	2963	2916	2869	2822	2776	2731	2686	2641	2597	2553	2510	2467	59	
S.	30'	31'	32'	33'	34'	35'	36'	37'	38'	39'	40'	41'	S.	



## PROPORTIONAL LOGARITHMS.

S.	h m 1° 42'	h m 1° 43'	h m 1° 44'	h m 1° 45'	h m 1° 46'	h m 1° 47'	h m 1° 48'	h m 1° 49'	h m 1° 50'	h m 1° 51'	h m 1° 52'	h m 1° 53'	S.
0	2467	2424	2382	2341	2300	2259	2218	2178	2139	2099	2061	2022	0
1	2466	2424	2382	2340	2299	2258	2218	2178	2138	2099	2060	2021	1
2	2465	2423	2381	2339	2298	2258	2217	2177	2137	2098	2059	2021	2
3	2465	2422	2380	2339	2298	2257	2216	2176	2137	2098	2059	2020	3
4	2464	2422	2380	2338	2297	2256	2216	2176	2136	2097	2058	2019	4
5	2463	2421	2379	2337	2296	2256	2215	2175	2136	2096	2057	2019	5
6	2462	2420	2378	2337	2296	2255	2214	2174	2135	2096	2057	2018	6
7	2462	2419	2378	2336	2295	2254	2214	2174	2134	2095	2056	2017	7
8	2461	2419	2377	2335	2294	2253	2213	2173	2134	2094	2055	2017	8
9	2460	2418	2376	2335	2294	2253	2212	2172	2133	2094	2055	2016	9
10	2460	2417	2375	2334	2293	2252	2212	2172	2132	2093	2054	2016	10
11	2459	2417	2375	2333	2292	2251	2211	2171	2132	2092	2053	2015	11
12	2458	2416	2374	2333	2291	2251	2210	2170	2131	2092	2053	2014	12
13	2458	2415	2373	2332	2291	2250	2210	2170	2130	2091	2052	2014	13
14	2457	2415	2373	2331	2290	2249	2209	2169	2130	2090	2052	2013	14
15	2456	2414	2372	2331	2289	2249	2208	2169	2129	2090	2051	2012	15
16	2455	2413	2371	2330	2289	2248	2208	2168	2128	2089	2050	2012	16
17	2455	2412	2371	2329	2288	2247	2207	2167	2128	2088	2050	2011	17
18	2454	2412	2370	2328	2287	2247	2206	2167	2127	2088	2049	2010	18
19	2453	2411	2369	2328	2287	2246	2206	2166	2126	2087	2048	2010	19
20	2453	2410	2368	2327	2286	2246	2205	2165	2126	2086	2048	2009	20
21	2452	2410	2368	2326	2285	2245	2204	2165	2125	2086	2047	2009	21
22	2451	2409	2367	2326	2285	2244	2204	2164	2124	2085	2046	2008	22
23	2450	2408	2366	2325	2284	2243	2203	2163	2124	2085	2046	2007	23
24	2450	2408	2366	2324	2283	2243	2202	2163	2123	2084	2045	2007	24
25	2449	2407	2365	2324	2283	2242	2202	2162	2122	2083	2044	2006	25
26	2448	2406	2364	2323	2282	2241	2201	2161	2122	2083	2044	2005	26
27	2448	2405	2364	2322	2281	2241	2200	2161	2121	2082	2043	2005	27
28	2447	2405	2363	2322	2281	2240	2200	2160	2120	2081	2042	2004	28
29	2446	2404	2362	2321	2280	2239	2199	2159	2120	2081	2042	2003	29
30	2445	2403	2362	2320	2279	2239	2198	2159	2119	2080	2041	2003	30
31	2445	2403	2361	2320	2279	2238	2198	2158	2118	2079	2041	2002	31
32	2444	2402	2360	2319	2278	2237	2197	2157	2118	2079	2040	2001	32
33	2443	2401	2359	2318	2277	2237	2196	2157	2117	2078	2039	2001	33
34	2443	2401	2359	2317	2277	2236	2196	2156	2116	2077	2039	2000	34
35	2442	2400	2358	2317	2276	2235	2195	2155	2116	2077	2038	2000	35
36	2441	2399	2357	2316	2275	2235	2194	2155	2115	2076	2037	1999	36
37	2441	2398	2357	2315	2274	2234	2194	2154	2115	2075	2037	1998	37
38	2440	2398	2356	2315	2274	2233	2193	2153	2114	2075	2036	1998	38
39	2439	2397	2355	2314	2273	2233	2192	2153	2113	2074	2035	1997	39
40	2438	2396	2355	2313	2272	2232	2192	2152	2113	2073	2035	1996	40
41	2438	2396	2354	2313	2272	2231	2191	2151	2112	2073	2034	1996	41
42	2437	2395	2353	2312	2271	2231	2190	2151	2111	2072	2033	1995	42
43	2436	2394	2353	2311	2270	2230	2190	2150	2111	2072	2033	1994	43
44	2436	2394	2352	2311	2270	2229	2189	2149	2110	2071	2032	1994	44
45	2435	2393	2351	2310	2269	2229	2188	2149	2109	2070	2032	1993	45
46	2434	2392	2350	2309	2268	2228	2188	2148	2109	2070	2031	1993	46
47	2433	2391	2350	2309	2268	2227	2187	2147	2108	2069	2030	1992	47
48	2433	2391	2349	2308	2267	2227	2186	2147	2107	2068	2030	1991	48
49	2432	2390	2348	2307	2266	2226	2186	2146	2107	2068	2029	1991	49
50	2431	2389	2348	2307	2266	2225	2185	2145	2106	2067	2028	1990	50
51	2431	2389	2347	2306	2265	2225	2184	2145	2105	2066	2028	1989	51
52	2430	2388	2346	2305	2264	2224	2184	2144	2105	2066	2027	1989	52
53	2429	2387	2346	2304	2264	2223	2183	2143	2104	2065	2026	1988	53
54	2429	2387	2345	2304	2263	2223	2182	2143	2103	2064	2026	1987	54
55	2428	2386	2344	2303	2262	2222	2182	2142	2103	2063	2025	1987	55
56	2427	2385	2344	2302	2262	2221	2181	2141	2102	2063	2025	1986	56
57	2426	2384	2343	2302	2261	2220	2180	2141	2101	2062	2024	1986	57
58	2426	2384	2342	2301	2260	2220	2180	2140	2101	2062	2023	1985	58
59	2425	2383	2342	2300	2260	2219	2179	2139	2100	2061	2023	1984	59
S.	1° 42'	1° 43'	1° 44'	1° 45'	1° 46'	1° 47'	1° 48'	1° 49'	1° 50'	1° 51'	1° 52'	1° 53'	S.

TABLE XXII.

PROPORTIONAL LOGARITHMS.

S.	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	S.
	1° 54'	1° 55'	1° 56'	1° 57'	1° 58'	1° 59'	2° 0'	2° 1'	2° 2'	2° 3'	2° 4'		
0	1981	1946	1908	1871	1834	1797	1761	1725	1689	1654	1619	0	
1	1983	1945	1908	1870	1833	1797	1760	1724	1689	1653	1618	1	
2	1962	1944	1907	1870	1833	1796	1760	1724	1688	1652	1617	2	
3	1982	1944	1906	1869	1832	1795	1759	1723	1687	1652	1617	3	
4	1981	1943	1906	1868	1831	1795	1759	1722	1687	1651	1616	4	
5	1981	1943	1905	1868	1831	1794	1758	1722	1686	1651	1616	5	
6	1980	1942	1904	1867	1830	1794	1757	1721	1686	1650	1615	6	
7	1979	1941	1904	1867	1830	1793	1757	1721	1685	1650	1614	7	
8	1979	1941	1903	1866	1829	1792	1756	1720	1684	1649	1614	8	
9	1978	1940	1903	1865	1828	1792	1755	1719	1684	1648	1613	9	
10	1977	1939	1902	1865	1828	1791	1755	1719	1683	1648	1613	10	
11	1977	1939	1901	1864	1827	1791	1754	1718	1683	1647	1612	11	
12	1976	1938	1901	1863	1827	1790	1754	1718	1682	1647	1612	12	
13	1975	1938	1900	1863	1826	1789	1753	1717	1681	1646	1611	13	
14	1975	1937	1899	1862	1825	1789	1752	1717	1681	1645	1610	14	
15	1974	1936	1899	1862	1825	1788	1752	1716	1680	1645	1610	15	
16	1974	1936	1898	1861	1824	1788	1751	1715	1680	1644	1609	16	
17	1973	1935	1898	1860	1823	1787	1751	1715	1679	1644	1609	17	
18	1972	1934	1897	1860	1823	1786	1750	1714	1678	1643	1608	18	
19	1972	1934	1896	1859	1822	1786	1749	1714	1678	1643	1607	19	
20	1971	1933	1896	1859	1822	1785	1749	1713	1677	1642	1607	20	
21	1970	1933	1895	1858	1821	1785	1748	1712	1677	1641	1606	21	
22	1970	1932	1894	1857	1820	1784	1748	1712	1676	1641	1606	22	
23	1969	1931	1894	1857	1820	1783	1747	1711	1676	1640	1605	23	
24	1968	1931	1893	1856	1819	1783	1746	1711	1675	1640	1605	24	
25	1968	1930	1893	1855	1819	1782	1746	1710	1674	1639	1604	25	
26	1967	1929	1892	1855	1818	1781	1745	1709	1674	1638	1603	26	
27	1967	1929	1891	1854	1817	1781	1745	1709	1673	1638	1603	27	
28	1966	1928	1891	1854	1817	1780	1744	1708	1673	1637	1602	28	
29	1965	1928	1890	1853	1816	1780	1743	1708	1672	1637	1602	29	
30	1965	1927	1889	1852	1816	1779	1743	1707	1671	1636	1601	30	
31	1964	1926	1889	1852	1815	1778	1742	1706	1671	1635	1600	31	
32	1963	1926	1888	1851	1814	1778	1742	1706	1670	1635	1600	32	
33	1963	1925	1888	1850	1814	1777	1741	1705	1670	1634	1599	33	
34	1962	1924	1887	1850	1813	1777	1740	1705	1669	1634	1599	34	
35	1962	1924	1886	1849	1812	1776	1740	1704	1668	1633	1598	35	
36	1961	1923	1886	1849	1812	1775	1739	1703	1668	1633	1598	36	
37	1960	1923	1885	1848	1811	1775	1739	1703	1667	1632	1597	37	
38	1960	1922	1884	1847	1811	1774	1738	1702	1667	1631	1596	38	
39	1959	1921	1884	1847	1810	1774	1737	1702	1666	1631	1596	39	
40	1958	1921	1883	1846	1809	1773	1737	1701	1665	1630	1595	40	
41	1958	1920	1883	1846	1809	1772	1736	1700	1665	1630	1595	41	
42	1957	1919	1882	1845	1808	1772	1736	1700	1664	1629	1594	42	
43	1956	1919	1881	1844	1808	1771	1735	1699	1664	1628	1593	43	
44	1956	1918	1881	1844	1807	1771	1734	1699	1663	1628	1593	44	
45	1955	1918	1880	1843	1806	1770	1734	1698	1663	1627	1592	45	
46	1955	1917	1880	1843	1806	1769	1733	1697	1662	1627	1592	46	
47	1954	1916	1879	1842	1805	1769	1733	1697	1661	1626	1591	47	
48	1953	1916	1878	1841	1805	1768	1732	1696	1661	1626	1591	48	
49	1953	1915	1878	1841	1804	1768	1731	1696	1660	1625	1590	49	
50	1952	1914	1877	1840	1803	1767	1731	1695	1660	1624	1589	50	
51	1951	1914	1876	1839	1803	1766	1730	1694	1659	1624	1589	51	
52	1951	1913	1876	1839	1802	1766	1730	1694	1658	1623	1588	52	
53	1950	1913	1875	1838	1802	1765	1729	1693	1658	1623	1588	53	
54	1950	1912	1875	1838	1801	1765	1728	1693	1657	1622	1587	54	
55	1949	1911	1874	1837	1800	1764	1728	1692	1657	1621	1587	55	
56	1948	1911	1873	1836	1800	1763	1727	1692	1656	1621	1586	56	
57	1948	1910	1873	1836	1799	1763	1727	1691	1655	1620	1585	57	
58	1947	1909	1872	1835	1798	1762	1726	1690	1655	1620	1585	58	
59	1946	1909	1871	1835	1798	1762	1725	1690	1654	1619	1584	59	
S.	1° 54'	1° 55'	1° 56'	1° 57'	1° 58'	1° 59'	2° 0'	2° 1'	2° 2'	2° 3'	2° 4'	S.	

PROPORTIONAL LOGARITHMS.

S.	h m 20 5'	h m 20 6'	h m 20 7'	h m 20 8'	h m 20 9'	h m 20 10'	h m 20 11'	h m 20 12'	h m 20 13'	h m 20 14'	h m 20 15'	S.
0	1584	1549	1515	1481	1447	1413	1380	1347	1314	1282	1249	0
1	1583	1548	1514	1480	1446	1412	1379	1346	1314	1281	1249	1
2	1582	1548	1514	1479	1446	1412	1379	1346	1313	1281	1248	2
3	1582	1547	1513	1479	1445	1412	1378	1345	1313	1280	1248	3
4	1581	1547	1512	1478	1445	1411	1378	1345	1312	1280	1247	4
5	1581	1546	1512	1478	1444	1411	1377	1344	1311	1279	1247	5
6	1580	1546	1511	1477	1443	1410	1377	1344	1311	1278	1246	6
7	1580	1545	1511	1477	1443	1409	1376	1343	1310	1278	1246	7
8	1579	1544	1510	1476	1442	1409	1376	1343	1310	1277	1245	8
9	1578	1544	1510	1476	1442	1408	1375	1342	1309	1277	1245	9
10	1578	1543	1509	1475	1441	1408	1374	1342	1309	1276	1244	10
11	1577	1543	1508	1474	1441	1407	1374	1341	1308	1276	1243	11
12	1577	1542	1508	1474	1440	1407	1373	1340	1308	1275	1243	12
13	1576	1542	1507	1473	1440	1406	1373	1340	1307	1275	1242	13
14	1576	1541	1507	1473	1439	1406	1372	1339	1307	1274	1242	14
15	1575	1540	1506	1472	1438	1405	1372	1339	1306	1274	1241	15
16	1574	1540	1506	1472	1438	1404	1371	1338	1306	1273	1241	16
17	1574	1539	1505	1471	1437	1404	1371	1338	1305	1273	1240	17
18	1573	1539	1504	1470	1437	1403	1370	1337	1304	1272	1240	18
19	1573	1538	1504	1470	1436	1403	1370	1337	1304	1271	1239	19
20	1572	1538	1503	1469	1436	1402	1369	1336	1303	1271	1239	20
21	1571	1537	1503	1469	1435	1402	1368	1335	1303	1270	1238	21
22	1571	1536	1502	1468	1435	1401	1368	1335	1302	1270	1238	22
23	1570	1536	1502	1468	1434	1401	1367	1334	1302	1269	1237	23
24	1570	1535	1501	1467	1433	1400	1367	1334	1301	1269	1237	24
25	1569	1535	1500	1467	1433	1399	1366	1333	1301	1268	1236	25
26	1569	1534	1500	1466	1432	1399	1366	1333	1300	1268	1235	26
27	1568	1534	1499	1465	1432	1398	1365	1332	1300	1267	1235	27
28	1567	1533	1499	1465	1431	1398	1365	1332	1299	1267	1234	28
29	1567	1532	1498	1464	1431	1397	1364	1331	1298	1266	1234	29
30	1566	1532	1498	1464	1430	1397	1363	1331	1298	1266	1233	30
31	1566	1531	1497	1463	1429	1396	1363	1330	1297	1265	1233	31
32	1565	1531	1496	1463	1429	1396	1362	1329	1297	1264	1232	32
33	1565	1530	1496	1462	1428	1395	1362	1329	1296	1264	1232	33
34	1564	1530	1495	1461	1428	1394	1361	1328	1296	1263	1231	34
35	1563	1529	1495	1461	1427	1394	1361	1328	1295	1263	1231	35
36	1563	1529	1494	1460	1427	1393	1360	1327	1295	1262	1230	36
37	1562	1528	1494	1460	1426	1393	1360	1327	1294	1262	1230	37
38	1562	1527	1493	1459	1426	1392	1359	1326	1294	1261	1229	38
39	1561	1527	1493	1459	1425	1392	1359	1326	1293	1261	1229	39
40	1561	1526	1492	1458	1424	1391	1358	1325	1292	1260	1228	40
41	1560	1526	1491	1458	1424	1391	1357	1325	1292	1260	1227	41
42	1559	1525	1491	1457	1423	1390	1357	1324	1291	1259	1227	42
43	1559	1524	1490	1456	1423	1389	1356	1323	1291	1259	1226	43
44	1558	1524	1490	1456	1422	1389	1356	1323	1290	1258	1226	44
45	1558	1523	1489	1455	1422	1388	1355	1322	1290	1257	1225	45
46	1557	1523	1489	1455	1421	1388	1355	1322	1289	1257	1225	46
47	1556	1522	1488	1454	1421	1387	1354	1321	1289	1256	1224	47
48	1556	1522	1487	1454	1420	1387	1354	1321	1288	1256	1224	48
49	1555	1521	1487	1453	1419	1386	1353	1320	1288	1255	1223	49
50	1555	1520	1486	1452	1419	1386	1352	1320	1287	1255	1223	50
51	1554	1520	1486	1452	1418	1385	1352	1319	1287	1254	1222	51
52	1554	1519	1485	1451	1418	1384	1351	1319	1286	1254	1222	52
53	1553	1519	1485	1451	1417	1384	1351	1318	1285	1253	1221	53
54	1552	1518	1484	1450	1417	1383	1350	1317	1285	1253	1221	54
55	1552	1518	1483	1450	1416	1383	1350	1317	1284	1252	1220	55
56	1551	1517	1483	1449	1416	1382	1349	1316	1284	1252	1219	56
57	1551	1516	1482	1449	1415	1382	1349	1316	1283	1251	1219	57
58	1550	1516	1482	1448	1414	1381	1348	1315	1283	1250	1218	58
59	1550	1515	1481	1447	1414	1381	1348	1315	1282	1250	1218	59
S.	20 5'	20 6'	20 7'	20 8'	20 9'	20 10'	20 11'	20 12'	20 13'	20 14'	20 15'	S.

TABLE XXII.

143

## PROPORTIONAL LOGARITHMS.

S.	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	S.
	2° 16'	2° 17'	2° 18'	2° 19'	2° 20'	2° 21'	2° 22'	2° 23'	2° 24'	2° 25'	2° 26'		
0	1217	1136	1154	1123	1091	1061	1030	0999	0969	0939	0909	0	
1	1217	1185	1153	1122	1091	1060	1029	0999	0969	0939	0909	1	
2	1216	1184	1153	1122	1090	1060	1029	0998	0968	0938	0908	2	
3	1216	1184	1152	1121	1090	1059	1028	0998	0968	0938	0908	3	
4	1215	1183	1152	1120	1089	1058	1028	0997	0967	0937	0907	4	
5	1215	1183	1151	1120	1089	1058	1027	0997	0967	0937	0907	5	
6	1214	1182	1151	1119	1088	1057	1027	0996	0966	0936	0906	6	
7	1214	1182	1150	1119	1088	1057	1026	0996	0966	0936	0906	7	
8	1213	1181	1150	1118	1087	1056	1026	0995	0965	0935	0905	8	
9	1213	1181	1149	1118	1087	1056	1025	0995	0965	0935	0905	9	
10	1212	1180	1149	1117	1086	1055	1025	0994	0964	0934	0904	10	
11	1211	1180	1148	1117	1086	1055	1024	0994	0964	0934	0904	11	
12	1211	1179	1148	1116	1085	1054	1024	0993	0963	0933	0903	12	
13	1210	1179	1147	1116	1085	1054	1023	0993	0963	0933	0903	13	
14	1210	1179	1147	1115	1084	1053	1023	0992	0962	0932	0902	14	
15	1209	1178	1146	1115	1084	1053	1022	0992	0962	0932	0902	15	
16	1209	1177	1146	1114	1083	1052	1022	0991	0961	0931	0901	16	
17	1208	1177	1145	1114	1083	1052	1021	0991	0961	0931	0901	17	
18	1208	1176	1145	1113	1082	1051	1021	0990	0960	0930	0900	18	
19	1207	1175	1144	1113	1082	1051	1020	0990	0960	0930	0900	19	
20	1207	1175	1143	1112	1081	1050	1020	0989	0959	0929	0899	20	
21	1206	1174	1143	1112	1081	1050	1019	0989	0959	0929	0899	21	
22	1206	1174	1142	1111	1080	1049	1019	0988	0958	0928	0898	22	
23	1205	1173	1142	1111	1080	1049	1018	0988	0958	0928	0898	23	
24	1205	1173	1141	1110	1079	1048	1018	0987	0957	0927	0897	24	
25	1204	1172	1141	1110	1079	1048	1017	0987	0957	0927	0897	25	
26	1204	1172	1140	1109	1078	1047	1017	0986	0956	0926	0896	26	
27	1203	1171	1140	1109	1078	1047	1016	0986	0956	0926	0896	27	
28	1202	1171	1139	1108	1077	1046	1016	0985	0955	0925	0895	28	
29	1202	1170	1139	1108	1076	1046	1015	0985	0955	0925	0895	29	
30	1201	1170	1138	1107	1076	1045	1015	0984	0954	0924	0894	30	
31	1201	1169	1138	1106	1075	1045	1014	0984	0954	0924	0894	31	
32	1200	1169	1137	1106	1075	1044	1014	0983	0953	0923	0893	32	
33	1200	1168	1137	1105	1074	1044	1013	0983	0953	0923	0893	33	
34	1199	1168	1136	1105	1074	1043	1013	0982	0952	0922	0892	34	
35	1199	1167	1136	1104	1073	1043	1012	0982	0952	0922	0892	35	
36	1198	1167	1135	1104	1073	1042	1012	0981	0951	0921	0891	36	
37	1198	1166	1135	1103	1072	1042	1011	0981	0951	0921	0891	37	
38	1197	1165	1134	1103	1072	1041	1011	0980	0950	0920	0890	38	
39	1197	1165	1134	1102	1071	1041	1010	0980	0950	0920	0890	39	
40	1196	1164	1133	1102	1071	1040	1009	0979	0949	0919	0889	40	
41	1196	1164	1132	1101	1070	1040	1009	0979	0949	0919	0889	41	
42	1195	1163	1132	1101	1070	1039	1008	0978	0948	0918	0888	42	
43	1195	1163	1131	1100	1069	1039	1008	0978	0948	0918	0888	43	
44	1194	1162	1131	1100	1069	1038	1007	0977	0947	0917	0887	44	
45	1193	1162	1130	1099	1068	1037	1007	0977	0947	0917	0887	45	
46	1193	1161	1130	1099	1068	1037	1006	0976	0946	0916	0886	46	
47	1192	1161	1129	1098	1067	1036	1006	0976	0946	0916	0886	47	
48	1192	1160	1129	1098	1067	1036	1005	0975	0945	0915	0885	48	
49	1191	1160	1128	1097	1066	1035	1005	0975	0945	0915	0885	49	
50	1191	1159	1128	1097	1066	1035	1004	0974	0944	0914	0884	50	
51	1190	1159	1127	1096	1065	1034	1004	0974	0944	0914	0884	51	
52	1190	1158	1127	1096	1065	1034	1003	0973	0943	0913	0883	52	
53	1189	1158	1126	1095	1064	1033	1003	0973	0943	0913	0883	53	
54	1189	1157	1126	1095	1064	1033	1002	0972	0942	0912	0883	54	
55	1188	1157	1125	1094	1063	1032	1002	0972	0942	0912	0882	55	
56	1188	1156	1125	1094	1063	1032	1001	0971	0941	0911	0882	56	
57	1187	1156	1124	1093	1062	1031	1001	0971	0941	0911	0881	57	
58	1187	1155	1124	1092	1062	1031	1000	0970	0940	0910	0881	58	
59	1186	1154	1123	1092	1061	1030	1000	0970	0940	0910	0880	59	
S.	2° 16'	2° 17'	2° 18'	2° 19'	2° 20'	2° 21'	2° 22'	2° 23'	2° 24'	2° 25'	2° 26'	S.	

## PROPORTIONAL LOGARITHMS.

S.	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	S.
	2° 27'	2° 28'	2° 29'	2° 30'	2° 31'	2° 32'	2° 33'	2° 34'	2° 35'	2° 36'	2° 37'	
0	0830	0850	0821	0792	0763	0734	0706	0678	0649	0621	0594	0
1	0879	0850	0820	0791	0762	0734	0705	0677	0649	0621	0593	1
2	0879	0849	0820	0791	0762	0733	0705	0677	0648	0621	0593	2
3	0878	0849	0819	0790	0762	0733	0704	0676	0648	0620	0592	3
4	0878	0848	0819	0790	0761	0732	0704	0676	0648	0620	0592	4
5	0877	0848	0818	0789	0761	0732	0703	0675	0647	0619	0591	5
6	0877	0847	0818	0789	0760	0731	0703	0675	0647	0619	0591	6
7	0876	0847	0817	0788	0760	0731	0703	0674	0646	0618	0591	7
8	0876	0846	0817	0788	0759	0730	0702	0674	0646	0618	0590	8
9	0875	0846	0816	0787	0759	0730	0702	0673	0646	0617	0590	9
10	0875	0845	0816	0787	0758	0730	0701	0673	0645	0617	0589	10
11	0874	0845	0816	0787	0758	0729	0701	0672	0644	0616	0589	11
12	0874	0844	0815	0786	0757	0729	0700	0672	0644	0616	0588	12
13	0873	0844	0815	0786	0757	0729	0700	0671	0643	0615	0588	13
14	0873	0843	0814	0785	0756	0728	0699	0671	0643	0615	0587	14
15	0872	0843	0814	0785	0756	0727	0699	0670	0642	0615	0587	15
16	0872	0842	0813	0784	0755	0727	0698	0670	0642	0614	0586	16
17	0871	0842	0813	0784	0755	0726	0698	0670	0641	0614	0586	17
18	0871	0841	0812	0783	0754	0726	0697	0669	0641	0613	0585	18
19	0870	0841	0812	0783	0754	0725	0697	0669	0641	0613	0585	19
20	0870	0840	0811	0782	0753	0725	0696	0668	0640	0612	0585	20
21	0869	0840	0811	0782	0753	0724	0696	0668	0640	0612	0584	21
22	0869	0839	0810	0781	0752	0724	0695	0667	0639	0611	0584	22
23	0868	0839	0810	0781	0752	0723	0695	0667	0639	0611	0583	23
24	0868	0838	0809	0780	0751	0723	0694	0666	0638	0610	0583	24
25	0867	0838	0809	0780	0751	0722	0694	0666	0638	0610	0582	25
26	0867	0837	0808	0779	0751	0722	0694	0665	0637	0609	0582	26
27	0866	0837	0808	0779	0750	0721	0693	0665	0637	0609	0581	27
28	0866	0836	0807	0778	0750	0721	0693	0664	0636	0609	0581	28
29	0865	0836	0807	0778	0749	0721	0692	0664	0636	0608	0580	29
30	0865	0835	0806	0777	0749	0720	0692	0663	0635	0608	0580	30
31	0864	0835	0806	0777	0748	0720	0691	0663	0635	0607	0579	31
32	0864	0834	0805	0776	0748	0719	0691	0663	0634	0607	0579	32
33	0863	0834	0805	0776	0747	0719	0690	0662	0634	0606	0579	33
34	0863	0834	0804	0775	0747	0718	0690	0662	0634	0606	0578	34
35	0862	0833	0804	0775	0746	0718	0689	0661	0633	0605	0578	35
36	0862	0833	0803	0774	0746	0717	0689	0661	0633	0605	0577	36
37	0861	0832	0803	0774	0745	0717	0688	0660	0632	0604	0577	37
38	0861	0832	0802	0774	0745	0716	0688	0660	0632	0604	0576	38
39	0860	0831	0802	0773	0744	0716	0687	0659	0631	0603	0576	39
40	0860	0831	0801	0773	0744	0715	0687	0659	0631	0603	0575	40
41	0859	0830	0801	0772	0743	0715	0686	0658	0630	0602	0575	41
42	0859	0830	0801	0772	0743	0714	0686	0658	0630	0602	0574	42
43	0858	0829	0800	0771	0742	0714	0686	0657	0629	0602	0574	43
44	0858	0829	0800	0771	0742	0713	0685	0657	0629	0601	0573	44
45	0857	0828	0799	0770	0741	0713	0685	0656	0628	0601	0573	45
46	0857	0828	0799	0770	0741	0712	0684	0656	0628	0600	0573	46
47	0856	0827	0798	0769	0740	0712	0684	0655	0628	0600	0572	47
48	0856	0827	0798	0769	0740	0711	0683	0655	0627	0599	0572	48
49	0855	0826	0797	0768	0740	0711	0683	0655	0627	0599	0571	49
50	0855	0826	0797	0768	0739	0711	0682	0654	0626	0598	0571	50
51	0855	0825	0796	0767	0739	0710	0682	0654	0626	0598	0570	51
52	0854	0825	0796	0767	0738	0710	0681	0653	0625	0597	0570	52
53	0854	0824	0795	0766	0738	0709	0681	0653	0625	0597	0569	53
54	0853	0824	0795	0766	0737	0709	0680	0652	0624	0596	0569	54
55	0853	0823	0794	0765	0737	0708	0680	0652	0624	0596	0568	55
56	0852	0823	0794	0765	0736	0708	0679	0651	0623	0596	0568	56
57	0852	0822	0793	0764	0736	0707	0679	0651	0623	0595	0568	57
58	0851	0822	0793	0764	0735	0707	0678	0650	0622	0595	0567	58
59	0851	0821	0792	0763	0735	0706	0678	0650	0622	0594	0567	59
S.	2° 27'	2° 28'	2° 29'	2° 30'	2° 31'	2° 32'	2° 33'	2° 34'	2° 35'	2° 36'	2° 37'	S.

TABLE XXII.

145

## PROPORTIONAL LOGARITHMS.

S.	h m 2° 38'	h m 2° 39'	h m 2° 40'	h m 2° 41'	h m 2° 42'	h m 2° 43'	h m 2° 44'	h m 2° 45'	h m 2° 46'	h m 2° 47'	h m 2° 48'	S.
0	0306	0539	0512	0484	0458	0431	0404	0378	0352	0326	0300	0
1	0566	0538	0511	0484	0457	0430	0404	0377	0351	0325	0299	1
2	0565	0538	0511	0484	0457	0430	0403	0377	0351	0325	0299	2
3	0565	0537	0510	0483	0456	0430	0403	0377	0350	0324	0298	3
4	0564	0537	0510	0483	0456	0429	0403	0376	0350	0324	0298	4
5	0564	0536	0509	0482	0455	0429	0402	0376	0349	0323	0297	5
6	0563	0536	0509	0482	0455	0428	0402	0375	0349	0323	0297	6
7	0563	0536	0508	0481	0454	0428	0401	0375	0349	0323	0297	7
8	0562	0535	0508	0481	0454	0427	0401	0374	0348	0322	0296	8
9	0562	0535	0507	0480	0454	0427	0400	0374	0348	0322	0296	9
10	0562	0534	0507	0480	0453	0426	0400	0374	0347	0321	0295	10
11	0561	0534	0507	0480	0453	0426	0399	0373	0347	0321	0295	11
12	0561	0533	0506	0479	0452	0426	0399	0373	0346	0320	0294	12
13	0560	0533	0506	0479	0452	0425	0399	0372	0346	0320	0294	13
14	0560	0532	0505	0478	0451	0425	0398	0372	0346	0319	0294	14
15	0559	0532	0505	0478	0451	0424	0398	0371	0345	0319	0293	15
16	0559	0531	0504	0477	0450	0424	0397	0371	0345	0319	0293	16
17	0558	0531	0504	0477	0450	0423	0397	0370	0344	0318	0292	17
18	0558	0531	0503	0476	0450	0423	0396	0370	0344	0318	0292	18
19	0557	0530	0503	0476	0449	0422	0396	0370	0343	0317	0291	19
20	0557	0530	0502	0475	0449	0422	0395	0369	0343	0317	0291	20
21	0557	0529	0502	0475	0448	0422	0395	0369	0342	0316	0291	21
22	0556	0529	0502	0475	0448	0421	0395	0368	0342	0316	0290	22
23	0556	0528	0501	0474	0447	0421	0394	0368	0342	0315	0290	23
24	0555	0528	0501	0474	0447	0420	0394	0367	0341	0315	0289	24
25	0555	0527	0500	0473	0446	0420	0393	0367	0341	0315	0289	25
26	0554	0527	0500	0473	0446	0419	0393	0366	0340	0314	0288	26
27	0554	0526	0499	0472	0446	0419	0392	0366	0340	0314	0288	27
28	0553	0526	0499	0472	0445	0418	0392	0366	0339	0313	0288	28
29	0553	0526	0498	0471	0445	0418	0392	0365	0339	0313	0287	29
30	0552	0525	0498	0471	0444	0418	0391	0365	0339	0313	0287	30
31	0552	0525	0498	0471	0444	0417	0391	0364	0338	0312	0286	31
32	0552	0524	0497	0470	0443	0417	0390	0364	0338	0312	0286	32
33	0551	0524	0497	0470	0443	0416	0390	0363	0337	0311	0285	33
34	0551	0523	0496	0469	0442	0416	0389	0363	0337	0311	0285	34
35	0550	0523	0496	0469	0442	0415	0389	0363	0336	0310	0285	35
36	0550	0522	0495	0468	0442	0415	0388	0362	0336	0310	0284	36
37	0549	0522	0495	0468	0441	0414	0388	0362	0336	0310	0284	37
38	0549	0521	0494	0467	0441	0414	0388	0361	0335	0309	0283	38
39	0548	0521	0494	0467	0440	0414	0387	0361	0335	0309	0283	39
40	0548	0521	0493	0467	0440	0413	0387	0360	0334	0308	0282	40
41	0547	0520	0493	0466	0439	0413	0386	0360	0334	0308	0282	41
42	0547	0520	0493	0466	0439	0412	0386	0359	0333	0307	0282	42
43	0546	0519	0492	0465	0438	0412	0385	0359	0333	0307	0281	43
44	0546	0519	0492	0465	0438	0411	0385	0359	0333	0307	0281	44
45	0546	0518	0491	0464	0438	0411	0384	0358	0332	0306	0280	45
46	0545	0518	0491	0464	0437	0410	0384	0358	0332	0306	0280	46
47	0545	0517	0490	0463	0437	0410	0384	0357	0331	0305	0279	47
48	0544	0517	0490	0463	0436	0410	0383	0357	0331	0305	0279	48
49	0544	0517	0489	0462	0436	0409	0383	0356	0330	0304	0279	49
50	0543	0516	0489	0462	0435	0409	0382	0356	0330	0304	0278	50
51	0543	0516	0489	0462	0435	0408	0382	0356	0329	0304	0278	51
52	0542	0515	0488	0461	0434	0408	0381	0355	0329	0303	0277	52
53	0542	0515	0488	0461	0434	0407	0381	0355	0329	0303	0277	53
54	0541	0514	0487	0460	0434	0407	0381	0354	0328	0302	0276	54
55	0541	0514	0487	0460	0433	0406	0380	0354	0328	0302	0276	55
56	0541	0513	0486	0459	0433	0406	0380	0353	0327	0301	0276	56
57	0540	0513	0486	0459	0432	0406	0379	0353	0327	0301	0275	57
58	0540	0512	0485	0458	0432	0405	0379	0353	0326	0300	0275	58
59	0539	0512	0485	0458	0431	0405	0378	0352	0326	0300	0274	59
S.	2° 38'	2° 39'	2° 40'	2° 41'	2° 42'	2° 43'	2° 44'	2° 45'	2° 46'	2° 47'	2° 48'	S.

## PROPORTIONAL LOGARITHMS.

S.	h m 2° 49'	h m 2° 50'	h m 2° 51'	h m 2° 52'	h m 2° 53'	h m 2° 54'	h m 2° 55'	h m 2° 56'	h m 2° 57'	h m 2° 58'	h m 2° 59'	S.
0	0274	0248	0223	0197	0172	0147	0122	0098	0073	0049	0024	0
1	0273	0248	0222	0197	0172	0147	0122	0097	0073	0048	0024	1
2	0273	0247	0222	0197	0171	0146	0122	0097	0072	0048	0023	2
3	0273	0247	0221	0196	0171	0146	0121	0096	0072	0047	0023	3
4	0272	0247	0221	0196	0171	0146	0121	0096	0071	0047	0023	4
5	0272	0246	0221	0195	0170	0145	0120	0096	0071	0046	0022	5
6	0271	0246	0220	0195	0170	0145	0120	0095	0071	0046	0022	6
7	0271	0245	0220	0194	0169	0144	0119	0095	0070	0046	0021	7
8	0270	0245	0219	0194	0169	0144	0119	0094	0070	0045	0021	8
9	0270	0244	0219	0194	0169	0143	0119	0094	0069	0045	0021	9
10	0270	0244	0219	0193	0168	0143	0118	0093	0069	0044	0020	10
11	0269	0244	0218	0193	0168	0143	0118	0093	0068	0044	0020	11
12	0269	0243	0218	0192	0167	0142	0117	0093	0068	0044	0019	12
13	0268	0243	0217	0192	0167	0142	0117	0092	0068	0043	0019	13
14	0268	0242	0217	0192	0166	0141	0117	0092	0067	0043	0019	14
15	0267	0242	0216	0191	0166	0141	0116	0091	0067	0042	0018	15
16	0267	0241	0216	0191	0166	0141	0116	0091	0066	0042	0018	16
17	0267	0241	0216	0190	0165	0140	0115	0091	0066	0042	0017	17
18	0266	0241	0215	0190	0165	0140	0115	0090	0065	0041	0017	18
19	0266	0240	0215	0189	0164	0139	0114	0090	0065	0041	0017	19
20	0265	0240	0214	0189	0164	0139	0114	0089	0065	0040	0016	20
21	0265	0239	0214	0189	0163	0139	0114	0089	0064	0040	0016	21
22	0264	0239	0213	0188	0163	0138	0113	0089	0064	0040	0015	22
23	0264	0238	0213	0188	0163	0138	0113	0088	0064	0039	0015	23
24	0264	0238	0213	0187	0162	0137	0112	0088	0063	0039	0015	24
25	0263	0238	0212	0187	0162	0137	0112	0087	0063	0038	0014	25
26	0263	0237	0212	0187	0161	0136	0112	0087	0062	0038	0014	26
27	0262	0237	0211	0186	0161	0136	0111	0087	0062	0038	0013	27
28	0262	0236	0211	0186	0161	0136	0111	0086	0062	0037	0013	28
29	0261	0236	0211	0185	0160	0135	0110	0086	0061	0037	0012	29
30	0261	0235	0210	0185	0160	0135	0110	0085	0061	0036	0012	30
31	0261	0235	0210	0184	0159	0134	0110	0085	0060	0036	0012	31
32	0260	0235	0209	0184	0159	0134	0109	0084	0060	0036	0011	32
33	0260	0234	0209	0184	0158	0134	0109	0084	0060	0035	0011	33
34	0259	0234	0208	0183	0158	0133	0108	0084	0059	0035	0010	34
35	0259	0233	0208	0183	0158	0133	0108	0083	0059	0034	0010	35
36	0258	0233	0208	0182	0157	0132	0107	0083	0058	0034	0010	36
37	0258	0233	0207	0182	0157	0132	0107	0082	0058	0034	0009	37
38	0258	0232	0207	0181	0156	0131	0107	0082	0057	0033	0009	38
39	0257	0232	0206	0181	0156	0131	0106	0082	0057	0033	0008	39
40	0257	0231	0206	0181	0156	0131	0106	0081	0057	0032	0008	40
41	0256	0231	0205	0180	0155	0130	0105	0081	0056	0032	0008	41
42	0256	0230	0205	0180	0155	0130	0105	0080	0056	0031	0007	42
43	0255	0230	0205	0179	0154	0129	0105	0080	0055	0031	0007	43
44	0255	0230	0204	0179	0154	0129	0104	0080	0055	0031	0006	44
45	0255	0229	0204	0179	0153	0129	0104	0079	0055	0030	0006	45
46	0254	0229	0203	0178	0153	0128	0103	0079	0054	0030	0006	46
47	0254	0228	0203	0178	0153	0128	0103	0078	0054	0029	0005	47
48	0253	0228	0202	0177	0152	0127	0103	0078	0053	0029	0005	48
49	0253	0227	0202	0177	0152	0127	0102	0077	0053	0029	0004	49
50	0252	0227	0202	0176	0151	0126	0102	0077	0053	0028	0004	50
51	0252	0227	0201	0176	0151	0126	0101	0077	0052	0028	0004	51
52	0252	0226	0201	0176	0151	0126	0101	0076	0052	0027	0003	52
53	0251	0226	0200	0175	0150	0125	0100	0076	0051	0027	0003	53
54	0251	0225	0200	0175	0150	0125	0100	0075	0051	0027	0002	54
55	0250	0225	0200	0174	0149	0124	0100	0075	0051	0026	0002	55
56	0250	0224	0199	0174	0149	0124	0099	0075	0050	0026	0002	56
57	0250	0224	0199	0174	0148	0124	0099	0074	0050	0025	0001	57
58	0249	0224	0198	0173	0148	0123	0098	0074	0049	0025	0001	58
59	0249	0223	0198	0173	0148	0123	0098	0073	0049	0025	0000	59
S.	2° 49'	2° 50'	2° 51'	2° 52'	2° 53'	2° 54'	2° 55'	2° 56'	2° 57'	2° 58'	2° 59'	S.

**E XXIII. To find the Latitude by two Altitudes of the Sun. 147**

LEFT ELAPSED TIME.					MIDDLE TIME.						
0 HOUR.					0 HOUR.						
10'	20'	30'	40'	50'	M	0'	10'	20'	30'	40'	50'
13833					0	Inf. Neg					
129324	23525	10409	13834	09695	02.		16270	46373	63982	76476	86167
02440					12.	94085					
	99221	96225	93422	90790	13.		00779	06578	11694	16269	20408
785959	83732	81613	79593	77663	23.	24187	27663	30882	33878	36681	39313
174042	72339	70700	69121	67597	33.	41796	44144	46371	48490	50610	52440
					43.	54289	56061	57764	59403	60982	62506
					53.	63978	65402	66781	68117	69413	70672
564701	63322	61986	60690	59431	63.	71895	73035	74242	75370	76469	77542
357018	55861	54733	53634	52561	73.	78588	79609	80607	81583	82537	83471
550494	49496	48520	47566	46632	83.	84385	85230	86157	87017	87860	88686
344823	43946	43086	42243	41417	93.	89498	90294	91076	91845	92600	93341
539809	39027	38258	37503	36762	103.	94071	94788	95494	96188	96872	97545
235315	34609	33915	33231	32558	113.	98207	98860	99503			
531243	30600	29967	29342	28727	114.				00136	00761	01376
327522	26931	26349	25774	25207	124.	01983	02581	03172	03754	04329	04896
724093	23549	23010	22478	21952	134.	05456	06008	06554	07093	07625	08151
220919	20412	19910	19415	18925	144.	08671	09184	09691	10193	10688	11178
	17961	17487	17018	16554	154.	11663	12142	12616	13085	13549	14007
215192	14748	14307	13872	13440	164.	14461	14911	15355	15796	16231	16663
312590	12171	11757	11346	10939	174.	17090	17513	17932	18346	18757	19164
510136	09740	09348	08960	08574	184.	19567	19967	20363	20755	21143	21529
307814	07439	07067	06699	06333	194.	21910	22289	22664	23036	23404	23770
	05611	05254	04901	04550	204.	24133	24492	24849	25202	25553	25901
703515	03175	02838	02504	02172	214.	26246	26588	26928	27265	27599	27931
301316	01192	00870	00550	00233	224.	28260	28587	28911	29233	29553	29870
899606	99296	98983	98682	98378	234.	30185	30497	30807	31115	31421	31725
797777	97480	97184	96891	96600	244.	32026	32326	32623	32919	33213	33503
	96023	95738	95454	95172	254.	33793	34080	34365	34649	34931	35211
494338	94063	93790	93519	93250	264.	35489	35765	36040	36313	36584	36853
292716	92452	92189	91928	91669	274.	37121	37387	37651	37914	38175	38434
191154	90899	90646	90394	90143	284.	38692	38949	39204	39457	39709	39960
189647	89401	89156	88913	88671	294.	40209	40466	40702	40947	41190	41432
	88191	87953	87717	87481	304.	41673	41917	42150	42386	42622	42856
586783	86553	86324	86096	85870	314.	43088	43320	43550	43779	44007	44233
185420	85197	84976	84755	84535	324.	44459	44683	44906	45127	45348	45568
844100	83884	83669	83455	83242	334.	45786	46003	46219	46434	46648	46861
782819	82609	82401	82193	81986	344.	47073	47284	47494	47702	47910	48117
	81576	81372	81169	80967	354.	48323	48527	48731	48934	49136	49336
780368	80170	79973	79777	79581	364.	49536	49735	49933	50130	50326	50522
779193	79001	78809	78618	78428	374.	50716	50910	51102	51294	51485	51675
778051	77863	77677	77491	77306	384.	51864	52052	52240	52426	52612	52797
276938	76756	76574	76393	76212	394.	52981	53165	53347	53529	53710	53891
	75854	75676	75499	75323	404.	54070	54249	54427	54604	54780	54956
274797	74624	74451	74279	74107	414.	55131	55306	55479	55652	55824	55996
773767	73597	73429	73261	73093	424.	56166	56336	56506	56674	56842	57010
772760	72595	72430	72266	72103	434.	57176	57343	57508	57673	57837	58000
071778	71616	71455	71295	71136	444.	58163	58325	58487	58648	58808	58967
	70818	70660	70503	70346	454.	59127	59285	59443	59600	59757	59913
169880	69725	69571	69418	69265	464.	60069	60223	60378	60532	60685	60838
368962	68811	68660	68510	68361	474.	60990	61141	61292	61443	61593	61742
268064	67916	67769	67622	67476	484.	61891	62039	62187	62334	62481	62627
067185	67040	66896	66752	66609	494.	62773	62918	63063	63207	63351	63494
	66324	66182	66041	65900	504.	63637	63779	63921	64062	64203	64343
164481	65342	65204	65066	64928	514.	64483	64622	64761	64899	65037	65175
164655	64519	64383	64248	64113	524.	65312	65448	65584	65720	65855	65990
363845	63711	63578	63445	63313	534.	66125	66258	66392	66525	66658	66790
163050	62919	62789	62659	62529	544.	66922	67053	67184	67314	67444	67574
	62271	62142	62014	61887	554.	67703	67832	67961	68089	68216	68344
261506	61380	61254	61129	61004	564.	68471	68597	68723	68849	68974	69099
460755	60631	60508	60385	60262	574.	69224	69348	69472	69595	69718	69841
660018	59897	59775	59654	59534	584.	69963	70085	70206	70328	70449	70569
859294	59175	59056	58937	58818	594.	70689	70809	70928	71047	71166	71285



To find the Latitude by two Altitudes of the Sun.

HALF ELAPSED TIME.						MIDDLE TIME.							
1 HOUR.						1 HOUR.							
M	0''	10''	20''	30''	40''	50''	M	0''	10''	20''	30''	40''	50''
00	53700	53583	53465	53348	53232	53115	04	71403	71520	71638	71755	71871	71988
10	57999	57884	57768	57653	57539	57424	14	72104	72219	72335	72450	72564	72679
20	57310	57196	57083	56970	56857	56745	24	72793	72907	73020	73133	73246	73358
30	56633	56521	56409	56298	56187	56076	34	73470	73582	73694	73805	73916	74027
40	55966	55856	55747	55637	55528	55419	44	74137	74247	74356	74466	74575	74684
50	55311	55203	55095	54987	54880	54773	54	74792	74900	75008	75116	75223	75330
60	54666	54559	54453	54347	54242	54136	64	75437	75544	75650	75756	75861	75967
70	54031	53926	53822	53718	53614	53510	74	76072	76177	76281	76385	76489	76593
80	53406	53303	53200	53098	52995	52893	84	76697	76799	76903	77005	77108	77210
90	52791	52690	52589	52487	52387	52286	94	77312	77413	77514	77616	77716	77817
100	52186	52086	51986	51886	51787	51688	104	77917	78017	78117	78217	78316	78415
110	51589	51491	51393	51294	51197	51099	114	78514	78612	78710	78809	78906	79004
120	51002	50905	50808	50711	50615	50519	124	79101	79198	79295	79392	79488	79584
130	50423	50327	50232	50137	50042	49947	134	79680	79776	79871	79966	80061	80156
140	49852	49758	49664	49570	49477	49383	144	80251	80345	80439	80533	80626	80720
150	49290	49197	49104	49012	48920	48828	154	80813	80906	80999	81091	81183	81275
160	48736	48644	48553	48462	48371	48280	164	81367	81459	81550	81641	81732	81823
170	48189	48099	48009	47919	47829	47740	174	81914	82004	82094	82184	82274	82363
180	47650	47561	47473	47384	47295	47207	184	82453	82542	82630	82719	82808	82896
190	47119	47031	46944	46856	46769	46682	194	82994	83072	83159	83247	83334	83421
200	46593	46508	46422	46335	46249	46163	204	83538	83595	83681	83768	83854	83940
210	46078	45992	45907	45822	45737	45652	214	84085	84111	84196	84281	84366	84451
220	45567	45483	45399	45315	45231	45147	224	84636	84620	84704	84788	84872	84956
230	45064	44981	44898	44815	44732	44649	234	85039	85122	85205	85288	85371	85454
240	44567	44485	44403	44321	44239	44158	244	85536	85618	85700	85782	85864	85946
250	44077	43995	43913	43831	43753	43673	254	86026	86061	86188	86269	86350	86430
260	43592	43512	43432	43353	43273	43194	264	86511	86591	86671	86750	86830	86909
270	43114	43035	42956	42878	42799	42721	274	86989	87063	87147	87225	87304	87382
280	42642	42564	42486	42409	42331	42254	284	87461	87539	87617	87694	87772	87849
290	42176	42099	42022	41945	41869	41792	294	87927	88004	88081	88158	88234	88311
300	41716	41640	41564	41488	41412	41337	304	88387	88463	88539	88615	88691	88766
310	41261	41186	41111	41036	40961	40887	314	88842	88917	88992	89067	89142	89216
320	40812	40738	40664	40590	40516	40442	324	89291	89365	89439	89513	89587	89661
330	40368	40295	40222	40149	40076	40003	334	89735	89808	89881	89954	90027	90100
340	39930	39857	39785	39713	39641	39569	344	90173	90246	90318	90390	90462	90534
350	39497	39425	39354	39282	39211	39140	354	90606	90676	90749	90821	90892	90963
360	39069	38998	38927	38856	38786	38716	364	91034	91105	91176	91247	91317	91387
370	38646	38575	38506	38436	38366	38297	374	91457	91528	91599	91667	91737	91806
380	38227	38158	38089	38020	37951	37882	384	91876	91945	92014	92083	92152	92221
390	37814	37745	37677	37609	37541	37473	394	92289	92358	92426	92494	92562	92630
400	37408	37338	37270	37203	37135	37068	404	92698	92766	92833	92900	92966	93033
410	37001	36934	36867	36801	36734	36668	414	93102	93169	93236	93302	93368	93435
420	36602	36535	36469	36403	36338	36272	424	93501	93568	93634	93700	93765	93831
430	36206	36141	36076	36011	35946	35881	434	93897	93962	94027	94092	94157	94222
440	35816	35751	35687	35622	35558	35494	444	94287	94352	94416	94481	94545	94609
450	35429	35365	35302	35238	35174	35111	454	94674	94738	94801	94865	94929	94992
460	35047	34984	34921	34858	34795	34732	464	95056	95119	95182	95245	95308	95371
470	34669	34607	34544	34482	34420	34357	474	95434	95496	95559	95621	95683	95746
480	34295	34233	34172	34110	34048	33987	484	95808	95870	95931	95993	96055	96116
490	33925	33864	33803	33742	33681	33620	494	96178	96239	96300	96361	96422	96483
500	33559	33499	33438	33378	33318	33257	504	96544	96604	96665	96725	96785	96846
510	33197	33137	33076	33018	32958	32899	514	96906	96966	97025	97085	97145	97204
520	32839	32780	32720	32661	32602	32543	524	97264	97323	97383	97442	97501	97560
530	32485	32426	32367	32309	32250	32192	534	97618	97677	97736	97794	97853	97911
540	32134	32076	32018	31960	31902	31844	544	97969	98027	98085	98143	98201	98259
550	31787	31729	31672	31614	31557	31500	554	98316	98374	98431	98489	98546	98603
560	31443	31386	31329	31272	31216	31159	564	98660	98717	98774	98831	98887	98944
570	31103	31046	30990	30934	30878	30822	574	99000	99057	99113	99169	99225	99281
580	30766	30710	30655	30600	30544	30488	584	99337	99393	99448	99504	99559	99615
590	30433	30378	30323	30268	30213	30158	594	99670	99725	99780	99835	99890	99945

TABLE XXIII.

To find the Latitude by two Altitudes of the Sun.

HALF ELAPSED TIME.							MIDDLE TIME.						
2 HOURS.							2 HOURS.						
d	0'	10'	20'	30'	40'	50'	M	0'	10'	20'	30'	40'	50'
0	0.30103	30048	29994	29939	29885	29831	0	5.00000	00055	00109	00164	00218	00272
1	0.29776	29722	29668	29614	29561	29507	1	5.00327	00381	00435	00489	00542	00596
2	0.29453	29400	29346	29293	29239	29186	2	5.00650	00703	00757	00810	00864	00917
3	0.29133	29080	29027	28974	28921	28869	3	5.00970	01023	01076	01129	01182	01234
4	0.28816	28764	28711	28659	28607	28554	4	5.01287	01339	01392	01444	01496	01549
5	0.28502	28450	28398	28346	28295	28243	5	5.01601	01653	01705	01757	01808	01860
6	0.28191	28140	28089	28037	27986	27935	6	5.01912	01963	02014	02066	02117	02168
7	0.27884	27833	27782	27731	27680	27630	7	5.02219	02270	02321	02372	02423	02473
8	0.27579	27529	27478	27428	27378	27327	8	5.02524	02574	02625	02676	02726	02776
9	0.27277	27227	27177	27127	27078	27028	9	5.02826	02876	02926	02976	03025	03075
10	0.26978	26929	26879	26830	26781	26731	10	5.03125	03174	03224	03273	03322	03372
11	0.26682	26633	26584	26535	26487	26438	11	5.03421	03470	03519	03568	03616	03665
12	0.26389	26341	26292	26244	26195	26147	12	5.03714	03762	03811	03859	03908	03956
13	0.26099	26051	26003	25955	25907	25859	13	5.04004	04052	04100	04148	04196	04244
14	0.25811	25763	25716	25669	25621	25573	14	5.04292	04340	04387	04435	04482	04530
15	0.25526	25479	25432	25385	25338	25291	15	5.04577	04624	04671	04718	04765	04812
16	0.25244	25197	25150	25104	25057	25011	16	5.04859	04906	04953	04999	05046	05092
17	0.24964	24918	24872	24825	24779	24733	17	5.05139	05185	05231	05278	05324	05370
18	0.24687	24641	24595	24550	24504	24458	18	5.05416	05462	05508	05553	05599	05645
19	0.24413	24367	24322	24276	24231	24186	19	5.05690	05736	05781	05827	05872	05917
20	0.24141	24096	24051	24006	23961	23916	20	5.05962	06007	06052	06097	06142	06187
21	0.23871	23827	23782	23738	23693	23649	21	5.06232	06276	06321	06365	06410	06454
22	0.23605	23560	23516	23472	23428	23384	22	5.06498	06543	06587	06631	06675	06719
23	0.23340	23296	23253	23209	23165	23122	23	5.06763	06607	06650	06694	06738	06781
24	0.23078	23035	22991	22948	22905	22862	24	5.07025	07068	07112	07155	07198	07241
25	0.22819	22775	22732	22690	22647	22604	25	5.07284	07328	07371	07413	07456	07499
26	0.22561	22519	22476	22433	22391	22349	26	5.07542	07584	07627	07670	07712	07754
27	0.22306	22264	22222	22180	22138	22096	27	5.07797	07839	07881	07923	07965	08007
28	0.22054	22012	21970	21928	21887	21845	28	5.08049	08091	08133	08175	08216	08258
29	0.21803	21762	21720	21679	21638	21596	29	5.08300	08341	08383	08424	08465	08507
30	0.21555	21514	21473	21432	21391	21350	30	5.08548	08589	08630	08671	08712	08753
31	0.21309	21269	21228	21187	21147	21106	31	5.08794	08834	08875	08916	08956	08997
32	0.21066	21025	20985	20945	20905	20864	32	5.09037	09078	09118	09158	09198	09239
33	0.20824	20784	20744	20704	20665	20625	33	5.09279	09319	09359	09399	09438	09478
34	0.20583	20545	20506	20466	20427	20387	34	5.09518	09558	09597	09637	09676	09716
35	0.20343	20305	20266	20226	20187	20147	35	5.09755	09794	09834	09873	09912	09951
36	0.20113	20074	20035	19996	19957	19919	36	5.09990	10029	10068	10107	10146	10184
37	0.19880	19841	19803	19764	19726	19687	37	5.10223	10262	10300	10339	10377	10416
38	0.19649	19611	19572	19534	19496	19458	38	5.10454	10492	10531	10569	10607	10645
39	0.19420	19382	19344	19306	19269	19231	39	5.10683	10721	10759	10797	10834	10872
40	0.19193	19156	19118	19081	19043	19006	40	5.10910	10947	10985	11022	11060	11097
41	0.18968	18931	18894	18857	18820	18783	41	5.11135	11172	11209	11246	11283	11320
42	0.18746	18709	18672	18635	18598	18561	42	5.11357	11394	11431	11468	11505	11542
43	0.18525	18488	18451	18415	18378	18342	43	5.11578	11615	11652	11688	11725	11761
44	0.18306	18269	18233	18197	18161	18125	44	5.11797	11834	11870	11906	11942	11978
45	0.18089	18053	18017	17981	17945	17909	45	5.12014	12050	12086	12122	12158	12194
46	0.17874	17838	17802	17767	17731	17695	46	5.12229	12265	12301	12336	12372	12407
47	0.17660	17625	17590	17554	17519	17484	47	5.12443	12478	12513	12549	12584	12619
48	0.17449	17414	17379	17344	17309	17274	48	5.12654	12689	12724	12759	12794	12829
49	0.17239	17205	17170	17135	17101	17066	49	5.12864	12899	12933	12968	13002	13037
50	0.17032	16997	16963	16928	16894	16860	50	5.13071	13106	13140	13175	13209	13243
51	0.16826	16792	16758	16723	16689	16656	51	5.13277	13311	13345	13380	13413	13447
52	0.16622	16589	16554	16520	16487	16453	52	5.13481	13515	13549	13583	13616	13650
53	0.16419	16386	16352	16319	16285	16252	53	5.13684	13717	13751	13784	13818	13851
54	0.16219	16186	16152	16119	16086	16053	54	5.13884	13917	13951	13984	14017	14050
55	0.16020	15987	15954	15921	15888	15856	55	5.14083	14116	14149	14182	14215	14247
56	0.15823	15790	15758	15725	15692	15660	56	5.14280	14313	14345	14378	14411	14443
57	0.15627	15595	15563	15530	15498	15466	57	5.14476	14508	14540	14573	14605	14637
58	0.15434	15402	15370	15338	15306	15274	58	5.14669	14701	14733	14765	14797	14829
59	0.15242	15210	15178	15146	15115	15083	59	5.14861	14893	14925	14957	14988	15020

To find the Latitude by two Altitudes of the Sun.

HALF ELAPSED TIME.							MIDDLE TIME.						
3 HOURS.							3 HOURS.						
M	0'	10'	20'	30'	40'	50'	M	0'	10'	20'	30'	40'	50'
00.	15051	15020	14988	14957	14926	14894	05.	15051	15083	15115	15146	15177	15209
10.	14863	14832	14800	14769	14738	14707	15.	15240	15271	15303	15334	15365	15396
20.	14676	14645	14614	14583	14552	14521	25.	15427	15458	15489	15520	15551	15582
30.	14490	14460	14429	14398	14368	14337	35.	15613	15643	15674	15705	15735	15766
40.	14307	14276	14246	14215	14185	14155	45.	15796	15827	15857	15888	15918	15948
50.	14124	14094	14064	14034	14004	13974	55.	15979	16009	16039	16069	16099	16129
60.	13944	13914	13884	13854	13824	13794	65.	16169	16199	16229	16259	16289	16319
70.	13765	13735	13705	13676	13646	13617	75.	16358	16388	16418	16447	16477	16507
80.	13587	13558	13528	13499	13470	13441	85.	16546	16576	16605	16635	16665	16695
90.	13411	13382	13353	13324	13295	13266	95.	16732	16762	16792	16822	16852	16882
100.	13237	13208	13179	13150	13121	13093	105.	16916	16946	16976	17006	17036	17066
110.	13064	13035	13007	12978	12950	12921	115.	17099	17129	17159	17189	17219	17249
120.	12893	12864	12836	12808	12779	12751	125.	17280	17310	17340	17370	17400	17430
130.	12723	12695	12666	12638	12610	12582	135.	17458	17488	17518	17548	17578	17608
140.	12554	12526	12499	12471	12443	12415	145.	17643	17673	17703	17733	17763	17793
150.	12387	12360	12332	12305	12277	12249	155.	17826	17856	17886	17916	17946	17976
160.	12222	12195	12167	12140	12113	12085	165.	18008	18038	18068	18098	18128	18158
170.	12058	12031	12004	11977	11949	11922	175.	18189	18219	18249	18279	18309	18339
180.	11895	11869	11842	11815	11788	11761	185.	18369	18399	18429	18459	18489	18519
190.	11734	11708	11681	11654	11628	11601	195.	18548	18578	18608	18638	18668	18698
200.	11575	11548	11522	11495	11469	11443	205.	18726	18756	18786	18816	18846	18876
210.	11416	11390	11364	11338	11312	11285	215.	18903	18933	18963	18993	19023	19053
220.	11259	11233	11207	11181	11156	11130	225.	19080	19110	19140	19170	19200	19230
230.	11104	11078	11052	11027	11001	10975	235.	19256	19286	19316	19346	19376	19406
240.	10950	10924	10899	10873	10848	10822	245.	19432	19462	19492	19522	19552	19582
250.	10797	10772	10746	10721	10696	10671	255.	19608	19638	19668	19698	19728	19758
260.	10646	10620	10595	10570	10545	10520	265.	19784	19814	19844	19874	19904	19934
270.	10496	10471	10446	10421	10396	10371	275.	19959	19989	20019	20049	20079	20109
280.	10347	10322	10298	10273	10248	10224	285.	20135	20165	20195	20225	20255	20285
290.	10199	10175	10151	10126	10102	10078	295.	20310	20340	20370	20400	20430	20460
300.	10053	10029	10005	9981	9957	9933	305.	20486	20516	20546	20576	20606	20636
310.	09909	09885	09861	09837	09813	09789	315.	20661	20691	20721	20751	20781	20811
320.	09765	09741	09717	09693	09670	09647	325.	20837	20867	20897	20927	20957	20987
330.	09623	09599	09576	09552	09529	09506	335.	21012	21042	21072	21102	21132	21162
340.	09482	09459	09435	09412	09389	09366	345.	21188	21218	21248	21278	21308	21338
350.	09343	09319	09296	09273	09250	09227	355.	21363	21393	21423	21453	21483	21513
360.	09204	09181	09158	09136	09113	09090	365.	21539	21569	21599	21629	21659	21689
370.	09067	09044	09022	08999	08977	08954	375.	21714	21744	21774	21804	21834	21864
380.	08931	08909	08886	08864	08842	08819	385.	21890	21920	21950	21980	22010	22040
390.	08797	08775	08752	08730	08708	08686	395.	22065	22095	22125	22155	22185	22215
400.	08664	08641	08619	08597	08575	08553	405.	22241	22271	22301	22331	22361	22391
410.	08531	08510	08488	08466	08444	08422	415.	22416	22446	22476	22506	22536	22566
420.	08401	08379	08357	08336	08314	08293	425.	22592	22622	22652	22682	22712	22742
430.	08271	08250	08228	08207	08185	08164	435.	22767	22797	22827	22857	22887	22917
440.	08143	08121	08100	08079	08058	08036	445.	22943	22973	23003	23033	23063	23093
450.	08015	07994	07973	07952	07931	07910	455.	23118	23148	23178	23208	23238	23268
460.	07889	07868	07848	07827	07806	07785	465.	23294	23324	23354	23384	23414	23444
470.	07765	07744	07723	07703	07682	07661	475.	23469	23499	23529	23559	23589	23619
480.	07641	07620	07600	07579	07559	07539	485.	23645	23675	23705	23735	23765	23795
490.	07518	07498	07478	07458	07437	07417	495.	23820	23850	23880	23910	23940	23970
500.	07397	07377	07357	07337	07317	07297	505.	24000	24030	24060	24090	24120	24150
510.	07277	07257	07237	07217	07197	07178	515.	24175	24205	24235	24265	24295	24325
520.	07158	07138	07119	07099	07079	07060	525.	24351	24381	24411	24441	24471	24501
530.	07040	07021	07001	06982	06962	06943	535.	24526	24556	24586	24616	24646	24676
540.	06923	06904	06885	06866	06846	06827	545.	24702	24732	24762	24792	24822	24852
550.	06808	06789	06770	06751	06731	06712	555.	24877	24907	24937	24967	24997	25027
560.	06693	06674	06655	06636	06618	06599	565.	25053	25083	25113	25143	25173	25203
570.	06580	06561	06543	06524	06505	06487	575.	25228	25258	25288	25318	25348	25378
580.	06468	06449	06431	06412	06394	06375	585.	25404	25434	25464	25494	25524	25554
590.	06357	06338	06320	06302	06283	06265	595.	25579	25609	25639	25669	25699	25729

TABLE XXIII.

151

To find the Latitude by two Altitudes of the Sun.

HALF ELAPSED TIME.						MIDDLE TIME.						
4 HOURS.						4 HOURS.						
10'	20'	30'	40'	50'		M	0'	10'	20'	30'	40'	50'
147	06229	06211	06192	06174	06156	0	5.23856	23874	23892	23911	23929	23947
148	06120	06102	06084	06066	06048	1	5.23965	23983	24001	24019	24037	24055
149	06012	05995	05977	05959	05941	2	5.24073	24091	24108	24126	24144	24162
150	05906	05888	05871	05853	05836	3	5.24179	24197	24215	24232	24250	24267
151	05801	05783	05766	05748	05731	4	5.24285	24302	24320	24337	24355	24372
152	05696	05679	05662	05644	05627	5	5.24389	24407	24424	24441	24458	24476
153	05593	05576	05559	05542	05525	6	5.24493	24510	24527	24544	24561	24578
154	05491	05474	05457	05440	05423	7	5.24598	24612	24629	24646	24663	24680
155	05390	05373	05356	05339	05323	8	5.24696	24713	24730	24747	24763	24780
156	05290	05273	05257	05240	05224	9	5.24797	24813	24830	24846	24863	24879
157	05191	05174	05158	05142	05125	10	5.24896	24912	24929	24945	24961	24978
158	05093	05077	05060	05044	05028	11	5.24994	25010	25026	25043	25059	25075
159	04996	04980	04964	04948	04932	12	5.25091	25107	25123	25139	25155	25171
160	04900	04884	04868	04852	04837	13	5.25187	25203	25219	25235	25251	25266
161	04805	04789	04774	04758	04743	14	5.25282	25298	25314	25329	25345	25360
162	04711	04696	04680	04665	04649	15	5.25376	25392	25407	25423	25438	25454
163	04619	04603	04588	04573	04557	16	5.25469	25484	25500	25515	25530	25546
164	04527	04512	04496	04481	04466	17	5.25561	25576	25591	25607	25622	25637
165	04436	04421	04406	04391	04376	18	5.25652	25667	25682	25697	25712	25727
166	04346	04332	04317	04302	04287	19	5.25742	25757	25771	25786	25801	25816
167	04258	04243	04228	04214	04199	20	5.25831	25845	25860	25875	25889	25904
168	04170	04156	04141	04127	04112	21	5.25918	25933	25947	25962	25976	25991
169	04083	04069	04055	04040	04026	22	5.26003	26020	26034	26048	26063	26077
170	03998	03983	03969	03955	03941	23	5.26091	26105	26120	26134	26148	26162
171	03913	03899	03885	03871	03857	24	5.26176	26190	26204	26218	26232	26246
172	03829	03815	03802	03788	03774	25	5.26260	26274	26288	26301	26315	26329
173	03747	03733	03719	03706	03692	26	5.26343	26356	26370	26384	26397	26411
174	03665	03651	03638	03624	03611	27	5.26425	26438	26452	26465	26479	26492
175	03584	03571	03557	03544	03531	28	5.26506	26519	26532	26546	26559	26572
176	03504	03491	03478	03465	03452	29	5.26586	26599	26612	26625	26638	26651
177	03425	03412	03399	03386	03373	30	5.26665	26678	26691	26704	26717	26730
178	03348	03335	03322	03309	03296	31	5.26743	26755	26768	26781	26794	26807
179	03271	03258	03245	03232	03220	32	5.26820	26832	26845	26858	26870	26883
180	03195	03182	03170	03157	03145	33	5.26896	26908	26921	26933	26946	26958
181	03120	03107	03095	03083	03070	34	5.26971	26983	26996	27008	27020	27033
182	03046	03034	03021	03009	02997	35	5.27045	27057	27069	27082	27094	27106
183	02973	02961	02949	02937	02925	36	5.27118	27130	27142	27154	27166	27178
184	02901	02889	02877	02865	02853	37	5.27190	27202	27214	27226	27238	27250
185	02829	02818	02806	02794	02783	38	5.27262	27274	27285	27297	27309	27320
186	02759	02748	02736	02724	02713	39	5.27332	27344	27355	27367	27379	27390
187	02690	02678	02667	02656	02644	40	5.27402	27413	27424	27436	27447	27459
188	02622	02610	02599	02588	02577	41	5.27470	27481	27493	27504	27515	27526
189	02554	02543	02532	02521	02510	42	5.27538	27549	27560	27571	27582	27593
190	02488	02477	02466	02455	02444	43	5.27604	27615	27626	27637	27648	27659
191	02422	02411	02400	02390	02379	44	5.27670	27681	27692	27703	27713	27724
192	02357	02347	02336	02326	02315	45	5.27735	27746	27756	27767	27777	27788
193	02294	02283	02273	02262	02252	46	5.27799	27809	27820	27830	27841	27851
194	02231	02221	02210	02200	02190	47	5.27862	27872	27882	27893	27903	27913
195	02169	02159	02149	02139	02128	48	5.27924	27934	27944	27954	27964	27975
196	02108	02098	02088	02078	02068	49	5.27985	27995	28005	28015	28025	28035
197	02048	02038	02028	02018	02009	50	5.28045	28055	28065	28075	28085	28094
198	01989	01979	01969	01960	01950	51	5.28104	28114	28124	28134	28143	28153
199	01931	01921	01912	01902	01892	52	5.28163	28172	28182	28191	28201	28211
200	01873	01864	01854	01845	01836	53	5.28220	28230	28239	28249	28258	28267
201	01817	01808	01798	01789	01780	54	5.28277	28286	28295	28305	28314	28323
202	01761	01752	01743	01734	01725	55	5.28332	28342	28351	28360	28369	28378
203	01707	01698	01689	01680	01671	56	5.28387	28396	28405	28414	28423	28432
204	01653	01644	01635	01627	01618	57	5.28441	28450	28459	28468	28476	28485
205	01600	01591	01583	01574	01565	58	5.28494	28503	28512	28520	28529	28538
206	01548	01540	01531	01523	01514	59	5.28546	28555	28563	28572	28580	28589

To find the Latitude by two Altitudes of the Sun.

HALF ELAPSED TIME.							MIDDLE TIME.						
5 HOURS.							5 HOURS.						
M	0'	10'	20'	30'	40'	50'	M	0'	10'	20'	30'	40'	50'
0	0.01506	01497	01489	01480	01472	01464	0	5.28597	28606	28614	28623	28631	28639
10	0.01455	01447	01439	01430	01422	01414	1	5.28648	28656	28664	28673	28681	28689
20	0.01406	01398	01390	01381	01373	01365	2	5.28697	28705	28713	28722	28730	28738
30	0.01357	01349	01341	01333	01325	01317	3	5.28746	28754	28762	28770	28778	28786
40	0.01310	01302	01294	01286	01278	01271	4	5.28793	28801	28809	28817	28825	28832
50	0.01263	01255	01247	01240	01232	01224	5	5.28840	28848	28856	28863	28871	28879
60	0.01217	01209	01202	01194	01187	01179	6	5.28886	28894	28901	28909	28916	28924
70	0.01172	01164	01157	01150	01142	01135	7	5.28931	28939	28946	28953	28961	28968
80	0.01129	01120	01113	01106	01099	01091	8	5.28975	28983	28990	28997	29004	29012
90	0.01084	01077	01070	01063	01056	01049	9	5.29019	29026	29033	29040	29047	29054
100	0.01042	01035	01028	01021	01014	01007	10	5.29061	29068	29075	29082	29089	29096
110	0.01000	00993	00987	00980	00973	00966	11	5.29103	29110	29116	29123	29130	29137
120	0.00959	00953	00946	00940	00933	00926	12	5.29143	29150	29157	29163	29170	29177
130	0.00920	00913	00907	00900	00894	00887	13	5.29183	29190	29196	29203	29209	29216
140	0.00881	00874	00868	00862	00855	00849	14	5.29222	29229	29235	29241	29248	29254
150	0.00843	00836	00830	00824	00818	00811	15	5.29260	29267	29273	29279	29285	29292
160	0.00805	00799	00793	00787	00781	00775	16	5.29298	29304	29310	29316	29322	29328
170	0.00769	00763	00757	00751	00745	00739	17	5.29334	29340	29346	29352	29358	29364
180	0.00733	00728	00722	00716	00710	00704	18	5.29370	29375	29381	29387	29393	29399
190	0.00699	00693	00687	00682	00676	00670	19	5.29404	29410	29416	29421	29427	29433
200	0.00665	00659	00654	00648	00643	00637	20	5.29438	29444	29449	29455	29460	29466
210	0.00632	00626	00621	00616	00610	00605	21	5.29471	29477	29482	29487	29493	29498
220	0.00600	00594	00589	00584	00579	00574	22	5.29503	29509	29514	29519	29524	29529
230	0.00568	00563	00558	00553	00548	00543	23	5.29535	29540	29545	29550	29555	29560
240	0.00538	00533	00528	00523	00518	00513	24	5.29565	29570	29575	29580	29585	29590
250	0.00508	00504	00499	00494	00489	00484	25	5.29595	29599	29604	29609	29614	29619
260	0.00480	00475	00470	00466	00461	00456	26	5.29623	29628	29633	29637	29642	29647
270	0.00452	00447	00443	00438	00434	00429	27	5.29651	29656	29660	29665	29669	29674
280	0.00425	00420	00416	00412	00407	00403	28	5.29678	29683	29687	29691	29696	29700
290	0.00399	00394	00390	00386	00382	00377	29	5.29704	29709	29713	29717	29721	29725
300	0.00373	00369	00365	00361	00357	00353	30	5.29730	29734	29738	29742	29746	29750
310	0.00349	00345	00341	00337	00333	00329	31	5.29754	29758	29762	29766	29770	29774
320	0.00325	00321	00317	00313	00310	00306	32	5.29778	29782	29786	29790	29793	29797
330	0.00302	00298	00295	00291	00287	00284	33	5.29801	29805	29808	29812	29816	29819
340	0.00280	00276	00273	00269	00266	00262	34	5.29823	29827	29830	29834	29837	29841
350	0.00259	00255	00252	00249	00245	00242	35	5.29844	29848	29851	29854	29858	29861
360	0.00239	00235	00232	00229	00226	00222	36	5.29864	29868	29871	29874	29878	29881
370	0.00219	00216	00213	00210	00207	00203	37	5.29884	29887	29890	29893	29896	29900
380	0.00200	00197	00194	00191	00188	00185	38	5.29903	29906	29909	29912	29915	29918
390	0.00183	00180	00177	00174	00171	00168	39	5.29920	29923	29926	29929	29932	29935
400	0.00166	00163	00160	00157	00155	00152	40	5.29937	29940	29943	29946	29948	29951
410	0.00149	00147	00144	00142	00139	00137	41	5.29954	29956	29959	29961	29964	29966
420	0.00134	00132	00129	00127	00124	00122	42	5.29969	29971	29974	29976	29979	29981
430	0.00120	00117	00115	00113	00110	00108	43	5.29983	29986	29988	29990	29993	29995
440	0.00106	00104	00102	00099	00097	00095	44	5.29997	29999	30001	30004	30006	30008
450	0.00093	00091	00089	00087	00085	00083	45	5.30010	30012	30014	30016	30018	30020
460	0.00081	00079	00077	00075	00074	00072	46	5.30022	30024	30026	30028	30029	30031
470	0.00070	00068	00066	00065	00063	00061	47	5.30033	30035	30037	30038	30040	30042
480	0.00060	00058	00056	00055	00053	00052	48	5.30043	30045	30047	30048	30050	30051
490	0.00050	00049	00047	00046	00044	00043	49	5.30053	30054	30056	30057	30059	30060
500	0.00041	00040	00039	00037	00036	00035	50	5.30062	30063	30064	30066	30067	30068
510	0.00033	00032	00031	00030	00029	00028	51	5.30070	30071	30072	30073	30074	30075
520	0.00026	00025	00024	00023	00022	00021	52	5.30077	30078	30079	30080	30081	30082
530	0.00020	00019	00018	00017	00017	00016	53	5.30083	30084	30085	30086	30086	30087
540	0.00015	00014	00013	00013	00012	00011	54	5.30088	30089	30090	30090	30091	30092
550	0.00010	00010	00009	00008	00008	00007	55	5.30093	30093	30094	30095	30095	30096
560	0.00007	00006	00006	00005	00005	00004	56	5.30096	30097	30097	30098	30098	30099
570	0.00004	00003	00003	00003	00002	00002	57	5.30099	30100	30100	30100	30101	30101
580	0.00002	00001	00001	00001	00001	00001	58	5.30101	30102	30102	30102	30102	30102
590	0.00000	00000	00000	00000	00000	00000	59	5.30103	30103	30103	30103	30103	30103

TABLE XXIII.

153

To find the Latitude by two Altitudes of the Sun.

LOG. RISING OR VERSED SINE.

0 HOUR.

1 HOUR.

M	0'	10'	20'	30'	40'	50'	M	0'	10'	20'	30'	40'	50'
0	Inf. Neg.						0	3.53243	53482	53721	53959	54197	54434
1	9.97860	42230	02436	37654	62642	92024	1	3.54670	54905	55140	55375	55608	55841
2	0.58066	65019	71455	77448	83054	88319	2	3.56074	56306	56537	56767	56997	57226
3	0.93284	97980					3	3.57455	57683	57910	58137	58363	58589
4	1.18271	21817	25224	28502	31660	34708	4	3.58814	59038	59262	59486	59708	59930
5	1.37653	40301	43258	45931	48524	51041	5	3.60152	60373	60593	60813	61032	61251
6	1.53488	55368	58184	60440	62639	64784	6	3.61469	61686	61903	62120	62336	62551
7	1.66777	68920	70917	72869	74778	76646	7	3.62766	62980	63194	63407	63620	63832
8	1.78474	80265	82019	83739	85426	87080	8	3.64043	64254	64465	64675	64885	65094
9	1.88703	90297	91862	93399	94909	96394	9	3.65302	65510	65717	65924	66131	66337
10	1.97854	99289					10	3.66542	66747	66952	67156	67359	67562
11	2.06131	07437	08723	09991	11240	12472	11	3.67765	67967	68168	68369	68570	68770
12	2.13687	14855	16066	17232	18382	19517	12	3.68969	69169	69367	69566	69763	69961
13	2.20638	21744	22936	23915	24980	26033	13	3.70158	70354	70550	70745	70940	71135
14	2.27073	28100	29116	30120	31112	32093	14	3.71329	71523	71716	71909	72101	72293
15	2.33063	34023	34972	35910	36839	37758	15	3.72485	72676	72867	73057	73247	73436
16	2.38667	39567	40457	41339	42211	43075	16	3.73625	73813	74001	74189	74376	74563
17	2.43930	44777	45616	46447	47270	48085	17	3.74750	74936	75121	75307	75491	75676
18	2.48993	49693	50488	51271	52050	52821	18	3.75860	76043	76227	76409	76592	76774
19	2.53896	54544	55266	55981	56680	57373	19	3.76955	77137	77318	77498	77678	77858
20	2.58639	59299	59947	60588	61221	61846	20	3.78037	78216	78395	78573	78750	78928
21	2.63274	62960	63641	64316	64987	65652	21	3.79105	79282	79458	79634	79809	79985
22	2.66812	66967	67671	68362	69043	69718	22	3.80159	80334	80508	80682	80855	81028
23	2.70170	70796	71418	72036	72649	73258	23	3.81201	81373	81545	81717	81888	82059
24	2.73363	74464	75080	75682	76281	76875	24	3.82230	82400	82570	82739	82908	83077
25	2.77405	77992	78555	79114	79669	80221	25	3.83246	83414	83582	83749	83917	84083
26	2.80809	81363	81914	82461	83005	83546	26	3.84250	84416	84582	84748	84913	85078
27	2.84083	84617	85143	85675	86199	86720	27	3.85242	85406	85570	85734	85897	86060
28	2.87238	87753	88268	88773	89279	89782	28	3.86223	86385	86547	86709	86870	87031
29	2.90282	90779	91273	91763	92254	92739	29	3.87192	87352	87513	87673	87832	87991
30	2.93223	93703	94181	94656	95129	95599	30	3.88150	88309	88467	88625	88783	88940
31	2.96067	96532	96994	97454	97912	98367	31	3.89097	89254	89411	89567	89723	89879
32	2.98820	99270	99719				32	3.90034	90189	90344	90498	90652	90807
33	3.01488	01925	02360	02792	03222	03651	33	3.90960	91114	91267	91420	91572	91724
34	3.04077	04501	04922	05342	05760	06176	34	3.91876	92028	92179	92331	92482	92632
35	3.06560	07001	07411	07819	08225	08629	35	3.92782	92933	93082	93232	93381	93530
36	3.09032	09432	09833	10227	10622	11015	36	3.93679	93837	93975	94123	94271	94418
37	3.11406	11796	12184	12570	12954	13337	37	3.94566	94712	94859	95005	95152	95297
38	3.13718	14097	14475	14850	15225	15597	38	3.95443	95588	95733	95878	96023	96167
39	3.15969	16338	16706	17072	17437	17800	39	3.96311	96455	96599	96742	96885	97028
40	3.18162	18522	18881	19238	19594	19949	40	3.97170	97313	97456	97597	97738	97880
41	3.20301	20653	21003	21351	21699	22044	41	3.98021	98162	98302	98443	98583	98723
42	3.22389	22732	23073	23414	23753	24090	42	3.98862	99002	99141	99280	99419	99557
43	3.24427	24762	25095	25428	25759	26089	43	3.99696	99834	99972			
44	3.26418	26745	27071	27396	27720	28042	44	4.00521	00657	00794	00930	01066	01202
45	3.28363	28683	29002	29320	29637	29952	45	4.01337	01473	01609	01743	01877	02012
46	3.30266	30579	30891	31202	31512	31820	46	4.02146	02280	02414	02547	02681	02814
47	3.32128	32434	32739	33044	33347	33649	47	4.02947	03080	03212	03344	03477	03609
48	3.33950	34250	34549	34847	35144	35439	48	4.03740	03871	04003	04134	04265	04395
49	3.35734	36028	36321	36613	36903	37193	49	4.04526	04656	04786	04916	05045	05175
50	3.37482	37770	38057	38343	38628	38912	50	4.05304	05433	05561	05690	05818	05946
51	3.39195	39477	39759	40039	40319	40597	51	4.06074	06202	06330	06457	06584	06711
52	3.40875	41152	41427	41702	41976	42250	52	4.06838	06965	07091	07217	07343	07469
53	3.42522	42794	43064	43334	43603	43871	53	4.07595	07720	07845	07970	08095	08220
54	3.44138	44405	44670	44935	45199	45462	54	4.08344	08488	08629	08769	08909	09049
55	3.45724	45986	46247	46507	46766	47024	55	4.09087	09210	09333	09456	09578	09701
56	3.47282	47539	47795	48050	48305	48558	56	4.09823	09945	10067	10188	10310	10431
57	3.48811	49064	49315	49566	49816	50066	57	4.10552	10673	10794	10915	11035	11155
58	3.50314	50562	50809	51056	51301	51547	58	4.11275	11395	11515	11634	11754	11873
59	3.51791	52035	52278	52520	52761	53002	59	4.11992	12111	12229	12348	12466	12584

To find the Latitude by two Altitudes of the Sun.

LOG. RISING OR VERSED SINE.

2 HOURS.							3 HOURS.						
M	0'	10'	20'	30'	40'	50'	M	0'	10'	20'	30'	40'	50'
0	1.2762	12820	12936	13055	13172	13289	0	4.46671	46747	46823	46899	46975	47051
1	4.1346	13523	13640	13756	13872	13989	1	4.47127	47203	47278	47354	47430	47505
2	4.14104	14220	14336	14451	14567	14682	2	4.47580	47656	47731	47806	47881	47956
3	4.14797	14911	15026	15140	15255	15369	3	4.48033	48106	48180	48255	48330	48404
4	4.15483	15597	15710	15821	15937	16050	4	4.48479	48553	48627	48701	48776	48850
5	4.16163	16276	16389	16501	16611	16726	5	4.48924	48998	49071	49145	49219	49293
6	4.16838	16950	17062	17173	17283	17396	6	4.49366	49440	49513	49586	49660	49733
7	4.17507	17618	17729	17839	17950	18060	7	4.49806	49979	50052	50125	50198	50270
8	4.18171	18281	18391	18500	18610	18719	8	4.50245	50316	50388	50461	50533	50605
9	4.18829	18938	19047	19156	19265	19373	9	4.50677	50750	50822	50894	50966	51038
10	4.19482	19590	19699	19808	19914	20022	10	4.51109	51181	51253	51324	51395	51467
11	4.20129	20236	20344	20451	20558	20665	11	4.51539	51610	51681	51752	51823	51894
12	4.20771	20877	20984	21091	21197	21303	12	4.51966	52087	52157	52228	52298	52369
13	4.21409	21514	21620	21725	21831	21936	13	4.52390	52461	52531	52601	52671	52742
14	4.22041	22146	22250	22355	22459	22564	14	4.52812	52832	52902	52972	53042	53112
15	4.22669	22772	22876	22980	23083	23187	15	4.53231	53201	53271	53340	53410	53479
16	4.23290	23393	23496	23599	23702	23805	16	4.53648	53718	53787	53856	53925	53994
17	4.23907	24010	24112	24214	24316	24418	17	4.54063	54182	54251	54320	54389	54458
18	4.24520	24622	24723	24825	24926	25027	18	4.54475	54541	54610	54679	54748	54817
19	4.25128	25229	25330	25430	25531	25631	19	4.54885	54935	55004	55073	55142	55211
20	4.25731	25831	25931	26031	26131	26231	20	4.55293	55360	55428	55496	55564	55632
21	4.26330	26429	26529	26628	26727	26826	21	4.55698	55765	55833	55901	55969	56037
22	4.26924	27025	27124	27223	27321	27419	22	4.56101	56168	56236	56304	56372	56440
23	4.27514	27612	27710	27807	27905	28002	23	4.56504	56566	56634	56701	56769	56837
24	4.28099	28197	28294	28391	28487	28584	24	4.56906	56966	57034	57101	57169	57237
25	4.28681	28777	28873	28969	29066	29161	25	4.57296	57362	57429	57496	57563	57630
26	4.29257	29353	29449	29544	29639	29735	26	4.57690	57755	57821	57888	57954	58021
27	4.29830	29925	30020	30115	30209	30304	27	4.58082	58147	58213	58279	58345	58411
28	4.30398	30493	30587	30681	30775	30869	28	4.58471	58536	58601	58667	58732	58797
29	4.30963	31056	31150	31243	31337	31430	29	4.58859	58993	59058	59123	59188	59253
30	4.31523	31616	31709	31801	31894	31987	30	4.59244	59308	59372	59436	59500	59564
31	4.32079	32171	32264	32356	32448	32540	31	4.59627	59691	59755	59818	59882	59945
32	4.32631	32723	32815	32906	32997	33089	32	4.60008	60072	60135	60198	60261	60324
33	4.33180	33271	33363	33453	33543	33634	33	4.60388	60430	60493	60556	60619	60681
34	4.33724	33815	33906	33996	34085	34175	34	4.60765	60872	60935	60998	61061	61123
35	4.34265	34355	34444	34533	34623	34713	35	4.61139	61262	61324	61386	61448	61510
36	4.34802	34891	34980	35069	35158	35247	36	4.61512	61574	61636	61698	61760	61822
37	4.35335	35424	35512	35601	35690	35779	37	4.61883	61945	62006	62068	62129	62191
38	4.35865	35953	36041	36129	36216	36304	38	4.62252	62313	62375	62436	62497	62558
39	4.36391	36478	36565	36653	36740	36827	39	4.62619	62680	62741	62802	62863	62923
40	4.36913	37000	37087	37173	37260	37346	40	4.62984	63043	63104	63165	63226	63287
41	4.37432	37518	37604	37690	37776	37862	41	4.63347	63407	63468	63528	63588	63648
42	4.37948	38033	38119	38204	38289	38374	42	4.63703	63768	63828	63888	63948	64008
43	4.38460	38545	38629	38714	38799	38884	43	4.64068	64127	64187	64246	64306	64365
44	4.38968	39052	39137	39221	39305	39389	44	4.64423	64484	64544	64603	64662	64721
45	4.39473	39557	39641	39725	39808	39892	45	4.64780	64839	64898	64957	65016	65075
46	4.39975	40058	40142	40225	40308	40391	46	4.65134	65193	65251	65310	65369	65427
47	4.40474	40556	40639	40722	40804	40887	47	4.65486	65544	65603	65661	65719	65777
48	4.40969	41051	41133	41215	41297	41379	48	4.65836	65894	65952	66010	66068	66125
49	4.41461	41543	41624	41706	41787	41868	49	4.66184	66242	66299	66357	66415	66472
50	4.41950	42031	42112	42193	42274	42355	50	4.66530	66588	66645	66702	66760	66817
51	4.42435	42516	42597	42677	42758	42838	51	4.66875	66932	66989	67046	67103	67160
52	4.42918	42998	43078	43158	43238	43318	52	4.67217	67274	67331	67388	67445	67502
53	4.43398	43477	43557	43636	43716	43795	53	4.67558	67615	67672	67728	67785	67841
54	4.43874	43953	44032	44111	44190	44269	54	4.67897	67954	68010	68066	68123	68179
55	4.44348	44426	44505	44583	44662	44740	55	4.68235	68291	68347	68403	68459	68515
56	4.44818	44896	44974	45052	45130	45208	56	4.68571	68627	68682	68738	68794	68849
57	4.45286	45363	45441	45518	45596	45673	57	4.68905	68960	69016	69071	69127	69182
58	4.45750	45827	45905	45982	46058	46135	58	4.69237	69292	69348	69403	69458	69513
59	4.46212	46289	46366	46442	46518	46595	59	4.69568	69622	69678	69733	69788	69842

TABLE XXIII.

155

To find the Latitude by two Altitudes of the Sun.

## LOG. RISING OR VERSED SINE.

4 HOURS.						5 HOURS.							
H	0''	10''	20''	30''	40''	50''	M	0''	10''	20''	30''	40''	50''
0	4.69897	69952	70006	70061	70115	70170	0	4.86992	87034	87075	87116	87157	87198
1	4.70224	70279	70333	70387	70442	70496	1	4.87239	87280	87321	87362	87402	87443
2	4.70550	70604	70658	70712	70766	70820	2	4.87484	87525	87566	87606	87647	87688
3	4.70874	70923	70982	71036	71089	71143	3	4.87728	87769	87809	87850	87890	87931
4	4.71197	71250	71304	71357	71411	71464	4	4.87971	88012	88052	88093	88133	88173
5	4.71513	71571	71624	71678	71731	71784	5	4.88213	88254	88294	88334	88374	88414
6	4.71837	71890	71943	71996	72049	72102	6	4.88454	88494	88534	88574	88614	88654
7	4.72155	72208	72260	72313	72366	72418	7	4.88694	88734	88774	88814	88853	88893
8	4.72471	72523	72576	72628	72681	72733	8	4.88933	88973	89012	89052	89091	89131
9	4.72785	72838	72890	72942	72994	73046	9	4.89171	89210	89250	89289	89328	89368
10	4.73099	73151	73203	73254	73306	73358	10	4.89407	89447	89486	89525	89564	89604
11	4.73410	73462	73514	73565	73617	73668	11	4.89643	89682	89721	89760	89799	89838
12	4.73720	73772	73823	73874	73926	73977	12	4.89877	89916	89955	89994	90033	90072
13	4.74028	74080	74131	74182	74233	74284	13	4.90111	90150	90188	90227	90266	90305
14	4.74335	74386	74437	74488	74539	74590	14	4.90343	90382	90421	90459	90498	90536
15	4.74641	74692	74742	74793	74844	74894	15	4.90575	90613	90652	90690	90728	90767
16	4.74945	74995	75046	75096	75147	75197	16	4.90805	90843	90882	90920	90958	90996
17	4.75247	75298	75348	75398	75448	75498	17	4.91034	91073	91111	91149	91187	91225
18	4.75549	75599	75649	75699	75748	75798	18	4.91263	91301	91339	91377	91414	91452
19	4.75848	75898	75948	75997	76047	76097	19	4.91490	91528	91566	91603	91641	91679
20	4.76146	76196	76245	76295	76344	76394	20	4.91716	91754	91792	91829	91867	91904
21	4.76443	76492	76542	76591	76640	76689	21	4.91942	91979	92017	92054	92092	92129
22	4.76738	76787	76836	76885	76934	76983	22	4.92166	92203	92241	92278	92315	92352
23	4.77032	77081	77130	77179	77227	77276	23	4.92390	92427	92464	92501	92538	92575
24	4.77325	77373	77422	77470	77519	77567	24	4.92612	92649	92686	92723	92760	92796
25	4.77616	77664	77713	77761	77809	77857	25	4.92833	92870	92907	92944	92980	93017
26	4.77906	77954	78002	78050	78098	78146	26	4.93054	93090	93127	93164	93200	93237
27	4.78194	78242	78290	78338	78385	78433	27	4.93273	93310	93346	93382	93419	93455
28	4.78481	78529	78576	78624	78671	78719	28	4.93492	93528	93564	93600	93637	93673
29	4.78767	78814	78861	78909	78956	79004	29	4.93709	93745	93781	93817	93854	93890
30	4.79051	79098	79145	79192	79240	79287	30	4.93926	93982	93998	94034	94069	94105
31	4.79334	79381	79428	79475	79522	79568	31	4.94141	94177	94213	94249	94284	94320
32	4.79615	79662	79709	79756	79802	79849	32	4.94356	94392	94427	94463	94498	94534
33	4.79896	79942	79989	80035	80082	80128	33	4.94570	94605	94641	94676	94712	94747
34	4.80175	80221	80267	80314	80360	80406	34	4.94782	94818	94853	94888	94924	94959
35	4.80452	80498	80545	80591	80637	80683	35	4.94994	95029	95065	95100	95135	95170
36	4.80729	80775	80820	80866	80912	80958	36	4.95205	95240	95275	95310	95345	95380
37	4.81004	81049	81095	81141	81186	81232	37	4.95415	95450	95485	95520	95555	95590
38	4.81277	81323	81368	81414	81459	81505	38	4.95624	95689	95724	95758	95793	95828
39	4.81550	81595	81641	81686	81731	81776	39	4.95832	95867	95902	95936	95971	96005
40	4.81821	81866	81911	81956	82001	82046	40	4.96040	96074	96109	96143	96177	96212
41	4.82091	82136	82181	82226	82271	82315	41	4.96246	96280	96315	96349	96383	96417
42	4.82360	82405	82449	82494	82538	82583	42	4.96451	96486	96520	96554	96588	96622
43	4.82628	82672	82716	82761	82805	82850	43	4.96656	96690	96724	96758	96792	96826
44	4.82894	82935	82979	83023	83067	83111	44	4.96860	96894	96927	96961	96995	97029
45	4.83159	83203	83247	83291	83335	83379	45	4.97062	97096	97130	97163	97197	97231
46	4.83423	83467	83510	83554	83598	83642	46	4.97264	97298	97331	97365	97398	97432
47	4.83685	83729	83773	83816	83860	83903	47	4.97465	97499	97532	97565	97599	97632
48	4.83947	83990	84034	84077	84120	84164	48	4.97665	97699	97732	97765	97798	97832
49	4.84207	84250	84293	84337	84380	84423	49	4.97865	97898	97931	97964	97997	98030
50	4.84466	84509	84552	84595	84638	84681	50	4.98063	98096	98129	98162	98195	98228
51	4.84724	84767	84810	84852	84895	84938	51	4.98261	98293	98326	98359	98392	98425
52	4.84981	85023	85066	85108	85151	85194	52	4.98457	98489	98522	98555	98588	98620
53	4.85236	85278	85321	85363	85406	85448	53	4.98653	98686	98718	98751	98783	98816
54	4.85490	85533	85575	85617	85659	85701	54	4.98848	98880	98913	98945	98977	99010
55	4.85744	85786	85828	85870	85912	85954	55	4.99042	99074	99107	99139	99171	99203
56	4.85996	86038	86079	86121	86163	86205	56	4.99235	99267	99300	99332	99364	99396
57	4.86247	86288	86330	86372	86413	86455	57	4.99423	99460	99492	99524	99556	99587
58	4.86496	86539	86579	86621	86662	86704	58	4.99619	99651	99683	99715	99747	99778
59	4.86745	86788	86828	86869	86910	86951	59	4.99810	99842	99873	99905	99937	99968



To find the Latitude by two Altitudes of the Sun.

LOG. RISING OR VERSED SINE.													
6 HOURS.							7 HOURS.						
M	0'	10'	20'	30'	40'	50'	M	0'	10'	20'	30'	40'	50'
0	5.00000	00032	00063	00095	00126	00158	0	5.09996	10021	10045	10069	10093	10117
1	5.00189	00221	00252	00283	00315	00346	1	5.10141	10166	10190	10214	10238	10262
2	5.00377	00409	00440	00471	00502	00534	2	5.10286	10310	10334	10358	10382	10406
3	5.00565	00596	00627	00658	00689	00720	3	5.10430	10454	10477	10501	10525	10549
4	5.00751	00782	00813	00844	00875	00906	4	5.10573	10597	10620	10644	10668	10691
5	5.00937	00968	00999	01030	01061	01091	5	5.10715	10739	10763	10786	10810	10833
6	5.01122	01153	01184	01214	01245	01276	6	5.10857	10881	10904	10928	10951	10975
7	5.01306	01337	01368	01398	01429	01459	7	5.10998	11022	11045	11069	11092	11115
8	5.01490	01520	01551	01581	01612	01642	8	5.11139	11162	11185	11209	11232	11255
9	5.01672	01703	01733	01763	01794	01824	9	5.11279	11302	11325	11348	11372	11395
10	5.01854	01884	01915	01945	01975	02005	10	5.11418	11441	11464	11487	11510	11533
11	5.02035	02065	02095	02125	02155	02185	11	5.11557	11580	11603	11626	11649	11672
12	5.02215	02245	02275	02305	02335	02365	12	5.11695	11717	11740	11763	11786	11809
13	5.02395	02425	02455	02484	02514	02544	13	5.11832	11855	11878	11900	11923	11946
14	5.02574	02603	02633	02663	02692	02722	14	5.11969	11991	12014	12037	12059	12082
15	5.02751	02781	02811	02840	02870	02899	15	5.12105	12127	12150	12173	12195	12218
16	5.02928	02958	02987	03017	03046	03075	16	5.12240	12263	12285	12308	12330	12353
17	5.03105	03134	03163	03193	03222	03251	17	5.12375	12397	12420	12442	12465	12487
18	5.03280	03310	03339	03368	03397	03426	18	5.12509	12532	12554	12576	12598	12621
19	5.03455	03484	03513	03542	03571	03600	19	5.12643	12665	12687	12709	12732	12754
20	5.03629	03658	03687	03716	03745	03774	20	5.12776	12798	12820	12842	12864	12886
21	5.03802	03831	03860	03889	03918	03946	21	5.12908	12930	12952	12974	12996	13018
22	5.03975	04004	04032	04061	04090	04118	22	5.13040	13062	13084	13106	13128	13149
23	5.04147	04175	04204	04232	04261	04289	23	5.13171	13193	13215	13237	13258	13280
24	5.04318	04346	04375	04403	04431	04460	24	5.13302	13323	13345	13367	13388	13410
25	5.04488	04516	04545	04573	04601	04629	25	5.13432	13453	13475	13496	13518	13539
26	5.04657	04686	04714	04742	04770	04798	26	5.13561	13582	13604	13625	13647	13668
27	5.04826	04854	04882	04910	04938	04966	27	5.13690	13711	13732	13754	13775	13797
28	5.04994	05022	05050	05078	05106	05134	28	5.13818	13839	13860	13882	13903	13924
29	5.05162	05189	05217	05245	05273	05300	29	5.13945	13967	13988	14009	14030	14051
30	5.05328	05356	05383	05411	05439	05466	30	5.14072	14093	14114	14136	14157	14178
31	5.05494	05521	05549	05577	05604	05632	31	5.14199	14220	14241	14262	14283	14304
32	5.05659	05686	05714	05741	05769	05796	32	5.14324	14345	14366	14387	14408	14429
33	5.05823	05851	05878	05905	05933	05960	33	5.14449	14470	14491	14512	14533	14553
34	5.05987	06014	06041	06069	06096	06123	34	5.14574	14595	14615	14636	14657	14677
35	5.06150	06177	06204	06231	06258	06285	35	5.14698	14719	14739	14760	14780	14801
36	5.06312	06339	06366	06393	06420	06447	36	5.14821	14842	14862	14883	14903	14924
37	5.06474	06500	06527	06554	06581	06608	37	5.14944	14964	14985	15005	15026	15046
38	5.06634	06661	06688	06714	06741	06768	38	5.15066	15087	15107	15127	15147	15168
39	5.06794	06821	06848	06874	06901	06927	39	5.15188	15208	15228	15248	15269	15289
40	5.06954	06980	07007	07033	07060	07086	40	5.15309	15329	15349	15369	15389	15409
41	5.07112	07139	07165	07192	07218	07244	41	5.15429	15449	15469	15489	15509	15529
42	5.07270	07297	07323	07349	07375	07401	42	5.15549	15569	15589	15609	15629	15649
43	5.07428	07454	07480	07506	07532	07558	43	5.15668	15688	15708	15728	15748	15767
44	5.07584	07610	07636	07662	07688	07714	44	5.15787	15807	15827	15846	15866	15886
45	5.07740	07766	07792	07818	07844	07869	45	5.15905	15925	15944	15964	15984	16003
46	5.07895	07921	07947	07973	07998	08024	46	5.16023	16042	16062	16081	16101	16120
47	5.08050	08075	08101	08127	08152	08178	47	5.16140	16159	16179	16198	16217	16237
48	5.08204	08229	08255	08280	08306	08331	48	5.16256	16276	16295	16314	16333	16353
49	5.08357	08382	08408	08433	08458	08484	49	5.16372	16391	16410	16430	16449	16468
50	5.08509	08534	08560	08585	08610	08636	50	5.16487	16506	16526	16545	16564	16583
51	5.08661	08686	08711	08736	08762	08787	51	5.16602	16621	16640	16659	16678	16697
52	5.08812	08837	08862	08887	08912	08937	52	5.16716	16735	16754	16773	16792	16811
53	5.08962	08987	09012	09037	09062	09087	53	5.16830	16849	16867	16886	16905	16924
54	5.09112	09137	09162	09187	09211	09236	54	5.16943	16961	16980	16999	17018	17036
55	5.09261	09286	09311	09335	09360	09385	55	5.17055	17074	17093	17111	17130	17148
56	5.09409	09434	09459	09483	09508	09533	56	5.17167	17186	17204	17223	17241	17260
57	5.09557	09582	09606	09631	09655	09680	57	5.17278	17297	17315	17334	17352	17371
58	5.09704	09729	09753	09777	09802	09826	58	5.17389	17408	17426	17444	17463	17481
59	5.09851	09875	09899	09924	09948	09972	59	5.17499	17518	17536	17554	17573	17591

TABLE XXIII.

157

To find the Latitude by two Altitudes of the Sun.

## LOG. RISING OR VERSED SINE.

8 HOURS.							9 HOURS.						
M	0'	10'	20'	30'	40'	50'	M	0'	10'	20'	30'	40'	50'
0	5.17609	17627	17646	17664	17682	17700	0	5.23226	23239	23252	23265	23278	23291
1	5.17718	17736	17755	17773	17791	17809	1	5.23304	23317	23330	23343	23356	23369
2	5.17827	17845	17863	17881	17899	17917	2	5.23382	23395	23408	23421	23434	23447
3	5.17935	17953	17971	17989	18007	18024	3	5.23459	23472	23485	23498	23511	23523
4	5.18042	18060	18078	18096	18114	18132	4	5.23536	23549	23562	23575	23587	23600
5	5.18149	18167	18185	18203	18220	18238	5	5.23612	23625	23638	23650	23663	23676
6	5.18256	18273	18291	18309	18326	18344	6	5.23688	23701	23714	23726	23739	23751
7	5.18362	18379	18397	18414	18432	18449	7	5.23764	23776	23789	23801	23814	23826
8	5.18467	18484	18502	18519	18537	18554	8	5.23839	23851	23863	23876	23888	23901
9	5.18572	18589	18606	18624	18641	18659	9	5.23913	23925	23938	23950	23962	23975
10	5.18676	18693	18710	18728	18745	18762	10	5.23987	23999	24011	24024	24036	24048
11	5.18780	18797	18814	18831	18848	18866	11	5.24060	24073	24085	24097	24109	24121
12	5.18883	18900	18917	18934	18951	18968	12	5.24133	24145	24158	24170	24182	24194
13	5.18985	19002	19019	19036	19053	19070	13	5.24206	24218	24230	24242	24254	24266
14	5.19087	19104	19121	19138	19155	19172	14	5.24278	24290	24302	24314	24326	24338
15	5.19189	19206	19223	19240	19256	19273	15	5.24349	24361	24373	24385	24397	24409
16	5.19290	19307	19324	19340	19357	19374	16	5.24421	24433	24444	24456	24468	24479
17	5.19390	19407	19424	19441	19457	19474	17	5.24491	24503	24515	24526	24538	24550
18	5.19490	19507	19524	19540	19557	19573	18	5.24561	24573	24585	24596	24608	24619
19	5.19590	19606	19623	19639	19656	19672	19	5.24631	24643	24654	24666	24677	24689
20	5.19689	19705	19722	19738	19754	19771	20	5.24700	24712	24723	24735	24746	24757
21	5.19787	19804	19820	19836	19852	19869	21	5.24769	24780	24792	24803	24814	24826
22	5.19885	19901	19918	19934	19950	19966	22	5.24837	24849	24860	24871	24882	24894
23	5.19982	19999	20015	20031	20047	20063	23	5.24905	24916	24927	24938	24950	24961
24	5.20079	20095	20111	20127	20143	20159	24	5.24972	24983	24995	25006	25017	25028
25	5.20175	20191	20207	20223	20239	20255	25	5.25039	25050	25061	25072	25083	25095
26	5.20271	20287	20303	20319	20335	20351	26	5.25106	25117	25128	25139	25150	25161
27	5.20366	20382	20398	20414	20430	20445	27	5.25172	25182	25193	25204	25215	25226
28	5.20461	20477	20493	20508	20524	20540	28	5.25237	25248	25259	25270	25280	25291
29	5.20555	20571	20587	20602	20618	20634	29	5.25302	25313	25324	25334	25345	25356
30	5.20649	20665	20680	20696	20711	20727	30	5.25367	25377	25388	25399	25409	25420
31	5.20742	20758	20773	20789	20804	20820	31	5.25431	25441	25452	25463	25473	25484
32	5.20835	20850	20866	20881	20897	20912	32	5.25494	25505	25515	25526	25536	25547
33	5.20927	20943	20958	20973	20988	21004	33	5.25557	25568	25578	25589	25599	25610
34	5.21019	21034	21049	21065	21080	21095	34	5.25620	25631	25641	25651	25661	25672
35	5.21110	21125	21140	21155	21170	21186	35	5.25682	25693	25703	25713	25724	25734
36	5.21201	21216	21231	21246	21261	21276	36	5.25744	25755	25765	25775	25785	25795
37	5.21291	21306	21321	21336	21351	21366	37	5.25806	25816	25826	25836	25846	25856
38	5.21380	21395	21410	21425	21440	21455	38	5.25868	25877	25887	25897	25907	25917
39	5.21470	21484	21499	21514	21529	21543	39	5.25927	25937	25947	25957	25967	25977
40	5.21558	21573	21588	21602	21617	21632	40	5.25987	25997	26007	26017	26027	26037
41	5.21646	21661	21676	21690	21705	21719	41	5.26046	26056	26066	26076	26086	26096
42	5.21734	21748	21763	21777	21792	21806	42	5.26105	26115	26125	26135	26145	26154
43	5.21821	21835	21850	21864	21879	21893	43	5.26164	26174	26184	26193	26203	26213
44	5.21908	21922	21936	21951	21965	21979	44	5.26222	26232	26242	26251	26261	26270
45	5.21994	22008	22022	22037	22051	22065	45	5.26280	26290	26299	26309	26318	26328
46	5.22079	22094	22108	22122	22136	22150	46	5.26337	26347	26356	26366	26375	26385
47	5.22164	22179	22193	22207	22221	22235	47	5.26394	26403	26413	26422	26432	26441
48	5.22249	22263	22277	22291	22305	22319	48	5.26450	26460	26469	26478	26488	26497
49	5.22333	22347	22361	22375	22389	22403	49	5.26506	26516	26525	26534	26543	26553
50	5.22417	22431	22445	22458	22472	22486	50	5.26562	26571	26580	26589	26598	26608
51	5.22500	22514	22528	22541	22555	22569	51	5.26617	26626	26635	26644	26653	26662
52	5.22583	22596	22610	22624	22637	22651	52	5.26671	26680	26689	26698	26707	26716
53	5.22665	22678	22692	22706	22719	22733	53	5.26725	26734	26743	26752	26761	26770
54	5.22746	22760	22773	22787	22801	22814	54	5.26779	26788	26797	26806	26815	26823
55	5.22828	22841	22854	22868	22881	22895	55	5.26832	26841	26850	26859	26868	26876
56	5.22908	22922	22935	22948	22962	22975	56	5.26885	26894	26903	26911	26920	26929
57	5.22988	22999	23012	23025	23038	23051	57	5.26937	26946	26955	26963	26972	26981
58	5.23068	23081	23095	23108	23121	23134	58	5.26989	26998	27007	27015	27024	27032
59	5.23147	23160	23174	23187	23200	23213	59	5.27041	27049	27058	27066	27075	27083

To find the Latitude by two Altitudes of the Sun.

LOG. RISING OR VERSED SINE.

10 HOURS.							11 HOURS.						
M	0'	10'	20'	30'	40'	50'	M	0'	10'	20'	30'	40'	50'
0	5.2742	27100	27109	27117	27126	27134	0	5.29357	29361	29365	29369	29373	29377
1	5.27142	27151	27159	27167	27176	27184	1	5.29381	29386	29390	29394	29398	29402
2	5.27192	27201	27209	27217	27226	27234	2	5.29406	29410	29414	29418	29422	29426
3	5.27192	27250	27259	27267	27275	27283	3	5.29430	29434	29438	29441	29445	29449
4	5.27291	27299	27308	27316	27324	27332	4	5.29453	29457	29461	29465	29469	29472
5	5.27443	27348	27356	27364	27372	27380	5	5.29476	29480	29484	29488	29491	29495
6	5.27539	27396	27404	27412	27420	27428	6	5.29499	29503	29506	29510	29514	29517
7	5.27536	27444	27452	27460	27468	27476	7	5.29521	29525	29528	29532	29536	29539
8	5.27484	27492	27500	27507	27515	27523	8	5.29543	29547	29550	29554	29557	29561
9	5.27531	27539	27546	27554	27562	27570	9	5.29564	29568	29571	29575	29578	29582
10	5.27577	27585	27593	27601	27608	27616	10	5.29585	29589	29592	29596	29599	29602
11	5.27524	27631	27639	27647	27654	27662	11	5.29606	29609	29612	29616	29619	29623
12	5.27669	27677	27684	27692	27700	27707	12	5.29626	29629	29632	29636	29639	29642
13	5.27714	27722	27730	27737	27745	27752	13	5.29646	29649	29652	29655	29658	29662
14	5.27759	27767	27774	27782	27789	27796	14	5.29665	29668	29671	29674	29677	29681
15	5.27804	27811	27819	27826	27833	27840	15	5.29684	29687	29690	29693	29696	29699
16	5.2746	27855	27862	27870	27877	27884	16	5.29702	29705	29708	29711	29714	29717
17	5.27891	27909	27916	27923	27929	27937	17	5.29720	29723	29726	29729	29732	29735
18	5.27934	27942	27949	27956	27963	27970	18	5.29738	29741	29744	29747	29749	29752
19	5.27977	27984	27991	27998	28005	28012	19	5.29755	29758	29761	29764	29766	29769
20	5.28019	28026	28033	28040	28047	28054	20	5.29772	29775	29777	29780	29783	29786
21	5.28061	28068	28075	28082	28089	28096	21	5.29788	29791	29794	29796	29799	29802
22	5.28102	28109	28116	28123	28130	28137	22	5.29804	29807	29809	29812	29815	29817
23	5.28143	28150	28157	28164	28170	28177	23	5.29820	29823	29825	29827	29830	29832
24	5.28184	28191	28197	28204	28211	28217	24	5.29835	29837	29840	29842	29845	29847
25	5.28224	28231	28237	28244	28250	28257	25	5.29850	29852	29854	29857	29859	29861
26	5.28264	28270	28277	28283	28290	28296	26	5.29864	29866	29868	29871	29873	29875
27	5.28303	28309	28316	28322	28329	28335	27	5.29878	29880	29882	29884	29887	29889
28	5.28343	28348	28354	28361	28367	28374	28	5.29891	29893	29896	29898	29900	29902
29	5.28383	28386	28393	28399	28405	28411	29	5.29904	29906	29908	29911	29913	29915
30	5.28418	28424	28430	28437	28443	28449	30	5.29917	29919	29921	29923	29925	29927
31	5.28453	28461	28468	28474	28480	28486	31	5.29929	29931	29933	29935	29937	29939
32	5.28492	28498	28505	28511	28517	28523	32	5.29941	29943	29945	29947	29948	29950
33	5.28529	28535	28541	28547	28553	28559	33	5.29952	29954	29956	29958	29960	29961
34	5.28569	28571	28577	28583	28589	28595	34	5.29963	29965	29967	29969	29970	29972
35	5.28601	28607	28613	28619	28624	28630	35	5.29974	29975	29977	29979	29981	29982
36	5.28636	28642	28648	28654	28660	28665	36	5.29984	29986	29987	29989	29990	29992
37	5.28671	28677	28683	28689	28694	28700	37	5.29994	29995	29997	29998	30000	30001
38	5.28706	28711	28717	28723	28728	28734	38	5.30003	30004	30006	30007	30009	30010
39	5.28740	28745	28751	28757	28762	28768	39	5.30012	30013	30015	30016	30018	30019
40	5.28773	28779	28784	28790	28795	28801	40	5.30020	30022	30023	30024	30026	30027
41	5.28806	28812	28817	28823	28828	28834	41	5.30028	30030	30031	30032	30034	30035
42	5.28839	28845	28850	28855	28861	28866	42	5.30036	30037	30038	30040	30041	30042
43	5.28872	28877	28882	28888	28893	28898	43	5.30043	30044	30046	30047	30048	30049
44	5.28904	28909	28914	28919	28925	28930	44	5.30050	30051	30052	30053	30054	30055
45	5.28935	28940	28945	28951	28956	28961	45	5.30056	30058	30059	30060	30061	30062
46	5.28966	28971	28976	28981	28987	28992	46	5.30062	30063	30064	30065	30066	30067
47	5.28997	29002	29007	29012	29017	29022	47	5.30068	30069	30070	30071	30072	30072
48	5.29027	29032	29037	29042	29047	29052	48	5.30073	30074	30075	30076	30076	30077
49	5.29057	29062	29067	29072	29076	29081	49	5.30078	30079	30079	30080	30081	30082
50	5.29086	29091	29096	29101	29106	29110	50	5.30082	30083	30084	30084	30085	30086
51	5.29115	29120	29125	29129	29134	29139	51	5.30086	30087	30087	30088	30089	30089
52	5.29144	29149	29153	29158	29162	29167	52	5.30090	30090	30091	30091	30092	30092
53	5.29172	29176	29181	29186	29190	29195	53	5.30093	30093	30094	30094	30095	30095
54	5.29199	29194	29199	29203	29208	29212	54	5.30096	30096	30096	30097	30097	30097
55	5.29227	29231	29236	29240	29245	29249	55	5.30098	30098	30098	30099	30099	30099
56	5.29254	29258	29262	29267	29271	29276	56	5.30100	30100	30100	30100	30101	30101
57	5.29280	29284	29289	29293	29297	29302	57	5.30101	30101	30102	30102	30102	30102
58	5.29306	29310	29315	29319	29323	29327	58	5.30102	30102	30102	30103	30103	30103
59	5.29332	29336	29340	29344	29348	29353	59	5.30103	30103	30103	30103	30103	30103

TABLE XXIV.  
OF NATURAL SINES.

M.	0°		1°		2°		3°		4°		
	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	
0	00000	100000	01743	99985	03490	99939	05234	99865	06976	99756	60
1	00029	100000	01774	99984	03519	99938	05263	99864	07005	99754	59
2	00058	100000	01803	99984	03548	99937	05292	99863	07034	99752	58
3	00087	100000	01832	99983	03577	99936	05321	99862	07063	99750	57
4	00116	100000	01862	99983	03606	99935	05350	99861	07092	99748	56
5	00145	100000	01891	99982	03635	99934	05379	99860	07121	99746	55
6	00175	100000	01920	99982	03664	99933	05408	99859	07150	99744	54
7	00204	100000	01949	99981	03693	99932	05437	99858	07179	99742	53
8	00233	100000	01978	99980	03723	99931	05466	99857	07208	99740	52
9	00262	100000	02007	99980	03752	99930	05495	99856	07237	99738	51
10	00291	100000	02036	99979	03781	99929	05524	99855	07266	99736	50
11	00320	99999	02065	99979	03810	99927	05553	99854	07295	99734	49
12	00349	99999	02094	99978	03839	99926	05582	99853	07324	99731	48
13	00378	99999	02123	99977	03868	99925	05611	99852	07353	99729	47
14	00407	99999	02152	99977	03897	99924	05640	99851	07382	99727	46
15	00436	99999	02181	99976	03926	99923	05669	99850	07411	99725	45
16	00465	99999	02211	99976	03955	99922	05698	99849	07440	99723	44
17	00495	99999	02240	99975	03984	99921	05727	99848	07469	99721	43
18	00524	99999	02269	99974	04013	99919	05756	99847	07498	99719	42
19	00553	99998	02298	99974	04042	99918	05785	99846	07527	99716	41
20	00582	99998	02327	99973	04071	99917	05814	99845	07556	99714	40
21	00611	99997	02356	99972	04100	99916	05843	99844	07585	99712	39
22	00640	99997	02385	99972	04129	99915	05872	99843	07614	99710	38
23	00669	99996	02414	99971	04158	99913	05901	99842	07643	99708	37
24	00698	99996	02443	99970	04187	99912	05930	99841	07672	99705	36
25	00727	99997	02472	99969	04217	99911	05960	99840	07701	99703	35
26	00756	99997	02501	99969	04246	99910	05989	99839	07730	99701	34
27	00785	99997	02530	99968	04275	99909	06018	99838	07759	99699	33
28	00814	99997	02560	99967	04304	99907	06047	99837	07788	99696	32
29	00844	99996	02589	99966	04333	99906	06076	99836	07817	99694	31
30	00873	99996	02618	99966	04362	99905	06105	99835	07846	99692	30
31	00902	99996	02647	99965	04391	99904	06134	99834	07875	99689	29
32	00931	99996	02676	99964	04420	99902	06163	99833	07904	99687	28
33	00960	99995	02705	99963	04449	99901	06192	99832	07933	99685	27
34	00989	99995	02734	99963	04478	99900	06221	99831	07962	99683	26
35	01018	99995	02763	99962	04507	99898	06250	99830	07991	99680	25
36	01047	99995	02792	99961	04536	99897	06279	99829	08020	99678	24
37	01076	99994	02821	99960	04565	99896	06308	99828	08049	99676	23
38	01105	99994	02850	99959	04594	99894	06337	99827	08078	99673	22
39	01134	99994	02879	99959	04623	99893	06366	99826	08107	99671	21
40	01164	99993	02908	99958	04653	99892	06395	99825	08136	99668	20
41	01193	99993	02938	99957	04682	99890	06424	99824	08165	99666	19
42	01222	99993	02967	99956	04711	99889	06453	99823	08194	99664	18
43	01251	99992	02996	99955	04740	99888	06482	99822	08223	99661	17
44	01280	99992	03025	99954	04769	99886	06511	99821	08252	99659	16
45	01309	99991	03054	99953	04798	99885	06540	99820	08281	99657	15
46	01338	99991	03083	99952	04827	99883	06569	99819	08310	99654	14
47	01367	99991	03112	99952	04856	99882	06598	99818	08339	99652	13
48	01396	99990	03141	99951	04885	99881	06627	99817	08368	99649	12
49	01425	99990	03170	99950	04914	99879	06656	99816	08397	99647	11
50	01454	99989	03199	99949	04943	99878	06685	99815	08426	99644	10
51	01483	99989	03228	99948	04972	99876	06714	99814	08455	99642	9
52	01513	99989	03257	99947	05001	99875	06743	99813	08484	99639	8
53	01542	99988	03286	99946	05030	99873	06773	99812	08513	99637	7
54	01571	99988	03316	99945	05059	99872	06802	99811	08542	99635	6
55	01600	99987	03345	99944	05088	99870	06831	99810	08571	99632	5
56	01629	99987	03374	99943	05117	99869	06860	99809	08600	99630	4
57	01658	99986	03403	99942	05146	99867	06889	99808	08629	99627	3
58	01687	99986	03432	99941	05175	99866	06918	99807	08658	99625	2
59	01716	99985	03461	99940	05204	99864	06947	99806	08687	99622	1
60	01745	99985	03490	99939	05234	99863	06976	99805	08716	99619	0
	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	M.
	19°		28°		37°		46°		55°		

TABLE XXIV.  
OF NATURAL SINES.

M.	5°		6°		7°		8°		9°		M.
	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	
0	08716	99619	10453	99452	12187	99253	13917	99027	15643	98769	60
1	08745	99617	10482	99449	12216	99251	13946	99023	15672	98764	59
2	08774	99614	10511	99446	12245	99248	13975	99019	15701	98760	58
3	08803	99612	10540	99443	12274	99244	14004	99015	15730	98755	57
4	08831	99609	10569	99440	12302	99240	14033	99011	15758	98751	56
5	08860	99607	10597	99437	12331	99237	14061	99006	15787	98746	55
6	08889	99604	10626	99434	12360	99233	14090	99002	15816	98741	54
7	08918	99602	10655	99431	12389	99230	14119	98998	15845	98737	53
8	08947	99599	10684	99428	12418	99226	14148	98994	15873	98732	52
9	08976	99596	10713	99424	12447	99222	14177	98990	15902	98728	51
10	09005	99594	10742	99421	12476	99219	14206	98986	15931	98723	50
11	09034	99591	10771	99418	12504	99215	14234	98982	15959	98718	49
12	09063	99588	10800	99415	12533	99211	14263	98978	15988	98714	48
13	09092	99586	10829	99412	12562	99208	14292	98973	16017	98709	47
14	09121	99583	10858	99409	12591	99204	14320	98969	16046	98704	46
15	09150	99580	10887	99406	12620	99200	14349	98965	16074	98700	45
16	09179	99578	10916	99402	12649	99197	14378	98961	16103	98695	44
17	09208	99575	10945	99399	12678	99193	14407	98957	16132	98690	43
18	09237	99572	10973	99396	12706	99189	14436	98953	16160	98686	42
19	09266	99570	11002	99393	12735	99186	14464	98948	16189	98681	41
20	09295	99567	11031	99390	12764	99182	14493	98944	16218	98676	40
21	09324	99564	11060	99386	12793	99178	14522	98940	16246	98671	39
22	09353	99562	11089	99383	12822	99175	14551	98936	16275	98667	38
23	09382	99559	11118	99380	12851	99171	14580	98931	16304	98662	37
24	09411	99556	11147	99377	12880	99167	14608	98927	16333	98657	36
25	09440	99553	11176	99374	12908	99163	14637	98923	16361	98652	35
26	09469	99551	11205	99370	12937	99160	14666	98919	16390	98648	34
27	09498	99548	11234	99367	12966	99156	14695	98914	16419	98643	33
28	09527	99545	11263	99364	12995	99152	14723	98910	16447	98638	32
29	09556	99542	11291	99360	13024	99148	14752	98906	16476	98633	31
30	09585	99540	11320	99357	13053	99144	14781	98902	16505	98629	30
31	09614	99537	11349	99354	13081	99141	14810	98897	16533	98624	29
32	09642	99534	11378	99351	13110	99137	14838	98893	16562	98619	28
33	09671	99531	11407	99347	13139	99133	14867	98889	16591	98614	27
34	09700	99528	11436	99344	13168	99129	14896	98884	16620	98609	26
35	09729	99526	11465	99341	13197	99125	14925	98880	16648	98604	25
36	09758	99523	11494	99337	13226	99122	14954	98876	16677	98600	24
37	09787	99520	11523	99334	13254	99118	14982	98871	16706	98595	23
38	09816	99517	11552	99331	13283	99114	15011	98867	16734	98590	22
39	09845	99514	11580	99327	13312	99110	15040	98863	16763	98585	21
40	09874	99511	11609	99324	13341	99106	15069	98858	16792	98580	20
41	09903	99508	11638	99320	13370	99102	15097	98854	16820	98575	19
42	09932	99506	11667	99317	13399	99098	15126	98849	16849	98570	18
43	09961	99503	11696	99314	13427	99094	15155	98845	16878	98565	17
44	09990	99500	11725	99310	13456	99091	15184	98841	16906	98561	16
45	10019	99497	11754	99307	13485	99087	15212	98836	16935	98556	15
46	10048	99494	11783	99303	13514	99083	15241	98832	16964	98551	14
47	10077	99491	11812	99300	13543	99079	15270	98827	16992	98546	13
48	10106	99488	11840	99297	13572	99075	15299	98823	17021	98541	12
49	10135	99485	11869	99293	13600	99071	15327	98818	17050	98536	11
50	10164	99482	11898	99290	13629	99067	15356	98814	17078	98531	10
51	10192	99479	11927	99286	13658	99063	15385	98809	17107	98526	9
52	10221	99476	11956	99283	13687	99059	15414	98805	17136	98521	8
53	10250	99473	11985	99279	13716	99055	15442	98800	17164	98516	7
54	10279	99470	12014	99276	13744	99051	15471	98796	17193	98511	6
55	10308	99467	12043	99272	13773	99047	15500	98791	17222	98506	5
56	10337	99464	12071	99269	13802	99043	15529	98787	17250	98501	4
57	10366	99461	12100	99265	13831	99039	15557	98782	17279	98496	3
58	10395	99458	12129	99262	13860	99035	15586	98778	17308	98491	2
59	10424	99455	12158	99258	13889	99031	15615	98773	17336	98486	1
60	10453	99452	12187	99255	13917	99027	15643	98769	17365	98481	0
	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	M.
	84°		83°		82°		81°		80°		

TABLE XXIV.  
OF NATURAL SINES.

M.	10°		11°		12°		13°		14°		M.
	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	
0	17365	98481	19051	98163	20791	97815	22495	97437	24192	97030	60
1	17393	98476	19109	98157	20823	97809	22523	97430	24220	97023	59
2	17422	98471	19136	98152	20848	97803	22552	97424	24249	97015	58
3	17451	98466	19167	98146	20877	97797	22580	97417	24277	97008	57
4	17479	98461	19195	98140	20905	97791	22608	97411	24305	97001	56
5	17508	98455	19224	98135	20933	97784	22637	97404	24333	96994	55
6	17537	98450	19252	98129	20962	97778	22665	97398	24362	96987	54
7	17565	98445	19281	98124	20990	97772	22693	97391	24390	96980	53
8	17594	98440	19309	98118	21019	97766	22722	97384	24418	96973	52
9	17623	98435	19336	98112	21047	97760	22750	97378	24446	96966	51
10	17651	98430	19366	98107	21076	97754	22778	97371	24474	96959	50
11	17680	98425	19395	98101	21104	97748	22807	97365	24503	96952	49
12	17708	98420	19423	98096	21132	97742	22835	97358	24531	96945	48
13	17737	98414	19452	98090	21161	97735	22863	97351	24559	96937	47
14	17766	98409	19481	98084	21189	97729	22892	97345	24587	96930	46
15	17794	98404	19509	98079	21218	97723	22920	97338	24615	96923	45
16	17823	98399	19538	98073	21246	97717	22948	97331	24644	96916	44
17	17852	98394	19566	98067	21275	97711	22977	97325	24672	96909	43
18	17880	98389	19595	98061	21303	97705	23005	97318	24700	96902	42
19	17909	98383	19623	98056	21331	97698	23033	97311	24728	96894	41
20	17937	98378	19652	98050	21360	97692	23062	97304	24756	96887	40
21	17966	98373	19680	98044	21388	97686	23090	97298	24784	96880	39
22	17995	98368	19709	98039	21417	97680	23118	97291	24813	96873	38
23	18023	98362	19737	98033	21445	97673	23146	97284	24841	96866	37
24	18052	98357	19766	98027	21474	97667	23175	97278	24869	96858	36
25	18081	98352	19794	98021	21502	97661	23203	97271	24897	96851	35
26	18109	98347	19823	98016	21530	97655	23231	97264	24925	96844	34
27	18138	98341	19851	98010	21559	97648	23260	97257	24954	96837	33
28	18166	98336	19880	98004	21587	97642	23288	97251	24982	96830	32
29	18195	98331	19908	97998	21616	97636	23316	97244	25010	96822	31
30	18224	98325	19937	97992	21644	97630	23345	97237	25038	96815	30
31	18252	98320	19965	97987	21672	97623	23373	97230	25066	96807	29
32	18281	98315	19994	97981	21701	97617	23401	97223	25094	96800	28
33	18309	98310	20022	97975	21729	97611	23429	97217	25122	96793	27
34	18338	98304	20051	97969	21758	97604	23458	97210	25151	96786	26
35	18367	98299	20079	97963	21786	97598	23486	97203	25179	96778	25
36	18395	98294	20108	97958	21814	97592	23514	97196	25207	96771	24
37	18424	98288	20136	97952	21843	97585	23542	97189	25235	96764	23
38	18452	98283	20165	97946	21871	97579	23571	97182	25263	96756	22
39	18481	98277	20193	97940	21899	97573	23599	97176	25291	96749	21
40	18509	98272	20222	97934	21928	97566	23627	97169	25320	96742	20
41	18538	98267	20250	97928	21956	97560	23656	97162	25348	96734	19
42	18567	98261	20279	97922	21985	97553	23684	97155	25376	96727	18
43	18595	98256	20307	97916	22013	97547	23712	97148	25404	96719	17
44	18624	98250	20336	97910	22041	97541	23740	97141	25432	96712	16
45	18652	98245	20364	97905	22070	97534	23769	97134	25460	96705	15
46	18681	98240	20393	97899	22098	97528	23797	97127	25488	96697	14
47	18710	98234	20421	97893	22126	97521	23825	97120	25516	96690	13
48	18738	98229	20450	97887	22155	97515	23853	97113	25545	96682	12
49	18767	98223	20478	97881	22183	97508	23882	97106	25573	96675	11
50	18795	98218	20507	97875	22212	97502	23910	97100	25601	96667	10
51	18824	98212	20535	97869	22240	97496	23938	97093	25629	96660	9
52	18852	98207	20563	97863	22268	97489	23966	97086	25657	96653	8
53	18881	98201	20592	97857	22297	97483	23995	97079	25685	96645	7
54	18910	98196	20620	97851	22325	97476	24023	97072	25713	96638	6
55	18938	98190	20649	97845	22353	97470	24051	97065	25741	96630	5
56	18967	98185	20677	97839	22382	97463	24079	97058	25769	96623	4
57	18995	98179	20706	97833	22410	97457	24108	97051	25797	96615	3
58	19024	98174	20734	97827	22438	97450	24136	97044	25826	96608	2
59	19052	98168	20763	97821	22467	97444	24164	97037	25854	96600	1
60	19081	98163	20791	97815	22495	97437	24192	97030	25882	96593	0
	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	M.
	79°		78°		77°		76°		75°		

TABLE XXIV.  
OF NATURAL SINES.

M.	15°		16°		17°		18°		19°		M.
	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	
0	25882	96593	27564	96126	29237	95630	30902	95106	32557	94562	60
1	25910	96585	27592	96118	29265	95622	30929	95097	32584	94542	59
2	25938	96578	27620	96110	29293	95613	30957	95088	32612	94533	58
3	25966	96570	27648	96102	29321	95605	30985	95079	32639	94523	57
4	25994	96562	27676	96094	29348	95596	31012	95070	32667	94514	56
5	26022	96555	27704	96086	29376	95588	31040	95061	32694	94504	55
6	26050	96547	27731	96078	29404	95579	31068	95052	32722	94495	54
7	26079	96540	27759	96070	29432	95571	31095	95043	32749	94485	53
8	26107	96532	27787	96062	29460	95562	31123	95033	32777	94476	52
9	26135	96524	27815	96054	29487	95554	31151	95024	32804	94466	51
10	26163	96517	27843	96046	29515	95545	31178	95015	32832	94457	50
11	26191	96509	27871	96037	29543	95536	31206	95006	32859	94447	49
12	26219	96502	27899	96029	29571	95528	31233	94997	32887	94438	48
13	26247	96494	27927	96021	29599	95519	31261	94988	32914	94428	47
14	26275	96486	27955	96013	29626	95511	31289	94979	32942	94418	46
15	26303	96479	27983	96005	29654	95502	31316	94970	32969	94409	45
16	26331	96471	28011	95997	29682	95493	31344	94961	32997	94399	44
17	26359	96463	28039	95989	29710	95485	31372	94952	33024	94390	43
18	26387	96456	28067	95981	29737	95476	31399	94943	33051	94380	42
19	26415	96448	28095	95972	29765	95467	31427	94933	33079	94370	41
20	26443	96440	28123	95964	29793	95459	31454	94924	33106	94361	40
21	26471	96433	28150	95956	29821	95450	31482	94915	33134	94351	39
22	26500	96425	28178	95948	29849	95441	31510	94906	33161	94342	38
23	26528	96417	28206	95940	29876	95433	31537	94897	33189	94332	37
24	26556	96410	28234	95931	29904	95424	31565	94888	33216	94322	36
25	26584	96402	28262	95923	29932	95415	31593	94878	33244	94313	35
26	26612	96394	28290	95915	29960	95407	31620	94869	33271	94303	34
27	26640	96386	28318	95907	29987	95398	31648	94860	33298	94293	33
28	26668	96379	28346	95898	30015	95389	31675	94851	33326	94284	32
29	26696	96371	28374	95890	30043	95380	31703	94842	33353	94274	31
30	26724	96363	28402	95882	30071	95372	31730	94832	33381	94264	30
31	26752	96355	28429	95874	30098	95363	31758	94823	33408	94254	29
32	26780	96347	28457	95865	30126	95354	31786	94814	33436	94245	28
33	26808	96340	28485	95857	30154	95345	31813	94805	33463	94235	27
34	26836	96332	28513	95849	30182	95337	31841	94795	33490	94225	26
35	26864	96324	28541	95841	30209	95328	31868	94786	33518	94215	25
36	26892	96316	28569	95832	30237	95319	31896	94777	33545	94206	24
37	26920	96308	28597	95824	30265	95310	31923	94768	33573	94196	23
38	26948	96301	28625	95816	30292	95301	31951	94758	33600	94186	22
39	26976	96293	28652	95807	30320	95293	31979	94749	33627	94176	21
40	27004	96285	28680	95799	30348	95284	32006	94740	33655	94167	20
41	27032	96277	28708	95791	30376	95275	32034	94730	33682	94157	19
42	27060	96269	28736	95782	30403	95266	32061	94721	33710	94147	18
43	27088	96261	28764	95774	30431	95257	32089	94712	33737	94137	17
44	27116	96253	28792	95766	30459	95248	32116	94702	33764	94127	16
45	27144	96246	28820	95757	30486	95240	32144	94693	33792	94118	15
46	27172	96238	28847	95749	30514	95231	32171	94684	33819	94108	14
47	27200	96230	28875	95740	30542	95222	32199	94674	33846	94098	13
48	27228	96222	28903	95732	30570	95213	32227	94665	33874	94088	12
49	27256	96214	28931	95724	30597	95204	32254	94656	33901	94078	11
50	27284	96206	28959	95715	30625	95195	32282	94646	33929	94068	10
51	27312	96198	28987	95707	30653	95186	32309	94637	33956	94058	9
52	27340	96190	29015	95698	30680	95177	32337	94627	33983	94049	8
53	27368	96182	29042	95690	30708	95168	32364	94618	34011	94039	7
54	27396	96174	29070	95681	30736	95159	32392	94609	34038	94029	6
55	27424	96166	29098	95673	30763	95150	32419	94599	34065	94019	5
56	27452	96158	29126	95664	30791	95142	32447	94590	34093	94009	4
57	27480	96150	29154	95656	30819	95133	32474	94580	34120	93999	3
58	27508	96142	29182	95647	30846	95124	32502	94571	34147	93989	2
59	27536	96134	29209	95639	30874	95115	32529	94561	34175	93979	1
60	27564	96126	29237	95630	30902	95106	32557	94552	34202	93969	0
	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	M.
	74°		73°		72°		71°		70°		

TABLE XXIV.  
OF NATURAL SINES.

M.	20°		21°		22°		23°		24°		M.	
	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.		
0	34202	93969	35837	93358	37461	92718	39073	92050	40674	91355	60	
1	34229	93959	35864	93348	37488	92707	39100	92039	40700	91343	59	
2	34257	93949	35891	93337	37515	92697	39127	92028	40727	91331	58	
3	34284	93939	35918	93327	37542	92686	39153	92016	40753	91319	57	
4	34311	93929	35945	93316	37569	92675	39180	92005	40780	91307	56	
5	34339	93919	35973	93306	37595	92664	39207	91994	40806	91295	55	
6	34366	93909	36000	93295	37622	92653	39234	91982	40833	91283	54	
7	34393	93899	36027	93285	37649	92642	39260	91971	40860	91272	53	
8	34421	93889	36054	93274	37676	92631	39287	91959	40886	91260	52	
9	34448	93879	36081	93264	37703	92620	39314	91948	40913	91248	51	
10	34475	93869	36108	93253	37730	92609	39341	91936	40939	91236	50	
11	34503	93859	36135	93243	37757	92598	39367	91925	40966	91224	49	
12	34530	93849	36162	93232	37784	92587	39394	91914	40992	91212	48	
13	34557	93839	36190	93222	37811	92576	39421	91902	41019	91200	47	
14	34584	93829	36217	93211	37838	92565	39448	91891	41045	91188	46	
15	34612	93819	36244	93201	37865	92554	39474	91879	41072	91176	45	
16	34639	93809	36271	93190	37892	92543	39501	91868	41098	91164	44	
17	34666	93799	36298	93180	37919	92532	39528	91856	41125	91152	43	
18	34694	93789	36325	93169	37946	92521	39555	91845	41151	91140	42	
19	34721	93779	36352	93159	37973	92510	39581	91833	41178	91128	41	
20	34748	93769	36379	93148	37999	92499	39608	91822	41204	91116	40	
21	34775	93759	36406	93137	38026	92488	39635	91810	41231	91104	39	
22	34803	93749	36433	93127	38053	92477	39661	91799	41257	91092	38	
23	34830	93738	36461	93116	38080	92466	39688	91787	41284	91080	37	
24	34857	93728	36488	93106	38107	92455	39715	91775	41310	91068	36	
25	34884	93718	36515	93095	38134	92444	39741	91764	41337	91056	35	
26	34912	93708	36542	93084	38161	92432	39768	91752	41363	91044	34	
27	34939	93698	36569	93074	38188	92421	39795	91741	41390	91032	33	
28	34966	93688	36596	93063	38215	92410	39822	91729	41416	91020	32	
29	34993	93677	36623	93052	38241	92399	39848	91718	41443	91008	31	
30	35021	93667	36650	93042	38268	92388	39875	91706	41469	90996	30	
31	35048	93657	36677	93031	38295	92377	39902	91694	41496	90984	29	
32	35075	93647	36704	93020	38322	92366	39928	91683	41522	90972	28	
33	35102	93637	36731	93010	38349	92355	39955	91671	41549	90960	27	
34	35130	93626	36758	92999	38376	92343	39982	91660	41575	90948	26	
35	35157	93616	36785	92988	38403	92332	40008	91648	41602	90936	25	
36	35184	93606	36812	92978	38430	92321	40035	91636	41628	90924	24	
37	35211	93596	36839	92967	38456	92310	40062	91625	41655	90911	23	
38	35239	93585	36867	92956	38483	92299	40088	91613	41681	90899	22	
39	35266	93575	36894	92945	38510	92287	40115	91601	41707	90887	21	
40	35293	93565	36921	92935	38537	92276	40141	91590	41734	90875	20	
41	35320	93555	36948	92924	38564	92265	40168	91578	41760	90863	19	
42	35347	93544	36975	92913	38591	92254	40195	91566	41787	90851	18	
43	35375	93534	37002	92902	38617	92243	40221	91555	41813	90839	17	
44	35402	93524	37029	92892	38644	92231	40248	91543	41840	90826	16	
45	35429	93514	37056	92881	38671	92220	40275	91531	41866	90814	15	
46	35456	93503	37083	92870	38698	92209	40301	91519	41892	90802	14	
47	35484	93493	37110	92859	38725	92198	40328	91508	41919	90790	13	
48	35511	93483	37137	92849	38752	92186	40355	91496	41945	90778	12	
49	35538	93472	37164	92838	38778	92175	40381	91484	41972	90766	11	
50	35565	93462	37191	92827	38805	92164	40408	91472	41998	90753	10	
51	35592	93452	37218	92816	38832	92152	40434	91461	42024	90741	9	
52	35619	93441	37245	92805	38859	92141	40461	91449	42051	90729	8	
53	35647	93431	37272	92794	38886	92130	40488	91437	42077	90717	7	
54	35674	93420	37299	92784	38912	92119	40514	91425	42104	90704	6	
55	35701	93410	37326	92773	38939	92107	40541	91414	42130	90692	5	
56	35728	93400	37353	92762	38966	92096	40567	91402	42156	90680	4	
57	35755	93389	37380	92751	38993	92085	40594	91390	42183	90668	3	
58	35782	93379	37407	92740	39020	92073	40621	91378	42209	90655	2	
59	35810	93368	37434	92729	39046	92062	40647	91366	42235	90643	1	
60	35837	93358	37461	92718	39073	92050	40674	91355	42262	90631	0	
N. cos.		N. sine.		N. cos.		N. sine.		N. cos.		N. sine.		M.
69°		68°		67°		66°		65°				



TABLE XXIV.  
OF NATURAL SINES.

M.	25°		26°		27°		28°		29°		M.	
	N.sine.	N. cos.	N.sine.	N. cos.	N.sine.	N. cos.	N.sine.	N. cos.	N.sine.	N. cos.		
0	42262	90631	43837	89879	45399	89101	46917	88295	48431	87402	60	
1	42283	90618	43863	89867	45425	89087	46973	88281	48306	87415	59	
2	42315	90606	43889	89854	45451	89074	47029	88267	48181	87428	58	
3	42341	90594	43916	89841	45477	89061	47084	88254	48057	87440	57	
4	42367	90582	43942	89828	45503	89048	47139	88240	47933	87453	56	
5	42394	90569	43968	89816	45529	89035	47194	88226	47809	87465	55	
6	42420	90557	43994	89803	45554	89021	47249	88213	47684	87477	54	
7	42446	90545	44020	89790	45580	89008	47304	88199	47560	87489	53	
8	42473	90532	44046	89777	45606	88995	47359	88185	47436	87501	52	
9	42499	90520	44072	89764	45632	88981	47414	88172	47312	87513	51	
10	42525	90507	44098	89752	45658	88968	47469	88158	47188	87525	50	
11	42552	90495	44124	89739	45684	88955	47524	88145	47064	87537	49	
12	42578	90483	44151	89726	45710	88942	47579	88131	46940	87549	48	
13	42604	90470	44177	89713	45736	88928	47634	88117	46816	87561	47	
14	42631	90458	44203	89700	45762	88915	47689	88104	46692	87573	46	
15	42657	90446	44229	89687	45788	88902	47744	88090	46568	87585	45	
16	42683	90433	44255	89674	45814	88888	47799	88077	46444	87597	44	
17	42709	90421	44281	89662	45839	88875	47854	88063	46320	87609	43	
18	42736	90408	44307	89649	45865	88862	47909	88050	46196	87621	42	
19	42762	90396	44333	89636	45891	88848	47964	88037	46072	87633	41	
20	42788	90383	44359	89623	45917	88835	48019	88024	45948	87645	40	
21	42815	90371	44385	89610	45943	88822	48074	88010	45824	87657	39	
22	42841	90358	44411	89597	45969	88808	48129	87997	45700	87669	38	
23	42867	90346	44437	89584	45995	88795	48184	87983	45576	87681	37	
24	42894	90334	44463	89571	46020	88782	48239	87970	45452	87693	36	
25	42920	90321	44489	89558	46046	88768	48294	87957	45328	87705	35	
26	42946	90309	44515	89545	46072	88755	48349	87943	45204	87717	34	
27	42972	90296	44541	89532	46097	88741	48404	87930	45080	87729	33	
28	42999	90284	44567	89519	46123	88728	48459	87917	44956	87741	32	
29	43025	90271	44593	89506	46149	88715	48514	87903	44832	87753	31	
30	43051	90259	44619	89493	46175	88701	48569	87890	44708	87765	30	
31	43077	90246	44645	89480	46201	88688	48624	87877	44584	87777	29	
32	43104	90233	44671	89467	46226	88674	48679	87863	44460	87789	28	
33	43130	90221	44697	89454	46252	88661	48734	87850	44336	87801	27	
34	43156	90208	44723	89441	46278	88647	48789	87836	44212	87813	26	
35	43182	90196	44749	89428	46304	88634	48844	87822	44088	87825	25	
36	43209	90183	44775	89415	46330	88620	48899	87809	43964	87837	24	
37	43235	90171	44801	89402	46355	88607	48954	87795	43840	87849	23	
38	43261	90158	44827	89389	46381	88593	49009	87781	43716	87861	22	
39	43287	90146	44853	89376	46407	88580	49064	87767	43592	87873	21	
40	43313	90133	44879	89363	46433	88566	49119	87753	43468	87885	20	
41	43340	90120	44905	89350	46459	88553	49174	87739	43344	87897	19	
42	43366	90108	44931	89337	46484	88539	49229	87725	43220	87909	18	
43	43392	90095	44957	89324	46510	88526	49284	87711	43096	87921	17	
44	43418	90082	44983	89311	46536	88512	49339	87697	42972	87933	16	
45	43444	90070	45009	89298	46561	88499	49394	87683	42848	87945	15	
46	43471	90057	45035	89285	46587	88485	49449	87669	42724	87957	14	
47	43497	90045	45061	89272	46613	88472	49504	87655	42600	87969	13	
48	43523	90032	45087	89259	46639	88458	49559	87641	42476	87981	12	
49	43549	90019	45113	89245	46664	88445	49614	87627	42352	87993	11	
50	43575	90007	45139	89232	46690	88431	49669	87613	42228	88005	10	
51	43602	89994	45165	89219	46716	88417	49724	87600	42104	88017	9	
52	43628	89981	45191	89206	46742	88404	49779	87586	41980	88029	8	
53	43654	89968	45217	89193	46767	88390	49834	87572	41856	88041	7	
54	43680	89956	45243	89180	46793	88377	49889	87558	41732	88053	6	
55	43706	89943	45269	89167	46819	88363	49944	87544	41608	88065	5	
56	43733	89930	45295	89153	46844	88349	49999	87530	41484	88077	4	
57	43759	89918	45321	89140	46870	88336	50054	87516	41360	88089	3	
58	43785	89905	45347	89127	46896	88322	50109	87502	41236	88101	2	
59	43811	89892	45373	89114	46921	88308	50164	87488	41112	88113	1	
60	43837	89879	45399	89101	46947	88295	50219	87474	50000	88125	0	
N. cos.		N.sine.		N. cos.		N.sine.		N. cos.		N.sine.		M.
64°		63°		62°		61°		60°				

TABLE XXIV.  
OF NATURAL SINES.

	30°		31°		32°		33°		34°		
M.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	
0	50000	86603	51504	85717	82992	84305	84464	83867	55919	82904	60
1	50025	86588	51529	85702	83017	84789	84488	83851	55943	82887	59
2	50050	86573	51554	85687	83041	84774	84513	83835	55968	82871	58
3	50076	86559	51579	85672	83066	84759	84537	83819	55992	82855	57
4	50101	86544	51604	85657	83091	84743	84561	83804	56016	82839	56
5	50126	86530	51629	85642	83115	84728	84586	83788	56040	82822	55
6	50151	86515	51653	85627	83140	84712	84610	83772	56064	82806	54
7	50176	86501	51678	85612	83164	84697	84635	83756	56088	82790	53
8	50201	86486	51703	85597	83189	84681	84659	83740	56112	82773	52
9	50227	86471	51728	85582	83214	84666	84683	83724	56136	82757	51
10	50252	86457	51753	85567	83238	84650	84708	83708	56160	82741	50
11	50277	86442	51778	85551	83263	84635	84732	83692	56184	82724	49
12	50302	86427	51803	85536	83288	84619	84756	83676	56208	82708	48
13	50327	86413	51828	85521	83312	84604	84781	83660	56232	82692	47
14	50352	86398	51852	85506	83337	84588	84805	83645	56256	82675	46
15	50377	86384	51877	85491	83361	84573	84829	83629	56280	82659	45
16	50403	86369	51902	85476	83386	84557	84854	83613	56305	82643	44
17	50428	86354	51927	85461	83411	84542	84878	83597	56329	82626	43
18	50453	86340	51952	85446	83435	84526	84902	83581	56353	82610	42
19	50478	86325	51977	85431	83460	84511	84927	83565	56377	82593	41
20	50503	86311	52002	85416	83484	84495	84951	83549	56401	82577	40
21	50528	86296	52026	85401	83509	84480	84975	83533	56425	82561	39
22	50553	86281	52051	85385	83534	84464	84999	83517	56449	82544	38
23	50578	86266	52076	85370	83558	84448	85024	83501	56473	82528	37
24	50603	86251	52101	85355	83583	84433	85048	83485	56497	82511	36
25	50628	86237	52126	85340	83607	84417	85072	83469	56521	82495	35
26	50654	86222	52151	85325	83632	84402	85097	83453	56545	82478	34
27	50679	86207	52175	85310	83656	84386	85121	83437	56569	82462	33
28	50704	86192	52200	85294	83681	84370	85145	83421	56593	82446	32
29	50729	86178	52225	85279	83705	84355	85169	83405	56617	82429	31
30	50754	86163	52250	85264	83730	84339	85194	83389	56641	82413	30
31	50779	86148	52275	85249	83754	84324	85218	83373	56665	82396	29
32	50804	86133	52299	85234	83779	84308	85242	83356	56689	82380	28
33	50829	86119	52324	85219	83804	84292	85266	83340	56713	82363	27
34	50854	86104	52349	85203	83828	84277	85291	83324	56736	82347	26
35	50879	86089	52374	85188	83853	84261	85315	83308	56760	82330	25
36	50904	86074	52399	85173	83877	84245	85339	83292	56784	82314	24
37	50929	86059	52423	85157	83902	84230	85363	83276	56808	82297	23
38	50954	86045	52448	85142	83926	84214	85388	83260	56832	82281	22
39	50979	86030	52473	85127	83951	84198	85412	83244	56856	82264	21
40	51004	86015	52498	85112	83975	84182	85436	83228	56880	82248	20
41	51029	86000	52522	85096	84000	84167	85460	83212	56904	82231	19
42	51054	85985	52547	85081	84024	84151	85484	83195	56928	82214	18
43	51079	85970	52572	85066	84049	84135	85509	83179	56952	82198	17
44	51104	85956	52597	85051	84073	84120	85533	83163	56976	82181	16
45	51129	85941	52621	85035	84097	84104	85557	83147	57000	82165	15
46	51154	85926	52646	85020	84122	84088	85581	83131	57024	82148	14
47	51179	85911	52671	85005	84146	84072	85605	83115	57047	82132	13
48	51204	85896	52696	84989	84171	84057	85630	83098	57071	82115	12
49	51229	85881	52720	84974	84195	84041	85654	83082	57095	82098	11
50	51254	85866	52745	84959	84220	84025	85678	83066	57119	82082	10
51	51279	85851	52770	84943	84244	84009	85702	83050	57143	82065	9
52	51304	85836	52794	84928	84269	83994	85726	83034	57167	82048	8
53	51329	85821	52819	84913	84293	83978	85750	83017	57191	82032	7
54	51354	85806	52844	84897	84317	83962	85775	83001	57215	82015	6
55	51379	85792	52869	84882	84342	83946	85799	82985	57238	81999	5
56	51404	85777	52893	84866	84366	83930	85823	82969	57262	81982	4
57	51429	85762	52918	84851	84391	83915	85847	82953	57286	81965	3
58	51454	85747	52943	84836	84415	83899	85871	82937	57310	81949	2
59	51479	85732	52967	84820	84440	83883	85895	82920	57334	81932	1
60	51504	85717	52992	84805	84464	83867	85919	82904	57358	81915	0
	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	M.
	59°		88°		57°		56°		55°		

TABLE XXIV.  
OF NATURAL SINES.

M.	35°		36°		37°		38°		39°		M.
	N.sine.	N.cos.	N.sine.	N.cos.	N.sine.	N.cos.	N.sine.	N.cos.	N.sine.	N.cos.	
0	57358	81915	58779	80902	60182	79864	61566	78801	62932	77715	60
1	57381	81899	58802	80885	60205	79846	61589	78783	62955	77696	59
2	57405	81882	58826	80867	60228	79829	61612	78765	62977	77678	58
3	57429	81865	58849	80850	60251	79811	61635	78747	63000	77660	57
4	57453	81848	58873	80833	60274	79793	61658	78729	63022	77641	56
5	57477	81832	58896	80816	60298	79776	61681	78711	63045	77623	55
6	57501	81815	58920	80799	60321	79758	61704	78694	63068	77605	54
7	57524	81799	58943	80782	60344	79741	61726	78676	63090	77586	53
8	57548	81782	58967	80765	60367	79723	61749	78658	63113	77568	52
9	57572	81765	58990	80748	60390	79706	61772	78640	63135	77550	51
10	57596	81748	59014	80730	60414	79688	61795	78622	63158	77531	50
11	57619	81731	59037	80713	60437	79671	61818	78604	63180	77513	49
12	57643	81714	59061	80696	60460	79653	61841	78586	63203	77494	48
13	57667	81698	59084	80679	60483	79635	61864	78568	63225	77476	47
14	57691	81681	59108	80662	60506	79618	61887	78550	63248	77458	46
15	57715	81664	59131	80644	60529	79600	61909	78532	63271	77439	45
16	57738	81647	59154	80627	60553	79583	61932	78514	63293	77421	44
17	57762	81631	59178	80610	60576	79565	61955	78496	63316	77402	43
18	57786	81614	59201	80593	60599	79547	61978	78478	63338	77384	42
19	57810	81597	59225	80576	60622	79530	62001	78460	63361	77366	41
20	57833	81580	59248	80558	60645	79512	62024	78442	63383	77347	40
21	57857	81563	59272	80541	60668	79494	62046	78424	63406	77329	39
22	57881	81546	59295	80524	60691	79477	62069	78405	63428	77310	38
23	57904	81530	59318	80507	60714	79459	62092	78387	63451	77292	37
24	57928	81513	59342	80489	60738	79441	62115	78369	63473	77273	36
25	57952	81496	59365	80472	60761	79424	62138	78351	63496	77255	35
26	57976	81479	59389	80455	60784	79406	62160	78333	63518	77236	34
27	57999	81462	59412	80438	60807	79388	62183	78315	63540	77218	33
28	58023	81445	59436	80420	60830	79371	62206	78297	63563	77199	32
29	58047	81428	59459	80403	60853	79353	62229	78279	63585	77181	31
30	58070	81412	59482	80386	60876	79335	62251	78261	63608	77162	30
31	58094	81395	59506	80368	60899	79318	62274	78243	63630	77144	29
32	58118	81378	59529	80351	60922	79300	62297	78225	63653	77125	28
33	58141	81361	59552	80334	60945	79282	62320	78206	63675	77107	27
34	58165	81344	59576	80316	60968	79264	62342	78188	63698	77088	26
35	58189	81327	59599	80299	60991	79247	62365	78170	63720	77070	25
36	58212	81310	59622	80282	61015	79229	62388	78152	63742	77051	24
37	58236	81293	59646	80264	61038	79211	62411	78134	63765	77033	23
38	58260	81276	59669	80247	61061	79193	62433	78116	63787	77014	22
39	58283	81259	59693	80230	61084	79176	62456	78098	63810	76996	21
40	58307	81242	59716	80212	61107	79158	62479	78079	63832	76977	20
41	58330	81225	59739	80195	61130	79140	62502	78061	63854	76959	19
42	58354	81208	59763	80178	61153	79122	62524	78043	63877	76940	18
43	58378	81191	59786	80160	61176	79105	62547	78025	63899	76921	17
44	58401	81174	59809	80143	61199	79087	62570	78007	63922	76903	16
45	58425	81157	59832	80125	61222	79069	62592	77988	63944	76884	15
46	58449	81140	59856	80108	61245	79051	62615	77970	63966	76866	14
47	58472	81123	59879	80091	61268	79033	62638	77952	63989	76847	13
48	58496	81106	59902	80073	61291	79016	62660	77934	64011	76828	12
49	58519	81089	59926	80056	61314	78998	62683	77916	64033	76810	11
50	58543	81072	59949	80038	61337	78980	62706	77897	64056	76791	10
51	58567	81055	59972	80021	61360	78962	62728	77879	64078	76772	9
52	58590	81038	59995	80003	61383	78944	62751	77861	64100	76754	8
53	58614	81021	60019	79986	61406	78926	62774	77843	64123	76735	7
54	58637	81004	60042	79968	61429	78908	62796	77824	64145	76717	6
55	58661	80987	60065	79951	61451	78891	62819	77806	64167	76698	5
56	58684	80970	60089	79934	61474	78873	62842	77788	64190	76679	4
57	58708	80953	60112	79916	61497	78855	62864	77769	64212	76661	3
58	58731	80936	60135	79899	61520	78837	62887	77751	64234	76642	2
59	58755	80919	60158	79881	61543	78819	62909	77733	64256	76623	1
60	58779	80902	60182	79864	61566	78801	62932	77715	64279	76604	0
	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	M.
	54°		53°		52°		51°		50°		1

TABLE XXIV.  
OF NATURAL SINES.

M.	40°		41°		42°		43°		44°		M.
	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	
0	64279	76604	65606	75471	66913	74314	68200	73135	69466	71934	60
1	64301	76596	65628	75452	66935	74295	68221	73116	69487	71914	59
2	64323	76567	65650	75433	66956	74276	68242	73096	69508	71894	58
3	64346	76548	65672	75414	66978	74256	68264	73076	69529	71873	57
4	64368	76530	65694	75395	66999	74237	68285	73056	69549	71853	56
5	64390	76511	65716	75375	67021	74217	68306	73036	69570	71833	55
6	64412	76492	65738	75356	67043	74198	68327	73016	69591	71813	54
7	64435	76473	65759	75337	67064	74178	68349	72996	69612	71792	53
8	64457	76455	65781	75318	67086	74159	68370	72976	69633	71772	52
9	64479	76436	65803	75299	67107	74139	68391	72957	69654	71752	51
10	64501	76417	65825	75280	67129	74120	68412	72937	69675	71732	50
11	64524	76398	65847	75261	67151	74100	68434	72917	69696	71711	49
12	64546	76380	65869	75241	67172	74080	68455	72897	69717	71691	48
13	64568	76361	65891	75222	67194	74061	68476	72877	69737	71671	47
14	64590	76342	65913	75203	67215	74041	68497	72857	69758	71650	46
15	64612	76323	65935	75184	67237	74022	68518	72837	69779	71630	45
16	64635	76304	65956	75165	67258	74002	68539	72817	69800	71610	44
17	64657	76286	65978	75146	67280	73983	68561	72797	69821	71590	43
18	64679	76267	66000	75126	67301	73963	68582	72777	69842	71569	42
19	64701	76248	66022	75107	67323	73944	68603	72757	69862	71549	41
20	64723	76229	66044	75088	67344	73924	68624	72737	69883	71529	40
21	64746	76210	66066	75069	67366	73904	68645	72717	69904	71508	39
22	64768	76192	66088	75050	67387	73885	68666	72697	69925	71488	38
23	64790	76173	66109	75030	67409	73865	68688	72677	69946	71468	37
24	64812	76154	66131	75011	67430	73846	68709	72657	69966	71447	36
25	64834	76135	66153	74992	67452	73826	68730	72637	69987	71427	35
26	64856	76116	66175	74973	67473	73806	68751	72617	70008	71407	34
27	64878	76097	66197	74953	67495	73787	68772	72597	70029	71386	33
28	64901	76078	66218	74934	67516	73767	68793	72577	70049	71366	32
29	64923	76059	66240	74915	67538	73747	68814	72557	70070	71345	31
30	64945	76041	66262	74896	67559	73728	68835	72537	70091	71325	30
31	64967	76022	66284	74876	67580	73708	68857	72517	70112	71305	29
32	64989	76003	66306	74857	67602	73688	68878	72497	70132	71284	28
33	65011	75984	66327	74838	67623	73669	68899	72477	70153	71264	27
34	65033	75965	66349	74818	67645	73649	68920	72457	70174	71243	26
35	65055	75946	66371	74799	67666	73629	68941	72437	70195	71223	25
36	65077	75927	66393	74780	67688	73610	68962	72417	70215	71203	24
37	65100	75908	66414	74760	67709	73590	68983	72397	70236	71182	23
38	65122	75889	66436	74741	67730	73570	69004	72377	70257	71162	22
39	65144	75870	66458	74722	67752	73551	69025	72357	70277	71141	21
40	65166	75851	66480	74703	67773	73531	69046	72337	70298	71121	20
41	65188	75832	66501	74683	67795	73511	69067	72317	70319	71100	19
42	65210	75813	66523	74664	67816	73491	69088	72297	70339	71080	18
43	65232	75794	66545	74644	67837	73472	69109	72277	70360	71059	17
44	65254	75775	66566	74625	67859	73452	69130	72257	70381	71039	16
45	65276	75756	66588	74606	67880	73432	69151	72236	70401	71019	15
46	65298	75738	66610	74586	67901	73413	69172	72216	70422	70998	14
47	65320	75719	66632	74567	67923	73393	69193	72196	70443	70978	13
48	65342	75700	66653	74548	67944	73373	69214	72176	70463	70957	12
49	65364	75680	66675	74528	67965	73353	69235	72156	70484	70937	11
50	65386	75661	66697	74509	67987	73333	69256	72136	70505	70916	10
51	65408	75642	66718	74489	68008	73314	69277	72116	70525	70896	9
52	65430	75623	66740	74470	68029	73294	69298	72095	70546	70875	8
53	65452	75604	66762	74451	68051	73274	69319	72075	70567	70855	7
54	65474	75585	66783	74431	68072	73254	69340	72055	70587	70834	6
55	65496	75566	66805	74412	68093	73234	69361	72035	70608	70813	5
56	65518	75547	66827	74392	68115	73215	69382	72015	70628	70793	4
57	65540	75528	66848	74373	68136	73195	69403	71995	70649	70772	3
58	65562	75509	66870	74353	68157	73175	69424	71974	70670	70752	2
59	65584	75490	66891	74334	68179	73155	69445	71954	70690	70731	1
60	65606	75471	66913	74314	68200	73135	69466	71934	70711	70711	0
	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	N. cos.	N. sine.	M.
	49°		49°		47°		46°		45°		

## TABLE XXV.

Of Logarithmic Sines, Tangents, and Secants to every Point and Quarter Point of the Compass.

Points.	Sine.	Co. sine.	Tangent.	Co. tang.	Secant.	Co. secant.	
0	Inf. neg.	10.00000	Inf. neg.	Infinite.	10.00000	Infinite.	8
0	8.69080	9.99948	8.69132	11.30868	10.00052	11.30920	7
0	8.99130	9.99790	8.99340	11.00660	10.00210	11.00870	7
0	9.16652	9.99527	9.17125	10.82875	10.00473	10.83348	7
1	9.29024	9.99157	9.29866	10.70134	10.00843	10.70976	7
1	9.38557	9.98679	9.39379	10.60121	10.01321	10.61443	6
1	9.46232	9.98088	9.48194	10.51806	10.01912	10.53718	6
1	9.52749	9.97384	9.55365	10.44635	10.02616	10.47251	6
2	9.58234	9.96562	9.61722	10.38278	10.03438	10.41716	6
2	9.63099	9.95616	9.67483	10.32517	10.04384	10.36901	5
2	9.67339	9.94543	9.72796	10.27204	10.05457	10.32661	5
2	9.71105	9.93335	9.77770	10.22230	10.06665	10.28895	5
3	9.74474	9.91985	9.82489	10.17511	10.08015	10.25526	5
3	9.77503	9.90483	9.87020	10.12980	10.09517	10.22497	4
3	9.80236	9.88819	9.91417	10.08583	10.11181	10.19764	4
3	9.82708	9.86979	9.95729	10.04271	10.13021	10.17292	4
4	9.84949	9.84949	10.00000	10.00000	10.15051	10.15051	4
	Co. sine.	Sine.	Co. tang.	Tangent.	Co. secant.	Secant.	Points.

## TABLE XXVI.

LOGARITHMS OF NUMBERS.

No. 1—100.				Log. 0.00000—2.00000.			
N.	Log.	N.	Log.	N.	Log.	N.	Log.
1	0.00000	21	1.32222	41	1.61278	61	1.78533
2	0.30103	22	1.34242	42	1.62325	62	1.79239
3	0.47712	23	1.36173	43	1.63347	63	1.79934
4	0.60206	24	1.38021	44	1.64345	64	1.80618
5	0.69897	25	1.39794	45	1.65321	65	1.81291
6	0.77815	26	1.41497	46	1.66276	66	1.81954
7	0.84510	27	1.43136	47	1.67210	67	1.82607
8	0.90309	28	1.44716	48	1.68124	68	1.83251
9	0.95424	29	1.46240	49	1.69020	69	1.83885
10	1.00000	30	1.47712	50	1.69897	70	1.84510
11	1.04139	31	1.49136	51	1.70757	71	1.85126
12	1.07918	32	1.50515	52	1.71600	72	1.85733
13	1.11394	33	1.51851	53	1.72428	73	1.86332
14	1.14613	34	1.53148	54	1.73239	74	1.86923
15	1.17609	35	1.54407	55	1.74036	75	1.87506
16	1.20412	36	1.55630	56	1.74819	76	1.88081
17	1.23045	37	1.56820	57	1.75587	77	1.88649
18	1.25527	38	1.57978	58	1.76343	78	1.89209
19	1.27875	39	1.59106	59	1.77085	79	1.89763
20	1.30103	40	1.60206	60	1.77815	80	1.90309
						81	1.90849
						82	1.91381
						83	1.91908
						84	1.92428
						85	1.92942
						86	1.93450
						87	1.93952
						88	1.94448
						89	1.94939
						90	1.95424
						91	1.95904
						92	1.96379
						93	1.96848
						94	1.97313
						95	1.97772
						96	1.98227
						97	1.98677
						98	1.99123
						99	1.99564
						100	2.00000

# TABLE XXVI.

## LOGARITHMS OF NUMBERS.

No. 100—1600.										Log. 0000—2012.											
No.	0	1	2	3	4	5	6	7	8	9	No.	0	1	2	3	4	5	6	7	8	9
100	00000	00043	00087	00130	00173	00217	00260	00303	00346	00389	101	00432	00475	00518	00561	00604	00647	00690	00732	00775	00817
102	00860	00903	00945	00988	01030	01072	01115	01157	01199	01242	103	01284	01326	01368	01410	01452	01494	01536	01578	01620	01662
104	01703	01745	01787	01828	01870	01912	01953	01995	02036	02078	105	02119	02160	02202	02243	02284	02325	02366	02407	02449	02490
106	02531	02572	02612	02653	02694	02735	02776	02816	02857	02898	107	02938	02979	03019	03060	03100	03141	03181	03222	03262	03302
108	03342	03383	03423	03463	03503	03543	03583	03623	03663	03703	109	03743	03783	03822	03862	03902	03941	03981	04021	04060	04100
110	04139	04179	04218	04258	04297	04336	04376	04415	04454	04493	111	04532	04571	04610	04650	04689	04727	04766	04805	04844	04883
112	04922	04961	04999	05038	05077	05115	05154	05192	05231	05269	113	05308	05346	05385	05423	05461	05500	05538	05576	05614	05652
114	05690	05729	05767	05805	05843	05881	05918	05956	05994	06032	115	06070	06108	06145	06183	06221	06258	06296	06333	06371	06408
116	06446	06483	06521	06558	06595	06633	06670	06707	06744	06781	117	06819	06856	06893	06930	06967	07004	07041	07078	07115	07151
118	07188	07225	07262	07299	07335	07372	07408	07445	07482	07518	119	07555	07591	07628	07664	07700	07737	07773	07809	07846	07882
120	07918	07954	07990	08027	08063	08099	08135	08171	08207	08243	121	08279	08314	08350	08386	08422	08458	08493	08529	08565	08600
122	08636	08672	08707	08743	08778	08814	08849	08884	08920	08955	123	08991	09026	09061	09096	09132	09167	09202	09237	09272	09307
124	09342	09377	09412	09447	09482	09517	09552	09587	09621	09656	125	09691	09726	09760	09795	09830	09864	09899	09934	09968	10003
126	10037	10072	10106	10140	10175	10209	10243	10278	10312	10346	127	10380	10415	10449	10483	10517	10551	10585	10619	10653	10687
128	10721	10755	10789	10823	10857	10890	10924	10958	10992	11025	129	11059	11093	11126	11160	11193	11227	11261	11294	11327	11361
130	11394	11428	11461	11494	11528	11561	11594	11628	11661	11694	131	11727	11760	11793	11826	11860	11893	11926	11959	11992	12024
132	12057	12090	12123	12156	12189	12222	12254	12287	12320	12352	133	12385	12418	12450	12483	12516	12548	12581	12613	12646	12678
134	12710	12743	12775	12808	12840	12872	12905	12937	12969	13001	135	13033	13066	13098	13130	13162	13194	13226	13258	13290	13322
136	13354	13386	13418	13450	13481	13513	13545	13577	13609	13640	137	13672	13704	13735	13767	13799	13830	13862	13893	13925	13956
138	13988	14019	14051	14082	14114	14145	14176	14208	14239	14270	139	14301	14333	14364	14395	14426	14457	14489	14520	14551	14582
140	14613	14644	14675	14706	14737	14768	14799	14829	14860	14891	141	14922	14953	14983	15014	15045	15076	15106	15137	15168	15198
142	15229	15259	15290	15320	15351	15381	15412	15442	15473	15503	143	15534	15564	15594	15625	15655	15685	15715	15746	15776	15806
144	15836	15866	15897	15927	15957	15987	16017	16047	16077	16107	145	16137	16167	16197	16227	16256	16286	16316	16346	16376	16406
146	16435	16465	16495	16524	16554	16584	16613	16643	16673	16702	147	16732	16761	16791	16820	16850	16879	16909	16938	16967	16997
148	17026	17056	17085	17114	17143	17173	17202	17231	17260	17289	149	17319	17348	17377	17406	17435	17464	17493	17522	17551	17580
150	17609	17638	17667	17696	17725	17754	17782	17811	17840	17869	151	17898	17926	17955	17984	18013	18041	18070	18099	18127	18156
152	18184	18213	18241	18270	18298	18327	18355	18384	18412	18441	153	18469	18498	18526	18554	18583	18611	18639	18667	18696	18724
154	18752	18780	18808	18837	18865	18893	18921	18949	18977	19005	155	19033	19061	19089	19117	19145	19173	19201	19229	19257	19285
156	19312	19340	19368	19396	19424	19451	19479	19507	19535	19562	157	19590	19618	19645	19673	19700	19728	19756	19783	19811	19838
158	19866	19893	19921	19948	19976	20003	20030	20058	20085	20112	159	20140	20167	20194	20222	20249	20276	20303	20330	20358	20385
No.	0	1	2	3	4	5	6	7	8	9	No.	0	1	2	3	4	5	6	7	8	9

TABLE XXVI.

LOGARITHMS OF NUMBERS.

No. 1600—2200.

Log. 20412—34242.

No.	0	1	2	3	4	5	6	7	8	9
160	20412	20439	20466	20493	20520	20548	20575	20602	20629	20656
161	20683	20710	20737	20763	20790	20817	20844	20871	20898	20925
162	20952	20978	21005	21032	21059	21085	21112	21139	21165	21192
163	21219	21245	21272	21299	21325	21352	21378	21405	21431	21458
164	21484	21511	21537	21564	21590	21617	21643	21669	21696	21722
165	21748	21775	21801	21827	21854	21880	21906	21932	21958	21985
166	22011	22037	22063	22089	22115	22141	22167	22194	22220	22246
167	22272	22298	22324	22350	22376	22401	22427	22453	22479	22505
168	22531	22557	22583	22608	22634	22660	22686	22712	22737	22763
169	22789	22814	22840	22866	22891	22917	22943	22968	22994	23019
170	23045	23070	23096	23121	23147	23172	23198	23223	23249	23274
171	23300	23325	23350	23376	23401	23426	23452	23477	23502	23528
172	23553	23578	23603	23629	23654	23679	23704	23729	23754	23779
173	23805	23830	23855	23880	23905	23930	23955	23980	24005	24030
174	24055	24080	24105	24130	24155	24180	24204	24229	24254	24279
175	24304	24329	24353	24378	24403	24428	24452	24477	24502	24527
176	24551	24576	24601	24625	24650	24674	24699	24724	24748	24773
177	24797	24822	24846	24871	24895	24920	24944	24969	24993	25018
178	25042	25066	25091	25115	25139	25164	25188	25212	25237	25261
179	25285	25310	25334	25358	25382	25406	25431	25455	25479	25503
180	25527	25551	25575	25600	25624	25648	25672	25696	25720	25744
181	25768	25792	25816	25840	25864	25888	25912	25935	25959	25983
182	26007	26031	26055	26079	26102	26126	26150	26174	26198	26221
183	26245	26269	26293	26316	26340	26364	26387	26411	26435	26458
184	26482	26505	26529	26553	26576	26600	26623	26647	26670	26694
185	26717	26741	26764	26788	26811	26834	26858	26881	26905	26928
186	26951	26975	26998	27021	27045	27068	27091	27114	27138	27161
187	27184	27207	27231	27254	27277	27300	27323	27346	27370	27393
188	27416	27439	27462	27485	27508	27531	27554	27577	27600	27623
189	27646	27669	27692	27715	27738	27761	27784	27807	27830	27852
190	27875	27898	27921	27944	27967	27989	28012	28035	28058	28081
191	28103	28126	28149	28171	28194	28217	28240	28262	28285	28307
192	28330	28353	28375	28398	28421	28443	28466	28488	28511	28533
193	28556	28578	28601	28623	28646	28668	28691	28713	28735	28758
194	28780	28803	28825	28847	28869	28892	28914	28937	28959	28981
195	29003	29026	29048	29070	29092	29115	29137	29159	29181	29203
196	29226	29248	29270	29292	29314	29336	29358	29380	29403	29425
197	29447	29469	29491	29513	29535	29557	29579	29601	29623	29645
198	29667	29688	29710	29732	29754	29776	29798	29820	29842	29863
199	29885	29907	29929	29951	29973	29994	30016	30038	30060	30081
200	30103	30125	30146	30168	30190	30211	30233	30255	30276	30298
201	30320	30341	30363	30384	30406	30428	30449	30471	30492	30514
202	30535	30557	30578	30600	30621	30643	30664	30685	30707	30728
203	30750	30771	30792	30814	30835	30856	30878	30899	30920	30942
204	30963	30984	31006	31027	31048	31069	31091	31112	31133	31154
205	31175	31197	31218	31239	31260	31281	31302	31323	31345	31366
206	31387	31408	31429	31450	31471	31492	31513	31534	31555	31576
207	31597	31618	31639	31660	31681	31702	31723	31744	31765	31785
208	31806	31827	31848	31869	31890	31911	31931	31952	31973	31994
209	32015	32035	32056	32077	32098	32118	32139	32160	32181	32201
210	32222	32243	32263	32284	32305	32325	32346	32366	32387	32408
211	32428	32449	32469	32490	32510	32531	32551	32572	32593	32613
212	32634	32654	32675	32695	32715	32736	32756	32777	32797	32818
213	32838	32858	32879	32899	32919	32940	32960	32980	33001	33021
214	33041	33062	33082	33102	33122	33143	33163	33183	33203	33224
215	33244	33264	33284	33304	33325	33345	33365	33385	33405	33425
216	33445	33465	33486	33506	33526	33546	33566	33586	33606	33626
217	33646	33666	33686	33706	33726	33746	33766	33786	33806	33826
218	33846	33866	33885	33905	33925	33945	33965	33985	34005	34025
219	34044	34064	34084	34104	34124	34143	34163	34183	34203	34223
No.	0	1	2	3	4	5	6	7	8	9

### TABLE XXVI.

#### LOGARITHMS OF NUMBERS.

No. 2200 ————— 2800.

Log. 34242 ————— 44716.

No.	0	1	2	3	4	5	6	7	8	9
220	34242	34262	34282	34301	34321	34341	34361	34380	34400	34420
221	34439	34459	34479	34498	34518	34537	34557	34577	34596	34616
222	34635	34655	34674	34694	34713	34733	34753	34772	34792	34811
223	34830	34850	34869	34889	34908	34928	34947	34967	34986	35005
224	35025	35044	35064	35083	35102	35122	35141	35160	35180	35199
225	35218	35238	35257	35276	35295	35315	35334	35353	35372	35392
226	35411	35430	35449	35468	35488	35507	35526	35545	35564	35583
227	35603	35622	35641	35660	35679	35698	35717	35736	35755	35774
228	35793	35813	35832	35851	35870	35889	35908	35927	35946	35965
229	35984	36003	36021	36040	36059	36078	36097	36116	36135	36154
230	36173	36192	36211	36229	36248	36267	36286	36305	36324	36342
231	36361	36380	36399	36418	36436	36455	36474	36493	36511	36530
232	36549	36568	36586	36605	36624	36642	36661	36680	36698	36717
233	36736	36754	36773	36791	36810	36829	36847	36866	36884	36903
234	36922	36940	36959	36977	36996	37014	37033	37051	37070	37088
235	37107	37125	37144	37162	37181	37199	37218	37236	37254	37273
236	37291	37310	37328	37346	37365	37383	37401	37420	37438	37457
237	37475	37493	37511	37530	37548	37566	37585	37603	37621	37639
238	37658	37676	37694	37712	37731	37749	37767	37785	37803	37822
239	37840	37858	37876	37894	37912	37931	37949	37967	37985	38003
240	38021	38039	38057	38075	38093	38112	38130	38148	38166	38184
241	38202	38220	38238	38256	38274	38292	38310	38328	38346	38364
242	38382	38399	38417	38435	38453	38471	38489	38507	38525	38543
243	38561	38578	38596	38614	38632	38650	38668	38686	38703	38721
244	38739	38757	38775	38792	38810	38828	38846	38863	38881	38899
245	38917	38934	38952	38970	38987	39005	39023	39041	39058	39076
246	39094	39111	39129	39146	39164	39182	39199	39217	39235	39252
247	39270	39287	39305	39322	39340	39358	39375	39393	39410	39428
248	39445	39463	39480	39498	39515	39533	39550	39568	39585	39602
249	39620	39637	39655	39672	39690	39707	39724	39742	39759	39777
250	39794	39811	39829	39846	39863	39881	39898	39915	39933	39950
251	39967	39985	40002	40019	40037	40054	40071	40088	40106	40123
252	40140	40157	40175	40192	40209	40226	40243	40261	40278	40295
253	40312	40329	40346	40364	40381	40398	40415	40432	40449	40466
254	40483	40500	40518	40535	40552	40569	40586	40603	40620	40637
255	40654	40671	40688	40705	40722	40739	40756	40773	40790	40807
256	40824	40841	40858	40875	40892	40909	40926	40943	40960	40976
257	40993	41010	41027	41044	41061	41078	41095	41111	41128	41145
258	41162	41179	41196	41212	41229	41246	41263	41280	41296	41313
259	41330	41347	41363	41380	41397	41414	41430	41447	41464	41481
260	41497	41514	41531	41547	41564	41581	41597	41614	41631	41647
261	41664	41681	41697	41714	41731	41747	41764	41780	41797	41814
262	41830	41847	41863	41880	41896	41913	41929	41946	41963	41979
263	41996	42012	42029	42045	42062	42078	42095	42111	42127	42144
264	42160	42177	42193	42210	42226	42243	42259	42275	42292	42308
265	42325	42341	42357	42374	42390	42406	42423	42439	42455	42472
266	42488	42504	42521	42537	42553	42570	42586	42602	42619	42635
267	42651	42667	42684	42700	42716	42732	42749	42765	42781	42797
268	42813	42830	42846	42862	42878	42894	42911	42927	42943	42959
269	42975	42991	43008	43024	43040	43056	43072	43088	43104	43120
270	43136	43152	43169	43185	43201	43217	43233	43249	43265	43281
271	43297	43313	43329	43345	43361	43377	43393	43409	43425	43441
272	43457	43473	43489	43505	43521	43537	43553	43569	43584	43600
273	43616	43632	43648	43664	43680	43696	43712	43727	43743	43759
274	43775	43791	43807	43823	43838	43854	43870	43886	43902	43917
275	43933	43949	43965	43981	43996	44012	44028	44044	44059	44075
276	44091	44107	44122	44138	44154	44170	44185	44201	44217	44232
277	44248	44264	44279	44295	44311	44326	44342	44358	44373	44389
278	44404	44420	44436	44451	44467	44483	44498	44514	44529	44545
279	44560	44576	44592	44607	44623	44638	44654	44669	44685	44700
No.	0	1	2	3	4	5	6	7	8	9



TABLE XXVI.  
LOGARITHMS OF NUMBERS.

No. 2800		3400.				Log. 44716				53148.	
No.	0	1	2	3	4	5	6	7	8	9	
280	44716	44731	44747	44762	44778	44793	44809	44824	44840	44855	
281	44871	44886	44902	44917	44932	44948	44963	44979	44994	45010	
282	45025	45040	45056	45071	45086	45102	45117	45133	45148	45163	
283	45179	45194	45209	45225	45240	45255	45271	45286	45301	45317	
284	45332	45347	45362	45378	45393	45408	45423	45439	45454	45469	
285	45484	45500	45515	45530	45545	45561	45576	45591	45606	45621	
286	45637	45652	45667	45682	45697	45712	45728	45743	45758	45773	
287	45788	45803	45818	45834	45849	45864	45879	45894	45909	45924	
288	45939	45954	45969	45984	46000	46015	46030	46045	46060	46075	
289	46090	46105	46120	46135	46150	46165	46180	46195	46210	46225	
290	46240	46255	46270	46285	46300	46315	46330	46345	46359	46374	
291	46389	46404	46419	46434	46449	46464	46479	46494	46509	46523	
292	46538	46553	46568	46583	46598	46613	46627	46642	46657	46672	
293	46687	46702	46716	46731	46746	46761	46776	46790	46805	46820	
294	46835	46850	46864	46879	46894	46909	46923	46938	46953	46967	
295	46982	46997	47012	47026	47041	47056	47070	47085	47100	47114	
296	47129	47144	47159	47173	47188	47202	47217	47232	47246	47261	
297	47276	47290	47305	47319	47334	47349	47363	47378	47392	47407	
298	47422	47436	47451	47465	47479	47494	47509	47523	47538	47553	
299	47567	47582	47596	47611	47625	47640	47654	47669	47683	47698	
300	47712	47727	47741	47756	47770	47784	47799	47813	47828	47842	
301	47857	47871	47885	47900	47914	47929	47943	47958	47972	47986	
302	48001	48015	48029	48044	48058	48073	48087	48101	48116	48130	
303	48144	48159	48173	48187	48202	48216	48230	48244	48259	48273	
304	48287	48302	48316	48330	48344	48359	48373	48387	48401	48416	
305	48430	48444	48458	48473	48487	48501	48515	48530	48544	48558	
306	48572	48586	48601	48615	48629	48643	48657	48671	48686	48700	
307	48714	48728	48742	48756	48770	48785	48799	48813	48827	48841	
308	48855	48869	48883	48897	48911	48926	48940	48954	48968	48982	
309	48996	49010	49024	49038	49052	49066	49080	49094	49108	49122	
310	49136	49150	49164	49178	49192	49206	49220	49234	49248	49262	
311	49276	49290	49304	49318	49332	49346	49360	49374	49388	49402	
312	49415	49429	49443	49457	49471	49485	49499	49513	49527	49541	
313	49554	49568	49582	49596	49610	49624	49638	49651	49665	49679	
314	49693	49707	49721	49734	49748	49762	49776	49790	49803	49817	
315	49831	49845	49859	49872	49886	49900	49914	49927	49941	49955	
316	49969	49982	49996	50010	50024	50037	50051	50065	50079	50092	
317	50106	50120	50133	50147	50161	50174	50188	50202	50215	50229	
318	50243	50256	50270	50284	50297	50311	50325	50338	50352	50365	
319	50379	50393	50406	50420	50433	50447	50461	50474	50488	50501	
320	50515	50529	50542	50556	50569	50583	50596	50610	50623	50637	
321	50651	50664	50678	50691	50705	50718	50732	50745	50759	50772	
322	50786	50799	50813	50826	50840	50853	50866	50880	50893	50907	
323	50920	50934	50947	50961	50974	50987	51001	51014	51028	51041	
324	51055	51068	51081	51095	51108	51121	51135	51148	51162	51175	
325	51188	51202	51215	51228	51242	51255	51268	51282	51295	51308	
326	51322	51335	51348	51362	51375	51388	51402	51415	51428	51441	
327	51455	51468	51481	51495	51508	51521	51534	51548	51561	51574	
328	51587	51601	51614	51627	51640	51654	51667	51680	51693	51706	
329	51720	51733	51746	51759	51772	51786	51799	51812	51825	51838	
330	51851	51865	51878	51891	51904	51917	51930	51943	51957	51970	
331	51983	51996	52009	52022	52035	52048	52061	52075	52088	52101	
332	52111	52125	52138	52151	52164	52177	52190	52203	52216	52230	
333	52241	52254	52267	52280	52293	52306	52319	52332	52345	52358	
334	52370	52383	52396	52409	52422	52435	52448	52461	52474	52487	
335	52501	52514	52527	52540	52553	52566	52579	52592	52605	52618	
336	52631	52644	52657	52670	52683	52696	52709	52722	52735	52748	
337	52763	52776	52789	52802	52815	52828	52841	52854	52867	52880	
338	52892	52905	52918	52931	52944	52957	52970	52983	52996	53009	
339	53020	53033	53046	53059	53071	53084	53097	53110	53122	53135	
No.	0	1	2	3	4	5	6	7	8	9	

TABLE XXVI.

173

LOGARITHMS OF NUMBERS.

No. 3400—4000.

Log. 53148—60206.

No.	0	1	2	3	4	5	6	7	8	9
340	34	53161	53173	53186	53199	53212	53224	53237	53250	53263
341	53275	53288	53301	53314	53326	53339	53352	53364	53377	53390
342	53403	53415	53428	53441	53453	53466	53479	53491	53504	53517
343	53529	53542	53555	53567	53580	53593	53605	53618	53631	53643
344	53656	53668	53681	53694	53706	53719	53732	53744	53757	53769
345	53782	53794	53807	53820	53832	53845	53857	53870	53882	53895
346	53908	53920	53933	53945	53958	53970	53983	53995	54008	54020
347	54033	54045	54058	54070	54083	54095	54108	54120	54133	54145
348	54158	54170	54183	54195	54208	54220	54233	54245	54258	54270
349	54283	54295	54307	54320	54332	54345	54357	54370	54382	54394
350	54407	54419	54432	54444	54456	54469	54481	54494	54506	54518
351	54531	54543	54555	54568	54580	54593	54605	54617	54630	54642
352	54654	54667	54679	54691	54704	54716	54728	54741	54753	54765
353	54777	54790	54802	54814	54827	54839	54851	54864	54876	54888
354	54900	54913	54925	54937	54949	54962	54974	54986	54998	55011
355	55023	55035	55047	55060	55072	55084	55096	55108	55121	55133
356	55145	55157	55169	55182	55194	55206	55218	55230	55242	55255
357	55267	55279	55291	55303	55315	55328	55340	55352	55364	55376
358	55388	55400	55413	55425	55437	55449	55461	55473	55485	55497
359	55509	55522	55534	55546	55558	55570	55582	55594	55606	55618
360	55630	55642	55654	55666	55678	55691	55703	55715	55727	55739
361	55751	55763	55775	55787	55799	55811	55823	55835	55847	55859
362	55871	55883	55895	55907	55919	55931	55943	55955	55967	55979
363	55991	56003	56015	56027	56039	56050	56062	56074	56086	56098
364	56110	56122	56134	56146	56158	56170	56182	56194	56206	56218
365	56229	56241	56253	56265	56277	56289	56301	56313	56324	56336
366	56348	56360	56372	56384	56396	56407	56419	56431	56443	56455
367	56467	56478	56490	56502	56514	56526	56538	56549	56561	56573
368	56585	56597	56608	56620	56632	56644	56656	56667	56679	56691
369	56703	56714	56726	56738	56750	56761	56773	56785	56797	56808
370	56820	56832	56844	56855	56867	56879	56891	56902	56914	56926
371	56937	56949	56961	56972	56984	56996	57008	57019	57031	57043
372	57054	57066	57078	57089	57101	57113	57124	57136	57148	57159
373	57171	57183	57194	57206	57217	57229	57241	57252	57264	57276
374	57287	57299	57310	57322	57334	57345	57357	57368	57380	57392
375	57403	57415	57426	57438	57449	57461	57473	57484	57496	57507
376	57519	57530	57542	57553	57565	57576	57588	57600	57611	57623
377	57634	57646	57657	57669	57680	57692	57703	57715	57726	57738
378	57749	57761	57772	57784	57795	57807	57818	57830	57841	57852
379	57864	57875	57887	57898	57910	57921	57933	57944	57955	57967
380	57978	57990	58001	58013	58024	58035	58047	58058	58070	58081
381	58092	58104	58115	58127	58138	58149	58161	58172	58184	58195
382	58206	58218	58229	58240	58252	58263	58274	58286	58297	58309
383	58320	58331	58343	58354	58365	58377	58388	58399	58410	58422
384	58433	58444	58456	58467	58478	58490	58501	58512	58524	58535
385	58546	58557	58569	58580	58591	58602	58614	58625	58636	58647
386	58659	58670	58681	58692	58704	58715	58726	58737	58749	58760
387	58771	58782	58794	58805	58816	58827	58838	58850	58861	58872
388	58883	58894	58906	58917	58928	58939	58950	58961	58973	58984
389	58995	59006	59017	59028	59040	59051	59062	59073	59084	59095
390	59106	59118	59129	59140	59151	59162	59173	59184	59195	59207
391	59218	59229	59240	59251	59262	59273	59284	59295	59306	59318
392	59329	59340	59351	59362	59373	59384	59395	59406	59417	59428
393	59439	59450	59461	59472	59483	59494	59506	59517	59528	59539
394	59550	59561	59572	59583	59594	59605	59616	59627	59638	59649
395	59660	59671	59682	59693	59704	59715	59726	59737	59748	59759
396	59770	59780	59791	59802	59813	59824	59835	59846	59857	59868
397	59879	59890	59901	59912	59923	59934	59945	59956	59967	59977
398	59988	59999	60010	60021	60032	60043	60054	60065	60076	60086
399	60097	60108	60119	60130	60141	60152	60163	60173	60184	60195
No.	0	1	2	3	4	5	6	7	8	9

## LOGARITHMS OF NUMBERS.

No. 4000	1500.									Log. 60206	6627
No.	0	1	2	3	4	5	6	7	8	9	
400	60206	60217	60228	60239	60249	60260	60271	60282	60293	60304	
401	60314	60325	60336	60347	60358	60369	60379	60390	60401	60412	
402	60423	60433	60444	60455	60466	60477	60487	60498	60509	60520	
403	60531	60541	60552	60563	60574	60584	60595	60606	60617	60627	
404	60638	60649	60660	60670	60681	60692	60703	60713	60724	60735	
405	60746	60756	60767	60778	60788	60799	60810	60821	60831	60842	
406	60953	60963	60974	60985	60995	60906	60917	60927	60938	60949	
407	60959	60970	60981	60991	61002	61013	61023	61034	61045	61055	
408	61066	61077	61087	61098	61109	61119	61130	61140	61151	61162	
409	61172	61183	61194	61204	61215	61225	61236	61247	61257	61268	
410	61270	61280	61300	61310	61321	61331	61342	61352	61363	61374	
411	61384	61395	61405	61416	61426	61437	61448	61458	61469	61479	
412	61490	61500	61511	61521	61532	61542	61553	61563	61574	61584	
413	61595	61606	61616	61627	61637	61648	61658	61669	61679	61690	
414	61700	61711	61721	61731	61742	61752	61763	61773	61784	61794	
415	61805	61815	61826	61836	61847	61857	61868	61878	61888	61899	
416	61909	61920	61930	61941	61951	61962	61972	61982	61993	62003	
417	62014	62024	62034	62045	62055	62066	62076	62086	62097	62107	
418	62118	62128	62138	62149	62159	62170	62180	62190	62201	62211	
419	62221	62232	62242	62252	62263	62273	62284	62294	62304	62315	
420	62325	62335	62346	62356	62366	62377	62387	62397	62408	62418	
421	62428	62439	62449	62459	62469	62480	62490	62500	62511	62521	
422	62531	62542	62552	62562	62572	62583	62593	62603	62613	62624	
423	62634	62644	62655	62665	62675	62685	62696	62706	62716	62726	
424	62737	62747	62757	62767	62778	62788	62798	62808	62818	62829	
425	62839	62849	62859	62870	62880	62890	62900	62910	62921	62931	
426	62941	62951	62961	62972	62982	62992	63002	63012	63022	63033	
427	63043	63053	63063	63073	63083	63094	63104	63114	63124	63134	
428	63144	63155	63165	63175	63185	63195	63205	63215	63225	63236	
429	63246	63256	63266	63276	63286	63296	63306	63317	63327	63337	
430	63347	63357	63367	63377	63387	63397	63407	63417	63428	63438	
431	63448	63458	63468	63478	63488	63498	63508	63518	63528	63538	
432	63549	63559	63569	63579	63589	63599	63609	63619	63629	63639	
433	63649	63659	63669	63679	63689	63699	63709	63719	63729	63739	
434	63749	63759	63769	63779	63789	63799	63809	63819	63829	63839	
435	63849	63859	63869	63879	63889	63899	63909	63919	63929	63939	
436	63949	63959	63969	63979	63989	63999	64008	64018	64028	64038	
437	64048	64058	64068	64078	64088	64098	64108	64118	64128	64137	
438	64147	64157	64167	64177	64187	64197	64207	64217	64227	64237	
439	64246	64256	64266	64276	64286	64296	64306	64316	64326	64335	
440	64345	64355	64365	64375	64385	64395	64404	64414	64424	64434	
441	64444	64454	64464	64473	64483	64493	64503	64513	64523	64532	
442	64542	64552	64562	64572	64582	64591	64601	64611	64621	64631	
443	64640	64650	64660	64670	64680	64689	64699	64709	64719	64729	
444	64738	64748	64758	64768	64777	64787	64797	64807	64816	64826	
445	64836	64846	64856	64865	64875	64885	64895	64904	64914	64924	
446	64933	64943	64953	64963	64972	64982	64992	65002	65011	65021	
447	65031	65040	65050	65060	65070	65079	65089	65099	65108	65118	
448	65128	65137	65147	65157	65167	65176	65186	65196	65205	65215	
449	65225	65234	65244	65254	65263	65273	65283	65292	65302	65312	
450	65321	65331	65341	65350	65360	65369	65379	65389	65398	65408	
451	65418	65427	65437	65447	65456	65466	65475	65485	65495	65504	
452	65514	65523	65533	65543	65552	65562	65571	65581	65591	65600	
453	65610	65619	65629	65639	65648	65658	65667	65677	65686	65696	
454	65706	65715	65725	65734	65744	65753	65763	65772	65782	65792	
455	65801	65811	65820	65830	65839	65849	65858	65868	65877	65887	
456	65896	65906	65916	65925	65935	65944	65954	65963	65973	65983	
457	65992	66001	66011	66020	66030	66039	66049	66058	66068	66077	
458	66087	66096	66106	66115	66124	66134	66143	66153	66162	66172	
459	66181	66191	66200	66210	66219	66229	66239	66247	66257	66266	
No.	0	1	2	3	4	5	6	7	8	9	

TABLE XXVI.

LOGARITHMS OF NUMBERS.

4600		Log. 66276								71600	
	0	1	2	3	4	5	6	7	8	9	
66276	66283	66295	66304	66314	66324	66332	66342	66351	66361		
66370	66380	66389	66398	66408	66417	66427	66436	66445	66455		
66464	66474	66483	66492	66502	66511	66521	66530	66539	66549		
66558	66567	66577	66586	66596	66605	66614	66624	66633	66642		
66652	66661	66671	66680	66689	66699	66708	66717	66727	66736		
66745	66755	66764	66773	66783	66792	66801	66811	66820	66829		
66839	66848	66857	66867	66876	66885	66894	66904	66913	66922		
66932	66941	66950	66960	66969	66978	66987	66997	67006	67015		
67025	67034	67043	67052	67062	67071	67080	67089	67099	67108		
67117	67127	67136	67145	67154	67164	67173	67182	67191	67201		
67210	67219	67228	67237	67247	67256	67265	67274	67284	67293		
67302	67311	67321	67330	67339	67348	67357	67367	67376	67385		
67394	67403	67413	67422	67431	67440	67449	67459	67468	67477		
67486	67495	67504	67514	67523	67532	67541	67550	67560	67569		
67578	67587	67596	67605	67614	67624	67633	67642	67651	67660		
67669	67679	67688	67697	67706	67715	67724	67733	67742	67752		
67761	67770	67779	67788	67797	67806	67815	67825	67834	67843		
67852	67861	67870	67879	67888	67897	67906	67916	67925	67934		
67943	67952	67961	67970	67979	67988	67997	68006	68015	68024		
68034	68043	68052	68061	68070	68079	68088	68097	68106	68115		
68124	68133	68142	68151	68160	68169	68178	68187	68196	68205		
68215	68224	68233	68242	68251	68260	68269	68278	68287	68296		
68305	68314	68323	68332	68341	68350	68359	68368	68377	68386		
68395	68404	68413	68422	68431	68440	68449	68458	68467	68476		
68485	68494	68502	68511	68520	68529	68538	68547	68556	68565		
68574	68583	68592	68601	68610	68619	68628	68637	68646	68655		
68664	68673	68682	68690	68699	68708	68717	68726	68735	68744		
68753	68762	68771	68780	68789	68797	68806	68815	68824	68833		
68842	68851	68860	68869	68878	68886	68895	68904	68913	68922		
68931	68940	68949	68958	68966	68975	68984	68993	69002	69011		
69020	69029	69037	69046	69055	69064	69073	69082	69090	69099		
69108	69117	69126	69135	69144	69152	69161	69170	69179	69188		
69197	69205	69214	69223	69232	69241	69249	69258	69267	69276		
69285	69294	69302	69311	69320	69329	69338	69346	69355	69364		
69373	69381	69390	69399	69408	69417	69425	69434	69443	69452		
69461	69469	69478	69487	69496	69504	69513	69522	69531	69539		
69548	69557	69565	69574	69583	69592	69601	69609	69618	69627		
69636	69644	69653	69662	69671	69679	69688	69697	69705	69714		
69723	69732	69740	69749	69758	69767	69775	69784	69793	69801		
69810	69819	69827	69836	69845	69854	69862	69871	69880	69888		
69897	69906	69914	69923	69932	69940	69949	69958	69966	69975		
69984	69992	70001	70010	70018	70027	70036	70044	70053	70062		
70070	70079	70088	70096	70105	70114	70122	70131	70140	70148		
70157	70165	70174	70183	70191	70200	70209	70217	70226	70234		
70243	70252	70260	70269	70278	70286	70295	70303	70312	70321		
70329	70338	70346	70355	70364	70372	70381	70389	70398	70406		
70415	70424	70432	70441	70449	70458	70467	70475	70484	70492		
70501	70509	70518	70526	70535	70544	70552	70561	70569	70578		
70586	70595	70603	70612	70621	70629	70638	70646	70655	70663		
70672	70680	70689	70697	70706	70714	70723	70731	70740	70749		
70757	70766	70774	70783	70791	70800	70808	70817	70825	70834		
70842	70851	70859	70868	70876	70885	70893	70902	70910	70919		
70927	70935	70944	70952	70961	70969	70978	70986	70995	71003		
71012	71020	71029	71037	71046	71054	71062	71071	71079	71088		
71096	71105	71113	71122	71130	71139	71147	71155	71164	71172		
71181	71189	71198	71206	71214	71223	71231	71240	71248	71257		
71265	71273	71282	71290	71299	71307	71315	71324	71332	71341		
71349	71357	71366	71374	71383	71391	71399	71408	71416	71425		
71433	71441	71450	71458	71466	71475	71483	71492	71500	71508		
71517	71525	71533	71542	71550	71559	71567	71575	71584	71592		
0	1	2	3	4	5	6	7	8	9		

TABLE XXVI.

LOGARITHMS OF NUMBERS.

No. 5200		5800						Log. 71600				76
No.	0	1	2	3	4	5	6	7	8			
520	71600	71609	71617	71625	71634	71642	71650	71659	71667	7		
521	71634	71692	71700	71709	71717	71725	71734	71742	71750	7		
522	71767	71775	71784	71792	71800	71809	71817	71825	71834	7		
523	71850	71858	71867	71875	71883	71892	71900	71908	71917	7		
524	71933	71941	71950	71958	71966	71975	71983	71991	71999	7		
525	72016	72024	72032	72041	72049	72057	72066	72074	72082	7		
526	72099	72107	72115	72123	72132	72140	72148	72156	72165	7		
527	72181	72189	72198	72206	72214	72222	72230	72239	72247	7		
528	72263	72272	72280	72288	72296	72304	72313	72321	72329	7		
529	72346	72354	72362	72370	72378	72387	72395	72403	72411	7		
530	72423	72436	72444	72452	72460	72469	72477	72485	72493	7		
531	72509	72518	72526	72534	72542	72550	72558	72567	72575	7		
532	72591	72599	72607	72616	72624	72632	72640	72648	72656	7		
533	72673	72681	72689	72697	72705	72713	72721	72730	72738	7		
534	72754	72762	72770	72779	72787	72795	72803	72811	72819	7		
535	72833	72843	72852	72860	72868	72876	72884	72892	72900	7		
536	72916	72925	72933	72941	72949	72957	72965	72973	72981	7		
537	72997	73006	73014	73022	73030	73038	73046	73054	73062	7		
538	73078	73086	73094	73102	73111	73119	73127	73135	73143	7		
539	73159	73167	73175	73183	73191	73199	73207	73215	73223	7		
540	73239	73247	73255	73263	73272	73280	73288	73296	73304	7		
541	73320	73328	73336	73344	73352	73360	73368	73376	73384	7		
542	73400	73408	73416	73424	73432	73440	73448	73456	73464	7		
543	73480	73488	73496	73504	73512	73520	73528	73536	73544	7		
544	73560	73568	73576	73584	73592	73600	73608	73616	73624	7		
545	73640	73648	73656	73664	73672	73679	73687	73695	73703	7		
546	73719	73727	73735	73743	73751	73759	73767	73775	73783	7		
547	73799	73807	73815	73823	73830	73838	73846	73854	73862	7		
548	73878	73886	73894	73902	73910	73918	73926	73933	73941	7		
549	73957	73965	73973	73981	73989	73997	74005	74013	74020	7		
550	74036	74044	74052	74060	74068	74076	74084	74092	74099	7		
551	74115	74123	74131	74139	74147	74155	74163	74170	74178	7		
552	74194	74202	74210	74218	74225	74233	74241	74249	74257	7		
553	74273	74280	74288	74296	74304	74312	74320	74327	74335	7		
554	74351	74359	74367	74374	74382	74390	74398	74406	74414	7		
555	74429	74437	74445	74453	74461	74468	74476	74484	74492	7		
556	74507	74515	74523	74531	74539	74547	74554	74562	74570	7		
557	74588	74596	74604	74612	74619	74627	74634	74642	74649	7		
558	74663	74671	74679	74687	74695	74702	74710	74718	74726	7		
559	74741	74749	74757	74764	74772	74780	74788	74796	74803	7		
560	74819	74827	74834	74842	74850	74858	74865	74873	74881	7		
561	74896	74904	74912	74920	74927	74935	74943	74950	74958	7		
562	74974	74981	74989	74997	75005	75012	75020	75028	75035	7		
563	75051	75059	75066	75074	75082	75089	75097	75105	75113	7		
564	75123	75131	75139	75147	75155	75163	75171	75178	75187	7		
565	75203	75211	75220	75228	75236	75243	75251	75259	75266	7		
566	75282	75290	75297	75305	75312	75320	75328	75335	75343	7		
567	75358	75366	75374	75381	75389	75397	75404	75412	75420	7		
568	75435	75442	75450	75458	75465	75473	75481	75488	75496	7		
569	75511	75519	75526	75534	75542	75549	75557	75565	75572	7		
570	75587	75595	75603	75610	75618	75626	75633	75641	75648	7		
571	75664	75671	75679	75686	75694	75702	75709	75717	75724	7		
572	75740	75747	75755	75762	75770	75778	75785	75793	75800	7		
573	75815	75823	75831	75838	75846	75853	75861	75868	75876	7		
574	75891	75899	75906	75914	75921	75929	75937	75944	75952	7		
575	75967	75974	75982	75989	75997	76005	76012	76020	76027	7		
576	76042	76050	76057	76065	76072	76080	76087	76095	76103	7		
577	76118	76125	76133	76140	76148	76155	76163	76170	76178	7		
578	76193	76200	76208	76215	76223	76230	76238	76245	76253	7		
579	76268	76275	76283	76290	76298	76305	76313	76320	76328	7		



**TABLE XXVI.**

**LOGARITHMS OF NUMBERS.**

No. 5800		G.M.		Log. 76345						80613.	
No.	0	1	2	3	4	5	6	7	8	9	
580	76343	76350	76357	76363	76370	76377	76384	76391	76403	76410	
581	76418	76425	76433	76440	76447	76455	76462	76470	76477	76485	
582	76492	76500	76507	76515	76522	76530	76537	76545	76552	76559	
583	76567	76574	76582	76589	76597	76604	76612	76619	76626	76634	
584	76641	76649	76656	76664	76671	76678	76686	76693	76701	76708	
585	76716	76723	76730	76738	76745	76753	76760	76768	76775	76782	
586	76790	76797	76805	76812	76819	76827	76834	76842	76849	76856	
587	76864	76871	76879	76886	76893	76901	76908	76916	76923	76930	
588	76937	76945	76953	76960	76967	76975	76982	76989	76997	77004	
589	77012	77019	77026	77034	77041	77048	77056	77063	77070	77078	
590	77083	77093	77100	77107	77115	77122	77129	77137	77144	77151	
591	77159	77166	77173	77181	77189	77195	77203	77210	77217	77225	
592	77232	77240	77247	77254	77262	77269	77276	77283	77291	77298	
593	77305	77313	77320	77327	77335	77342	77349	77357	77364	77371	
594	77379	77386	77393	77401	77408	77415	77422	77430	77437	77444	
595	77452	77459	77466	77474	77481	77488	77495	77503	77510	77517	
596	77525	77532	77539	77546	77554	77561	77568	77576	77583	77590	
597	77597	77605	77612	77619	77627	77634	77641	77648	77656	77663	
598	77670	77677	77685	77692	77699	77706	77714	77721	77728	77735	
599	77743	77750	77757	77764	77772	77779	77786	77793	77801	77808	
600	77815	77822	77830	77837	77844	77851	77859	77866	77873	77880	
601	77887	77895	77902	77909	77916	77924	77931	77938	77945	77952	
602	77960	77967	77974	77981	77988	77996	78003	78010	78017	78025	
603	78032	78039	78046	78053	78061	78068	78075	78082	78089	78097	
604	78104	78111	78118	78125	78132	78140	78147	78154	78161	78168	
605	78176	78183	78190	78197	78204	78211	78219	78226	78233	78240	
606	78247	78254	78262	78269	78276	78283	78290	78297	78305	78312	
607	78319	78326	78333	78340	78347	78355	78362	78369	78376	78383	
608	78390	78398	78405	78412	78419	78426	78433	78440	78447	78455	
609	78462	78469	78476	78483	78490	78497	78504	78512	78519	78526	
610	78533	78540	78547	78554	78561	78569	78576	78583	78590	78597	
611	78604	78611	78618	78625	78633	78640	78647	78654	78661	78668	
612	78675	78682	78689	78696	78704	78711	78718	78725	78732	78739	
613	78746	78753	78760	78767	78774	78781	78789	78796	78803	78810	
614	78817	78824	78831	78838	78845	78852	78859	78866	78873	78880	
615	78883	78895	78902	78909	78916	78923	78930	78937	78944	78951	
616	78958	78965	78972	78979	78986	78993	79000	79007	79014	79021	
617	79029	79036	79043	79050	79057	79064	79071	79078	79085	79092	
618	79099	79106	79113	79120	79127	79134	79141	79148	79155	79162	
619	79169	79176	79183	79190	79197	79204	79211	79218	79225	79232	
620	79239	79246	79253	79260	79267	79274	79281	79288	79295	79302	
621	79309	79316	79323	79330	79337	79344	79351	79358	79365	79372	
622	79379	79386	79393	79400	79407	79414	79421	79428	79435	79442	
623	79449	79456	79463	79470	79477	79484	79491	79498	79505	79511	
624	79518	79525	79532	79539	79546	79553	79560	79567	79574	79581	
625	79588	79595	79602	79609	79616	79623	79630	79637	79644	79650	
626	79657	79664	79671	79678	79685	79692	79699	79706	79713	79720	
627	79727	79734	79741	79748	79754	79761	79768	79775	79782	79789	
628	79796	79803	79810	79817	79824	79831	79838	79844	79851	79858	
629	79865	79872	79879	79886	79893	79900	79906	79913	79920	79927	
630	79934	79941	79948	79955	79962	79969	79975	79982	79989	79996	
631	80003	80010	80017	80024	80030	80037	80044	80051	80058	80065	
632	80072	80079	80085	80092	80099	80106	80113	80120	80127	80134	
633	80140	80147	80154	80161	80168	80175	80182	80188	80195	80202	
634	80209	80216	80223	80229	80236	80243	80250	80257	80264	80271	
635	80277	80284	80291	80298	80305	80312	80318	80325	80332	80339	
636	80346	80353	80359	80366	80373	80380	80387	80393	80400	80407	
637	80414	80421	80428	80434	80441	80448	80455	80462	80468	80475	
638	80482	80489	80496	80502	80509	80516	80523	80530	80536	80543	
639	80550	80557	80564	80570	80577	80584	80591	80596	80604	80611	
No.	0	1	2	3	4	5	6	7	8	9	

TABLE XXVI.

LOGARITHMS OF NUMBERS.

No. 6400						7000.					Log. 80618					84510.					
No.	0	1	2	3	4	5	6	7	8	9	No.	0	1	2	3	4	5	6	7	8	9
640	80618	80625	80632	80638	80645	80652	80659	80665	80672	80679	645	80956	80963	80969	80976	80983	80990	80996	81003	81010	81017
641	80686	80693	80699	80706	80713	80720	80726	80733	80740	80747	646	81023	81030	81037	81043	81050	81057	81064	81070	81077	81084
642	80754	80760	80767	80774	80781	80787	80794	80801	80808	80814	647	81090	81097	81104	81111	81117	81124	81131	81137	81144	81151
643	80821	80828	80835	80841	80848	80855	80862	80868	80875	80882	648	81158	81164	81171	81178	81184	81191	81198	81204	81211	81218
644	80889	80895	80902	80909	80916	80922	80929	80936	80943	80949	649	81224	81231	81238	81245	81251	81258	81265	81271	81278	81285
650	81291	81298	81305	81311	81318	81325	81331	81338	81345	81351	655	81624	81631	81637	81644	81651	81657	81664	81671	81677	81684
651	81358	81365	81371	81378	81385	81391	81398	81405	81411	81418	656	81690	81697	81704	81710	81717	81723	81730	81737	81743	81750
652	81425	81431	81438	81445	81451	81458	81465	81471	81478	81485	657	81757	81763	81770	81776	81783	81790	81796	81803	81809	81816
653	81491	81498	81505	81511	81518	81525	81531	81538	81544	81551	658	81823	81829	81836	81842	81849	81856	81862	81869	81875	81882
654	81558	81564	81571	81578	81584	81591	81598	81604	81611	81617	659	81889	81895	81902	81908	81915	81921	81928	81935	81941	81948
660	81954	81961	81968	81974	81981	81987	81994	82000	82007	82014	665	82282	82289	82295	82302	82308	82315	82321	82328	82334	82341
661	82020	82027	82033	82040	82046	82053	82060	82066	82073	82079	666	82347	82354	82360	82367	82373	82380	82387	82393	82400	82406
662	82086	82092	82099	82105	82112	82119	82125	82132	82138	82145	667	82413	82419	82426	82432	82439	82445	82452	82458	82465	82471
663	82151	82158	82164	82171	82178	82184	82191	82197	82204	82210	668	82478	82484	82491	82497	82504	82510	82517	82523	82530	82536
664	82217	82223	82230	82236	82243	82249	82256	82263	82269	82276	669	82543	82549	82556	82562	82569	82575	82582	82588	82595	82601
670	82607	82614	82620	82627	82633	82640	82646	82653	82659	82666	675	82930	82937	82943	82950	82956	82963	82969	82975	82982	82988
671	82672	82679	82685	82692	82698	82705	82711	82716	82724	82730	676	82995	83001	83008	83014	83021	83027	83033	83040	83046	83052
672	82737	82743	82750	82756	82763	82769	82776	82782	82789	82795	677	83059	83065	83072	83078	83085	83091	83097	83104	83110	83117
673	82802	82808	82814	82821	82827	82834	82840	82847	82853	82860	678	83123	83129	83136	83142	83149	83155	83161	83168	83174	83181
674	82866	82872	82879	82885	82892	82898	82905	82911	82918	82924	679	83187	83193	83200	83206	83213	83219	83225	83232	83238	83245
680	83251	83257	83264	83270	83276	83283	83289	83296	83302	83308	685	83569	83575	83582	83588	83594	83601	83607	83613	83620	83626
681	83315	83321	83327	83334	83340	83347	83353	83359	83366	83372	686	83632	83639	83645	83651	83658	83664	83670	83677	83683	83689
682	83378	83385	83391	83398	83404	83410	83417	83423	83429	83436	687	83696	83702	83708	83715	83721	83727	83734	83740	83746	83753
683	83442	83448	83455	83461	83467	83474	83480	83487	83493	83499	688	83759	83765	83771	83778	83784	83790	83797	83803	83809	83815
684	83506	83512	83518	83525	83531	83537	83544	83550	83556	83563	689	83822	83828	83835	83841	83847	83853	83860	83866	83872	83879
690	83885	83891	83897	83904	83910	83916	83923	83929	83935	83942	695	84198	84205	84211	84217	84223	84230	84236	84242	84248	84255
691	83948	83954	83960	83967	83973	83979	83985	83992	83998	84004	696	84261	84267	84273	84280	84286	84292	84298	84305	84311	84317
692	84011	84017	84023	84029	84036	84042	84048	84055	84061	84067	697	84323	84330	84336	84342	84348	84354	84361	84367	84373	84379
693	84073	84080	84086	84092	84098	84105	84111	84117	84123	84130	698	84386	84392	84398	84404	84410	84417	84423	84429	84435	84441
694	84136	84142	84148	84155	84161	84167	84173	84180	84186	84192	699	84448	84454	84460	84466	84473	84479	84485	84491	84497	84504
No.	0	1	2	3	4	5	6	7	8	9	No.	0	1	2	3	4	5	6	7	8	9



TABLE XXVI.

LOGARITHMS OF NUMBERS.

No. 7000—7600.

Log. 84510—88081.

No.	0	1	2	3	4	5	6	7	8	9
700	84510	84516	84522	84528	84535	84541	84547	84553	84559	84566
701	84572	84578	84584	84590	84597	84603	84609	84615	84621	84628
702	84634	84640	84646	84652	84658	84665	84671	84677	84683	84689
703	84696	84702	84708	84714	84720	84726	84733	84739	84745	84751
704	84757	84763	84770	84776	84782	84788	84794	84800	84807	84813
705	84819	84825	84831	84837	84844	84850	84856	84862	84868	84874
706	84880	84887	84893	84899	84905	84911	84917	84924	84930	84936
707	84942	84948	84954	84960	84967	84973	84979	84985	84991	84997
708	85003	85009	85016	85022	85028	85034	85040	85046	85052	85058
709	85065	85071	85077	85083	85089	85095	85101	85107	85114	85120
710	85126	85132	85138	85144	85150	85156	85163	85169	85176	85181
711	85187	85193	85199	85205	85211	85217	85224	85230	85236	85242
712	85248	85254	85260	85266	85272	85278	85285	85291	85297	85303
713	85309	85315	85321	85327	85333	85339	85345	85352	85358	85364
714	85370	85376	85382	85388	85394	85400	85406	85412	85418	85425
715	85431	85437	85443	85449	85455	85461	85467	85473	85479	85485
716	85491	85497	85503	85509	85516	85522	85528	85534	85540	85546
717	85552	85558	85564	85570	85576	85582	85588	85594	85600	85606
718	85612	85618	85625	85631	85637	85643	85649	85655	85661	85667
719	85673	85679	85685	85691	85697	85703	85709	85715	85721	85727
720	85733	85739	85745	85751	85757	85763	85769	85775	85781	85788
721	85794	85800	85806	85812	85818	85824	85830	85836	85842	85848
722	85854	85860	85866	85872	85878	85884	85890	85896	85902	85908
723	85914	85920	85926	85932	85938	85944	85950	85956	85962	85968
724	85974	85980	85986	85992	85998	86004	86010	86016	86022	86028
725	86034	86040	86046	86052	86058	86064	86070	86076	86082	86088
726	86094	86100	86106	86112	86118	86124	86130	86136	86141	86147
727	86153	86159	86165	86171	86177	86183	86189	86195	86201	86207
728	86213	86219	86225	86231	86237	86243	86249	86255	86261	86267
729	86273	86279	86285	86291	86297	86303	86309	86314	86320	86326
730	86332	86338	86344	86350	86356	86362	86368	86374	86380	86386
731	86392	86398	86404	86410	86415	86421	86427	86433	86439	86445
732	86451	86457	86463	86469	86475	86481	86487	86493	86499	86504
733	86510	86516	86522	86528	86534	86540	86546	86552	86558	86564
734	86570	86576	86581	86587	86593	86599	86605	86611	86617	86623
735	86629	86635	86641	86646	86652	86658	86664	86670	86676	86682
736	86688	86694	86700	86705	86711	86717	86723	86729	86735	86741
737	86747	86753	86759	86764	86770	86776	86782	86788	86794	86800
738	86806	86812	86817	86823	86829	86835	86841	86847	86853	86859
739	86864	86870	86876	86882	86888	86894	86900	86906	86911	86917
740	86923	86929	86935	86941	86947	86953	86958	86964	86970	86976
741	86982	86988	86994	86999	87005	87011	87017	87023	87029	87035
742	87040	87046	87052	87058	87064	87070	87075	87081	87087	87093
743	87099	87105	87111	87116	87122	87128	87134	87140	87146	87151
744	87157	87163	87169	87175	87181	87186	87192	87198	87204	87210
745	87216	87221	87227	87233	87239	87245	87251	87256	87262	87268
746	87274	87280	87286	87291	87297	87303	87309	87315	87320	87326
747	87332	87338	87344	87349	87355	87361	87367	87373	87379	87384
748	87390	87396	87402	87408	87413	87419	87425	87431	87437	87442
749	87448	87454	87460	87466	87471	87477	87483	87489	87495	87500
750	87506	87512	87518	87523	87529	87535	87541	87547	87552	87558
751	87564	87570	87576	87581	87587	87593	87599	87604	87610	87616
752	87622	87628	87633	87639	87645	87651	87656	87662	87668	87674
753	87679	87685	87691	87697	87703	87708	87714	87720	87726	87731
754	87737	87743	87749	87754	87760	87766	87772	87777	87783	87789
755	87795	87800	87806	87812	87818	87823	87829	87835	87841	87846
756	87852	87858	87864	87869	87875	87881	87887	87892	87898	87904
757	87910	87915	87921	87927	87933	87938	87944	87950	87955	87961
758	87967	87973	87978	87984	87990	87996	88001	88007	88013	88018
759	88024	88030	88036	88041	88047	88053	88058	88064	88070	88076
No.	0	1	2	3	4	5	6	7	8	9



TABLE XXVI.

LOGARITHMS OF NUMBERS.

No.	Log. 88081 — 91381.									
No. 7600 — 8200.	0	1	2	3	4	5	6	7	8	9
760	88081	88087	88093	88098	88104	88110	88116	88121	88127	88133
761	88138	88144	88150	88156	88161	88167	88173	88178	88184	88190
762	88195	88201	88207	88213	88218	88224	88230	88235	88241	88247
763	88252	88258	88264	88270	88275	88281	88287	88292	88298	88304
764	88309	88315	88321	88326	88332	88338	88344	88349	88355	88360
765	88365	88372	88377	88383	88389	88395	88400	88406	88412	88417
766	88423	88429	88434	88440	88446	88451	88457	88463	88468	88474
767	88480	88485	88491	88497	88502	88508	88513	88519	88525	88530
768	88536	88542	88547	88553	88559	88564	88570	88576	88581	88587
769	88594	88599	88605	88610	88615	88621	88627	88632	88638	88643
770	88649	88655	88660	88666	88672	88677	88683	88689	88694	88700
771	88705	88711	88717	88722	88728	88734	88739	88745	88750	88756
772	88762	88767	88773	88779	88784	88790	88795	88801	88807	88812
773	88818	88824	88829	88835	88840	88846	88852	88857	88863	88868
774	88874	88880	88885	88891	88897	88902	88908	88913	88919	88925
775	88930	88936	88941	88947	88953	88958	88964	88969	88975	88981
776	88986	88992	88997	89003	89009	89014	89020	89025	89031	89037
777	89042	89048	89053	89059	89064	89070	89076	89081	89087	89092
778	89098	89104	89109	89115	89120	89126	89131	89137	89143	89148
779	89154	89159	89165	89170	89176	89182	89187	89193	89198	89204
780	89209	89215	89221	89226	89232	89237	89243	89248	89254	89260
781	89265	89271	89276	89282	89287	89293	89298	89304	89310	89315
782	89321	89326	89332	89337	89343	89348	89354	89360	89365	89371
783	89376	89382	89387	89393	89398	89404	89409	89415	89421	89426
784	89432	89437	89443	89448	89454	89459	89465	89470	89476	89481
785	89487	89492	89498	89504	89509	89515	89520	89526	89531	89537
786	89542	89548	89553	89559	89564	89570	89575	89581	89586	89592
787	89597	89603	89609	89614	89620	89625	89631	89636	89642	89647
788	89653	89658	89664	89669	89675	89680	89686	89691	89697	89702
789	89708	89713	89719	89724	89730	89735	89741	89746	89752	89757
790	89763	89768	89774	89779	89785	89790	89796	89801	89807	89812
791	89818	89823	89829	89834	89840	89845	89851	89856	89862	89867
792	89873	89878	89883	89889	89894	89900	89905	89911	89916	89922
793	89927	89933	89938	89944	89949	89955	89960	89966	89971	89977
794	89982	89988	89993	89998	90004	90009	90015	90020	90026	90031
795	90037	90042	90048	90053	90059	90064	90069	90075	90080	90086
796	90091	90097	90102	90108	90113	90119	90124	90129	90135	90140
797	90146	90151	90157	90162	90168	90173	90179	90184	90189	90195
798	90200	90206	90211	90217	90222	90227	90233	90238	90244	90249
799	90255	90260	90266	90271	90276	90282	90287	90293	90298	90304
800	90309	90314	90320	90325	90331	90336	90342	90347	90352	90358
801	90363	90369	90374	90380	90385	90390	90396	90401	90407	90412
802	90417	90423	90428	90434	90439	90445	90450	90455	90461	90466
803	90472	90477	90482	90488	90493	90499	90504	90509	90515	90520
804	90526	90531	90536	90542	90547	90553	90558	90563	90569	90574
805	90580	90585	90590	90596	90601	90607	90612	90617	90623	90628
806	90634	90639	90644	90650	90655	90660	90666	90671	90677	90682
807	90687	90693	90698	90703	90709	90714	90720	90725	90730	90736
808	90741	90747	90752	90757	90763	90768	90773	90779	90784	90789
809	90795	90800	90806	90811	90816	90822	90827	90832	90838	90843
810	90849	90854	90859	90865	90870	90875	90881	90886	90891	90897
811	90902	90907	90913	90918	90924	90929	90934	90940	90945	90950
812	90956	90961	90966	90972	90977	90982	90988	90993	90998	91004
813	91009	91014	91020	91025	91030	91036	91041	91046	91052	91057
814	91062	91068	91073	91078	91084	91089	91094	91100	91105	91110
815	91116	91121	91126	91132	91137	91142	91148	91153	91158	91164
816	91169	91174	91180	91185	91190	91196	91201	91206	91212	91217
817	91222	91228	91233	91238	91243	91249	91254	91259	91265	91270
818	91275	91281	91286	91291	91297	91302	91307	91312	91318	91323
819	91328	91334	91339	91344	91350	91355	91360	91365	91371	91376
No.	0	1	2	3	4	5	6	7	8	9

TABLE XXVI.

LOGARITHMS OF NUMBERS.

No. 8200—8800.

Log. 91381—94448.

No.	0	1	2	3	4	5	6	7	8	9
820	91381	91387	91392	91397	91403	91408	91413	91418	91424	91429
821	91434	91440	91445	91450	91455	91461	91466	91471	91477	91482
822	91487	91492	91498	91503	91508	91514	91519	91524	91529	91535
823	91540	91545	91551	91556	91561	91566	91572	91577	91582	91587
824	91593	91598	91603	91609	91614	91619	91624	91630	91635	91640
825	91645	91651	91656	91661	91666	91672	91677	91682	91687	91693
826	91698	91703	91709	91714	91719	91724	91730	91735	91740	91745
827	91751	91756	91761	91766	91772	91777	91782	91787	91793	91798
828	91803	91808	91814	91819	91824	91829	91834	91840	91845	91850
829	91855	91861	91866	91871	91876	91882	91887	91892	91897	91903
830	91908	91913	91918	91924	91929	91934	91939	91944	91950	91955
831	91960	91965	91971	91976	91981	91986	91991	91997	92002	92007
832	92012	92018	92023	92028	92033	92038	92044	92049	92054	92059
833	92065	92070	92075	92080	92085	92091	92096	92101	92106	92111
834	92117	92122	92127	92132	92137	92143	92148	92153	92158	92163
835	92169	92174	92179	92184	92189	92195	92200	92205	92210	92215
836	92221	92226	92231	92236	92241	92247	92252	92257	92262	92267
837	92273	92278	92283	92288	92293	92298	92304	92309	92314	92319
838	92324	92330	92335	92340	92345	92350	92355	92361	92366	92371
839	92376	92381	92387	92392	92397	92402	92407	92412	92418	92423
840	92428	92433	92438	92443	92449	92454	92459	92464	92469	92474
841	92480	92485	92490	92495	92500	92505	92511	92516	92521	92526
842	92531	92536	92542	92547	92552	92557	92562	92567	92572	92578
843	92583	92588	92593	92598	92603	92609	92614	92619	92624	92629
844	92634	92639	92645	92650	92655	92660	92665	92670	92675	92681
845	92686	92691	92696	92701	92706	92711	92716	92722	92727	92732
846	92737	92742	92747	92752	92758	92763	92768	92773	92778	92783
847	92788	92793	92799	92804	92809	92814	92819	92824	92829	92834
848	92840	92845	92850	92855	92860	92865	92870	92875	92881	92886
849	92891	92896	92901	92906	92911	92916	92921	92927	92932	92937
850	92942	92947	92952	92957	92962	92967	92973	92978	92983	92988
851	92993	92998	93003	93008	93013	93018	93024	93029	93034	93039
852	93044	93049	93054	93059	93064	93069	93075	93080	93085	93090
853	93095	93100	93105	93110	93115	93120	93125	93131	93136	93141
854	93146	93151	93156	93161	93166	93171	93176	93181	93186	93191
855	93197	93202	93207	93212	93217	93222	93227	93232	93237	93242
856	93247	93252	93258	93263	93268	93273	93278	93283	93288	93293
857	93298	93303	93308	93313	93318	93323	93328	93334	93339	93344
858	93349	93354	93359	93364	93369	93374	93379	93384	93389	93394
859	93399	93404	93409	93414	93420	93425	93430	93435	93440	93445
860	93450	93455	93460	93465	93470	93475	93480	93485	93490	93495
861	93500	93505	93510	93515	93520	93526	93531	93536	93541	93546
862	93551	93556	93561	93566	93571	93576	93581	93586	93591	93596
863	93601	93606	93611	93616	93621	93626	93631	93636	93641	93646
864	93651	93656	93661	93666	93671	93676	93682	93687	93692	93697
865	93702	93707	93712	93717	93722	93727	93732	93737	93742	93747
866	93752	93757	93762	93767	93772	93777	93782	93787	93792	93797
867	93802	93807	93812	93817	93822	93827	93832	93837	93842	93847
868	93852	93857	93862	93867	93872	93877	93882	93887	93892	93897
869	93902	93907	93912	93917	93922	93927	93932	93937	93942	93947
870	93952	93957	93962	93967	93972	93977	93982	93987	93992	93997
871	94002	94007	94012	94017	94022	94027	94032	94037	94042	94047
872	94052	94057	94062	94067	94072	94077	94082	94086	94091	94096
873	94101	94106	94111	94116	94121	94126	94131	94136	94141	94146
874	94151	94156	94161	94166	94171	94176	94181	94186	94191	94196
875	94201	94206	94211	94216	94221	94226	94231	94236	94240	94245
876	94250	94255	94260	94265	94270	94275	94280	94285	94290	94295
877	94300	94305	94310	94315	94320	94325	94330	94335	94340	94345
878	94349	94354	94359	94364	94369	94374	94379	94384	94389	94394
879	94399	94404	94409	94414	94419	94424	94429	94433	94438	94443
No.	0	1	2	3	4	5	6	7	8	9

## TABLE XXVI.

LOGARITHMS OF NUMBERS.

No. 8800—9400.		Log. 94448—97313.								
No.	0	1	2	3	4	5	6	7	8	9
880	94448	94453	94458	94463	94468	94473	94478	94483	94488	94493
881	94498	94503	94507	94512	94517	94522	94527	94532	94537	94542
882	94547	94552	94557	94562	94567	94571	94576	94581	94586	94591
883	94596	94601	94606	94611	94616	94621	94626	94630	94635	94640
884	94645	94650	94655	94660	94665	94670	94675	94680	94685	94689
885	94694	94699	94704	94709	94714	94719	94724	94729	94734	94738
886	94743	94748	94753	94758	94763	94768	94773	94778	94783	94787
887	94792	94797	94802	94807	94812	94817	94822	94827	94832	94836
888	94841	94846	94851	94856	94861	94866	94871	94876	94880	94885
889	94890	94895	94900	94905	94910	94915	94919	94924	94929	94934
890	94939	94944	94949	94954	94959	94963	94968	94973	94978	94983
891	94988	94993	94998	95002	95007	95012	95017	95022	95027	95032
892	95036	95041	95046	95051	95056	95061	95066	95071	95076	95080
893	95085	95090	95095	95100	95105	95109	95114	95119	95124	95129
894	95134	95139	95143	95148	95153	95158	95163	95168	95173	95177
895	95182	95187	95192	95197	95202	95207	95211	95216	95221	95226
896	95231	95236	95240	95245	95250	95255	95260	95265	95270	95274
897	95279	95284	95289	95294	95299	95303	95308	95313	95318	95323
898	95328	95332	95337	95342	95347	95352	95357	95361	95366	95371
899	95376	95381	95386	95390	95395	95400	95405	95410	95415	95419
900	95424	95429	95434	95439	95444	95448	95453	95458	95463	95468
901	95472	95477	95482	95487	95492	95497	95501	95506	95511	95516
902	95521	95525	95530	95535	95540	95545	95550	95554	95559	95564
903	95569	95574	95578	95583	95588	95593	95598	95602	95607	95612
904	95617	95622	95626	95631	95636	95641	95646	95650	95655	95660
905	95665	95670	95674	95679	95684	95689	95694	95699	95703	95708
906	95713	95718	95722	95727	95732	95737	95742	95746	95751	95756
907	95761	95766	95770	95775	95780	95785	95789	95794	95799	95804
908	95809	95813	95818	95823	95828	95832	95837	95842	95847	95852
909	95856	95861	95866	95871	95875	95880	95885	95890	95895	95899
910	95904	95909	95914	95918	95923	95928	95933	95938	95942	95947
911	95952	95957	95961	95966	95971	95976	95980	95985	95990	95995
912	95999	96004	96009	96014	96019	96023	96028	96033	96038	96042
913	96047	96052	96057	96061	96066	96071	96076	96080	96085	96090
914	96095	96099	96104	96109	96114	96118	96123	96128	96133	96137
915	96142	96147	96152	96156	96161	96166	96171	96175	96180	96185
916	96190	96194	96199	96204	96209	96213	96218	96223	96227	96232
917	96237	96242	96246	96251	96256	96261	96265	96270	96275	96280
918	96284	96289	96294	96298	96303	96308	96313	96317	96322	96327
919	96332	96336	96341	96346	96350	96355	96360	96365	96369	96374
920	96379	96384	96388	96393	96398	96402	96407	96412	96417	96421
921	96426	96431	96435	96440	96445	96450	96454	96459	96464	96468
922	96473	96478	96483	96487	96492	96497	96501	96506	96511	96515
923	96520	96525	96530	96534	96539	96544	96548	96553	96558	96562
924	96567	96572	96577	96581	96586	96591	96595	96600	96605	96609
925	96614	96619	96624	96628	96633	96638	96642	96647	96652	96656
926	96661	96666	96670	96675	96680	96685	96689	96694	96699	96703
927	96708	96713	96717	96722	96727	96731	96736	96741	96745	96750
928	96755	96759	96764	96769	96774	96778	96783	96788	96792	96797
929	96802	96806	96811	96816	96820	96825	96830	96834	96839	96844
930	96848	96853	96858	96862	96867	96872	96876	96881	96886	96890
931	96895	96900	96904	96909	96914	96918	96923	96928	96932	96937
932	96942	96946	96951	96956	96960	96965	96970	96974	96979	96984
933	96988	96993	96997	97002	97007	97011	97016	97021	97025	97030
934	97035	97039	97044	97049	97053	97058	97063	97067	97072	97077
935	97081	97086	97090	97095	97100	97104	97109	97114	97118	97123
936	97128	97132	97137	97142	97146	97151	97155	97160	97165	97169
937	97174	97179	97183	97188	97192	97197	97202	97206	97211	97216
938	97220	97225	97230	97234	97239	97243	97248	97253	97257	97262
939	97267	97271	97276	97280	97285	97290	97294	97299	97304	97308
No.	0	1	2	3	4	5	6	7	8	9

TABLE XXVI.

183

## LOGARITHMS OF NUMBERS.

No. 9400—10000.				Log. 97313—99996.						
No.	0	1	2	3	4	5	6	7	8	9
940	97313	97317	97322	97327	97331	97336	97340	97345	97350	97354
941	97359	97364	97368	97373	97377	97382	97387	97391	97396	97400
942	97405	97410	97414	97419	97424	97428	97433	97437	97442	97447
943	97451	97456	97460	97465	97470	97474	97479	97483	97488	97493
944	97497	97502	97506	97511	97516	97520	97525	97529	97534	97539
945	97543	97548	97552	97557	97562	97566	97571	97575	97580	97585
946	97589	97594	97598	97603	97607	97612	97617	97621	97626	97630
947	97635	97640	97644	97649	97653	97658	97663	97667	97672	97676
948	97681	97685	97690	97695	97699	97704	97708	97713	97717	97722
949	97727	97731	97736	97740	97745	97749	97754	97759	97763	97768
950	97772	97777	97782	97786	97791	97795	97800	97804	97809	97813
951	97818	97823	97827	97832	97836	97841	97845	97850	97855	97859
952	97864	97868	97873	97877	97882	97886	97891	97896	97900	97905
953	97909	97914	97918	97923	97928	97932	97937	97941	97946	97950
954	97955	97959	97964	97968	97973	97978	97982	97987	97991	97996
955	98000	98005	98009	98014	98019	98023	98028	98032	98037	98041
956	98046	98050	98055	98059	98064	98068	98072	98078	98082	98087
957	98091	98096	98100	98105	98109	98114	98118	98123	98127	98132
958	98137	98141	98146	98150	98155	98159	98164	98168	98173	98177
959	98182	98186	98191	98195	98200	98204	98209	98214	98218	98223
960	98227	98232	98236	98241	98245	98250	98254	98259	98263	98268
961	98272	98277	98281	98286	98290	98295	98299	98304	98308	98313
962	98318	98322	98327	98331	98336	98340	98345	98349	98354	98358
963	98363	98367	98372	98376	98381	98385	98390	98394	98399	98403
964	98408	98412	98417	98421	98426	98430	98435	98439	98444	98448
965	98453	98457	98462	98466	98471	98475	98480	98484	98489	98493
966	98498	98502	98507	98511	98516	98520	98525	98529	98534	98538
967	98543	98547	98552	98556	98561	98565	98570	98574	98579	98583
968	98588	98592	98597	98601	98605	98610	98614	98619	98623	98628
969	98632	98637	98641	98646	98650	98655	98659	98664	98668	98673
970	98677	98682	98686	98691	98695	98700	98704	98709	98713	98717
971	98722	98726	98731	98735	98740	98744	98749	98753	98758	98762
972	98767	98771	98776	98780	98784	98789	98793	98798	98802	98807
973	98811	98816	98820	98825	98829	98834	98838	98843	98847	98851
974	98856	98860	98865	98869	98874	98878	98883	98887	98892	98896
975	98900	98905	98909	98914	98918	98923	98927	98932	98936	98941
976	98945	98949	98954	98958	98963	98967	98972	98976	98981	98985
977	98989	98994	98998	99003	99007	99012	99016	99021	99025	99029
978	99034	99038	99043	99047	99052	99056	99061	99065	99069	99074
979	99078	99083	99087	99092	99096	99100	99105	99109	99114	99118
980	99123	99127	99131	99136	99140	99145	99149	99154	99158	99162
981	99167	99171	99176	99180	99185	99189	99193	99198	99202	99207
982	99211	99216	99220	99224	99229	99233	99238	99242	99247	99251
983	99255	99260	99264	99269	99273	99277	99282	99286	99291	99295
984	99300	99304	99308	99313	99317	99322	99326	99330	99335	99339
985	99344	99348	99352	99357	99361	99366	99370	99374	99379	99383
986	99388	99392	99396	99401	99405	99410	99414	99419	99423	99427
987	99432	99436	99441	99445	99449	99454	99458	99463	99467	99471
988	99476	99480	99484	99489	99493	99498	99502	99506	99511	99515
989	99520	99524	99528	99533	99537	99542	99546	99550	99555	99559
990	99564	99568	99572	99577	99581	99585	99590	99594	99599	99603
991	99607	99612	99616	99621	99625	99629	99634	99638	99642	99647
992	99651	99656	99660	99664	99669	99673	99677	99682	99686	99691
993	99695	99699	99704	99708	99712	99717	99721	99726	99730	99734
994	99739	99743	99747	99752	99756	99760	99765	99769	99774	99778
995	99782	99787	99791	99795	99800	99804	99808	99813	99817	99822
996	99826	99830	99835	99839	99843	99848	99852	99856	99861	99865
997	99870	99874	99878	99883	99887	99891	99895	99900	99904	99909
998	99913	99917	99922	99926	99930	99935	99939	99944	99948	99952
999	99957	99961	99965	99970	99974	99978	99983	99987	99991	99996
No.	0	1	2	3	4	5	6	7	8	9

## Log. Sines, Tangents and Secants.

0 Deg.				Degs. 179.					
M.	HOUR. M.	HOUR. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M.
0	12 0 0	0 0 0	Inf. Neg.	10.00000	Inf. Neg.	Infinite.	10.00000	Infinite.	60
1	11 59 52	0 0 8	6.46373	00000	6.46373	13.53627	00000	13.53627	59
2	59 44	0 16	76476	00000	76476	23524	00000	23524	58
3	59 36	0 24	94085	00000	94085	05915	00000	05915	57
4	59 28	0 32	7.06579	00000	7.06579	12.93421	00000	12.93421	56
5	11 59 20	0 0 40	7.16270	10.00000	7.16270	12.83730	10.00000	12.83730	55
6	59 12	0 48	24188	00000	24188	75812	00000	75812	54
7	59 4	0 56	30882	00000	30882	69118	00000	69118	53
8	58 56	1 4	36682	00000	36682	63318	00000	63318	52
9	58 48	1 12	41797	00600	41797	58203	00000	58203	51
10	11 58 40	0 1 20	7.46373	10.00000	7.46373	12.53627	10.00000	12.53627	50
11	58 32	1 28	50512	00000	50512	49483	00000	49483	49
12	58 24	1 36	54291	00000	54291	45709	00000	45709	48
13	58 16	1 44	57767	00000	57767	42233	00000	42233	47
14	58 8	1 52	60985	00000	60986	39014	00000	39015	46
15	11 58 0	0 2 0	7.63922	10.00000	7.63982	12.3601	10.00000	12.36018	45
16	57 52	2 8	66784	00000	66785	33215	00000	33216	44
17	57 44	2 16	69417	9.99999	69418	30582	00001	30583	43
18	57 36	2 24	71900	99999	71900	28100	00001	28100	42
19	57 28	2 32	74248	99999	74248	25752	00001	25752	41
20	11 57 20	0 2 40	7.76475	9.99999	7.76476	12.23524	10.00001	12.23525	40
21	57 12	2 48	78594	99999	78595	21405	00001	21406	39
22	57 4	2 56	80615	99999	80615	19385	00001	19385	38
23	56 56	3 4	82545	99999	82546	17454	00001	17455	37
24	56 48	3 12	84393	99999	84394	15606	00001	15607	36
25	11 56 40	0 3 20	7.86166	9.99999	7.86167	12.13833	10.00001	12.13834	35
26	56 32	3 28	87870	99999	87871	12129	00001	12130	34
27	56 24	3 36	89509	99999	89510	10490	00001	10491	33
28	56 16	3 44	91008	99999	91009	08911	00001	08912	32
29	56 8	3 52	92612	99998	92613	07387	00002	07388	31
30	11 56 0	0 4 0	7.94084	9.99998	7.94086	12.05914	10.00002	12.05916	30
31	55 52	4 8	95508	99998	95510	04490	00002	04492	29
32	55 44	4 16	96887	99998	96889	03111	00002	03113	28
33	55 36	4 24	98223	99998	98225	01775	00002	01777	27
34	55 28	4 32	99520	99998	99522	00478	00002	00480	26
35	11 55 20	0 4 40	8.00779	9.99998	8.00781	11.99219	10.00002	11.99221	25
36	55 12	4 48	02002	99998	02004	97996	00002	97998	24
37	55 4	4 56	03192	99997	03194	96806	00003	96808	23
38	54 56	5 4	04350	99997	04353	95647	00003	95650	22
39	54 48	5 12	05478	99997	05481	94519	00003	94522	21
40	11 54 40	0 5 20	8.06578	9.99997	8.06581	11.93419	10.00003	11.93422	20
41	54 32	5 28	07650	99997	07653	92347	00003	92350	19
42	54 24	5 36	08696	99997	08700	91300	00003	91304	18
43	54 16	5 44	09718	99997	09722	90278	00003	90282	17
44	54 8	5 52	10717	99996	10720	89280	00004	89283	16
45	11 54 0	0 6 0	8.11693	9.99996	8.11696	11.88304	10.00004	11.88307	15
46	53 52	6 8	12647	99996	12651	87349	00004	87353	14
47	53 44	6 16	13581	99996	13585	86415	00004	86419	13
48	53 36	6 24	14495	99996	14500	85500	00004	85505	12
49	53 28	6 32	15391	99996	15395	84605	00004	84609	11
50	11 53 20	0 6 40	8.16268	9.99995	8.16273	11.83727	10.00005	11.83732	10
51	53 12	6 48	17128	99995	17133	82867	00005	82872	9
52	53 4	6 56	17971	99995	17976	82024	00005	82029	8
53	52 56	7 4	18798	99995	18804	81196	00005	81202	7
54	52 48	7 12	19610	99995	19616	80384	00005	80390	6
55	11 52 40	0 7 20	8.20407	9.99994	8.20413	11.79587	10.00006	11.79593	5
56	52 32	7 28	21189	99994	21195	78805	00006	78811	4
57	52 24	7 36	21958	99994	21964	78036	00006	78042	3
58	52 16	7 44	22713	99994	22720	77280	00006	77287	2
59	52 8	7 52	23456	99994	23462	76538	00006	76544	1
60	52 0	8 0	24186	99993	24192	75808	00007	75814	0
M.	HOUR. M.	HOUR. M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	M.

TABLE XXVII.

185

Log. Sines, Tangents and Secants.

1 Deg.

Degs. 178.

M.	Hour.F.M.	Hour.F.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant	M.
0	11 52 0	0 8 0	8.24186	9.99993	8.24192	11.75808	10.00007	11.75314	60
1	51 52	8 8	24903	99993	24910	75090	00007	75097	59
2	51 44	8 16	25609	99993	25616	74384	00007	74391	58
3	51 36	8 24	26304	99993	26312	73638	00007	73696	57
4	51 28	8 32	26988	99992	26996	73004	00008	73012	56
5	11 51 20	0 8 40	8.27661	9.99992	8.27669	11.72331	10.00008	11.72339	55
6	51 12	8 48	23324	99992	23332	71668	00008	71676	54
7	51 4	8 56	23977	99992	23986	71014	00008	71023	53
8	50 56	9 4	29621	99992	29629	70371	00008	70379	52
9	50 48	9 12	30255	99991	30263	69737	00009	69745	51
10	11 50 40	0 9 20	8.30879	9.99991	8.30888	11.69112	10.00009	11.69121	50
11	50 32	9 28	31495	99991	31505	68495	00009	68505	49
12	50 24	9 36	32103	99990	32112	67838	00010	67897	48
13	50 16	9 44	32702	99990	32711	67239	00010	67298	47
14	50 8	9 52	33292	99990	33302	66698	00010	66708	46
15	11 50 0	0 10 0	8.33875	9.99990	8.33886	11.66114	10.00010	11.66125	45
16	49 52	10 8	34450	99989	34461	65539	00011	65550	44
17	49 44	10 16	35018	99989	35029	64971	00011	64982	43
18	49 36	10 24	35578	99989	35590	64410	00011	64422	42
19	49 28	10 32	36131	99989	36143	63857	00011	63869	41
20	11 49 20	0 10 40	8.36678	9.99988	8.36689	11.63311	10.00012	11.63322	40
21	49 12	10 48	37217	99988	37229	62771	00012	62783	39
22	49 4	10 56	37750	99988	37762	62238	00012	62250	38
23	48 56	11 4	38276	99987	38289	61711	00013	61724	37
24	48 48	11 12	38796	99987	38809	61191	00013	61204	36
25	11 48 0	0 11 20	8.39310	9.99987	8.39323	11.60677	10.00013	11.60690	35
26	48 32	11 28	39818	99986	39832	60168	00014	60182	34
27	48 24	11 36	40320	99986	40334	59666	00014	59680	33
28	48 16	11 44	40816	99986	40830	59170	00014	59184	32
29	48 8	11 52	41307	99985	41321	58679	00015	58693	31
30	11 48 0	0 12 0	8.41792	9.99985	8.41807	11.58193	10.00015	11.58208	30
31	47 52	12 8	42272	99985	42287	57713	00015	57728	29
32	47 44	12 16	42746	99984	42762	57238	00016	57254	28
33	47 36	12 24	43216	99984	43232	56768	00016	56784	27
34	47 28	12 32	43680	99984	43696	56304	00016	56320	26
35	11 47 20	0 12 40	8.44139	9.99983	8.44156	11.55844	10.00017	11.55861	25
36	47 12	12 48	44594	99983	44611	55389	00017	55406	24
37	47 4	12 56	45044	99983	45061	54939	00017	54956	23
38	46 56	13 4	45489	99982	45507	54493	00018	54511	22
39	46 48	13 12	45930	99982	45948	54052	00018	54070	21
40	11 46 40	0 13 20	8.46366	9.99982	8.46385	11.53615	10.00018	11.53634	20
41	46 32	13 28	46799	99981	46817	53183	00019	53201	19
42	46 24	13 36	47226	99981	47245	52755	00019	52774	18
43	46 16	13 44	47650	99981	47669	52331	00019	52350	17
44	46 8	13 52	48069	99980	48089	51911	00020	51931	16
45	11 46 0	0 14 0	8.48485	9.99980	8.48505	11.51495	10.00020	11.51515	15
46	45 52	14 8	48896	99979	48917	51083	00021	51104	14
47	45 44	14 16	49304	99979	49325	50675	00021	50696	13
48	45 36	14 24	49708	99979	49729	50271	00021	50292	12
49	45 28	14 32	50108	99978	50130	49870	00022	49892	11
50	11 45 20	0 14 40	8.50504	9.99978	8.50527	11.49473	10.00022	11.49496	10
51	45 12	14 48	50897	99977	50920	49080	00023	49103	9
52	45 4	14 56	51287	99977	51310	48690	00023	48713	8
53	44 56	15 4	51673	99977	51696	48304	00023	48327	7
54	44 48	15 12	52055	99976	52079	47921	00024	47945	6
55	11 44 40	0 15 20	8.52434	9.99976	8.52459	11.47541	10.00024	11.47566	5
56	44 32	15 28	52310	99975	52335	47165	00025	47190	4
57	44 24	15 36	53183	99975	53208	46792	00025	46817	3
58	44 16	15 44	53552	99974	53578	46422	00026	46448	2
59	44 8	15 52	53919	99974	53945	46055	00026	46081	1
60	44 0	16 0	54282	99974	54308	45692	00026	45718	0

91 Degs.

Z

Degs. 82.

TABLE XXVII.  
Log. Sines, Tangents and Secants.

2 Degr.											Degr. 177.
M.	Hour. M.	Hour. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant	M.		
0	11 44 0	0 16 0	3.54282	9.99974	8.54308	11.45692	10.00026	11.45718	60		
1	43 52	16 8	54642	99973	54669	45331	00027	45358	59		
2	43 44	16 16	54999	99973	55027	44973	00027	45001	58		
3	43 36	16 24	55354	99972	55382	44618	00028	44646	57		
4	43 28	16 32	55705	99972	55734	44266	00028	44295	56		
5	11 43 20	0 16 40	8.56054	9.99971	8.56083	11.43917	10.00029	11.43946	55		
6	43 12	16 48	56400	99971	56429	43571	00029	43600	54		
7	43 4	16 56	56743	99970	56773	43227	00030	43257	53		
8	42 56	17 4	57034	99970	57114	42886	00030	42916	52		
9	42 48	17 12	57421	99969	57452	42548	00031	42579	51		
10	11 42 40	0 17 20	8.57757	9.99969	8.57788	11.42212	10.00031	11.42243	50		
11	42 32	17 28	58089	99968	58121	41879	00032	41911	49		
12	42 24	17 36	58419	99968	58451	41549	00032	41581	48		
13	42 16	17 44	58747	99967	58779	41221	00033	41253	47		
14	42 8	17 52	59072	99967	59105	40895	00033	40928	46		
15	11 42 0	0 18 0	8.59395	9.99967	8.59428	11.40572	10.00033	11.40605	45		
16	41 52	18 8	59715	99966	59749	40251	00034	40285	44		
17	41 44	18 16	60033	99966	60068	39932	00034	39967	43		
18	41 36	18 24	60349	99965	60384	39616	00035	39651	42		
19	41 28	18 32	60662	99964	60698	39302	00036	39338	41		
20	11 41 20	0 18 40	8.60973	9.99964	8.61009	11.38991	10.00036	11.39027	40		
21	41 12	18 48	61282	99963	61319	38681	00037	38718	39		
22	41 4	18 56	61589	99963	61626	38374	00037	38411	38		
23	40 56	19 4	61894	99962	61931	38069	00038	38106	37		
24	40 48	19 12	62196	99962	62234	37766	00038	37804	36		
25	11 40 40	0 19 20	8.62497	9.99961	8.62535	11.37465	10.00039	11.37503	35		
26	40 32	19 28	62795	99961	62834	37466	00039	37504	34		
27	40 24	19 36	63091	99960	63131	36869	00040	36909	33		
28	40 16	19 44	63385	99960	63426	36574	00040	36615	32		
29	40 8	19 52	63678	99959	63718	36282	00041	36322	31		
30	11 40 0	0 20 0	8.63968	9.99959	8.64009	11.35991	10.00041	11.36032	30		
31	39 52	20 8	64256	99958	64298	35702	00042	35744	29		
32	39 44	20 16	64543	99958	64585	35415	00042	35457	28		
33	39 36	20 24	64827	99957	64870	35130	00043	35173	27		
34	39 28	20 32	65110	99956	65154	34846	00044	34890	26		
35	11 39 20	0 20 40	8.65391	9.99956	8.65436	11.34565	10.00044	11.34609	25		
36	39 12	20 48	65670	99955	65715	34285	00045	34330	24		
37	39 4	20 56	65947	99955	65993	34007	00045	34053	23		
38	38 56	21 4	66223	99954	66269	33731	00046	33777	22		
39	38 48	21 12	66497	99954	66543	33457	00046	33503	21		
40	11 38 40	0 21 20	8.66769	9.99953	8.66816	11.33184	10.00047	11.33231	20		
41	38 32	21 28	67039	99952	67087	32913	00048	32961	19		
42	38 24	21 36	67308	99952	67356	32644	00048	32692	18		
43	38 16	21 44	67575	99951	67624	32376	00049	32425	17		
44	38 8	21 52	67841	99951	67890	32110	00049	32159	16		
45	11 38 0	0 22 0	8.68104	9.99950	8.68154	11.31846	10.00050	11.31896	15		
46	37 52	22 8	68367	99949	68417	31583	00051	31633	14		
47	37 44	22 16	68627	99949	68678	31322	00051	31373	13		
48	37 36	22 24	68886	99948	68938	31062	00052	31114	12		
49	37 28	22 32	69144	99948	69196	30804	00052	30856	11		
50	11 37 20	0 22 40	8.69400	9.99947	8.69453	11.30547	10.00053	11.30600	10		
51	37 12	22 48	69654	99946	69708	30292	00054	30346	9		
52	37 4	22 56	69907	99946	69962	30038	00054	30093	8		
53	36 56	23 4	70159	99945	70214	29786	00055	29841	7		
54	36 48	23 12	70409	99944	70465	29535	00056	29591	6		
55	11 36 40	0 23 20	8.70658	9.99944	8.70714	11.29286	10.00056	11.29342	5		
56	36 32	23 28	70905	99943	70962	29038	00057	29095	4		
57	36 24	23 36	71151	99942	71208	28792	00058	28849	3		
58	36 16	23 44	71395	99942	71453	28547	00058	28605	2		
59	36 8	23 52	71638	99941	71697	28303	00059	28362	1		
60	36 0	24 0	71880	99940	71940	28060	00060	28120	0		
M.	Hour. M.	Hour. M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant.	M.		

TABLE XXVII.

Log. Sines, Tangents and Secants.

3 Degs.

Degs. 176.

M	Hour. M.	Hour. P. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M
0	11 36 0	0 24 0	8.71880	9.99940	8.71940	11.28060	10.00060	11.28120	60
1	35 52	24 8	72120	99940	72181	27819	00060	27880	59
2	35 44	24 16	72359	99939	72420	27580	00061	27641	58
3	35 36	24 24	72597	99938	72659	27341	00062	27403	57
4	35 28	24 32	72834	99938	72896	27104	00062	27166	56
5	11 35 20	0 24 40	8.73069	9.99937	8.73132	11.26868	10.00063	11.26931	55
6	35 12	24 48	73303	99936	73366	26634	00064	26697	54
7	35 4	24 56	73538	99936	73600	26400	00064	26465	53
8	34 56	25 4	73767	99935	73832	26168	00065	26233	52
9	34 48	25 12	73997	99934	74063	25937	00066	26003	51
10	11 34 40	0 25 20	8.74226	9.99934	8.74292	11.25708	10.00066	11.25774	50
11	34 32	25 28	74454	99933	74521	25479	00067	25546	49
12	34 24	25 36	74680	99932	74748	25252	00068	25320	48
13	34 16	25 44	74906	99932	74974	25026	00068	25094	47
14	34 8	25 52	75130	99931	75199	24801	00069	24870	46
15	11 34 0	0 26 0	8.75358	9.99930	8.75423	11.24577	10.00070	11.24647	45
16	33 52	26 8	75575	99929	75645	24355	00071	24425	44
17	33 44	26 16	75795	99929	75867	24133	00071	24203	43
18	33 36	26 24	76015	99928	76087	23913	00072	23983	42
19	33 28	26 32	76234	99927	76306	23694	00073	23766	41
20	11 33 20	0 26 40	8.76451	9.99926	8.76525	11.23475	10.00074	11.23549	40
21	33 12	26 48	76667	99926	76742	23258	00074	23333	39
22	33 4	26 56	76883	99925	76958	23042	00075	23117	38
23	32 56	27 4	77097	99924	77173	22827	00076	22903	37
24	32 48	27 12	77310	99923	77387	22613	00077	22690	36
25	11 32 40	0 27 20	8.77522	9.99923	8.77600	11.22400	10.00077	11.22472	35
26	32 32	27 28	77733	99922	77811	22189	00078	22267	34
27	32 24	27 36	77943	99921	78022	21978	00079	22057	33
28	32 16	27 44	78152	99920	78232	21768	00080	21848	32
29	32 8	27 52	78360	99920	78441	21559	00080	21640	31
30	11 32 0	0 28 0	8.78568	9.99919	8.78649	11.21351	10.00081	11.21432	30
31	31 52	28 8	78774	99918	78855	21145	00082	21226	29
32	31 44	28 16	78979	99917	79061	20939	00083	21021	28
33	31 36	28 24	79183	99917	79266	20734	00083	20817	27
34	31 28	28 32	79386	99916	79470	20530	00084	20614	26
35	11 31 20	0 28 40	8.79588	9.99915	8.79673	11.20327	10.00085	11.20412	25
36	31 12	28 48	79789	99914	79875	20125	00086	20211	24
37	31 4	28 56	79990	99913	80076	19924	00087	20010	23
38	30 56	29 4	80189	99913	80277	19723	00087	19811	22
39	30 48	29 12	80388	99912	80476	19524	00088	19612	21
40	11 30 40	0 29 20	8.80585	9.99911	8.80674	11.19326	10.00089	11.19415	20
41	30 32	29 28	80782	99910	80872	19128	00090	19218	19
42	30 24	29 36	80978	99909	81068	18932	00091	19022	18
43	30 16	29 44	81173	99909	81264	18736	00091	18827	17
44	30 8	29 52	81367	99908	81459	18541	00092	18633	16
45	11 30 0	0 30 0	8.81560	9.99907	8.81653	11.18347	10.00093	11.18440	15
46	29 52	30 8	81752	99906	81846	18154	00094	18248	14
47	29 44	30 16	81944	99905	82038	17962	00095	18056	13
48	29 36	30 24	82134	99904	82230	17770	00096	17866	12
49	29 28	30 32	82324	99904	82420	17580	00096	17676	11
50	11 29 20	0 30 40	8.82513	9.99903	8.82610	11.17390	10.00097	11.17487	10
51	29 12	30 48	82701	99902	82799	17201	00098	17299	9
52	29 4	30 56	82888	99901	82987	17013	00099	17112	8
53	28 56	31 4	83075	99900	83175	16825	00100	16925	7
54	28 48	31 12	83261	99899	83361	16639	00101	16739	6
55	11 28 40	0 31 20	8.83446	9.99898	8.83547	11.16453	10.00102	11.16554	5
56	28 32	31 28	83630	99898	83732	16268	00102	16370	4
57	28 24	31 36	83813	99897	83916	16084	00103	16187	3
58	28 16	31 44	83996	99896	84100	15900	00104	16004	2
59	28 8	31 52	84177	99895	84282	15718	00105	15823	1
60	28 0	32 0	84358	99894	84464	15536	00106	15642	0
M	Hour. P. M.	Hour. M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	M

93 Degs.

Degs. 86





**TABLE XXVII.**  
**Log. Sines, Tangents and Secants.**

5 Degr.		Degr. 174.							
M	Hour a. M.	Hour p. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M
0	11 20 0	0 40 0	8.94030	9.99834	8.94196	11.05805	10.00166	11.06970	60
1	19 52	40 8	94174	99833	94340	05660	00167	05826	59
2	19 44	40 16	94317	99832	94485	05515	00168	05683	58
3	19 36	40 24	94461	99831	94630	05370	00169	05539	57
4	19 28	40 32	94603	99830	94773	05227	00170	05397	56
5	11 19 20	0 40 40	8.94746	9.99829	8.94917	11.05083	10.00171	11.05254	55
6	19 12	40 48	94887	99828	95060	04940	00172	05113	54
7	19 4	40 56	95029	99827	95202	04798	00173	04971	53
8	18 56	41 4	95170	99825	95344	04656	00175	04830	52
9	18 48	41 12	95310	99824	95486	04514	00176	04690	51
10	11 18 40	0 41 20	8.95450	9.99823	8.95627	11.04373	10.00177	11.04550	50
11	18 32	41 28	95589	99822	95767	04233	00178	04411	49
12	18 24	41 36	95728	99821	95908	04092	00179	04272	48
13	18 16	41 44	95867	99820	96047	03953	00180	04133	47
14	18 8	41 52	96005	99819	96187	03813	00181	03995	46
15	11 18 0	0 42 0	8.96143	9.99817	8.96325	11.03675	10.00183	11.03857	45
16	17 52	42 8	96280	99816	96464	03536	00184	03720	44
17	17 44	42 16	96417	99815	96602	03398	00185	03583	43
18	17 36	42 24	96553	99814	96739	03261	00186	03447	42
19	17 28	42 32	96689	99813	96877	03123	00187	03311	41
20	11 17 20	0 42 40	8.96825	9.99812	8.97013	11.02987	10.00188	11.03175	40
21	17 12	42 48	96960	99810	97150	02850	00190	03040	39
22	17 4	42 56	97095	99809	97285	02715	00191	02905	38
23	16 56	43 4	97229	99808	97421	02579	00192	02771	37
24	16 48	43 12	97363	99807	97556	02444	00193	02637	36
25	11 16 40	0 43 20	8.97496	9.99806	8.97691	11.02309	10.00194	11.02504	35
26	16 32	43 28	97629	99804	97825	02175	00196	02371	34
27	16 24	43 36	97762	99803	97959	02041	00197	02238	33
28	16 16	43 44	97894	99802	98092	01908	00198	02106	32
29	16 8	43 52	98026	99801	98225	01775	00199	01974	31
30	11 16 0	0 44 0	8.98157	9.99800	8.98358	11.01642	10.00200	11.01843	30
31	15 52	44 8	98288	99798	98490	01510	00202	01712	29
32	15 44	44 16	98419	99797	98622	01378	00203	01581	28
33	15 36	44 24	98549	99796	98753	01247	00204	01451	27
34	15 28	44 32	98679	99795	98884	01116	00205	01321	26
35	11 15 20	0 44 40	8.98808	9.99793	8.99015	11.00985	10.00207	11.01192	25
36	15 12	44 48	98937	99792	99145	00855	00208	01063	24
37	15 4	44 56	99066	99791	99275	00725	00209	00934	23
38	14 56	45 4	99194	99790	99405	00595	00210	00806	22
39	14 48	45 12	99322	99788	99534	00465	00212	00678	21
40	11 14 40	0 45 20	8.99450	9.99787	8.99662	11.00338	10.00213	11.00550	20
41	14 32	45 28	99577	99786	99791	00209	00214	00423	19
42	14 24	45 36	99704	99785	99919	00081	00215	00296	18
43	14 16	45 44	99830	99783	9.00046	10.99954	00217	00170	17
44	14 8	45 52	99956	99782	00174	99825	00218	00044	16
45	11 14 0	0 46 0	9.00082	9.99781	9.00301	10.99699	10.00219	10.99918	15
46	13 52	46 8	00207	99780	00427	99573	00220	99793	14
47	13 44	46 16	00332	99778	00553	99447	00222	99668	13
48	13 36	46 24	00456	99777	00679	99321	00223	99544	12
49	13 28	46 32	00581	99776	00805	99195	00224	99419	11
50	11 13 20	0 46 40	9.00704	9.99775	9.00930	10.99070	10.00225	10.99296	10
51	13 12	46 48	00828	99773	01055	98945	00227	99172	9
52	13 4	46 56	00951	99772	01179	98821	00228	99049	8
53	12 56	47 4	01074	99771	01303	98697	00229	98926	7
54	12 48	47 12	01196	99769	01427	98573	00231	98804	6
55	11 12 40	0 47 20	9.01318	9.99768	9.01550	10.98450	10.00232	10.98682	5
56	12 32	47 28	01440	99767	01673	98327	00233	98560	4
57	12 24	47 36	01561	99765	01796	98204	00235	98439	3
58	12 16	47 44	01682	99764	01918	98082	00236	98318	2
59	12 8	47 52	01803	99763	02040	97960	00237	98197	1
60	12 0	48 0	01923	99761	02162	97838	00239	98077	0
M	Hour p. M.	Hour a. M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	M

Log. Sines, Tangents and Secants.

6 Degs.

Degs. 173.

M	Hour A.M.	Hour P.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M
0	11 12	0 48 0	9.01923	9.99761	9.02162	10.97838	10.00239	10.98077	60
1	11 52	48 8	02043	99760	02233	97717	00240	97957	59
2	11 44	48 16	02163	99759	02404	97596	00241	97837	58
3	11 36	48 24	02283	99757	02525	97475	00243	97717	57
4	11 28	48 32	02402	99756	02645	97355	00244	97598	56
5	11 20	0 48 40	9.02520	9.99755	9.02766	10.97234	10.00245	10.97480	55
6	11 12	48 48	02539	99753	02885	97115	00247	97361	54
7	11 4	48 56	02757	99752	03005	96995	00248	97243	53
8	10 56	49 4	02874	99751	03124	96876	00249	97126	52
9	10 48	49 12	02992	99749	03242	96758	00251	97008	51
10	11 10	0 49 20	9.03109	9.99748	9.03361	10.96639	10.00252	10.96891	50
11	10 32	49 28	03226	99747	03479	96521	00253	96774	49
12	10 24	49 36	03342	99745	03597	96403	00255	96658	48
13	10 16	49 44	03458	99744	03714	96286	00256	96542	47
14	10 8	49 52	03574	99742	03832	96168	00258	96426	46
15	11 10	0 50 0	9.03690	9.99741	9.03948	10.96082	10.00259	10.96310	45
16	9 52	50 8	03805	99740	04065	95935	00260	96198	44
17	9 44	50 16	03920	99738	04181	95819	00262	96080	43
18	9 36	50 24	04034	99737	04297	95703	00263	95966	42
19	9 28	50 32	04149	99736	04413	95587	00264	95851	41
20	11 9	0 50 40	9.04262	9.99734	9.04528	10.95472	10.00266	10.95738	40
21	9 12	50 48	04376	99733	04643	95357	00267	95624	39
22	9 4	50 56	04490	99731	04758	95242	00269	95510	38
23	8 56	51 4	04603	99730	04873	95127	00270	95397	37
24	8 48	51 12	04715	99728	04987	95013	00272	95285	36
25	11 8	0 51 20	9.04828	9.99727	9.05101	10.94899	10.00273	10.95172	35
26	8 32	51 28	04940	99726	05214	94786	00274	95060	34
27	8 24	51 36	05052	99724	05328	94672	00276	94948	33
28	8 16	51 44	05164	99723	05441	94559	00277	94836	32
29	8 8	51 52	05275	99721	05553	94447	00279	94725	31
30	11 8	0 52 0	9.05386	9.99720	9.05666	10.94334	10.00280	10.94614	30
31	7 52	52 8	05497	99718	05778	94222	00282	94503	29
32	7 44	52 16	05607	99717	05890	94110	00283	94393	28
33	7 36	52 24	05717	99716	06002	93998	00284	94283	27
34	7 28	52 32	05827	99714	06113	93887	00286	94173	26
35	11 7	0 52 40	9.05937	9.99713	9.06224	10.93776	10.00287	10.94063	25
36	7 12	52 48	06046	99711	06335	93665	00289	93954	24
37	7 4	52 56	06155	99710	06445	93555	00290	93845	23
38	6 56	53 4	06264	99708	06556	93444	00292	93736	22
39	6 48	53 12	06372	99707	06666	93334	00293	93628	21
40	11 6	0 53 20	9.06481	9.99705	9.06775	10.93225	10.00295	10.93519	20
41	6 32	53 28	06589	99704	06885	93115	00296	93411	19
42	6 24	53 36	06696	99702	06994	93006	00298	93304	18
43	6 16	53 44	06804	99701	07103	92897	00299	93196	17
44	6 8	53 52	06911	99699	07211	92789	00301	93089	16
45	11 6	0 54 0	9.07018	9.99698	9.07320	10.92680	10.00302	10.92982	15
46	5 52	54 8	07124	99696	07428	92572	00304	92876	14
47	5 44	54 16	07231	99695	07536	92464	00305	92769	13
48	5 36	54 24	07337	99693	07643	92357	00307	92663	12
49	5 28	54 32	07442	99692	07751	92249	00308	92558	11
50	11 5	0 54 40	9.07548	9.99690	9.07858	10.92142	10.00310	10.92432	10
51	5 12	54 48	07653	99689	07964	92036	00311	92347	9
52	5 4	54 56	07758	99687	08071	91929	00313	92242	8
53	4 56	55 4	07863	99686	08177	91823	00314	92137	7
54	4 48	55 12	07968	99684	08283	91717	00316	92032	6
55	11 4	0 55 20	9.08072	9.99683	9.08389	10.91611	10.00317	10.91928	5
56	4 32	55 28	08176	99681	08495	91505	00319	91824	4
57	4 24	55 36	08280	99680	08600	91400	00320	91720	3
58	4 16	55 44	08383	99678	08705	91295	00322	91617	2
59	4 8	55 52	08486	99677	08810	91190	00323	91514	1
60	4 0	56 0	08589	99675	08914	91086	00325	91411	0
M	Hour P.M.	Hour A.M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant.	M

96 Degs.

Degs. 83.

TABLE XXVII.  
 Log. Sines, Tangents and Secants.

7 Degs.

Degs. 172.

M	Hour.M.	Hour.P.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant	M
0	11 4 0	0 56 0	9.08589	9.99675	9.08914	10.91086	10.00325	10.91411	60
1	3 52	56 8	08692	99674	09019	90981	00326	91308	59
2	3 44	56 16	08795	99672	09123	90877	00328	91205	58
3	3 36	56 24	08897	99670	09227	90773	00330	91103	57
4	3 28	56 32	08999	99669	09330	90670	00331	91001	56
5	11 3 20	0 56 40	9.09101	9.99667	9.09434	10.90566	10.00333	10.90899	55
6	3 12	56 48	09202	99666	09537	90463	00334	90798	54
7	3 4	56 56	09304	99664	09640	90360	00336	90696	53
8	2 56	57 4	09405	99663	09742	90258	00337	90595	52
9	2 48	57 12	09506	99661	09845	90156	00339	90494	51
10	11 2 40	0 57 20	9.09606	9.99659	9.09947	10.90053	10.00341	10.90394	50
11	2 32	57 28	09707	99658	10049	89951	00342	90293	49
12	2 24	57 36	09807	99656	10150	89850	00344	90193	48
13	2 16	57 44	09907	99655	10252	89748	00345	90093	47
14	2 8	57 52	10006	99653	10353	89647	00347	89994	46
15	11 2 0	0 58 0	9.10106	9.99651	9.10454	10.89546	10.00349	10.89894	45
16	1 52	58 8	10205	99650	10555	89445	00350	89795	44
17	1 44	58 16	10304	99648	10656	89344	00352	89696	43
18	1 36	58 24	10402	99647	10756	89244	00353	89598	42
19	1 28	58 32	10501	99645	10856	89144	00355	89499	41
20	11 1 20	0 58 40	9.10599	9.99643	9.10956	10.89044	10.00357	10.89401	40
21	1 12	58 48	10697	99642	11056	88944	00358	89303	39
22	1 4	58 56	10795	99640	11155	88845	00360	89205	38
23	0 56	59 4	10893	99638	11254	88746	00362	89107	37
24	0 48	59 12	10990	99637	11353	88647	00363	89010	36
25	11 0 40	0 59 20	9.11087	9.99635	9.11452	10.88548	10.00365	10.88913	35
26	0 32	59 28	11184	99633	11551	88449	00367	88816	34
27	0 24	59 36	11281	99632	11649	88351	00368	88719	33
28	0 16	59 44	11377	99630	11747	88253	00370	88623	32
29	0 8	59 52	11474	99629	11845	88155	00371	88526	31
30	11 0 0	1 0 0	9.11570	9.99627	9.11943	10.88057	10.00373	10.88430	30
31	10 59 52	0 3	11666	99625	12040	87960	00375	88334	29
32	59 44	0 16	11761	99624	12138	87862	00376	88239	28
33	59 36	0 24	11857	99622	12235	87765	00378	88143	27
34	59 28	0 32	11952	99620	12332	87668	00380	88048	26
35	10 59 20	1 0 40	9.12047	9.99618	9.12428	10.87572	10.00382	10.87953	25
36	59 12	0 48	12142	99617	12525	87475	00383	87858	24
37	59 4	0 56	12236	99615	12621	87379	00385	87764	23
38	58 56	1 4	12331	99613	12717	87283	00387	87669	22
39	58 48	1 12	12425	99612	12813	87187	00388	87575	21
40	10 58 40	1 1 20	9.12519	9.99610	9.12909	10.87091	10.00390	10.87481	20
41	58 32	1 28	12612	99608	13004	86996	00392	87388	19
42	58 24	1 36	12706	99607	13099	86901	00393	87294	18
43	58 16	1 44	12799	99605	13194	86806	00395	87201	17
44	58 8	1 52	12892	99603	13289	86711	00397	87108	16
45	10 58 0	1 2 0	9.12985	9.99601	9.13384	10.86616	10.00399	10.87015	15
46	57 52	2 8	13078	99600	13478	86522	00400	86922	14
47	57 44	2 16	13171	99598	13573	86427	00402	86829	13
48	57 36	2 24	13263	99596	13667	86333	00404	86737	12
49	57 28	2 32	13355	99595	13761	86239	00405	86645	11
50	10 57 20	1 2 40	9.13447	9.99593	9.13854	10.86146	10.00407	10.86553	10
51	57 12	2 48	13539	99591	13948	86052	00409	86461	9
52	57 4	2 56	13630	99589	14041	85959	00411	86370	8
53	56 56	3 4	13722	99588	14134	85866	00412	86278	7
54	56 48	3 12	13813	99586	14227	85773	00414	86187	6
55	10 56 40	1 3 20	9.13904	9.99584	9.14320	10.85680	10.00416	10.86096	5
56	56 32	3 28	13994	99582	14412	85688	00418	86006	4
57	56 24	3 36	14085	99581	14504	85596	00419	85915	3
58	56 16	3 44	14175	99579	14597	85503	00421	85825	2
59	56 8	3 52	14266	99577	14689	85412	00423	85734	1
60	56 0	4 0	14356	99575	14780	85320	00425	85644	0
M	Hour.P.M.	Hour.A.M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant.	M

97 Degs.

Degs. 32.

TABLE XXVII.  
Log. Sines, Tangents and Secants.

193

9 Degr.

Degr. 170.

M	Hour. m.	Hour. m.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M
0	10 48 0	1 12 0	9. 19433	9. 99462	9. 19971	10. 80029	10. 00538	10. 80567	60
1	47 52	12 3	19513	99460	20053	79947	00540	80467	59
2	47 44	12 16	19592	99458	20134	79866	00542	80408	58
3	47 36	12 24	19672	99456	20216	79784	00544	80328	57
4	47 28	12 32	19751	99454	20297	79703	00546	80249	56
5	10 47 20	1 12 40	9. 19830	9. 99452	9. 20378	10. 79622	10. 00548	10. 80170	55
6	47 12	12 48	19909	99450	20459	79541	00550	80091	54
7	47 4	12 56	19978	99448	20540	79460	00552	80012	53
8	46 56	13 4	20067	99446	20621	79379	00554	79933	52
9	46 48	13 12	20145	99444	20701	79299	00556	79853	51
10	10 46 40	1 13 20	9. 20223	9. 99442	9. 20782	10. 79211	10. 00558	10. 79777	50
11	46 32	13 28	20302	99440	20862	79138	00560	79697	49
12	46 24	13 36	20380	99438	20942	79058	00562	79620	48
13	46 16	13 44	20458	99436	21022	78978	00564	79542	47
14	46 8	13 52	20535	99434	21102	78898	00566	79465	46
15	10 46 0	1 14 0	9. 20613	9. 99432	9. 21182	10. 78813	10. 00568	10. 79387	45
16	45 52	14 8	20691	99430	21261	78739	00571	79309	44
17	45 44	14 16	20763	99428	21341	78659	00573	79232	43
18	45 36	14 24	20845	99425	21420	78580	00575	79155	42
19	45 28	14 32	20922	99423	21499	78501	00577	79078	41
20	10 45 20	1 14 40	9. 20999	9. 99421	9. 21378	10. 78422	10. 00579	10. 79001	40
21	45 12	14 48	21076	99419	21657	78343	00581	78924	39
22	45 4	14 56	21153	99417	21736	78264	00583	78847	38
23	44 56	15 4	21229	99415	21814	78186	00585	78771	37
24	44 48	15 12	21306	99413	21893	78107	00587	78694	36
25	10 44 40	1 15 20	9. 21382	9. 99411	9. 21971	10. 78029	10. 00589	10. 78618	35
26	44 32	15 28	21458	99409	22049	77951	00591	78542	34
27	44 24	15 36	21534	99407	22127	77873	00593	78466	33
28	44 16	15 44	21610	99404	22205	77795	00596	78390	32
29	44 8	15 52	21685	99402	22283	77717	00598	78315	31
30	10 44 0	1 16 0	9. 21761	9. 99400	9. 22361	10. 77639	10. 00600	10. 78239	30
31	43 52	16 8	21836	99398	22438	77562	00602	78164	29
32	43 44	16 16	21912	99396	22516	77484	00604	78088	28
33	43 36	16 24	21987	99394	22593	77407	00606	78013	27
34	43 28	16 32	22062	99392	22670	77330	00608	77938	26
35	10 43 20	1 16 40	9. 22137	9. 99390	9. 22747	10. 77253	10. 00610	10. 77853	25
36	43 12	16 48	22211	99388	22824	77176	00612	77789	24
37	43 4	16 56	22286	99385	22901	77099	00615	77714	23
38	42 56	17 4	22361	99383	22977	77023	00617	77639	22
39	42 48	17 12	22435	99381	23054	76946	00619	77565	21
40	10 42 40	1 17 20	9. 22509	9. 99379	9. 23130	10. 76870	10. 00621	10. 77491	20
41	42 32	17 28	22583	99377	23206	76794	00623	77417	19
42	42 24	17 36	22657	99375	23283	76717	00625	77343	18
43	42 16	17 44	22731	99372	23359	76641	00628	77269	17
44	42 8	17 52	22805	99370	23435	76565	00630	77195	16
45	10 42 0	1 18 0	9. 22873	9. 99368	9. 23510	10. 76490	10. 00632	10. 77122	15
46	41 52	18 8	22952	99366	23586	76414	00634	77048	14
47	41 44	18 16	23025	99364	23661	76339	00636	76975	13
48	41 36	18 24	23098	99362	23737	76263	00638	76902	12
49	41 28	18 32	23171	99359	23812	76188	00641	76829	11
50	10 41 20	1 18 40	9. 23244	9. 99357	9. 23887	10. 76113	10. 00643	10. 76756	10
51	41 12	18 48	23317	99355	23962	76038	00645	76683	9
52	41 4	18 56	23390	99353	24037	75963	00647	76610	8
53	40 56	19 4	23462	99351	24112	75888	00649	76538	7
54	40 48	19 12	23535	99348	24186	75814	00652	76465	6
55	10 40 40	1 19 20	9. 23607	9. 99346	9. 24261	10. 75739	10. 00654	10. 76393	5
56	40 32	19 28	23679	99344	24335	75665	00656	76321	4
57	40 24	19 36	23752	99342	24410	75590	00658	76248	3
58	40 16	19 44	23823	99340	24484	75516	00660	76177	2
59	40 8	19 52	23895	99337	24558	75442	00663	76105	1
60	40 0	20 0	23967	99335	24632	75368	00665	76033	0
M	Hour. m.	Hour. m.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	M

99 Degr.

A a

Degr. 50.

**TABLE XXVII.**  
**Log. Sines, Tangents and Secants.**

10 Degs.						Degs. 169.							
M	Hour	a.m.	Hour	m.	M	Co-sine	Sine	Co-tang.	Tangent	Co-secant	Secant	Co-secant	M
0	10	40	0	1	20	0	9.23967	9.99335	9.24632	10.75368	10.00665	10.76033	60
1		39	52		20	8	24039	99333	24706	75294	00667	75961	59
2		39	44		20	16	24110	99331	24779	75221	00669	75890	58
3		39	36		20	24	24181	99328	24853	75147	00672	75819	57
4		39	28		20	32	24253	99326	24926	75074	00674	75747	56
5	10	39	20	1	20	40	9.24324	9.99324	9.25000	10.75000	10.00676	10.75676	55
6		39	12		20	48	24395	99322	25073	74927	00678	75605	54
7		39	4		20	56	24466	99319	25146	74854	00681	75534	53
8		38	56		21	4	24536	99317	25219	74781	00683	75464	52
9		38	48		21	12	24607	99315	25292	74708	00685	75393	51
10	10	38	40	1	21	20	9.24677	9.99313	9.25365	10.74635	10.00687	10.75323	50
11		38	32		21	28	24748	99310	25437	74663	00690	75252	49
12		38	24		21	36	24818	99308	25510	74490	00692	75182	48
13		38	16		21	44	24888	99306	25582	74418	00694	75112	47
14		38	8		21	52	24958	99304	25655	74345	00696	75042	46
15	10	38	0	1	22	0	9.25028	9.99301	9.25727	10.74273	10.00699	10.74972	45
16		37	52		22	8	25098	99299	25799	74201	00701	74902	44
17		37	44		22	16	25168	99297	25871	74129	00703	74832	43
18		37	36		22	24	25237	99294	25943	74057	00706	74763	42
19		37	28		22	32	25307	99292	26015	73985	00708	74693	41
20	10	37	20	1	22	40	9.25476	9.99290	9.26086	10.73914	10.00710	10.74624	40
21		37	12		22	48	25445	99288	26158	73842	00712	74555	39
22		37	4		22	56	25514	99285	26229	73771	00715	74486	38
23		36	56		23	4	25583	99283	26301	73699	00717	74417	37
24		36	48		23	12	25652	99281	26372	73628	00719	74348	36
25	10	36	40	1	23	20	9.25921	9.99278	9.26443	10.73557	10.00722	10.74279	35
26		36	32		23	28	25790	99276	26514	73486	00724	74210	34
27		36	24		23	36	25858	99274	26585	73415	00726	74142	33
28		36	16		23	44	25927	99271	26655	73345	00729	74073	32
29		36	8		23	52	25995	99269	26726	73274	00731	74005	31
30	10	36	0	1	24	0	9.26063	9.99267	9.26797	10.73203	10.00733	10.73937	30
31		35	52		24	8	26131	99264	26867	73133	00736	73869	29
32		35	44		24	16	26199	99262	26937	73063	00738	73801	28
33		35	36		24	24	26267	99260	27008	72992	00740	73733	27
34		35	28		24	32	26335	99257	27078	72922	00743	73665	26
35	10	35	20	1	24	40	9.26403	9.99255	9.27148	10.72852	10.00745	10.73597	25
36		35	12		24	48	26470	99252	27218	72782	00748	73530	24
37		35	4		24	56	26538	99250	27288	72712	00750	73462	23
38		34	56		25	4	26605	99248	27357	72643	00752	73395	22
39		34	48		25	12	26672	99246	27427	72573	00755	73328	21
40	10	34	40	1	25	20	9.26739	9.99243	9.27496	10.72504	10.00757	10.73261	20
41		34	32		25	28	26806	99241	27566	72434	00759	73194	19
42		34	24		25	36	26873	99238	27635	72365	00762	73127	18
43		34	16		25	44	26940	99236	27704	72296	00764	73060	17
44		34	8		25	52	27007	99233	27773	72227	00767	72993	16
45	10	34	0	1	26	0	9.27073	9.99231	9.27842	10.72158	10.00769	10.72927	15
46		33	52		26	8	27140	99229	27911	72089	00771	72860	14
47		33	44		26	16	27206	99226	27980	72020	00774	72794	13
48		33	36		26	24	27273	99224	28049	71951	00776	72727	12
49		33	28		26	32	27339	99221	28117	71883	00779	72661	11
50	10	33	20	1	26	40	9.27405	9.99219	9.28186	10.71814	10.00781	10.72595	10
51		33	12		26	48	27471	99217	28254	71746	00783	72529	9
52		33	4		26	56	27537	99214	28323	71677	00786	72463	8
53		32	56		27	4	27602	99212	28391	71609	00788	72398	7
54		32	48		27	12	27668	99209	28459	71541	00791	72332	6
55	10	32	40	1	27	20	9.27734	9.99207	9.28527	10.71473	10.00793	10.72266	5
56		32	32		27	28	27799	99204	28595	71405	00796	72201	4
57		32	24		27	36	27864	99202	28662	71338	00798	72136	3
58		32	16		27	44	27930	99200	28730	71270	00800	72070	2
59		32	8		27	52	27995	99197	28798	71202	00803	72005	1
60		32	0		28	0	28060	99195	28865	71135	00805	71940	0
M	Hour	m.	Hour	m.	Co-sine	Sine	Co-tang.	Tangent	Co-secant	Secant	Co-secant	M	
100 Degs.						Degs. 79.							

**TABLE XXVII.**  
Log. Sines, Tangents and Secants.

Degs.									Deg. 168.	
Hourr. M.	Hourr. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M		
10 32	0	1 28	0	9.28060	9.99195	9.28865	10.71135	10.00805	10.71940	60
				28125	99192	28933	71067	00808	71876	59
				28190	99190	29000	71000	00810	71810	58
				28254	99187	29067	70933	00813	71745	57
				28319	99185	29134	70866	00815	71681	56
10 31	20	1 28	40	9.28384	9.99182	9.29201	10.70799	10.00818	10.71616	55
				28448	99180	29268	70732	00820	71552	54
				28512	99177	29335	70665	00823	71488	53
				28577	99175	29402	70598	00825	71423	52
				28641	99172	29468	70532	00828	71359	51
10 30	40	1 29	20	9.28705	9.99170	9.29535	10.70465	10.00830	10.71295	50
				28769	99167	29601	70399	00833	71231	49
				28833	99165	29668	70332	00835	71167	48
				28896	99162	29734	70266	00838	71104	47
				28960	99160	29800	70200	00840	71040	46
10 30	0	1 30	0	9.29024	9.99157	9.29866	10.70134	10.00843	10.70976	45
				29087	99155	29932	70068	00845	70913	44
				29150	99152	29998	70002	00848	70850	43
				29214	99150	30064	69936	00850	70786	42
				29277	99147	30130	69870	00853	70723	41
10 29	20	1 30	40	9.29340	9.99145	9.30195	10.69805	10.00855	10.70660	40
				29403	99142	30261	69739	00858	70597	39
				29466	99140	30326	69674	00860	70533	38
				29529	99137	30391	69609	00863	70471	37
				29591	99135	30457	69543	00865	70409	36
10 28	40	1 31	20	9.29654	9.99132	9.30522	10.69478	10.00868	10.70346	35
				29716	99130	30587	69413	00870	70284	34
				29779	99127	30652	69348	00873	70221	33
				29841	99124	30717	69283	00876	70159	32
				29903	99122	30782	69218	00878	70097	31
10 28	0	1 32	0	9.29966	9.99119	9.30846	10.69154	10.00881	10.70034	30
				30028	99117	30911	69089	00883	69972	29
				30090	99114	30975	69025	00886	69910	28
				30151	99112	31040	68960	00888	69849	27
				30213	99109	31104	68896	00891	69787	26
10 27	20	1 32	40	9.30275	9.99106	9.31168	10.68832	10.00894	10.69725	25
				30336	99104	31233	68767	00896	69664	24
				30398	99101	31297	68703	00899	69602	23
				30459	99099	31361	68639	00901	69541	22
				30521	99096	31425	68575	00904	69479	21
10 26	40	1 33	20	9.30582	9.99093	9.31489	10.68511	10.00907	10.69418	20
				30643	99091	31552	68448	00909	69357	19
				30704	99088	31616	68384	00912	69296	18
				30765	99086	31679	68321	00914	69235	17
				30826	99083	31743	68257	00917	69174	16
10 26	0	1 34	0	9.30887	9.99080	9.31806	10.68194	10.00920	10.69113	15
				30947	99078	31870	68130	00922	69053	14
				31008	99075	31933	68067	00925	68992	13
				31068	99072	31996	68004	00928	68932	12
				31129	99070	32059	67941	00930	68871	11
10 25	20	1 34	40	9.31189	9.99067	9.32122	10.67878	10.00933	10.68811	10
				31250	99064	32185	67815	00936	68750	9
				31310	99062	32248	67752	00938	68690	8
				31370	99059	32311	67689	00941	68630	7
				31430	99056	32373	67627	00944	68570	6
10 24	40	1 35	20	9.31490	9.99054	9.32436	10.67564	10.00946	10.68510	5
				31549	99051	32498	67502	00949	68451	4
				31609	99048	32561	67439	00952	68391	3
				31669	99046	32623	67377	00954	68331	2
				31728	99043	32685	67315	00957	68272	1
				31788	99040	32747	67253	00960	68212	0

## Log. Sines, Tangents and Secants.

12 Degs.											Degs. 167	
M	Hour. m.	Hour. m.		Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M		
0	10 24 0	1 36 0	9.31783	9.99040	9.32747	10.67253	10.00969	10.67212	69			
1	23 52	36 8	31347	99038	32310	67190	00962	65153	54			
2	23 44	36 16	31907	99035	32372	67128	00965	63093	54			
3	23 36	36 24	31966	99032	32933	67067	00968	63034	57			
4	23 28	36 32	32025	99029	32995	67005	00970	62975	56			
5	10 23 20	1 36 40	9.32084	9.99027	9.33057	10.66943	10.00973	10.67916	55			
6	23 12	36 48	32143	99024	33119	66881	00976	62857	54			
7	23 4	36 56	32202	99022	33180	66820	00978	62797	53			
8	22 56	37 4	32261	99019	33242	66759	00981	62739	52			
9	22 48	37 12	32319	99016	33303	66697	00984	62681	51			
10	10 22 40	1 37 20	9.32378	9.99013	9.33365	10.66635	10.00987	10.67622	50			
11	22 32	37 28	32437	99011	33426	66574	00989	62563	49			
12	22 24	37 36	32495	99008	33487	66513	00992	62505	48			
13	22 16	37 44	32553	99005	33548	66452	00995	62447	47			
14	22 8	37 52	32612	99002	33609	66391	00998	62389	46			
15	10 22 0	1 38 0	9.32670	9.99000	9.33670	10.66320	10.01000	10.67330	45			
16	21 52	38 8	32728	98997	33731	66269	01003	62272	44			
17	21 44	38 16	32786	98994	33792	66208	01006	62214	43			
18	21 36	38 24	32844	98991	33853	66147	01009	62156	42			
19	21 28	38 32	32902	98989	33913	66087	01011	62098	41			
20	10 21 20	1 38 40	9.32960	9.98986	9.33974	10.66026	10.01014	10.67040	40			
21	21 12	38 48	32968	98983	34034	65966	01017	62032	39			
22	21 4	38 56	33027	98980	34095	65905	01020	62025	38			
23	20 56	39 4	33085	98978	34155	65845	01022	62067	37			
24	20 48	39 12	33143	98975	34215	65785	01025	62010	36			
25	10 20 40	1 39 20	9.33245	9.98972	9.34276	10.65724	10.01028	10.66752	35			
26	20 32	39 28	33203	98969	34336	65664	01031	62695	34			
27	20 24	39 36	33262	98967	34396	65604	01033	62638	33			
28	20 16	39 44	33320	98964	34456	65544	01036	62580	32			
29	20 8	39 52	33377	98961	34516	65484	01039	62523	31			
30	10 20 0	1 40 0	9.33534	9.98958	9.34576	10.65424	10.01042	10.66466	30			
31	19 52	40 8	33391	98955	34635	65365	01045	62409	29			
32	19 44	40 16	33447	98953	34695	65305	01047	62352	28			
33	19 36	40 24	33504	98950	34755	65245	01050	62296	27			
34	19 28	40 32	33561	98947	34814	65186	01053	62239	26			
35	10 19 20	1 40 40	9.33818	9.98944	9.34874	10.65126	10.01056	10.66182	25			
36	19 12	40 48	33574	98941	34933	65067	01059	62126	24			
37	19 4	40 56	33631	98939	34992	65008	01062	62069	23			
38	18 56	41 4	33687	98936	35051	64949	01064	62013	22			
39	18 48	41 12	33743	98933	35111	64889	01067	62057	21			
40	10 18 40	1 41 20	9.34100	9.98930	9.35170	10.64830	10.01070	10.65900	20			
41	18 32	41 28	34156	98927	35229	64771	01073	62844	19			
42	18 24	41 36	34212	98924	35289	64712	01076	62788	18			
43	18 16	41 44	34268	98921	35347	64653	01079	62732	17			
44	18 8	41 52	34324	98919	35405	64595	01081	62676	16			
45	10 18 0	1 42 0	9.34380	9.98916	9.35464	10.64536	10.01084	10.65620	15			
46	17 52	42 8	34436	98913	35523	64477	01087	62564	14			
47	17 44	42 16	34491	98910	35581	64419	01090	62509	13			
48	17 36	42 24	34547	98907	35640	64360	01093	62453	12			
49	17 28	42 32	34602	98904	35698	64302	01096	62398	11			
50	10 17 20	1 42 40	9.34658	9.98901	9.35757	10.64243	10.01099	10.65342	10			
51	17 12	42 48	34713	98899	35815	64285	01102	62287	9			
52	17 4	42 56	34769	98896	35873	64227	01104	62231	8			
53	16 56	43 4	34824	98893	35931	64169	01107	62176	7			
54	16 48	43 12	34879	98890	35989	64111	01110	62121	6			
55	10 16 40	1 43 20	9.34941	9.98887	9.36047	10.63953	10.01113	10.65066	5			
56	16 32	43 28	34939	98884	36105	63895	01116	62011	4			
57	16 24	43 36	35044	98881	36163	63837	01119	61956	3			
58	16 16	43 44	35099	98878	36221	63779	01122	61901	2			
59	16 8	43 52	35154	98875	36279	63721	01125	61846	1			
60	16 0	44 0	35209	98872	36336	63664	01128	61791	0			
M	Hour. m.	Hour. m.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	M			



### TABLE XXVII.

#### Log. Sines, Tangents and Secants.

197

13 Degs.						Degs. 166.					
M	Hour.	M.	Hour.	M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M
0	10 16	0	1 44	0	9.35209	9.9372	9.36336	10.63664	10.01123	10.64791	60
1	15 52	44	48		35263	98869	36394	63606	01131	64737	59
2	15 44	44	16		35310	98867	36452	63548	01133	64682	58
3	15 36	44	24		35357	98864	36509	63491	01136	64627	57
4	15 28	44	32		35427	98861	36566	63434	01139	64573	56
5	10 15	20	1 44	40	9.3541	9.98354	9.36624	10.63376	10.01142	10.64519	55
6	15 12	44	43		35536	98855	36681	63319	01145	64464	54
7	15 4	44	56		35.90	98852	36738	63262	01148	64410	53
8	14 56	45	4		35644	98849	36795	63205	01151	64356	52
9	14 48	45	12		35698	98846	36852	63148	01154	64302	51
10	10 14	40	1 45	20	9.35732	9.98843	9.36909	10.63091	10.01157	10.64248	50
11	14 32	45	23		35906	98840	36966	63034	01160	64194	49
12	14 24	45	36		35960	98837	37023	62977	01163	64140	48
13	14 16	45	44		35914	98834	37080	62920	01166	64086	47
14	14 8	45	52		35968	98831	37137	62863	01169	64032	46
15	10 14	0	1 46	0	9.36022	9.98828	9.37193	10.62807	10.01172	10.63978	45
16	15 52	46	8		36073	98825	37250	62750	01175	63925	44
17	15 44	46	16		36129	98822	37306	62694	01178	63871	43
18	15 36	46	24		36182	98819	37363	62637	01181	63818	42
19	15 28	46	32		36236	98816	37419	62581	01184	63764	41
20	10 13	20	1 46	40	9.36289	9.98813	9.37476	10.62524	10.01187	10.63711	40
21	15 12	46	43		36342	98810	37532	62468	01190	63658	39
22	15 4	46	56		36393	98807	37588	62412	01193	63605	38
23	12 56	47	4		36449	98804	37644	62356	01196	63551	37
24	12 48	47	12		36502	98801	37700	62300	01199	63498	36
25	10 12	40	1 47	20	9.36553	9.98798	9.37756	10.62244	10.01202	10.63445	35
26	12 52	47	23		36603	98795	37812	62188	01205	63392	34
27	12 24	47	36		36660	98792	37868	62132	01208	63340	33
28	12 16	47	44		36715	98789	37924	62076	01211	63287	32
29	12 8	47	52		36766	98786	37980	62020	01214	63234	31
30	10 12	0	1 48	0	9.36819	9.98783	9.38033	10.61965	10.01217	10.63181	30
31	11 52	48	8		36771	98780	38091	61909	01220	63129	29
32	11 44	48	16		36824	98777	38147	61853	01223	63076	28
33	11 36	48	24		36879	98774	38202	61798	01226	63024	27
34	11 28	48	32		36929	98771	38257	61743	01229	62972	26
35	10 11	20	1 48	40	9.37081	9.98768	9.38313	10.61687	10.01232	10.62919	25
36	11 12	48	43		37133	98765	38368	61682	01235	62867	24
37	11 4	48	56		37185	98762	38423	61627	01238	62815	23
38	10 56	49	4		37237	98759	38479	61571	01241	62763	22
39	10 48	49	12		37289	98756	38534	61516	01244	62711	21
40	10 10	40	1 49	20	9.37341	9.98753	9.38589	10.61411	10.01247	10.62659	20
41	10 32	49	23		37393	98750	38644	61356	01250	62607	19
42	10 24	49	36		37445	98746	38699	61301	01253	62555	18
43	10 16	49	44		37497	98743	38754	61246	01257	62503	17
44	10 8	49	52		37549	98740	38808	61192	01260	62451	16
45	10 10	0	1 50	0	9.37600	9.98737	9.38863	10.61137	10.01263	10.62400	15
46	9 52	50	8		37652	98734	38918	61082	01266	62348	14
47	9 44	50	16		37703	98731	38972	61028	01269	62297	13
48	9 36	50	24		37755	98728	39027	60973	01272	62245	12
49	9 28	50	32		37806	98725	39082	60918	01275	62194	11
50	10 9	20	1 50	40	9.37853	9.98722	9.39136	10.60864	10.01278	10.62142	10
51	9 12	50	43		37905	98719	39190	60810	01281	62091	9
52	9 4	50	56		37960	98715	39245	60755	01285	62040	8
53	8 56	51	4		38011	98712	39299	60701	01288	61989	7
54	8 48	51	12		38062	98709	39353	60647	01291	61938	6
55	10 8	40	1 51	20	9.38113	9.98706	9.39407	10.60593	10.01294	10.61887	5
56	8 32	51	23		38164	98703	39461	60539	01297	61836	4
57	8 24	51	36		38215	98700	39515	60485	01300	61785	3
58	8 16	51	44		38266	98697	39569	60431	01303	61734	2
59	8 8	51	52		38317	98694	39623	60377	01306	61683	1
60	8 0	52	0		38368	98690	39677	60323	01310	61632	0
M	Hour.	M.	Hour.	M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	M
103 Degs.						Degs. 76.					

11 Degs.

Deg. 165.

M	HOURA.M.	HOURLP.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant	M
0	10 8 0	1 52 0	9.38368	9.98690	9.39677	10.60323	10.01310	10.61632	6
1	7 52	52 8	38418	98687	39731	60269	01313	61582	7
2	7 44	52 16	38469	98684	39785	60215	01316	61531	8
3	7 36	52 24	38519	98681	39838	60162	01319	61481	9
4	7 28	52 32	38570	98678	39892	60108	01322	61430	10
5	10 7 20	1 52 40	9.38620	9.98675	9.39945	10.60055	10.01325	10.61380	11
6	7 12	52 48	38670	98671	39999	60001	01329	61330	12
7	7 4	52 56	38721	98668	40082	59948	01332	61279	13
8	6 56	52 4	38771	98665	40166	59894	01335	61229	14
9	6 48	52 12	38821	98662	40159	59841	01338	61179	15
10	10 6 40	1 53 20	9.38871	9.98659	9.40212	10.59788	10.01341	10.61129	16
11	6 32	53 28	38921	98656	40266	59734	01344	61079	17
12	6 24	53 36	38971	98652	40319	59681	01348	61029	18
13	6 16	53 44	39021	98649	40372	59628	01351	60979	19
14	6 8	53 52	39071	98646	40425	59575	01354	60929	20
15	10 6 0	1 54 0	9.39121	9.98643	9.40478	10.59522	10.01357	10.60879	21
16	5 52	54 8	39170	98640	40531	59469	01360	60830	22
17	5 44	54 16	39220	98636	40584	59416	01364	60780	23
18	5 36	54 24	39270	98633	40636	59364	01367	60730	24
19	5 28	54 32	39319	98630	40689	59311	01370	60681	25
20	10 5 20	1 54 40	9.39369	9.98627	9.40742	10.59258	10.01373	10.60631	26
21	5 12	54 48	39418	98623	40795	59205	01377	60582	27
22	5 4	54 56	39467	98620	40847	59153	01380	60533	28
23	4 56	55 4	39517	98617	40900	59100	01383	60483	29
24	4 48	55 12	39566	98614	40952	59048	01386	60434	30
25	10 4 40	1 55 20	9.39613	9.98610	9.41005	10.58995	10.01390	10.60385	31
26	4 32	55 28	39664	98607	41057	58943	01393	60336	32
27	4 24	55 36	39713	98604	41109	58891	01396	60287	33
28	4 16	55 44	39762	98601	41161	58839	01399	60238	34
29	4 8	55 52	39811	98597	41214	58786	01403	60189	35
30	10 4 0	1 56 0	9.39860	9.98594	9.41266	10.58734	10.01406	10.60140	36
31	3 52	56 8	39909	98591	41318	58682	01409	60091	37
32	3 44	56 16	39958	98588	41370	58630	01412	60042	38
33	3 36	56 24	40006	98584	41422	58578	01416	59994	39
34	3 28	56 32	40055	98581	41474	58526	01419	59945	40
35	10 3 20	1 56 40	9.40103	9.98578	9.41526	10.58474	10.01422	10.59897	41
36	3 12	56 48	40152	98574	41578	58422	01426	59848	42
37	3 4	56 56	40200	98571	41629	58371	01429	59800	43
38	2 56	57 4	40249	98568	41681	58319	01432	59751	44
39	2 48	57 12	40297	98565	41733	58267	01435	59703	45
40	10 2 40	1 57 20	9.40346	9.98561	9.41784	10.58216	10.01439	10.59654	46
41	2 32	57 28	40394	98558	41836	58164	01442	59606	47
42	2 24	57 36	40442	98555	41887	58113	01445	59558	48
43	2 16	57 44	40490	98551	41939	58061	01449	59510	49
44	2 8	57 52	40538	98548	41990	58010	01452	59462	50
45	10 2 0	1 58 0	9.40586	9.98545	9.42041	10.57959	10.01455	10.59414	51
46	1 52	58 8	40634	98541	42093	57907	01459	59366	52
47	1 44	58 16	40682	98538	42144	57856	01462	59318	53
48	1 36	58 24	40730	98535	42195	57805	01465	59270	54
49	1 28	58 32	40778	98531	42246	57754	01469	59222	55
50	10 1 20	1 58 40	9.40825	9.98529	9.42297	10.57703	10.01472	10.59175	56
51	1 12	58 48	40873	98525	42348	57652	01475	59127	57
52	1 4	58 56	40921	98521	42399	57601	01479	59079	58
53	0 56	59 4	40968	98518	42450	57550	01482	59032	59
54	0 48	59 12	41016	98515	42501	57499	01485	58984	60
55	10 0 40	1 59 20	9.41063	9.98511	9.42552	10.57448	10.01489	10.58937	61
56	0 32	59 28	41111	98508	42603	57397	01492	58889	62
57	0 24	59 36	41158	98505	42653	57347	01495	58842	63
58	0 16	59 44	41205	98501	42704	57296	01499	58795	64
59	0 8	59 52	41252	98498	42755	57245	01502	58748	65
60	0 0	2 0 0	41300	98494	42805	57195	01506	58700	66

104 Degs.

Degs. 75.

TABLE XXVII.

199

Log. Sines, Tangents and Secants.

15 Degs.										Degs. 164.	
M	Hourr. M.	Hourr. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant	M		
0	10. 0 0	2 0 0	9.41300	9.98494	9.42805	10.57195	10.01506	10.58700	60		
1	59 52	0 8	41347	98491	42856	57144	01509	58553	59		
2	59 44	0 16	41394	98488	42906	57094	01512	58606	58		
3	59 36	0 24	41441	98484	42957	57043	01516	58659	57		
4	59 28	0 32	41488	98481	43007	56993	01519	58712	56		
5	9. 59 20	2 0 40	9.41535	9.98477	9.43057	10.56943	10.01523	10.58465	55		
6	59 12	0 48	41582	98474	43108	56892	01526	58418	54		
7	59 4	0 56	41628	98471	43158	56842	01529	58372	53		
8	58 56	1 4	41675	98467	43208	56792	01533	58325	52		
9	58 48	1 12	41722	98464	43258	56742	01536	58278	51		
10	9. 58 40	2 1 20	9.41768	9.98460	9.43308	10.56692	10.01540	10.58232	50		
11	58 32	1 28	41815	98457	43358	56642	01543	58185	49		
12	58 24	1 36	41861	98453	43408	56592	01547	58139	48		
13	58 16	1 44	41908	98450	43458	56542	01550	58092	47		
14	58 8	1 52	41954	98447	43508	56492	01553	58046	46		
15	9. 58 0	2 2 0	9.42001	9.98443	9.43558	10.56442	10.01557	10.57999	45		
16	57 52	2 8	42047	98440	43607	56393	01560	57953	44		
17	57 44	2 16	42093	98436	43657	56343	01564	57907	43		
18	57 36	2 24	42140	98433	43707	56293	01567	57860	42		
19	57 28	2 32	42186	98429	43756	56244	01571	57814	41		
20	9. 57 20	2 2 40	9.42232	9.98426	9.43806	10.56194	10.01574	10.57768	40		
21	57 12	2 48	42278	98422	43855	56145	01578	57722	39		
22	57 4	2 56	42324	98419	43905	56095	01581	57676	38		
23	56 56	3 4	42370	98415	43954	56046	01585	57630	37		
24	56 48	3 12	42416	98412	44004	55996	01588	57584	36		
25	9. 56 40	2 3 20	9.42461	9.98409	9.44053	10.55947	10.01591	10.57539	35		
26	56 32	3 28	42507	98405	44102	55898	01595	57493	34		
27	56 24	3 36	42553	98402	44151	55849	01598	57447	33		
28	56 16	3 44	42599	98398	44201	55799	01602	57401	32		
29	56 8	3 52	42644	98395	44250	55750	01605	57356	31		
30	9. 56 0	2 4 0	9.42690	9.98391	9.44299	10.55701	10.01609	10.57310	30		
31	55 52	4 8	42735	98388	44348	55652	01612	57265	29		
32	55 44	4 16	42781	98384	44397	55603	01616	57219	28		
33	55 36	4 24	42826	98381	44446	55554	01619	57174	27		
34	55 28	4 32	42872	98377	44495	55505	01623	57128	26		
35	9. 55 20	2 4 40	9.42917	9.98373	9.44544	10.55456	10.01627	10.57083	25		
36	55 12	4 48	42962	98370	44592	55408	01630	57038	24		
37	55 4	4 56	43008	98366	44641	55359	01634	56992	23		
38	54 56	5 4	43053	98363	44690	55310	01637	56947	22		
39	54 48	5 12	43098	98359	44738	55262	01641	56902	21		
40	9. 54 40	2 5 20	9.43143	9.98356	9.44787	10.55213	10.01644	10.56857	20		
41	54 32	5 28	43188	98352	44836	55164	01648	56812	19		
42	54 24	5 36	43233	98349	44884	55116	01651	56767	18		
43	54 16	5 44	43278	98345	44933	55067	01655	56722	17		
44	54 8	5 52	43323	98342	44981	55019	01658	56677	16		
45	9. 54 0	2 6 0	9.43367	9.98338	9.45029	10.54971	10.01662	10.56633	15		
46	53 52	6 8	43412	98334	45078	54922	01666	56588	14		
47	53 44	6 16	43457	98331	45126	54874	01669	56543	13		
48	53 36	6 24	43502	98327	45174	54826	01673	56498	12		
49	53 28	6 32	43546	98324	45222	54778	01676	56454	11		
50	9. 53 20	2 6 40	9.43591	9.98330	9.45271	10.54729	10.01680	10.56409	10		
51	53 12	6 48	43635	98317	45319	54681	01683	56365	9		
52	53 4	6 56	43680	98313	45367	54633	01687	56320	8		
53	52 56	7 4	43724	98309	45415	54585	01691	56276	7		
54	52 48	7 12	43769	98306	45463	54537	01694	56231	6		
55	9. 52 40	2 7 20	9.43813	9.98302	9.45511	10.54489	10.01698	10.56187	5		
56	52 32	7 28	43857	98299	45559	54441	01701	56143	4		
57	52 24	7 36	43901	98295	45606	54394	01705	56099	3		
58	52 16	7 44	43946	98291	45654	54346	01709	56054	2		
59	52 8	7 52	43990	98288	45702	54298	01712	56010	1		
60	52 0	8 0	44034	98284	45750	54250	01716	55966	0		
M	Hourr. M.	Hourr. M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant.	M		

105 Degs.

Degs. 74.

TABLE XXVII.  
Logs. Sines, Tangents and Secants.

16 Degs.				Degs. 163.						
M	Hour.P.M.	Hour.P.M.	Sine.	Co-sine.	Tangent	Co-tang.	Secant.	Co-secant.	M	
0	9 52 0	2 8 0	9.44034	9.98284	9.45750	10.54250	10.01716	10.56566	69	
1	51 52	8 8	44078	98281	45797	54203	01719	56522	59	
2	51 44	8 16	44122	98277	45845	54155	01723	56578	58	
3	51 36	8 24	44166	98273	45892	54108	01727	56634	57	
4	51 28	8 32	44210	98270	45940	54060	01730	56690	56	
5	9 51 20	2 8 40	9.44253	9.98266	9.45987	10.54013	10.01734	10.56747	55	
6	51 12	8 48	44297	98262	46035	53965	01738	56703	54	
7	51 4	8 56	44341	98259	46082	53918	01741	56759	53	
8	50 56	9 4	44385	98255	46130	53870	01745	56815	52	
9	50 48	9 12	44428	98251	46177	53823	01749	56872	51	
10	9 50 40	2 9 20	9.44472	9.98248	9.46224	10.53776	10.01752	10.56926	50	
11	50 32	9 28	44516	98244	46271	53729	01756	56884	49	
12	50 24	9 36	44559	98240	46319	53681	01760	56941	48	
13	50 16	9 44	44602	98237	46366	53634	01763	56998	47	
14	50 8	9 52	44646	98233	46413	53587	01767	57054	46	
15	9 50 0	2 10 0	9.44689	9.98229	9.46460	10.53540	10.01771	10.56911	45	
16	49 52	10 8	44733	98226	46507	53493	01774	56967	44	
17	49 44	10 16	44776	98222	46554	53446	01778	57024	43	
18	49 36	10 24	44819	98218	46601	53399	01782	57081	42	
19	49 28	10 32	44862	98215	46648	53352	01785	57138	41	
20	9 49 20	2 10 40	9.44905	9.98211	9.46694	10.53306	10.01789	10.56998	40	
21	49 12	10 48	44948	98207	46741	53259	01793	57055	39	
22	49 4	10 56	44992	98204	46788	53212	01796	57112	38	
23	48 56	11 4	45035	98200	46835	53165	01800	57169	37	
24	48 48	11 12	45077	98196	46881	53119	01804	57226	36	
25	9 48 40	2 11 20	9.45120	9.98192	9.46928	10.53072	10.01808	10.57080	35	
26	48 32	11 28	45163	98189	46975	53025	01811	57137	34	
27	48 24	11 36	45206	98185	47021	52979	01815	57194	33	
28	48 16	11 44	45249	98181	47068	52932	01819	57251	32	
29	48 8	11 52	45292	98177	47114	52886	01823	57308	31	
30	9 48 0	2 12 0	9.45334	9.98174	9.47160	10.52840	10.01826	10.57066	30	
31	47 52	12 8	45377	98170	47207	52793	01830	57123	29	
32	47 44	12 16	45419	98166	47253	52747	01834	57180	28	
33	47 36	12 24	45462	98162	47299	52701	01838	57237	27	
34	47 28	12 32	45504	98159	47346	52654	01841	57294	26	
35	9 47 20	2 12 40	9.45547	9.98155	9.47392	10.52608	10.01845	10.57143	25	
36	47 12	12 48	45589	98151	47438	52562	01849	57200	24	
37	47 4	12 56	45632	98147	47484	52516	01853	57257	23	
38	46 56	13 4	45674	98144	47530	52470	01856	57314	22	
39	46 48	13 12	45716	98140	47576	52424	01860	57371	21	
40	9 46 40	2 13 20	9.45758	9.98136	9.47622	10.52378	10.01864	10.57120	20	
41	46 32	13 28	45801	98132	47668	52332	01868	57177	19	
42	46 24	13 36	45843	98129	47714	52286	01871	57234	18	
43	46 16	13 44	45885	98125	47760	52240	01875	57291	17	
44	46 8	13 52	45927	98121	47806	52194	01879	57348	16	
45	9 46 0	2 14 0	9.45969	9.98117	9.47852	10.52148	10.01883	10.57107	15	
46	45 52	14 8	46011	98113	47897	52103	01887	57365	14	
47	45 44	14 16	46053	98110	47943	52057	01890	57422	13	
48	45 36	14 24	46095	98106	47989	52011	01894	57479	12	
49	45 28	14 32	46136	98102	48035	51965	01898	57536	11	
50	9 45 20	2 14 40	9.46178	9.98098	9.48080	10.51920	10.01902	10.57084	10	
51	45 12	14 48	46220	98094	48126	51874	01906	57390	9	
52	45 4	14 56	46262	98090	48171	51829	01910	57447	8	
53	44 56	15 4	46303	98087	48217	51783	01913	57504	7	
54	44 48	15 12	46345	98083	48262	51738	01917	57561	6	
55	9 44 40	2 15 20	9.46386	9.98079	9.48307	10.51693	10.01921	10.57061	5	
56	44 32	15 28	46428	98075	48353	51647	01925	57518	4	
57	44 24	15 36	46469	98071	48398	51602	01929	57575	3	
58	44 16	15 44	46511	98067	48443	51557	01933	57632	2	
59	44 8	15 52	46552	98063	48489	51511	01937	57689	1	
60	44 0	16 0	46594	98060	48534	51466	01940	57746	0	

TABLE XXVII.

Log. Sines, Tangents and Secants.

17 Degs.										Degs. 162.
M	Hour A.M.	Hour P.M.	Sine.	Co-sine.	Tangent	Co-tang.	Secant.	Co-secant.	M	
0	9 44 0	2 16 0	9.46594	9.98060	9.48534	10.51466	10.01940	10.53406	60	
1	43 52	16 8	46635	98056	48579	51421	01944	53365	59	
2	43 44	16 16	46676	98052	48624	51376	01948	53324	58	
3	43 36	16 24	46717	98048	48669	51331	01952	53283	57	
4	43 28	16 32	46758	98044	48714	51286	01956	53242	56	
5	9 43 20	2 16 40	9.46 00	9.98040	9.48759	10.51241	10.01960	10.53200	55	
6	43 12	16 48	46841	98036	48804	51196	01964	53159	54	
7	43 4	16 56	46882	98032	48849	51151	01968	53118	53	
8	42 56	17 4	46923	98029	48894	51106	01971	53077	52	
9	42 48	17 12	46964	98025	48939	51061	01975	53036	51	
10	9 42 40	2 17 20	9.47005	9.98021	9.48984	10.51016	10.01979	10.52995	50	
11	42 32	17 28	47045	98017	49029	50971	01983	52953	49	
12	42 24	17 36	47086	98013	49073	50927	01987	52914	48	
13	42 16	17 44	47127	98009	49118	50882	01991	52873	47	
14	42 8	17 52	47168	98005	49163	50837	01995	52832	46	
15	9 42 0	2 18 0	9.47209	9.98001	9.49267	10.50793	10.01999	10.52791	45	
16	41 52	18 8	47249	97997	49252	50748	02003	52751	44	
17	41 44	18 16	47290	97993	49296	50704	02007	52710	43	
18	41 36	18 24	47330	97989	49341	50659	02011	52670	42	
19	41 28	18 32	47371	97986	49385	50615	02014	52629	41	
20	9 41 20	2 18 40	9.47411	9.97982	9.49430	10.50570	10.02018	10.52589	40	
21	41 12	18 48	47452	97978	49474	50526	02022	52548	39	
22	41 4	18 56	47492	97974	49519	50481	02026	52508	38	
23	40 56	19 4	47533	97970	49563	50437	02030	52467	37	
24	40 48	19 12	47573	97966	49607	50393	02034	52427	36	
25	9 40 40	2 19 20	9.47613	9.97962	9.49632	10.50318	10.02036	10.52387	35	
26	40 32	19 28	47654	97958	49646	50304	02042	52346	34	
27	40 24	19 36	47694	97954	49740	50260	02046	52306	33	
28	40 16	19 44	47734	97950	49784	50216	02050	52266	32	
29	40 8	19 52	47774	97946	49828	50172	02054	52226	31	
30	9 40 0	2 20 0	9.47814	9.97942	9.49872	10.50153	10.02058	10.52186	30	
31	39 52	20 8	47854	97938	49916	50084	02062	52146	29	
32	39 44	20 16	47894	97934	49960	50040	02066	52106	28	
33	39 36	20 24	47934	97930	50004	49996	02070	52066	27	
34	39 28	20 32	47974	97926	50048	49952	02074	52026	26	
35	9 39 20	2 20 40	9.48014	9.97922	9.50092	10.49902	10.02078	10.51996	25	
36	39 12	20 48	48054	97918	50136	49864	02082	51956	24	
37	39 4	20 56	48094	97914	50130	49820	02086	51916	23	
38	38 56	21 4	48133	97910	50223	49777	02090	51877	22	
39	38 48	21 12	48173	97906	50267	49733	02094	51837	21	
40	9 38 40	2 21 20	9.48213	9.97902	9.50311	10.49689	10.02096	10.51787	20	
41	38 32	21 28	48252	97908	50355	49648	02102	51748	19	
42	38 24	21 36	48292	97904	50398	49602	02106	51708	18	
43	38 16	21 44	48332	97900	50442	49558	02110	51668	17	
44	38 8	21 52	48371	97896	50485	49513	02114	51628	16	
45	9 38 0	2 22 0	9.48411	9.97882	9.50529	10.49471	10.02118	10.51579	15	
46	37 52	22 8	48450	97878	50572	49427	02122	51539	14	
47	37 44	22 16	48490	97874	50616	49383	02126	51499	13	
48	37 36	22 24	48529	97870	50659	49341	02130	51471	12	
49	37 28	22 32	48568	97866	50703	49297	02134	51432	11	
50	9 37 20	2 22 40	9.48607	9.97861	9.50746	10.49254	10.02139	10.51393	10	
51	37 12	22 48	48647	97857	50789	49211	02143	51353	9	
52	37 4	22 56	48686	97853	50833	49157	02147	51314	8	
53	36 56	23 4	48725	97849	50876	49113	02151	51275	7	
54	36 48	23 12	48764	97845	50919	49061	02155	51236	6	
55	9 36 40	2 23 20	9.48803	9.97841	9.50962	10.49038	10.02159	10.51197	5	
56	36 32	23 28	48842	97837	51005	48995	02162	51158	4	
57	36 24	23 36	48881	97833	51048	48952	02167	51119	3	
58	36 16	23 44	48920	97829	51092	48908	02171	51080	2	
59	36 8	23 52	48959	97825	51135	48865	02175	51041	1	
60	36 0	24 0	48998	97821	51178	48822	02179	51002	0	
M	Hour P.M.	Hour A.M.	Co-sine.	Sine.	Cotang.	Tangent.	Co-secant.	Secant.	M	

**TABLE XXVII.**  
**Log. Sines, Tangents and Secants.**

18 Degs						De		
M	Hourf.M.	Hourf.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.
0	9 36 0	2 24 0	9.48998	9.97821	9.51178	10.48822	10.02179	10.5100
1	35 52	24 8	49037	97817	51221	48779	02183	5096
2	35 44	24 16	49076	97812	51264	48736	02188	5092
3	35 36	24 24	49115	97808	51306	48694	02192	5088
4	35 28	24 32	49153	97804	51349	48651	02196	5084
5	9 35 20	2 24 40	9.49192	9.97800	9.51392	10.48608	10.02200	10.5080
6	35 12	24 48	49231	97796	51435	48565	02204	5076
7	35 4	24 56	49269	97792	51478	48522	02208	5073
8	34 56	25 4	49308	97788	51520	48480	02212	5069
9	34 48	25 12	49347	97784	51563	48437	02216	5065
10	9 34 40	2 25 20	9.49385	9.97779	9.51606	10.48394	10.02221	10.50615
11	34 32	25 28	49424	97775	51648	48352	02225	50576
12	34 24	25 36	49462	97771	51691	48309	02229	50538
13	34 16	25 44	49500	97767	51734	48266	02233	50500
14	34 8	25 52	49539	97763	51776	48224	02237	50461
15	9 34 0	2 26 0	9.49577	9.97759	9.51819	10.48181	10.02241	10.50423
16	33 52	26 8	49615	97754	51861	48139	02246	50385
17	33 44	26 16	49654	97750	51903	48097	02250	50346
18	33 36	26 24	49692	97746	51946	48054	02254	50308
19	33 28	26 32	49730	97742	51988	48012	02258	50270
20	9 33 20	2 26 40	9.49768	9.97735	9.52031	10.47969	10.02262	10.50232
21	33 12	26 48	49806	97731	52073	47927	02266	50194
22	33 4	26 56	49844	97727	52115	47885	02271	50156
23	32 56	27 4	49882	97723	52157	47843	02275	50118
24	32 48	27 12	49920	97721	52200	47800	02279	50080
25	9 32 40	2 27 20	9.49958	9.97717	9.52242	10.47758	10.02283	10.50042
26	32 32	27 28	49996	97713	52284	47716	02287	50004
27	32 24	27 36	50034	97708	52326	47674	02292	49966
28	32 16	27 44	50072	97704	52368	47632	02296	49928
29	32 8	27 52	50110	97700	52410	47590	02300	49890
30	9 32 0	2 28 0	9.50148	9.97696	9.52452	10.47548	10.02304	10.49852
31	31 52	28 8	50185	97691	52494	47506	02309	49815
32	31 44	28 16	50223	97687	52536	47464	02313	49777
33	31 36	28 24	50261	97683	52578	47422	02317	49739
34	31 28	28 32	50298	97679	52620	47380	02321	49702
35	9 31 20	2 28 40	9.50336	9.97674	9.52661	10.47339	10.02326	10.49664
36	31 12	28 48	50374	97670	52703	47297	02330	49626
37	31 4	28 56	50411	97666	52745	47255	02334	49589
38	30 56	29 4	50449	97662	52787	47213	02338	49551
39	30 48	29 12	50486	97657	52829	47171	02343	49514
40	9 30 40	2 29 20	9.50523	9.97663	9.52870	10.47130	10.02347	10.49477
41	30 32	29 28	50561	97649	52912	47088	02351	49439
42	30 24	29 36	50598	97645	52953	47047	02355	49402
43	30 16	29 44	50635	97640	52995	47005	02360	49365
44	30 8	29 52	50673	97636	53037	46963	02364	49327
45	9 30 0	2 30 0	9.50710	9.97632	9.53078	10.46922	10.02368	10.49290
46	29 52	30 8	50747	97628	53120	46880	02372	49253
47	29 44	30 16	50784	97623	53161	46839	02377	49216
48	29 36	30 24	50821	97619	53202	46798	02381	49179
49	29 28	30 32	50858	97615	53244	46756	02385	49142
50	9 29 20	2 30 40	9.50896	9.97610	9.53285	10.46715	10.02390	10.49104
51	29 12	30 48	50933	97606	53327	46673	02394	49067
52	29 4	30 56	50970	97602	53368	46632	02398	49030
53	28 56	31 4	51007	97597	53409	46591	02403	48993
54	28 48	31 12	51043	97593	53450	46550	02407	48957
55	9 28 40	2 31 20	9.51080	9.97589	9.53492	10.46508	10.02411	10.48920
56	28 32	31 28	51117	97584	53533	46467	02416	48883
57	28 24	31 36	51154	97580	53574	46426	02420	48846
58	28 16	31 44	51191	97576	53615	46385	02424	48809
59	28 8	31 52	51227	97571	53656	46344	02429	48773
60	28 0	32 0	51264	97567	53697	46303	02433	48736

TABLE XXVII.  
Long. Sines, Tangents and Secants.

19 Degr.

Degr. 160.

M	Hour <sup>a</sup> M.	Hour <sup>p</sup> M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant	M
0	9 28 0	2 32 0	9.51264	9.97567	9.53697	10.46303	10.02433	10.48736	60
1	27 52	32 8	51301	97563	53738	46262	02437	48699	59
2	27 44	32 16	51338	97558	53779	46221	02442	48662	58
3	27 36	32 24	51374	97554	53820	46180	02446	48626	57
4	27 28	32 32	51411	97550	53861	46139	02450	48589	56
5	9 27 20	2 32 40	9.51447	9.97545	9.53902	10.46098	10.02455	10.48553	55
6	27 12	32 48	51484	97541	53943	46057	02459	48516	54
7	27 4	32 56	51520	97536	53984	46016	02464	48480	53
8	26 56	33 4	51557	97532	54025	45975	02468	48443	52
9	26 48	33 12	51593	97528	54065	45935	02472	48407	51
10	9 26 40	2 33 20	9.51629	9.97523	9.54106	10.45894	10.02477	10.48371	50
11	26 32	33 28	51666	97519	54147	45853	02481	48334	49
12	26 24	33 36	51702	97515	54187	45813	02485	48298	48
13	26 16	33 44	51738	97510	54228	45772	02490	48262	47
14	26 8	33 52	51774	97506	54269	45731	02494	48226	46
15	9 26 0	2 34 0	9.51811	9.97501	9.54309	10.45691	10.02499	10.48189	45
16	25 52	34 8	51847	97497	54350	45650	02503	48153	44
17	25 44	34 16	51883	97492	54390	45610	02508	48117	43
18	25 36	34 24	51919	97488	54431	45569	02512	48081	42
19	25 28	34 32	51955	97484	54471	45529	02516	48045	41
20	9 25 20	2 34 40	9.51991	9.97479	9.54512	10.45488	10.02521	10.48009	40
21	25 12	34 48	52027	97475	54552	45448	02525	47973	39
22	25 4	34 56	52063	97470	54593	45407	02530	47937	38
23	24 56	35 4	52099	97466	54633	45367	02534	47901	37
24	24 48	35 12	52135	97461	54673	45327	02539	47865	36
25	9 24 40	2 35 20	9.52171	9.97467	9.54714	10.45286	10.02543	10.47829	35
26	24 32	35 28	52207	97453	54754	45246	02547	47793	34
27	24 24	35 36	52242	97448	54794	45206	02552	47758	33
28	24 16	35 44	52278	97444	54835	45165	02556	47722	32
29	24 8	35 52	52314	97439	54875	45125	02561	47686	31
30	9 24 0	2 36 0	9.52350	9.97435	9.54915	10.45083	10.02565	10.47650	30
31	23 52	36 8	52355	97430	54955	45045	02570	47615	29
32	23 44	36 16	52421	97426	54995	45005	02574	47579	28
33	23 36	36 24	52456	97421	55035	44965	02579	47544	27
34	23 28	36 32	52492	97417	55075	44925	02583	47508	26
35	9 23 20	2 36 40	9.52527	9.97412	9.55115	10.44885	10.02588	10.47473	25
36	23 12	36 48	52563	97408	55155	44845	02592	47437	24
37	23 4	36 56	52598	97403	55195	44805	02597	47402	23
38	22 56	37 4	52634	97399	55235	44765	02601	47366	22
39	22 48	37 12	52669	97394	55275	44725	02606	47331	21
40	9 22 40	2 37 20	9.52705	9.97390	9.55315	10.44685	10.02610	10.47295	20
41	22 32	37 28	52740	97385	55355	44645	02615	47260	19
42	22 24	37 36	52775	97381	55395	44605	02619	47225	18
43	22 16	37 44	52811	97376	55434	44566	02624	47189	17
44	22 8	37 52	52846	97372	55474	44526	02628	47154	16
45	9 22 0	2 38 0	9.52881	9.97367	9.55514	10.44485	10.02633	10.47119	15
46	21 52	38 8	52916	97363	55554	44446	02637	47084	14
47	21 44	38 16	52951	97358	55593	44407	02642	47049	13
48	21 36	38 24	52986	97353	55633	44367	02647	47014	12
49	21 28	38 32	53021	97349	55673	44327	02651	46979	11
50	9 21 20	2 38 40	9.53056	9.97344	9.55712	10.44288	10.02656	10.46944	10
51	21 12	38 48	53092	97340	55752	44248	02660	46908	9
52	21 4	38 56	53126	97335	55791	44209	02665	46874	8
53	20 56	39 4	53161	97331	55831	44169	02669	46839	7
54	20 48	39 12	53196	97326	55870	44130	02674	46804	6
55	9 20 40	2 39 20	9.53231	9.97322	9.55910	10.44090	10.02678	10.46769	5
56	20 32	39 28	53266	97317	55949	44051	02683	46734	4
57	20 24	39 36	53301	97312	55989	44011	02688	46699	3
58	20 16	39 44	53336	97308	56028	43972	02692	46664	2
59	20 8	39 52	53370	97303	56067	43933	02697	46630	1
60	20 0	40 0	53405	97299	56107	43893	02701	46595	0

109 Degr.

Degr. 70.

Log. Sines, Tangents and Secants.

20 Degr.

Degr. 159

M	HOUR M.	Hour M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant	M
0	9 20 0	2 40 0	9.53405	9.97299	9.56107	10.43393	10.02701	10.46595	60
1	19 52	40 8	53440	97294	56146	43854	02706	46560	59
2	19 44	40 16	53475	97289	56185	43815	02711	46525	58
3	19 36	40 24	53509	97285	56224	43776	02715	46491	57
4	19 28	40 32	53544	97280	56264	43736	02720	46456	56
5	9 19 20	2 40 40	9.53578	9.97276	9.56303	10.43697	10.02724	10.46422	55
6	19 12	40 48	53613	97271	56342	43658	02729	46387	54
7	19 4	40 56	53647	97266	56381	43619	02734	46353	53
8	18 56	41 4	53682	97262	56420	43580	02739	46318	52
9	18 48	41 12	53716	97257	56459	43541	02743	46284	51
10	9 18 40	2 41 20	9.53751	9.97252	9.56498	10.43902	10.02743	10.46249	50
11	18 32	41 28	53785	97249	56537	43463	02752	46215	49
12	18 24	41 36	53819	97243	56576	43424	02757	46181	48
13	18 16	41 44	53854	97238	56615	43385	02762	46146	47
14	18 8	41 52	53888	97234	56654	43346	02766	46112	46
15	9 18 0	2 42 0	9.53922	9.97229	9.56697	10.44307	10.02771	10.46078	45
16	17 52	42 8	53957	97234	56732	43268	02776	46043	44
17	17 44	42 16	53991	97229	56771	43229	02780	46009	43
18	17 36	42 24	54025	97225	56810	43190	02785	45975	42
19	17 28	42 32	54059	97220	56849	43151	02790	45941	41
20	9 17 20	2 42 40	9.54093	9.97206	9.56887	10.44513	10.02794	10.45807	40
21	17 12	42 48	54127	97201	56926	43074	02799	45873	39
22	17 4	42 56	54161	97196	56965	43035	02804	45839	38
23	16 56	43 4	54195	97192	57004	42996	02808	45805	37
24	16 48	43 12	54229	97187	57042	42957	02813	45771	36
25	9 16 40	2 43 20	9.54263	9.97182	9.57081	10.44919	10.02818	10.45737	35
26	16 32	43 28	54297	97178	57120	42880	02822	45703	34
27	16 24	43 36	54331	97173	57158	42842	02827	45669	33
28	16 16	43 44	54365	97168	57197	42803	02832	45635	32
29	16 8	43 52	54399	97163	57235	42765	02837	45601	31
30	9 16 0	2 44 0	9.54433	9.97159	9.57274	10.45226	10.02841	10.45567	30
31	15 52	44 8	54466	97154	57312	42688	02846	45534	29
32	15 44	44 16	54500	97149	57351	42649	02851	45500	28
33	15 36	44 24	54534	97145	57390	42611	02855	45466	27
34	15 28	44 32	54567	97140	57428	42572	02860	45432	26
35	9 15 20	2 44 40	9.54601	9.97133	9.57466	10.45531	10.02865	10.45392	25
36	15 12	44 48	54635	97130	57504	42496	02870	45358	24
37	15 4	44 56	54668	97126	57543	42457	02874	45324	23
38	14 56	45 4	54702	97121	57581	42419	02879	45290	22
39	14 48	45 12	54735	97116	57619	42381	02884	45255	21
40	9 14 40	2 45 20	9.54769	9.97111	9.57658	10.45838	10.02889	10.45231	20
41	14 32	45 28	54802	97107	57696	42304	02893	45198	19
42	14 24	45 36	54836	97102	57734	42266	02898	45164	18
43	14 16	45 44	54869	97097	57772	42228	02903	45131	17
44	14 8	45 52	54903	97092	57810	42190	02908	45097	16
45	9 14 0	2 46 0	9.54936	9.97057	9.57849	10.46141	10.02913	10.45064	15
46	13 52	46 8	54969	97083	57887	42113	02917	45031	14
47	13 44	46 16	55003	97078	57925	42075	02922	44997	13
48	13 36	46 24	55036	97073	57963	42037	02927	44964	12
49	13 28	46 32	55069	97068	58001	41999	02932	44931	11
50	9 13 20	2 46 40	9.55102	9.97063	9.58039	10.46496	10.02937	10.44893	10
51	13 12	46 48	55136	97059	58077	41923	02941	44860	9
52	13 4	46 56	55169	97054	58115	41885	02946	44827	8
53	12 56	47 4	55202	97049	58153	41847	02951	44794	7
54	12 48	47 12	55235	97044	58191	41809	02956	44761	6
55	9 12 40	2 47 20	9.55268	9.97039	9.58229	10.46771	10.02961	10.44732	5
56	12 32	47 28	55301	97035	58267	41733	02965	44699	4
57	12 24	47 36	55334	97030	58304	41696	02970	44666	3
58	12 16	47 44	55367	97025	58342	41658	02975	44633	2
59	12 8	47 52	55400	97020	58380	41620	02980	44600	1
60	12 0	48 0	55433	97015	58418	41582	02985	44567	0
M	Hour M.	Hour M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant.	M

110 Degr.

Degr. 69.



TABLE XXVII.

Log. Sines, Tangents and Secants.

21 Degs.

Degs. 159.

M	Hour. M.	Hour. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M
0	9 12 0	2 48 0	9.55433	9.97015	9.58418	10.41582	10.02985	10.44567	60
1	11 52	48 8	55466	97010	58455	41545	02990	44534	59
2	11 44	48 16	55499	97005	58493	41507	02995	44501	58
3	11 36	48 24	55532	97001	58531	41469	02999	44468	57
4	11 28	48 32	55564	96996	58569	41431	03004	44436	56
5	9 11 20	2 48 40	9.55597	9.96991	9.58606	10.41394	10.03009	10.44403	55
6	11 12	48 48	55630	96986	58644	41356	03014	44370	54
7	11 4	48 56	55663	96981	58681	41319	03019	44337	53
8	10 56	49 4	55695	96976	58719	41281	03024	44305	52
9	10 48	49 12	55728	96971	58757	41243	03029	44272	51
10	9 10 40	2 49 20	9.55761	9.96966	9.58794	10.41206	10.03034	10.44239	50
11	10 32	49 28	55793	96962	58832	41168	03038	44207	49
12	10 24	49 36	55826	96957	58869	41131	03043	44174	48
13	10 16	49 44	55858	96952	58907	41093	03048	44142	47
14	10 8	49 52	55891	96947	58944	41056	03053	44109	46
15	9 10 0	2 50 0	9.55923	9.96942	9.58981	10.41019	10.03058	10.44077	45
16	9 52	50 8	55956	96937	59019	40981	03063	44044	44
17	9 44	50 16	55988	96932	59056	40944	03068	44012	43
18	9 36	50 24	56021	96927	59094	40906	03073	43979	42
19	9 28	50 32	56053	96922	59131	40869	03078	43947	41
20	9 9 20	2 50 40	9.56088	9.96917	9.59168	10.40832	10.03083	10.43915	40
21	9 12	50 48	56118	96912	59205	40795	03088	43882	39
22	9 4	50 56	56150	96907	59243	40757	03093	43850	38
23	8 56	51 4	56182	96903	59280	40720	03097	43818	37
24	8 48	51 12	56215	96898	59317	40683	03102	43785	36
25	9 8 40	2 51 20	9.56247	9.96893	9.59354	10.40646	10.03107	10.43753	35
26	8 32	51 28	56279	96888	59351	40609	03112	43721	34
27	8 24	51 36	56311	96883	59429	40571	03117	43689	33
28	8 16	51 44	56343	96878	59466	40534	03122	43657	32
29	8 8	51 52	56375	96873	59503	40497	03127	43625	31
30	9 8 0	2 52 0	9.56408	9.96868	9.59540	10.40460	10.03132	10.43592	30
31	7 52	52 8	56440	96863	59577	40423	03137	43560	29
32	7 44	52 16	56472	96858	59614	40386	03142	43528	28
33	7 36	52 24	56504	96853	59651	40349	03147	43496	27
34	7 28	52 32	56536	96848	59688	40312	03152	43464	26
35	9 7 20	2 52 40	9.56568	9.96843	9.59725	10.40275	10.03157	10.43432	25
36	7 12	52 48	56599	96838	59762	40238	03162	43401	24
37	7 4	52 56	56631	96833	59799	40201	03167	43369	23
38	6 56	53 4	56663	96828	59835	40165	03172	43337	22
39	6 48	53 12	56695	96823	59872	40128	03177	43305	21
40	9 6 40	2 53 20	9.56727	9.96818	9.59909	10.40091	10.03182	10.43273	20
41	6 32	53 28	56759	96813	59946	40054	03187	43241	19
42	6 24	53 36	56790	96808	59983	40017	03192	43210	18
43	6 16	53 44	56822	96803	60019	39981	03197	43178	17
44	6 8	53 52	56854	96798	60056	39944	03202	43146	16
45	9 6 0	2 54 0	9.56886	9.96793	9.60093	10.39907	10.03207	10.43114	15
46	5 52	54 8	56917	96788	60130	39870	03212	43083	14
47	5 44	54 16	56949	96783	60166	39834	03217	43051	13
48	5 36	54 24	56980	96778	60203	39797	03222	43020	12
49	5 28	54 32	57012	96772	60240	39760	03228	42988	11
50	9 5 20	2 54 40	9.57044	9.96767	9.60276	10.39724	10.03233	10.42956	10
51	5 12	54 48	57075	96762	60313	39687	03238	42925	9
52	5 4	54 56	57107	96757	60349	39651	03243	42893	8
53	4 56	55 4	57138	96752	60386	39614	03248	42862	7
54	4 48	55 12	57169	96747	60422	39578	03253	42831	6
55	9 4 40	2 55 20	9.57201	9.96742	9.60459	10.39541	10.03258	10.42799	5
56	4 32	55 28	57232	96737	60495	39505	03263	42768	4
57	4 24	55 36	57264	96732	60532	39468	03268	42736	3
58	4 16	55 44	57295	96727	60568	39432	03273	42705	2
59	4 8	55 52	57326	96722	60605	39395	03278	42674	1
60	4 0	56 0	57358	96717	60641	39359	03283	42642	0

111 Degs.

Degs. 68.

**TABLE XXVII.**  
**Log. Sines, Tangents and Secants.**

22 Degs.							Degs. 157.				
M	Hour	A.M.	Hour	P.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M
0	9	4 0	2	56 0	9.57358	9.96717	9.60641	10.39359	10.03283	10.42642	60
1		3 52		56 8	57389	96711	60677	39323	03289	42611	59
2		3 44		56 16	57420	96706	60714	39286	03294	42530	58
3		3 36		56 24	57451	96701	60750	39250	03299	42549	57
4		3 28		56 32	57482	96696	60786	39214	03304	42518	56
5	9	3 20	2	56 40	9.57514	9.96691	9.60823	10.39177	10.03309	10.42486	55
6		3 12		56 48	57545	96686	60859	39141	03314	42455	54
7		3 4		56 56	57576	96681	60895	39105	03319	42424	53
8		2 56		57 4	57607	96676	60931	39069	03324	42393	52
9		2 48		57 12	57638	96670	60967	39033	03330	42362	51
10	9	2 40	2	57 20	9.57669	9.96665	9.61004	10.38996	10.03335	10.42331	50
11		2 32		57 28	57700	96660	61040	38960	03340	42300	49
12		2 24		57 36	57731	96655	61076	38924	03345	42269	48
13		2 16		57 44	57762	96650	61112	38888	03350	42238	47
14		2 8		57 52	57793	96645	61148	38852	03355	42207	46
15	9	2 0	2	58 0	9.57824	9.96640	9.61184	10.38816	10.03360	10.42176	45
16		1 52		58 8	57855	96634	61220	38780	03366	42145	44
17		1 44		58 16	57885	96629	61256	38744	03371	42115	43
18		1 36		58 24	57916	96624	61292	38708	03376	42084	42
19		1 28		58 32	57947	96619	61328	38672	03381	42053	41
20	9	1 20	2	58 40	9.57978	9.96614	9.61364	10.38636	10.03386	10.42022	40
21		1 12		58 48	58008	96608	61400	38600	03392	41992	39
22		1 4		58 56	58039	96603	61436	38564	03397	41961	38
23		0 56		59 4	58070	96598	61472	38528	03402	41930	37
24		0 48		59 12	58101	96593	61508	38492	03407	41899	36
25	9	0 40	2	59 20	9.58131	9.96588	9.61544	10.38456	10.03412	10.41869	35
26		0 32		59 28	58162	96582	61579	38421	03418	41838	34
27		0 24		59 36	58192	96577	61615	38385	03423	41808	33
28		0 16		59 44	58223	96572	61651	38349	03428	41777	32
29		0 8		59 52	58253	96567	61687	38313	03433	41747	31
30	9	0 0	3	0 0	9.58284	9.96562	9.61722	10.38278	10.03438	10.41716	30
31		0 59 52		0 8	58314	96556	61758	38242	03444	41686	29
32		59 44		0 16	58345	96551	61794	38206	03449	41655	28
33		59 36		0 24	58375	96546	61830	38170	03454	41625	27
34		59 28		0 32	58406	96541	61865	38135	03459	41594	26
35	8	59 20	3	0 40	9.58436	9.96535	9.61901	10.38099	10.03465	10.41564	25
36		59 12		0 48	58467	96530	61936	38064	03470	41533	24
37		59 4		0 56	58497	96525	61972	38028	03475	41503	23
38		58 56		1 4	58527	96520	62008	37992	03480	41473	22
39		58 48		1 12	58557	96514	62043	37957	03486	41443	21
40	8	58 40	3	1 20	9.58588	9.96509	9.62079	10.37921	10.03491	10.41412	20
41		58 32		1 28	58618	96504	62114	37886	03496	41382	19
42		58 24		1 36	58648	96498	62150	37850	03502	41352	18
43		58 16		1 44	58678	96493	62185	37815	03507	41322	17
44		58 8		1 52	58709	96488	62221	37779	03512	41291	16
45	8	58 0	3	2 0	9.58739	9.96483	9.62256	10.37744	10.03517	10.41261	15
46		57 52		2 8	58769	96477	62292	37708	03523	41231	14
47		57 44		2 16	58799	96472	62327	37673	03528	41201	13
48		57 36		2 24	58829	96467	62362	37638	03533	41171	12
49		57 28		2 32	58859	96461	62398	37602	03539	41141	11
50	8	57 20	3	2 40	9.58889	9.96456	9.62433	10.37567	10.03544	10.41111	10
51		57 12		2 48	58919	96451	62468	37532	03549	41081	9
52		57 4		2 56	58949	96445	62504	37496	03555	41051	8
53		56 56		3 4	58979	96440	62539	37461	03560	41021	7
54		56 48		3 12	59009	96435	62574	37426	03565	40991	6
55	8	56 40	3	3 20	9.59039	9.96429	9.62609	10.37391	10.03571	10.40961	5
56		56 32		3 28	59069	96424	62645	37355	03576	40931	4
57		56 24		3 36	59098	96419	62680	37320	03581	40902	3
58		56 16		3 44	59128	96413	62715	37285	03587	40872	2
59		56 8		3 52	59158	96408	62750	37250	03592	40842	1
60		56 0		4 0	59188	96403	62785	37215	03597	40812	0
M	Hour	P.M.	Hour	A.M.	Co-sine.	Sine.	Cotang.	Tangent.	Co-secant	Secant.	M

TABLE XXVII.  
Log. Sines, Tangents and Secants.

207

23 Degr.

Degr. 156.

M	Hour. M.	Hour. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M
0	8 56 0	3 4 0	9.59188	9.96403	9.62785	10.37215	10.03597	10.40812	60
1	55 52	4 8	59218	96397	62820	37180	03603	40782	59
2	55 44	4 16	59247	96392	62855	37145	03608	40753	58
3	55 36	4 24	59277	96387	62890	37110	03613	40723	57
4	55 28	4 32	59307	96381	62926	37074	03619	40693	56
5	8 55 20	3 4 40	9.59336	9.96376	9.62961	10.37039	10.03624	10.40664	55
6	55 12	4 48	59366	96370	62996	37004	03630	40634	54
7	55 4	4 56	59396	96365	63031	36969	03635	40604	53
8	54 56	5 4	59425	96360	63066	36934	03640	40575	52
9	54 48	5 12	59455	96354	63101	36899	03646	40545	51
10	8 54 40	3 5 20	9.59484	9.96349	9.63135	10.36865	10.03651	10.40516	50
11	54 32	5 28	59514	96343	63170	36830	03657	40486	49
12	54 24	5 36	59543	96338	63205	36795	03662	40457	48
13	54 16	5 44	59573	96333	63240	36760	03667	40427	47
14	54 8	5 52	59602	96327	63275	36725	03673	40398	46
15	8 54 0	3 6 0	9.59632	9.96322	9.63310	10.36690	10.03678	10.40368	45
16	53 52	6 8	59661	96316	63345	36655	03684	40339	44
17	53 44	6 16	59690	96311	63379	36621	03689	40310	43
18	53 36	6 24	59720	96305	63414	36586	03695	40280	42
19	53 28	6 32	59749	96300	63449	36551	03700	40251	41
20	8 53 20	3 6 40	9.59778	9.96294	9.63484	10.36516	10.03706	10.40222	40
21	53 12	6 48	59808	96289	63519	36431	03711	40192	39
22	53 4	6 56	59837	96284	63553	36447	03716	40163	38
23	52 56	7 4	59866	96278	63588	36412	03722	40134	37
24	52 48	7 12	59895	96273	63623	36377	03727	40105	36
25	8 52 40	3 7 20	9.59924	9.96267	9.63657	10.36343	10.03733	10.40076	35
26	52 32	7 28	59954	96262	63692	36308	03738	40046	34
27	52 24	7 36	59983	96256	63726	36274	03744	40017	33
28	52 16	7 44	60012	96251	63761	36239	03749	39988	32
29	52 8	7 52	60041	96245	63796	36204	03755	39959	31
30	8 52 0	3 8 0	9.60070	9.96240	9.63830	10.36170	10.03760	10.39930	30
31	51 52	8 8	60099	96234	63865	36135	03766	39901	29
32	51 44	8 16	60128	96229	63899	36101	03771	39872	28
33	51 36	8 24	60157	96223	63934	36066	03777	39843	27
34	51 28	8 32	60186	96218	63968	36032	03782	39814	26
35	8 51 20	3 8 40	9.60215	9.96212	9.64003	10.35997	10.03788	10.39785	25
36	51 12	8 48	60244	96207	64037	35963	03793	39756	24
37	51 4	8 56	60273	96201	64072	35928	03799	39727	23
38	50 56	9 4	60302	96196	64106	35894	03804	39698	22
39	50 48	9 12	60331	96190	64140	35860	03810	39669	21
40	8 50 40	3 9 20	9.60359	9.96185	9.64175	10.35825	10.03815	10.39641	20
41	50 32	9 28	60388	96179	64209	35791	03821	39612	19
42	50 24	9 36	60417	96174	64243	35757	03826	39583	18
43	50 16	9 44	60446	96168	64278	35722	03832	39554	17
44	50 8	9 52	60474	96162	64312	35688	03838	39526	16
45	8 50 0	3 10 0	9.60503	9.96157	9.64346	10.35654	10.03843	10.39497	15
46	49 52	10 8	60532	96151	64381	35619	03849	39468	14
47	49 44	10 16	60561	96146	64415	35585	03854	39439	13
48	49 36	10 24	60589	96140	64449	35551	03860	39411	12
49	49 28	10 32	60618	96135	64483	35517	03865	39382	11
50	8 49 20	3 10 40	9.60646	9.96129	9.64517	10.35483	10.03871	10.39354	10
51	49 12	10 48	60675	96123	64552	35448	03877	39325	9
52	49 4	10 56	60704	96118	64586	35414	03882	39296	8
53	48 56	11 4	60732	96112	64620	35380	03888	39268	7
54	48 48	11 12	60761	96107	64654	35346	03893	39239	6
55	8 48 40	3 11 20	9.60789	9.96101	9.64688	10.35312	10.03899	10.39211	5
56	48 32	11 28	60818	96095	64722	35313	03905	39182	4
57	48 24	11 36	60846	96090	64756	35278	03910	39154	3
58	48 16	11 44	60875	96084	64790	35244	03916	39125	2
59	48 8	11 52	60903	96079	64824	35210	03921	39097	1
60	48 0	12 0	60931	96073	64858	35176	03927	39069	0
M	Hour. M.	Hour. M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	M

113 Degr.

Degr. 66.

TABLE XXVII.  
Log. Sines, Tangents and Secants.

24 Degr.								Degs. 155.			
M	Hour.M.	Hour.P.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M		
0	8 48 0	3 12 0	9.60931	9.96073	9.64358	10.35142	10.03927	10.39069	69		
1	47 52	12 3	60960	96067	64392	35109	03933	39034	59		
2	47 44	12 16	60988	96062	64926	35074	03938	39012	58		
3	47 36	12 24	61016	96056	64960	35040	03944	38984	57		
4	47 28	12 32	61045	96050	64994	35006	03950	38955	56		
5	8 47 20	3 12 40	9.61073	9.96045	9.65028	10.34972	10.03955	10.38927	55		
6	47 12	12 43	61101	96039	65062	34938	03961	38899	54		
7	47 4	12 56	61129	96034	65096	34904	03966	38871	53		
8	46 56	13 4	61158	96028	65130	34870	03972	38842	52		
9	46 48	13 12	61186	96022	65164	34836	03978	38814	51		
10	8 46 40	3 13 20	9.61214	9.96017	9.66197	10.34803	10.03983	10.38786	50		
11	46 32	13 28	61242	96011	65231	34769	03989	38758	49		
12	46 24	13 36	61270	96005	65265	34735	03995	38730	48		
13	46 16	13 44	61298	96000	65299	34701	04000	38702	47		
14	46 8	13 52	61326	95994	65333	34667	04006	38674	46		
15	8 46 0	3 14 0	9.61354	9.95988	9.66366	10.34634	10.04012	10.38646	45		
16	45 52	14 8	61382	95982	65400	34600	04018	38618	44		
17	45 44	14 16	61411	95977	65434	34566	04023	38589	43		
18	45 36	14 24	61438	95971	65467	34533	04029	38562	42		
19	45 28	14 32	61466	95965	65501	34499	04035	38534	41		
20	8 45 20	3 14 40	9.61494	9.95960	9.66535	10.34465	10.04040	10.38506	40		
21	45 12	14 48	61522	95954	65568	34432	04046	38478	39		
22	45 4	14 56	61550	95948	65602	34398	04052	38450	38		
23	44 56	15 4	61578	95942	65636	34364	04058	38422	37		
24	44 48	15 12	61606	95937	65669	34331	04063	38394	36		
25	8 44 40	3 15 20	9.61634	9.95931	9.66703	10.34297	10.04069	10.38366	35		
26	44 32	15 28	61662	95925	65736	34264	04075	38338	34		
27	44 24	15 36	61689	95920	65770	34230	04080	38311	35		
28	44 16	15 44	61717	95914	65803	34197	04086	38283	32		
29	44 8	15 52	61745	95908	65837	34163	04092	38255	31		
30	8 44 0	3 16 0	9.61773	9.95902	9.66870	10.34130	10.04098	10.38227	30		
31	43 52	16 8	61800	95897	65904	34096	04103	38200	29		
32	43 44	16 16	61828	95891	65937	34063	04109	38172	28		
33	43 36	16 24	61856	95885	65971	34029	04115	38144	27		
34	43 28	16 32	61883	95879	66004	33996	04121	38117	26		
35	8 43 20	3 16 40	9.61911	9.95873	9.66038	10.33962	10.04127	10.38089	25		
36	43 12	16 48	61939	95868	66071	33929	04132	38061	24		
37	43 4	16 56	61966	95862	66104	33896	04138	38034	23		
38	42 56	17 4	61994	95856	66138	33862	04144	38006	22		
39	42 48	17 12	62021	95850	66171	33829	04150	37979	21		
40	8 42 40	3 17 20	9.62049	9.95844	9.66204	10.33796	10.04156	10.37951	20		
41	42 32	17 28	62076	95839	66238	33762	04161	37924	19		
42	42 24	17 36	62104	95833	66271	33729	04167	37896	18		
43	42 16	17 44	62131	95827	66304	33696	04173	37869	17		
44	42 8	17 52	62159	95821	66337	33663	04179	37841	16		
45	8 42 0	3 18 0	9.62186	9.95815	9.66371	10.33629	10.04183	10.37814	15		
46	41 52	18 8	62214	95810	66404	33596	04190	37786	14		
47	41 44	18 16	62241	95804	66437	33563	04196	37759	13		
48	41 36	18 24	62268	95798	66470	33530	04202	37732	12		
49	41 28	18 32	62296	95792	66503	33497	04208	37704	11		
50	8 41 20	3 18 40	9.62323	9.95786	9.66537	10.33463	10.04214	10.37677	10		
51	41 12	18 48	62350	95780	66570	33460	04220	37650	9		
52	41 4	18 56	62377	95775	66603	33397	04225	37623	8		
53	40 56	19 4	62405	95769	66636	33364	04231	37596	7		
54	40 48	19 12	62432	95763	66669	33331	04237	37568	6		
55	8 40 40	3 19 20	9.62459	9.95777	9.66702	10.33298	10.04243	10.37541	5		
56	40 32	19 28	62486	95771	66735	33263	04249	37514	4		
57	40 24	19 36	62513	95765	66768	33232	04255	37487	3		
58	40 16	19 44	62541	95759	66801	33199	04261	37459	2		
59	40 8	19 52	62568	95753	66834	33166	04267	37432	1		
60	40 0	20 0	62595	95747	66867	33133	04272	37405	0		
M	Hour.M.	Hour.P.M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant.	M		

TABLE XXVII.  
 Log. Sines, Tangents and Secants.

Degr.		Degr. 154.							
Hour. m.	Hour. m.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant	M	
8 40 0	3 20 0	9.62595	9.95728	9.66867	10.33133	10.04272	10.37405	60	
39 52	20 3	62622	95722	66900	33100	04278	37378	59	
39 44	20 16	62649	95716	66933	33067	04284	37351	58	
39 36	20 24	62676	95710	66966	33034	04290	37324	57	
39 28	20 32	62703	95704	66999	33001	04296	37297	56	
8 39 20	3 20 40	9.62730	9.95698	9.67032	10.32968	10.04302	10.37270	55	
39 12	20 48	62757	95692	67065	32935	04308	37243	54	
39 4	20 56	62784	95686	67098	32902	04314	37216	53	
39 56	21 4	62811	95680	67131	32869	04320	37189	52	
38 53	21 12	62838	95674	67163	32837	04326	37162	51	
8 38 40	3 21 20	9.62865	9.95664	9.67196	10.32804	10.04332	10.37135	50	
38 32	21 26	62892	95663	67229	32771	04337	37108	49	
38 24	21 36	62918	95657	67262	32738	04343	37082	48	
38 16	21 44	62945	95651	67295	32705	04349	37055	47	
38 8	21 52	62972	95645	67327	32673	04355	37028	46	
8 38 0	3 22 0	9.62999	9.95639	9.67360	10.32640	10.04361	10.37001	45	
37 52	22 3	63026	95633	67393	32607	04367	36974	44	
37 44	22 16	63052	95627	67426	32574	04373	36948	43	
37 36	22 24	63079	95621	67458	32542	04379	36921	42	
37 28	22 32	63106	95615	67491	32509	04385	36894	41	
8 37 20	3 22 40	9.63133	9.95609	9.67524	10.32476	10.04391	10.36867	40	
37 12	22 48	63159	95603	67556	32444	04397	36841	39	
37 4	22 56	63186	95597	67589	32411	04403	36814	38	
36 56	23 4	63213	95591	67622	32378	04409	36787	37	
36 48	23 12	63239	95585	67654	32346	04415	36761	36	
8 36 40	3 23 20	9.63266	9.95579	9.67687	10.32313	10.04421	10.36734	35	
36 32	23 28	63292	95573	67719	32311	04427	36708	34	
36 24	23 36	63319	95567	67752	32278	04433	36681	33	
36 16	23 44	63345	95561	67785	32245	04439	36655	32	
36 8	23 52	63372	95555	67817	32213	04445	36628	31	
8 36 0	3 24 0	9.63398	9.95549	9.67850	10.32150	10.04451	10.36602	30	
35 52	24 3	63425	95543	67882	32118	04457	36575	29	
35 44	24 16	63451	95537	67915	32085	04463	36549	28	
35 36	24 24	63478	95531	67947	32053	04469	36522	27	
35 28	24 32	63504	95525	67980	32020	04475	36496	26	
8 35 20	3 24 40	9.63531	9.95519	9.68012	10.31987	10.04481	10.36469	25	
35 12	24 48	63557	95513	68044	31966	04487	36443	24	
35 4	24 56	63583	95507	68077	31933	04493	36417	23	
34 56	25 4	63610	95500	68109	31891	04500	36390	22	
34 48	25 12	63636	95494	68142	31858	04506	36364	21	
8 34 40	3 25 20	9.63662	9.95488	9.68174	10.31826	10.04512	10.36337	20	
34 32	25 28	63689	95482	68206	31794	04518	36311	19	
34 24	25 36	63715	95476	68239	31761	04524	36284	18	
34 16	25 44	63741	95470	68271	31729	04530	36259	17	
34 8	25 52	63767	95464	68303	31697	04536	36233	16	
8 34 0	3 26 0	9.63794	9.95458	9.68336	10.31664	10.04542	10.36206	15	
33 52	26 3	63820	95452	68368	31632	04548	36180	14	
33 44	26 16	63846	95446	68400	31600	04554	36154	13	
33 36	26 24	63872	95440	68432	31568	04560	36128	12	
33 28	26 32	63898	95434	68465	31535	04566	36102	11	
8 33 20	3 26 40	9.63924	9.95427	9.68497	10.31503	10.04573	10.36076	10	
33 12	26 48	63950	95421	68529	31471	04579	36050	9	
33 4	26 56	63976	95415	68561	31439	04585	36024	8	
32 56	27 4	64002	95409	68593	31407	04591	35998	7	
32 48	27 12	64028	95403	68626	31374	04597	35972	6	
8 32 40	3 27 20	9.64054	9.95397	9.68658	10.31342	10.04603	10.35946	5	
32 32	27 28	64080	95391	68690	31340	04609	35920	4	
32 24	27 36	64106	95384	68722	31278	04616	35894	3	
32 16	27 44	64132	95378	68754	31246	04622	35868	2	
32 8	27 52	64158	95372	68786	31214	04628	35842	1	
32 0	28 0	64184	95366	68818	31182	04634	35816	0	
Hour. m.	Hour. m.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant.	M	

**TABLE XXVII.**  
**Log. Sines, Tangents and Secants.**

26 Degs.							Degs. 153						
M	Hour	A.M.	Hour	P.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.			
0	8	32	0	3	28	0	9.64184	9.95366	9.68018	10.31182	10.04634	10.35816	6
1		31	52		28	8	64210	95360	68850	31150	04640	35790	5
2		31	44		28	16	64236	95354	68882	31118	04646	35764	5
3		31	36		28	24	64262	95348	68914	31086	04652	35738	5
4		31	28		28	32	64288	95341	68946	31054	04659	35712	5
5	8	31	20	3	28	40	9.64313	9.95335	9.68978	10.31022	10.04665	10.35687	5
6		31	12		28	48	64339	95329	69010	30990	04671	35661	5
7		31	4		28	56	64365	95323	69042	30958	04677	35635	5
8		30	56		29	4	64391	95317	69074	30926	04683	35609	5
9		30	48		29	12	64417	95310	69106	30894	04690	35583	5
10	8	30	40	3	29	20	9.64442	9.95304	9.69138	10.30862	10.04696	10.35538	5
11		30	32		29	28	64468	95298	69170	30830	04702	35532	4
12		30	24		29	36	64494	95292	69202	30798	04708	35506	4
13		30	16		29	44	64519	95286	69234	30766	04714	35481	4
14		30	8		29	52	64545	95279	69266	30734	04721	35455	4
15	8	30	0	3	30	0	9.64571	9.95273	9.69298	10.30702	10.04727	10.35429	4
16		29	52		30	8	64596	95267	69329	30671	04733	35404	4
17		29	44		30	16	64622	95261	69361	30639	04739	35378	4
18		29	36		30	24	64647	95254	69393	30607	04746	35353	4
19		29	28		30	32	64673	95248	69425	30575	04752	35327	4
20	8	29	20	3	30	40	9.64698	9.95242	9.69457	10.30543	10.04758	10.35302	4
21		29	12		30	48	64724	95236	69488	30512	04764	35276	3
22		29	4		30	56	64749	95229	69520	30480	04771	35251	3
23		28	56		31	4	64775	95223	69552	30448	04777	35225	3
24		28	48		31	12	64800	95217	69584	30416	04783	35200	3
25	8	28	40	3	31	20	9.64826	9.95211	9.69615	10.30385	10.04789	10.35174	3
26		28	32		31	28	64851	95204	69647	30353	04796	35149	3
27		28	24		31	36	64877	95198	69679	30321	04802	35123	3
28		28	16		31	44	64902	95192	69710	30290	04808	35098	3
29		28	8		31	52	64927	95185	69742	30258	04815	35073	3
30	8	28	0	3	32	0	9.64953	9.95179	9.69774	10.30226	10.04821	10.35047	3
31		27	52		32	8	64978	95173	69805	30195	04827	35021	2
32		27	44		32	16	65003	95167	69837	30163	04833	34997	2
33		27	36		32	24	65029	95160	69868	30132	04840	34971	2
34		27	28		32	32	65054	95154	69900	30100	04846	34946	2
35	8	27	20	3	32	40	9.65079	9.95148	9.69932	10.30068	10.04852	10.34921	2
36		27	12		32	48	65104	95141	69963	30037	04859	34896	2
37		27	4		32	56	65130	95135	69995	30005	04865	34870	2
38		26	56		33	4	65155	95129	70026	29974	04871	34845	2
39		26	48		33	12	65180	95122	70058	29942	04878	34820	2
40	8	26	40	3	33	20	9.65205	9.95116	9.70089	10.29911	10.04884	10.34795	2
41		26	32		33	28	65230	95110	70121	29879	04890	34770	1
42		26	24		33	36	65255	95103	70152	29848	04897	34745	1
43		26	16		33	44	65281	95097	70184	29816	04903	34719	1
44		26	8		33	52	65306	95090	70215	29785	04910	34694	1
45	8	26	0	3	34	0	9.65331	9.95084	9.70247	10.29753	10.04916	10.34669	1
46		25	52		34	8	65356	95078	70278	29722	04922	34644	1
47		25	44		34	16	65381	95071	70309	29691	04929	34619	1
48		25	36		34	24	65406	95065	70341	29659	04935	34594	1
49		25	28		34	32	65431	95059	70372	29628	04941	34569	1
50	8	25	20	3	34	40	9.65456	9.95052	9.70404	10.29596	10.04948	10.34544	1
51		25	12		34	48	65481	95046	70435	29565	04954	34519	9
52		25	4		34	56	65506	95039	70466	29534	04961	34494	8
53		24	56		35	4	65531	95033	70498	29502	04967	34469	7
54		24	48		35	12	65556	95027	70529	29471	04973	34444	6
55	8	24	40	3	35	20	9.65580	9.95020	9.70560	10.29440	10.04980	10.34420	3
56		24	32		35	28	65605	95014	70592	29408	04986	34395	4
57		24	24		35	36	65630	95007	70623	29377	04993	34370	3
58		24	16		35	44	65655	95001	70654	29346	04999	34345	2
59		24	8		35	52	65680	94995	70685	29315	05005	34320	1
60		24	0		36	0	65705	94988	70717	29283	05012	34295	0
M	Hour	A.M.	Hour	P.M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	M		

**TABLE XXVII.**

**Log. Sines, Tangents and Secants.**

27 Degs.				Degs. 152.					
M	Hour P. M.	Hour P. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M
0	8 24 0	3 36 0	9.65705	9.94988	9.70717	10.29283	10.05012	10.34295	60
1	23 52	36 8	65729	94982	70743	29252	05018	34271	59
2	23 44	36 16	65754	94975	70779	29221	05025	34246	58
3	23 36	36 24	65779	94969	70810	29190	05031	34221	57
4	23 28	36 32	65804	94962	70841	29159	05038	34196	56
5	8 23 20	3 36 40	9.65828	9.94956	9.70873	10.29127	10.05044	10.34172	55
6	23 12	36 48	65853	94949	70904	29096	05051	34147	54
7	23 4	36 56	65878	94943	70935	29065	05057	34122	53
8	22 56	37 4	65902	94936	70966	29034	05064	34098	52
9	22 48	37 12	65927	94930	70997	29003	05070	34073	51
10	8 22 40	3 37 20	9.65952	9.94923	9.71029	10.28972	10.05077	10.34048	50
11	22 32	37 28	65976	94917	71059	28941	05083	34024	49
12	22 24	37 36	66001	94911	71090	28910	05089	33999	48
13	22 16	37 44	66025	94904	71121	28879	05096	33975	47
14	22 8	37 52	66050	94898	71153	28847	05102	33950	46
15	8 22 0	3 38 0	9.66075	9.94891	9.71184	10.28816	10.05109	10.33925	45
16	21 52	38 0	66099	94885	71215	28785	05115	33901	44
17	21 44	38 16	66124	94878	71246	28754	05122	33876	43
18	21 36	38 24	66148	94871	71277	28723	05129	33852	42
19	21 28	38 32	66173	94864	71308	28692	05135	33827	41
20	8 21 20	3 38 40	9.66197	9.94858	9.71339	10.28661	10.05142	10.33803	40
21	21 12	38 48	66221	94852	71370	28630	05148	33779	39
22	21 4	38 56	66246	94845	71401	28599	05155	33754	38
23	20 56	39 4	66270	94839	71431	28569	05161	33730	37
24	20 48	39 12	66295	94832	71462	28538	05168	33705	36
25	8 20 40	3 39 20	9.66319	9.94826	9.71493	10.28507	10.05174	10.33681	35
26	20 32	39 28	66343	94819	71524	28476	05181	33657	34
27	20 24	39 36	66368	94813	71555	28445	05187	33632	33
28	20 16	39 44	66392	94806	71586	28414	05194	33608	32
29	20 8	39 52	66416	94799	71617	28383	05201	33584	31
30	8 20 0	3 40 0	9.66441	9.94793	9.71643	10.28352	10.05207	10.33559	30
31	19 52	40 8	66465	94786	71679	28321	05214	33535	29
32	19 44	40 16	66489	94780	71709	28291	05220	33511	28
33	19 36	40 24	66513	94773	71740	28260	05227	33487	27
34	19 28	40 32	66537	94767	71771	28229	05233	33463	26
35	8 19 20	3 40 40	9.66562	9.94760	9.71802	10.28198	10.05240	10.33438	25
36	19 12	40 48	66586	94753	71833	28167	05247	33414	24
37	19 4	40 56	66610	94747	71863	28137	05253	33390	23
38	18 56	41 4	66634	94740	71894	28106	05260	33366	22
39	18 48	41 12	66658	94734	71925	28075	05266	33342	21
40	8 18 40	3 41 20	9.66682	9.94727	9.71935	10.28045	10.05273	10.33318	20
41	18 32	41 28	66706	94720	71966	28044	05280	33294	19
42	18 24	41 36	66731	94714	72017	27983	05286	33269	18
43	18 16	41 44	66755	94707	72048	27952	05293	33245	17
44	18 8	41 52	66779	94700	72079	27922	05300	33221	16
45	8 18 0	3 42 0	9.66803	9.94694	9.72109	10.27891	10.05306	10.33197	15
46	17 52	42 8	66827	94687	72140	27860	05313	33173	14
47	17 44	42 16	66851	94680	72170	27830	05320	33149	13
48	17 36	42 24	66875	94674	72201	27799	05326	33125	12
49	17 28	42 32	66899	94667	72231	27769	05333	33101	11
50	8 17 20	3 42 40	9.66922	9.94660	9.72262	10.27738	10.05340	10.33078	10
51	17 12	42 48	66946	94654	72293	27707	05346	33054	9
52	17 4	42 56	66970	94647	72323	27677	05353	33030	8
53	16 56	43 4	66994	94640	72354	27646	05360	33006	7
54	16 48	43 12	67018	94634	72384	27616	05366	32982	6
55	8 16 40	3 43 20	9.67042	9.94627	9.72415	10.27585	10.05373	10.32958	5
56	16 32	43 28	67066	94620	72445	27555	05380	32934	4
57	16 24	43 36	67090	94614	72476	27524	05386	32910	3
58	16 16	43 44	67113	94607	72506	27494	05393	32887	2
59	16 8	43 52	67137	94600	72537	27463	05400	32863	1
60	16 0	44 0	67161	94593	72567	27433	05407	32839	0

## Log. Sines, Tangents and Secants.

28 Degs.

Degs. 151.

M	Hour: M.	Hour: M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M
0	8 16 0	3 44 0	9.67161	9.94593	9.72567	10.27433	10.05407	10.32839	60
1	15 52	44 8	67185	94587	72598	27402	05413	32815	59
2	15 44	44 16	67208	94580	72628	27372	05420	32792	58
3	15 36	44 24	67232	94573	72659	27341	05427	32768	57
4	15 28	44 32	67256	94567	72689	27311	05433	32744	56
5	8 15 20	3 44 40	9.67290	9.94560	9.72720	10.27280	10.05440	10.32720	55
6	15 12	44 48	67303	94553	72750	27250	05447	32697	54
7	15 4	44 56	67327	94546	72780	27220	05454	32673	53
8	14 56	45 4	67350	94540	72811	27189	05460	32650	52
9	14 48	45 12	67374	94533	72841	27159	05467	32626	51
10	8 14 40	3 45 20	9.67398	9.94526	9.72872	10.27128	10.05474	10.32602	50
11	14 32	45 28	67421	94519	72902	27098	05481	32579	49
12	14 24	45 36	67445	94513	72932	27068	05487	32555	48
13	14 16	45 44	67468	94506	72963	27037	05494	32532	47
14	14 8	45 52	67492	94499	72993	27007	05501	32508	46
15	8 14 0	3 46 0	9.67515	9.94492	9.73023	10.26977	10.05508	10.32485	45
16	13 52	46 8	67539	94485	73054	26946	05515	32461	44
17	13 44	46 16	67562	94478	73084	26916	05521	32438	43
18	13 36	46 24	67586	94472	73114	26886	05528	32414	42
19	13 28	46 32	67609	94465	73144	26856	05535	32391	41
20	8 13 20	3 46 40	9.67633	9.94458	9.73175	10.26825	10.05542	10.32367	40
21	13 12	46 48	67656	94451	73205	26795	05549	32344	39
22	13 4	46 56	67680	94445	73235	26765	05555	32320	38
23	12 56	47 4	67703	94438	73265	26735	05562	32297	37
24	12 48	47 12	67726	94431	73295	26705	05569	32274	36
25	8 12 40	3 47 20	9.67750	9.94424	9.73326	10.26674	10.05576	10.32250	35
26	12 32	47 28	67773	94417	73356	26644	05583	32227	34
27	12 24	47 36	67796	94410	73386	26614	05590	32204	33
28	12 16	47 44	67820	94404	73416	26584	05596	32180	32
29	12 8	47 52	67843	94397	73446	26554	05603	32157	31
30	8 12 0	3 48 0	9.67866	9.94390	9.73476	10.26524	10.05610	10.32134	30
31	11 52	48 8	67889	94383	73507	26493	05617	32110	29
32	11 44	48 16	67913	94376	73537	26463	05624	32087	28
33	11 36	48 24	67936	94369	73567	26433	05631	32064	27
34	11 28	48 32	67959	94362	73597	26403	05638	32041	26
35	8 11 20	3 48 40	9.67982	9.94355	9.73627	10.26373	10.05645	10.32018	25
36	11 12	48 48	68006	94348	73657	26343	05651	31994	24
37	11 4	48 56	68029	94342	73687	26313	05658	31971	23
38	10 56	49 4	68052	94335	73717	26283	05665	31948	22
39	10 48	49 12	68075	94328	73747	26253	05672	31925	21
40	8 10 40	3 49 20	9.68098	9.94321	9.73777	10.26223	10.05679	10.31902	20
41	10 32	49 28	68121	94314	73807	26193	05686	31879	19
42	10 24	49 36	68144	94307	73837	26163	05693	31856	18
43	10 16	49 44	68167	94300	73867	26133	05700	31833	17
44	10 8	49 52	68190	94293	73897	26103	05707	31810	16
45	8 10 0	3 50 0	9.68213	9.94286	9.73927	10.26073	10.05714	10.31787	15
46	9 52	50 8	68237	94279	73957	26043	05721	31763	14
47	9 44	50 16	68260	94273	73987	26013	05727	31740	13
48	9 36	50 24	68283	94266	74017	25983	05734	31717	12
49	9 28	50 32	68305	94259	74047	25953	05741	31695	11
50	8 9 20	3 50 40	9.68328	9.94252	9.74077	10.25923	10.05748	10.31672	10
51	9 12	50 48	68351	94245	74107	25893	05755	31649	9
52	9 4	50 56	68374	94238	74137	25863	05762	31626	8
53	8 56	51 4	68397	94231	74166	25834	05769	31603	7
54	8 48	51 12	68420	94224	74196	25804	05776	31580	6
55	8 8 40	3 51 20	9.68443	9.94217	9.74226	10.25774	10.05783	10.31557	5
56	8 32	51 28	68466	94210	74256	25744	05790	31534	4
57	8 24	51 36	68489	94203	74286	25714	05797	31511	3
58	8 16	51 44	68512	94196	74316	25684	05804	31488	2
59	8 8	51 52	68535	94189	74346	25655	05811	31466	1
60	8 0	52 0	68557	94182	74376	25625	05818	31443	0
M	Hour: M.	Hour: M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	M

118 Degs.

Degs. 61.



TABLE XXVII.

213

Log. Sines, Tangents and Secants.

29 Degs.

Degs. 150.

M	Hour. M.	Hour. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant	M
0	8 8 0	3 52 0	9.68557	9.94182	9.74375	10.25625	10.05818	10.31443	60
1	7 52	52 8	68580	94175	74405	25595	05825	31420	59
2	7 44	52 16	68603	94168	74435	25565	05832	31397	58
3	7 36	52 24	68625	94161	74465	25535	05839	31375	57
4	7 28	52 32	68648	94154	74494	25506	05846	31352	56
5	8 7 20	3 52 40	9.68671	9.94147	9.74524	10.25476	10.05853	10.31329	55
6	7 12	52 48	68694	94140	74554	25446	05860	31306	54
7	7 4	52 56	68716	94133	74583	25417	05867	31284	53
8	6 56	53 4	68739	94126	74613	25387	05874	31261	52
9	6 48	53 12	68762	94119	74643	25357	05881	31238	51
10	8 6 40	3 53 20	9.68784	9.94112	9.74673	10.25327	10.05888	10.31216	50
11	6 32	53 28	68807	94105	74702	25298	05895	31193	49
12	6 24	53 36	68829	94098	74732	25268	05902	31171	48
13	6 16	53 44	68852	94090	74762	25238	05910	31148	47
14	6 8	53 52	68875	94083	74791	25209	05917	31125	46
15	8 6 0	3 54 0	9.68897	9.94076	9.74821	10.25179	10.05924	10.31103	45
16	5 52	54 8	68920	94069	74851	25149	05931	31080	44
17	5 44	54 16	68942	94062	74880	25120	05938	31058	43
18	5 36	54 24	68965	94055	74910	25090	05945	31035	42
19	5 28	54 32	68987	94048	74939	25061	05952	31013	41
20	8 5 20	3 54 40	9.69010	9.94041	9.74969	10.25031	10.05959	10.30990	40
21	5 12	54 48	69032	94034	74998	25002	05966	30968	39
22	5 4	54 56	69055	94027	75028	24972	05973	30945	38
23	4 56	55 4	69077	94020	75058	24942	05980	30923	37
24	4 48	55 12	69100	94012	75087	24913	05988	30900	36
25	8 4 40	3 55 20	9.69122	9.94005	9.75117	10.24883	10.05995	10.30878	35
26	4 32	55 28	69141	93998	75146	24854	06002	30856	34
27	4 24	55 36	69167	93991	75176	24824	06009	30833	33
28	4 16	55 44	69189	93984	75205	24795	06016	30811	32
29	4 8	55 52	69212	93977	75235	24765	06023	30788	31
30	8 4 0	3 56 0	9.69234	9.93970	9.75264	10.24736	10.06030	10.30766	30
31	3 52	56 8	69256	93963	75294	24706	06037	30744	29
32	3 44	56 16	69279	93955	75323	24677	06045	30721	28
33	3 36	56 24	69301	93948	75353	24647	06052	30699	27
34	3 28	56 32	69323	93941	75382	24618	06059	30677	26
35	8 3 20	3 56 40	9.69345	9.93934	9.75411	10.24589	10.06066	10.30655	25
36	3 12	56 48	69368	93927	75441	24559	06073	30632	24
37	3 4	56 56	69390	93920	75470	24530	06080	30610	23
38	2 56	57 4	69412	93912	75500	24500	06088	30588	22
39	2 48	57 12	69434	93905	75529	24471	06095	30566	21
40	8 2 40	3 57 20	9.69456	9.93898	9.75558	10.24442	10.06102	10.30544	20
41	2 32	57 28	69479	93891	75588	24412	06109	30521	19
42	2 24	57 36	69501	93884	75617	24383	06116	30499	18
43	2 16	57 44	69523	93876	75647	24353	06124	30477	17
44	2 8	57 52	69545	93869	75676	24324	06131	30455	16
45	8 2 0	3 58 0	9.69567	9.93862	9.75705	10.24295	10.06138	10.30433	15
46	1 52	58 8	69589	93855	75735	24265	06145	30411	14
47	1 44	58 16	69611	93847	75764	24236	06153	30389	13
48	1 36	58 24	69633	93840	75793	24207	06160	30367	12
49	1 28	58 32	69655	93833	75822	24178	06167	30345	11
50	8 1 20	3 58 40	9.69677	9.93826	9.75852	10.24148	10.06174	10.30323	10
51	1 12	58 48	69699	93819	75881	24119	06181	30301	9
52	1 4	58 56	69721	93811	75910	24090	06189	30279	8
53	0 56	59 4	69743	93804	75939	24061	06196	30257	7
54	0 48	59 12	69765	93797	75969	24031	06203	30235	6
55	8 0 40	3 59 20	9.69787	9.93789	9.75998	10.24002	10.06211	10.30213	5
56	0 32	59 28	69809	93782	76027	23973	06218	30191	4
57	0 24	59 36	69831	93775	76056	23944	06225	30169	3
58	0 16	59 44	69853	93768	76086	23914	06232	30147	2
59	0 8	59 52	69875	93760	76115	23885	06240	30125	1
60	0 0	4 0 0	69897	93753	76144	23856	06247	30103	0
M	Hour. M.	Hour. M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant.	M

19 Degs.

Degs. 60.

**TABLE XXVII.**  
Log. Sines, Tangents and Secants.

30 Degs.				Degs. 149.						
M	Hour A. M.	Hour P. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M	
0	8 0 0	4 0 0	9.69897	9.93753	9.76144	10.23856	10.06247	10.30103	60	
1	7 59 52	0 8	69919	93746	76173	23827	06254	30081	59	
2	59 44	0 16	69941	93738	76202	23798	06262	30059	58	
3	59 36	0 24	69963	93731	76231	23769	06269	30037	57	
4	59 28	0 32	69984	93724	76261	23739	06276	30016	56	
5	7 59 20	4 0 40	9.70006	9.93717	9.76290	10.23710	10.06283	10.29994	55	
6	59 12	0 48	70028	93709	76319	23681	06291	29972	54	
7	59 4	0 56	70050	93702	76348	23652	06298	29950	53	
8	58 56	1 4	70072	93695	76377	23623	06305	29928	52	
9	58 48	1 12	70093	93687	76406	23594	06313	29907	51	
10	7 58 40	4 1 20	9.70115	9.93680	9.76435	10.23565	10.06320	10.29885	50	
11	58 32	1 28	70137	93673	76464	23536	06327	29863	49	
12	58 24	1 36	70159	93665	76493	23507	06335	29841	48	
13	58 16	1 44	70180	93658	76522	23478	06342	29820	47	
14	58 8	1 52	70202	93650	76551	23449	06350	29798	46	
15	7 58 0	4 2 0	9.70224	9.93643	9.76580	10.23420	10.06357	10.29776	45	
16	57 52	2 8	70245	93636	76609	23391	06364	29755	44	
17	57 44	2 16	70267	93628	76639	23361	06372	29733	43	
18	57 36	2 24	70288	93621	76668	23332	06379	29712	42	
19	57 28	2 32	70310	93614	76697	23303	06386	29690	41	
20	7 57 20	4 2 40	9.70332	9.93606	9.76725	10.23275	10.06394	10.29668	40	
21	57 12	2 48	70353	93599	76754	23246	06401	29647	39	
22	57 4	2 56	70375	93591	76783	23217	06409	29625	38	
23	56 56	3 4	70396	93584	76812	23188	06416	29604	37	
24	56 48	3 12	70418	93577	76841	23159	06423	29582	36	
25	7 56 40	4 3 20	9.70439	9.93569	9.76870	10.23130	10.06431	10.29561	35	
26	56 32	3 28	70461	93562	76899	23101	06438	29539	34	
27	56 24	3 36	70482	93554	76928	23072	06446	29518	33	
28	56 16	3 44	70504	93547	76957	23043	06453	29496	32	
29	56 8	3 52	70525	93539	76986	23014	06461	29475	31	
30	7 56 0	4 4 0	9.70547	9.93532	9.77015	10.22985	10.06468	10.29453	30	
31	55 52	4 8	70568	93525	77044	22956	06475	29432	29	
32	55 44	4 16	70590	93517	77073	22927	06483	29410	28	
33	55 36	4 24	70611	93510	77101	22899	06490	29389	27	
34	55 28	4 32	70633	93502	77130	22870	06498	29367	26	
35	7 55 20	4 4 40	9.70654	9.93495	9.77159	10.22841	10.06505	10.29346	25	
36	55 12	4 48	70675	93487	77188	22812	06513	29325	24	
37	55 4	4 56	70697	93480	77217	22783	06520	29303	23	
38	54 56	5 4	70718	93472	77246	22754	06528	29282	22	
39	54 48	5 12	70739	93465	77274	22726	06535	29261	21	
40	7 54 40	4 5 20	9.70761	9.93457	9.77303	10.22697	10.06543	10.29239	20	
41	54 32	5 28	70782	93450	77332	22668	06550	29218	19	
42	54 24	5 36	70803	93442	77361	22639	06558	29197	18	
43	54 16	5 44	70824	93435	77390	22610	06565	29176	17	
44	54 8	5 52	70846	93427	77418	22582	06573	29154	16	
45	7 54 0	4 6 0	9.70867	9.93420	9.77447	10.22553	10.06580	10.29133	15	
46	53 52	6 8	70888	93412	77476	22524	06588	29112	14	
47	53 44	6 16	70909	93405	77505	22495	06595	29091	13	
48	53 36	6 24	70931	93397	77533	22467	06603	29069	12	
49	53 28	6 32	70952	93390	77562	22438	06610	29048	11	
50	7 53 20	4 6 40	9.70973	9.93382	9.77591	10.22409	10.06618	10.29027	10	
51	53 12	6 48	70994	93375	77619	22381	06625	29006	9	
52	53 4	6 56	71015	93367	77648	22352	06633	28985	8	
53	52 56	7 4	71036	93360	77677	22323	06640	28964	7	
54	52 48	7 12	71058	93352	77706	22294	06648	28942	6	
55	7 52 40	4 7 20	9.71079	9.93344	9.77734	10.22266	10.06656	10.28921	5	
56	52 32	7 28	71100	93337	77763	22237	06663	28900	4	
57	52 24	7 36	71121	93329	77791	22209	06671	28879	3	
58	52 16	7 44	71142	93322	77820	22180	06678	28858	2	
59	52 8	7 52	71163	93314	77849	22151	06686	28837	1	
60	52 0	8 0	71184	93307	77877	22123	06693	28816	0	
M	Hour P. M.	Hour A. M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	M	

TABLE XXVII.

Log. Sines, Tangents and Secants.

31 Degs.

Deg. 148.

M	Hour.A.M.	Hour.P.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant	M
0	7 52 0	4 8 0	9.71184	9.93307	9.77877	10.22123	10.06693	10.28816	60
1	51 52	8 8	71205	93299	77906	22094	06701	28795	59
2	51 44	8 16	71226	93291	77935	22065	06709	28774	58
3	51 36	8 24	71247	93284	77963	22037	06716	28753	57
4	51 28	8 32	71268	93276	77992	22008	06724	28732	56
5	7 51 20	4 8 40	9.71289	9.93269	9.78020	10.21980	10.06731	10.28711	55
6	51 12	8 48	71310	93261	78049	21951	06739	28690	54
7	51 4	8 56	71331	93253	78077	21923	06747	28669	53
8	50 56	9 4	71352	93246	78106	21894	06754	28648	52
9	50 48	9 12	71373	93238	78135	21865	06762	28627	51
10	7 50 40	4 9 20	9.71393	9.93230	9.78163	10.21837	10.06770	10.28607	50
11	50 32	9 28	71414	93223	78192	21808	06777	28586	49
12	50 24	9 36	71435	93215	78220	21780	06785	28565	48
13	50 16	9 44	71456	93207	78249	21751	06793	28544	47
14	50 8	9 52	71477	93200	78277	21723	06800	28523	46
15	7 50 0	4 10 0	9.71498	9.93192	9.78306	10.21694	10.06808	10.28502	45
16	49 52	10 8	71519	93184	78334	21666	06816	28481	44
17	49 44	10 16	71539	93177	78363	21637	06823	28461	43
18	49 36	10 24	71560	93169	78391	21609	06831	28440	42
19	49 28	10 32	71581	93161	78419	21581	06839	28419	41
20	7 49 20	4 10 40	9.71602	9.93154	9.78448	10.21552	10.06846	10.28398	40
21	49 12	10 48	71622	93146	78476	21524	06854	28378	39
22	49 4	10 56	71643	93138	78505	21495	06862	28357	38
23	48 56	11 4	71664	93131	78533	21467	06869	28336	37
24	48 48	11 12	71685	93123	78562	21438	06877	28315	36
25	7 48 40	4 11 20	9.71705	9.93115	9.78590	10.21410	10.06885	10.28295	35
26	48 32	11 28	71726	93108	78618	21382	06892	28274	34
27	48 24	11 36	71747	93100	78647	21353	06900	28253	33
28	48 16	11 44	71767	93092	78675	21325	06908	28233	32
29	48 8	11 52	71788	93084	78704	21296	06916	28212	31
30	7 48 0	4 12 0	9.71809	9.93077	9.78732	10.21268	10.06923	10.28191	30
31	47 52	12 8	71829	93069	78760	21240	06931	28171	29
32	47 44	12 16	71850	93061	78789	21211	06939	28150	28
33	47 36	12 24	71870	93053	78817	21183	06947	28130	27
34	47 28	12 32	71891	93046	78845	21155	06954	28109	26
35	7 47 20	4 12 40	9.71911	9.93038	9.78874	10.21126	10.06962	10.28089	25
36	47 12	12 48	71932	93030	78902	21098	06970	28068	24
37	47 4	12 56	71952	93022	78930	21070	06978	28048	23
38	46 56	13 4	71973	93014	78959	21041	06986	28027	22
39	46 48	13 12	71994	93007	78987	21013	06993	28006	21
40	7 46 40	4 13 20	9.72014	9.92999	9.79015	10.20985	10.07001	10.27986	20
41	46 32	13 28	72034	92991	79043	20957	07009	27966	19
42	46 24	13 36	72055	92983	79072	20928	07017	27945	18
43	46 16	13 44	72075	92976	79100	20900	07024	27925	17
44	46 8	13 52	72096	92968	79128	20872	07032	27904	16
45	7 46 0	4 14 0	9.72116	9.92960	9.79156	10.20844	10.07040	10.27884	15
46	45 52	14 8	72137	92952	79185	20815	07048	27863	14
47	45 44	14 16	72157	92944	79213	20787	07056	27843	13
48	45 36	14 24	72177	92936	79241	20759	07064	27823	12
49	45 28	14 32	72198	92929	79269	20731	07071	27802	11
50	7 45 20	4 14 40	9.72218	9.92921	9.79297	10.20703	10.07079	10.27782	10
51	45 12	14 48	72238	92913	79326	20674	07087	27762	9
52	45 4	14 56	72259	92905	79354	20646	07095	27741	8
53	44 56	15 4	72279	92897	79382	20618	07103	27721	7
54	44 48	15 12	72299	92889	79410	20590	07111	27701	6
55	7 44 40	4 15 20	9.72320	9.92881	9.79438	10.20562	10.07119	10.27680	5
56	44 32	15 28	72340	92874	79466	20534	07126	27660	4
57	44 24	15 36	72360	92866	79495	20505	07134	27640	3
58	44 16	15 44	72381	92858	79523	20477	07142	27619	2
59	44 8	15 52	72401	92850	79551	20449	07150	27599	1
60	44 0	16 0	72421	92842	79579	20421	07158	27579	0
M	Hour.P.M.	Hour.A.M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant.	M

121 Degs.

Deg. 58.

## Log. Sines, Tangents and Secants.

32 Degs.

Degs. 147.

M	Hour.A.M.	Hour.P.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M
0	7 44 0	4 16 0	9.72421	9.92842	9.79879	10.20421	10.07158	10.27579	60
1	43 52	16 8	72441	92834	79607	20393	07166	27559	59
2	43 44	16 16	72461	92826	79635	20365	07174	27539	58
3	43 36	16 24	72482	92818	79663	20337	07182	27518	57
4	43 28	16 32	72502	92810	79691	20309	07190	27498	56
5	7 43 20	4 16 40	9.72522	9.92803	9.79719	10.20281	10.07197	10.27478	55
6	43 12	16 48	72542	92795	79747	20253	07205	27458	54
7	43 4	16 56	72562	92787	79776	20224	07213	27438	53
8	42 56	17 4	72582	92779	79804	20196	07221	27418	52
9	42 48	17 12	72602	92771	79832	20168	07229	27398	51
10	7 42 40	4 17 20	9.72622	9.92763	9.79860	10.20140	10.07237	10.27378	50
11	42 32	17 28	72643	92755	79888	20112	07245	27357	49
12	42 24	17 36	72663	92747	79916	20084	07253	27337	48
13	42 16	17 44	72683	92739	79944	20056	07261	27317	47
14	42 8	17 52	72703	92731	79972	20028	07269	27297	46
15	7 42 0	4 18 0	9.72723	9.92723	9.80000	10.20000	10.07277	10.27277	45
16	41 52	18 8	72743	92715	80028	19972	07285	27257	44
17	41 44	18 16	72763	92707	80056	19944	07293	27237	43
18	41 36	18 24	72783	92699	80084	19916	07301	27217	42
19	41 28	18 32	72803	92691	80112	19888	07309	27197	41
20	7 41 20	4 18 40	9.72823	9.92683	9.80140	10.19860	10.07317	10.27177	40
21	41 12	18 48	72843	92675	80168	19832	07325	27157	39
22	41 4	18 56	72863	92667	80195	19805	07333	27137	38
23	40 56	19 4	72883	92659	80223	19777	07341	27117	37
24	40 48	19 12	72902	92651	80251	19749	07349	27098	36
25	7 40 40	4 19 20	9.72922	9.92643	9.80279	10.19721	10.07357	10.27078	35
26	40 32	19 28	72942	92635	80307	19693	07365	27058	34
27	40 24	19 36	72962	92627	80335	19665	07373	27038	33
28	40 16	19 44	72982	92619	80363	19637	07381	27018	32
29	40 8	19 52	73002	92611	80391	19609	07389	26998	31
30	7 40 0	4 20 0	9.73022	9.92603	9.80419	10.19581	10.07397	10.26978	30
31	39 52	20 8	73041	92595	80447	19553	07405	26958	29
32	39 44	20 16	73061	92587	80474	19526	07413	26938	28
33	39 36	20 24	73081	92579	80502	19498	07421	26918	27
34	39 28	20 32	73101	92571	80530	19470	07429	26898	26
35	7 39 20	4 20 40	9.73121	9.92563	9.80558	10.19442	10.07437	10.26879	25
36	39 12	20 48	73140	92555	80586	19414	07445	26860	24
37	39 4	20 56	73160	92546	80614	19386	07454	26840	23
38	38 56	21 4	73180	92538	80642	19358	07462	26820	22
39	38 48	21 12	73200	92530	80669	19331	07470	26800	21
40	7 38 40	4 21 20	9.73219	9.92522	9.80697	10.19303	10.07478	10.26781	20
41	38 32	21 28	73239	92514	80725	19275	07486	26761	19
42	38 24	21 36	73259	92506	80753	19247	07494	26741	18
43	38 16	21 44	73278	92498	80781	19219	07502	26722	17
44	38 8	21 52	73298	92490	80808	19192	07510	26702	16
45	7 38 0	4 22 0	9.73318	9.92482	9.80836	10.19164	10.07518	10.26682	15
46	37 52	22 8	73337	92473	80864	19136	07527	26663	14
47	37 44	22 16	73357	92465	80892	19108	07535	26643	13
48	37 36	22 24	73377	92457	80919	19081	07543	26623	12
49	37 28	22 32	73396	92449	80947	19053	07551	26604	11
50	7 37 20	4 22 40	9.73416	9.92441	9.80975	10.19025	10.07559	10.26584	10
51	37 12	22 48	73435	92433	81003	18997	07567	26565	9
52	37 4	22 56	73455	92425	81030	18970	07575	26545	8
53	36 56	23 4	73474	92416	81058	18942	07584	26526	7
54	36 48	23 12	73494	92408	81086	18914	07592	26506	6
55	7 36 40	4 23 20	9.73513	9.92400	9.81113	10.18887	10.07600	10.26487	5
56	36 32	23 28	73533	92392	81141	18859	07608	26467	4
57	36 24	23 36	73552	92384	81169	18831	07616	26448	3
58	36 16	23 44	73572	92376	81196	18804	07624	26428	2
59	36 8	23 52	73591	92367	81224	18776	07632	26409	1
60	36 0	24 0	73611	92359	81252	18748	07641	26389	0
M	Hour.P.M.	Hour.A.M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	M

122 Degs.

Degs. 57.

TABLE XXVII.  
Log. Sines, Tangents and Secants.

217

33 Degs.

Degs. 146.

M	Hour A.M.	Hour P.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant	M
0	7 36 0	4 24 0	9.73611	9.92359	9.81252	10.18749	10.07641	10.26389	60
1	35 52	24 8	73630	92351	81279	18721	07649	26370	59
2	35 44	24 16	73650	92343	81307	18693	07657	26350	58
3	35 36	24 24	73669	92335	81335	18665	07665	26331	57
4	35 28	24 32	73689	92326	81362	18638	07674	26311	56
5	7 35 20	4 24 40	9.73708	9.92318	9.81390	10.18610	10.07682	10.26292	55
6	35 12	24 48	73727	92310	81418	18582	07690	26273	54
7	35 4	24 56	73747	92302	81445	18555	07698	26253	53
8	34 56	25 4	73766	92293	81473	18527	07707	26234	52
9	34 48	25 12	73785	92285	81500	18500	07715	26215	51
10	7 34 40	4 25 20	9.73805	9.92277	9.81528	10.18472	10.07723	10.26195	50
11	34 32	25 28	73824	92269	81556	18444	07731	26176	49
12	34 24	25 36	73843	92260	81583	18417	07740	26157	48
13	34 16	25 44	73863	92252	81611	18389	07748	26137	47
14	34 8	25 52	73882	92244	81638	18362	07756	26118	46
15	7 34 0	4 26 0	9.73901	9.92235	9.81666	10.18334	10.07765	10.26099	45
16	33 52	26 8	73921	92227	81693	18307	07773	26079	44
17	33 44	26 16	73940	92219	81721	18279	07781	26060	43
18	33 36	26 24	73959	92211	81748	18252	07789	26041	42
19	33 28	26 32	73978	92202	81776	18224	07798	26022	41
20	7 33 20	4 26 40	9.73997	9.92194	9.81803	10.18197	10.07806	10.26003	40
21	33 12	26 48	74017	92186	81831	18169	07814	25983	39
22	33 4	26 56	74036	92177	81858	18142	07823	25964	38
23	32 56	27 4	74055	92169	81886	18114	07831	25945	37
24	32 48	27 12	74074	92161	81913	18087	07839	25926	36
25	7 32 40	4 27 20	9.74093	9.92152	9.81941	10.18059	10.07848	10.25907	35
26	32 32	27 28	74113	92144	81968	18032	07856	25887	34
27	32 24	27 36	74132	92136	81996	18004	07864	25868	33
28	32 16	27 44	74151	92127	82023	17977	07873	25849	32
29	32 8	27 52	74170	92119	82051	17949	07881	25830	31
30	7 32 0	4 28 0	9.74139	9.92111	9.82078	10.17922	10.07889	10.25811	30
31	31 52	28 8	74208	92102	82106	17894	07898	25792	29
32	31 44	28 16	74227	92094	82133	17867	07906	25773	28
33	31 36	28 24	74246	92086	82161	17839	07914	25754	27
34	31 28	28 32	74265	92077	82188	17812	07923	25735	26
35	7 31 20	4 28 40	9.74234	9.92069	9.82215	10.17785	10.07931	10.25716	25
36	31 12	28 48	74303	92060	82243	17757	07940	25697	24
37	31 4	28 56	74322	92052	82270	17730	07948	25678	23
38	30 56	29 4	74341	92044	82298	17702	07956	25659	22
39	30 48	29 12	74360	92035	82325	17675	07965	25640	21
40	7 30 40	4 29 20	9.74379	9.92027	9.82352	10.17648	10.07973	10.25621	20
41	30 32	29 28	74398	92018	82380	17620	07982	25602	19
42	30 24	29 36	74417	92010	82407	17593	07990	25583	18
43	30 16	29 44	74436	92002	82435	17565	07998	25564	17
44	30 8	29 52	74455	91993	82462	17538	08007	25545	16
45	7 30 0	4 30 0	9.74474	9.91985	9.82489	10.17511	10.08015	10.25526	15
46	29 52	30 8	74493	91976	82517	17483	08024	25507	14
47	29 44	30 16	74512	91968	82544	17456	08032	25488	13
48	29 36	30 24	74531	91959	82571	17429	08041	25469	12
49	29 28	30 32	74549	91951	82599	17401	08049	25451	11
50	7 29 20	4 30 40	9.74568	9.91942	9.82626	10.17374	10.08058	10.25432	10
51	29 12	30 48	74587	91934	82653	17347	08066	25413	9
52	29 4	30 56	74606	91925	82681	17319	08075	25394	8
53	28 56	31 4	74625	91917	82708	17292	08083	25375	7
54	28 48	31 12	74644	91908	82735	17265	08092	25356	6
55	7 28 40	4 31 20	9.74662	9.91900	9.82762	10.17238	10.08100	10.25338	5
56	28 32	31 28	74681	91891	82790	17210	08109	25319	4
57	28 24	31 36	74700	91883	82817	17183	08117	25300	3
58	28 16	31 44	74719	91874	82844	17156	08126	25281	2
59	28 8	31 52	74737	91866	82871	17129	08134	25263	1
60	28 0	32 0	74756	91857	82899	17101	08143	25244	0
M	Hour P.M.	Hour A.M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant.	M

123 Degs.

D d

Degs. 56.

**TABLE XXVII.**  
Log. Sines, Tangents and Secants.

34 Degs.											Degs. 145.	
M	Hour A.M.	Hour P.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M			
0	7 28 0	4 32 0	9.74756	9.91857	9.82899	10.17101	10.08143	10.25244	60			
1	27 52	32 8	74775	91849	82926	17074	08151	25225	59			
2	27 44	32 16	74794	91840	82953	17047	08160	25206	58			
3	27 36	32 24	74812	91832	82980	17020	08168	25188	57			
4	27 28	32 32	74831	91823	83008	16992	08177	25169	56			
5	7 27 20	4 32 40	9.74850	9.91815	9.83035	10.16965	10.08185	10.25150	55			
6	27 12	32 48	74868	91806	83062	16938	08194	25132	54			
7	27 4	32 56	74887	91798	83089	16911	08202	25113	53			
8	26 56	33 4	74906	91789	83117	16883	08211	25094	52			
9	26 48	33 12	74924	91781	83144	16856	08219	25076	51			
10	7 26 40	4 33 20	9.74943	9.91772	9.83171	10.16829	10.08228	10.25057	50			
11	26 32	33 28	74961	91763	83198	16802	08237	25039	49			
12	26 24	33 36	74980	91755	83225	16775	08245	25020	48			
13	26 16	33 44	74999	91746	83252	16748	08254	25001	47			
14	26 8	33 52	75017	91738	83280	16720	08262	24983	46			
15	7 26 0	4 34 0	9.75036	9.91729	9.83307	10.16693	10.08271	10.24964	45			
16	25 52	34 8	75054	91720	83334	16666	08280	24946	44			
17	25 44	34 16	75073	91712	83361	16639	08288	24927	43			
18	25 36	34 24	75091	91703	83388	16612	08297	24909	42			
19	25 28	34 32	75110	91695	83415	16585	08305	24890	41			
20	7 25 20	4 34 40	9.75128	9.91686	9.83442	10.16558	10.08314	10.24872	40			
21	25 12	34 48	75147	91677	83470	16530	08323	24853	39			
22	25 4	34 56	75165	91669	83497	16503	08331	24835	38			
23	24 56	35 4	75184	91660	83524	16476	08340	24816	37			
24	24 48	35 12	75202	91651	83551	16449	08349	24798	36			
25	7 24 40	4 35 20	9.75221	9.91643	9.83578	10.16422	10.08357	10.24779	35			
26	24 32	35 28	75239	91634	83605	16395	08366	24761	34			
27	24 24	35 36	75258	91625	83632	16368	08375	24742	33			
28	24 16	35 44	75276	91617	83659	16341	08383	24724	32			
29	24 8	35 52	75294	91608	83686	16314	08392	24706	31			
30	7 24 0	4 36 0	9.75313	9.91599	9.83713	10.16287	10.08401	10.24687	30			
31	23 52	36 8	75331	91591	83740	16260	08409	24669	29			
32	23 44	36 16	75350	91582	83768	16232	08418	24650	28			
33	23 36	36 24	75368	91573	83795	16205	08427	24632	27			
34	23 28	36 32	75386	91565	83822	16178	08435	24614	26			
35	7 23 20	4 36 40	9.75405	9.91556	9.83849	10.16151	10.08444	10.24595	25			
36	23 12	36 48	75423	91547	83876	16124	08453	24577	24			
37	23 4	36 56	75441	91538	83903	16097	08462	24559	23			
38	22 56	37 4	75459	91530	83930	16070	08470	24541	22			
39	22 48	37 12	75478	91521	83957	16043	08479	24522	21			
40	7 22 40	4 37 20	9.75496	9.91512	9.83984	10.16016	10.08488	10.24504	20			
41	22 32	37 28	75514	91504	84011	15989	08496	24486	19			
42	22 24	37 36	75533	91495	84038	15962	08505	24467	18			
43	22 16	37 44	75551	91486	84065	15935	08514	24449	17			
44	22 8	37 52	75569	91477	84092	15908	08523	24431	16			
45	7 22 0	4 38 0	9.75587	9.91469	9.84119	10.15881	10.08531	10.24413	15			
46	21 52	38 8	75605	91460	84146	15854	08540	24395	14			
47	21 44	38 16	75624	91451	84173	15827	08549	24376	13			
48	21 36	38 24	75642	91442	84200	15800	08558	24358	12			
49	21 28	38 32	75660	91433	84227	15773	08567	24340	11			
50	7 21 20	4 38 40	9.75678	9.91425	9.84254	10.15746	10.08575	10.24322	10			
51	21 12	38 48	75696	91416	84280	15720	08584	24304	9			
52	21 4	38 56	75714	91407	84307	15693	08593	24286	8			
53	20 56	39 4	75733	91398	84334	15666	08602	24267	7			
54	20 48	39 12	75751	91389	84361	15639	08611	24249	6			
55	7 20 40	4 39 20	9.75769	9.91381	9.84388	10.15612	10.08619	10.24231	5			
56	20 32	39 28	75787	91372	84415	15585	08628	24213	4			
57	20 24	39 36	75805	91363	84442	15558	08637	24195	3			
58	20 16	39 44	75823	91354	84469	15531	08646	24177	2			
59	20 8	39 52	75841	91345	84496	15504	08655	24159	1			
60	20 0	40 0	75859	91336	84523	15477	08664	24141	0			
M	Hour P.M.	Hour A.M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	M			

TABLE XXVII.

Log. Sines, Tangents and Secants.

35 Degs.

Degs. 144.

M	Hour. M.	Hour. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M
0	7 20 0	4 40 0	9.75859	9.91336	9.84523	10.15477	10.08664	10.24141	60
1	19 52	40 8	75877	91328	84550	15450	08672	24123	59
2	19 44	40 16	75895	91319	84576	15424	08681	24105	58
3	19 36	40 24	75913	91310	84603	15397	08690	24087	57
4	19 28	40 32	75931	91301	84630	15370	08699	24069	56
5	7 19 20	4 40 40	9.75949	9.91292	9.84657	10.15343	10.08708	10.24051	55
6	19 12	40 48	75967	91283	84684	15316	08717	24033	54
7	19 4	40 56	75985	91274	84711	15289	08726	24015	53
8	13 56	41 4	76003	91266	84738	15262	08734	23997	52
9	18 48	41 12	76021	91257	84764	15236	08743	23979	51
10	7 18 40	4 41 20	9.76039	9.91248	9.84791	10.15209	10.08752	10.23961	50
11	18 32	41 28	76057	91239	84818	15182	08761	23943	49
12	18 24	41 36	76075	91230	84845	15155	08770	23925	48
13	18 16	41 44	76093	91221	84872	15128	08779	23907	47
14	18 8	41 52	76111	91212	84899	15101	08788	23889	46
15	7 18 0	4 42 0	9.76129	9.91203	9.84925	10.15075	10.08797	10.23871	45
16	17 52	42 8	76146	91194	84952	15043	08806	23854	44
17	17 44	42 16	76164	91185	84979	15021	08815	23836	43
18	17 36	42 24	76182	91176	85006	14994	08824	23818	42
19	17 28	42 32	76200	91167	85033	14967	08833	23800	41
20	7 17 20	4 42 40	9.76218	9.91158	9.85059	10.14941	10.08842	10.23782	40
21	17 12	42 48	76236	91149	85086	14914	08851	23764	39
22	17 4	42 56	76253	91141	85113	14887	08859	23747	38
23	16 56	43 4	76271	91132	85140	14860	08868	23729	37
24	16 48	43 12	76289	91123	85166	14834	08877	23711	36
25	7 16 40	4 43 20	9.76307	9.91114	9.85193	10.14807	10.08886	10.23693	35
26	16 32	43 28	76324	91105	85220	14780	08895	23676	34
27	16 24	43 36	76342	91096	85247	14753	08904	23658	33
28	16 16	43 44	76360	91087	85273	14727	08913	23640	32
29	16 8	43 52	76378	91078	85300	14700	08922	23622	31
30	7 16 0	4 44 0	9.76395	9.91069	9.85327	10.14673	10.08931	10.23605	30
31	15 52	44 8	76413	91060	85354	14646	08940	23587	29
32	15 44	44 16	76431	91051	85380	14620	08949	23569	28
33	15 36	44 24	76448	91042	85407	14593	08958	23552	27
34	15 28	44 32	76466	91033	85434	14566	08967	23534	26
35	7 15 20	4 44 40	9.76484	9.91023	9.85460	10.14540	10.08977	10.23516	25
36	15 12	44 48	76501	91014	85487	14513	08986	23499	24
37	15 4	44 56	76519	91005	85514	14486	08995	23481	23
38	14 56	45 4	76537	90996	85540	14460	09004	23463	22
39	14 48	45 12	76554	90987	85567	14433	09013	23446	21
40	7 14 40	4 45 20	9.76572	9.90978	9.85594	10.14406	10.09022	10.23428	20
41	14 32	45 28	76590	90969	85620	14380	09031	23410	19
42	14 24	45 36	76607	90960	85647	14353	09040	23393	18
43	14 16	45 44	76625	90951	85674	14326	09049	23375	17
44	14 8	45 52	76642	90942	85700	14300	09058	23358	16
45	7 14 0	4 46 0	9.76660	9.90933	9.85727	10.14273	10.09067	10.23340	15
46	13 52	46 8	76677	90924	85754	14246	09076	23323	14
47	13 44	46 16	76695	90915	85780	14220	09085	23305	13
48	13 36	46 24	76712	90906	85807	14193	09094	23288	12
49	13 28	46 32	76730	90896	85834	14166	09104	23270	11
50	7 13 20	4 46 40	9.76747	9.90887	9.85860	10.14140	10.09113	10.23253	10
51	13 12	46 48	76765	90878	85887	14113	09122	23235	9
52	13 4	46 56	76782	90869	85913	14087	09131	23218	8
53	12 56	47 4	76800	90860	85940	14060	09140	23200	7
54	12 48	47 12	76817	90851	85967	14033	09149	23183	6
55	7 12 40	4 47 20	9.76835	9.90842	9.85993	10.14007	10.09158	10.23165	5
56	12 32	47 28	76852	90832	86020	13980	09168	23148	4
57	12 24	47 36	76870	90823	86046	13954	09177	23130	3
58	12 16	47 44	76887	90814	86073	13927	09186	23113	2
59	12 8	47 52	76904	90805	86100	13900	09195	23096	1
60	12 0	48 0	76922	90796	86126	13874	09204	23078	0

125 Degs.

Degs. 54.

TABLE XXVII.  
Log. Sines, Tangents and Secants.

Degs. 143.

36 Degs.										Dogs. 143.	
M	Hour.F.M.	Hour.P.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M		
0	7 12 0	4 48 0	9.76922	9.90796	9.86126	10.13874	10.09204	10.23078	60		
1	11 52	48 8	76939	90787	86153	13847	09213	23061	59		
2	11 44	48 16	76957	90777	86179	13821	09223	23043	58		
3	11 36	48 24	76974	90768	86206	13794	09232	23026	57		
4	11 28	48 32	76991	90759	86232	13768	09241	23009	56		
5	7 11 20	4 48 40	9.77009	9.90750	9.86259	10.13711	10.09250	10.22991	55		
6	11 12	48 48	77026	90741	86285	13715	09259	22974	54		
7	11 4	48 56	77043	90731	86312	13688	09269	22957	53		
8	10 56	49 4	77061	90722	86338	13662	09278	22939	52		
9	10 48	49 12	77078	90713	86365	13635	09287	22922	51		
10	7 10 40	4 49 20	9.77095	9.90704	9.86392	10.13603	10.09296	10.22905	50		
11	10 32	49 28	77112	90694	86418	13582	09306	22888	49		
12	10 24	49 36	77130	90685	86445	13555	09315	22870	48		
13	10 16	49 44	77147	90676	86471	13529	09324	22853	47		
14	10 8	49 52	77164	90667	86498	13502	09333	22836	46		
15	7 10 0	4 50 0	9.77181	9.90657	9.86524	10.13476	10.09343	10.22819	45		
16	9 52	50 8	77199	90648	86551	13449	09352	22801	44		
17	9 44	50 16	77216	90639	86577	13423	09361	22784	43		
18	9 36	50 24	77233	90630	86603	13397	09370	22767	42		
19	9 28	50 32	77250	90621	86630	13370	09380	22750	41		
20	7 9 20	4 50 40	9.77288	9.90611	9.86656	10.13344	10.09389	10.22732	40		
21	9 12	50 48	77285	90602	86683	13317	09398	22715	39		
22	9 4	50 56	77302	90592	86709	13291	09408	22698	38		
23	8 56	51 4	77319	90583	86736	13264	09417	22681	37		
24	8 48	51 12	77336	90574	86762	13238	09426	22664	36		
25	7 8 40	4 51 20	9.77353	9.90565	9.86759	10.13211	10.09435	10.22647	35		
26	8 32	51 28	77370	90555	86815	13185	09445	22630	34		
27	8 24	51 36	77387	90546	86842	13158	09454	22613	33		
28	8 16	51 44	77405	90537	86868	13132	09463	22595	32		
29	8 8	51 52	77422	90527	86894	13106	09473	22578	31		
30	7 8 0	4 52 0	9.77439	9.90518	9.86921	10.13079	10.09482	10.22561	30		
31	7 52	52 8	77456	90509	86947	13053	09491	22544	29		
32	7 44	52 16	77473	90499	86974	13026	09501	22527	28		
33	7 36	52 24	77490	90490	87000	13000	09510	22510	27		
34	7 28	52 32	77507	90480	87027	12973	09520	22493	26		
35	7 7 20	4 52 40	9.77524	9.90471	9.87053	10.12947	10.09529	10.22476	25		
36	7 12	52 48	77541	90462	87079	12921	09538	22459	24		
37	7 4	52 56	77558	90452	87106	12894	09548	22442	23		
38	6 56	53 4	77575	90443	87132	12868	09557	22425	22		
39	6 48	53 12	77592	90434	87158	12842	09566	22408	21		
40	7 6 40	4 53 20	9.77609	9.90424	9.87185	10.12815	10.09576	10.22391	20		
41	6 32	53 28	77626	90415	87211	12789	09585	22374	19		
42	6 24	53 36	77643	90405	87238	12762	09595	22357	18		
43	6 16	53 44	77660	90396	87264	12736	09604	22340	17		
44	6 8	53 52	77677	90386	87290	12710	09614	22323	16		
45	7 6 0	4 54 0	9.77694	9.90377	9.87317	10.12683	10.09623	10.22306	15		
46	5 52	54 8	77711	90368	87343	12657	09632	22289	14		
47	5 44	54 16	77728	90358	87369	12631	09642	22272	13		
48	5 36	54 24	77744	90349	87396	12604	09651	22255	12		
49	5 28	54 32	77761	90339	87422	12578	09661	22239	11		
50	7 5 20	4 54 40	9.77778	9.90330	9.87448	10.12552	10.09670	10.22222	10		
51	5 12	54 48	77795	90320	87475	12525	09680	22205	9		
52	5 4	54 56	77812	90311	87501	12499	09689	22188	8		
53	4 56	55 4	77829	90301	87527	12473	09699	22171	7		
54	4 48	55 12	77846	90292	87554	12446	09708	22154	6		
55	7 4 40	4 55 20	9.77862	9.90282	9.87580	10.12420	10.09718	10.22138	5		
56	4 32	55 28	77879	90273	87606	12394	09727	22121	4		
57	4 24	55 36	77896	90263	87633	12367	09737	22104	3		
58	4 16	55 44	77913	90254	87659	12341	09746	22087	2		
59	4 8	55 52	77930	90244	87685	12315	09756	22070	1		
60	4 0	56 0	77946	90235	87711	12289	09765	22054	0		
M	Hour.F.M.	Hour.P.M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant.	M		



TABLE XXVII.  
Log. Sines, Tangents and Secants.

37 Degs.

Degs. 142.

M	Hour. m.	Hour. m.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant	M
0	7 4 0	4 56 0	9.77946	9.90235	9.87711	10.12289	10.09765	10.22054	60
1	5 52	56 8	77963	90225	87738	12262	09775	22037	59
2	3 44	56 16	77930	90216	87764	12236	09784	22020	58
3	3 36	56 24	77977	90206	87790	12210	09794	22003	57
4	3 28	56 32	78013	90197	87817	12183	09803	21987	56
5	7 3 20	4 56 40	9.78.30	9.90187	9.87843	10.12157	10.09813	10.21970	55
6	3 12	56 48	78047	90178	87869	12131	09822	21953	54
7	3 4	56 56	78063	90168	87895	12105	09832	21937	53
8	2 56	57 4	78080	90159	87922	12078	09841	21920	52
9	2 48	57 12	78097	90149	87948	12052	09851	21903	51
10	7 2 40	4 57 20	9.78.113	9.90139	9.87974	10.12026	10.09861	10.21887	50
11	2 32	57 28	78130	90130	88000	12000	09870	21870	49
12	2 24	57 36	78147	90120	88027	11973	09880	21853	48
13	2 16	57 44	78163	90111	88053	11947	09889	21837	47
14	2 8	57 52	78180	90101	88079	11921	09899	21820	46
15	7 2 0	4 58 0	9.78.197	9.90091	9.88105	10.11895	10.09909	10.21803	45
16	1 52	58 8	78213	90082	88131	11869	09918	21787	44
17	1 44	58 16	78230	90072	88158	11842	09928	21770	43
18	1 36	58 24	78246	90063	88184	11816	09937	21754	42
19	1 28	58 32	78263	90053	88210	11790	09947	21737	41
20	7 1 20	4 58 40	9.78280	9.90043	9.88236	10.11764	10.09957	10.21720	40
21	1 12	58 48	78296	90034	88262	11738	09966	21704	39
22	1 4	58 56	78313	90024	88289	11711	09976	21687	38
23	0 56	59 4	78329	90014	88315	11685	09986	21671	37
24	0 48	59 12	78346	90005	88341	11659	09995	21654	36
25	7 0 40	4 59 20	9.78362	9.89995	9.88367	10.11635	10.10005	10.21638	35
26	0 32	59 28	78379	89985	88393	11607	10015	21621	34
27	0 24	59 36	78395	89976	88420	11580	10024	21605	33
28	0 16	59 44	78412	89966	88446	11554	10034	21588	32
29	0 8	59 52	78428	89956	88472	11528	10044	21572	31
30	7 0 0	5 0 0	9.78445	9.89947	9.88498	10.11502	10.10053	10.21555	30
31	6 59 52	0 8	78461	89937	88524	11476	10063	21539	29
32	59 44	0 16	78478	89927	88550	11450	10073	21522	28
33	59 36	0 24	78494	89918	88577	11423	10082	21506	27
34	59 28	0 32	78510	89908	88603	11397	10092	21490	26
35	6 59 20	5 0 40	9.78527	9.89898	9.88629	10.11371	10.10102	10.21473	25
36	59 12	0 48	78543	89888	88655	11345	10112	21457	24
37	59 4	0 56	78560	89879	88681	11319	10121	21440	23
38	58 56	1 4	78576	89869	88707	11293	10131	21424	22
39	58 48	1 12	78592	89859	88733	11267	10141	21408	21
40	6 58 40	5 1 20	9.78609	9.89849	9.88759	10.11241	10.10151	10.21391	20
41	58 32	1 28	78625	89840	88786	11214	10160	21375	19
42	58 24	1 36	78642	89830	88812	11188	10170	21358	18
43	58 16	1 44	78658	89820	88838	11162	10180	21342	17
44	58 8	1 52	78674	89810	88864	11136	10190	21326	16
45	6 58 0	5 2 0	9.78691	9.89801	9.88890	10.11110	10.10199	10.21309	15
46	57 52	2 8	78707	89791	88916	11084	10209	21293	14
47	57 44	2 16	78723	89781	88942	11058	10219	21277	13
48	57 36	2 24	78739	89771	88968	11032	10229	21261	12
49	57 28	2 32	78756	89761	88994	11006	10239	21244	11
50	6 57 20	5 2 40	9.78772	9.89752	9.89020	10.10980	10.10248	10.21228	10
51	57 12	2 48	78788	89742	89046	10954	10258	21212	9
52	57 4	2 56	78805	89732	89073	10927	10263	21195	8
53	56 56	3 4	78821	89722	89099	10901	10278	21179	7
54	56 48	3 12	78837	89712	89125	10875	10288	21163	6
55	6 56 40	5 3 20	9.78853	9.89702	9.89151	10.10849	10.10298	10.21147	5
56	56 32	3 28	78869	89693	89177	10823	10307	21131	4
57	56 24	3 36	78886	89683	89203	10797	10317	21114	3
58	56 16	3 44	78902	89673	89229	10771	10327	21098	2
59	56 8	3 52	78918	89663	89255	10745	10337	21082	1
60	56 0	4 0	78934	89653	89281	10719	10347	21066	0
M	Hour. m.	Hour. m.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant.	M

127 Degs.

Degs. 52.

TABLE XXVII.

223

## Log. Sines, Tangents and Secants.

39 Degs.

Deg. 140.

M	Hour P.M.	Hour P.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant	M
0	6 48 0	5 12 0	9.79887	9.89050	9.90837	10.09163	10.10950	10.20113	60
1	47 52	12 8	79903	89040	90863	09137	10960	20097	59
2	47 44	12 16	79918	89050	90869	09111	10970	20082	58
3	47 36	12 24	79934	89020	90914	09066	10980	20066	57
4	47 28	12 32	79950	89009	90940	09060	10991	20050	56
5	6 47 20	5 12 40	9.79965	9.88999	9.90966	10.09034	10.11601	10.20035	55
6	47 12	12 48	79981	88989	90992	09008	11011	20019	54
7	47 4	12 56	79996	88978	91018	08982	11022	20004	53
8	46 56	13 4	80012	88968	91043	08957	11032	19988	52
9	46 48	13 12	80027	88958	91069	08931	11042	19973	51
10	6 46 40	5 13 20	9.80043	9.88948	9.91095	10.08905	10.11052	10.19957	50
11	46 32	13 28	80058	88937	91121	08879	11063	19942	49
12	46 24	13 36	80074	88927	91147	08853	11073	19926	48
13	46 16	13 44	80089	88917	91172	08828	11083	19911	47
14	46 8	13 52	80105	88906	91198	08802	11094	19895	46
15	6 46 0	5 14 0	9.80120	9.88896	9.91224	10.08776	10.11104	10.19880	45
16	45 52	14 8	80136	88886	91250	08750	11114	19864	44
17	45 44	14 16	80151	88875	91276	08724	11125	19849	43
18	45 36	14 24	80166	88865	91301	08699	11135	19834	42
19	45 28	14 32	80182	88855	91327	08673	11145	19818	41
20	6 45 20	5 14 40	9.80197	9.88844	9.91353	10.08647	10.11156	10.19803	40
21	45 12	14 48	80213	88834	91379	08621	11166	19787	39
22	45 4	14 56	80228	88824	91404	08596	11176	19772	38
23	44 56	15 4	80244	88813	91430	08570	11187	19756	37
24	44 48	15 12	80259	88803	91456	08544	11197	19741	36
25	6 44 40	5 15 20	9.80274	9.88793	9.91482	10.08518	10.11207	10.19726	35
26	44 32	15 28	80290	88782	91507	08493	11218	19710	34
27	44 24	15 36	80305	88772	91533	08467	11228	19695	33
28	44 16	15 44	80320	88761	91559	08441	11239	19680	32
29	44 8	15 52	80336	88751	91585	08415	11249	19664	31
30	6 44 0	5 16 0	9.80351	9.88741	9.91610	10.08390	10.11259	10.19649	30
31	43 52	16 8	80366	88730	91636	08364	11270	19634	29
32	43 44	16 16	80382	88720	91662	08338	11280	19618	28
33	43 36	16 24	80397	88709	91688	08312	11291	19603	27
34	43 28	16 32	80412	88699	91713	08287	11301	19588	26
35	6 43 20	5 16 40	9.80428	9.88688	9.91739	10.08261	10.11312	10.19572	25
36	43 12	16 48	80443	88678	91765	08235	11322	19557	24
37	43 4	16 56	80458	88668	91791	08209	11332	19542	23
38	42 56	17 4	80473	88657	91816	08184	11343	19527	22
39	42 48	17 12	80489	88647	91842	08158	11353	19511	21
40	6 42 40	5 17 20	9.80504	9.88636	9.91868	10.08132	10.11364	10.19496	20
41	42 32	17 28	80519	88626	91893	08107	11374	19481	19
42	42 24	17 36	80534	88615	91919	08081	11385	19466	18
43	42 16	17 44	80550	88605	91945	08055	11395	19450	17
44	42 8	17 52	80565	88594	91971	08029	11406	19435	16
45	6 42 0	5 18 0	9.80580	9.88584	9.91996	10.08004	10.11416	10.19420	15
46	41 52	18 8	80595	88573	92022	07978	11427	19405	14
47	41 44	18 16	80610	88563	92048	07952	11437	19390	13
48	41 36	18 24	80625	88552	92073	07927	11448	19375	12
49	41 28	18 32	80641	88542	92099	07901	11458	19359	11
50	6 41 20	5 18 40	9.80656	9.88531	9.92125	10.07875	10.11469	10.19344	10
51	41 12	18 48	80671	88521	92150	07850	11479	19329	9
52	41 4	18 56	80686	88510	92176	07824	11490	19314	8
53	40 56	19 4	80701	88499	92202	07798	11501	19299	7
54	40 48	19 12	80716	88489	92227	07773	11511	19284	6
55	6 40 40	5 19 20	9.80731	9.88478	9.92253	10.07747	10.11522	10.19269	5
56	40 32	19 28	80746	88468	92279	07721	11532	19254	4
57	40 24	19 36	80762	88457	92304	07696	11543	19238	3
58	40 16	19 44	80777	88447	92330	07670	11553	19223	2
59	40 8	19 52	80792	88436	92356	07644	11564	19208	1
60	40 0	20 0	80807	88425	92381	07619	11575	19193	0
M	Hour P.M.	Hour A.M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant.	M

129 Degs.

Degs. 50.

TABLE XXVII.  
Log. Sines, Tangents and Secants.

40 Degs.											Degs. 139
M	Hour.A.M.	Hour.P.M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.			
0	6 40 0	5 20 0	9.30807	9.88425	9.92381	10.07619	10.11575	10.19193	6		
1	39 52	20 8	80822	88415	92407	07593	11535	19178	5		
2	39 44	20 16	80837	88404	92433	07567	11596	19163	5		
3	39 36	20 24	80852	88394	92458	07542	11606	19148	5		
4	39 28	20 32	80867	88383	92484	07516	11617	19133	5		
5	6 39 20	5 20 40	9.80882	9.88372	9.92510	10.07490	10.11628	10.19118	5		
6	39 12	20 48	80897	88362	92535	07465	11638	19103	5		
7	39 4	20 56	80912	88351	92561	07439	11649	19088	5		
8	38 56	21 4	80927	88340	92587	07413	11660	19073	5		
9	38 48	21 12	80942	88330	92612	07388	11670	19058	5		
10	6 38 40	5 21 20	9.80957	9.88319	9.92638	10.07362	10.11681	10.19043	50		
11	38 32	21 28	80972	88308	92663	07337	11692	19028	49		
12	38 24	21 36	80987	88298	92689	07311	11702	19013	48		
13	38 16	21 44	81002	88287	92715	07285	11713	18998	47		
14	38 8	21 52	81017	88276	92740	07260	11724	18983	46		
15	6 38 0	5 22 0	9.81032	9.88266	9.92766	10.07234	10.11734	10.18968	45		
16	37 52	22 8	81047	88255	92792	07208	11745	18953	44		
17	37 44	22 16	81061	88244	92817	07183	11756	18939	43		
18	37 36	22 24	81076	88234	92843	07157	11766	18924	42		
19	37 28	22 32	81091	88223	92868	07132	11777	18909	41		
20	6 37 20	5 22 40	9.81106	9.88212	9.92894	10.07106	10.11788	10.18894	40		
21	37 12	22 48	81121	88201	92920	07080	11799	18879	39		
22	37 4	22 56	81136	88191	92945	07055	11809	18864	38		
23	36 56	23 4	81151	88180	92971	07029	11820	18849	37		
24	36 48	23 12	81166	88169	92996	07004	11831	18834	36		
25	6 36 40	5 23 20	9.81180	9.88158	9.93022	10.06978	10.11842	10.18820	35		
26	36 32	23 28	81195	88148	93048	06952	11852	18805	34		
27	36 24	23 36	81210	88137	93073	06927	11863	18790	33		
28	36 16	23 44	81225	88126	93099	06901	11874	18775	32		
29	36 8	23 52	81240	88115	93124	06876	11885	18760	31		
30	6 36 0	5 24 0	9.81254	9.88105	9.93150	10.06850	10.11895	10.18746	30		
31	35 52	24 8	81269	88094	93175	06825	11906	18731	29		
32	35 44	24 16	81284	88083	93201	06799	11917	18716	28		
33	35 36	24 24	81299	88072	93227	06773	11928	18701	27		
34	35 28	24 32	81314	88061	93252	06748	11939	18686	26		
35	6 35 20	5 24 40	9.81328	9.88051	9.93278	10.06722	10.11949	10.18672	25		
36	35 12	24 48	81343	88040	93303	06697	11960	18657	24		
37	35 4	24 56	81358	88029	93329	06671	11971	18642	23		
38	34 56	25 4	81372	88018	93354	06646	11982	18628	22		
39	34 48	25 12	81387	88007	93380	06620	11993	18613	21		
40	6 34 40	5 25 20	9.81402	9.87996	9.93406	10.06594	10.12004	10.18598	20		
41	34 32	25 28	81417	87985	93431	06569	12015	18583	19		
42	34 24	25 36	81431	87975	93457	06543	12025	18569	18		
43	34 16	25 44	81446	87964	93482	06518	12036	18554	17		
44	34 8	25 52	81461	87953	93508	06492	12047	18539	16		
45	6 34 0	5 26 0	9.81475	9.87942	9.93533	10.06467	10.12058	10.18524	15		
46	33 52	26 8	81490	87931	93559	06441	12069	18510	14		
47	33 44	26 16	81505	87920	93584	06416	12080	18495	13		
48	33 36	26 24	81519	87909	93610	06390	12091	18480	12		
49	33 28	26 32	81534	87898	93636	06364	12102	18465	11		
50	6 33 20	5 26 40	9.81549	9.87887	9.93661	10.06339	10.12113	10.18450	10		
51	33 12	26 48	81563	87877	93687	06313	12123	18435	9		
52	33 4	26 56	81578	87866	93712	06288	12134	18420	8		
53	32 56	27 4	81592	87855	93738	06262	12145	18405	7		
54	32 48	27 12	81607	87844	93763	06237	12156	18390	6		
55	6 32 40	5 27 20	9.81622	9.87833	9.93789	10.06211	10.12167	10.18375	5		
56	32 32	27 28	81636	87822	93814	06186	12178	18360	4		
57	32 24	27 36	81651	87811	93840	06160	12189	18345	3		
58	32 16	27 44	81665	87800	93865	06135	12200	18330	2		
59	32 8	27 52	81680	87789	93891	06109	12211	18315	1		
60	32 0	28 0	81694	87778	93916	06084	12222	18300	0		
M	Hour.P.M.	Hour.A.M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	Degs.		

**TABLE XXVII.**  
**Log. Sines, Tangents and Secants.**

41 Degs.										Degs. 139.	
M	Hour. m.	Hour. m.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M		
0	6 32 0	5 28 0	9.81694	9.87778	9.93916	10.06084	10.12222	10.18306	60		
1	31 52	28 0	81709	87767	93942	06058	12233	18291	59		
2	31 44	28 16	81723	87756	93967	06033	12241	18277	58		
3	31 36	28 32	81738	87745	93993	06007	12255	18262	57		
4	31 28	28 48	81752	87734	94018	05982	12266	18248	56		
5	6 31 20	5 28 40	9.81767	9.87723	9.94044	10.05956	10.12277	10.18253	55		
6	31 12	28 48	81761	87712	94069	05931	12286	18219	54		
7	31 4	28 56	81796	87701	94095	05905	12299	18204	53		
8	30 56	29 4	81810	87690	94120	05880	12310	18190	52		
9	30 48	29 12	81825	87679	94146	05854	12321	18175	51		
10	6 30 40	5 29 20	9.81839	9.87663	9.94171	10.05829	10.12332	10.18161	50		
11	30 32	29 20	81834	87657	94197	05803	12343	18146	49		
12	30 24	29 36	81848	87646	94222	05778	12354	18132	48		
13	30 16	29 44	81862	87635	94248	05752	12365	18118	47		
14	30 8	29 52	81877	87624	94273	05727	12376	18103	46		
15	6 30 0	5 30 0	9.81911	9.87613	9.94299	10.05701	10.12383	10.18089	45		
16	29 52	30 8	81920	87601	94324	05676	12399	18074	44		
17	29 44	30 16	81940	87590	94350	05650	12410	18060	43		
18	29 36	30 24	81955	87579	94375	05625	12421	18045	42		
19	29 28	30 32	81969	87568	94401	05599	12432	18031	41		
20	6 29 20	5 30 40	9.81983	9.87557	9.94426	10.05574	10.12443	10.18017	40		
21	29 12	30 48	81998	87546	94452	05548	12454	18002	39		
22	29 4	30 56	82012	87535	94477	05523	12465	17988	38		
23	28 56	31 4	82026	87524	94503	05497	12476	17974	37		
24	28 48	31 12	82041	87513	94528	05472	12487	17959	36		
25	6 28 40	5 31 20	9.82055	9.87501	9.94554	10.05446	10.12499	10.17945	35		
26	28 32	31 28	82069	87490	94579	05421	12510	17931	34		
27	28 24	31 36	82084	87479	94604	05396	12521	17916	33		
28	28 16	31 44	82098	87468	94630	05370	12532	17902	32		
29	28 8	31 52	82112	87457	94655	05345	12543	17888	31		
30	6 28 0	5 32 0	9.82126	9.87446	9.94681	10.05319	10.12554	10.17874	30		
31	27 52	32 0	82141	87434	94706	05294	12566	17859	29		
32	27 44	32 16	82155	87423	94732	05268	12577	17845	28		
33	27 36	32 24	82169	87412	94757	05243	12588	17831	27		
34	27 28	32 32	82184	87401	94783	05217	12599	17816	26		
35	6 27 20	5 32 40	9.82198	9.87390	9.94808	10.05192	10.12610	10.17802	25		
36	27 12	32 48	82212	87378	94834	05166	12622	17788	24		
37	27 4	32 56	82226	87367	94859	05141	12633	17774	23		
38	26 56	33 4	82240	87356	94884	05116	12644	17760	22		
39	26 48	33 12	82255	87345	94910	05090	12655	17745	21		
40	6 26 40	5 33 20	9.82269	9.87334	9.94936	10.05065	10.12666	10.17731	20		
41	26 32	33 28	82283	87322	94961	05039	12678	17717	19		
42	26 24	33 36	82297	87311	94986	05014	12689	17703	18		
43	26 16	33 44	82311	87300	95012	04988	12700	17689	17		
44	26 8	33 52	82326	87288	95037	04963	12712	17674	16		
45	6 26 0	5 34 0	9.82340	9.87277	9.95062	10.04938	10.12723	10.17660	15		
46	25 52	34 8	82354	87266	95088	04912	12734	17646	14		
47	25 44	34 16	82368	87255	95113	04887	12745	17632	13		
48	25 36	34 24	82382	87243	95139	04861	12757	17618	12		
49	25 28	34 32	82396	87232	95164	04836	12768	17604	11		
50	6 25 20	5 34 40	9.82410	9.87221	9.95190	10.04810	10.12779	10.17590	10		
51	25 12	34 48	82424	87209	95215	04785	12791	17576	9		
52	25 4	34 56	82439	87198	95240	04760	12802	17561	8		
53	24 56	35 4	82453	87187	95266	04734	12813	17547	7		
54	24 48	35 12	82467	87175	95291	04709	12825	17533	6		
55	6 24 40	5 35 20	9.82481	9.87164	9.95317	10.04683	10.12836	10.17519	5		
56	24 32	35 28	82495	87153	95342	04658	12847	17505	4		
57	24 24	35 36	82509	87141	95368	04632	12859	17491	3		
58	24 16	35 44	82523	87130	95393	04607	12870	17477	2		
59	24 8	35 52	82537	87119	95418	04582	12881	17463	1		
60	24 0	36 0	82551	87107	95444	04556	12893	17449	0		
M	Hour. m.	Hour. m.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant	Secant	M		
131 Degs.			E e				Degs. 48.				

TABLE XXVII.

Log. Sines, Tangents and Secants.

Degr. 13

42 Degr.

M	Hour. M.	Hour. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	
0	6 24 0	5 36 0	9.82551	9.87107	9.95444	10.04556	10.12895	10.17449	
1	23 52	36 8	82565	87096	95469	04531	12904	17433	
2	23 44	36 16	82579	87085	95495	04505	12915	17421	
3	23 36	36 24	82593	87073	95520	04480	12927	17407	
4	23 28	36 32	82607	87062	95545	04455	12938	17395	
5	6 23 20	5 36 40	9.82621	9.87050	9.95571	10.04429	10.12950	10.1737	
6	23 12	36 48	82635	87039	95596	04404	12961	1736	
7	23 4	36 56	82649	87028	95622	04378	12972	1735	
8	22 56	37 4	82663	87016	95647	04353	12984	1734	
9	22 48	37 12	82677	87005	95672	04328	12995	1733	
10	6 22 40	5 37 20	9.82691	9.86993	9.95698	10.04302	10.13007	10.1734	
11	22 32	37 28	82705	86982	95723	04277	13018	1722	
12	22 24	37 36	82719	86970	95748	04252	13030	1721	
13	22 16	37 44	82733	86959	95774	04226	13041	1720	
14	22 8	37 52	82747	86947	95799	04201	13053	1722	
15	6 22 0	5 38 0	9.82761	9.86936	9.95825	10.04175	10.13064	10.1725	
16	21 52	38 8	82775	86924	95850	04150	13076	1722	
17	21 44	38 16	82788	86913	95875	04125	13087	1721	
18	21 36	38 24	82802	86902	95901	04099	13098	1719	
19	21 28	38 32	82816	86890	95926	04074	13110	17184	
20	6 21 20	5 38 40	9.82830	9.86879	9.95952	10.04048	10.13121	10.17170	
21	21 12	38 48	82844	86867	95977	04023	13133	17156	
22	21 4	38 56	82858	86855	96002	03998	13145	17142	
23	20 56	39 4	82872	86844	96028	03972	13156	17128	
24	20 48	39 12	82885	86832	96053	03947	13168	17115	
25	6 20 40	5 39 20	9.82899	9.86821	9.96078	10.03922	10.13179	10.17101	
26	20 32	39 28	82913	86809	96104	03896	13191	17087	
27	20 24	39 36	82927	86798	96129	03871	13202	17073	
28	20 16	39 44	82941	86786	96155	03845	13214	17059	
29	20 8	39 52	82955	86775	96180	03820	13225	17045	
30	6 20 0	5 40 0	9.82969	9.86763	9.96205	10.03795	10.13237	10.17032	
31	19 52	40 8	82982	86752	96231	03769	13248	17018	
32	19 44	40 16	82996	86740	96256	03744	13260	17004	
33	19 36	40 24	83010	86728	96281	03719	13272	16990	
34	19 28	40 32	83023	86717	96307	03693	13283	16977	
35	6 19 20	5 40 40	9.83037	9.86705	9.96332	10.03668	10.13295	10.16963	
36	19 12	40 48	83051	86694	96357	03643	13306	16949	
37	19 4	40 56	83065	86682	96383	03617	13318	16935	
38	18 56	41 4	83078	86670	96408	03592	13330	16922	
39	18 48	41 12	83092	86659	96433	03567	13341	16908	
40	6 18 40	5 41 20	9.83106	9.86647	9.96459	10.03541	10.13353	10.16894	
41	18 32	41 28	83120	86635	96484	03516	13365	16880	
42	18 24	41 36	83133	86624	96510	03490	13376	16867	
43	18 16	41 44	83147	86612	96535	03465	13388	16853	
44	18 8	41 52	83161	86600	96560	03440	13400	16839	
45	6 18 0	5 42 0	9.83174	9.86589	9.96586	10.03414	10.13411	10.16826	
46	17 52	42 8	83188	86577	96611	03389	13423	16812	
47	17 44	42 16	83202	86565	96636	03364	13435	16798	
48	17 36	42 24	83215	86554	96662	03338	13446	16785	
49	17 28	42 32	83229	86542	96687	03313	13458	16771	
50	6 17 20	5 42 40	9.83242	9.86530	9.96712	10.03288	10.13470	10.16738	
51	17 12	42 48	83256	86518	96738	03262	13482	16744	
52	17 4	42 56	83270	86507	96763	03237	13493	16730	
53	16 56	43 4	83283	86495	96788	03212	13505	16717	
54	16 48	43 12	83297	86483	96814	03186	13517	16703	
55	6 16 40	5 43 20	9.83310	9.86472	9.96839	10.03161	10.13528	10.16690	
56	16 32	43 28	83324	86460	96864	03136	13540	16676	
57	16 24	43 36	83338	86448	96890	03110	13552	16662	
58	16 16	43 44	83351	86436	96915	03085	13564	16649	
59	16 8	43 52	83365	86425	96940	03060	13575	16635	
60	16 0	44 0	83378	86413	96966	03034	13587	16622	
M	Hour. M.	Hour. M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.	M

132 Degr.

Degr. 47.

TABLE XXVII.

Log. Sines, Tangents and Secants.

43 Degs.

Degs. 136.

M	Hourr. m.	Hourr. m.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.	M
0	6 16 0	5 44 0	9.83378	9.86413	9.96966	10.03034	10.13587	10.16622	60
1	15 52	44 8	83392	86401	96991	03009	13599	16608	59
2	15 44	44 16	83405	86389	97016	02984	13611	16595	58
3	15 36	44 24	83419	86377	97042	02958	13623	16581	57
4	15 28	44 32	83432	86366	97067	02933	13634	16568	56
5	6 15 20	5 44 40	9.83446	9.86354	9.97092	10.02908	10.13646	10.16554	55
6	15 12	44 48	83459	86342	97118	02882	13658	16541	54
7	15 4	44 56	83473	86330	97143	02857	13670	16527	53
8	14 56	45 4	83486	86318	97168	02832	13682	16514	52
9	14 48	45 12	83500	86306	97193	02807	13694	16500	51
10	6 14 40	5 45 20	9.83513	9.86295	9.97219	10.02781	10.13703	10.16487	50
11	14 32	45 28	83527	86283	97244	02756	13717	16473	49
12	14 24	45 36	83540	86271	97269	02731	13729	16460	48
13	14 16	45 44	83554	86259	97293	02705	13741	16446	47
14	14 8	45 52	83567	86247	97320	02680	13753	16433	46
15	6 14 0	5 46 0	9.83581	9.86235	9.97345	10.02655	10.13765	10.16419	45
16	13 52	46 8	83594	86223	97371	02629	13777	16406	44
17	13 44	46 16	83608	86211	97396	02604	13789	16392	43
18	13 36	46 24	83621	86200	97421	02579	13800	16379	42
19	13 28	46 32	83634	86188	97447	02553	13812	16366	41
20	6 13 20	5 46 40	9.83648	9.86176	9.97472	10.02529	10.13824	10.16352	40
21	13 12	46 48	83661	86164	97497	02503	13836	16339	39
22	13 4	46 56	83674	86152	97523	02477	13848	16326	38
23	12 56	47 4	83688	86140	97548	02452	13860	16312	37
24	12 48	47 12	83701	86128	97573	02427	13872	16299	36
25	6 12 40	5 47 20	9.83715	9.86116	9.97598	10.02402	10.13884	10.16285	35
26	12 32	47 28	83728	86104	97624	02376	13896	16272	34
27	12 24	47 36	83741	86092	97649	02351	13908	16259	33
28	12 16	47 44	83755	86080	97674	02326	13920	16245	32
29	12 8	47 52	83768	86068	97700	02300	13932	16232	31
30	6 12 0	5 48 0	9.83781	9.86056	9.97725	10.02275	10.13944	10.16219	30
31	11 52	48 8	83795	86044	97750	02250	13956	16205	29
32	11 44	48 16	83808	86032	97776	02224	13968	16192	28
33	11 36	48 24	83821	86020	97801	02199	13980	16179	27
34	11 28	48 32	83834	86008	97826	02174	13992	16166	26
35	6 11 20	5 48 40	9.83848	9.85996	9.97851	10.02149	10.14004	10.16152	25
36	11 12	48 48	83861	85984	97877	02123	14016	16139	24
37	11 4	48 56	83874	85972	97902	02098	14028	16126	23
38	10 56	49 4	83888	85960	97927	02073	14040	16113	22
39	10 48	49 12	83901	85948	97953	02047	14052	16099	21
40	6 10 40	5 49 20	9.83914	9.85936	9.97978	10.02022	10.14064	10.16086	20
41	10 32	49 28	83927	85924	98003	01997	14076	16073	19
42	10 24	49 36	83940	85912	98029	01971	14088	16060	18
43	10 16	49 44	83954	85900	98054	01946	14100	16046	17
44	10 8	49 52	83967	85888	98079	01921	14112	16033	16
45	6 10 0	5 50 0	9.83980	9.85876	9.98104	10.01896	10.14124	10.16020	15
46	9 52	50 8	83993	85864	98130	01870	14136	16007	14
47	9 44	50 16	84006	85851	98155	01845	14149	15994	13
48	9 36	50 24	84020	85839	98180	01820	14161	15980	12
49	9 28	50 32	84033	85827	98206	01794	14173	15967	11
50	6 9 20	5 50 40	9.84046	9.85815	9.98231	10.01769	10.14185	10.15954	10
51	9 12	50 48	84059	85803	98256	01744	14197	15941	9
52	9 4	50 56	84072	85791	98281	01719	14209	15928	8
53	8 56	51 4	84085	85779	98307	01693	14221	15915	7
54	8 48	51 12	84098	85766	98332	01668	14234	15902	6
55	6 8 40	5 51 20	9.84112	9.85754	9.98357	10.01643	10.14246	10.15889	5
56	8 32	51 28	84125	85742	98383	01617	14259	15875	4
57	8 24	51 36	84138	85730	98408	01592	14270	15862	3
58	8 16	51 44	84151	85718	98433	01567	14282	15849	2
59	8 8	51 52	84164	85706	98458	01542	14294	15836	1
60	8 0	52 0	84177	85693	98484	01516	14307	15823	0

133 Degs.

Degs. 46

TABLE XXVII.  
Log. Sines, Tangents and Secants.

44 Degs.				Degs. 135.						
M	Hourr. A. M.	Hourr. P. M.	Sine.	Co-sine.	Tangent.	Co-tang.	Secant.	Co-secant.		
0	6 8 0	5 52 0	9.84177	9.85693	9.98484	10.01516	10.14307	10.15823	6	
1	7 52	52 8	84190	85681	98509	01491	14319	15810	5	
2	7 44	52 16	84203	85669	98534	01466	14331	15797	5	
3	7 36	52 24	84216	85657	98560	01440	14343	15784	5	
4	7 28	52 32	84229	85645	98585	01415	14355	15771	5	
5	6 7 20	5 52 40	9.84242	9.85632	9.98610	10.01390	10.14368	10.15762	55	
6	7 12	52 48	84255	85620	98635	01365	14330	15745	54	
7	7 4	52 56	84269	85608	98661	01339	14392	15731	53	
8	6 56	53 4	84282	85596	98686	01314	14404	15718	52	
9	6 48	53 12	84295	85583	98711	01239	14417	15705	51	
10	6 6 40	5 53 20	9.84308	9.85571	9.98737	10.01263	10.14429	10.15692	50	
11	6 32	53 28	84321	85559	98762	01233	14441	15679	49	
12	6 24	53 36	84334	85547	98787	01213	14453	15666	48	
13	6 16	53 44	84347	85534	98812	01188	14466	15653	47	
14	6 8	53 52	84360	85522	98838	01162	14478	15640	46	
15	6 6 0	5 54 0	9.84373	9.85510	9.98863	10.01137	10.14490	10.15627	45	
16	5 52	54 8	84385	85497	98888	01112	14503	15615	44	
17	5 44	54 16	84398	85485	98913	01087	14515	15602	43	
18	5 36	54 24	84411	85473	98939	01061	14527	15589	42	
19	5 28	54 32	84424	85460	98964	01036	14540	15576	41	
20	6 5 20	5 54 40	9.84437	9.85448	9.98989	10.01011	10.14552	10.15563	40	
21	5 12	54 48	84450	85436	99015	00935	14554	15550	39	
22	5 4	54 56	84463	85423	99040	00960	14577	15537	38	
23	4 56	55 4	84476	85411	99065	00935	14589	15524	37	
24	4 48	55 12	84489	85399	99090	00910	14601	15511	36	
25	6 4 40	5 55 20	9.84602	9.85386	9.99116	10.00834	10.14614	10.15498	35	
26	4 32	55 28	84515	85374	99141	00859	14626	15485	34	
27	4 24	55 36	84528	85361	99166	00834	14639	15472	33	
28	4 16	55 44	84540	85349	99191	00809	14651	15460	32	
29	4 8	55 52	84553	85337	99217	00783	14663	15447	31	
30	6 4 0	5 56 0	9.84566	9.85324	9.99242	10.00758	10.14676	10.15434	30	
31	3 52	56 8	84579	85312	99267	00733	14688	15421	29	
32	3 44	56 16	84592	85299	99293	00707	14701	15408	28	
33	3 36	56 24	84605	85287	99318	00682	14713	15395	27	
34	3 28	56 32	84618	85274	99343	00657	14726	15382	26	
35	6 3 20	5 56 40	9.84630	9.85262	9.99368	10.00632	10.14738	10.15370	25	
36	3 12	56 48	84643	85250	99394	00606	14750	15357	24	
37	3 4	56 56	84656	85237	99419	00581	14763	15344	23	
38	2 56	57 4	84669	85225	99444	00556	14775	15331	22	
39	2 48	57 12	84682	85212	99469	00531	14788	15318	21	
40	6 2 40	5 57 20	9.84694	9.85200	9.99495	10.00505	10.14800	10.15306	20	
41	2 32	57 28	84707	85187	99520	00480	14813	15293	19	
42	2 24	57 36	84720	85175	99545	00455	14825	15280	18	
43	2 16	57 44	84733	85162	99570	00430	14838	15267	17	
44	2 8	57 52	84745	85150	99596	00404	14850	15254	16	
45	6 2 0	5 58 0	9.84758	9.85137	9.99621	10.00379	10.14863	10.15240	15	
46	1 52	58 8	84771	85125	99646	00354	14875	15227	14	
47	1 44	58 16	84784	85112	99672	00328	14888	15214	13	
48	1 36	58 24	84796	85100	99697	00303	14900	15201	12	
49	1 28	58 32	84809	85087	99722	00278	14913	15188	11	
50	6 1 20	5 58 40	9.84822	9.85074	9.99747	10.00253	10.14926	10.15174	10	
51	1 12	58 48	84835	85062	99773	00227	14938	15161	9	
52	1 4	58 56	84847	85049	99798	00202	14951	15148	8	
53	0 56	59 4	84860	85037	99823	00177	14963	15135	7	
54	0 48	59 12	84873	85024	99848	00152	14976	15122	6	
55	6 0 40	5 59 20	9.84885	9.85012	9.99874	10.00126	10.14938	10.15109	5	
56	0 32	59 28	84898	84999	99899	00101	15001	15101	4	
57	0 24	59 36	84911	84986	99924	00076	15014	15094	3	
58	0 16	59 44	84923	84974	99949	00051	15026	15087	2	
59	0 8	59 52	84936	84961	99975	00025	15039	15080	1	
60	0 0	6 0 0	84949	84949	10.00000	00000	15051	15072	0	
M	Hourr. A. M.	Hourr. P. M.	Co-sine.	Sine.	Co-tang.	Tangent.	Co-secant.	Secant.		

134 Degs.

Deg

**TABLE XXVIII.** For reducing the time of the Moon's passage over the Meridian of Greenwich to the Time of its passage over any other Meridian. The numbers taken from this Table are to be added to the Time at Greenwich in West Longitude, but subtracted in East.

**TABLE XXIX.** Correction of moon's altitude for Parallax and Refraction.

Daily variation of the Moon's passing the Meridian.																	Dalt/Corr			
Sh's Lon.	40	42	44	46	48	50	52	54	56	58	60	62	64	66	Sh's Lon.	Dalt Deg.	Corr Min.	Dalt Deg.	Corr Min.	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
10	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	
15	2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	
20	2	2	2	3	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	
25	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5	5	5	5	
30	3	3	4	4	4	4	4	4	5	5	5	5	5	5	5	5	5	5	5	
35	4	4	4	4	5	5	5	5	5	6	6	6	6	6	6	6	6	6	6	
40	4	5	5	5	5	6	6	6	6	6	7	7	7	7	7	7	7	7	7	
45	5	5	5	6	6	6	6	7	7	7	7	8	8	8	8	8	8	8	8	
50	6	6	6	6	7	7	7	7	8	8	8	9	9	9	9	9	9	9	9	
55	6	6	7	7	7	8	8	8	9	9	9	9	9	10	10	10	10	10	10	
60	7	7	7	8	8	8	9	9	9	10	10	10	11	11	11	11	11	11	11	
65	7	8	8	8	9	9	9	10	10	10	11	11	12	12	12	12	12	12	12	
70	8	8	9	9	9	10	10	10	11	11	12	12	12	13	13	13	13	13	13	
75	8	9	9	10	10	10	11	11	12	12	12	13	13	14	14	14	14	14	14	
80	9	9	10	10	11	11	12	12	12	13	13	14	14	15	15	15	15	15	15	
85	9	10	10	11	11	12	12	13	13	14	14	15	15	16	16	16	16	16	16	
90	10	10	11	11	12	12	13	13	14	14	15	15	16	16	16	16	16	16	16	
95	11	11	12	12	13	13	14	14	15	15	16	16	17	17	17	17	17	17	17	
100	11	12	12	13	13	14	14	15	16	16	17	17	18	18	18	18	18	18	18	
105	12	12	13	13	14	15	15	16	16	17	17	18	18	19	19	19	19	19	19	
110	12	13	13	14	15	15	16	16	17	18	18	19	20	20	20	20	20	20	20	
115	13	13	14	15	15	16	17	17	18	19	19	20	20	21	21	21	21	21	21	
120	13	14	15	15	16	17	17	18	19	19	20	21	21	22	22	22	22	22	22	
125	14	15	15	16	17	17	18	19	19	20	21	22	22	23	23	23	23	23	23	
130	14	15	16	17	17	18	19	19	20	21	22	22	23	24	24	24	24	24	24	
135	15	16	16	17	18	19	19	20	21	22	22	23	24	25	25	25	25	25	25	
140	16	16	17	18	19	19	20	21	22	23	23	24	25	26	26	26	26	26	26	
145	16	17	18	19	19	20	21	22	23	24	25	26	27	27	27	27	27	27	27	
150	17	17	18	19	20	21	22	22	23	24	25	26	27	27	27	27	27	27	27	
155	17	18	19	20	21	22	22	23	24	25	26	27	28	28	28	28	28	28	28	
160	18	19	20	20	21	22	23	24	25	26	27	28	28	29	29	29	29	29	29	
165	18	19	20	21	22	23	24	25	26	27	27	28	29	30	30	30	30	30	30	
170	19	20	21	22	23	24	25	25	26	27	28	29	30	31	31	31	31	31	31	
175	19	20	21	22	23	24	25	26	27	28	29	30	31	32	32	32	32	32	32	
180	20	21	22	23	24	25	26	27	28	29	30	31	32	33	33	33	33	33	33	
	40'	42'	44'	46'	48'	50'	52'	54'	56'	58'	60'	62'	64'	66'						



For reducing the Moon's Declination, as given in the Nautical Almanac for Noon and Midnight at Greenwich, to any other time under any other Meridian.

Time from Noon.	Variation of the Moon's Declination in twelve Hours.															Time from Noon
	0	5	10	15	20	25	30	35	40	45	50	55	1	5	0	
0h 0'	0'	0'	0'	0'	0'	0'	0'	0'	0'	0'	0'	0'	0'	0'	0'	12h 0'
0 12	0	0	0	0	0	0	1	1	1	1	1	1	1	0	1	12 12
0 24	0	0	0	1	1	1	1	1	1	1	2	2	2	0	2	12 24
0 36	0	0	1	1	1	1	1	2	2	2	3	3	3	0	3	12 36
0 48	0	1	1	1	2	2	2	3	3	3	4	4	4	0	4	12 48
1 0	0	1	1	2	2	2	3	3	4	4	5	5	5	0	5	13 0
1 12	0	1	1	2	2	3	3	4	4	5	5	6	6	0	6	13 12
1 24	1	1	2	2	3	3	4	5	5	6	6	7	7	0	8	13 24
1 36	1	1	2	3	3	4	5	5	6	7	7	8	8	0	9	13 36
1 48	1	1	2	3	4	4	5	6	7	7	8	9	9	0	10	13 48
2 0	1	2	2	3	4	5	6	7	7	8	9	10	10	0	11	14 0
2 12	1	2	3	4	5	5	6	7	8	9	10	11	11	0	12	14 12
2 24	1	2	3	4	5	6	7	8	9	10	11	12	12	0	13	14 24
2 36	1	2	3	4	5	6	8	9	10	11	12	13	13	0	14	14 36
2 48	1	2	3	5	6	7	8	9	10	12	13	14	15	0	15	14 48
3 0	1	2	4	5	6	7	9	10	11	12	14	15	16	0	16	15 0
3 12	1	3	4	5	7	8	9	11	12	13	15	16	17	0	17	15 12
3 24	1	3	4	6	7	8	10	11	13	14	16	17	18	0	18	15 24
3 36	1	3	4	6	7	9	10	12	13	15	16	18	19	0	19	15 36
3 48	2	3	5	6	8	9	11	13	14	16	17	19	20	0	21	15 48
4 0	2	3	5	7	8	10	12	13	15	17	18	20	21	0	22	16 0
4 12	2	3	5	7	9	10	12	14	16	17	19	21	22	0	23	16 12
4 24	2	4	5	7	9	11	13	15	16	18	20	22	23	0	24	16 24
4 36	2	4	6	8	10	11	13	15	17	19	21	23	24	0	25	16 36
4 48	2	4	6	8	10	12	14	16	18	20	22	24	25	0	26	16 48
5 0	2	4	6	8	10	12	15	17	19	21	23	25	26	0	27	17 0
5 12	2	4	6	9	11	13	15	17	19	22	24	26	27	0	28	17 12
5 24	2	4	7	9	11	13	16	18	20	22	25	27	28	0	29	17 24
5 36	2	5	7	9	12	14	16	19	21	23	26	28	29	0	30	17 36
5 48	2	5	7	10	12	14	17	19	22	24	27	29	30	0	31	17 48
6 0	2	5	7	10	12	15	17	20	22	25	27	30	31	0	32	18 0
6 12	3	5	8	10	13	15	18	21	23	26	28	31	32	0	34	18 12
6 24	3	5	8	11	13	16	19	21	24	27	29	32	33	0	35	18 24
6 36	3	5	8	11	14	16	19	22	25	27	30	33	34	0	36	18 36
6 48	3	6	8	11	14	17	20	23	25	28	31	34	35	0	37	18 48
7 0	3	6	9	12	15	17	20	23	26	29	32	35	36	0	38	19 0
7 12	3	6	9	12	15	18	21	24	27	30	33	36	37	0	39	19 12
7 24	3	6	9	12	15	18	22	25	28	31	34	37	38	0	40	19 24
7 36	3	6	9	13	16	19	22	25	28	32	35	38	39	0	41	19 36
7 48	3	6	10	13	16	19	23	26	29	32	36	39	40	0	42	19 48
8 0	3	7	10	13	17	20	23	27	30	33	37	40	41	0	43	20 0
8 12	3	7	10	14	17	20	24	27	31	34	38	41	42	0	44	20 12
8 24	3	7	10	14	17	21	24	28	31	35	38	42	43	0	45	20 24
8 36	4	7	11	14	18	21	25	29	32	36	39	43	44	0	47	20 36
8 48	4	7	11	15	18	22	26	29	33	37	40	44	45	0	48	20 48
9 0	4	7	11	15	19	22	26	30	34	37	41	45	46	0	49	21 0
9 12	4	8	11	15	19	23	27	31	34	38	42	46	47	0	50	21 12
9 24	4	8	12	16	20	23	27	31	35	39	43	47	48	0	51	21 24
9 36	4	8	12	16	20	24	28	32	36	40	44	48	49	0	52	21 36
9 48	4	8	12	16	20	24	29	33	37	41	45	49	50	0	53	21 48
10 0	4	8	12	17	21	25	29	33	37	42	46	50	51	0	54	22 0
10 12	4	8	13	17	21	25	30	34	38	42	47	51	52	0	55	22 12
10 24	4	9	13	17	22	26	30	35	39	43	48	52	53	0	56	22 24
10 36	4	9	13	18	22	26	31	35	40	44	49	53	54	0	57	22 36
10 48	4	9	13	18	22	27	31	36	40	45	49	54	55	0	58	22 48
11 0	5	9	14	18	23	27	32	37	41	46	50	55	56	1	0	23 0
11 12	5	9	14	19	23	28	33	37	42	47	51	56	57	1	1	23 12
11 24	5	9	14	19	24	28	33	38	43	47	52	57	58	1	2	23 24
11 36	5	10	14	19	24	29	34	39	43	48	53	58	59	1	3	23 36
11 48	5	10	15	20	25	29	34	39	44	49	54	59	60	1	4	23 48
12 0	5	10	15	20	25	30	35	40	45	50	55	60	61	1	5	24 0

TABLE XXX.

For reducing the Moon's Declination, as given in the Nautical Almanac for Noon and Midnight at Greenwich, to any other time under any other Meridian.

Time from Noon.	Variation of the Moon's Declination in twelve Hours.												Time from Noon.
	1 10	1 15	1 20	1 25	1 30	1 35	1 40	1 45	1 50	1 55			
0h 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	12h 0'
0 12	0 1	0 1	0 1	0 1	0 1	0 1	0 2	0 2	0 2	0 2	0 2	0 2	12 12
0 24	0 2	0 2	0 3	0 3	0 3	0 3	0 3	0 3	0 3	0 4	0 4	0 4	12 24
0 36	0 3	0 4	0 4	0 4	0 4	0 5	0 5	0 5	0 5	0 5	0 6	0 6	12 36
0 48	0 5	0 5	0 5	0 6	0 6	0 6	0 7	0 7	0 7	0 7	0 8	0 8	12 48
1 0	0 6	0 6	0 7	0 7	0 7	0 8	0 8	0 8	0 9	0 9	0 10	0 10	13 0
1 12	0 7	0 7	0 8	0 8	0 9	0 9	0 10	0 10	0 11	0 11	0 11	0 11	13 12
1 24	0 8	0 9	0 9	0 10	0 10	0 11	0 12	0 12	0 13	0 13	0 13	0 13	13 24
1 36	0 9	0 10	0 11	0 11	0 12	0 13	0 13	0 14	0 15	0 15	0 15	0 15	13 36
1 48	0 10	0 11	0 12	0 13	0 13	0 14	0 15	0 16	0 16	0 17	0 17	0 17	13 48
2 0	0 12	0 12	0 13	0 14	0 15	0 16	0 17	0 17	0 18	0 19	0 19	0 19	14 0
2 12	0 13	0 14	0 15	0 16	0 16	0 17	0 18	0 19	0 20	0 21	0 21	0 21	14 12
2 24	0 14	0 15	0 16	0 17	0 18	0 19	0 20	0 21	0 22	0 22	0 23	0 23	14 24
2 36	0 15	0 16	0 17	0 18	0 19	0 21	0 22	0 23	0 24	0 24	0 25	0 25	14 36
2 48	0 16	0 17	0 19	0 20	0 21	0 22	0 23	0 24	0 25	0 26	0 27	0 27	14 48
3 0	0 17	0 19	0 20	0 21	0 22	0 24	0 25	0 26	0 27	0 27	0 29	0 29	15 0
3 12	0 19	0 20	0 21	0 23	0 24	0 25	0 27	0 28	0 29	0 29	0 31	0 31	15 12
3 24	0 20	0 21	0 23	0 24	0 25	0 27	0 28	0 30	0 31	0 31	0 33	0 33	15 24
3 36	0 21	0 22	0 24	0 25	0 27	0 28	0 30	0 31	0 33	0 34	0 34	0 34	15 36
3 48	0 22	0 24	0 25	0 27	0 28	0 30	0 32	0 33	0 35	0 35	0 36	0 36	15 48
4 0	0 23	0 25	0 27	0 28	0 30	0 32	0 33	0 35	0 37	0 37	0 38	0 38	16 0
4 12	0 24	0 26	0 28	0 30	0 31	0 33	0 35	0 37	0 38	0 38	0 40	0 40	16 12
4 24	0 26	0 27	0 29	0 31	0 33	0 35	0 37	0 38	0 40	0 42	0 42	0 42	16 24
4 36	0 27	0 29	0 31	0 33	0 34	0 36	0 38	0 40	0 42	0 44	0 44	0 44	16 36
4 48	0 28	0 30	0 32	0 34	0 36	0 38	0 40	0 42	0 44	0 46	0 46	0 46	16 48
5 0	0 29	0 31	0 33	0 35	0 37	0 40	0 42	0 44	0 46	0 48	0 48	0 48	17 0
5 12	0 30	0 32	0 35	0 37	0 39	0 41	0 43	0 45	0 48	0 50	0 50	0 50	17 12
5 24	0 31	0 34	0 36	0 38	0 40	0 43	0 45	0 47	0 49	0 52	0 52	0 52	17 24
5 36	0 33	0 35	0 37	0 40	0 42	0 44	0 47	0 49	0 51	0 54	0 54	0 54	17 36
5 48	0 34	0 36	0 39	0 41	0 43	0 46	0 48	0 51	0 53	0 56	0 56	0 56	17 48
6 0	0 35	0 37	0 40	0 42	0 45	0 47	0 50	0 52	0 55	0 57	0 57	0 57	18 0
6 12	0 36	0 39	0 41	0 44	0 46	0 49	0 52	0 54	0 57	0 59	0 59	0 59	18 12
6 24	0 37	0 40	0 43	0 45	0 48	0 51	0 53	0 56	0 59	1 1	1 1	1 1	18 24
6 36	0 38	0 41	0 44	0 47	0 49	0 52	0 55	0 58	1 0	1 3	1 3	1 3	18 36
6 48	0 40	0 42	0 45	0 48	0 51	0 54	0 57	0 59	1 2	1 5	1 5	1 5	18 48
7 0	0 41	0 44	0 47	0 50	0 52	0 55	0 58	1 1	1 4	1 7	1 7	1 7	19 0
7 12	0 42	0 45	0 48	0 51	0 54	0 57	1 0	1 3	1 6	1 9	1 9	1 9	19 12
7 24	0 43	0 46	0 49	0 52	0 55	0 59	1 2	1 5	1 8	1 11	1 11	1 11	19 24
7 36	0 44	0 47	0 51	0 54	0 57	1 0	1 3	1 6	1 10	1 13	1 13	1 13	19 36
7 48	0 45	0 49	0 52	0 55	0 58	1 2	1 5	1 8	1 11	1 15	1 15	1 15	19 48
8 0	0 47	0 50	0 53	0 57	1 0	1 3	1 7	1 10	1 13	1 17	1 17	1 17	20 0
8 12	0 48	0 51	0 55	0 58	1 1	1 5	1 8	1 12	1 15	1 19	1 19	1 19	20 12
8 24	0 49	0 52	0 56	0 59	1 3	1 6	1 10	1 13	1 17	1 20	1 20	1 20	20 24
8 36	0 50	0 54	0 57	1 1	1 4	1 8	1 12	1 15	1 19	1 22	1 22	1 22	20 36
8 48	0 51	0 55	0 59	1 2	1 6	1 10	1 13	1 17	1 21	1 24	1 24	1 24	20 48
9 0	0 52	0 56	1 0	1 4	1 7	1 11	1 15	1 19	1 22	1 26	1 26	1 26	21 0
9 12	0 54	0 57	1 1	1 5	1 9	1 13	1 17	1 20	1 24	1 28	1 28	1 28	21 12
9 24	0 55	0 59	1 3	1 7	1 10	1 14	1 18	1 22	1 26	1 30	1 30	1 30	21 24
9 36	0 56	1 0	1 4	1 8	1 12	1 16	1 20	1 24	1 28	1 32	1 32	1 32	21 36
9 48	0 57	1 1	1 5	1 9	1 13	1 18	1 22	1 26	1 30	1 34	1 34	1 34	21 48
10 0	0 58	1 2	1 7	1 11	1 15	1 19	1 23	1 27	1 32	1 36	1 36	1 36	22 0
10 12	0 59	1 4	1 8	1 12	1 16	1 21	1 25	1 29	1 33	1 38	1 38	1 38	22 12
10 24	1 1	1 5	1 9	1 14	1 18	1 22	1 27	1 31	1 35	1 40	1 40	1 40	22 24
10 36	1 2	1 6	1 11	1 15	1 19	1 24	1 28	1 33	1 37	1 42	1 42	1 42	22 36
10 48	1 3	1 7	1 12	1 16	1 21	1 25	1 30	1 34	1 39	1 43	1 43	1 43	22 48
11 0	1 4	1 9	1 13	1 18	1 22	1 27	1 32	1 36	1 41	1 45	1 45	1 45	23 0
11 12	1 5	1 10	1 15	1 19	1 24	1 29	1 33	1 38	1 43	1 47	1 47	1 47	23 12
11 24	1 6	1 11	1 16	1 21	1 25	1 30	1 35	1 40	1 44	1 49	1 49	1 49	23 24
11 36	1 8	1 12	1 17	1 22	1 27	1 32	1 37	1 41	1 46	1 51	1 51	1 51	23 36
11 48	1 9	1 14	1 19	1 24	1 29	1 33	1 38	1 43	1 48	1 53	1 53	1 53	23 48
12 0	1 10	1 15	1 20	1 25	1 30	1 35	1 40	1 45	1 50	1 55	1 55	1 55	24 0

For reducing the Moon's Declination, as given in the Nautical Almanac for Noon and Midnight at Greenwich, to any other time under any other Meridian.

Time from Noon.	Variation of the Moon's Declination in twelve Hours.													Time from Noon.
	2 0	2 5	2 10	2 15	2 20	2 25	2 30	2 35	2 40	2 45	2 50			
0h 0'	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	12h 0'	
0 12	0 2	0 2	0 2	0 2	0 2	0 2	0 2	0 3	0 3	0 3	0 3	0 3		
0 24	0 4	0 4	0 4	0 4	0 4	0 5	0 5	0 5	0 5	0 5	0 6	0 6		
0 36	0 6	0 6	0 6	0 6	0 7	0 7	0 7	0 7	0 8	0 8	0 8	0 8		
0 48	0 8	0 8	0 9	0 9	0 9	0 10	0 10	0 10	0 11	0 11	0 11	0 11		
1 0	0 10	0 10	0 11	0 11	0 12	0 12	0 12	0 13	0 13	0 14	0 14	13 0		
1 12	0 12	0 12	0 13	0 13	0 14	0 14	0 15	0 15	0 16	0 16	0 17	13 12		
1 24	0 14	0 15	0 15	0 16	0 16	0 17	0 17	0 18	0 19	0 19	0 20	13 24		
1 36	0 16	0 17	0 17	0 18	0 19	0 19	0 20	0 21	0 21	0 22	0 23	13 36		
1 48	0 18	0 19	0 19	0 20	0 21	0 22	0 22	0 23	0 24	0 25	0 25	13 48		
2 0	0 20	0 21	0 22	0 22	0 23	0 24	0 25	0 26	0 27	0 27	0 28	14 0		
2 12	0 22	0 23	0 24	0 25	0 26	0 27	0 27	0 28	0 29	0 30	0 31	14 12		
2 24	0 24	0 25	0 26	0 27	0 28	0 29	0 30	0 31	0 32	0 33	0 34	14 24		
2 36	0 26	0 27	0 28	0 29	0 30	0 31	0 32	0 33	0 35	0 36	0 37	14 36		
2 48	0 28	0 29	0 30	0 31	0 33	0 34	0 35	0 36	0 37	0 38	0 40	14 48		
3 0	0 30	0 31	0 32	0 34	0 35	0 36	0 37	0 39	0 40	0 41	0 42	15 0		
3 12	0 32	0 33	0 35	0 36	0 37	0 39	0 40	0 41	0 43	0 44	0 45	15 12		
3 24	0 34	0 35	0 37	0 38	0 40	0 41	0 42	0 44	0 45	0 47	0 48	15 24		
3 36	0 36	0 37	0 39	0 40	0 42	0 43	0 45	0 46	0 48	0 49	0 51	15 36		
3 48	0 38	0 40	0 41	0 43	0 44	0 46	0 47	0 49	0 51	0 52	0 54	15 48		
4 0	0 40	0 42	0 43	0 45	0 47	0 48	0 50	0 52	0 53	0 55	0 57	16 0		
4 12	0 42	0 44	0 45	0 47	0 49	0 51	0 52	0 54	0 56	0 58	0 59	16 12		
4 24	0 44	0 46	0 48	0 49	0 51	0 53	0 55	0 57	0 59	1 0	1 2	16 24		
4 36	0 46	0 48	0 50	0 52	0 54	0 56	0 57	0 59	1 1	1 3	1 5	16 36		
4 48	0 48	0 50	0 52	0 54	0 56	0 58	1 0	1 2	1 4	1 6	1 8	16 48		
5 0	0 50	0 52	0 54	0 56	0 58	1 0	1 2	1 5	1 7	1 9	1 11	17 0		
5 12	0 52	0 54	0 56	0 58	1 1	1 3	1 5	1 7	1 9	1 11	1 14	17 12		
5 24	0 54	0 56	0 58	1 1	1 3	1 5	1 7	1 10	1 12	1 14	1 16	17 24		
5 36	0 56	0 58	1 1	1 3	1 5	1 8	1 10	1 12	1 15	1 17	1 19	17 36		
5 48	0 58	1 0	1 3	1 5	1 8	1 10	1 12	1 15	1 17	1 20	1 22	17 48		
6 0	1 0	1 2	1 5	1 7	1 10	1 12	1 15	1 17	1 20	1 22	1 25	18 0		
6 12	1 2	1 5	1 7	1 10	1 12	1 15	1 17	1 20	1 23	1 25	1 28	18 12		
6 24	1 4	1 7	1 9	1 12	1 15	1 17	1 20	1 23	1 25	1 28	1 31	18 24		
6 36	1 6	1 9	1 11	1 14	1 17	1 20	1 22	1 25	1 28	1 31	1 33	18 36		
6 48	1 8	1 11	1 14	1 16	1 19	1 22	1 25	1 28	1 31	1 33	1 36	18 48		
7 0	1 10	1 13	1 16	1 19	1 22	1 25	1 27	1 30	1 33	1 36	1 39	19 0		
7 12	1 12	1 15	1 18	1 21	1 24	1 27	1 30	1 33	1 36	1 39	1 42	19 12		
7 24	1 14	1 17	1 20	1 23	1 26	1 29	1 32	1 36	1 39	1 42	1 45	19 24		
7 36	1 16	1 19	1 22	1 25	1 29	1 32	1 35	1 38	1 41	1 44	1 48	19 36		
7 48	1 18	1 21	1 24	1 28	1 31	1 34	1 37	1 41	1 44	1 47	1 50	19 48		
8 0	1 20	1 23	1 27	1 30	1 33	1 37	1 40	1 43	1 47	1 50	1 53	20 0		
8 12	1 22	1 25	1 29	1 32	1 36	1 39	1 42	1 46	1 49	1 53	1 56	20 12		
8 24	1 24	1 27	1 31	1 34	1 38	1 41	1 45	1 48	1 52	1 55	1 59	20 24		
8 36	1 26	1 30	1 33	1 37	1 40	1 44	1 47	1 51	1 55	1 58	2 2	20 36		
8 48	1 28	1 32	1 35	1 39	1 43	1 46	1 50	1 54	1 57	2 1	2 5	20 48		
9 0	1 30	1 34	1 37	1 41	1 45	1 49	1 52	1 56	2 0	2 4	2 7	21 0		
9 12	1 32	1 36	1 40	1 43	1 47	1 51	1 55	1 59	2 3	2 6	2 10	21 12		
9 24	1 34	1 38	1 42	1 46	1 50	1 54	1 57	2 1	2 5	2 9	2 13	21 24		
9 36	1 36	1 40	1 44	1 48	1 52	1 56	2 0	2 4	2 8	2 12	2 16	21 36		
9 48	1 38	1 42	1 46	1 50	1 54	1 58	2 2	2 7	2 11	2 15	2 19	21 48		
10 0	1 40	1 44	1 48	1 52	1 57	2 1	2 5	2 9	2 13	2 17	2 22	22 0		
10 12	1 42	1 46	1 50	1 55	1 59	2 3	2 7	2 12	2 16	2 20	2 24	22 12		
10 24	1 44	1 48	1 53	1 57	2 1	2 6	2 10	2 14	2 19	2 23	2 27	22 24		
10 36	1 46	1 50	1 55	1 59	2 4	2 8	2 12	2 17	2 21	2 26	2 30	22 36		
10 48	1 48	1 52	1 57	2 1	2 6	2 10	2 15	2 19	2 24	2 28	2 33	22 48		
11 0	1 50	1 55	1 59	2 4	2 8	2 13	2 17	2 22	2 27	2 31	2 36	23 0		
11 12	1 52	1 57	2 1	2 6	2 11	2 15	2 20	2 25	2 29	2 34	2 39	23 12		
11 24	1 54	1 59	2 3	2 8	2 13	2 18	2 23	2 27	2 32	2 37	2 41	23 24		
11 36	1 56	2 1	2 6	2 10	2 15	2 20	2 25	2 30	2 35	2 39	2 44	23 36		
11 48	1 58	2 3	2 8	2 13	2 18	2 23	2 27	2 32	2 37	2 42	2 47	23 48		
12 0	2 0	2 5	2 10	2 15	2 20	2 25	2 30	2 35	2 40	2 45	2 50	24 0		

TABLE XXX.

For reducing the Moon's Declination, as given in the Nautical Almanac for Noon and Midnight at Greenwich, to any other time under any other Meridian.

Time from Noon.	Variation of the Moon's Declination in twelve Hours.												Time from Noon.
	2 55	3 0	3 5	3 10	3 15	3 20	3 25	3 30	3 35	3 40	3 45		
0h 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	0° 0'	12h 0'
0 12	0 3	0 3	0 3	0 3	0 3	0 3	0 3	0 3	0 4	0 4	0 4	0 4	12 12
0 24	0 6	0 6	0 6	0 6	0 6	0 7	0 7	0 7	0 7	0 7	0 7	0 7	12 24
0 36	0 9	0 9	0 9	0 9	0 10	0 10	0 10	0 10	0 11	0 11	0 11	0 11	12 36
0 48	0 12	0 12	0 12	0 13	0 13	0 13	0 14	0 14	0 14	0 15	0 15	0 15	12 48
1 0	0 15	0 15	0 15	0 16	0 16	0 17	0 17	0 17	0 18	0 18	0 19	0 19	13 0
1 12	0 17	0 18	0 18	0 19	0 19	0 20	0 20	0 21	0 21	0 22	0 22	0 22	13 12
1 24	0 20	0 21	0 22	0 22	0 23	0 23	0 24	0 24	0 25	0 26	0 26	0 26	13 24
1 36	0 23	0 24	0 25	0 25	0 26	0 27	0 27	0 28	0 29	0 29	0 30	0 30	13 36
1 48	0 26	0 27	0 28	0 28	0 29	0 30	0 31	0 31	0 32	0 33	0 34	0 34	13 48
2 0	0 29	0 30	0 31	0 32	0 32	0 33	0 34	0 35	0 36	0 37	0 37	0 37	14 0
2 12	0 32	0 33	0 34	0 35	0 36	0 37	0 38	0 38	0 39	0 40	0 41	0 41	14 12
2 24	0 35	0 36	0 37	0 38	0 39	0 40	0 41	0 42	0 43	0 44	0 45	0 45	14 24
2 36	0 38	0 39	0 40	0 41	0 42	0 43	0 44	0 45	0 47	0 48	0 49	0 49	14 36
2 48	0 41	0 42	0 43	0 44	0 45	0 47	0 48	0 49	0 50	0 51	0 52	0 52	14 48
3 0	0 44	0 45	0 46	0 47	0 49	0 50	0 51	0 52	0 54	0 55	0 56	0 56	15 0
3 12	0 47	0 48	0 49	0 51	0 52	0 53	0 55	0 56	0 57	0 59	1 0	1 0	15 12
3 24	0 50	0 51	0 52	0 54	0 55	0 57	0 58	0 59	1 1	1 2	1 4	1 4	15 24
3 36	0 52	0 54	0 55	0 57	0 58	1 0	1 1	1 3	1 4	1 6	1 7	1 7	15 36
3 48	0 55	0 57	0 59	1 0	1 2	1 3	1 5	1 6	1 8	1 10	1 11	1 11	15 48
4 0	0 58	1 0	1 2	1 3	1 5	1 7	1 8	1 10	1 12	1 13	1 15	1 15	16 0
4 12	1 1	1 3	1 5	1 6	1 8	1 10	1 12	1 13	1 15	1 17	1 19	1 19	16 12
4 24	1 4	1 6	1 8	1 10	1 11	1 13	1 15	1 17	1 19	1 21	1 22	1 22	16 24
4 36	1 7	1 9	1 11	1 13	1 15	1 17	1 19	1 20	1 22	1 24	1 26	1 26	16 36
4 48	1 10	1 12	1 14	1 16	1 18	1 20	1 22	1 24	1 26	1 28	1 30	1 30	16 48
5 0	1 13	1 15	1 17	1 19	1 21	1 23	1 25	1 27	1 30	1 32	1 34	1 34	17 0
5 12	1 16	1 18	1 20	1 22	1 24	1 27	1 29	1 31	1 33	1 35	1 37	1 37	17 12
5 24	1 19	1 21	1 23	1 25	1 28	1 30	1 32	1 34	1 37	1 39	1 41	1 41	17 24
5 36	1 22	1 24	1 26	1 29	1 31	1 33	1 36	1 38	1 40	1 43	1 45	1 45	17 36
5 48	1 25	1 27	1 29	1 32	1 34	1 37	1 39	1 41	1 44	1 46	1 49	1 49	17 48
6 0	1 27	1 30	1 32	1 35	1 37	1 40	1 42	1 45	1 47	1 50	1 52	1 52	18 0
6 12	1 30	1 33	1 36	1 38	1 41	1 43	1 46	1 48	1 51	1 54	1 56	1 56	18 12
6 24	1 33	1 36	1 39	1 41	1 44	1 47	1 49	1 52	1 55	1 57	2 0	2 0	18 24
6 36	1 36	1 39	1 42	1 44	1 47	1 50	1 53	1 55	1 58	2 1	2 4	2 4	18 36
6 48	1 39	1 42	1 45	1 48	1 50	1 53	1 56	1 59	2 2	2 5	2 7	2 7	18 48
7 0	1 42	1 45	1 48	1 51	1 54	1 57	2 0	2 2	2 5	2 8	2 11	2 11	19 0
7 12	1 45	1 48	1 51	1 54	1 57	2 0	2 3	2 6	2 9	2 12	2 15	2 15	19 12
7 24	1 48	1 51	1 54	1 57	2 0	2 3	2 6	2 9	2 13	2 16	2 19	2 19	19 24
7 36	1 51	1 54	1 57	2 0	2 3	2 7	2 10	2 13	2 16	2 19	2 22	2 22	19 36
7 48	1 54	1 57	2 0	2 3	2 7	2 10	2 13	2 16	2 20	2 23	2 26	2 26	19 48
8 0	1 57	2 0	2 3	2 7	2 10	2 13	2 17	2 20	2 23	2 27	2 30	2 30	20 0
8 12	2 0	2 3	2 6	2 10	2 13	2 17	2 20	2 23	2 27	2 30	2 34	2 34	20 12
8 24	2 2	2 6	2 9	2 13	2 16	2 20	2 23	2 27	2 30	2 34	2 37	2 37	20 24
8 36	2 5	2 9	2 13	2 16	2 20	2 23	2 27	2 30	2 34	2 38	2 41	2 41	20 36
8 48	2 8	2 12	2 16	2 19	2 23	2 27	2 30	2 34	2 38	2 41	2 45	2 45	20 48
9 0	2 11	2 15	2 19	2 22	2 26	2 30	2 34	2 37	2 41	2 45	2 49	2 49	21 0
9 12	2 14	2 18	2 22	2 26	2 29	2 33	2 37	2 41	2 45	2 49	2 52	2 52	21 12
9 24	2 17	2 21	2 25	2 29	2 33	2 37	2 41	2 44	2 48	2 52	2 56	2 56	21 24
9 36	2 20	2 24	2 28	2 32	2 36	2 40	2 44	2 48	2 52	2 56	3 0	3 0	21 36
9 48	2 23	2 27	2 31	2 35	2 39	2 43	2 47	2 51	2 56	3 0	3 4	3 4	21 48
10 0	2 26	2 30	2 34	2 38	2 42	2 47	2 51	2 55	2 59	3 3	3 7	3 7	22 0
10 12	2 29	2 33	2 37	2 41	2 46	2 50	2 54	2 58	3 3	3 7	3 11	3 11	22 12
10 24	2 32	2 36	2 40	2 45	2 49	2 53	2 58	3 2	3 6	3 11	3 15	3 15	22 24
10 36	2 35	2 39	2 43	2 48	2 52	2 57	3 1	3 5	3 10	3 14	3 19	3 19	22 36
10 48	2 37	2 42	2 46	2 51	2 55	3 0	3 4	3 9	3 13	3 18	3 22	3 22	22 48
11 0	2 40	2 45	2 50	2 54	2 59	3 3	3 8	3 12	3 17	3 22	3 26	3 26	23 0
11 12	2 43	2 48	2 53	2 57	3 2	3 7	3 11	3 16	3 21	3 25	3 30	3 30	23 12
11 24	2 46	2 51	2 56	3 0	3 5	3 10	3 15	3 19	3 24	3 29	3 34	3 34	23 24
11 36	2 49	2 54	2 59	3 4	3 8	3 13	3 18	3 23	3 28	3 33	3 37	3 37	23 36
11 48	2 52	2 57	3 2	3 7	3 12	3 17	3 22	3 26	3 31	3 36	3 41	3 41	23 48
12 0	2 55	3 0	3 5	3 10	3 15	3 20	3 25	3 30	3 35	3 40	3 45	3 45	24 0

**TABLE XXXI.**

For reducing the Sun's Right Ascension in Time, as given in the Nautical Almanac for Noon at Greenwich, to any other time under any other Meridian.

Time from Noon.	Daily Variation of the Sun's Right Ascension in Time.												Ship's Long.
	3 48	3 50	3 52	3 54	3 56	3 58	4 0	4 2	4 4	4 6			
0h 0'	0' 0"	0' 0"	0' 0"	0' 0"	0' 0"	0' 0"	0' 0"	0' 0"	0' 0"	0' 0"	0' 0"	0' 0"	0'
0 12	0 2	0 2	0 2	0 2	0 2	0 2	0 2	0 2	0 2	0 2	0 2	0 2	3
0 24	0 4	0 4	0 4	0 4	0 4	0 4	0 4	0 4	0 4	0 4	0 4	0 4	6
0 36	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 6	9
0 48	0 8	0 8	0 8	0 8	0 8	0 8	0 8	0 8	0 8	0 8	0 8	0 8	12
1 0	0 9	0 10	0 10	0 10	0 10	0 10	0 10	0 10	0 10	0 10	0 10	0 10	15
1 12	0 11	0 11	0 12	0 12	0 12	0 12	0 12	0 12	0 12	0 12	0 12	0 12	18
1 24	0 13	0 13	0 14	0 14	0 14	0 14	0 14	0 14	0 14	0 14	0 14	0 14	21
1 36	0 15	0 15	0 15	0 16	0 16	0 16	0 16	0 16	0 16	0 16	0 16	0 16	24
1 48	0 17	0 17	0 17	0 18	0 18	0 18	0 18	0 18	0 18	0 18	0 18	0 18	27
2 0	0 19	0 19	0 19	0 19	0 20	0 20	0 20	0 20	0 20	0 20	0 20	0 20	30
2 12	0 21	0 21	0 21	0 21	0 22	0 22	0 22	0 22	0 22	0 22	0 22	0 23	33
2 24	0 23	0 23	0 23	0 23	0 24	0 24	0 24	0 24	0 24	0 24	0 24	0 25	36
2 36	0 25	0 25	0 25	0 25	0 26	0 26	0 26	0 26	0 26	0 26	0 26	0 27	39
2 48	0 27	0 27	0 27	0 27	0 28	0 28	0 28	0 28	0 28	0 28	0 28	0 29	42
3 0	0 28	0 29	0 29	0 29	0 29	0 30	0 30	0 30	0 30	0 30	0 30	0 31	45
3 12	0 30	0 31	0 31	0 31	0 31	0 32	0 32	0 32	0 32	0 32	0 33	0 33	48
3 24	0 32	0 33	0 33	0 33	0 33	0 34	0 34	0 34	0 34	0 35	0 35	0 35	51
3 36	0 34	0 34	0 35	0 35	0 35	0 36	0 36	0 36	0 36	0 37	0 37	0 37	54
3 48	0 36	0 36	0 37	0 37	0 37	0 38	0 38	0 38	0 38	0 39	0 39	0 39	57
4 0	0 38	0 38	0 39	0 39	0 39	0 40	0 40	0 40	0 40	0 41	0 41	0 41	60
4 12	0 40	0 40	0 41	0 41	0 41	0 42	0 42	0 42	0 42	0 43	0 43	0 43	63
4 24	0 42	0 42	0 43	0 43	0 43	0 44	0 44	0 44	0 44	0 45	0 45	0 45	66
4 36	0 44	0 44	0 44	0 45	0 45	0 46	0 46	0 46	0 46	0 47	0 47	0 47	69
4 48	0 46	0 46	0 46	0 47	0 47	0 48	0 48	0 48	0 48	0 49	0 49	0 49	72
5 0	0 47	0 48	0 48	0 49	0 49	0 50	0 50	0 50	0 50	0 51	0 51	0 51	75
5 12	0 49	0 50	0 50	0 51	0 51	0 52	0 52	0 52	0 52	0 53	0 53	0 53	78
5 24	0 51	0 52	0 52	0 53	0 53	0 54	0 54	0 54	0 54	0 55	0 55	0 55	81
5 36	0 53	0 54	0 54	0 55	0 55	0 56	0 56	0 56	0 56	0 57	0 57	0 57	84
5 48	0 55	0 56	0 56	0 57	0 57	0 58	0 58	0 58	0 58	0 59	0 59	0 59	87
6 0	0 57	0 57	0 58	0 58	0 59	0 59	1 0	1 0	1 0	1 1	1 1	1 1	90
6 12	0 59	0 59	1 0	1 0	1 1	1 1	1 2	1 2	1 3	1 3	1 4	1 4	93
6 24	1 1	1 1	1 2	1 2	1 3	1 3	1 4	1 4	1 5	1 5	1 6	1 6	96
6 36	1 3	1 3	1 4	1 4	1 5	1 5	1 6	1 6	1 7	1 7	1 8	1 8	99
6 48	1 5	1 5	1 6	1 6	1 7	1 7	1 8	1 8	1 9	1 9	1 10	1 10	102
7 0	1 6	1 7	1 8	1 8	1 9	1 9	1 10	1 11	1 11	1 12	1 12	1 12	105
7 12	1 8	1 9	1 10	1 10	1 11	1 11	1 12	1 12	1 13	1 13	1 14	1 14	108
7 24	1 10	1 11	1 12	1 12	1 13	1 13	1 14	1 14	1 15	1 15	1 16	1 16	111
7 36	1 12	1 13	1 13	1 14	1 15	1 15	1 16	1 16	1 17	1 17	1 18	1 18	114
7 48	1 14	1 15	1 15	1 16	1 17	1 17	1 18	1 18	1 19	1 19	1 20	1 20	117
8 0	1 16	1 17	1 17	1 18	1 19	1 19	1 20	1 20	1 21	1 21	1 22	1 22	120
8 12	1 18	1 19	1 19	1 20	1 21	1 21	1 22	1 22	1 23	1 23	1 24	1 24	123
8 24	1 20	1 20	1 21	1 22	1 23	1 23	1 24	1 24	1 25	1 25	1 26	1 26	126
8 36	1 22	1 22	1 23	1 24	1 25	1 25	1 26	1 26	1 27	1 27	1 28	1 28	129
8 48	1 24	1 24	1 25	1 26	1 27	1 27	1 28	1 28	1 29	1 29	1 30	1 30	132
9 0	1 25	1 26	1 27	1 28	1 28	1 29	1 30	1 30	1 31	1 31	1 32	1 32	135
9 12	1 27	1 28	1 29	1 30	1 30	1 31	1 32	1 32	1 33	1 34	1 34	1 34	138
9 24	1 29	1 30	1 31	1 32	1 32	1 33	1 34	1 34	1 35	1 36	1 36	1 36	141
9 36	1 31	1 32	1 33	1 34	1 34	1 35	1 36	1 36	1 37	1 38	1 38	1 38	144
9 48	1 33	1 34	1 35	1 36	1 36	1 37	1 38	1 38	1 39	1 40	1 40	1 40	147
10 0	1 35	1 36	1 37	1 37	1 38	1 39	1 40	1 40	1 41	1 42	1 42	1 42	150
10 12	1 37	1 38	1 39	1 39	1 40	1 41	1 42	1 42	1 43	1 44	1 44	1 44	153
10 24	1 39	1 40	1 41	1 41	1 42	1 43	1 44	1 44	1 45	1 46	1 47	1 47	156
10 36	1 41	1 42	1 42	1 43	1 44	1 45	1 46	1 46	1 47	1 48	1 49	1 49	159
10 48	1 43	1 43	1 44	1 45	1 46	1 47	1 48	1 48	1 49	1 50	1 51	1 51	162
11 0	1 44	1 45	1 46	1 47	1 48	1 49	1 50	1 50	1 51	1 52	1 53	1 53	165
11 12	1 46	1 47	1 48	1 49	1 50	1 51	1 52	1 52	1 53	1 54	1 55	1 55	168
11 24	1 48	1 49	1 50	1 51	1 52	1 53	1 54	1 54	1 55	1 56	1 57	1 57	171
11 36	1 50	1 51	1 52	1 53	1 54	1 55	1 56	1 56	1 57	1 58	1 59	1 59	174
11 48	1 52	1 53	1 54	1 55	1 56	1 57	1 58	1 58	1 59	2 0	2 1	2 1	177
12 0	1 54	1 55	1 56	1 57	1 58	1 59	2 0	2 0	2 1	2 2	2 2	2 3	180
	3 43'	3 50'	3 52'	3 54'	3 56'	3 58'	4 0'	4 2'	4 4'	4 6'			



TABLE XXXII.

Variation of the Sun's Altitude in one minute from noon.

		Declination of a different name from the latitude.												
Lat.	0°	1°	2°	3°	4°	5°	6°	7°	8°	9°	10°	11°	Lat.	
	"	"	"	"	"	"	"	"	"	"	"	"		
0°					28.1	22.4	18.7	16.0	14.0	12.4	11.1	10.1	0°	
1				28.1	22.4	18.7	16.0	14.0	12.4	11.2	10.1	9.3	1	
2			28.1	22.4	18.7	16.0	14.0	12.5	11.2	10.2	9.3	8.6	2	
3		28.1	22.4	18.7	16.0	14.0	12.5	11.2	10.2	9.3	8.6	8.0	3	
4	28.1	22.4	18.7	16.0	14.0	12.5	11.2	10.2	9.3	8.6	8.0	7.4	4	
5	22.4	18.7	16.0	14.0	12.5	11.2	10.2	9.3	8.6	8.0	7.4	7.0	5	
6	18.7	16.0	14.0	12.5	11.2	10.2	9.3	8.6	8.0	7.5	7.0	6.6	6	
7	16.0	14.0	12.4	11.2	10.2	9.3	8.6	8.0	7.5	7.0	6.6	6.2	7	
8	14.0	12.4	11.2	10.2	9.3	8.6	8.0	7.5	7.0	6.6	6.2	5.9	8	
9	12.4	11.2	10.2	9.3	8.6	8.0	7.5	7.0	6.6	6.2	5.9	5.6	9	
10	11.1	10.1	9.3	8.6	8.0	7.4	7.0	6.6	6.2	5.9	5.6	5.3	10	
11	10.1	9.3	8.6	8.0	7.4	7.0	6.6	6.2	5.9	5.6	5.3	5.1	11	
12	9.2	8.5	7.9	7.4	7.0	6.5	6.2	5.9	5.6	5.3	5.0	4.8	12	
13	8.5	7.9	7.4	6.9	6.5	6.2	5.8	5.6	5.3	5.0	4.8	4.6	13	
14	7.9	7.4	6.9	6.5	6.2	5.8	5.5	5.3	5.0	4.8	4.6	4.4	14	
15	7.3	6.9	6.5	6.1	5.8	5.5	5.3	5.0	4.8	4.6	4.4	4.2	15	
16	6.8	6.5	6.1	5.8	5.5	5.2	5.0	4.8	4.6	4.4	4.2	4.1	16	
17	6.4	6.1	5.8	5.5	5.2	5.0	4.8	4.6	4.4	4.2	4.1	3.9	17	
18	6.0	5.7	5.5	5.2	5.0	4.8	4.6	4.4	4.2	4.1	3.9	3.8	18	
19	5.7	5.4	5.2	4.9	4.7	4.5	4.4	4.2	4.0	3.9	3.8	3.6	19	
20	5.4	5.1	4.9	4.7	4.5	4.3	4.2	4.0	3.9	3.8	3.6	3.5	20	
21	5.1	4.9	4.7	4.5	4.3	4.2	4.0	3.9	3.7	3.6	3.5	3.4	21	
22	4.9	4.7	4.5	4.3	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.3	22	
23	4.6	4.4	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	23	
24	4.4	4.2	4.1	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	24	
25	4.2	4.1	3.9	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.1	3.0	25	
26	4.0	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	2.9	26	
27	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	27	
28	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	28	
29	3.5	3.4	3.3	3.2	3.1	3.1	3.0	2.9	2.8	2.8	2.7	2.6	29	
30	3.4	3.3	3.2	3.1	3.0	3.0	2.9	2.8	2.7	2.7	2.6	2.5	30	
31	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	2.5	2.5	31	
32	3.1	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.6	2.5	2.5	2.4	32	
33	3.0	2.9	2.9	2.8	2.7	2.7	2.6	2.5	2.5	2.4	2.4	2.3	33	
34	2.9	2.8	2.8	2.7	2.6	2.6	2.5	2.5	2.4	2.4	2.3	2.3	34	
35	2.8	2.7	2.7	2.6	2.5	2.5	2.4	2.4	2.3	2.3	2.2	2.2	35	
36	2.7	2.6	2.6	2.5	2.5	2.4	2.4	2.3	2.3	2.2	2.2	2.1	36	
37	2.6	2.5	2.5	2.4	2.4	2.3	2.3	2.2	2.2	2.2	2.1	2.1	37	
38	2.5	2.5	2.4	2.4	2.3	2.3	2.2	2.2	2.1	2.1	2.1	2.0	38	
39	2.4	2.4	2.3	2.3	2.2	2.2	2.1	2.1	2.1	2.0	2.0	2.0	39	
40	2.3	2.3	2.2	2.2	2.2	2.1	2.1	2.0	2.0	2.0	1.9	1.9	40	
41	2.3	2.2	2.2	2.1	2.1	2.1	2.0	2.0	1.9	1.9	1.9	1.8	41	
42	2.2	2.1	2.1	2.1	2.0	2.0	2.0	1.9	1.9	1.9	1.8	1.8	42	
43	2.1	2.1	2.0	2.0	2.0	1.9	1.9	1.9	1.8	1.8	1.8	1.7	43	
44	2.0	2.0	2.0	1.9	1.9	1.9	1.8	1.8	1.8	1.7	1.7	1.7	44	
45	2.0	1.9	1.9	1.9	1.8	1.8	1.8	1.7	1.7	1.7	1.7	1.6	45	
46	1.9	1.9	1.8	1.8	1.8	1.7	1.7	1.7	1.7	1.6	1.6	1.6	46	
47	1.8	1.8	1.8	1.7	1.7	1.7	1.7	1.6	1.6	1.6	1.6	1.6	47	
48	1.8	1.7	1.7	1.7	1.7	1.6	1.6	1.6	1.6	1.6	1.5	1.5	48	
49	1.7	1.7	1.7	1.6	1.6	1.6	1.6	1.5	1.5	1.5	1.5	1.5	49	
50	1.6	1.6	1.6	1.6	1.6	1.5	1.5	1.5	1.5	1.5	1.4	1.4	50	
52	1.5	1.5	1.5	1.5	1.5	1.4	1.4	1.4	1.4	1.4	1.4	1.3	52	
54	1.4	1.4	1.4	1.4	1.4	1.3	1.3	1.3	1.3	1.3	1.3	1.3	54	
56	1.3	1.3	1.3	1.3	1.3	1.3	1.2	1.2	1.2	1.2	1.2	1.2	56	
58	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.1	1.1	1.1	1.1	1.1	58	
60	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.0	1.0	1.0	1.0	60	
62	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.9	62	
64	1.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	64	
66	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	66	
68	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.7	0.7	0.7	68	
70	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	70	
	0	1	2	3	4	5	6	7	8	9	10	11		

Variation of the Sun's Altitude in one minute from noon.

Lat.	Declination of a different name from the Latitude.													Lat.
	12°	13°	14°	15°	16°	17°	18°	19°	20°	21°	22°	23°	24°	
0	9.2	8.5	7.9	7.3	6.8	6.4	6.0	5.7	5.4	5.1	4.9	4.6	4.4	0
1	8.5	7.9	7.4	6.9	6.5	6.1	5.7	5.4	5.1	4.9	4.7	4.4	4.2	1
2	7.9	7.4	6.9	6.5	6.1	5.8	5.5	5.2	4.9	4.7	4.5	4.3	4.1	2
3	7.4	6.9	6.5	6.1	5.8	5.5	5.2	4.9	4.7	4.5	4.3	4.1	3.9	3
4	7.0	6.5	6.2	5.8	5.5	5.2	5.0	4.7	4.5	4.3	4.1	4.0	3.8	4
5	6.5	6.2	5.8	5.5	5.2	5.0	4.8	4.5	4.3	4.2	4.0	3.8	3.7	5
6	6.2	5.8	5.5	5.3	5.0	4.8	4.6	4.4	4.2	4.0	3.9	3.7	3.6	6
7	5.9	5.6	5.3	5.0	4.8	4.6	4.4	4.2	4.0	3.9	3.7	3.6	3.5	7
8	5.6	5.3	5.0	4.8	4.6	4.4	4.2	4.0	3.9	3.7	3.6	3.5	3.4	8
9	5.3	5.0	4.8	4.6	4.4	4.2	4.1	3.9	3.8	3.6	3.5	3.4	3.3	9
10	5.0	4.8	4.6	4.4	4.2	4.1	3.9	3.8	3.6	3.5	3.4	3.3	3.2	10
11	4.8	4.6	4.4	4.2	4.1	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	11
12	4.6	4.4	4.3	4.1	3.9	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	12
13	4.4	4.3	4.1	3.9	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	13
14	4.2	4.1	3.9	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	14
15	4.1	3.9	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	15
16	3.9	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	16
17	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	17
18	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.5	18
19	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	2.5	19
20	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	2.5	2.4	20
21	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.6	2.5	2.4	2.4	21
22	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.6	2.5	2.4	2.4	2.3	22
23	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.6	2.5	2.4	2.4	2.3	2.3	23
24	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	2.4	2.3	2.3	2.2	24
25	2.9	2.8	2.7	2.7	2.6	2.5	2.5	2.4	2.4	2.3	2.3	2.2	2.2	25
26	2.8	2.7	2.7	2.6	2.5	2.5	2.4	2.4	2.3	2.3	2.2	2.1	2.1	26
27	2.7	2.7	2.6	2.5	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	2.1	27
28	2.6	2.6	2.5	2.5	2.4	2.3	2.3	2.2	2.2	2.1	2.1	2.1	2.0	28
29	2.6	2.5	2.4	2.4	2.3	2.3	2.2	2.2	2.1	2.1	2.0	2.0	2.0	29
30	2.5	2.4	2.4	2.3	2.3	2.2	2.2	2.1	2.1	2.0	2.0	2.0	1.9	30
31	2.4	2.4	2.3	2.3	2.2	2.2	2.1	2.1	2.0	2.0	2.0	1.9	1.9	31
32	2.3	2.3	2.2	2.2	2.2	2.1	2.1	2.0	2.0	1.9	1.9	1.9	1.8	32
33	2.3	2.2	2.2	2.1	2.1	2.1	2.0	2.0	1.9	1.9	1.9	1.8	1.8	33
34	2.2	2.2	2.1	2.1	2.0	2.0	2.0	1.9	1.9	1.9	1.8	1.8	1.8	34
35	2.2	2.1	2.1	2.0	2.0	2.0	1.9	1.9	1.8	1.8	1.8	1.7	1.7	35
36	2.1	2.1	2.0	2.0	1.9	1.9	1.9	1.8	1.8	1.8	1.7	1.7	1.7	36
37	2.0	2.0	2.0	1.9	1.9	1.9	1.8	1.8	1.8	1.7	1.7	1.7	1.6	37
38	2.0	1.9	1.9	1.9	1.8	1.8	1.8	1.8	1.7	1.7	1.7	1.6	1.6	38
39	1.9	1.9	1.9	1.8	1.8	1.8	1.7	1.7	1.7	1.6	1.6	1.6	1.6	39
40	1.9	1.8	1.8	1.8	1.7	1.7	1.7	1.7	1.6	1.6	1.6	1.6	1.5	40
41	1.8	1.8	1.8	1.7	1.7	1.7	1.6	1.6	1.6	1.6	1.5	1.5	1.5	41
42	1.8	1.7	1.7	1.7	1.7	1.6	1.6	1.6	1.6	1.5	1.5	1.5	1.5	42
43	1.7	1.7	1.7	1.6	1.6	1.6	1.6	1.5	1.5	1.5	1.5	1.4	1.4	43
44	1.7	1.6	1.6	1.6	1.6	1.5	1.5	1.5	1.5	1.5	1.4	1.4	1.4	44
45	1.6	1.6	1.6	1.5	1.5	1.5	1.5	1.5	1.4	1.4	1.4	1.4	1.4	45
46	1.6	1.6	1.5	1.5	1.5	1.5	1.4	1.4	1.4	1.4	1.4	1.3	1.3	46
47	1.5	1.5	1.5	1.5	1.4	1.4	1.4	1.4	1.4	1.3	1.3	1.3	1.3	47
48	1.5	1.5	1.4	1.4	1.4	1.4	1.4	1.4	1.3	1.3	1.3	1.3	1.3	48
49	1.4	1.4	1.4	1.4	1.4	1.3	1.3	1.3	1.3	1.3	1.3	1.2	1.2	49
50	1.4	1.4	1.4	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.2	1.2	1.2	50
52	1.3	1.3	1.3	1.3	1.3	1.3	1.2	1.2	1.2	1.2	1.2	1.1	1.1	52
54	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.1	1.1	1.1	1.1	1.1	1.1	54
56	1.2	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.0	1.0	1.0	56
58	1.1	1.1	1.1	1.1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	58
60	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	60
62	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.8	62
64	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	64
66	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	66
68	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7				68
70	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6						70
	12	13	14	15	16	17	18	19	20	21	22	23	24	



TABLE XXXII.

Variation of the Sun's Altitude in one minute from noon.

Lat.		Declination of the same name as the latitude.											Lat.
		0°	1°	2°	3°	4°	5°	6°	7°	8°	9°	10°	
0°					28.1	22.4	18.7	16.0	14.0	12.4	11.1	10.1	0°
1					28.0	22.4	18.6	16.0	13.9	12.4	11.1	10.1	1
2						23.0	22.3	18.6	15.9	13.9	12.3	11.1	2
3							27.9	22.3	18.5	15.8	13.8	12.3	3
4	28.1							27.8	22.2	18.5	15.8	14	4
5	22.4	28.0							27.7	22.1	18.4	14	5
6	18.7	22.4	28.0							27.6	22.0	14	6
7	16.0	18.6	22.3	27.9							27.4	14	7
8	14.0	16.0	18.6	22.3	27.8							14	8
9	12.4	13.9	15.9	18.5	22.2	27.7						14	9
10	11.1	12.4	13.9	15.8	18.5	22.1	27.6					14	10
11	10.1	11.1	12.3	13.8	15.8	18.4	22.0	27.4				14	11
12	9.2	10.1	11.1	12.3	13.8	15.7	18.3	21.9	27.3			14	12
13	8.5	9.2	10.0	11.0	12.2	13.7	15.6	18.2	21.7	27.1		14	13
14	7.9	8.5	9.2	10.0	10.9	12.1	13.6	15.5	18.0	21.6	26.9	14	14
15	7.3	7.8	8.4	9.1	9.9	10.9	12.1	13.5	15.4	17.9	21.4	26.7	15
16	6.8	7.3	7.8	8.4	9.1	9.8	10.8	12.0	13.4	15.3	17.6	21.3	16
17	6.4	6.8	7.2	7.8	8.3	9.0	9.8	10.7	11.9	13.3	15.2	17.6	17
18	6.0	6.4	6.8	7.2	7.7	8.3	8.9	9.7	10.6	11.8	13.2	15.0	18
19	5.7	6.0	6.3	6.7	7.2	7.6	8.2	8.9	9.6	10.6	11.7	13.1	19
20	5.4	5.7	6.0	6.3	6.7	7.1	7.6	8.1	8.8	9.5	10.5	11.6	20
21	5.1	5.4	5.6	5.9	6.3	6.6	7.0	7.5	8.1	8.7	9.5	10.4	21
22	4.9	5.1	5.3	5.6	5.9	6.2	6.6	7.0	7.5	8.0	8.6	9.4	22
23	4.6	4.8	5.0	5.3	5.5	5.8	6.1	6.5	6.9	7.4	7.9	8.5	23
24	4.4	4.6	4.8	5.0	5.2	5.5	5.8	6.1	6.4	6.8	7.3	7.8	24
25	4.2	4.4	4.6	4.7	5.0	5.2	5.4	5.7	6.0	6.4	6.8	7.2	25
26	4.0	4.2	4.3	4.5	4.7	4.9	5.1	5.4	5.7	6.0	6.3	6.7	26
27	3.9	4.0	4.1	4.3	4.5	4.7	4.9	5.1	5.3	5.6	5.9	6.2	27
28	3.7	3.8	4.0	4.1	4.3	4.4	4.6	4.8	5.0	5.3	5.5	5.8	28
29	3.5	3.7	3.8	3.9	4.1	4.2	4.4	4.6	4.7	5.0	5.2	5.5	29
30	3.4	3.5	3.6	3.7	3.9	4.0	4.2	4.3	4.5	4.7	4.9	5.1	30
31	3.3	3.4	3.5	3.6	3.7	3.8	4.0	4.1	4.3	4.4	4.6	4.8	31
32	3.1	3.2	3.3	3.4	3.5	3.7	3.8	3.9	4.1	4.2	4.4	4.6	32
33	3.0	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.9	4.0	4.2	4.3	33
34	2.9	3.0	3.1	3.2	3.2	3.3	3.4	3.6	3.7	3.8	3.9	4.1	34
35	2.8	2.9	3.0	3.0	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.9	35
36	2.7	2.8	2.8	2.9	3.0	3.1	3.2	3.3	3.4	3.5	3.6	3.7	36
37	2.6	2.7	2.7	2.8	2.9	2.9	3.0	3.1	3.2	3.3	3.4	3.5	37
38	2.5	2.6	2.6	2.7	2.8	2.8	2.9	3.0	3.0	3.2	3.2	3.3	38
39	2.4	2.5	2.5	2.6	2.7	2.7	2.8	2.9	2.9	3.0	3.1	3.2	39
40	2.3	2.4	2.4	2.5	2.6	2.6	2.7	2.7	2.8	2.9	3.0	3.0	40
41	2.3	2.3	2.4	2.4	2.5	2.5	2.6	2.6	2.7	2.8	2.8	2.9	41
42	2.2	2.2	2.3	2.3	2.4	2.4	2.5	2.5	2.6	2.6	2.7	2.8	42
43	2.1	2.1	2.2	2.2	2.3	2.3	2.4	2.4	2.5	2.5	2.6	2.7	43
44	2.0	2.1	2.1	2.1	2.2	2.2	2.3	2.3	2.4	2.4	2.5	2.5	44
45	2.0	2.0	2.0	2.1	2.1	2.2	2.2	2.2	2.3	2.3	2.4	2.4	45
46	1.9	1.9	2.0	2.0	2.0	2.1	2.1	2.2	2.2	2.2	2.3	2.3	46
47	1.8	1.9	1.9	1.9	2.0	2.0	2.0	2.1	2.1	2.1	2.2	2.2	47
48	1.8	1.8	1.8	1.9	1.9	1.9	2.0	2.0	2.0	2.1	2.1	2.1	48
49	1.7	1.7	1.8	1.8	1.8	1.8	1.9	1.9	1.9	2.0	2.0	2.1	49
50	1.6	1.7	1.7	1.7	1.8	1.8	1.8	1.8	1.9	1.9	1.9	2.0	50
52	1.5	1.6	1.6	1.6	1.6	1.6	1.7	1.7	1.7	1.8	1.8	1.8	52
54	1.4	1.4	1.5	1.5	1.5	1.5	1.5	1.6	1.6	1.6	1.6	1.7	54
56	1.3	1.3	1.4	1.4	1.4	1.4	1.4	1.4	1.5	1.5	1.5	1.5	56
58	1.2	1.2	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.4	1.4	1.4	58
60	1.1	1.1	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.3	1.3	60
62	1.0	1.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.2	1.2	62
64	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1	64
66	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	66
68	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.9	0.9	68
70	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.8	0.8	0.8	0.8	70



TABLE XXXIII.

241

To reduce the numbers of Table XXXII. to other given intervals of time from noon.

Time from Noon.

S.	0'	1'	2'	3'	4'	5'	6'	7'	8'	9'	10'	11'	12'	S.
0	0.0	1.0	4.0	9.0	16.0	25.0	36.0	49.0	64.0	81.0	100.0	121.0	144.0	0
1	0.0	1.0	4.1	9.1	16.1	25.2	36.2	49.2	64.3	81.3	100.3	121.4	144.4	1
2	0.0	1.1	4.1	9.2	16.2	25.3	36.4	49.3	64.5	81.6	100.7	121.7	144.8	2
3	0.0	1.1	4.2	9.3	16.4	25.5	36.6	49.7	64.8	81.9	101.0	122.1	145.2	3
4	0.0	1.1	4.3	9.4	16.5	25.7	36.8	49.9	65.1	82.2	101.3	122.5	145.6	4
5	0.0	1.2	4.3	9.5	16.7	25.8	37.0	50.2	65.3	82.5	101.7	122.9	146.0	5
6	0.0	1.2	4.4	9.6	16.8	26.0	37.2	50.4	65.6	82.8	102.0	123.2	146.4	6
7	0.0	1.2	4.5	9.7	16.9	26.2	37.4	50.6	65.9	83.1	102.3	123.6	146.8	7
8	0.0	1.3	4.6	9.8	17.1	26.4	37.6	50.9	66.1	83.4	102.7	124.0	147.2	8
9	0.0	1.3	4.6	9.9	17.2	26.5	37.8	51.1	66.4	83.7	103.0	124.3	147.6	9
10	0.0	1.4	4.7	10.0	17.4	26.7	38.0	51.4	66.7	84.0	103.4	124.7	148.0	10
11	0.0	1.4	4.8	10.1	17.5	26.9	38.2	51.6	67.0	84.3	103.7	125.1	148.4	11
12	0.0	1.4	4.8	10.2	17.6	27.0	38.4	51.8	67.2	84.6	104.0	125.4	148.8	12
13	0.0	1.5	4.9	10.3	17.8	27.2	38.6	52.1	67.5	84.9	104.4	125.8	149.2	13
14	0.1	1.5	5.0	10.5	17.9	27.4	38.9	52.3	67.8	85.3	104.7	126.2	149.7	14
15	0.1	1.6	5.1	10.6	18.1	27.6	39.1	52.6	68.1	85.6	105.1	126.6	150.1	15
16	0.1	1.6	5.1	10.7	18.2	27.7	39.3	52.8	68.3	85.9	105.4	126.9	150.5	16
17	0.1	1.6	5.2	10.8	18.3	27.9	39.5	53.0	68.6	86.2	105.7	127.3	150.9	17
18	0.1	1.7	5.3	10.9	18.5	28.1	39.7	53.3	68.8	86.5	106.1	127.7	151.3	18
19	0.1	1.7	5.4	11.0	18.6	28.3	39.9	53.5	69.2	86.8	106.4	128.1	151.7	19
20	0.1	1.8	5.4	11.1	18.8	28.4	40.1	53.8	69.4	87.1	106.8	128.4	152.1	20
21	0.1	1.8	5.5	11.2	18.9	28.6	40.3	54.0	69.7	87.4	107.1	128.8	152.5	21
22	0.1	1.9	5.6	11.3	19.1	28.8	40.5	54.3	70.0	87.7	107.5	129.2	152.9	22
23	0.1	1.9	5.7	11.4	19.2	29.0	40.7	54.5	70.3	88.0	107.8	129.6	153.3	23
24	0.2	2.0	5.8	11.6	19.4	29.2	41.0	54.8	70.6	88.4	108.2	130.0	153.7	24
25	0.2	2.0	5.8	11.7	19.5	29.3	41.2	55.0	70.8	88.7	108.5	130.3	154.1	25
26	0.2	2.1	5.9	11.8	19.7	29.5	41.4	55.3	71.1	89.0	108.9	130.7	154.5	26
27	0.2	2.1	6.0	11.9	19.8	29.7	41.6	55.5	71.4	89.3	109.2	131.1	155.0	27
28	0.2	2.2	6.1	12.0	20.0	29.9	41.8	55.8	71.7	89.6	109.6	131.5	155.4	28
29	0.2	2.2	6.2	12.1	20.1	30.1	42.0	56.0	72.0	89.9	109.9	131.9	155.8	29
30	0.2	2.2	6.2	12.2	20.2	30.2	42.2	56.2	72.2	90.2	110.2	132.2	156.2	30
31	0.3	2.3	6.3	12.4	20.4	30.4	42.5	56.5	72.5	90.6	110.6	132.6	156.7	31
32	0.3	2.4	6.4	12.5	20.6	30.6	42.7	56.8	72.8	90.9	111.0	133.0	157.1	32
33	0.3	2.4	6.5	12.6	20.7	30.8	42.9	57.0	73.1	91.2	111.3	133.4	157.5	33
34	0.3	2.5	6.6	12.7	20.9	31.0	43.1	57.3	73.4	91.5	111.7	133.8	157.9	34
35	0.3	2.5	6.7	12.8	21.0	31.2	43.3	57.5	73.7	91.8	112.0	134.2	158.3	35
36	0.4	2.6	6.8	13.0	21.2	31.4	43.6	57.8	74.0	92.2	112.4	134.6	158.7	36
37	0.4	2.6	6.8	13.1	21.3	31.5	43.8	58.0	74.3	92.5	112.7	134.9	159.1	37
38	0.4	2.7	6.9	13.2	21.5	31.7	44.0	58.3	74.5	92.8	113.1	135.3	159.5	38
39	0.4	2.7	7.0	13.3	21.6	31.9	44.2	58.5	74.8	93.1	113.4	135.7	160.0	39
40	0.4	2.8	7.1	13.4	21.8	32.1	44.4	58.8	75.1	93.4	113.8	136.1	160.4	40
41	0.5	2.8	7.2	13.6	21.9	32.3	44.7	59.0	75.4	93.8	114.1	136.5	160.9	41
42	0.5	2.9	7.3	13.7	22.1	32.5	44.9	59.3	75.7	94.1	114.5	136.9	161.3	42
43	0.5	2.9	7.4	13.8	22.2	32.7	45.1	59.5	76.0	94.4	114.8	137.3	161.7	43
44	0.5	3.0	7.5	13.9	22.4	32.9	45.3	59.8	76.3	94.7	115.2	137.7	162.1	44
45	0.6	3.1	7.6	14.1	22.6	33.1	45.6	60.1	76.6	95.1	115.6	138.1	162.5	45
46	0.6	3.1	7.7	14.2	22.7	33.3	45.8	60.3	76.9	95.4	115.9	138.5	163.0	46
47	0.6	3.2	7.7	14.3	22.9	33.4	46.0	60.6	77.1	95.7	116.3	138.9	163.4	47
48	0.6	3.2	7.8	14.4	23.0	33.6	46.2	60.8	77.4	96.0	116.6	139.2	163.8	48
49	0.7	3.3	7.9	14.6	23.2	33.8	46.5	61.1	77.7	96.4	117.0	139.6	164.3	49
50	0.7	3.4	8.0	14.7	23.4	34.0	46.7	61.4	78.0	96.7	117.4	140.0	164.7	50
51	0.7	3.4	8.1	14.8	23.5	34.2	46.9	61.6	78.3	97.0	117.7	140.4	165.1	51
52	0.8	3.5	8.2	15.0	23.7	34.4	47.2	61.9	78.6	97.4	118.1	140.8	165.6	52
53	0.8	3.5	8.3	15.1	23.8	34.6	47.4	62.1	78.9	97.7	118.4	141.2	166.0	53
54	0.8	3.6	8.4	15.2	24.0	34.8	47.6	62.4	79.2	98.0	118.8	141.6	166.4	54
55	0.8	3.7	8.5	15.3	24.2	35.0	47.8	62.7	79.5	98.3	119.2	142.0	166.8	55
56	0.9	3.7	8.6	15.5	24.3	35.2	48.1	62.9	79.8	98.7	119.5	142.4	167.3	56
57	0.9	3.8	8.7	15.6	24.5	35.4	48.3	63.2	80.1	99.0	119.9	142.8	167.7	57
58	0.9	3.9	8.8	15.7	24.7	35.6	48.5	63.5	80.4	99.3	120.3	143.2	168.1	58
59	1.0	3.9	8.9	15.9	24.8	35.8	48.8	63.7	80.7	99.7	120.6	143.6	168.5	59

G g



TABLE XXVII.

243

Longitudes and Latitudes of Stars, for Jan. 1, 1820.

Names of Stars.	Mag.	Longitude.	Ann. Var. aft. 1820.	Latitude.	Ann. var. aft. 1820.
Pegasi..... <i>Algenib</i> .....	2	0. 6.38.48	50.09	12.35.42 N.	+0.12
Andromedæ .. <i>Alpheratz</i> .....	2	0.11.48. 6	49.98	25.41. 7 N.	+0.16
Piscium.....	4.3	0.21.18.10	50.16	5.22. 2 N.	+0.25
ARIETIS.....	2.3	1. 5. 8.44	5. 27	9.57.38 N.	+0.16
Ceti..... <i>Menkar</i> .....	2	1.11.48.18	50.27	12.35.44 S.	-0.37
Meiadum..... <i>Alcyone</i> .....	3	1.27.28.35	50.19	4. 2. 3 N.	+0.43
Tauri.....	3	2. 3.16.52	50.21	5.45. 1 S.	-0.45
Tauri.....	3.4	2. 5.56.33	50.20	2.35. 6 S.	-0.46
Tauri..... ALDEBARAN .....	1	2. 7.16.23	50.21	5.28.44 S.	-0.35
Orionis..... <i>Rigel</i> .....	1	2.14.18.45	50.24	31. 8.44 S.	-0.47
Aurigæ..... <i>Capella</i> .....	1	2.19.20.25	50.19	22.52.12 N.	+0.48
Orionis.....	2	2.19.50.55	50.20	23.34.34 S.	-0.48
Tauri.....	2	2.20. 3.36	50.20	5.22.26 N.	+0.48
Orionis.....	2	2.20.57. 1	50.20	24.31.43 S.	-0.48
Orionis.....	2	2.22.10. 4	50.20	25.18.56 S.	-0.48
Tauri.....	3	2.22.16.10	50.20	2.13. 0 S.	-0.48
Orionis..... <i>Betelgeuse</i> .....	1	2.26.14.20	50.19	16. 3. 4 S.	-0.48
Geminorum.....	3.4	3. 0.55.52	50.20	0.54.33 S.	-0.48
Geminorum.....	3	3. 2.46.52	50.20	0.50. 4 S.	-0.47
Geminorum.....	2.3	3. 6.35.13	50.18	6.45.41 S.	-0.47
Geminorum.....	3	3. 7.25.24	50.20	2. 2.55 N.	+0.46
Canis Majoris Sirius.....	1	3.11.36.34	50.07	39.22.31	-0.45
Geminorum.....	3.1	3.12.28.30	50.19	2. 3.36 S.	-0.45
Geminorum.....	3	3.16. 0.21	50.20	0.11.54 S.	-0.44
Geminorum .. <i>Castor</i> .....	1.2	3.17.44. 2	50.23	10. 5. 0 N.	+0.43
Geminorum .. <i>POLLUX</i> .....	2	3.20.43.51	49.50	6.40.17 N.	+0.26
Canis Minoris Procyon.....	1.2	3.23.18.48	50.12	15.57.47 S.	-0.41
2 Cancri..... <i>Acubius</i> .....	4.3	1.11. 7.30	50.16	5. 5.38 S.	-0.31
Hydræ..... <i>Alphard</i> .....	2	4.24.16.30	50.02	22.23.38 S.	-0.22
Leonis.....	3.4	4.25.23.18	50.23	4.51.19 N.	+0.22
Leonis..... REGULUS.....	1	4.27.19.34	49.94	0.27.39 N.	+0.22
Boötis..... <i>Denebola</i> .....	1.2	5.19. 7.31	50.30	12.17.10 N.	+0.03
Virginis.....	3	5.24.35.54	50.20	0.41.32 N.	-0.02
Virginis.....	4.3	6. 2.19.20	50.21	1.22.23 N.	-0.18
Virginis.....	3	6. 7.39.42	50.00	2.48.43 N.	-0.13
Virginis..... SPICA.....	1	6.21.19.44	50.08	2. 2.20 S.	+0.17
Boötis..... <i>Arcturus</i> .....	1	6.21.43.30	50.45	30.54. 0 N.	-0.24
Coronæ Bor..... <i>Alphacca</i> .....	2.3	7. 9.45. 7	50.51	44.20.46 N.	-0.35
2 Libræ..... <i>Zubenesh</i> .....	2.3	7.12.34.26	50.20	0.21.29 N.	-0.37
Serpentis.....	2.3	7.19.32.45	50.32	25.31.31 N.	-0.40
Libræ.....	3.4	7.22.37. 5	50.22	4.24.24 N.	-0.42
Scorpii.....	2.3	7.28.36.38	50.18	5.27.45 S.	+0.44
Scorpii.....	3.2	8. 0. 3.22	50.19	1.57.38 S.	+0.44
Scorpii.....	3	8. 0.25.27	50.18	5.26.59 S.	+0.45
Scorpii.....	2	8. 0.40.27	50.20	1. 1.57 N.	-0.45
Scorpii..... ANTARES.....	1	8. 7.14.54	50.12	4.32.41 S.	+0.42
Ophiuchi.....	3	8.18.52.48	50.20	1.49. 1 S.	+0.48
Ophiuchi..... <i>Rus Alhague</i> .....	2	8.19.55.23	50.21	35.52.26 N.	-0.48
Sagittarii.....	3	9. 9.52. 9	50.21	3.25.18 S.	+0.46
Lyre..... <i>Vega</i> .....	1	9.12.47.19	49.89	61.44.26 N.	-0.45
Sagittarii.....	3.4	9.13.44.18	50.19	1.27.46 N.	-0.45
Aquilæ.....	3	9.28.25.48	50.03	31.15.43 N.	-0.39
Aquilæ..... ATAIR.....	1.2	9.29.14.10	50.79	29.18.45 N.	+0.08
Aquilæ.....	3	9.29.55.13	50.05	26.42.32 N.	-0.38
2 Capricorni.....	3	10. 1.20.30	50.15	6.56.59 N.	-0.37
Capricorni.....	3	10. 1.31.52	50.17	4.36.32 N.	-0.37
Capricorni.....	4.3	10.19.16. 3	50.21	2.32.15 S.	+0.26
Capricorni.....	3	10.21. 1. 7	50.21	2.33.49 S.	+0.25
Aquarii.....	3	11. 0.50.36	50.11	10.40.16 N.	-0.18
Piscae Aust..... FOMALHAUT.....	1	11. 1.19.32	50.59	21. 6.40 S.	+0.21
Cygni..... <i>Deneb</i> .....	1.2	11. 2.51.16	49.42	59.54.57 N.	-0.16
Pegasi..... MARRAB.....	2	11.20.58.44	50.11	19.24.44 N.	+0.10

TABLE XXXVIII.  
Reduct. of lat. and Hor. Par. for Ellipticity

Lat.	Reduct. of Lat.	Hor. Par.		
		57'	57"	561"
0	0.0	0.0	0.0	0.0
2	0.47.9	0.0	0.0	0.0
4	1.35.3	0.1	0.1	0.1
6	2.22.7	0.1	0.1	0.1
8	3.9.2	0.2	0.2	0.2
10	3.54.8	0.3	0.3	0.4
12	4.39.3	0.5	0.5	0.5
14	5.22.4	0.6	0.7	0.7
16	6.3.9	0.8	0.9	0.9
18	6.13.7	1.0	1.1	1.2
20	7.21.5	1.2	1.3	1.4
22	7.57.2	1.5	1.6	1.7
24	8.30.7	1.8	1.9	2.0
26	9.1.6	2.0	2.2	2.3
28	9.29.9	2.3	2.5	2.7
30	9.55.4	2.7	2.9	3.1
32	10.18.1	3.0	3.2	3.4
34	10.37.8	3.3	3.6	3.8
36	10.51.3	3.7	3.9	4.2
38	11.7.7	4.0	4.3	4.6
40	11.17.8	4.4	4.7	5.0
42	11.24.7	4.7	5.1	5.5
44	11.28.2	5.1	5.5	5.9
46	11.28.4	5.5	5.9	6.3
48	11.25.1	5.9	6.3	6.7
50	11.18.6	6.2	6.7	7.2
52	11.8.8	6.6	7.1	7.6
54	10.55.6	6.9	7.5	8.0
56	10.39.3	7.3	7.8	8.4
58	10.19.9	7.6	8.2	8.8
60	9.57.4	7.9	8.5	9.1
62	9.32.0	8.3	8.9	9.5
64	9.3.8	8.6	9.2	9.9
66	8.32.9	8.8	9.5	10.2
68	7.59.6	9.1	9.8	10.5
70	7.23.8	9.4	10.1	10.8
72	6.45.9	9.6	10.3	11.0
74	6.6.0	9.8	10.5	11.3
76	5.24.3	10.0	10.7	11.5
78	4.41.0	10.1	10.9	11.7
80	3.56.3	10.3	11.1	11.8
82	3.10.4	10.4	11.2	12.0
84	2.23.7	10.5	11.3	12.1
86	1.36.2	10.5	11.3	12.1
88	0.48.2	10.6	11.4	12.2
90	0.0	10.6	11.4	12.2

TABLE XXXIX.  
Aberration of Planets in Longitude.

Elong.	Venus.					Mercury.				
	Uran	Sat.	Jap.	Mars	Elong.	Ab.	Elong.	Aph.	Mea.	Per.
D	—	—	—	—	D	—	—	—	—	—
Con. 0	25"	27"	29"	36"	S.C. 0	43"	S.C. 0	46"	51"	59"
15	24	26	28	35	15	41	5	46	51	58
30	22	24	26	33	30	34	10	44	48	53
45	19	21	23	28	45	19	15	41	43	41
60	15	16	19	23	Gt.EL.	14	20	37	34	
75	10	12	14	18	75	10	15	29	29	
90	5	6	9	12	30	0	Gt.EL.	18	18	19
	+					+	25	7		
105	1	1	3	7	15	3	20	1	4	
		+	+		Inf.C.	3		+	+	+
120	5	4	1	3			15	2	4	2
135	10	8	5	+			10	5	8	13
150	13	11	9	2			5	6	11	14
165	15	13	11	3			Inf.C.	6	11	14
Op. 180	15	13	11	4						

The aberration of the Sun in longitude is always 20". The apparent place is given in the Nautical Almanac, and by adding 20" the Sun's true longitude will be obtained.

TABLE XL.

Equat. Equinoxes in Longitude.

D	Long. ) sNode		
	0	1	2
0	0'0	8'9	15'5
2	0.6	9.5	15.8
4	1.2	10.0	16.1
6	1.9	10.5	16.4
8	2.5	11.0	16.6
10	3.1	11.5	16.8
12	3.7	12.0	17.0
14	4.3	12.4	17.2
16	4.9	12.9	17.4
18	5.5	13.3	17.5
20	6.1	13.7	17.6
22	6.7	14.1	17.7
24	7.3	14.5	17.8
26	7.8	14.8	17.9
28	8.4	15.2	17.9
30	8.9	15.5	17.9
	—	—	—
	5	4	3
	+	+	+
	11	10	9

TABLE XLI.

Aberration in Long. and Lat.

D	Arg. Long. = ⊙ long. - * long.			Arg. lat. = Arg. long. - 3' arg.		
	0	1	2	0	1	2
0	20'0	17'3	10'0	30		
2	20.0	17.0	9.4	28		
4	20.0	16.6	8.8	26		
6	19.9	16.2	8.1	24		
8	19.8	15.8	7.5	22		
10	19.7	15.3	6.8	20		
12	19.6	14.9	6.2	18		
14	19.4	14.4	5.5	16		
16	19.2	13.9	4.8	14		
18	19.0	13.4	4.2	12		
20	18.8	12.9	3.5	10		
22	18.5	12.3	2.8	8		
24	18.3	11.8	2.1	6		
26	18.0	11.2	1.4	4		
28	17.7	10.6	0.7	2		
30	17.3	10.0	0.0	0		
	+	+	+			
	5	4	3			
	+	+	+			
	11	10	9			

Table XL contains the equation of the equinoxes in longitude to be applied with its sign to the mean longitudes of all the heavenly bodies. Thus on July 16, 1820, when the longitude of the moon's ascending node was 11s. 26' 0" the equation of the equinoxes was + 1". 2

The correction in Table XLI corresponding to the Argument of Longitude being found, and its logarithm added to the log. secant (less radius) of the star's latitude will be the log. of the star's aberration in longitude, to be applied with its sign to the mean longitude. The logarithm of the correction in Table 41 corresponding to the Argument of Latitude added to the log. sine, of the star's latitude will be the aberration of the star in latitude, to be applied with its sign to the mean lat. Example. Required the Aberration of a Pegasi, July 16, 1820?

⊙ long. 34 23' 46"  
 \* long. 11. 20. 59  
 Arg. long. 4. 2. 47 Tab. 41 + 10". 8 log. 1.03342 Arg. lat. 1s. 2°. 47' Tab. 41 - 16". 9 log. 1.22789  
 \* Latitude 19° 23' Sec. 0.02543 Sine 0.32771  
 \* Aberr. long. + 11". 5 Log. 1.05885 \* Aber. Lat. - 5". 6 Log. 0.74960

TABLE XLII.

Aberration in Right Ascension and Declination.

PART I.					PART II.					PART III.									
R.A. = * R.A. - $\odot$ Long.					Ar.R.A. = * R.A. + $\odot$ Lon.					Ar.2dDec = $\odot$ lon + * Dec					Add sign if Dec. S.				
Dec. = Arg. R. A. + 3 signs.					Ar. Dec. = Arg. R. A. + 3 signs.					Ar.3dDec = $\odot$ lon - * Dec									
0.	6.	1.	7.	2.	8.	D	0.	6.	1.	7.	2.	8.	D	0.	6.	1.	7.	2.	8.
-	+	-	+	-	+		+	-	+	-	+	-		-	+	-	+	-	+
19 <sup>o</sup> .17	16 <sup>o</sup> .60	6 <sup>o</sup> .59	30			0	0 <sup>o</sup> .83	0 <sup>o</sup> .72	0 <sup>o</sup> .41	30			0	3 <sup>o</sup> .98	3 <sup>o</sup> .46	1 <sup>o</sup> .99	30		
19.17	16.43	9.30	29			10	.83	.71	.40	29			1	3.98	3.41	1.93	29		
19.16	16.26	9.00	28			20	.83	.70	.39	28			2	3.98	3.38	1.87	28		
19.15	16.08	8.70	27			30	.83	.69	.38	27			3	3.98	3.34	1.81	27		
19.13	15.90	8.40	26			40	.82	.69	.36	26			4	3.97	3.30	1.75	26		
19.10	15.71	8.10	25			50	.82	.68	.35	25			5	3.97	3.26	1.68	25		
19.07	15.51	7.80	24			60	.82	.67	.34	24			6	3.96	3.22	1.62	24		
19.03	15.31	7.49	23			70	.82	.66	.32	23			7	3.95	3.18	1.56	23		
18.99	15.11	7.18	22			80	.82	.65	.31	22			8	3.94	3.14	1.49	22		
18.94	14.90	6.87	21			90	.82	.64	.30	21			9	3.93	3.09	1.43	21		
18.88	14.69	6.56	20			100	.81	.63	.28	20			10	3.92	3.05	1.36	20		
18.82	14.47	6.24	19			110	.81	.62	.27	19			11	3.91	3.00	1.30	19		
18.75	14.25	5.92	18			120	.81	.61	.26	18			12	3.89	2.96	1.23	18		
18.68	14.02	5.61	17			130	.81	.60	.24	17			13	3.88	2.91	1.16	17		
18.60	13.79	5.28	16			140	.80	.59	.23	16			14	3.86	2.86	1.10	16		
18.52	13.56	4.96	15			150	.80	.58	.21	15			15	3.85	2.82	1.03	15		
18.43	13.32	4.64	14			160	.79	.57	.20	14			16	3.83	2.77	0.96	14		
18.34	13.08	4.31	13			170	.79	.56	.19	13			17	3.81	2.72	0.90	13		
18.23	12.83	3.99	12			180	.79	.55	.17	12			18	3.79	2.66	0.83	12		
18.13	12.58	3.66	11			190	.78	.54	.16	11			19	3.76	2.61	0.76	11		
18.02	12.32	3.33	10			200	.78	.53	.14	10			20	3.74	2.56	0.69	10		
17.90	12.07	3.00	9			210	.77	.52	.13	9			21	3.72	2.51	0.62	9		
17.78	11.80	2.67	8			220	.77	.51	.12	8			22	3.69	2.46	0.55	8		
17.65	11.54	2.34	7			230	.76	.50	.10	7			23	3.66	2.40	0.49	7		
17.52	11.27	2.00	6			240	.76	.49	.09	6			24	3.64	2.34	0.42	6		
17.38	11.00	1.67	5			250	.75	.47	.07	5			25	3.61	2.28	0.35	5		
17.23	10.72	1.34	4			260	.74	.46	.06	4			26	3.58	2.23	0.28	4		
17.08	10.44	1.00	3			270	.74	.45	.04	3			27	3.55	2.17	0.21	3		
6.93	10.16	0.67	2			280	.73	.44	.03	2			28	3.52	2.11	0.14	2		
6.77	9.87	0.33	1			290	.72	.43	.01	1			29	3.48	2.05	0.07	1		
6.60	9.59	0.00	0			300	.72	.41	.00	0			30	3.43	1.99	0.00	0		
-	+	-	+	-	+	D	+	-	+	-	+	-	D	-	+	-	+	-	+
1.5.	10.	4.	9.	3.			11.	5.	10.	4.	9.	3.		11.	5.	10.	4.	9.	3.

find the Aberration of a Star in Right Ascension.—Find the Equations in Part I. and II. according to the arguments of R. A. at the top of those tables, and connect them according to their signs, and to the log. of this sum or difference add the log. secant (less radius) of the star's declination, the sum will be the log. of the aberration in Right Ascension cords of a degree, which divided by 15 will be reduced to time, to be applied to the R. A.

find the Aberration of a Star in Declination.—Increase the former arguments of R. A. signs, and connect together the corresponding equations of Part I. and II. to the log. of h add the log. sine of the star's declination, the sum will be the log. of Arch 1st. With arguments at the top of Part III. find in that Table arches 2d and 3d. These three arches rected with their signs will be the aberration in declination, to be applied to the mean declination.

EXAMPLE. Required the Aberration in R. A. and Dec. of a Pegasi, July 16, 1820?  
 Right Ascension = 22h. 55' 48" = 11s. 13<sup>o</sup>. 57'. Declination = 14<sup>o</sup> 14' N. and by N.A.  $\odot$  long 3s. 23<sup>o</sup> 46' A. 11s. 13<sup>o</sup> 57'

7. 20. 11 Part I. + 12 <sup>o</sup> . 27		Diff. + 3s = 10s. 20 <sup>o</sup> 11'	Part I. = 14 <sup>o</sup> . 73
3. 7. 43 Part II. - 0. 11		Sum + 3 = 6. 7. 43	Part II. = 0. 82
	+ 12. 16 log. 1.08493		- 15. 55 log. 1.19173
* Decl. 14 <sup>o</sup> 14'	sec. 0.01354		Sine 9.39071
per. R. A. + 12 <sup>o</sup> . 5	log. 1.09847	Arch 1st = 3 <sup>o</sup> . 82	log. 0.58244
in R. A. in time 0 <sup>o</sup> 23	$\odot$ long + * Dec 4s. 3 <sup>o</sup> . 0'	Arch 2d + 2. 45	} If Decl. is S. add 6s. to the Argum. Part. III.
	$\odot$ long - * Dec 3. 9. 32 Arch 3d + 0. 66		
* Aberr. in Declination = 0. 71			

Nutation in Right Ascension and Declination to be applied to the mean values.

PART I.					PART II.					PART III.												
Arg. R.A. = * R.A. - Lon. D node + 6 signs if Dec. is S.					Arg. R.A. = * R.A. + lon. D node + 6 signs if Dec. is S.					Equation Equinox in R.A. Arg. = Long D node												
D	0.	6.	1.	7.	2.	8.	D	0.	6.	1.	7.	2.	8.	D	0.	6.	1.	7.	2.	8.		
	-	+	-	+	-	+		-	+	-	+	-	+		-	+	-	+	-	+		
0	8	.33	7	.21	4	.16	30	0	1	.22	1	.06	0	.61	30	0	0	.0	8	.21	4	.16
1	8	.33	7	.14	4	.04	29	1	1	.22	1	.05	0	.59	29	1	0	.3	8	.14	4	.04
2	8	.32	7	.06	3	.91	28	2	1	.22	1	.03	0	.57	28	2	0	.6	8	.06	3	.91
3	8	.32	6	.99	3	.78	27	3	1	.22	1	.02	0	.55	27	3	0	.9	8	.99	3	.78
4	8	.31	6	.91	3	.65	26	4	1	.22	1	.01	0	.53	26	4	1	1	.9	.91	3	.65
5	8	.30	6	.82	3	.52	25	5	1	.22	1	.00	0	.52	25	5	1	.4	.9	.82	3	.52
6	8	.28	6	.74	3	.39	24	6	1	.21	0	.99	0	.50	24	6	1	.7	.9	.74	3	.39
7	8	.27	6	.65	3	.25	23	7	1	.21	0	.97	0	.48	23	7	2	.0	.9	.65	3	.25
8	8	.25	6	.56	3	.12	22	8	1	.21	0	.96	0	.46	22	8	2	.3	10	.56	3	.12
9	8	.23	6	.47	2	.99	21	9	1	.20	0	.95	0	.44	21	9	2	.6	10	.47	2	.99
10	8	.20	6	.38	2	.85	20	10	1	.20	0	.95	0	.42	20	10	2	.6	10	.38	2	.85
11	8	.18	6	.29	2	.71	19	11	1	.20	0	.92	0	.40	19	11	3	.1	10	.29	2	.71
12	8	.15	6	.19	2	.57	18	12	1	.19	0	.91	0	.38	18	12	3	.1	11	.19	2	.57
13	8	.12	6	.09	2	.44	17	13	1	.19	0	.89	0	.36	17	13	3	.7	11	.09	2	.44
14	8	.08	5	.99	2	.30	16	14	1	.18	0	.88	0	.34	16	14	4	.0	11	.99	2	.30
15	8	.05	5	.89	2	.16	15	15	1	.18	0	.86	0	.32	15	15	4	.2	11	.89	2	.16
16	8	.01	5	.79	2	.02	14	16	1	.17	0	.85	0	.30	14	16	4	.5	11	.79	2	.02
17	7	.97	5	.68	1	.87	13	17	1	.17	0	.83	0	.27	13	17	4	.8	12	.68	1	.87
18	7	.92	5	.57	1	.73	12	18	1	.16	0	.82	0	.25	12	18	5	.1	12	.57	1	.73
19	7	.83	5	.46	1	.59	11	19	1	.15	0	.80	0	.23	11	19	5	.3	12	.46	1	.59
20	7	.83	5	.35	1	.45	10	20	1	.15	0	.78	0	.21	10	20	5	.6	12	.35	1	.45
21	7	.78	5	.24	1	.30	9	21	1	.14	0	.77	0	.19	9	21	5	.9	12	.24	1	.30
22	7	.72	5	.13	1	.16	8	22	1	.13	0	.75	0	.17	8	22	6	.1	12	.13	1	.16
23	7	.67	5	.01	1	.02	7	23	1	.12	0	.73	0	.15	7	23	6	.4	13	.01	1	.02
24	7	.61	4	.90	0	.87	6	24	1	.11	0	.72	0	.13	6	24	6	.7	13	.90	0	.87
25	7	.55	4	.78	0	.73	5	25	1	.11	0	.70	0	.11	5	25	6	.9	13	.78	0	.73
26	7	.49	4	.66	0	.58	4	26	1	.10	0	.68	0	.09	4	26	7	.2	13	.66	0	.58
27	7	.42	4	.54	0	.44	3	27	1	.09	0	.66	0	.06	3	27	7	.4	13	.54	0	.44
28	7	.35	4	.41	0	.29	2	28	1	.08	0	.65	0	.04	2	28	7	.7	13	.41	0	.29
29	7	.29	4	.29	0	.15	1	29	1	.07	0	.63	0	.02	1	29	7	.9	14	.29	0	.15
30	7	.21	4	.16	0	.00	0	30	1	.06	0	.61	0	.00	0	30	8	.2	14	.16	0	.00
							D							D								D
	11.	5.	10.	4.	9.	3.		11.	5.	10.	4.	9.	3.		11.	5.	10.	4.	9.	3.		

To find the Nutation of a Star in Right Ascension.—Find in Parts I. II. the Equations corresponding to the arguments of R. A. at the top of the tables, connect them according to the signs, and to the log. of the sum or difference add the log. tangent of the star's declination, the sum will be the log. of an arch, to which apply the equation of the equinox, Part III. corresponding to the long. of the D's node (page 3, N. A.) the sum or difference will be the Nutation in Right Ascension in seconds of a degree, which divided by 15 will be reduced to seconds of time.

To find the Nutation of a Star in Declination.—Increase the arguments of R. A. Part I. II. by 3 signs, and connect the corresponding equations of those tables, which will be the nutation of declination. Note. In putting the R. A. of the star equal to 3 signs, the nutation in declination will be the equation of the obliquity of the ecliptic.

EXAMPLE. Required the Nutation of a Pegasi, in R. A. and Decl. July 16, 1820?  
 \* R.A. Tab. 8 11s.13<sup>s</sup>.57'  
 D Node N. A. 11. 26. 0

Diff.	11. 17.57	Part I. — 5 <sup>s</sup> .15	Diff. + 3s = 2s.17 <sup>s</sup> 57'	Part I. — 1 <sup>s</sup> .74
Sum	11. 9.57	Part II. — 1. 15	Sum + 3s = 2. 9.57	Part II. — .42
		— 9. 30 log 0.96849		
		* Declination 14 <sup>o</sup> 11' tang. 9.40425	Nut. in Dec.	— 2 .16
		Arch — 2 <sup>o</sup> .4 log 0.37273	6s. — D Node = 5s. 4d.	Part I. + 3 <sup>s</sup> .51
Part III Eq.	Arg. 11s. 26 <sup>s</sup> .0'	+ 1 1	6s. + D Node = 5s. 26d.	Part II. + 1. 22
	Nutation in Right Ascension	— 1. 3 = — 0 <sup>s</sup> 10ft.		
			Equat. Obliq. Eclipt.	+ 3. 53

If the Declination of the Star was south, the arguments Part I. II. of Right Ascension and Declination must be increased 6 signs.



TABLE XLIV.

To find the Augmentation of the Moon's Semidiameter, by the altitude of the Nonagesimal and the apparent distance of the Moon therefrom.

PART I.				PART II.		Arg. D's true Latit.	PART III.						
Arg. = Alt. nona. + ap. dist. (from nona.)				Arg. Sum of Equat. Part I.	Corr.		Argument (C's Parallax in Lat.						
= Alt. nona. - ap. dist. (from nona.)							0' 10' 20' 30' 40' 50' 60'						
D	0.	1.	2.	3.	+	South	0'	10'	20'	30'	40'	50'	60'
0	0.0	0.1	0.2	0.3	1.0	0.00	0.00	0.30	0.60	0.92	1.24	1.57	1.91
1	0.14	0.22	0.3	0.4	2.0	0.00	0.00	0.25	0.50	0.77	1.04	1.32	1.61
2	0.29	0.34	0.4	0.5	3.1	0.01	0.00	0.20	0.41	0.62	0.85	1.08	1.32
3	0.43	0.46	0.5	0.6	4.4	0.02	0.00	0.17	0.36	0.50	0.75	0.96	1.17
4	0.57	0.58	0.6	0.7	5.4	0.03	0.00	0.15	0.31	0.48	0.65	0.83	1.02
5	0.71	0.69	0.7	0.8	6.2	0.04	0.00	0.13	0.27	0.43	0.59	0.75	0.93
6	0.86	0.71	0.8	0.9	6.9	0.05	0.00	0.12	0.24	0.39	0.52	0.67	0.83
7	1.00	0.83	0.9	1.0	7.6	0.06	0.00	0.10	0.21	0.35	0.46	0.59	0.73
8	1.14	0.94	1.0	1.1	8.2	0.07	0.00	0.09	0.18	0.30	0.39	0.51	0.63
9	1.28	1.05	1.1	1.2	8.8	0.08	0.00	0.07	0.15	0.26	0.32	0.43	0.54
10	1.42	1.16	1.2	1.3	9.3	0.09	0.00	0.05	0.11	0.18	0.26	0.35	0.44
11	1.56	1.27	1.3	1.4	9.8	0.10	0.40	0.00	0.04	0.08	0.13	0.19	0.24
12	1.70	1.38	1.4	1.5	10.3	0.11	0.20	0.00	0.02	0.05	0.09	0.13	0.16
13	1.84	1.49	1.5	1.6	10.7	0.12	0.0	0.00	0.00	0.02	0.04	0.06	0.10
14	1.98	1.60	1.6	1.7	11.2	0.13	0.10	0.00	0.00	0.01	0.03	0.05	0.08
15	2.12	1.71	1.7	1.8	11.6	0.14	0.20	0.00	0.01	0.01	0.02	0.03	0.05
16	2.26	1.82	1.8	1.9	12.0	0.15	0.30	0.00	0.02	0.02	0.03	0.04	0.05
17	2.39	1.93	1.9	2.0	12.4	0.16	0.40	0.00	0.03	0.03	0.04	0.05	0.06
18	2.53	2.04	2.0	2.1	12.8	0.17	0.30	0.00	0.02	0.03	0.04	0.05	0.06
19	2.66	2.15	2.1	2.2	13.1	0.18	0.40	0.00	0.03	0.04	0.05	0.06	0.07
20	2.80	2.26	2.2	2.3	13.5	0.19	1.0	0.00	0.04	0.05	0.06	0.07	0.08
21	2.93	2.37	2.3	2.4	13.9	0.20	1.20	0.00	0.06	0.07	0.08	0.09	0.10
22	3.07	2.48	2.4	2.5	14.2	0.21	1.40	0.00	0.08	0.09	0.10	0.11	0.12
23	3.20	2.59	2.5	2.6	14.5	0.22	2.0	0.00	0.09	0.10	0.11	0.12	0.13
24	3.33	2.70	2.6	2.7	14.9	0.23	2.20	0.00	0.11	0.12	0.13	0.14	0.15
25	3.46	2.81	2.7	2.8	15.2	0.24	2.40	0.00	0.13	0.14	0.15	0.16	0.17
26	3.59	2.92	2.8	2.9	15.5	0.25	3.0	0.00	0.14	0.15	0.16	0.17	0.18
27	3.72	3.03	2.9	3.0	15.8	0.26	3.30	0.00	0.17	0.18	0.19	0.20	0.21
28	3.84	3.14	3.0	3.1	16.1	0.27	4.0	0.00	0.19	0.20	0.21	0.22	0.23
29	3.97	3.25	3.1	3.2	16.4	0.28	5.0	0.00	0.24	0.25	0.26	0.27	0.28
30	4.09	3.36	3.2	3.3	16.7	0.29	6.0	0.00	0.29	0.30	0.31	0.32	0.33
+	+	+	+	+	D.								
11.5	10.4	9.3					0'	10'	20'	30'	40'	50'	60'

Arg. Sum of Pre. Eq.	PART IV. Arg. C's Horiz. Semi. Diam.															Find in P. I. the two equations corresponding to the arguments at the top and connect them according to their signs.			
	14'					15'					16'								
	40''	50''	0''	10''	20''	30''	40''	50''	0''	10''	20''	30''	40''	50''	+		+	+	+
1	0.16	0.14	0.12	0.10	0.08	0.06	0.04	0.02	0.00	0.02	0.04	0.06	0.09	0.11	+	+	+	+	+
2	0.32	0.28	0.24	0.20	0.16	0.12	0.08	0.04	0.00	0.04	0.08	0.13	0.17	0.21	+	+	+	+	+
3	0.48	0.42	0.36	0.30	0.24	0.18	0.12	0.06	0.00	0.06	0.13	0.19	0.26	0.32	+	+	+	+	+
4	0.64	0.56	0.48	0.41	0.33	0.25	0.16	0.08	0.00	0.08	0.17	0.25	0.34	0.43	+	+	+	+	+
5	0.80	0.70	0.61	0.51	0.41	0.31	0.21	0.10	0.00	0.10	0.21	0.32	0.43	0.53	+	+	+	+	+
6	0.96	0.84	0.73	0.61	0.49	0.37	0.25	0.12	0.00	0.13	0.25	0.38	0.51	0.64	+	+	+	+	+
7	1.12	0.98	0.85	0.71	0.57	0.43	0.29	0.15	0.00	0.15	0.29	0.44	0.60	0.75	+	+	+	+	+
8	1.28	1.12	0.97	0.81	0.65	0.49	0.33	0.17	0.00	0.17	0.34	0.51	0.68	0.86	+	+	+	+	+
9	1.44	1.26	1.09	0.91	0.73	0.55	0.37	0.19	0.00	0.19	0.38	0.57	0.77	0.96	+	+	+	+	+
10	1.60	1.41	1.21	1.01	0.82	0.62	0.41	0.21	0.00	0.21	0.42	0.63	0.85	1.07	+	+	+	+	+
11	1.76	1.55	1.33	1.12	0.90	0.68	0.45	0.23	0.00	0.23	0.46	0.70	0.94	1.18	+	+	+	+	+
12	1.92	1.69	1.45	1.22	0.98	0.74	0.49	0.25	0.00	0.25	0.51	0.76	1.02	1.28	+	+	+	+	+
13	2.08	1.83	1.57	1.32	1.06	0.80	0.54	0.27	0.00	0.27	0.55	0.83	1.11	1.39	+	+	+	+	+
14	2.24	1.97	1.70	1.42	1.14	0.86	0.58	0.29	0.00	0.29	0.59	0.89	1.19	1.50	+	+	+	+	+
15	2.40	2.11	1.82	1.52	1.22	0.92	0.62	0.31	0.00	0.31	0.63	0.96	1.28	1.60	+	+	+	+	+
16	2.56	2.25	1.94	1.62	1.31	0.98	0.66	0.33	0.00	0.33	0.67	1.02	1.36	1.71	+	+	+	+	+

applied, with its sign to the sum of the three first parts will give the Aug. of the (C's S. D. Thus in Ex. I. Prob. 5. Appendix. The Alt. Nonag. is 2a. 7° 59'. Dis. Nonag. (D. + P.) 20° 46'. (S. D. by N. A. 16' 27". Hence Arg. P. I. are 2s. 7° 59' + 20° 46' that is 2a. 28° 45' and 1s. 17' 13" to which correspond + 8' 13" + 6". 01 = + 14' 19". This gives in P. II. + 0' 21. P. III. is 0'. The sum of the three parts is + 14' 4". with which and the (S. D. 16' 27". 7. P. IV. is nearly + 0' 8. this connected with 14'. 4 gives the Aug. of (C's S. D. 15' 2. as in Prob. VI. Appendix.

Equation of Second Differences to be applied to the *mean* longitude or latitude with a sign *contrary* to that of the *second differences*.

Ap. time after noon or midnight.		Second Difference.												
<i>h</i>	<i>m</i>	<i>h</i>	<i>m</i>	1'	2'	3'	4'	5'	6'	7'	8'	9'	10'	11'
0.0	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.10	11.50	0.4	0.8	1.2	1.6	2.1	2.5	2.9	3.3	3.7	4.1	4.5	4.9	5.3
0.20	11.40	0.8	1.6	2.4	3.2	4.1	4.9	5.7	6.5	7.3	8.1	8.9	9.7	10.5
0.30	11.30	1.2	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13.2	14.4	15.6
0.40	11.20	1.6	3.1	4.7	6.3	7.9	9.3	11.0	12.6	14.2	15.7	17.3	18.9	20.5
0.50	11.10	1.9	3.9	5.9	7.8	9.7	11.6	13.6	15.5	17.4	19.4	21.3	23.3	25.2
1.0	11.0	2.3	4.6	6.9	9.2	11.5	13.7	16.0	18.3	20.6	22.9	25.2	27.5	29.8
1.10	10.50	2.6	5.3	7.9	10.5	13.2	15.8	18.4	21.1	23.7	26.3	28.9	31.5	34.1
1.20	10.40	3.0	5.9	8.9	11.9	14.8	17.8	20.7	23.7	26.7	29.6	32.6	35.5	38.5
1.30	10.30	3.3	6.6	9.8	13.1	16.4	19.7	23.0	26.2	29.5	32.8	36.1	39.4	42.7
1.40	10.20	3.6	7.2	10.8	14.4	17.9	21.5	25.1	28.7	32.3	35.9	39.5	43.1	46.7
1.50	10.10	3.9	7.8	11.6	15.5	19.4	23.3	27.2	31.1	34.9	38.8	42.7	46.5	50.4
2.0	10.0	4.2	8.3	12.5	16.7	20.8	25.0	29.2	33.3	37.5	41.7	45.8	49.9	54.1
2.10	9.50	4.4	8.9	13.3	17.8	22.2	26.6	31.1	35.5	39.9	44.4	48.8	53.2	57.6
2.20	9.40	4.7	9.4	14.1	18.8	23.5	28.2	32.9	37.6	42.3	47.0	51.7	56.4	61.1
2.30	9.30	4.9	9.9	14.8	19.8	24.7	29.7	34.6	39.6	44.5	49.5	54.4	59.3	64.2
2.40	9.20	5.2	10.4	15.6	20.7	25.9	31.1	36.3	41.5	46.7	51.9	57.0	62.1	67.2
2.50	9.10	5.4	10.8	16.2	21.6	27.1	32.5	37.9	43.3	48.7	54.1	59.5	64.9	70.3
3.0	9.0	5.6	11.2	16.9	22.5	28.1	33.7	39.4	45.0	50.6	56.2	61.9	67.5	73.1
3.10	8.50	5.8	11.7	17.5	23.3	29.1	35.0	40.8	46.6	52.4	58.3	64.1	70.0	75.8
3.20	8.40	6.0	12.0	18.1	24.1	30.1	36.1	42.1	48.1	54.2	60.2	66.2	72.2	78.2
3.30	8.30	6.2	12.4	18.6	24.8	31.0	37.2	43.4	49.6	55.8	62.0	68.2	74.4	80.6
3.40	8.20	6.4	12.7	19.1	25.5	31.8	38.2	44.6	50.9	57.3	63.7	70.0	76.3	82.6
3.50	8.10	6.5	13.0	19.6	26.1	32.6	39.1	45.7	52.2	58.7	65.2	71.7	78.1	84.5
4.0	8.0	6.7	13.3	20.0	26.7	33.3	40.0	46.7	53.3	60.0	66.7	73.3	80.0	86.7
4.20	7.40	6.9	13.8	20.8	27.7	34.6	41.5	48.4	55.4	62.3	69.2	76.1	83.0	89.9
4.40	7.20	7.1	14.3	21.4	28.5	35.6	42.8	49.9	57.0	64.2	71.3	78.4	85.5	92.6
5.0	7.0	7.3	14.6	21.9	29.2	36.5	43.7	51.0	58.3	65.6	72.9	80.2	87.5	94.8
5.20	6.40	7.4	14.8	22.2	29.6	37.0	44.4	51.9	59.3	66.7	74.1	81.5	88.9	96.3
5.40	6.20	7.5	15.0	22.4	29.9	37.4	44.9	52.3	59.8	67.3	74.8	82.2	89.7	97.2
6.0	6.0	7.5	15.0	22.5	30.0	37.5	45.0	52.5	60.0	67.5	75.0	82.5	90.0	97.5

Ap. time after noon or midnight.		Second Difference.														
<i>h</i>	<i>m</i>	<i>h</i>	<i>m</i>	10"	20"	30"	40"	50"	1'	2'	3'	4'	5'	6'	7'	8'
0.0	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.10	11.50	0.1	0.1	0.2	0.3	0.3	0.4	0.4	0.5	0.5	0.6	0.6	0.7	0.7	0.8	0.8
0.20	11.40	0.1	0.3	0.4	0.5	0.7	0.8	0.9	1.0	1.1	1.1	1.2	1.3	1.4	1.4	1.5
0.30	11.30	0.2	0.4	0.6	0.8	1.0	1.2	1.4	1.6	1.7	1.8	1.9	2.0	2.1	2.1	2.2
0.40	11.20	0.3	0.5	0.8	1.0	1.3	1.6	1.9	2.2	2.4	2.6	2.8	3.0	3.1	3.2	3.3
0.50	11.10	0.3	0.6	1.0	1.3	1.6	2.0	2.4	2.8	3.2	3.6	4.0	4.4	4.7	5.0	5.3
1.0	11.0	0.4	0.8	1.1	1.5	1.9	2.4	2.9	3.4	3.9	4.4	4.9	5.4	5.8	6.2	6.6
1.10	10.50	0.4	0.9	1.3	1.8	2.2	2.8	3.4	4.0	4.6	5.2	5.8	6.4	6.9	7.4	7.9
1.20	10.40	0.5	1.0	1.5	2.0	2.5	3.1	3.7	4.4	5.0	5.7	6.3	7.0	7.6	8.2	8.8
1.30	10.30	0.5	1.1	1.6	2.2	2.7	3.4	4.1	4.8	5.5	6.2	6.9	7.6	8.3	8.9	9.6
1.40	10.20	0.6	1.2	1.8	2.4	3.0	3.7	4.4	5.2	6.0	6.7	7.5	8.2	8.9	9.6	10.3
1.50	10.10	0.6	1.3	1.9	2.6	3.2	4.0	4.8	5.6	6.4	7.2	8.0	8.8	9.6	10.4	11.2
2.0	10.0	0.7	1.4	2.1	2.8	3.5	4.3	5.1	6.0	6.8	7.6	8.4	9.2	10.0	10.8	11.6
2.10	9.50	0.7	1.5	2.2	3.0	3.7	4.6	5.4	6.3	7.2	8.0	8.9	9.7	10.6	11.4	12.2
2.20	9.40	0.8	1.6	2.3	3.1	3.9	4.8	5.7	6.6	7.5	8.4	9.3	10.2	11.0	11.9	12.7
2.30	9.30	0.8	1.6	2.5	3.3	4.1	5.0	5.9	6.8	7.7	8.6	9.5	10.4	11.3	12.2	13.0
2.40	9.20	0.9	1.7	2.6	3.5	4.3	5.2	6.1	7.0	7.9	8.8	9.7	10.6	11.5	12.4	13.3
2.50	9.10	0.9	1.8	2.7	3.6	4.5	5.4	6.3	7.2	8.1	9.0	9.9	10.8	11.7	12.6	13.5
3.0	9.0	0.9	1.9	2.8	3.7	4.7	5.6	6.5	7.4	8.3	9.2	10.1	11.0	11.9	12.8	13.7
3.10	8.50	1.0	1.9	2.9	3.9	4.9	5.9	6.8	7.8	8.7	9.6	10.5	11.4	12.3	13.2	14.1
3.20	8.40	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0
3.30	8.30	1.0	2.1	3.1	4.1	5.2	6.2	7.2	8.2	9.2	10.2	11.2	12.2	13.2	14.2	15.2
3.40	8.20	1.1	2.1	3.2	4.2	5.3	6.3	7.3	8.3	9.3	10.3	11.3	12.3	13.3	14.3	15.3
3.50	8.10	1.1	2.2	3.3	4.3	5.4	6.4	7.4	8.4	9.4	10.4	11.4	12.4	13.4	14.4	15.4
4.0	8.0	1.1	2.2	3.3	4.4	5.5	6.5	7.5	8.5	9.5	10.5	11.5	12.5	13.5	14.5	15.5
4.20	7.40	1.2	2.3	3.5	4.6	5.8	6.9	8.0	9.1	10.2	11.3	12.4	13.5	14.5	15.6	16.6
4.40	7.20	1.2	2.4	3.6	4.8	5.9	7.1	8.2	9.3	10.4	11.5	12.6	13.7	14.8	15.9	16.9
5.0	7.0	1.2	2.4	3.6	4.9	6.1	7.2	8.3	9.4	10.5	11.6	12.7	13.8	14.9	16.0	17.0
6.0	6.0	1.2	2.5	3.7	5.0	6.2	7.3	8.4	9.5	10.6	11.7	12.8	13.9	15.0	16.1	17.1

TABLE XLVI. Latitudes and Longitudes.

[This Table contains the LATITUDES and LONGITUDES of the most remarkable Harbours, Islands, Shoals, Capes, &c. in the WORLD, founded on the latest and most accurate Astronomical observations, surveys and charts.]  
The Longitudes are reckoned from the meridian of Greenwich.

I. COAST OF THE UNITED STATES OF AMERICA.		Lat.	Long.	Lat.	Long.
		D. M.	D. M.	D. M.	D. M.
ENTRANCE of St. Croix River		15	7N	67	8W
	Island of Campo-Bello (middle or West passage of Passamaquoddy Bay)	44	57	66	54
Wolves' Islands		45	4	66	41
E. end of Grand-Manan		44	47	66	43
Grand-Manan N. head		44	53	66	45
do. West end		44	40	66	55
Pitmanan Light		44	25	67	40
Entrance of Machias River		41	44	67	20
Gouldsboro' Harbour		44	34	67	52
Mount Desert Rock		43	52	68	9
Long-Island (south of Mount Desert or entrance of Blue-Hill Bay)		44	9	68	31
Isle of Holt		44	00	68	40
Castine		44	24	68	46
Matinicus Island		43	50	68	55
Wooden Bald Rock		43	45	68	54
Island of Manhegin		43	41	69	15
Penmaquid Point		43	48	69	27
Bantum Ledges		43	42	69	33
Kennebeck River entrance		43	43	69	47
Seguine Island light		43	41	69	46
Cape Small point		43	40	69	52
Cashe's Ledge (shoalest part)		43	4	69	11
Alden's Ledge (off Cape Elizabeth)		43	28	70	9
Brunswick		43	52		
PORTLAND light-house		43	39	70	17
Cape Elizabeth		43	33	70	15
Saco River entrance		43	28	70	26
Wood Island L. House		43	27	70	22
Agamenticus Hill		43	16	70	41
Cape Porpoise		43	21	70	26
Wells Harbour		43	19	70	33
Bald Head		43	13	70	35
Cape Neddock Nubble		43	10	70	36
York River		43	7	70	35
York Ledge		43	6	70	34
Boon Island light		43	6	70	31
Boon Island Ledge		43	4	70	27
PORTSMOUTH light-house		43	4	70	41
Portsmouth		43	5	70	46
Isles of Shoals light		42	56	70	38
NEWBURYPORT light-house on Plumb Island		42	48	70	51
Ipswich entrance		42	43	70	49
Squam light		42	42	70	41
Sandy Cove (or Bay)		42	41	70	38
CAPE ANN light-houses on Thatcher's Island		42	40	70	34
East point of Cape Ann Harbour		42	37	70	39
Light houses on Baker's Island		42	34N	70	47W
Beverly		42	34	70	52
SALEM		42	33	70	52
Marblehead		42	32	70	50
Nahant Point (N. E. Point of Boston harbour)		42	28	70	54
Boston light-house		42	20	70	54
BOSTON		42	23	71	4
CAMBRIDGE (Mass)		42	23	71	8
Situate light		42	11	70	41
Plymouth lights		41	59	70	34
Race Point light		42	6	70	14
CAPE COD light		42	5	70	4
Chatham light		41	43	69	56
Sandy Point or Malabar Shoal of George.		41	34	69	59
Great Shoal S. E. P.		41	34	67	40
do. do. W. P.		41	42	67	59
do. do. N. E. P.		41	48	67	47
do. North Shoal		41	53	67	43
do. Third Shoal		41	51	67	26
do. East Shoal		41	47	67	19
NANTUCKET light-house		41	23	70	00
Sancoty head on Nantucket Island		41	16	69	58
Tom Nevers head		41	14	69	59
Nantucket South Shoal (true lat. by Blunt)		41	4	69	55
Cape Poge, (Vineyard)		41	25	70	25
Squibnocket-head (southwesterly part of Martha's Vineyard)		41	17	70	48
Gay Head light-house, (Vineyard)		41	21	70	50
Noman's Land Island		41	15	70	49
New-Bedford light hou.		41	35	70	53
Buzzard's Bay entrance		41	28	70	50
NEWPORT		41	29	71	18
Rhode Island light-hou.		41	28	71	23
Point Judith L. house		41	24	71	29
Watch Hill P. light		41	20	71	53
Little Gull light		41	14	72	10
Block Island		41	10	71	38
New-London (or entrance of Thames river) light-house		41	21	72	11
Falkland Island L. house		41	15	72	45
NEW-HAVEN entrance		41	17	72	58
Montock Point (E. end of Long-Island) light house		41	4	71	55
East Hampton in do.		41	00	72	16
NEW-YORK City		40	42	74	00
New-York light-house on Sandy Point		40	28	74	1
Perth Amboy		40	30	71	30
Little Egg Harbour		39	30	74	22
Great Egg Harbour		39	18	74	34
Cape May		38	57	74	58
PHILADELPHIA light-house on Cape Henlopen		39	57	75	9

TABLE XLVI. Latitudes and Longitudes.

	Lat.		Long.			Lat.		Long.	
	D. M.	D. M.	D. M.	D. M.		D. M.	D. M.	D. M.	D. M.
Virginia and Maryland.	Cape Charles	37 7N	76 15W		Muskito or N. Smyrna entrance	28 52N	80 56W		
	Cape Henry light	36 56	76 18		Cape Canaveral	28 15	80 33		
	Norfolk (Vir.)	36 53	76 34		Outer breakers off do.	28 20	80 13		
	Petersburgh (Vir.)	37 12	77 44		Las Tortolas or Hummocks	27 35	90 30		
	York Town (Vir.)	37 12	76 39		Hillborough Isl. N. P.	27 31	80 19		
	RICHMOND (Vir.)	37 30	77 44		— S. P.	27 16	80 13		
	Annapolis (Mar.)	39 00	76 37		Mount Pelado or Bald Head	27 1	80 11		
	ALEXANDRIA (Vir.)	38 49	77 4		Grenville's Inlet	26 47	80 2		
	WASHINGTON City	38 53	77 2		Cooper's Hill	26 42	80 3		
	Chincoteague Shoals (on Maryland shore)	37 58	75 15		Sand Hills	26 32	80 3		
	BALTIMORE	39 23	76 39		New Inlet	26 17	80 6		
	Roanoke Inlet	35 50	75 35		Middle River entrance	26 7	80 7		
	CAPE HATTERAS	35 14	75 30		CAPE FLORIDA	25 42	80 9		
	Extreme shoal off do.	35 3	75 23		Aliol. N. P.	25 20	80 20		
	Deep soundings off do.	34 56	75 9		Cuyo Largo or Long Key, N. E. P.	24 57	80 35		
Ocracock Inlet	35 1	75 59		— S. E. P.	24 52	80 34			
Cedar Inlet	34 47	76 22		Sombrero or Hat Key	24 32	81 23			
CAPE LOOKOUT	34 34	76 37		Looe Key	24 28	81 37			
Extreme shoal off do.	34 21	76 32		Samboes	24 25	81 47			
Deep soundings off do.	34 7	76 12		Sand Key or C. Arena	24 21	81 59			
Old Topsail Inlet	34 39	76 46		S. W. end of shoals off C. Florida	24 20	82 31			
Beaufort (N. C.)	34 42	76 46		Tortugas Islands and Banks. N. W. part	24 34	83 2			
Chesman's Inlet	34 41	76 51		— N. E. do.	24 37	82 45			
Bouge Inlet	34 38	77 14		— S. E. do.	24 33	82 45			
Swan-borough	34 41	77 17		— S. W. do.	24 25	83 00			
Bear Inlet	34 36	77 21		Key Marquis	24 30	82 13			
New River Inlet	34 34	77 30		Boca Grande or Great Mouth	24 32	82 11			
Stump Inlet	34 31	77 37		Key Samba	24 35	81 53			
New Topsail Inlet	34 27	77 44		Island of Pines	24 42	81 41			
Sandy Inlet	34 19	77 55		Keys of Bay Honda	24 44	81 29			
Deep Inlet	34 14	78 00		Key Vacas	24 41	81 17			
WILMINGTON	34 17	78 10		Key Agi	24 49	81 16			
Brunswick	34 3	78 10		Cape Sable or Taucha	24 50	81 19			
Smithville	33 54	78 13		Cape Romano or P. Larga	26 00	81 51			
New Inlet	33 57	78 6		Boca Grande ent. B. Carlos	26 41	82 10			
CAPE FEAR	33 48	78 9		Boca Serraxofa	27 16	82 37			
Extreme shoal off do.	33 36	77 47		Spirito Santo Bay ent.	27 38	82 47			
Deep soundings off do.	33 11	77 26		Keys Anclote	28 11	83 7			
Lockwood's Folly Inlet	33 53	78 25		Keys of St. Martin	28 49	83 1			
Shallot	33 51	78 39		Fresh water Keys	29 8	83 5			
Little River Inlet	33 50	78 49		Cayos de Cedres	29 23	83 5			
GEORGETOWN	33 25	79 00		St. Marcos de Apalache	30 9	84 19			
Ditto light	33 13	78 55		South Cape	29 48	84 29			
Shoals off do.	33 8	78 42		St. George's Key, S. P.	29 30	85 18			
Cape Roman	33 2	79 6		Cape St. Blas	29 36	85 35			
CHARLESTON	32 46	79 48		Bay St. Andres (E. point of Island Rosa)	30 21	86 43			
Charleston light-house	32 40	79 40		Bay St. Rosa (W. point of do.)	30 19	87 31			
North Eddisto Inlet	32 30	79 59		PENSACOLA	30 24	87 27			
South Eddisto Inlet	32 23	80 7		River Perdido	30 18	87 46			
BEAUFORT (S. C.)	32 28	80 33		Mobile Point	30 13	88 1			
Port Royal entrance	32 8	80 27		MOBILE	30 40	88 21			
Tybee light	32 00	80 49		Massacre Island	30 12	88 37			
SAVANNAH	32 2	81 3		I. del Cuerpo	30 12	88 49			
St. Catherine's Sound	31 37	81 13		Candelarius, N. P.	29 59	88 57			
St. Simon's Sound	31 1	81 36		— S. P.	29 28	89 12			
Brunswick (Geo.)	31 10								
Amelia Sound (entrance of St. Mary's river)	30 44	81 43							
Cumberland Isl. (S. P.)	30 43	81 35							
Amelia Island (S. P.)	30 28	81 36							
River Nassau entrance	30 28	81 35							
River St. John entrance	30 21	81 35							
St. Augustine	29 51	81 28							
Island Anastasia, N. P.	29 51	81 23							
— S. P.	29 37	81 17							

East Coast of Florida.

South Coast of Florida.

West Coast of Florida.

Virginia

Maryland

North Carolina

South Carolina

Georgia

E. C. of Florida

TABLE XLVI. Latitudes and Longitudes.

	Lat.		Long.			Lat.		Long.	
	D. M.	D. M.	D. M.	D. M.		D. M.	D. M.	D. M.	D. M.
Louisiana.	Key Breton	29 28N	89 18W		St. Christ's or St. Kitts				
	Entrance of MISSISSIPPI, N. E.	29 12	89 9		— N. W. point	17 24N	62 51W		
	— La Balise	29 8	89 6		St. Eustatia Town	17 29	63 2		
	— S. E.	28 59	89 13		Saba	17 40	63 16		
	— S. W.	28 56	89 29		Aves or Bird's I. about	15 40	63 40		
	NEW-ORLEANS	29 57	90 9		Barbuda, N. P.	17 44	61 50		
	Baton Rouge	30 36	91 13		St. Bartholomew, E. P.	17 54	62 40		
	Long-Island	29 15	90 14		St. Martin's, E. P.	18 4	63 1		
	I. Tonbalie, S. P.	28 52	90 39		Anguila, S. W. point	18 12	63 8		
	I. del Vino W. end	28 56	91 24		— N. E. do.	18 18	62 52		
	Bancos de Hostiones,				Prickly Pear	18 20	63 15		
	— S. P.	28 50	91 44		Isle of Dogs, western	18 19	63 20		
	— W. P.	29 26	93 4		Sombrero	18 38	63 30		
	Iron Point or Point Fierro	29 14	92 7		St. Croix or St. Cruz E. P.	17 45	64 34		
	Deer Point	29 26	92 29		— W. P.	17 42	64 54		
	Point del Pajaro	29 24	92 48		Anegado, S. P. of shoal	18 36	64 9		
	River Lobos, ent.	29 32	93 4		— W. P.	18 46	64 23		
	Salt water Bay	29 26	93 28		Virgin Gorda, E. P.	18 30	64 18		
	Constant Bay	29 27	93 39		Tortola, E. P.	18 28	64 31		
	River Mermentao	29 38	94 11		— W. P.	18 25	64 42		
	Point ent. river Sabine	29 40	94 57		St. John's	18 22	64 42		
					St. Thomas	18 22	64 55		
				Bird Key	18 15	64 50			
				Serpent I. E. part	18 19	65 17			
				— Crab I. E. part	18 10	65 15			
II. Islands in the West Indies.									
	Lat.		Long.			Lat.		Long.	
	D. M.	D. M.	D. M.	D. M.		D. M.	D. M.	D. M.	D. M.
Windward Islands.	TRINIDAD,	10 39N	61 30W		Cape St. John or N. E.	18 24	65 35		
	— Spanish Town	10 4	61 55		PORTO RICO	18 29	66 5		
	— Icaque Point	10 4	61 55		Point Bruquen or N.W.	18 31	67 7		
	— Point Galiete	10 9	60 55		Point St. Francisco	18 22	67 13		
	— Point Galera	10 51	60 51		Cape Roxo or S. W. P.	17 58	67 9		
	Tobago, N. E. Point	11 29	60 17		Los Morillos	18 00	67 16		
	— S. W. point	11 5	60 48		Point Coama	17 55	66 27		
	Grenada, N. E. point	12 19	61 40		C. MalaPasqua or SE.P.	17 59	65 47		
	— S. W. point	11 58	61 52		Shoal	19 20	65 50		
	Grenada Bank Middle	11 55	62 18						
	Barbadoes, S. P.	13 1	59 36		Muertos Island	17 52	66 30		
	— E. do.	13 8	59 24		La Moon I.	18 6	67 50		
	— Bridgetown	13 5	59 41		Monito I.	18 9	67 53		
	— N. W. point	13 18	59 44		Zacheo or Dessecheo I.	18 24	67 26		
	St. Vincents, N. point	13 12	61 21						
	— S. do.	13 4	61 20		Cape Engano	18 35	68 20		
	St. Lucia, S. point	13 30	61 00		Saona I. E. part	18 13	68 31		
	— N. do.	13 56	60 56		St. Catherine's I.	18 18	68 58		
	Martinico, S. E. point	14 24	60 56		St. Domingo	18 28	69 51		
	— Diamond Rock	14 24	61 6		La Catalina	18 8	70 11		
	— Port Royal	14 36	61 9		Cape Beata	17 42	71 20		
	— Macouba Point	14 56	61 28		Altavela rock off do.	17 28	71 21		
Dominica, S. point	15 14	61 28		Cape Jacquemel	18 13	72 35			
— N. do.	15 39	61 30		Island Baca	18 4	73 38			
The Saints Island	15 52	61 37		Point Gravois	18 00	73 55			
Mariagalante, N. P.	16 4	61 14		Cape Tiberon	18 20	74 29			
— S. do.	15 53	61 15		Navaza Island	18 24	75 3			
Guadaloupe, S. W. P.	15 58	61 48		Cape Donna Maria	18 38	74 27			
— N. W. do.	16 20	61 56		Jeremy	18 38	74 7			
— N. E. do.	16 30	61 32		Caymito	18 39	73 43			
— S. E. do.	16 11	61 15		Petit Guave	18 25	72 54			
Descada	16 21	61 8		Leogane	18 29	72 38			
Antigua, E. P.	17 5	61 44		PORT-AU-PRINCE	18 33	72 21			
— W. point	17 5	62 00		I. Gonave, S. E. P.	18 42	72 47			
Monserrat, S. P.	16 42	62 17		— N. W. P.	18 56	73 18			
— N. P.	16 50	62 17		St. Mark	19 4	72 45			
Redondo Island	16 56	62 22		St. Nichola Mole	19 49	73 25			
Nevis	17 9	62 33		Tortudas W. P.	20 6	72 54			
St. Christ's or St. Kitts				— E. P.	20 2	72 35			
— S. E. point	17 12	62 38		CAPE FRANCOIS	19 45	72 13			

	Lat.		Long.			Lat.		Long.	
	D.	M.	D.	M.		D.	M.	D.	M.
Port Dauphin	19	42N	71	55W	Los Colorados, S. W.P.	22	19N	84	44W
Shoal off M. Christophe	20	2	71	40	— N. E. P.	22	58	83	8
Monte Christophe	19	54	71	43	Point Juan and Jaunito	22	22	84	21
Point Isabella	19	58	71	10	Hill Guajibon	22	18	83	21
Old Cape Francois	19	40	69	55	Bay Honda	22	54	83	5
Cape Samana	19	16	69	7	Port Cabanas	22	58	82	52
Cape Raphael	19	3	68	53	MARIEL	23	1	82	45
Morant, E. P.	17	58	76	9	River Banco	23	4	82	38
KINGSTON	18	1	76	51	HAVANNAH (the Moro)	23	9	82	19
Port Royal	17	59	76	55	Point Escondido	23	8	81	47
Portland Point	17	42	77	14	Point Guanias	23	9	81	40
Pedro Bluffs	17	50	77	55	Pan of Matanzas	23	2	81	22
Black River	18	1	78	1	MATANZAS	23	2	81	36
Savannah la-Mar	18	13	78	23	Point Yeacos	23	8	81	9
Cape Negril, S. point	18	14	78	37	Stone Key off do.	23	12	81	9
— N. do.	18	24	78	35	Key Cruz del Padre	23	14	80	55
Montego Bay	18	31	78	9	Las Cabezas	23	16	80	43
Martha Brae	18	31	77	49	Nicholas shoal	23	10	80	13
St. Ann's	18	31	77	22	Key Carenero	22	51	79	49
Galina Point	18	29	76	59	Key Francis	22	40	79	17
Arnatta Bay	18	21	76	51	Key William (northernmost)	22	36	78	34
N. E. Point	18	13	76	20	St. Juan	22	14	78	58
Morant Keys or Las Ranas	17	25	76	00	Key Coco S. side Bahama channel	22	29	78	17
Pedro Shoals	—	—	—	—	Key Point Paredon do.	22	30	79	5
— Portland R. N. E. P.	17	00	77	13	The Barrel	22	25	77	56
— Rattlesnake, N. W.	—	—	—	—	Cayo Confites	22	11	77	40
— South part	17	5	79	13	Cayo or Key Verde	22	5	77	37
Formigas Shoal, N.E.P.	18	34	73	42	Guajava	21	54	77	25
— S. W. P.	18	28	75	51	Point Maternillos	21	40	76	59
Little Cayman, S. W. P.	19	36	80	5	Point de Mangle	21	13	76	14
Caymanbraek, E. P.	19	43	79	52	Point de Mulas	21	7	75	34
Grand Cayman, S.W.P.	19	18	81	5	Tanamo	20	43	75	13
— E. P.	19	19	80	37	Key Moa	20	44	74	49
Swan Islands	17	21	84	4	Point Guarico	20	40	74	41
New Shoal	15	56	79	8	Baracoa	20	22	74	25
Navaza	18	24	75	3	Shoal	19	56	69	5
Cape Mayze	20	14	74	4	Nativity bank or E. reef	20	8	68	41
C. Bueno or Guanias	20	6	74	12	Superb shoal	20	58	68	9
Point ent. Cumberland Har.	19	54	75	11	Silver Key, S. E. end	20	15	69	29
St. JAGO DE CUBA, entrance	19	57	76	5	— N. E. do.	20	32	69	27
Tarquin's Peak	19	54	76	50	— W. do.	20	29	69	59
Cape Cruz	19	47	77	42	Square Handkerchief, N. E. P.	21	20	70	23
Boca del este	20	19	79	8	— S. E. P.	20	56	70	2
Key Breton	21	6	79	55	— S. W. P.	20	53	70	56
Trinidad river	21	44	80	5	Turk's Island, Grand T.	21	30	71	3
Bay Xagua	21	53	80	48	— Salt Key	21	20	70	52
Stone Keys	21	47	81	45	— Sand Key	21	12	71	10
Los Jardines	21	37	81	31	— Endymion's Rocks	21	7	71	15
S. E. point of the Bank	21	24	81	18	Great Caycos, south Part	21	31	71	27
El Jardinillo	21	24	81	50	— N. E. P. or shoal	21	45	71	22
Keys Jardines	21	24	82	4	St. Philip	21	54	71	47
— Pines, S. W. P.	21	22	82	55	— N. W. part	21	54	71	47
Indian Keys	21	29	82	56	North Caycos, middle	21	56	71	57
Keys St. Philip	21	48	83	6	Booby Rocks off do.	21	58	71	57
Point Piedras	21	48	83	42	Providence Caycos, N. W. P.	21	52	72	21
Cape Orientes	21	43	84	23	Little Caycos, S. W. P.	21	36	72	27
Cape St. Antonio	21	54	84	57	Key Francis	21	31	72	7
Sancho Pedro Shoal	22	4	85	28	Sand Key	21	18	72	3
Shoal discovered in 1797	22	6	85	2	South Keys shoal	21	1	71	43

Jamaica.

North side of Cuba.

South side of Cuba.

Caycos I.

TABLE XLVI. Latitudes and Longitudes.

	Lat.	Long.		Lat.	Long.
	D. M.	D. M.		D. M.	D. M.
Great Inagua or Heneaga, N. E. P.	21 19N	73 1W	Leeward Stocking I.	23 50N	76 10W
— S. E. P.	21 00	73 6	THE HOLE IN THE WALL	25 51	77 13
— S. W. P.	20 54	73 41	Rocky point of Abaco	26 14	77 5
— N. W. P.	21 8	73 41	Elbow Key	26 31	77 00
Little Heneaga, E. P.	21 28	72 55	Man of War Key	26 36	77 5
— W. P.	21 28	73 7	Great Guano Key	26 43	77 11
Hogsties or Corrolaes Bank	21 39	74 00	Los Galapagos, N. P.	27 22	78 21
Mayaguana E. Reef	22 17	72 39	Lit. Bahama Bank, N.P.	27 50	79 11
— N. do.	22 30	73 6	Memory Rock	26 58	79 4
— S. W. point	22 20	73 11	Sand Key	26 54	79 1
French Keys or I. Planas	22 40	73 34	Wood Key, or C. Leno	26 46	79 00
Miraporvos Keys	22 7	74 32	Great Bahama I. W. P.	26 38	78 55
Castle Island or South Key	22 8	74 20	— S. P.	26 21	78 35
Fortune Island, W. P.	22 30	74 20	— E. P.	26 19	78 9
North Key, Bird I.	22 50	74 22	Dog Keys, N.P.	24 1	79 45
Crooked Island, W. P.	22 48	74 18	Water Key	23 58	79 57
— E. P.	22 38	73 50	Double-headed Shot Key, Western	23 52	80 14
Atwood's Keys, or I. Samana, E. P.	23 5	73 35	Salt Key	23 39	80 8
— W. P.	23 3	73 49	Anguila, E. P.	23 27	79 14
Rum Key	23 34	74 57	Bermuda		
Watland's I. N. E. P.	24 6	74 26	— GEORGETOWN,	32 22	64 33
— S. P.	23 57	74 37	— Wreck Hill, western-most-land	32 15	64 50
Conception, or Little I. St. Salvador, or Guanahary S. P.	23 52	75 16	Best Latitude to run for Bermuda	32 8	
— N. P.	24 33	75 49			
Little St. Salvador, N.P.	24 32	76 12			
Eleuthera or Hetera I.					
— Powell's Point, S. P.	24 38	76 23			
— Point Palmeto	25 12	76 26			
— James Point	25 24	76 36			
Harbour Island	25 29	76 50			
Egg Island, W. P.	25 28	77 6			
New Providence					
— NASSAU	25 5	77 22			
— E. P.	24 59	77 9			
— W. P.	24 59	77 35			
Andros Islands, S. P.	24 4	77 45			
— N. P.	25 24	78 3			
Berry Islands, Eastern	25 22	77 41			
— Northern	25 49	78 1			
— Great Harbour	25 49	78 5			
Little Isaac, Eastern	25 57	78 46			
Great Isaac	26 1	79 2			
Bemini Island, northern fresh water key	25 43	79 8			
Cat Key	25 23	79 10			
Riding Rocks	25 17	79 4			
Orange Keys, North	24 58	79 6			
— South	24 53	79 6			
Key Guinchos	22 44	78 1			
Key Lobos	22 25	77 33			
Las Mucaras	22 10	77 12			
South edge of the Bank	22 5	76 22			
Key St. Domingo	21 45	75 45			
St. Vincent's Shoal	21 56	75 19			
Key Verde Island	22 1	75 5			
Key Sal	22 12	75 41			
Yuma or Long I. S. P.	22 49	74 46			
— N. P.	23 30	75 19			
Exuma, N. W. P.	23 36	75 51			

	Lat.	Long.
	D. M.	D. M.
Point Culebrao, E. part	29 10N	96 5W
I. St. Louis	29 10N	96 5W
Point St. Francisco, entrance of Bay St. Bernard	28 58	96 55
Horse Inlet	28 8	97 35
Point of the Coast	26 46	97 35
Bar de St. Jago	26 5	97 31
River Brabo, ent.	25 55	97 26
River St. Fernando, ent.	25 22	97 32
Inlets to Laguna Madre	25 2	97 41
Bar de la Marine, entrance river St. Ander	23 45	97 58
Bar del Tordo	22 52	97 57
Mount Commandante	22 48	97 58
Bar de la Trinidad	22 39	97 57
Bar Ciega	22 34	97 58
River Tampico	22 16	98 2
Point de Xeres	21 55	97 45
Cape Rojo	21 45	97 35
Tamisagua City	21 16	97 45
River Tuspan, ent.	21 1	97 30
Point Piedras	20 50	97 21
River Cazonces	20 44	97 15
Tenestquepe	20 40	97 12
Boca de Lima	20 37	97 7
River Tocoluta, ent.	20 30	97 1
Mount Gordo	20 22	96 57
River Nauta, ent.	20 16	96 50
River Palina, ent.	20 10	96 45
Point Piedras	20 00	96 35
River de Santa Nos.	19 55	96 30

	Lat.		Long.			Lat.		Long.	
	D.	M.	D.	M.		D.	M.	D.	M.
South coast of the Gulf of Mexico.	Point Delgada . . .	19 52N	96 26W		Bay Ascension, ent.	19 26N	88 3W		
	Point N. Andrea . . .	19 43	96 21		Island Cosumel, N. P.	20 11	86 34		
	Point de Bernet . . .	19 40	96 21		— S. E. P.	19 52	86 32		
	River St. John Angel	19 32	96 20		Rio Hondo, ent.	19 4	88 17		
	Xalapa . . .	19 32	96 50		I. Uvero, N. P.	19 20	88 3		
	Peak de Orizaba . . .	19 2	97 9		— S. P.	18 22	87 53		
	Point de Sampola . . .	19 30	96 16		I. St. Cruz	19 20	87 52		
	River St. Carlos . . .	19 26	96 15		Key Jaicos . . .	18 14	87 52		
	River Antigua . . .	19 20	96 14		North Reef . . .	18 2	87 50		
	Point Gorda . . .	19 15	96 4		Chief Channel . . .	17 54	87 55		
	VERA CRUZ . . .	19 11	96 4		Wallis's River, ent.	17 52	88 19		
	St. John de Ulloa . . .	19 15	95 58		El Chinchorro I. N. P.	18 58	87 11		
	Xamapa . . .	19 4	96 6		— S. P. of shoal	18 19	87 6		
	River Medellin, ent.	19 6	95 59		Misteriosa I.	18 38	85 25		
	Point Auton Lisardo	19 4	95 45		Viciosi I.	18 00	84 44		
	Bar de Alvarado . . .	18 46	95 38		Santanilla or Swan I.	17 21	84 4		
	Tlacotalpan . . .	18 35	95 29		South Keys, N. P.	17 30	87 12		
	Vigia . . .	18 38	95 18		— Hat Key, S. P.	17 00	87 9		
	Point Roca-Partida	18 40	91 59		Longcristle, or Glover's				
	Point Morillos . . .	18 41	94 51		Reef, S. P.	16 21	87 41		
	Tuxtla . . .	18 18	95 5		Sapotillas Keys, S. E. P.	16 00	88 12		
	Point Zapotitan . . .	18 34	94 41		Rattan I. E. P.	16 24	86 20		
	Point Xicacal . . .	18 27	94 37		— W. P.	16 13	86 57		
	Point St. John . . .	18 19	94 29		Guanaja or Bonacca I.	16 32	86 7		
	Barrilla . . .	18 7	94 27		Point Manabique	15 39	88 29		
	Bar Guazacoalcos	18 8	94 12		Omoa . . .	15 37	87 57		
	River Tonclado . . .	18 8	93 55		Point Pal . . .	15 47	87 29		
	River St. Ann . . .	18 8	93 41		Triunfo de la Cruz	15 41	87 17		
	River Cupilco . . .	18 13	93 8		Utilla I. N. P.	16 00	87 2		
	Dos Bocas . . .	18 13	92 45		Truxillo . . .	15 53	86 6		
	River Chittepeque	18 14	92 39		Cape Delegado, or Hon-				
	River Tabasco . . .	18 22	92 7		duras . . .	16 00	86 11		
	River St. Peter & Paul	18 27	91 54		Cape Camron . . .	16 2	85 10		
	Point Jicalango . . .	18 44	91 29		Cape False . . .	15 14	83 3		
	Island Carmen . . .	18 46	91 14		Cape Gracios a Dios	14 57	82 46		
	Point Escondido . . .	18 50	90 51		Caxones, W. P.	16 2	83 11		
	River Chen . . .	19 20	90 36		— S. E. P.	15 41	82 27		
	Point Morros . . .	19 40	90 39		Cayman or Vivorilla	15 46	83 26		
	CAMPECHE . . .	19 50	90 30		Key John Thomas	15 23	81 49		
	Point Desconocida	20 55	90 29		Alagarte Alla, N. W. P.	15 21	82 5		
	Point Gorda . . .	21 6	90 19		— S. E. P.	15 5	81 54		
	Point Piedras . . .	21 9	90 13		Serranilla . . .	16 5	80 9		
	Igil . . .	21 20	89 19		Serrana or Pearl I. N. P.	14 46	79 47		
	St. Clara . . .	21 22	88 45		— S. P.	14 23	79 51		
	Bocas de Silan . . .	21 26	88 23		Guana Reefs, N. P.	14 49	80 44		
El Cuyo . . .	21 30	87 43		— S. P.	13 59	80 41			
Island Jolvas, N. P.	21 30	87 11		Roncador . . .	13 39	79 46			
Island Contoy, N. P.	21 36	86 52		Musketeers . . .	13 27	79 46			
Las Arcas Islands	20 16	91 51		Providenc I. N. P.	13 27	80 39			
Bank Obispo . . .	20 32	92 5		Musquito Keys, N. P.	14 49	82 19			
Triangles Islands	20 59	92 7		Ned Thomas' Keys,					
New Shoal . . .	20 33	91 50		S. P.	14 12	82 21			
Bajo Nueva I. . .	21 50	91 48		Bracman's Bluff . . .	13 51	82 50			
Island Arenas . . .	22 7	91 26		Man of War Keys	13 4	82 39			
I. Bermeja, or N. W.				Little Corn Island	12 19	82 6			
Shoal . . .	22 36	91 21		Great Corn Island	12 10	82 11			
Bajo Sisal . . .	21 27	90 2		Bluefields, ent.	11 50	82 54			
Alacran . . .	22 29	89 26		I. St. Andrew, mid.	12 37	81 00			
N. part of Bank off this				E. S. E. Keys . . .	12 22	80 41			
coast . . .	23 43	88 43		S. S. W. Key, or Al-					
N. E. do. . .	23 27	86 37		burquerque . . .	12 6	81 8			
I. de Mujeres, or Wo-				Paxoro Bovo . . .	11 20	82 48			
men's I. . .	21 18	86 42		St. John's Point	10 41	82 54			
I. Cankun, S. P. . .	20 42	86 58		Port Boco Toro . . .	9 29	82 5			
New River . . .	20 26	87 15		I. Escudo, N. P.	9 14	80 57			
River Bacales . . .	20 5	87 34		River Chagre, ent.	9 20	80 3			



TABLE XLVI. Latitudes and Longitudes.

	Lat.	Long.		Lat.	Long.	
	D. M.	D. M.		D. M.	D. M.	
PORTO BELLO	9 33N	79 35W	Cuba.	New Barcelona	10 8N 64 46W	
Farallon I. N. P.	9 40	79 33		I. Borracho	10 20	64 48
Point Manzanillo	9 38	79 20		Sante Fe	10 16	64 31
Point St. Blas	9 33	78 40		Cumana	10 27	64 15
Point Conception	9 19	77 53		Araya	10 35	64 20
Isle of Pines	8 55	77 39		Morro Chocopata	10 42	63 54
Cape Tiburon	8 40	77 29		Escondido or Hidden		
River Suniquillo, ent.	7 57	76 54		Port	10 41	63 27
Point Carabana	8 37	76 57		Cape Malpasqua	10 42	63 4
Point Arboletes	8 49	76 32		Cape Three Points	10 46	62 44
Island Fuerte	9 20	76 13	Point Galera	10 45	62 33	
I. St. Bernard, N. W. P.	9 48	75 50	Point Pena or Salina	10 44	61 53	
CARTHAGENA	10 25	75 29	Dragon's Mouth	10 41	61 48	
Galera de Samba	10 48	75 20	River Gaurapiche, ent.	10 12	62 43	
West ent. River Mag-			Point Morro	9 54	61 58	
dalen	11 3	74 56	Oronoco River	8 25	60 26	
St. Martha	11 15	74 11	Cape Barma	8 22	60 4	
Cape Aguja	11 21	74 12	Essequibo River	7 00	58 20	
Bank Navio quebrado	11 36	73 11	DEMERARA river, ent.			
Hacha	11 31	72 56	Corrobano Point	6 48	57 58	
Cape la Vela	12 11	72 14	River Berbice, Ent.	6 20	57 11	
Point Galinas	12 27	71 41	SURINAM River, ent.	5 58	55 15	
Monges Islands, N. P.	12 31	70 59	Paramaribo	5 49	55 15	
Cape Chichibacoa	12 17	71 17	R. Marouri, entrance	5 50	53 52	
Point Espada	12 5	71 8	CAYENNE	4 56	52 15	
St. Carlos	11 3	71 12	Oyapock River, St. Louis	3 51	51 40	
MARACAYBO	10 43	71 17	Cape Orange	4 12	51 20	
Coro	11 24	69 46	R. Cassipour, entrance	3 54	51 10	
Point Cardon	11 35	70 20	Cape North	1 48	50 10	
Point Macolla	12 6	70 19	Mouth of River Amazon	0 18	50 00	
Cape St. Roman	12 12	70 7	Cape Magoany	0 17S.	47 56	
Island Oruba, N. W. P.	12 38	70 9	Point Tagioca	0 33	47 28	
— S. E. P.	12 25	69 58	Para	1 28	47 58	
Point Aricula	11 57	69 53	Bay Maracuno	0 37	47 10	
Point Savannos	11 33	69 10	Caité Harb.	0 47	46 33	
Point Soldado	11 14	68 35	Cape Gurapi	0 42	45 22	
Key Borrocho	10 57	68 19	Shoal	0 52	43 40	
Tucacas	10 51	68 17	Island of St. Joao	1 17	44 13	
PORTO CABELLO	10 29	68 4	Bay of Mt. Luis	1 5	43 18	
Valencia	10 18	68 7	Bay de Cabalo de Velha	1 30	43 54	
Point St. John Andres	10 30	67 48	Point of B. Atius	2 3	43 44	
Point Oriearo	10 34	67 17	Itaculumí	2 7	43 50	
Point Trincheira	10 38	67 4	S. Marcos	2 27	43 40	
LA GUIRA	10 37	66 59	Va. de Alacntra	2 22	43 47	
CARRACCAS	10 30	66 57	St. Luis de Maranham	2 29	43 40	
Centinela I. or White			Coroa Grande, or Great			
Rock	10 50	66 6	Crown Banks, N. E.			
Cape Codera	10 36	66 3	Point	2 12	43 18	
Curacoa I. N. P.	12 24	69 13	Fin dos Lancoes Grandes	2 19	42 40	
— S. E. P.	12 2	68 46	I. St. Anna	2 18	43 5	
Little Curaco	11 59	68 41	Bay of Rio Perguicas	2 23	42 4	
Buenaire, N. P.	12 21	68 26	Iquarasu ent. Parnhaiba	2 44	41 20	
— S. P.	12 2	68 18	Jericocacoara	2 44	40 15	
Birds or Aves I. western	12 00	67 42	Coras de Caracu	2 48	39 44	
— Eastern	11 58	67 29	Mount Melancias Point	3 7	39 7	
Roca, W. P.	11 51	66 58	Searra	3 32	38 27	
— E. P.	11 51	66 32	Bay Iguape	3 40	38 14	
Orchilla I.	11 49	66 5	Rocas (dangerous)	3 52	33 26	
Blanca I.	11 52	64 40	St. Lorenzo	3 57	37 52	
Tortuga I.	10 57	65 19	Point Daniel	4 42	37 24	
Seven Brothers mid.	11 46	64 27	Baxos de Salino	4 40	37 00	
Margarita, W. P.	11 2	64 28	Point Pedras	4 52	36 38	
— E. P.	11 00	63 50	Cape St. Roque	5 8	35 38	
I. Cungua or Pearl I.	10 49	64 14	River Parahiba, ent.	6 48	35 10	
Friars I.	11 14	63 48	L. Tamarica	7 46	34 57	
L. Sola	11 20	63 38	Pernambuco	8 11	35 2	
Testigos I.	11 24	63 9	Cape St. Augustine	8 29	34 51	
River Orquilla ent.	10 8	65 32	Rio St. Francisco	10 57	35 4	

TABLE XLVI. Latitudes and Longitudes.

		Lat.	Long.	IV. West Coast of America from Cape Horn to Icy Cape.			
		D. M.	D. M.				
Brazil.	ST. SALVADOR (Cape St. Antonio)	13 18.	38 32W	Terra del Fuego.	CAPE HORN	Lat. 55 58S.	Long. 67 21W
	I. das Ilhos	14 52	38 50		I. Diego Ramirez S. part	56 32	68 36
	Porto Seguro	16 40	39 00		— N. part	56 25	68 45
	Abroghos Islands	18 00	38 22		I. St. Ildefonso S. P.	55 56	69 17
	Espirito Santo	20 11	39 39		Terra del Fuego		
	Cape St. Thomas	21 59	40 40		— False Cape Horn	55 42	68 8
	St. Ann's Islands	22 22	41 46		— Yorkinister	55 27	70 4
	John's Is. St. Ann's Bay	22 35	42 5		— C. Gloucester.	54 7	73 35
	Anchor Island	22 44	41 50		— Cape Pillars S. W. entrance to Magellan's Straits	52 4	74 57
	CAPE FRIO	23 1	42 6		Evangelist I. W. entr. Magellan's Straits	52 34	75 5
	Monks Islands	22 59	42 29		Cape Victory	52 25	74 57
	Point Negra	23 00	42 41		Cape St Jago	50 54	75 30
	Maurice Islands	23 2	42 56		Cape Three Points	49 46	75 45
	Razor I. off R. Janeiro	23 5	43 16		Cape Corso	49 26	75 45
	Point St. Cruz	22 57	43 16		I. Campana N. W. point	48 00	75 19
	RIO JANEIRO harb.	22 52	43 18		Cape Tres Montes	46 59	75 27
	Sugar Loaf	22 58	43 17		Cape Taitaobaohuon	45 51	75 28
	River Guaratiba	23 10	43 39		I. Huafo W. part	44 00	74 42
	Point Maranbaya	23 17	43 58		P. Quilan	43 41	74 21
	I. Grande S. P.	23 22	44 9		P. St. Carlos	41 49	73 53
Point Joantina	23 27	44 22	P. Quedal	41 5	74 9		
I. St. Sebastian, N. P.	23 36	45 2	P. de la Galera	39 54	73 46		
— S. P.	23 52	45 2	VALDIVIA, entrance	39 51	73 33		
Mount Trigo	23 59	45 4	P. Tirua	38 29	73 46		
St. Catherine's Island	27 32	48 00	I. de la Mocha W. part	38 20	74 5		
Porto St. Pedro	32 9	52 2	St. Maria Islands N. P.	36 59	73 41		
Cape St. Mary	34 39	53 58	— S. P.	37 5	73 42		
I. Lobos	35 2	54 42	CONCEPTION, city	36 49	73 9		
Maldonado harbour	34 56	54 50	Talcahuano. port of do.	36 41	73 12		
Point Piedras	35 29	57 2	Santiago	33 27	70 43		
MONTE VIDEO	34 54	56 4	VALPARAISO, port	33 1	71 37		
BUENOS AYRES	34 37	58 24	Point Ballena	31 50	71 44		
Cape St. Antonio	36 21	56 45	Coquimbo	29 56	71 19		
Cape Lobos	36 55	56 47	Huasco	28 26	71 15		
Cape Orientes	37 59	57 39	Copiapu	27 10	71 8		
Point de Neuva	42 55	64 9	P. Negra	26 24	70 56		
St. Helena	44 30	65 27	Isl. St. Felix, Eastern	26 20	79 47		
St. George's Bay, C. Cordova	45 45	67 25	— Western	26 16	80 3		
Cape Blanco	47 15	65 57	I. Blanca	24 56	70 36		
Point Desire	47 45	66 2	Morro Moreno	23 18	70 32		
Port St. Julian, ent.	49 7	67 42	Morro de Mexilones	23 4	70 28		
St. Cruz harbour	50 19	68 29	Point Tames	22 33	70 10		
Cape Fairweather	51 34	68 59	Jaguy de Raquiza	21 50	70 9		
Cape Virgins, northern point of entrance to Magellan's Straits	52 24	68 25	Pavillon de Pica	20 58	70 16		
Cape Espirito Santo (south point of entrance to do.)	52 40	68 26	Point Piedras	20 5	70 13		
Terra del Fuego C. Penas	53 45	67 29	Point Pisagua	19 26	70 19		
— Cape St. Diego	54 37	65 5	Arica	18 27	70 19		
Staten Land			Point de Coles	17 42	71 14		
— C. St. John, easternmost land near C. Horn	54 48	63 42	Ilo	17 38	71 13		
— C. St. Bartholomew	54 57	64 39	Point Cornejo	16 41	72 46		
— C. del Medio entr. to Le Maire's Straits	54 49	64 48	Cumana	16 17	73 21		
New Island E. part	55 17	66 25	Atico	16 8	73 47		
Evout's Island, middle	55 32	66 47	R. St. Juan	15 15	75 14		
Bernabelas Islands, E.P.	55 44	66 46	Los Amigos Point	14 27	76 2		
CAPE HORN, South part of Hermit's Isl.	55 58	67 21	Pisco	13 46	76 12		
			Caneta	13 1	76 27		
			P. Chilca	12 33	76 43		
			I. St. Lorenzo, W. P.	12 5	77 8		
			LIMA	12 3	76 55		
			CALLO, sea port of Lima	12 2	77 4		
			I. Escudor, W. part	11 46	77 16		

TABLE XLVI. Latitudes and Longitudes.

	Lat.	Long.		Lat.	Long.	
	D. M.	D. M.		D. M.	D. M.	
Peru.	Jos Hormigas Islands	11 56S.	77 48W	Agualeo	16 2N.	96 52W
	I. Pelada	11 27	77 41	ACAPULCO	16 55	100 54
	Island St. Martin	11 3	77 30	Cape Corientes	20 32	105 35
	Point Santander	10 39	77 41	St. Blas	21 30	104 50
	Rock seen in 1792	10 48	78 48	Tres Marias	21 28	106 29
	Ferrol (entrance)	9 7	78 30	St. Joseph	23 4	109 42
	Truxillo	8 8	78 53	Cape St. Lucas	22 44	109 54
	I. Malabrigo (port)	7 48	79 21	Morro Hermosa	27 46	114 41
	Isl. Lobos de Mer	6 58	80 44	Redondo Island	29 49	115 10
	Isl. Lobos de Tierra	6 24	80 46	Bay St. Francisco	30 23	115 36
	Eten	6 56	79 49	B. Todos Santos	31 46	116 22
	Point de Ajuga	5 59	81 4	Port Diego	32 39	116 59
	Point Payta	5 3	81 2	Point Conception	34 32	120 6
	Cape Blanco	4 19	81 6	Monterey	36 38	121 43
	P. Malpelo	3 32	80 17	Port St. Francisco	37 49	122 14
	GUAYAQUIL City	2 12	79 42	Cape Mendocino	40 19	124 7
	I. Puna, S. W. P.	3 4	80 8	Port Trinidad	41 3	123 54
	Point St. Helena	2 10	80 48	Cape Blanco or Orford	42 53	124 25
	I. Pelado	1 56	80 36	Cape Gregory	43 26	124 6
	Point del Callo	1 23	80 34	Cape Foulweather	44 52	124 00
I. de la Plata, W. P.	1 18	80 57	Cape Rond	45 43	123 48	
Cape St. Lorenzo	1 4	80 43	Cape Disappointment	46 19	123 59	
Manta	0 57	80 32	Cape Flattery	48 24	124 31	
Cape Pasado	0 27	80 20	Breaker's Point	49 24	126 26	
Quito	0 18	78 18	NOOTKA	49 36	126 20	
Arbol	0 15N	79 48	Woody Point	50 6	127 43	
Cape St. Francisco	0 39	79 52	Bay St. Louis	50 34	128 14	
P. de la Galera	0 48	79 51	Isles de Sartine (or Scott)	50 56	128 50	
R. Esmeraldas entrance	0 58	79 23	Cape Scott	50 48	128 20	
P. Mangles	1 37	78 52	Cape Caution	51 12	127 52	
I. Tamaco	1 47	78 38	Cape Hector or James	51 57	131 7	
P. Guaseama	2 29	78 23	Bay de la Touche	52 42	132 10	
I. Gorgona middle	2 53	78 7	Cape Henry	52 53	132 27	
River Cajambrie, ent.	3 19	77 3	Bay de Clouard	53 52	133 21	
I. de Malpelo	3 55	80 4	Point North	54 20	133 15	
I. de Palmas	3 57	77 7	Cape St. Bartolome	55 12	133 38	
P. Chirambira	4 13	77 15	Cape Ommaney	56 12	134 35	
Cape Corientes	5 34	77 15	Port Guibert	56 38	135 00	
Limones	6 3	77 11	Port Neckar	56 43	135 4	
P. St. Francisco Solano	6 49	77 47	C. Engano or Edgecumbe	57 2	135 50	
P. Garachine	8 8	78 12	Port Gaudaloupe	57 10	135 43	
PANAMA	8 57	79 22	Port de los Remedios	57 24	135 43	
P. Mala	7 24	79 53	Cape Cross	57 57	136 24	
Peurcos Point	7 13	80 13	Port des Francais	58 37	137 20	
I. Quibo, N. P.	7 41	81 37	Cape Fairweather	58 55	137 52	
Los Ladrones	7 52	82 30	Behring's Bay	59 18	139 00	
Point Burica	8 3	82 50	Point de la Boussole	59 50	140 55	
Gulfe Dulce, W. P.	8 23	83 18	Mount St. Elias	60 23	140 45	
I. Cano ent. off English harbour	8 48	83 51	Cape Hinchinbroke	60 15	146 16	
Cape Herradura	9 37	84 21	Cape Elizabeth	59 9	151 28	
Cape Blanco	9 28	84 41	Barren Isles	59 00	151 46	
Nicoya	9 42	84 57	Point Banks	58 41	152 6	
Morro Hermoso	9 45	85 5	Cape Douglass	58 56	152 50	
P. St. Catharine	10 28	85 42	Cape Whitsunday	58 15	151 46	
St. John's Har.	11 22	85 44	Cape Grenville	57 33	152 00	
Point Desolado	11 49	86 40	Trinity Islands	56 36	153 40	
Leon	12 22	86 46	Foggy Island	56 10	150 45	
Realejo	12 27	87 5	Halibut Head Island	54 27	162 30	
Aserradores	12 35	87 20	Ounalashka Island, N.P.	53 55	166 12	
Point Cosignina	12 53	87 37	Bristol R. entrance	58 12	157 33	
Point Candadillo	13 7	87 57	Round Island	58 29	159 53	
Sacatecoluca	13 26	88 47	Cape Newnham	58 34	161 55	
Point Remedios	13 30	89 42	Shoalness	60 00	161 52	
P. Gautimala	13 54	90 53	Cape Stephens	63 33	162 17	
Puerto Ventosa	16 6	95 22	Cape Denbigh	64 17	161 53	
			Cape Rodney	64 34	166 37	

North West Coast of America.

Behring's S.

	Lat.	Long.		Lat.	Long.
	D. M.	D. M.		D. M.	D. M.
Cape Prince of Wales	65 45N.	168 17W	St. Johns.	Richibucto Harbour	46 44N. 64 36W
Cape Mulgrave	67 45	165 12		St. John's I. (N. Cape).	47 5 63 45
Cape Lisburne	69 5	165 22		West Point	46 37 64 10
ICY CAPE	70 29	161 42		Cape Egmont	46 28 63 51
V. From the River St. Croix to Cape Cansor.				Halifax Bay	46 25 63 36
	Lat.	Long.		East Point	46 27 61 48
	M. D.	D. M.		Bear Cape	46 3 62 19
Entrance of St. Croix River	45 7N.	67 8W		Hilsborough Bay	46 6 62 55
Moegone's I. (entrance of St. John's River)	45 18	66 4		P. Escuminac	47 3 64 33
Cape Spencer	45 17	65 52		Miscou I. (entrance of Chaleur Bay)	48 3 64 15
C. Chignecto (entrance Bason of mines)	45 24	64 49		Cape Despair	48 27 63 58
Haute Island	45 19	64 51		Island Bonaventure	48 32 63 50
Annapolis Royal	44 47	65 50		Flat Point	48 38 63 50
Breyer's Island	44 19	66 25		Cape Gaspe	48 47 63 52
St. Mary's Cape	44 10	66 8		Cape Rozier	48 50 63 54
Cape Fourchu	43 52	66 4		Magdalen River	49 13 64 42
Seal Isles	43 27	65 55		St. Ann's River	49 3 66 8
CAPE SABLE	43 26	65 32		Mount Camille	48 37 67 45
Sable Island E. point	44 5	60 3		I. de Bik in the River St. Lawrence	48 30 68 24
— W. ditto	44 3	60 31		I. of Anticosta, E. P.	49 8 61 40
Port Roseway	43 40	65 13		— Jupiter's River	49 26 63 25
Port Mansfield	43 50	64 52		— S. W. ditto	49 22 63 23
Gambier Harbour	44 00	64 41		— West ditto	49 48 64 16
LIVERPOOL	44 5	64 40		— North ditto	49 53 63 54
Isle of Hope	43 53	64 39		Deadman's Island	47 17 61 58
Port Jackson	44 13	64 27		Entry Island	47 15 61 24
Charlotte Bay	44 34	63 53		Amherst Isl. S. W. P.	47 12 61 44
C. Sambro light-house	44 30	63 32		Magdalen Isl. N. E. P.	47 41 61 5
HALIFAX Harbour	44 36	63 28		Biron Island	47 52 61 10
Port Stephens	45 00	61 59		Bird Island	47 55 60 46
Sandwich Bay	45 8	61 36		St. Paul's Island	47 11 60 4
Torbay	45 12	61 16		VII. Newfoundland.	
Port Howe	45 13	61 6			
CAPE CANSOR.	45 18	60 56			
VI. The Gulf of St. Lawrence.					
	Lat.	Long.		Lat.	Long.
	D. M.	D. M.		D. M.	D. M.
Chedabucto Bay	45 23N.	61 00W		Limits of the Great Bank of Newfoundland, N. point	50 15N. 49 45W
Gut of Cansor, S. ent.	45 28	61 13		— South point	41 00 52 00
Cape Hinchinbroke	45 34	60 40		Outer Bank	47 00 45 00
Cape Portland	45 48	60 3		Cape Norman	51 42 56 00
LOUISBURGH	45 54	59 55		Seal Islands	51 22 56 50
CAPE BRETON	45 57	59 48		Point Ferolle	51 5 57 11
Scattery Island	46 1	59 41		St. John's Bay	50 52 57 23
Flint Island	46 9	59 48		Point Riche	50 46 57 28
Spanish Bay	46 18	60 10		Ingornechoix Bay	50 39 57 22
Port Dauphin	46 23	60 30		Bon Bay	49 36 58 5
Cape North Island	47 6	60 28		Cape St. Gregory	49 22 58 22
Cheticun Harbour	46 42	60 58		South Head	49 10 58 33
Sea Wolf Island	46 27	61 12		Cape St. George	48 30 59 12
Port Hood	45 58	61 35		Cape Anguille	48 00 59 18
Justan Corp Island	45 56	61 37		Cape Ray	47 35 59 15
GUT OF CANSOR, North entrance	45 42	61 27		Connor Bay	47 38 58 00
				Burges Island	47 33 57 37
Cape St. George or St. Lewis	45 52	61 55		Rainea Islands	47 32 57 25
Picton Island	45 51	62 27		Penguin's Islands	47 24 57 00
Cape Tormentine	46 9	63 36		Fortune Head	47 9 55 51
				Burnt Island	47 16 56 00
				Great Miquelon	47 5 56 24
				Langley Island	46 50 56 24
				St. Peter's Island	46 46 56 15

TABLE XLVI. Latitudes and Longitudes.

	Lat.	Long.		Lat.	Long.
	D. M.	D. M.		D. M.	D. M.
Point May . . .	46 56N	56 2W	Forteau Bay . . .	51 32N	57 00W
Chapeau Rouge . .	46 52	55 25	Red Cliffs . . .	51 36	56 52
Mortier Rocks . .	47 3	54 57	Black Bay . . .	51 43	56 47
Mortier Harbour . .	47 10	55 3	Red Bay . . .	51 46	56 30
Red Island, S. P. . .	47 24	54 8	York Point . . .	51 59	55 58
Virgin Rocks . . .	47 11	54 3	Cape Charles . . .	52 13	55 30
Point Brehin . . .	47 2	54 12	Great Bay of Eskimaux	54 20	57 36
Cape St. Mary . . .	46 52	54 00	Cape Harison . . .	54 54	56 50
St. Mary's Bay . . .	46 50	53 40	St. Peter's Harbour . .	56 28	60 50
Cape Pine . . .	46 44	53 25	Inchanted Cape . . .	56 40	60 55
CAPE RACE . . .	46 40	52 54	Saddle Islands . . .	57 13	60 50
Cape Race Rocks . .	46 30	51 30	East Island . . .	57 45	61 20
Cape Ballard . . .	46 49	52 42	Steel Point . . .	58 7	61 50
Cape Broyle . . .	47 8	52 35	Cardinal's Island . . .	58 50	63 00
Bay of Bull . . .	47 21	52 28	False Black Head . . .	59 20	63 19
Cape Spear . . .	47 30	52 20	Black Head . . .	59 50	63 37
St. John's Harbour . .	47 33	52 25	Cape Chidley . . .	60 14	65 20
Cape St. Francis . . .	47 57	52 30	Button's Islands . . .	60 47	65 5
P. of Grates . . .	48 22	52 32			
Trinity Bay . . .	48 30	52 50	IX. Hudson's Bay and Straits, and Davis' Straits.		
Cape Bonavista . . .	48 56	52 35		Lat.	Long.
Barrow Harbour . . .	48 52	53 00		D. M.	D. M.
Punk Island . . .	50 1	52 12	Cape Resolution . . .	61 29N	65 16W
Cape Freels . . .	49 34	52 55	Saddle Back Island . . .	62 7	68 13
Woodham Islands . . .	49 54	53 30	Upper Savage Island . . .	62 32	70 48
Gander Bay . . .	49 44	53 55	North Bluff . . .	62 34	70 56
Fago Island . . .	50 00	53 54	Capes Charles . . .	62 46	74 15
Twillingate Islands . .	50 3	54 35	Cape Dorset . . .	64 50	77 12
Bay of Notre Dame . .	50 00	55 30	Cape Pembroke . . .	63 00	82 36
Cape St. John . . .	50 10	55 30	Cape Walsingham . . .	62 39	77 48
Horse Islands . . .	50 24	55 48	Cape Digges . . .	62 41	78 50
White Bay . . .	50 19	56 15	Salisbury Islands . . .	63 29	76 47
Hooping Harbour . . .	50 46	56 13	Mansfield Isl. N. part . .	62 38	80 33
Green Island . . .	50 47	55 35	— S. part . . .	61 35	81 00
Gronis ditto . . .	50 56	55 38	Cape Southampton . . .	62 10	86 3
Hare Bay entrance . . .	51 17	55 50	North Sleepers . . .	61 38	79 45
St. Anthony's Cape . . .	51 20	55 36	West Sleepers . . .	60 8	81 36
St. Lunaire Bay . . .	51 29	55 30	Portland Point . . .	59 00	78 30
Cape Degrat . . .	51 43	55 30	Baker's Dozen . . .	58 5	79 30
Bell Isle . . .	51 58	55 30	Belcher's N. point . . .	56 20	80 15
VIII. From Quebec to Hudson's Bay.			James' Bay . . .		
	Lat.	Long.	— Cape Henrietta . . .	58 10	82 30
	D. M.	D. M.	— Cape Jones . . .	54 50	78 54
QUEBEC . . .	46 48N	71 5W	— Bear Isle . . .	54 34	81 24
Coudras Island . . .	47 15	70 19	— North Cubb . . .	54 20	80 48
St. Paul's Bay . . .	47 16	70 24	— The Twins . . .	53 12	80 35
Bay of Rocks . . .	48 00	69 42	— Albany Fort . . .	52 14	82 00
Point Mille Vache . . .	48 45	68 33	Moose Fort . . .	51 16	80 56
Manicougan Point . . .	49 11	67 42	Charlton Island . . .	52 3	79 55
Cape Nicholas . . .	49 23	67 10	York Fort . . .	57 2	92 32
Cape Montpelles . . .	49 25	66 51	Cape Churchill . . .	58 48	93 12
Trinity Cove . . .	49 30	66 48	P. of Wales' Fort . . .	58 48	94 14
The Seven Islands Bay . .	50 10	66 00	Marble Island . . .	62 33	91 6
St. John's River . . .	50 20	63 55	Cape Dobbes . . .	65 00	86 42
Mingan Island . . .	50 16	63 55	Cape Walsingham . . .	64 5	66 10
Eskimaux Islands . . .	50 13	62 55	Dyer's Cape . . .	65 20	66 15
Mount Joli . . .	50 5	61 23	Sanderson's Hope . . .	66 18	68 10
Boat Islands . . .	50 00	60 24	Cape Bedford . . .	66 55	68 30
St. Mary's Islands . . .	50 8	59 50	Waygate Island . . .	70 40	44 13
Little Mecatina ditto . .	50 28	59 27			
Great Mecatina Point . .	50 45	59 8	X. Greenland.		
St. Augustine Bay . . .	51 15	58 50		Lat.	Long.
Eskimaux Bay . . .	51 28	57 30		D. M.	D. M.
Grand Point . . .	51 24	57 18	Muskito Cove . . .	64 55N	52 57W
			Gothaah ent. of R. Bal.	64 10	51 47

Newfoundland.

Canada.

Labrador.

Hudson's Bay and Straits.

Greenland.

		Lat.	Long.			Lat.	Long.
		D. M.	D. M.			D. M.	D. M.
Greenland.	Bear Sound . . . . .	63 20N.	49 10W	PORTSMOUTH			
	Maab . . . . .	62 5	48 27	Town . . . . .			
	Cape Farewell . . . . .	59 38	42 42	Isle of Wight . . . . .			
	Whale's Island . . . . .	62 30	43 15	— Cowes . . . . .			
	Herjoiness . . . . .	65 3	39 50	— Bembridge Ledge or Point . . . . .			
Iceland.	Bontokoe Island . . . . .	73 15	7 5	— Duncose . . . . .			
	Gnel Hamkes Bay . . . . .	75 00	6 51	— St. Catharine's Pt. . . . .			
	John Mayen's Island . . . . .	71 10	9 49	— Needle's lights . . . . .			
	XI. Iceland.			Hurst light . . . . .			
		Lat.	Long.	Poole Harbour . . . . .			
	D. M.	D. M.	St. Aldan's Head . . . . .				
Iceland.	Cape Reikianess . . . . .	63 55N.	22 47W	Weymouth . . . . .			
	Bessested . . . . .	64 6	21 54	Portland lights . . . . .			
	Mount Suaescll . . . . .	64 52	23 54	Exmouth Bar . . . . .			
	Patrifjord . . . . .	65 36	24 10	Torbay, Berry Head . . . . .			
	Straumness . . . . .	65 40	24 29	Dartmouth . . . . .			
	North Cape . . . . .	66 34	22 10	Start Point . . . . .			
	Hola . . . . .	65 44	19 44	Fraul's ditto . . . . .			
	Grim's Island . . . . .	66 57	19 12	Bolt Head . . . . .			
	Rikefjord . . . . .	66 30	17 35	Eddystone light . . . . .			
	Longnose . . . . .	66 25	16 19	Island Deep . . . . .			
	Encuisen Island . . . . .	64 20	14 15	Rum Head . . . . .			
	Wreeland ditto . . . . .	63 55	18 19	PLYMOUTH			
	Cape Heckla . . . . .	63 22	19 54	Fowey . . . . .			
	Westman's Island . . . . .	63 20	20 28	Deadman's Point . . . . .			
	XII. Spitzbergen.			Falmouth . . . . .			
	Lat.	Long.	Manacles Rocks . . . . .				
	D. M.	D. M.	Black Head . . . . .				
Spitzbergen.	South Cape . . . . .	76 32N.	13 45E.	LIZARD Point . . . . .			
	Fair Foreland . . . . .	78 53	8 45	Mount's Bay . . . . .			
	Amsterdam Isl. (Hack-luyt's Head) . . . . .	79 46	9 49	Penzance . . . . .			
	Smærenburg Harbour . . . . .	79 44	9 51	Runnel's Stone . . . . .			
	Verlegen Hook . . . . .	80 7	16 50	Wolf Rock . . . . .			
	Hope Island . . . . .	76 30	20 28	Land's End . . . . .			
	Bear or Cherry Island . . . . .	74 52	14 45	St. Agnes light (Scilly) . . . . .			
	XIII. English Coast from London to St. Mary's Light (Scilly.)			St. Mary's ditto . . . . .			
		Lat.	Long.	St. Martin's . . . . .			
		D. M.	D. M.	XIV. French Coast from Calais to Ushant.			
S. Coast of England.	LONDON . . . . .	51 31N.	0 6W	CALAIS . . . . .			
	GREENWICH Obs. . . . .	51 29	0 00E.	Cape Griz Nez . . . . .			
	Woolwich . . . . .	51 30	0 4	Ambleteuse . . . . .			
	Purfleet . . . . .	51 30	0 19	BOULOGNE . . . . .			
	Gravesend . . . . .	51 28	0 22	Etaples . . . . .			
	Rochester . . . . .	51 23	0 32	Montreuil . . . . .			
	Sheerness . . . . .	51 27	0 44	La Rochelle . . . . .			
	Nore . . . . .	51 28	0 51	Abbeville . . . . .			
	N. Foreland light . . . . .	51 22	1 27	Grottoy . . . . .			
	S. Foreland lights . . . . .	51 8	1 22	St. Vallery, R. Somme . . . . .			
	Deal Castle . . . . .	51 13	1 24	Dieppe light . . . . .			
	DOVER . . . . .	51 8	1 19	St. Valley, R. Caux . . . . .			
	Dungeness . . . . .	50 55	0 58	Fecamp . . . . .			
	Hastings . . . . .	50 53	0 36	Cape de Caux . . . . .			
	Beachy Head . . . . .	50 44	0 15	Cape de le Heve . . . . .			
	Brighton . . . . .	50 50	0 6W	HAVRE DE GRACE . . . . .			
	Shoreham . . . . .	50 50	0 16	PARIS Obs. . . . .			
	Arundel . . . . .	50 53	0 35	Mouth of Seine . . . . .			
	Selsey Bill . . . . .	50 43	0 48	Harfleur . . . . .			
	Owers light . . . . .	50 40	0 40	Honfleur . . . . .			
			Caen . . . . .				
			Bayeux . . . . .				
			Carentan . . . . .				

TABLE XLVI. Latitudes and Longitudes.

	Lat.		Long.			Lat.		Long.	
	D. M.	D. M.	D. M.	D. M.		D. M.	D. M.	D. M.	D. M.
North Coast of France.	St. Marcou Island	49 30N.	1 10W		East Coast of England.	Scarborough	54 18N	0 10W	
	Cape Barfleur Light	49 42	1 16			Robin Hood's Bay	54 27	0 20	
	CHERBOURGH	49 38	1 37			Whitby	54 31	0 26	
	Pelee Island	49 40	1 36			River Tees' Mouth	54 41	1 2	
	Cape la Hague	49 45	1 56			Stockton	54 38	1 8	
	Alderney I. N. point	49 46	2 12			River Tyne's Mouth			
	Caquets lights	49 46	2 26			lights	55 6	1 15	
	Guernsey I. W. point	49 26	2 43			Coquet Island	55 22	1 21	
	Sark I. N. point	49 26	2 23			Staples light	55 39	1 40	
	Jersey Island					Fern light	55 39	1 42	
	— Cape Grosness	49 18	2 19			Sunderland point	55 36	1 43	
	— St. Aubin	49 13	2 11			Holy Island	55 42	1 50	
	— St. Clement's point	49 9	2 00			BERWICK	55 47	2 3	
	I. de Chausey	48 52	1 50						
	Coutances	49 3	1 27			St. Abb's Head	55 57	2 6	
	Granville	49 50	1 36			DUNBAR	56 00	2 29	
	Avranches	48 41	1 22			May Island lights	56 11	2 32	
	Mount St. Michael	49 38	1 33			The Bass	56 5	2 36	
	Pontorson	49 33	1 32			N. Berwick	56 4	2 41	
	St. Malo	48 39	2 1			EDINGBURGH	55 57	3 12	
	Cape Frehel light	48 41	2 21			Ellyness	56 11	2 44	
	St. Brioux	49 31	2 42			Fife Ness	56 17	2 33	
	Brehat Island	48 50	2 56			St. Andrew's	56 21	2 45	
	Tregueir	48 47	3 15			Mouth of Tay	56 27	2 38	
Morlaix	48 35	3 53		Bell Rock, off ditto	56 27	2 22			
St. Pol de Leon	48 41	4 00		Buttonness lights	56 28	2 41			
I. de Bas	48 46	4 2		Red Head	56 37	2 24			
Roche Blanche	49 1	3 58		Montrose	56 44	2 23			
St. Anthony's lights	48 40	4 29		Tod Head	56 51	2 14			
U-HANT, W. point	48 29	5 3		NEW ABERDEEN	57 9	2 8			
XV. From the North Foreland to Duncansbay Head.					East Coast of Scotland.	Newburgh	57 20	2 3	
	Lat.	Long.		Peter Head		57 32	1 44		
North Foreland	51 23N.	1 27E.		Buchan Ness		57 29	1 43		
Kentish Knock	51 41	1 40		Rathie Head		57 38	1 46		
Long Sand Head	51 45	1 38		Kinnaird's Head		57 42	1 56		
Galloper, N. point	51 52	2 5		Bamff		57 41	2 27		
— S. point	51 41	2 1		Fort St. George		57 38	4 00		
Shipwash, N. point	52 00	1 36		Inverness		57 32	4 10		
— S. point	51 53	1 33		Cromartie		57 43	3 58		
Gaberd, outer	51 58	1 59		Tarbet Ness		57 54	3 44		
Orfordness	52 5	1 30		Clythness		58 20	3 8		
Aldboro' Knaps	52 7	1 40		Noss Head		58 29	3 6		
Southwold	52 20	1 39		Duncansbay Head		58 40	3 8		
Leostoff lights	52 29	1 46		XVI. The Orkney Islands.					
Yarmouth	52 37	1 44				Lat.	Long.		
Winterton Neas lights	52 43	1 43				D. M.	D. M.		
Smith's Knowl	52 54	2 20		Pentland Skerries		58 43N	3 3W		
Hasborough Sand, S. P.	52 51	1 48		Stromo		58 43	3 14		
— N. P.	53 2	1 35		South Ronaldsha, S. P.		58 44	3 5		
Sherringham Shoals	53 3	1 20		Copinsba		58 54	2 47		
Hasborough lights	52 49	1 34		Lam's Head on Stromsa					
Cromer lights	52 56	1 26		Island		59 4	2 40		
Lemon and Ower, N. P.	53 14	1 58		North Ronaldsha, N. P.		59 23	2 31		
— S. P.	53 8	2 00		Mould Head, on Papa					
Cromer Bank	53 11	1 35		Westra Island	59 21	3 2			
Dudgeon light	53 15	1 9		Noup Head, on Westra					
Outer Dowling	53 33	1 14		Island	59 18	3 14			
Inner Dowling	53 15	0 44		Marwick Head, on Po-					
Lynn Knock	53 3	0 29		mons Island	59 6	3 28			
Spurn lights	53 38	0 20		Stromness	58 57	3 26			
Flamborough Head	54 9	0 6		Hoy Head, on Hoy					
Filey Brig	54 15	0 1W		Wells Island	58 55	3 31			
				Shoe Sherry	59 3	4 16			
				Fair Island	59 29	1 47			

XVII. <i>The Shetland Islands.</i>			Lat.	Long.
	D. M.	D. M.	D. M.	D. M.
Sunbro Head, S. point	59 49N.	1 20W		
Rose or Hangcliff	60 13	0 40		
Brassa Sound, Lerwick	60 11	1 00		
Out Skerries	60 37	0 8		
Whalsey Isle	60 32	0 32		
Ulst Island, N. E. P.	61 7	0 15		
Foul Island	60 8	2 16		
XVIII. <i>Ferro Islands.</i>			Lat.	Long.
	D. M.	D. M.	D. M.	D. M.
The Monk Rock appears like a ship under sail	61 15N.	6 47W		
Fucloe I. (N. E. part of Ferro)	62 15	6 2		
East point of Mygenes Island, N. W. part of Ferro Islands	62 3	7 32		
XIX. <i>From Duncansbay Head to the Land's End.</i>			Lat.	Long.
	D. M.	D. M.	D. M.	D. M.
Duncansbay Head	58 40N	3 8W		
Dunnet Head	58 43	3 29		
Farout Head	58 38	5 00		
Cape Wrath, or Barre Head	58 36	5 20		
A Rock seen at $\frac{3}{4}$ Ebb	58 45	5 21		
Rona Island	58 55	6 15		
Rockal	57 42	14 6		
St. Kilda	57 51	8 56		
Butt of the Lewis	58 29	6 34		
Gallen Head	58 10	7 10		
Flannen Islands	58 13	7 30		
Hyskere Island	57 23	7 38		
South Ulst Island	57 9	7 10		
Mingalay Island	56 48	7 33		
Rea Head	57 50	5 44		
Cana Islands	57 3	6 38		
Helsker Island	56 56	6 38		
Rom I. W. P.	56 59	6 26		
Tirey Island, S. P.	56 30	6 52		
Coll I. North P.	56 42	6 25		
Skerryvore	56 17	7 2		
Ilia Island, S. W. P.	55 47	6 24		
— South P.	55 39	6 10		
Mull of Cantire light house	55 20	5 37		
I. of Arran, S. E. part	55 31	4 57		
Cumray I. entrance of Clyde	55 47	4 48		
GLASGOW	55 52	4 16		
Elsa Island	55 20	4 55		
Irwin	55 39	4 30		
Air Light	55 26	4 28		
Loch Ryan	55 3	5 00		
Port Patrick Light	54 48	4 58		
Mull of Galloway	54 37	4 45		
Great Scar Island	54 40	4 36		
Burrow Head	54 41	4 16		
Solway Firth	54 47N.	3 25W		
CARLISLE	54 54	2 44		
St. Bee's Head Light	54 30	3 30		
White Haven	54 32	3 22		
Selker Rock	54 16	3 19		
Lancaster	54 2	2 41		
Formby Point	53 32	2 58		
LIVERPOOL	53 22	2 52		
Point of Air Light	53 20	3 11		
Great Orms Head	53 20	3 43		
Point Linas Light	53 24	4 11		
Skerries Light	53 24	4 30		
Holyhead, W. P.	53 18	4 32		
Branchy Pool Head	52 47	4 37		
Bardsey Island	52 44	4 38		
Barmouth	52 43	3 52		
Aberiswith	52 23	3 53		
Cardigan Harbour	52 6	4 38		
Strumble Head	52 1	5 10		
St. David's Head	51 55	5 20		
Ramsay Island	51 52	5 22		
Small's light house	51 45	5 36		
St. Ann's ditto, Milford Haven	51 41	5 10		
St. Gowan's Head	51 38	4 58		
Caldy Island	51 40	4 40		
Worm's Head	51 34	4 17		
Mumble's Point & light	51 34	3 57		
Nash Point	51 26	3 33		
BRISTOL	51 27	2 35		
Flatholm light	51 23	3 6		
Lundy Island, entrance of Bristol Channel	51 10	4 38		
Mort P. entrance of Bristol Channel	51 11	4 12		
Hartland Point	51 1	4 30		
Padstow	50 35	4 54		
Cow and Calf	50 33	5 6		
Towan Head	50 25	5 9		
St. Ives's Bay	50 13	5 23		
Cape Cornwall	50 8	5 41		
The Seven Stones	50 2	6 6		
The Wolf Rock	49 53	5 51		
The Land's End	50 4	5 42		
XX. <i>Ireland.</i>			Lat.	Long.
	D. M.	D. M.	D. M.	D. M.
CAPE CLEAR	51 22N.	9 37W		
Fastnet Rock	51 19	9 44		
Crook Haven	51 26	9 52		
Mizen Head	51 25	10 2		
Sheep's Head	51 33	10 5		
Bantry Bay	51 36	10 10		
Greagh Rocks	51 31	10 30		
Dursey I. W. P.	51 37	10 36		
Bull Rock	51 38	10 42		
Cow ditto	51 37	10 39		
Cod's Head	51 42	10 27		
Kenmare Bay	51 44	10 30		
Lamb's Head	51 47	10 28		
Hog Islands	51 48	10 28		
Log's Head	51 50	10 26		
Bolus Head	51 52	10 44		





TABLE XLVI. Latitudes and Longitudes.

			Lat.		Long.					Lat.		Long.		
			D. M.	D. M.	D. M.	D. M.				D. M.	D. M.	D. M.	D. M.	
<i>Islands of the Baltic.</i>	Gotland, N. E. end		57 51N	19 2E.			<i>Norway.</i>			Great Wylingsoe light				
	— WISBY		57 39	18 20						house	59 4N.	5 26E.		
	— Hoburg		56 57	18 12						Stavanger	58 59	5 45		
	Great Cariso		57 19	18 00						Bommel Island, S. end	59 32	5 00		
	Oland, N. end		57 22	17 7						BERGEN	60 24	5 12		
	— Borgholms Slott		56 52	16 37						Askwoid	61 22	5 12		
	— S. end light		56 12	16 26						Ronde light	62 23	5 41		
	Eartholms		55 19	15 16						Christian Sound	63 11	7 30		
	Bornholm, N. W. end									Drontheim	63 26	10 22		
	— light		55 18	14 49						Werro Island	67 42	11 25		
	— Hasle		55 10	14 47						NORTH CAPE	71 10	26 00		
	— S. E. end		54 58	15 14						Wardhuus Island	70 22	31 6		
	— Svanike		55 8	15 16						River Kola	69 15	33 24		
	Rugen, N. end		54 40	13 30						Nagel Island	68 23	35 55		
	— BERGEN		54 25	13 32						Cape Sweetnose	67 58	37 30		
	— S. E. end New									Cape Orlognose	67 00	39 21		
	Deep		54 16	13 52						Cross Island	66 19	38 49		
										Onega	63 36	37 20		
	XXV. Gulfs of Finland and Bothnia.										Cape Donega	64 46	35 46	
				Lat.	Long.	<i>White Sea.</i>				ARCHANGEL	64 34	38 59		
				D. M.	D. M.					Bluenose	65 21	38 10		
Odenholm light		59 19N	23 18E.						Cape Good Fortune	66 24	40 28			
Great Roge light		59 25	24 3						Morshom Island	66 40	40 35			
Surep Head light		59 28	24 23						Cape Candinose	68 23	41 28			
Nargen I. N. point		59 36	24 34						Welgate's Straits	70 50	62 2			
REVEL		59 26	24 48						Nova Zembla	78 00	70 00			
Kokskar light		59 40	25 6						XXVIII. From Ushant to Gibraltar.					
Chalk Ground		59 41	26 15								Lat.	Long.		
Stone Skar		59 46	26 30								D. M.	D. M.		
Little Titters Island		59 47	27 3						USHANT	48 29N.	5 3W			
Great Titters Island		59 50	27 20						BREST	48 23	4 29			
Lavanscar, N. end		59 59	27 57						Saint Matthew's light	48 19	4 47			
Seascar light		59 59	28 28						Point Raz	48 1	4 47			
Narva		59 20	28 24						Saints Rocks	48 4	5 5			
Dolgenos		59 53	29 6						Point L'Abbe	47 49	4 12			
Tolbecqon light		60 00	29 39						Quimper	47 58	4 8			
CRONSTADT		59 58	29 53						Isles de Glenan	47 44	4 00			
PEWERSBURG		59 56	30 19						Quimperlay	47 52	3 34			
Styrs Udden		60 8	29 10						L'ORIENT	47 45	3 21			
Wiburg		60 39	28 54						Port Louis	47 43	3 21			
Fredericksham		60 30	27 25			Isle de Groas	47 38	3 28						
Aspo		60 14	27 22			Quiberon, S. point	47 26	3 4						
Hogland Island lights		60 3	27 7			Belle Isle, N. end	47 23	3 14						
Orregrund's Beacon		60 14	26 39			— S. end	47 17	3 5						
Lovisa		60 25	26 28			Vannes	47 39	2 46						
Borgo		60 21	25 50			Houat Isle	47 24	2 56						
Helsingfors		60 10	25 7			Dumet Isle	47 22	2 36						
Hango Beacon		59 45	22 57			NANTES	47 13	1 33						
						Croisic	47 18	2 31						
XXVI. Gulf of Bothnia.						St. Gildas point	47 10	2 16						
			Lat.	Long.	<i>West Coast of France.</i>			Noirmoustier I. S. W.	47 00	2 15				
			D. M.	D. M.				Dieu Isle	46 42	2 27				
Uto light		59 47N	21 25E.						St. Gillies	46 40	1 51			
Abo		60 27	22 15						Roche Bon	46 15	2 24			
Wasa		63 13	21 55						Ree Isle Light	46 15	1 34			
TORNEA		65 51	24 9						ROCHELLE	46 9	1 9			
									ROCHEFORT	45 56	0 58			
XXVII. From the Naaz to Archangel.									Oleron Isle light	46 3	1 24			
			Lat.	Long.				<i>Norway.</i>			Island Aix	46 1	1 10	
			D. M.	D. M.							CORDOVAN light H.	45 35	1 10	
The NAZE		58 1N.	7 14E.									Medoc	45 6	0 45
Lister Land		58 10	6 38									BORDEAUX	44 50	0 34
Judder, or Walbert's Hd.		58 36	5 40									Cape Feret	44 43	1 14
												BAYONNE	43 29	1 29

	Lat.		Long.			Lat.		Long.	
	D.	M.	D.	M.		D.	M.	D.	M.
North Coast of Spain.	St. John de Luz	43 23N.	1	39W	Bay of Roses	42 15N.	3	7E.	
	St. Sebastian	43 21	1	57	Cape de Greux	42 20	3	17	
	Cape Machicao	43 28	2	40	Perpignan	42 42	2	54	
	BILBOA	43 15	2	44	Agde	43 19	3	28	
	SAINT ANDERO	43 28	3	40	Fort Brecon	43 15	3	29	
	Saint Vincent	43 30	4	16	Cette light	43 24	3	42	
	Villa Viciosa	43 28	5	18	Narbonne	43 11	3	00	
	Cape Penas	43 42	5	46	Montpellier	43 37	3	52	
	Cape Buroia	43 42	7	17	MARSEILLES	43 18	5	22	
	Cape Vanas	43 47	7	35	Ciotta	43 10	5	36	
	Cape Ortegal	43 47	7	48	TOULON	43 7	5	55	
	Cape Prior	43 34	8	14	Cape Taillar	43 7	6	44	
	FERROL	43 30	8	6	St. Tropez	43 16	6	40	
	CORUNNA	43 23	9	20	Frejus	43 26	6	44	
	Cape Belem	43 10	9	10	Cape Roux	43 22	7	00	
	Cape Turiana	43 3	9	17	Antibes	43 35	7	7	
	Cape Finistere	42 54	9	17	St. Marguerite Island	43 31	7	3	
	Vigo Bay	42 14	8	37	Cape de Oropes	43 28	7	10	
	Cape Fasalis	41 59	8	45	Nice	43 42	7	17	
	OPORTO	41 11	8	38	Villa Franca	43 40	7	20	
	Averias	40 39	8	41	Cape Melle	43 56	8	8	
	Coimbre	40 14	8	24	Savona	44 17	8	30	
	Cape Mondego	40 12	8	54	GENOA	44 25	8	56	
	Cape Fieracon	39 24	9	18	Rapallo	44 23	9	16	
	The Burlings	39 25	9	31	Point Venere	44 3	9	45	
	The Rock of Lisbon	38 46	9	29	LEGHORN	43 33	10	22	
	LISBON	38 42	9	9	Maloria	43 33	10	17	
	Cape Epichel	38 25	9	14	Cape M. Nero	43 25	10	20	
St. Ubes	38 32	8	50	Vada	43 20	10	41		
Sines	37 50	8	54	Piombino	42 56	10	35		
Cape St. Vincent	37 3	9	2	Point Hercole	42 23	11	10		
Lagos	37 8	8	39	Civita Vecchia	42 5	11	46		
Cape Carbonera	37 7	8	19	ROME	41 54	12	28		
Cape St. Mary	36 57	7	52	Cape Diaz	41 26	12	40		
Point Arenilla	37 8	6	50	Cercello Point	41 9	13	00		
St. Lucar	36 46	6	20	Gaeta	41 13	13	38		
SEVILLE	36 59	5	58	NAPLES	40 51	14	11		
CADIZ	36 32	6	18	Salerno	40 42	14	46		
Cape Trafalgar	36 10	6	00	Cape Licosa	40 18	14	57		
Tarifa Island	36 1	5	35	Policastro	40 7	15	43		
P. Carnero	36 5	5	23	St. Eufemia	39 00	16	42		
Algesiras	36 7	5	24	Cape Batican	38 47	16	25		
GIBALTAR	36 6	5	20	Cape Grose	38 20	16	10		
				Cape Larne	37 56	16	15		
				S. Point of Italy	37 53				
				Cape Spartavento	37 57	16	22		
				Cape Stillo	38 26	16	55		
				Catanzaro	39 1	16	55		
				Cape Rizuta	38 54	17	31		
				Cape Callone light	39 4	17	36		
				Taranto	40 28	17	35		
				Galipoli	40 00	18	20		
				Cape St. Mary, the entrance to the Gulf of Venice	39 50	18	50		
				Otranto	40 19	18	55		
				Brindisi	40 38	18	12		
				Bari	41 9	17	00		
				Manfredonia	41 40	16	8		
				Ortona	42 20	14	30		
				Ancona	43 38	13	30		
				Ravenna	44 4	12	33		
				VENICE	45 26	12	21		
				TRIESTE	45 46	12	47		
				Rovigno	45 9	13	48		
				St. Maria	45 30	14	28		

	Lat.		Long.	
	D.	M.	D.	M.
GIBALTAR	36 6N.	5	20W	
MALAGA	36 43	4	24	
Modril	36 45	3	33	
Almeria	36 51	2	31	
Cape de Gatt	36 44	2	13	
Point Calla	36 47	2	00	
CARTHAGENA	37 36	1	1	
Cape Pallos	37 37	0	41	
ALICANT	38 18	0	29	
Cape St. Martin	38 47	0	10E.	
VALENCIA	39 26	0	20W	
Cape Oropeso	40 6	0	8E.	
River Ebro	40 42	0	27	
Terragona	41 9	1	19	
BARCELONA	41 22	2	12	
Cape St. Sebastian	41 53	3	9	

XXIX. The North Coast of the Mediterranean Sea, from Gibraltar to Constantinople.

South Coast of Spain.

South of France.  
South of Italy.

North Coast of Spain.

Portugal.

South Coast of Spain.

South of France.

West Coast of Italy.

TABLE XLVI. Latitudes and Longitudes.

	Lat.		Long.			Lat.		Long.	
	D. M.	D. M.	D. M.	D. M.		D. M.	D. M.	D. M.	D. M.
E. of Sicily.	Segna . . . . .	45 14N.	14 58E.		Cape Ferrat . . . . .	36 2N	0 10W		
	Pescera . . . . .	44 45	15 40		Cape Tennis . . . . .	36 38	1 16E.		
	Zara . . . . .	44 17	15 35		ALGIERS . . . . .	36 49	2 13		
	Cape Sesto . . . . .	43 42	16 10		Cape Matifor . . . . .	36 55	2 43		
	Rosaro . . . . .	43 2	17 10		Cape Beringu . . . . .	36 53	3 30		
	Ragusa . . . . .	42 40	18 11		Cape Tenels . . . . .	36 59	4 10		
	Catara . . . . .	42 23	19 29		Cape Bugaroni . . . . .	36 50	5 47		
	Durazo . . . . .	41 30	20 00		Cape Ferro . . . . .	36 52	6 54		
	Cape Patti . . . . .	41 20	19 46		Bona . . . . .	36 32	7 36		
	La Valona . . . . .	40 45	20 16		Tabarca . . . . .	36 48	8 58		
	Cape Linguette . . . . .	40 32	19 55		Cape Serra . . . . .	37 10	9 24		
	Butrinto . . . . .	39 47	20 33		Cape Blanco . . . . .	37 20	9 53		
	Cape St. Nicholas . . . . .	39 24	20 36		TUNIS . . . . .	36 32	10 34		
	Lepanto . . . . .	38 16	22 4		Cape Bon . . . . .	37 5	11 8		
	Coron . . . . .	36 46	21 50		Susa . . . . .	35 45	10 50		
	Cape Matapan . . . . .	36 23	22 30		Cape Paul . . . . .	35 14	11 15		
	Cape St. Angelo . . . . .	36 27	23 12		Cape de Zoara . . . . .	33 53	11 10		
	Corinth . . . . .	37 53	23 2		Lehy . . . . .	33 12	11 24		
	ATHENS . . . . .	37 58	23 46		TRIPOLI . . . . .	32 54	13 11		
	Negropont . . . . .	38 27	23 44		Lebida . . . . .	32 8	14 55		
	Cape Doro . . . . .	38 9	24 40		Cape Mensurato . . . . .	32 12	16 15		
	Cape St. George . . . . .	39 25	23 17		Cape Lorat . . . . .	30 50	17 22		
	SALONICA, or Salo- nique . . . . .	40 38	22 56		Cape Linconta . . . . .	30 29	19 20		
	Cape Ballouri . . . . .	40 00	23 40		Cape Serabion . . . . .	31 21	20 16		
	Mount Athos . . . . .	40 7	24 15		Zoara . . . . .	30 44	20 45		
	Contessa . . . . .	40 39	23 68		Bengaza . . . . .	32 16	20 20		
Lagos . . . . .	40 40	24 60		Cape Docra . . . . .	32 55	21 26			
Cape Macri . . . . .	40 30	25 38		DERNE . . . . .	32 48	22 11			
The Dardanelles . . . . .	40 3	26 6		Cape Razatin . . . . .	32 30	23 5			
Adrianople . . . . .	41 3	27 6		Cape Luco . . . . .	31 50	25 00			
Galipoli . . . . .	40 26	26 37		Cape Soliman . . . . .	31 44	25 18			
CONSTANTINOPLE . . . . .	41 1	28 55		Point Ramadan . . . . .	31 32	26 00			
				Cape Lagosego . . . . .	31 23	27 20			
				Cape Capopera . . . . .	31 13	28 44			
				Cape Rose . . . . .	31 8	29 30			
				ALEXANDRIA . . . . .	31 13	30 16			
				Aboukir . . . . .	31 18	30 38			
				Rosetta . . . . .	31 24	30 58			
				Cape Bourlos . . . . .	31 33	31 30			
				Demiattia . . . . .	31 24	32 7			
				Cape Callo . . . . .	31 20	33 30			
				El Arish . . . . .	31 13	33 50			
				Jaffa . . . . .	32 5	35 3			
				M. Carmel . . . . .	32 50	35 16			
				Acre . . . . .	33 00	35 26			
				Cape Blanco . . . . .	33 19	35 19			
				Cape Serpente . . . . .	33 28	35 35			
				Cape Vardo . . . . .	34 22	35 50			
				Tripoly . . . . .	34 46	36 7			
				Tortosa . . . . .	35 22	36 8			
				Cape Zaret . . . . .	36 14	35 53			
				ALEXANDRETTA, or Scanderoon . . . . .	36 35	36 20			
				Yasso . . . . .	36 58	36 15			
				ALEPPO . . . . .	36 11	37 10			
				Cape Urco . . . . .	36 40	34 12			
				Point Calvero . . . . .	36 34	33 25			
				Cape Draumonte . . . . .	36 30	32 20			
				Satalia . . . . .	37 3	30 55			
				Cape Chelidoni . . . . .	36 18	30 40			
				Rosso Island . . . . .	36 8	29 59			
				Cape Seven capes Macri . . . . .	36 26	29 00			
				Cape Baihe . . . . .	36 40	29 30			
				Cape Crio . . . . .	36 38	27 4.			
				Cape St. Mary . . . . .	36 45	27 15			
					37 38	27 7			

	Lat.		Long.	
	D. M.	D. M.	D. M.	D. M.
Ismayl . . . . .	45 21N.	28 50E.		
Akerman . . . . .	46 11	30 16		
Odessa . . . . .	46 28	30 37		
Kherson . . . . .	46 38	32 56		
Koslof . . . . .	45 15	33 25		
Sevastopol . . . . .	44 40	33 36		
Yenicala . . . . .	45 22	36 27		
Fanagoria . . . . .	45 12	36 30		
Leganroy . . . . .	47 12	38 39		
Trebizonde . . . . .	41 2	39 37		
Cape Yassoun . . . . .	41 10	37 48		
Sinope . . . . .	42 3	35 9		

	Lat.		Long.	
	D. M.	D. M.	D. M.	D. M.
Cape Spartel . . . . .	35 49N.	5 54W		
TANGIER . . . . .	35 40	5 49		
Couta . . . . .	35 54	5 16		
Getuan . . . . .	35 19	5 27		
Cape Negril . . . . .	35 14	4 24		
Cape Baalal . . . . .	35 10	3 44		
Cape Three Forcas . . . . .	35 28	2 57		
Zaffarna . . . . .	34 57	2 8		
Cape Fegalle . . . . .	35 47	1 9		
Cape Falcon . . . . .	35 58	0 48		

	Lat.		Long.			Lat.		Long.	
	D.	M.	D.	M.		D.	M.	D.	M.
Turkey to Asia.	Cape Black	38 46N	26 25E.		Capra	40 31N	14 18E		
	SMYRNA	38 28	27 20		MESSINA	38 14	15 49		
	Adramitta	39 37	27 5		Cape Orlando	38 20	14 40		
	Cape Baba	39 35	26 10		Cape Cefala	38 18	14 5		
	Cape Janesari	40 3	26 24		Cape Cufra	38 18	13 36		
	Mondania	40 26	28 50		PALERMO	38 7	13 20		
Scutari	40 57	29 4		Cape Alos	38 18	13 23			
<b>XXXII. Islands within the Straits.</b>									
	Lat.		Long.			Lat.		Long.	
	D.	M.	D.	M.		D.	M.	D.	M.
Sicily.	Alboran	36 1N.	3 00W		Cape St. Visto	38 17	12 50		
	Fromentera, W. point	38 39	0 57E.		Tripiano	38 9	12 56		
	— E. ditto	38 43	1 24		Cape Ruvo	37 17	13 20		
	Ivica, S. ditto	38 50	0 55		Cape Alicata	37 3	13 50		
	— N. E. ditto	39 15	1 25		Cape Secha	36 49	14 26		
	Salina	38 49	0 50		Cape Passari	36 41	15 36		
	Cabrera S. point	39 12	2 37		Saragossa	37 5	15 20		
	MAJORCA, S. point	39 20	2 42		Cape Carmale	37 24	15 39		
	— N. ditto	40 7	3 00		Cape Moline	37 37	15 43		
	— W. ditto	39 45	2 7		Stromboli	38 56	15 44		
	— E. ditto	39 42	3 17		Lipari, S. point	38 37	15 7		
	MAJORCA TOWN	39 34	2 39		Salina	38 44	14 55		
	Dragon Island	39 49	1 59		Volcano	38 32	15 7		
	Colebres	39 52	0 30		Felicudi	38 35	14 27		
Minorca, S. point	39 43	3 42		Alicudi	38 36	14 12			
— PORT MAHON	39 52	4 22		Ustica	38 51	13 20			
— N. point	40 18	3 35		Levaci	38 5	12 25			
Cape Corse	43 2	9 19		Maretime	38 1	12 5			
Saint Florenzo	42 35	9 16		Favognana	37 56	12 23			
Calvi	42 30	8 40		Quill Rocks	37 35	11 15			
Ajaccio	41 52	8 44		Pantellaria	36 45	12 31			
South point	41 21	9 21		Linosa	35 52	12 55			
Cape Signo	42 14	9 37		La Fidossa	36 31	12 47			
BASTIA	42 27	9 22		Lampion	35 30	12 30			
Corsica.	N. P. Lagosardo	41 14	9 2		Gozo, N. point	36 3	14 5		
	Cape Asinara	40 53	8 6		C. Comoneto	35 54	14 11		
	Cape Caccia	40 31	8 7		La Valette	35 54	14 29		
	Cape Otano	39 9	8 14		Cape Nicholas	35 47	14 39		
	Cape Malfetena	38 50	8 54		Fano, entrance to the gulf of Venice	40 5	19 32		
	CAGLIARI	39 15	9 30		Pelagosa	42 23	16 20		
	Cape Carbonera	38 57	9 48		Plana	42 20	16 2		
	Cape Frances	39 39	9 50		Tremiti	42 19	15 40		
	Olastr	40 8	9 34		Lissa, S. point	42 57	16 15		
	Cape Cavallo	40 48	9 47		Pomo	43 13	15 46		
	Asinara Isl. N. point	41 7	8 14		Longa, S. E. point	44 1	15 43		
	Antioch Island	38 55	8 15		Corfu, S. E. point	39 47	20 1		
	Toro	38 47	8 18		Paxu, S. point	39 24	20 22		
	Galita Island	37 39	9 3		St. Maura, W. point	38 54	20 41		
Gorgona	43 25	9 51		Cefalonia, S. point	38 7	20 53			
Cabrera	43 8	9 50		— Cape Viscardo	38 30	20 47			
Elba	42 50	10 12		Zante, S. point	37 50	20 49			
Planera	42 43	10 7		Cerigo, S. Point	36 20	23 1			
Formigues	42 33	10 5		Cerrigotto	35 54	23 24			
Monte Christo	42 17	10 26		Milo, Town	36 41	24 50			
Gilio	42 22	11 00		Scio, Town	38 30	25 3			
Ganuto	42 16	11 10		Mytelene, Town	39 12	26 27			
Palmaria	40 43	13 00		Tenedos	39 50	26 6			
Isola	40 42	13 6		Lemnos	39 54	26 28			
Ischia, S. point	40 38	13 56		C. Crio	35 12	23 39			
				Cape Spada	35 47	23 57			
				Suda	35 30	24 24			
				Cape Sasso	35 35	25 7			
				GANDIA	35 19	25 12			

TABLE XLVI. Latitudes and Longitudes.

	Lat.	Long.		Lat.	Long.
	D. M.	D. M.		D. M.	D. M.
Cape Sidera . . . . .	35 22N	26 28E.	Madeira, Tristram point	32 54N.	17 14W
Cape Salamone . . . . .	35 00	26 20	— FUNCHAL . . . . .	32 38	16 54
Goza . . . . .	34 50	24 1	S. Desertos, S. point . . . . .	32 22	16 25
Goxa, S. point . . . . .	35 24	27 2	Isl. Salvages, middle . . . . .	30 13	15 42
Seapanto . . . . .	35 37	27 7	Piton . . . . .	30 5	15 54
Rhodes, Town . . . . .	36 27	28 30	XXXVI. Canary Islands.		
Rhodes, CapeSt.Gioane	35 57	28 21		Lat.	Long.
Cape Andrew . . . . .	35 41	34 32		D. M.	D. M.
Charma . . . . .	35 19	32 47	Palma, Town . . . . .	28 39N.	17 50W
Cape Salizani . . . . .	35 3	31 41	— N. point . . . . .	28 50	18 00
Cape Gatto . . . . .	34 34	33 8	— S. point . . . . .	28 31	17 56
Cape Grego . . . . .	35 7	34 5	Ferro, Valverde . . . . .	27 47	17 56
XXXIII. The Coast of Africa from Cape Spartel to Cape Verd.			Gomero, St. Sebastian . . . . .	28 6	17 8
	Lat.	Long.	Teneriffe, Hidalgo point . . . . .	28 40	16 21
	D. M.	D. M.	— Orotava . . . . .	28 24	16 36
Cape Spartel . . . . .	35 49N	5 54W	— Tena Point . . . . .	28 17	17 1
Larash . . . . .	35 11	6 12	— Peak . . . . .	28 16	16 46
New Sallee . . . . .	34 5	6 43	— Port Christianos . . . . .	27 57	16 52
Mazagan . . . . .	33 18	8 25	— SANTA CRUZ . . . . .	28 27	16 16
Cape Blanco . . . . .	33 8	8 40	Canary, N. E. point . . . . .	28 13	15 38
Cape Cantin . . . . .	32 35	9 5	— Palmas . . . . .	28 8	15 43
Salfia Bay . . . . .	32 20	8 46	— S. W. point . . . . .	27 45	16 3
MOGADORE Island . . . . .	31 25	9 31	Fuerteventura . . . . .		
Cape Geer . . . . .	30 38	9 52	— Point Gorda . . . . .	28 46	13 52
Cleveland's Shoal . . . . .	30 45	10 21	— S. W. point . . . . .	28 4	14 31
Santa Cruz . . . . .	30 30	9 38	Lanzarote, S. point . . . . .	28 51	13 35
Cape Nun . . . . .	28 37	11 15	— Puerto de Naos . . . . .	28 57	13 22
Entrance of R. Nun . . . . .	28 17	11 31	Punta del Farion . . . . .	29 14	13 12
Cape Blanca . . . . .	27 54	12 42	Graciosa . . . . .	29 14	13 14
Cape Bajador . . . . .	26 12	14 27	St. Claire . . . . .	29 17	13 13
Cape Das Barbas . . . . .	22 15	16 40	Alegranza . . . . .	29 20	13 10
Cape Blanco . . . . .	20 55	17 10	XXXVII. Cape Verd Islands.		
Cape St. Ann . . . . .	20 33	16 38		Lat.	Long.
Cape Myric . . . . .	19 10	16 20		D. M.	D. M.
Portendic . . . . .	18 7	16 3	St. Anthony, N. W. P. . . . .	17 12N.	25 19W
SENEGAL, P. Breberie . . . . .	15 53	16 31	— N. E. point . . . . .	17 8	25 8
CAPE VERD . . . . .	14 47	17 33	— SANTA CRUZ . . . . .	17 2	25 15
XXXIV. The Western Islands.			St. Vincent . . . . .	16 59	25 6
	Lat.	Long.	St. Lucia . . . . .	16 46	24 55
	D. M.	D. M.	St. Nicholas, N. point . . . . .	16 46	24 37
Corvo . . . . .	39 44N	31 7W	— East point . . . . .	16 28	24 12
Flores . . . . .	39 26	31 7	Salt Island . . . . .	16 45	22 56
Fayal, S. E. point . . . . .	38 30	28 42	Bonavista . . . . .	16 4	22 45
Pico, Point de Espertal . . . . .	38 26	28 35	Leton Rock . . . . .	15 49	23 14
— Summit of Peak . . . . .	38 27	28 28	Isle of May . . . . .	15 6	23 5
St. George, S. E. point . . . . .	38 31	27 50	St. Jago . . . . .		
Graciosa, Villa da Praya . . . . .	39 2	27 40	— PORTO PRAYA . . . . .	14 54	23 30
Terceira, Angra . . . . .	38 39	27 12	— N. W. point . . . . .	15 26	23 48
St. Michael, P. Delegada . . . . .	37 45	25 39	Fogo, N. point . . . . .	14 57	24 22
— Point Ferraria . . . . .	37 54	25 58	— Middle . . . . .	14 52	24 23
— N. E. Point . . . . .	37 49	25 15	Brava, S. point . . . . .	14 50	24 43
Formigas or Ants . . . . .	37 17	24 54	XXXVIII. From Cape Verd to the Cape of Good Hope.		
St. Mary, Town . . . . .	36 59	25 10		Lat.	Long.
— West Point . . . . .	36 59	25 14		D. M.	D. M.
XXXV. Madeira Islands.			CAPE VERD . . . . .	14 48N.	17 33W
	Lat.	Long.	Goree Isle . . . . .	14 40	17 25
	D. M.	D. M.	Cape Naze . . . . .	14 29	17 12
Porto Santo, Town . . . . .	33 4N	16 14W	Cape St. Mary, cnt. to the River Gambia . . . . .	13 19	16 40
Madeira, Lorenzo pt. . . . .	32 43	16 36	Cape Roxo . . . . .	12 12	16 48
			Cape Verga . . . . .	10 5	13 55

	Lat.		Long.			Lat.		Long.	
	D. M.	D. M.	D. M.	D. M.		D. M.	D. M.	D. M.	D. M.
Delos Isles	9 23N.	13 26W			St. Th's. M. of W. B. S. P.	0 5N.	6 35E.		
CAPE SIERRA LEON	8 29	13 3			Annabona	1 32 S.	5 45		
St. Ann's Shoal, W. P.	7 5	13 28			Trinidad	20 23	29 5W		
Cape Ann	7 6	12 21			Martin Vas, (largest)	20 31	28 33		
Cape Mount	6 46	11 10			ASCENSION	7 56	14 16		
Cape Mesurada	6 21	10 40			ST. HELENA, James				
Sestos River	5 34	9 13			Town	15 55	5 36		
Cape Palmas	4 30	7 41			Saxemburgh*	30 22	24 00		
St. Andrew's River	5 00	6 10			Tristan d'Acunha, N. P.	37 7	11 49		
Cape Lahon	5 15	5 17			Inaccessible Island	37 20	12 25		
Cape Appolonia	4 59	3 10			Nightengale Island	37 27	12 16		
AXIM	4 53	2 55			Hibernia Rocks (doubt.)	37 31	4 42		
Cape Three Points	4 36	2 44			Diego Alvarez (doubt.)	39 20	11 2		
Dix Cove Fort	4 44	2 38			Gough's Island	40 19	9 50		
Sakondoe	4 54	2 20							
Elmina	5 2	2 00			I. Raza, N. W. point	50 59	61 28		
Cape Corsc Castle	5 7	1 52			Salvage's Isl's. N. point	50 59	61 12		
Anamoboe Fort	5 9	1 41			The Sisters	51 7	60 26		
Aera	5 30	0 12			Port Egmont	51 22	60 1		
Cape St. Paul	5 52	0 43E.			Island Concha	51 15	59 0		
Whidah	6 24	2 12			Cape Leal	51 21	58 57		
Formosa River	5 33	4 35			Point de la Barra, N. E.				
Cape Formosa	4 18	5 10			Point	51 28	57 41		
New Callabar River	4 20	6 50			Cape Corientes	51 24	57 53		
Cameroon's River	3 33	9 5			Port Soledad	51 33	58 0		
Cape St. John	1 15	8 36			Cape t. Philip. E. P.	51 43	57 40		
Gabon River	0 28	8 45			Beauchenes I. S. point	52 45	58 59		
C. de Lopus Gonsalvez	0 56S.	8 43			Porpus point	52 28	59 28		
Sesto River	2 32	9 50			Cape Meredith	52 4	60 40		
Congo River	6 10	12 25			Cape Orford	51 66	61 00		
Ambris Bay	7 56	13 15			Cape Percival	51 47	61 11		
Dande Point	8 38	13 47			Aurora Isles,				
Cape Ledo	9 49	13 28			— Northernmost	52 43	48 10		
Novo Redondo	11 20	13 48			— Southernmost	53 25	47 59		
St. Philip de Benguela	12 39	13 29			Eagle Reef	51 51	64 32		
Cape Negro (appears like black hommocks)	16 00	11 54			Alexander I. Island	69 30	78 00		
Tiger's Island, N. P.	16 30	12 1			Peter's I.	69 30	90 00		
Cape Frio	18 40	12 42							
Walwich Bay	22 55	14 40			Island Georgia,				
Illhea Point	23 38	14 40			— Cape Buller	53 58	37 40		
Angra Pequena	26 37	15 16			— Cape Disappointment	54 58	36 15		
Elizabeth Bay	27 00	15 37			— Willie's Isle	54 00	38 26		
St. Helen's Bay, (Cape St. Martin's)	32 42	17 40			— Clerk's Islands	56 5	34 42		
Saldanah Bay	33 7	18 7			Sandwich Land, (Cape Montague)	58 33	26 46		
Dassen Island	33 25	18 7			— Candlemas Isles	57 10	27 13		
Table Bay, Robin Isl.	33 49	18 25			— Southern Thule	59 34	27 43		
Cape of Good Hope Town	33 58	18 28			Isle of Circumcision	54 16	6 14E.		
CAPE of GOOD HOPE	34 24	18 28							
XXXIX. Islands between Cape Verd, the Cape of Good Hope, and Cape Horn.					XL. From the Cape of Good Hope to Canton, with the adjacent Islands and Shoals.				
	Lat.		Long.			Lat.		Long.	
	D. M.	D. M.	D. M.	D. M.		D. M.	D. M.	D. M.	D. M.
St. Paul's	0 55N.	29 13W			CAPE of GOOD HOPE	34 24S.	18 28E.		
Ferdinand Noronha	3 55S.	32 35			Cape False	34 25	18 41		
The Roccas (dangerous)	3 52	33 26			CAPE AQUILHAS, or LAGULLUS	34 55	20 15		
Fernand de Po, N. P	3 25N.	7 36E.			Cape Infanta, S. ent. to St. Sebastian's Bay	34 35	20 54		
Prince's Island	1 33	7 27			Cape Vaches	34 24	22 5		
St. Thomas, (Man of War's Bay)	0 27	6 45							

\*The existence of this Island is considered doubtful. Though the appearance of land is said to have been seen by several vessels in various situations, from 30° 8' S. to 30° 45' S. and from 20° 20' E. to 22° 20' E. The Island St. Matthew does not exist, being the same as Annabona.

TABLE XLVI. Latitudes and Longitudes.

	Lat.		Long.			Lat.		Long.		
	D.	M.	D.	M.		D.	M.	D.	M.	
South Coast of Africa.	Cape St. Blas, S. Mos-	34	10S.	22	18E.	Socotra Island, S. P.	12	13N		
	sel Bay . . . . .					— Tamarida Bay . . . . .	12	40	54	23E.
	Cape Delgado, S. ent.	34	6	23	48	Abdul-Curia Island . . . . .	12	5	52	32
	Plettemberg Bay . . . . .	34	14	25	00	Cape Felix . . . . .	12	00	50	50
	Cape Mountains . . . . .	34	2	25	42	Cape St. Peter . . . . .	11	37	50	3
	Algoa Bay, Cape Recife	33	48	26	22	Matte Island . . . . .	11	21	48	58
	Chaos, or Bird Islands . . . . .	33	53	26	20	Ais, or Burnt Island . . . . .	11	14	47	28
	Doddington Rock . . . . .	33	40	26	34	Berbera . . . . .	10	22	45	10
	Cape Padron . . . . .	33	25	27	37	Zeyla . . . . .	11	17	43	5
	Rio de Infanta, ent. . . . .	33	12	28	7	Babelmandel or Perim				
	Keiskammer River, ent.	32	22	29	25	Island . . . . .	12	38	43	29
	First point of Natal . . . . .	31	8	30	45	Babelmandel Cape . . . . .	12	40	43	32
	Middle pt. of Natal . . . . .	30	15	31	22	Panther's Shoal . . . . .	12	56	43	8
	Third pt. of Natal . . . . .	29	55	31	28	Ras Rattah . . . . .	14	56	40	55
	Port Natal . . . . .	28	36	32	48	Dhalac Island . . . . .	15	32	40	15
	Point St. Lucia . . . . .	27	13	33	15	Massowah Bay . . . . .	15	34	39	37
	Smoky Point, C. Fumos					Port Mornington, ent.	18	16	38	32
	Delagos Bay, . . . . .					Suakin . . . . .	19	5	37	33
	— Cape St. Mary, N.	25	58	33	15	Mirza Sheik Baroud . . . . .	19	35	37	24
	E. P. I. St. Mary . . . . .	25	58	32	41	Salaka . . . . .	20	28	37	27
— English River, an-	24	2	35	51	Cape Calmar . . . . .	21	28	37	25	
chorage . . . . .					St. John's Island . . . . .	23	38	36	10	
Cape Corientes . . . . .	23	47	35	52	Ras-el ans, (CapeNose)	23	56	35	48	
Inhamban Bay, Sand	22	00	36	00	Reef of Breakers . . . . .	24	4	36	16	
Point on E. side Bay . . . . .					Three Islands . . . . .	24	25	35	26	
Cape St. Sebastian, about	21	12	36	00	Reef of Breakers . . . . .	24	54	35	49	
Bazaruta Isl. N. end,					Dedalus Shoal . . . . .	24	58	35	56	
(about) . . . . .					Gebel Siberget . . . . .	25	2	34	54	
Sofala Bay, . . . . .	20	47	35	38	Centurion Shoal . . . . .	25	20	35	48	
— Shoal off Sofala . . . . .	20	36	35	4	Kosine . . . . .	26	8	34	15	
— Chulawan or Holy I.	20	16	34	45	The Brothers . . . . .	26	19	34	47	
— Sofala, fort . . . . .	18	10	37	30	SUEZ . . . . .	30	00	32	28	
Quilimane River, ent.	17	39	38	27	Cape Jehan . . . . .	28	33	33	11	
Rocky Bank . . . . .					Tor Harbour . . . . .	28	19	33	28	
Fogo, or Fire Island, off	17	12	38	52	Ras Mahomed . . . . .	27	43	34	15	
Quizungo . . . . .					Shaduan I. S. E. P.	27	26	33	54	
Razor Island . . . . .	17	5	39	12	Bareedy Harbour . . . . .	24	17	37	45	
Angoxa Islands, . . . . .					Yambo . . . . .	24	10	38	21	
— Western, Caldeira . . . . .	16	40	39	40	Juddah . . . . .	21	29	39	15	
— Eastern, Mafamale . . . . .	15	1	40	47	Camfidia . . . . .	19	7	40	50	
MOZAMBIQUE . . . . .	12	20	40	58	Marabia Reefs W. P.	19	11	40	5	
Querimba Island, about	10	6	40	50	Doorhal I. . . . .	16	15	42	8	
Cape Delgado . . . . .	8	41	39	47	Lobeia . . . . .	15	44	42	44	
Quiloa . . . . .	6	28	39	46	Gebel Tor . . . . .	15	32	42	00	
Zanzibar Island, S. P.	5	40	39	46	Cape Israel . . . . .	15	15	42	41	
— N. P. . . . .	5	30	40	19	Gebel Zabayr . . . . .	15	3	42	18	
Pemba or Keddree, S. P.	4	50	40	26	Hodeida . . . . .	14	48	42	57	
— N. P. . . . .	4	4	40	2	Shoal off Ras Magamel	14	35	42	56	
Mombas Harbour, ent.	3	37	40	7	Gebel Zeghir . . . . .	14	2	42	52	
Chenece River . . . . .	3	25	40	19	Great Arroee . . . . .	13	41	42	52	
Quillise River . . . . .	3	16	41	2	MOCHA . . . . .	13	20	43	20	
Leopard's Reef . . . . .	3	00	41	2						
Formosa Bay, S. point	2	39	41	21	Cape St. Anthony . . . . .	12	39	44	14	
— N. point . . . . .	2	10	41	18	Cape Aden . . . . .	12	44	45	14	
Patta . . . . .	0	23	43	4	Cape Hargiah . . . . .	13	30	47	2	
Daedalus Shoal . . . . .	0	12	43	2	Macula Bay . . . . .	13	57	47	58	
Juba . . . . .	1	8N.	44	10	Cape Bogatshua . . . . .	14	6	49	24	
Brava . . . . .	2	5	45	49	Kisseen Point . . . . .	15	19	51	20	
Magadoxa . . . . .	4	50	48	49	Cape Fartash . . . . .	15	34	51	56	
Cape Bassas . . . . .	8	30	50	45	Dofar . . . . .	17	3	54	10	
Moro Cobir Point . . . . .	10	00	51	17	Cape Morebat . . . . .	17	00	54	32	
Cape Delgado, north . . . . .	10	22	51	39	Cape Monteval, N.E.P.	17	26	55	20	
Cape Orfui . . . . .	11	50	51	32	Curia Muria, I. Western	17	33	55	40	
Cape Guardafui . . . . .	12	30	54	52	Cape Chansley . . . . .	18	2	56	30	
Socotra Island, E. P.	12	37	53	32	Cape Isolette . . . . .	18	58	57	48	
— W. P. . . . .										

South Coast of Africa.

East Coast of Africa.

Red Sea.

Arabia.



TABLE XLVI. Latitudes and Longitudes.

	Lat.		Long.			Lat.		Long.	
	D.	M.	D.	M.		D.	M.	D.	M.
Mazeira Islands, S. W. P.	20	00N.	58	19E.	Surde Island	25	50N.	54	39E.
— N. E. P.	20	35	58	56	Cape Dsjera	26	36	54	42
Rasalhad, (Cape Rasal-					Cape Bostana	26	30	54	52
gat)	22	22	59	58	Linga	26	33	55	1
Cape Kuriat	23	20	58	57	Kishm Island,				
Muscat	23	38	58	41	— S. W. Point	26	32	55	22
Burka	23	41	57	56	— Point Bassadore, or				
Point Deba	25	34	56	20	N. W. P.	26	38	55	22
					— Luft	26	55	55	55
Cape Mussendorn	26	21	56	38	— N. Point	27	2	56	20
Azab, or Gap Island	26	22	56	42	— Kishm Town	26	57	56	24
Great Quoin Island	26	30	56	44	Angaum I. mid.	26	39	55	57
Cape Jedee	26	8	56	12	Lanek I. (conical hill)	26	52	56	28
Rumps	25	54	56	3	Ormus I. N. end, fort	27	7	56	37
Rasulkhima	25	47	56	00	Gambroon	27	13	56	22
Umrah, or Red Island	25	43	55	49	Ras Koli, or Cape Hill	26	20	57	30
Sharga	25	22	55	32	Kohumbarek, or Bom-				
Boothabeen	24	26	53	40	barack Rock	25	52	57	46
Zara Island	25	10	53	46	Cape Kohumbarek	25	49	57	46
Dauss Island	25	10	52	45	Kohumbarek Shoal	25	43	57	56
Jarnain Island	25	8	52	55					
Arzenie Island	24	56	52	33	Cape Jask	25	38	58	10
Dulmy Island	24	36	52	24	Churbar	25	16	61	20
Seer Beniass I.	24	34	52	40	Cape Gwador or Guadel	25	4	63	12
Danie Island	25	1	52	20	Cape Arubah	25	7	65	24
Sherarow Island	25	13	52	18	Cape Monoze or Mowar-				
Hawlool Island, (pro-					ree	24	51	66	50
bably I. May)	25	41	52	23	Korauchee or Crotchet	24	46	67	7
Ras Reccan	26	11	51	16	River Scind, ent. grand				
Koor Hussan	26	2	51	11	branch	24	8	67	20
Katif Bay, N. P.	26	36	50	12	Tattah	24	44	68	17
Three low sandy isls.	27	42	49	30	Bate Castle	22	28	69	20
Sandy Island	27	52	49	25	Point Gigat	22	20	69	16
Rasulzoor	28	53	48	16	Diu Head	20	42	71	6
Rasulruhud, (S. E. part					Jaffrabad	20	55	71	36
of Graen Haven)	29	20	47	57	Searbett Island	20	55	71	43
Mulmaradam Island	28	48	48	38	Goapnat Point	21	12	72	15
Graen	29	24	47	48	Cambay	22	24	72	39
Pherleeche Island	29	30	48	25	Swallow Point (Vaux				
Basra river bar	29	57	48	42	Tomb)	21	4	72	51
BASRA or BUSSORAH	30	29	47	40	Surat Castle	21	11	73	5
Delam	29	55	50	18	Demaun	20	22	73	9
Cape Bang	29	46	50	27	Highland of St. John	20	2	73	6
Karak Island	29	16	50	27	Terrapore Point	19	50	72	49
Busheer	29	00	50	56	Busseen River	19	18	73	12
Halilah Hills, N. P.	29	19	51	26	Bombay, (flagstaff)	18	56	72	58
Asses Ears	28	29	51	20	Bombay light house	18	54	72	56
Zezarine	28	2	49	54	Henry and Kenery Isl-				
Keyn	27	49	50	4	ands	18	42	72	57
Cape Berdistan	27	58	51	26	Coullaba Island	18	37	72	69
Konklun	27	49	52	6	Chaoul	18	32	73	1
Cape Nabon	27	24	52	52	Radjapour harbour	18	16	73	2
Cherak Hill	26	56	54	17	Bancoot River	17	57	73	9
Busheab	26	48	53	25	Sevendroog	17	47	73	13
Arad Island	26	15	50	40	Dabul	17	46	73	15
Durable Shoal	26	55	50	26	Argenwell Fort	17	34	73	15
Crescent Shoal	26	44	51	43	Boria Point	17	25	73	16
— ditto Favourite					Zughur Point	17	16	73	17
soundings	26	50	51	10	Rettna-Geriah	17	2	73	22
Hinderabai Island	26	39	53	42	Radjapour Fort	16	47	73	25
Kyen or Koez Island	26	29	54	8	Geriah point & flagstaff	16	31	73	25
Polor or Belior Island	26	18	54	40	Angrias Bank, N. P.	16	38	72	8
Great Tumb I.	26	17	55	24	— S. P.	16	18	72	8
Little Tumb I.	26	14	55	13	Dewghur harbour	16	23	73	32
Nobfleur I.	26	6	54	34	Atchera River	16	11	73	35
Bormesa Island	25	51	55	9	Melundy (fortified Isl.)	16	3	73	36

TABLE XLVI. Latitudes and Longitudes.

	Lat.	Long.		Lat.	Long.		
	D. M.	D. M.		D. M.	D. M.		
<i>Malabar.</i>	Newtee Point	15 56N	73 39E.	<i>Ceylon.</i>	Punnecoil	8 41N	73 30E
	Vingorla Rocks. or				Putacrine	8 50	78 32
	Burnt Islands	15 53	73 34		Point Itamen	9 17	79 22
	Carac Point	15 44	73 44		Deviapatam	9 29	79 00
	Chiracole Fort	15 41	73 47		Tondy	9 45	79 12
	Chapra Fort	15 36	73 48		Point Calymere	10 18	79 58
	Vgoada Pt. N. ent. Goa				— Pagodas	10 23	80 00
	Bay	15 29	73 53		Negapatam Fort	10 45	79 55
	GOA				Five White Pagodas of		
	St. George's I. (western)	15 22	73 53		Nagore	10 49	79 55
	Cape Ramas	15 5	74 6		Tranquebar	11 1	79 55
	Oyster Rocks. outermost	14 48	74 14		Devicotta (Exteroon R.)	11 22	79 54
	Carwar Head	14 47	74 16		Porto-Novo	11 31	79 48
	Anjedwa (island)	14 44	74 16		Cuddalore	11 43	79 50
	Merjee River	14 30	74 31		PONDICHERRY	11 56	79 54
	Fortified Island	14 19	74 37		— Calras	12 32	80 13
	Onore	14 18	74 39		MADRAS, Fort St.		
	Pigeon Island	14 3	74 32		George	13 4	80 22
	Barcalore Peak	13 50	74 58		Ennore	13 15	80 24
	St. Mary's Rocks, N.P.	13 28	74 55		Pulicat	13 25	80 24
	— S. P.	13 17	74 55		Arnegon	13 58	80 13
	Molky Pyramid	13 12	75 4		Point Pennar	14 30	80 17
	Premeira. or Molky				Gonlegam	15 20	80 6
	Rocks	13 11	74 52		False Point Divy	15 47	81 1
	MANGALORE	12 50	75 7		Point Divy	15 59	81 16
Mount Dilly	11 59	75 31	MASULIPATAM	16 11	81 13		
Canonore Point & Fort	11 51	75 41	Narsapour Point	16 19	81 50		
Tellicherry Flagstaff	11 44	75 49	Point Gonleware	16 48	82 22		
Mahe Fort	11 41	75 52	Coringa	16 49	82 17		
Sacrifice Rock	11 30	75 51	Jaggernautporam	16 56	82 17		
Calicut	11 15	76 5	Wattara	17 26	82 55		
Bey pore River	11 10	76 6	Vizagapatam	17 42	83 26		
Paniary River	10 38	76 17	Bimlipatam	17 53	83 37		
Chitwa Church	10 33	76 20	Chicacole R.	18 12	83 54		
Cranganore or Ayecotta			Ganjam Flagstaff	19 22	85 10		
River	10 15	76 21	Manikpatam	19 49	85 39		
Cochin	9 57	76 29	Jaggernaut Pagodas	19 48	85 52		
Alippee	9 30	76 34	Black Pagoda	19 52	86 6		
Porca	9 20	76 39	False Point	20 20	87 00		
Iviker or Aybicka	8 54	76 46	Point Palmyras	20 41	87 13		
Quilon	8 52	76 48	BALLASORE	21 50	87 10		
Angenga Fort	8 39	77 00	Ingerlee Pagoda	21 41	87 00		
Ruttera Point	8 23	77 8	Kedzoree	21 51	87 6		
Calicutam Point	8 9	77 29	CALCUTTA (Fort Wil-				
CAPE COMORIN	8 5	77 44	lian)	22 34	87 26		
<i>Ceylon.</i>	— Point Pedro	9 49	80 23	Chandernager	22 51	88 27	
	— Colombo	6 57	80 09	Sager Point	21 35	88 11	
	— Adam's Peake	6 52	80 38	Light-house Point	21 30	88 27	
	— Point de Galle	6 1	80 20	Tail Western Br. ce. S.P.	21 9	87 17	
	— Matura	5 58	80 40	Tail Western Sea Reef,			
	— Dondra Head	5 55	80 43	S. P.	21 09	87 3	
	— Grand Bassas	6 11	81 38	Tail Eastern Sea Reef,			
	— Little Bassas	6 24	81 55	P.	20 58	87 21	
	— Elephant Point	6 20	81 39	Floating Light Vessel	21 2	87 25	
	— Agaus or Aganis	6 53	82 1	Tail of Sarger Sand, S.P.	21 00	87 57	
	— Battacola Roads	7 44	81 52	Coja Deep Island	21 27	87 34	
	— Vendoo's Bay	7 57	81 44	Islambad or Chittagong	22 21	89 15	
	— Trincomalee. Flag-			Red Crab Island	22 28	87 42	
	staff Point	8 33	81 24	Dombuck or Elephant			
	— Molewal or Molatee-			Point	21 10	87 58	
va House	9 13	81 1	St. Martin's Reef	20 34	87 15		
— Point Palmyra	9 49	80 26	Mosque Point, ent. A-				
Manapa Point	8 22	78 16	rracan	20 15	87 38		
Trinchindere Pagoda	8 30	78 24	Terraces (mid.)	19 25	87 6		
			Cheduba Pagoda	18 8	85 37		
			Free Island	18 28	85 10		

	Lat.	Long.		Lat.	Long.
	D. M.	D. M.		D. M.	D. M.
Foul Island	13 7N	93 56E.	P. Brala, or Capas de	4 47N.	103 37E.
Church (or St. John's			Mer	5 15	103 8
Rocks)	17 28	91 7	P. Capas de Terra	5 21	103 4
Calventura Rocks	16 52	94 8	Tringany River, ent.	5 50	103 00
Buffalo Rocks	16 21	94 12	Great Kedang Island	6 4	102 40
Cape Negrais	16 2	94 13	Pulo Printian	6 13	102 17
Diamond Island	15 52	94 19	Calantan Road	7 4	101 51
Sunken I. (or La Guar-	15 41	94 15	Cape Patani	7 14	102 42
da)			Pulo Lozin	8 29	100 58
Rangoon, or Pegu river			Pulo Cara	13 30	101 15
entrance	16 29	96 25	Siam River, entrance	14 18	101 13
PEGU	18 00	96 52	JUTHIA or SIAM	12 27	101 37
Martaban	16 28	97 30	Cape Liant	9 55	103 40
Tavay Point	13 33	98 6	Pulo Way	8 40	104 34
Tavay Island	13 13	98 9	Pulo Oby False	8 25	104 54
Cabossa Island	12 46	97 29	Pulo Oby	8 35	104 56
West Canister Island	12 40	97 25	Cambodia Point	9 34	106 30
Tanasserim Island	12 36	97 30	Cambodia River, W. en.		
Mergui	12 12	98 24	Cape St. James (E. ent.		
Tores Islands, western	11 50	97 3	Saigon R.)	10 17	107 4
Small Rock	11 21	97 15	Cape Trivonne	10 21	107 16
Domel Island	11 10	97 57	Point Baleck	10 30	107 33
St. Matthew's I.	9 55	98 4	Brittos Bank, N. E. P.	10 32	107 56
Scyer's Islands, N. P.	8 43	97 48	Cow Island	10 39	107 52
— S. P.	8 28	97 48	Point Kega	10 41	108 4
Junkseylon I. N. P.	8 9	98 20	Point Vinay	10 54	108 19
— S. P.	7 46	98 20	Mui-guio or Little Cape	11 4	108 31
Paris River	6 21	100 13	Point Lagau	11 9	108 40
Elephant's Mount	6 10	100 21	Pulo Ceicer de Terre	11 13	108 48
Queda	6 6	100 17	Cape Padaran	11 21	109 00
Prince of Wales' I. Fort			Padaran Bay	11 35	109 4
Cornwallis	5 24	100 21	Cape Varela False	11 44	109 12
Cape Caran	3 32	101 8	Carnaigne Harbour, en.	11 49	109 12
Salangore Hill and Fort	3 20	101 18	Water Islands	12 3	109 19
Pulo Callam or Colong,			Tre Island	12 16	109 19
S. P.	2 56	101 16	Pyramid Island	12 21	109 19
Parcelar Hill	2 52	101 29	Nhiatrag	12 26	109 10
Parcelar Point	2 42	101 32	Three Kings Rocks	12 43	109 23
Tanjong Tuan, (C. Ra-			Hone Cohe Harbour	12 45	109 12
chado)	2 23	101 52	Cape Varela, or C. Pa-		
Tanjong Clin or Peer			goda	12 55	109 25
Punjab	2 17	102 8	Perforated Rock	12 59	109 25
Fisher's Island	2 13	102 12	Phuyen Harbour, ent.	13 23	109 14
Malacca Fort	2 12	102 15	Coumrong Harbour, ent.	13 29	109 13
Water Islands, southern	2 4	102 20	Pulo Cambir	13 33	109 21
Mount Mora or Moar	1 59	102 42	Cape Sanho	13 44	109 14
Mount Formosa	1 49	102 56	Quinhonc Har.	13 50	109 14
Mount Battoo Ballo	1 39	103 11	Buffalo I.	14 11	109 14
Pulo Pisang	1 28	103 16	Point Nuoc Ngol	14 19	109 7
Pulo Cocob	1 19	103 25	Tanquan River	14 39	108 56
Tanjong Booro	1 15	103 30	Pulo Canton	15 23	109 6
Little Hill, or False Ju-			Port Qui-quick	15 23	108 44
hore Hill	1 26	104	Cham Callao	15 54	108 33
Johore Hill	1 23	104 6	Cape Turon or Tienchu	16 5	108 15
Barbucoet Hill	1 25	104 13	Callaohanne I. (N. cut.		
Point ROMANIA	1 23	104 18	Turon)	16 11	108 7
False Barbucoet Hill	1 30	104 16	Cape Chouway	16 21	107 51
Romania Reef	1 25	104 25	Hue or Huesso River	16 35	107 26
Eastern Bank, (outer			Tiger Island	16 55	107 23
part)	1 32	104 35	Hainan I. and adjacent		
Pulo Tingy	2 17	104 8	Islands,		
Blair's Harbour	2 43	103 40	— Yaitehew Bay	18 24	108 52
Pulo Varela	3 16	103 47	— Yulenken Bay, Zenby	18 11	109 35
Pahan Road	3 31		— South Pt. of Hainan	18 10	109 34
Tingoram	4 12	103 18	— Galong Bay	18 18	109 39
Howard's Shoal	4 14	103 31	— Brother's Is. Eastern	18 11	109 41

TABLE XLVI. Latitudes and Longitudes.

	Lat. D. M.	Long. D. M.		Lat. D. M.	Long. D. M.		
— Luengsoy Point S. P.	18 22N	110 00E.	Prince Edward's islands				
— Sail Rock	18 26	110 8	— Southernmost	46 53S.	37 46E.		
— Saddle Island	18 35	110 11	— Northernmost	46 40	38 8		
— Point of land	18 40	110 24	Kerguelan's Land, or				
— Nankin Island	18 38	110 21	Isle of Desolation,				
— Tinhosa Island	18 40	110 28	— Bligh's Cap. N. P.	48 29	68 44		
— False Tinhosa	18 49	110 31	— Christmas Harbour	48 41	69 4		
— Toongan Mount.pt.	19 35	111 2	— Port Paliser	49 3	69 37		
— Hainan Head N.E.P.	19 59	110 54	— Cape Digby, or E. P.	49 23	70 34		
— South Taya Island	19 49	111 12	— Cape George, or S.P.	49 54	70 10		
— North Taya Island	19 59	111 17	— Island Solitaire	49 49	68 11		
Nowehou	20 58	110 26	— Cape Louis	49 3'	68 23		
Ty-foong-kyoh I. (Tien- pak harb.)	21 22	111 13	St. Paul's (or Amster- dam Island)	37 52	77 52		
Ty-Chook-Chow I.	21 26	111 25	Amsterdam (or St. Paul's Island) S. P.	38 47	77 52		
Song-yue Point	21 31	111 40	Danish Rock, doubtful	28 17	98 25		
Mamee-Chow, or the Twins, near S. W. P. of Hai-ling-shan	21 34	111 50	Cloate's I. (lon. uncer.)	22 7	112 30		
Ty-oa Point	21 43	112 15	Tryal Rocks	20 40	105 30		
Nampang I.	21 34	112 12	Rosemary Islands } very A reef 10 miles } near N.W. of Rose } New mary Island } Hol- land	20 23	115 55		
Mandarin's Cap	21 28	112 22	Abrohos Shoals	28 30	113 35		
Mong-chow I.	21 39	112 29	Christmas Island	10 33	105 33		
Haw-cheun, S. W. end	21 35	112 31	Cow Isles,				
Passage I. (near S.W.P. Haw-cheun)	21 35	112 34	— Northern	11 50	97 4		
Wy-Causs I. (near S. point St. John's)	21 34	112 47	— Southern	12 23	97 15		
Lieu-Chew I.	21 36	112 52	Clarke's Reef and Im- perieuse Shoal	17 32	119 14		
Wizard Rocks	21 47	113 1	Dampier's or Scott's Reef, N. W. end	13 52	121 59		
Ty-kam I.	21 52	113 1	— N. E. end	14 1	122 16		
Cou-cock I.	21 50	113 7	Coral Bank	13 32	124 29		
Tyloo I. S. P.	21 52	113 14	Coral Bank, 9 fathoms	13 25	124 12		
Great Ladrone	21 57	113 44	Coral Bank, 7 fath.	12 46	124 32		
Potoe or Passage I.	22 2	113 39	Cartier's Sandy I. or Bank	12 28	123 56		
Laff-Samee Peak	22 8	113 49	Red Island, (very near New Holland)	15 9	124 22		
Typa	22 8	113 53	Coral Bank 10 f. or less	12 25	124 11		
Macao, City	22 10	113 32	Hibernia's Shoal	11 56	123 28		
Lantoa or Tyho I. S.W.P.	22 12	113 50	Sahul Shoal, S. W. P. 12 fath.	11 35	124 14		
Lintin Island, Peak	22 24	113 48	Echo's Soundings, 14 fath.	11 16	125 50		
Asses Ears	21 54	114 1	Coral 7 fath. Bank	9 56	129 28		
Great Lena I. N. E. P.	22 5	114 18	Fortune Shoal	33 8	43 5		
Nine Pin Rock	22 16	114 22	Union Shoal	35 25	41 12		
Whampo anchorage	23 6	113 22	Dutch Bank	31 44	44 00		
CANTON	23 7	113 14	Otter's Shoal, doubtful	33 56	36 00		
<p><b>XLI. Islands and Shoals in the INDIAN OCEAN, between the meridians of the Cape of Good Hope and Sumatra, including those West and North-West of New Holland.</b></p>			<p>Princess Augusta's Shoal doubtful</p>			33 44	36 16
			<p>Union Rocks, doubtful</p>			35 23	41 20
			<p>Swallow Rocks &amp; Break- ers, doubtful</p>			28 20	42 10
			<p>Belliuese Shoal, doubt.</p>			28 43	42 33
			<p>Star Bank</p>			25 15	44 16
			<p>Madagascar Island,</p>				
			<p>— Cape Amber, N. P.</p>			12 2	49 25
			<p>— Cape East</p>			15 14	50 30
			<p>— Bay Antongil</p>			16 27	50 23
			<p>— St. Mary's Island</p>			17 00	50 25
			<p>— Foul Point</p>			17 41	49 36
			<p>— Fort Dauphin</p>			25 5	46 35
			<p>— Cape St. Mary</p>			25 48	47 13

	Lat.		Long.			Lat.		Long.	
	D.	M.	D.	M.		D.	M.	D.	M.
Cape Verde Is.	— St. Augustine Bay ent. (Sandy I.)	23	39	S	14	00	E.		
	— Cape St. Vincent	21	46		13	30			
	— Cape St. Andrew	16	2		15	16			
	Madagascar Island								
	— Table Cape	15	43		16	6			
	— Bembatooka Bay	15	43		46	28			
	— Majambo Bay	15	10		47	6			
	— Narrenda Bay	14	31		47	45			
	— Dalrymple Bay	13	31		48	9			
	— Passandava Bay	13	45		48	23			
Chagos Archipelago.	— Cape St. Sebastian	12	24		48	54			
	Star Bank	25	7		14	16			
	— Bassas de India	22	28		10	37			
	— Europa Rocks	21	28		40	8			
	— Sussex Rocks	21	25		42	36			
	— Bazaruto Islands	21	20		46	12			
	— Barren Islands, western	18	26		44	15			
	— English Bank	17	40		40	15			
	— Juan de Nova or St. Christopher's I.	17	3		43	7			
	— Coffin Island	17	30		41	5			
Seychelle Is.	— Chesterfield Shoal	16	20		14	8			
	— Mayotta Island	12	51		15	14			
	— Mohilla Island	12	20		43	50			
	— Johanna Island, Peake	12	15		14	34			
	— Comoro	11	32		43	25			
	— Portuguese Shoals	12	30		46	50			
	— John Martin's Island (doubtful)	10	15		43	50			
	— Firebrass Bank	13	16		46	20			
	— Aldabra Islands, N.W.P.	9	23		45	46			
	— Assumption Island	9	46		47	16			
Maldive Archipelago.	— Cosmoledo Island	9	46		48	20			
	— Marquis of Huntley's Bank	9	57		50	20			
	— St. Peter's Island	9	23		50	42			
	— Natal Island (doubtful)	8	26		47	12			
	— Sandy Island	9	10		49	10			
	— St. Lawrence Island	9	13		50	58			
	— Zanzibar Island, S. P.	6	28		39	46			
	— N. P.	5	40		39	46			
	— Amirante Island, N.W.P.	5	10		53	45			
	— S. E. P.	6	20		54	30			
Maldiva Archipelago.	— Mahe Bank, N. W. P.	3	20		54	40			
	— S. E. P.	5	30		56	59			
	— Seychelle or Mahe I.	4	35		55	35			
	— Praslin I.	4	19		55	47			
	— French Shoal	3	58		54	42			
	— African Islands	4	55		54	9			
	— Alphonso I.	7	4		52	49			
	— Sandy Island or Bank	7	16		52	49			
	— Isle Bourbon St. Denis	20	52		55	29			
	— Mauritius or I. of France								
Sandy Is.	— Fort Louis	20	10		57	30			
	— Diego Rais or Rodrigue	19	40		63	24			
	— St. Branden or Cargados								
	— Garajos								
	— N. part of the Bank	13	41		61	15			
	— Low Sandy Island	16	5		59	47			
	— Islet with huts	16	27		59	40			
	— South Islet	16	47		59	34			
	— Nazareth Bank, S.W.P.	16	47		59	31			
	— N. E. P.	13	41		61	15			
Sandy Is.	Sandy Island	15	52	S.	55	23	E.		
	— Galega or S. Roquepiz, mid.	10	25		56	39			
	— Saya de Malha Bank } limits	11	30		62	20			
	— Fortune Bank	8	18		59	58			
	— John de Nova	7	12		57	40			
	— Providence Island	10	15		51	13			
	— Coetivy Island	9	9		53	00			
	— Chagos Archipelago	7	14		56	32			
	— Diego Garcia	7	29		72	22			
	— Pitts' Bank	7	29		71	25			
Molucca Is.	— Centurion's Bank	6	39		70	53			
	— Ganges Bank	7	26		70	50			
	— Owen's Bank	6	46		70	12			
	— Egmont's, or Six Islands	6	37		71	24			
	— Danger Island	6	21		71	18			
	— Eagle Island	6	10		71	23			
	— Three Brothers	6	9		71	35			
	— Peros, Banhos Isl'ds.	5	22		71	53			
	— Saloman's Islands	5	23		72	20			
	— Sandy Islands	5	17		72	37			
Molucca Is.	— Speaker's Bank	5	00		72	26			
	— Pona Molubque Atoll, S. P.	0	41		73	20			
	— N. W. P.	0	34		73	12			
	— N. E. P.	0	33		73	25			
	— Addon Island (mid.)	0	21		73	35			
	— Suadiva, southern group								
	— South Reef	0	9	N.	73	15			
	— South Island	0	11		73	12			
	— S. W. Island	0	18		73	4			
	— N. W. Island	0	28		73	2			
— N. Island	0	34		73	8				
Molucca Is.	— Northern group, S. W. Island	0	48		73	19			
	— N. W. Island	0	51		73	20			
	— N. E. Island	0	58		73	33			
	— Adoumatis Atoll								
	— S. W. extremity	1	50		73	27			
	— Southernmost Island	1	49		73	33			
	— Island	1	51		73	38			
	— N. W. Island	2	7		73	35			
	— N. E. Island	2	9		73	46			
	— Collonandous Atoll								
Molucca Is.	— South Island	2	13		73	21			
	— Long Island	2	21		73	8			
	— N. W. extremity	2	30		73	8			
	— West entrance of Coll Channel	2	10		73	21			
	— Molucque Atoll	2	58		73	45			
	— Nilmandous Atoll	3	12		73	18			
	— Poulsidous Atoll	3	36		73	44			
	— Ari Atoll, W. P.	4	17		73	2			
	— Male Atoll or Maldivia, S. E. P.	4	13		73	42			
	— Gafer Island	4	46		73	40			
Molucca Is.	— Todu Island	4	42		73	14			
	— Cordivia Island	5	00		73	36			
	— Maloss Madoll	5	00		73	12			
	— Padipolo Atoll, S. P.	5	13		73	32			

TABLE XLVI. Latitudes and Longitudes.

277

	Lat.	Long.		Lat.	Long.
	D. M.	D. M.		D. M.	D. M.
Milla Doue Malou	6 5N	73 13E.	Chowry I.	8 28N	93 12E.
Tilla Dou Matis, or head of the Islands, north- ern limit	7 6	73 7	Terressa I. N. P.	8 22	93 17
Minicoy or Malicoy	8 17	73 18	— S. P.	8 12	93 21
Seuveli Islands, south- ern	10 00	72 36	Katehall, W. end	7 54	93 29
— Northern	10 6	72 39	Noncowry I. & harbour	8 00	93 41
— Southern extreme Reef	9 54	72 34	Canorta, N. P.	8 15	93 42
Kalpeni Islands, S. P.	10 4	73 56	Tillaugehong I-Is. N. P.	8 33	93 46
— N. P.	10 10	73 56	— S. P.	8 22	93 46
Courutee Island	10 34	73 00	Meroe I.	7 29	93 46
Pittie Sand Bank	10 48	72 51	Little Nicobar, N. P.	7 20	93 52
Underoot I.	10 48	74 00	— S. P.	7 13	93 46
Acutta I.	10 51	72 31	Great Nicobar, N. P.	7 8	93 55
Bungoro I.	10 55	72 36	— S. P.	6 45	94 00
Pungoro I.	10 55	72 38			
Amni I.	11 6	73 8			
Permulpar I.	11 9	72 28			
Cardamum I. (mid.)	11 14	73 12			
Elicpeni Bank (mid.)	11 15	74 20			
Kittan I.	11 29	73 24			
Betrapar I.	11 35	72 34			
Chittae I.	11 42	73 4			
Cherbaniano Bank (not explored)	12 20	72 15			
Angrias Bank, N. P.	16 38	72 8			
— S. P.	16 18	72 8			
Bale of Cotton Rock (doubtful)	5 18	88 20			
Le Meme's Reef (doubt.)	1 20	94 20			
Preparis Island, N. P.	14 56	93 40			
— S. P.	14 49	93 40			
Great Coco I. N. P.	14 8	93 26			
— S. P.	14 2	93 26			
Little Coco I.	13 58	93 20			
Landfall I.	13 39	93 8			
Great Andaman					
— Cape Price, N. end	13 34	93 9			
— S. E. point	11 30	92 56			
— Port Cornwallis	13 18	93 3			
— Port Chatham	11 41	92 50			
— Port Campbell	11 56	92 39			
Rutland, I. S. P.	11 24	92 47			
Interview I. N. P.	13 1	92 46			
— S. P.	12 47	92 41			
North Centinel	11 33	92 24			
South or Little Centinel	11 00	92 27			
Five Islands, S. P.	11 17	92 55			
Sisters, southern	11 10	92 58			
Brothers, northern	11 00	92 55			
Little Andaman, N. P.	10 53	92 38			
— S. E. P.	10 26	92 40			
Invisible Bank, N. P.	11 27	93 41			
— S. P.	10 56	93 40			
— Flat Rock	11 8	93 40			
Barren Island	12 16	93 54			
Narcondam	13 24	94 12			
Car Nicobar	9 10	92 56			
Batty Maloe	8 46	93 1			

	Lat.	Long.
	D. M.	D. M.
XLII. The Islands of Sumatra, Java, Billington, Gaspar, Banca, with the adjacent Islands and Straits.		
Acheen	5 34N.	95 26E.
Golden Mountain	5 27	95 49
Pedir Point	5 29	96 10
Elephant Mountain	5 3	96 50
Tooloo-Samwoi Point	5 13	97 22
Diamond Point	5 18	97 48
Tanjong Bou	1 5S.	104 30
Batacarang Point	2 00	104 53
Fourth Point	2 20	105 15
Third Point	2 23	105 32
Second Point	2 41	105 41
First Point	3 00	105 58
Hog Point	5 54	105 53
Flat Point	6 00	104 40
Billimbing Bay	5 54	
Beneonat	5 35	104 25
Cawoor	4 56	103 25
Manna Point	4 33	102 53
Buffalo Point	3 58	102 30
BENCOOLEN (Fort Marlborough)	3 48	102 28
Caytone	3 29	102 14
Moco-Moco	2 34	101 26
Indrapour Point	2 5	100 55
Padang Head	0 56	99 59
Priaman	0 40	99 53
Natal	0 30N	98 40
Tappanooly	1 40	98 40
Tappoose	2 00	97 57
Sinkel River	2 13	97 22
Troumonde	2 46	97 44
Point Labon	3 2	97 22
Point Tampot Tuon	3 15	97 16
South Tally Pow	3 22	97 11
Muckie	3 28	97 4
Laboan Hadje	3 32	96 59
Mingin	3 35	96 55
North Tally Pow	3 36	96 56
Tangar-Tangar	3 38	96 56
Sooso	3 42	96 50
Qualah Battoo	3 43	96 43
Cape Felix	3 43	96 27
Analaboo	4 9	96 6
Pulo Rondo	6 4	95 14
Pulo Way	5 49	95 23
Pulo Brasse	5 42	95 6

	Lat.	Long.		Lat.	Long.
	D. M.	D. M.		D. M.	D. M.
Pulo Rajah	4 40N.		Taggal Rock	6 46S.	
N. Cocos Islands lying			Samarang flagstaff	6 57	110 25E.
N. W. of the North			— anchorage	6 53	110 24
point of Hog Island	3 2	95 52E.	Mandalique Island	6 22	110 54
Hog Island, N. P.	2 58	96 4	Lerang Point	6 35	111 27
— S. P.	2 22	96 32	Rambang	6 42	111 19
Coral Bank	3 31	96 42	Point Panka or Panco	6 52	112 34
Burgh Rock	2 47	97 26	Sourabaya	7 15	112 48
Shoal, 10 feet	2 48	97 33	Cape Sandana	7 49	114 22
Castlereagh Shoal	3 5	97 6	Balambonang Bay, Pt.		
North Pulo Dua	2 52	97 39	Goonog Ikan	8 23	114 25
Passage Island	2 21		— East point	8 46	114 33
Bird Island	1 56		Turtle Bay	7 48	109 48
Lucotta Island	1 50		Tulan orDirckVrie's Bay	7 50	108 12
Londisc Shoal (N.N.E.			Wine Cooper's point	7 28	106 36
½ E. from Lucotta,					
dist. 2½ leagues)	1 57		Noesa Baron I.	8 38	113 35
Mensural Island	1 32	98 20	Tangala Islands, largest	8 26	112 26
Pulo Dua	1 24	97 52	Clappe's Island, about	7 4	105 29
Pulo Nyas, S. P.	0 33	97 21			
Pulo Tamong	0 24	98 10	Mew Island	6 43	105 15
Pulo Panjang	0 13	98 30	Peak on Prince's Island	6 35	105 15
Clappe's Island, middle	0 28	97 30	Peak on Crocotoo island	6 8	105 25
Pulo Mintaon, or Patao	0 25	98 7	Peak on Tamarind Isl.		
Pulo Ayer Besar	1 24	100 17	or Pulo Bessy	5 36	105 28
Se-beero or G. Fortune			Pulo Sebooko	5 33	105 26
I. N. P.	0 56	98 38	Cap	5 59	105 57
— S. W. P.	1 47	99 2	Buiton	5 51	105 57
Se-pora or South Pora,			Thwart-the-way	5 55	105 51
N. W. P.	2 00	99 33	Zutphen Islands (larg-		
— S. P.	2 25	99 58	est) N. P.	5 50	105 47
North Poggy Isl. N. P.	2 32	100 5	South Watcher	5 41	106 43
— S. P.	2 52	100 13	Maneater's Island	5 54	106 30
South Poggy Isl. N. P.	2 50	100 15	Pulo Baby	5 48	106 14
— S. P.	3 20	100 34	Thousand Islands, N.	5 22	106 18
Large or Large Islands	3 30	101 11	Pruysen's Droogte shoal	5 17	106 47
Rat Island	3 51	102 23	Armuyden Bank	5 13	106 48
Trieste or Reefs Island	4 3	101 22	North Watcher	5 12	106 32
Pulo Pisang	5 8	104 6	Three Sisters	5 44	105 48
Little Fortune Island	5 54	104 38	North Island	5 41	105 49
Engano or Deccit I.N.P.	5 15	102 25	Two Brothers, northern	5 9	106 5
— E. point	5 22	102 40	Lynn Shoal	5 12	106 13
— S. E. point	5 30	102 38	Shabunder Shoal	5 9	105 58
— S. point	5 31	102 29	Brouwer's Shoal	5 5	106 14
— W. point	5 21	102 19	Lucepera Sent St.Banca	3 12	106 10
			Nanka Islands	2 25	105 48
Java Head	6 48	105 11			
First Point	6 44	105 12	Banca Island		
Second Point	6 36	105 21	— South Point	3 6	106 40
Third Point	6 27	105 40	—Tanjong Panjong or		
Anger	6 3	105 54	Point Lalary	2 49	106 4
Bantam or St. Nicholas P.	5 53	106 2	— Monopin Hill	2 00	105 14
Bantam	6 5	106 10	Tanjong Goonting	1 43	105 20
BATAVIA Observatory	6 9	106 52	— Tanjong Muncooda,		
Carawang Point	6 1	107 12	N. of Banca	1 28	105 51
Sedary Point	5 59	107 27	— Tanjong Tuan	1 38	106 6
Point Pamanoeakan	6 11	107 49	— Songy Leat Bay	1 50	106 9
Woerden Castle Rock	6 2	107 52	— Tanjong Ryah	1 55	106 14
Princess Charlotte Shoal	5 58	107 54	— Goonong Marass		
Indramaye Point	6 15	109 20	Mount	1 53	105 52
Pulo Rackit	5 56	108 22	— Tanjong Breket	2 36	106 52
Bumkin's Island or out-			— Rocky Point	2 56	106 54
er Shoal	5 47	108 23	— Entrance Point, or		
Cheribon Mountain		108 26	S. E. P.	3 2	106 54
Taggal	6 50	101 11			

TABLE XLVI. Latitudes and Longitudes.

	Lat.		Long.			Lat.		Long.	
	D.	M.	D.	M.		D.	M.	D.	M.
Shoal or Fairlie	3	27S.	107	2E.	Bintang I. N. W. P.	1	10N.	104	19E.
rt's Shoals	3	11	107	2	Johore Shoal	1	18	104	4
at or Middle I.	3	5	107	8	Shoal ent. Rhio Straits	1	8	104	11
Shoal	2	51	107	5	Sineapour I. E. P.	1	22	104	00
ater Island	2	46	107	2	Pulo Battain, N. E. P.	1	10	104	4
land	3	00	107	15	St. John's I. S. P.	1	14	103	51
land	2	58	107	15	Rocky Reefs	1	9	103	55
Hewitt's Rock	2	53	107	14	Middle Island	1	13	103	46
ry Rock	2	54	106	56	Coney Island	1	9	103	41
san or Gasper I.	2	25	107	6	Buffalo Rock	1	9	103	48
land	2	28	107	00	Rocks	1	6	103	45
Hasting's Shoal	2	23	106	57	Red Island	1	6	103	38
e's Shoal	2	15	107	00	Tree Island	1	8	103	36
rt's Shoal	2	11	106	46	Alligator Island	1	10	103	40
ough Shoal	2	3	106	22	Rocks	1	12	103	36
n's Shoal	1	56	107	1	Little Carimon	1	8	103	24
Shoal	1	40	106	26	Great Carimon, N. P.	1	7	103	21
Island, S. E. P.	3	22	108	15	The Brothers	1	10	103	21
Point	3	15	107	35	Pulo Cocob	1	19S.	103	25
	2	33	107	53	Pulo Pisang	1	28	103	16
land off Billiton	2	35			Water Islands, or Four				
land (formerly	3	47	108	2	Brothers, S. P.	2	4	102	20
and White R.)	3	32	110	4	Fisher's Island	2	13	102	12
al	3	5	110	11	Bambeck Shoal	2	37	101	41
ancap	3	2	110	11	Pulo Callam or Colong,				
cap Shoal, S. P.	3	22	110	11	S. P.	2	56	101	16
ry's West. Bank	3	39	108	43	Two and half fathoms				
ern Bank	3	33	109	10	Bank	2	54	101	4
	3	36	108	48	Round Arroa	2	49	100	49
s North Shoal	3	19	108	40	Blenheim's Shoal	3	3	101	2
ster's Sand Bank	3	17	109	5	Long or Great Arroa	2	52	100	44
I.	2	54	108	58	Two Brothers, Pulo				
n Islands south	2	35			Pandan	3	24	99	54
ern	2	31	108	52	— Pulo Salanama	3	21	99	52
oekemou (high-	2	31	108	36	Pulo Varela	3	47	99	36
l.)	2	14	109	51	Pulo Jarra	4	00	100	14
ocks	2	1	108	39	Sambalang I. Southern	4	3	100	35
's Shoal	2	44	110	3	Dinding I. W. P.	4	16	100	35
vous I.	1	42	108	41	Prince of Wales' I. Fort				
ou, W. P.	1	36	108	54	Cornwallis	5	24	100	21
a I. Peak	1	28	109	26	Pulo Pera	5	42	99	1
pan	1	12	109	14	Boonting I. Southern	5	45	100	18
numbangan	0	55	109	18	Pulo Bonton (Dome)	6	33	99	20
leega Isles	0	55	108	39	Pulo Ladda, S. P.	6	8	99	42
Shoal	1	8	105	24	Trotto I. N. P.	6	49	99	39
en Islands, N.W.	0	54	104	20	Sangald or Guilder Rock	7	10	98	50
rela or Barallah	0	45	104	58	Pulo Telibon	7	14	99	29
ya	0	35	103	51	The Brothers	7	31	98	20
lantigas	0	26	105	2	Pulo Rajah or P. Taya	7	36	98	20
: Shoal	0	20	105	4	Junkseylon, S. P.	7	46	98	20
Tanjong Eang,	0	10	105	4					
ext.	0	48N.	104	58	XLIII. Islands and Shoals in the CHINA				
mino Island	0	57	104	30	SEA.				
s Bank, same as	0	54	104	56		Lat.	Long.		
er Bank	0	48N.	104	58		D. M.	D. M.		
Island off Pulo	0	48	104	51	St. Barbe Island	0	7N.	107	15E.
ng	0	31	103	44	Direction Island	0	15	108	5
rothers, south	1	20	104	26	Pulo Dattoo	0	7	108	36
ranco	1	23	104	20	Welstead's Rock	0	32	107	55
off P. Romaine	1	2	104	30	St. Esprit Islands, E.	0	34	107	13
I. (the hill)	1	2	104	30	Green Island	0	43	107	30
					St. Julian Island	0	54	106	48
					Tambelan Islands, East				
					or Great I.	1	00	107	35
					Gap Rock	1	12	107	35
					Europe Shoal	1	12	107	25



	Lat.		Long.			Lat.		Long.
	D.	M.	D.	M.		D.	M.	
Rocky Island	1	9N.	107	14E.	Round Island or Great	10	6N.	108 52E.
Camel's Hump	1	10	106	55	Catwick	10	32	108 53
Saddle Island	1	16	107	4	Pulo Ceicer de Mer	10	37	110 19
French White Rock	1	32	106	32	Minerva's Bank	10	37	110 19
Victory Island	1	34	106	22	Investigator's Coral			
Acasteo Rock	1	39	106	21	Patch	14	12	112 52
White Rock	2	18	105	35	Triton's I. or Bank S.			
Macedonian Reef	2	25	105	32	W. part	15	45	111 11
South Anambas, li-	2	18	106	8	Passoo Keab (Sandy I.)	16	3	111 45
mits	2	40	106	30	Bombay Merchant's			
Pulo Domar	2	45	105	27	Shoal, E. P.	16	4	112 38
Middle or G. Anambas,					— S. P.	15	59	112 26
W. limit	3	9	105	41	Discovery Shoal, W. P.	16	11	111 32
North Anambas	3	27	106	15	— E. P.	16	16	111 46
Pulo Tingy	2	17	104	8	Jehangire's Coral Bank	16	18	112 35
Ex. Islet off P. Tingy	2	8	104	11	Vulador's Shoal, E. P.	16	19	112 7
Pulo AOR or Wawoor-	2	29	104	35	— W. P.	16	18	112 00
Pulo Pisang or Pambee-					Crescent Chain			
lan	2	37	104	21	— Money's Island	16	28	111 30
Pulo Fimoan, S. P.	2	44	104	15	— Robert's Island	16	31	111 34
— N. P.	2	54	104	15	— Pattle's Island	16	33	111 36
— Bay on S. W. side	2	48			— Drummonds's Island	16	29	111 44
— N. Islet off N. W. side	2	56			— Governor Duncan's			
Pulo Varela	3	16	103	47	Island	16	27	111 40
Pulo Brala or Capas de					— Antelope's shoal	16	27	111 35
Terre	4	47	103	37	Observation Bank N. P.	16	37	111 41
Pulo Capas de Terre	5	15	103	8	Pyramid Rock	16	35	112 37
St. Pierre Islands	1	56	108	53	Lincoln Island	16	41	112 42
— Ledge of Rocks	1	53	108	52	Rocky Island	16	52	112 20
Larkin's Reef	2	11	109	16	Woody Island	16	50	112 18
South Haycock Island	2	13	108	57	Amphitrite Islands, W. P.	16	59	112 12
South Natuna's Islands					— E. P.	16	54	112 23
— South Island or Sa-					North Shoal, W. P.	17	5	111 26
pata	2	23	109	8	— E. P.	17	6	111 32
— East Island	2	42	109	26				
— West Island	2	42	109	40	Macclesfield Bank, li-	15	17	113 41
— North or Flat Island	3	3	108	54	mits	16	21	114 34
Low Island	3	00	107	49	Scarborough or Mar-	15	4	117 44
Hutton's Shoal	3	2	107	57	singola Shoal, limits	15	13	117 53
Diana Shoal	3	9	107	44	St. Esprit Shoal (by Lt.			
North Haycock Island	3	20	107	36	Ross)	19	30	113 6
Grand or Great Natu-	3	40	108	26	— (by Aseveido)	19	6	113 5
na I. limits	4	13	108	6	Pratas or Prater's Shoal			
— Peaked Island	3	54	109	10	— N. E. P.	20	47	116 54
Pyramidal Rocks	4	5	107	24	— N. W. P.	20	45	116 43
— N. W. Island	4	7	107	52	— Anchorage	20	43	116 41
— Coral Reef	4	1	107	50	— Island	20	43	116 45
— Coral Reef	3	57	107	47	Great Ladrone	21	57	113 44
North Natuna Is. S. P.	4	42	107	58	[The Islands near Can-			
— N. P.	4	49	108	2	ton are given in No.			
— Rock above Water	4	39	107	57	XI., and in No. XLVI.]			
— Saddle Island	4	33	107	46	Pedro Branco	22	19	115 9
— Success Shoal	4	25	107	57	Lamock Islands, outer-			
Pulo Oby	8	25	104	54	most	23	14	117 19
The Brothers (eastern)	8	35	106	18	Andrade Rock (very			
Pulo CONDORE	8	40	106	42	doubtful)	9	56	111 4
Charlotte's Bank	7	5	107	39	Luconias Shoals			
Phæton Bank	7	00	107	29	— Hard Rocks	5	24	112 30
Royal Bishop's Bank	9	44	108	21	— Two Fathom Shoal	5	6	112 24
Britto's Bank, N. E. P.	10	32	107	56	— Dry Sand	4	57	112 36
Holland's Bank, S. W. P.	10	36	108	32	Sea Horse Reef	5	35	112 25
— N. E. P.	10	43	108	47	— Half Moon Breakers	8	46	116 30
Pulo SAPATA	10	1	109	2	— Bank	10	57	117 53
Pyramid Rock or Little								
Catwick	10	2	109	00				

TABLE XLVI. Latitudes and Longitudes.

	Lat. D. M.	Long. D. M.		Lat. D. M.	Long. D. M.
Paraquas, 5 or 6 leagues from Palawan . . . . .	9 10N.	117 28E.	Breakers* . . . . .	11 10N.	112 54E.
Euphrates Shoal . . . . .	5 38	113 24	Falmouth's (or Essex) low Island* )	10 58	112 40
Kirton's Shoals . . . . .	5 39	113 15	— Bank, or Gossard's B.	11 25	114 13
— ditto . . . . .	5 49	113 2	Essex (or Falmouth) low Island* )	11 2	112 40
Louisa's Breakers . . . . .	6 20	113 18	Gossard's Reef (or Mid- dleburg R.) . . . . .	8 58	111 5
Mantannane Isles . . . . .	6 39	116 7	— Small Island . . . . .	10 42	113 26
Barton's Shoals . . . . .	6 55	116 6	Cornwallis Breakers . . . . .	10 00	114 26
Royal Charlotte's Rocks — Sands . . . . .	6 57 10 47	113 38 114 29	— ditto . . . . .	8 49	114 14
Swallow or Investiga- tor's Rocks . . . . .	7 23	113 44	Sabut Jung low Island	11 32	113 29
Viper's Bank . . . . .	7 30	115 7	— Bank . . . . .	11 34	113 51
— Breakers . . . . .	8 00	115 25	Gaspar Shoals . . . . .	11 36	113 51
Ardasier's large coral flats and gaps . . . . .			South Sea Castle's San- dy Islands and dan- gers, limits (by Lieut. Ross) . . . . .	11 29	114 24
— W. P. (Walpole, Cornwallis and A.)	7 56	113 12	— do. . . . .	11 21	114 16
— N. E. P. (Walpole and A.) . . . . .	7 54	114 24	Two Islands . . . . .	11 27	114 22
— E. P. (Ardasier)	7 40	114 47	An Island (Investigator)	11 8	114 18
— S. P. (Pennsylvania and A.) . . . . .	7 30	114 34	An Island ditto	10 44	114 26
Gloucester Shoal . . . . .	7 47	114 50	A Reef . . . . .	10 15	113 40
Stag's Shoal . . . . .	8 24	112 57	Discovery's Reef . . . . .	10 00 10 8	113 50
Prince of Wales Bank { limits . . . . .	8 3 8 13	110 24 110 34	York Breakers . . . . .	9 50	117 48
London Breakers . . . . .	9 36	112 26	Pennsylvania Breakers	8 17	114 43
— Reef, western . . . . .	8 55	112 00	— ditto . . . . .	8 48	115 17
— do. eastern . . . . .	8 48	112 24	— ditto (Viper's)	8 58	115 21
— Breakers . . . . .	7 33	113 14	— ditto . . . . .	9 4	115 17
— ditto . . . . .	7 22	113 8	— ditto (Fanny)	10 00	115 20
Ganges Breakers . . . . .	9 22	114 12	— ditto . . . . .	9 45	114 49
— ditto . . . . .	10 30	115 10	— ditto . . . . .	9 32	116 34
Investigator's Shoal W. P.	8 5	114 35	— ditto . . . . .	9 47	116 58
— E. P. . . . .	8 10	114 51	— ditto . . . . .	9 52	116 48
— Shoal . . . . .	9 12	116 32	— ditto . . . . .	10 23	116 49
— Shoal . . . . .	10 44	114 34	— ditto . . . . .	10 49	117 10
— Coral Rocks . . . . .	9 40	113 4	XLIV. Islands and Shoals between Bato- ria and New Guinea, South of the Ce- lebes.		
— ditto . . . . .	9 42	113 15		Lat. D. M.	Long. D. M.
Cavallo Marino's Shoal	5 54	114 18	Carimon Java . . . . .	5 50S.	110 34E.
— ditto . . . . .	8 31	114 21	Lubeck or Babian Island	5 49	112 48
— Black Rocks . . . . .	9 39	114 58	Arrogant's Shoal . . . . .	5 12	113 00
— Bank . . . . .	10 18	115 7	Madura I. N. W. P. . . . .	6 53	112 45
— White Sand . . . . .	10 48	115 13	— N. E. P. . . . .	6 53	113 58
— Low Black Island { Friendship's Shoal . . . . .	11 1 6 00	115 17 112 34 112 49	Pondy Island . . . . .	7 1	114 4
Hardwick's Reef* (or Dolphin's)	9 54	112 17	Great Solombo I. (Hill on S. E. P.) . . . . .	5 33	114 28
— Breaker's* (ditto)	10 2	112 12	Little Solombo I. . . . .	5 24	114 28
Royal Captain's Shoal	9 4	116 43	Arentes Island . . . . .	5 10	114 36
Bombay's Shoal . . . . .	9 27	116 55	Little Pulo Laut (mid.)	4 51	115 53
Dolphin's Reef* (or Hardwicke's)	9 59	112 17	Four Brothers, sunken islands . . . . .	7 00	114 50
— Breakers* . . . . .	9 45	112 30	Urk Island . . . . .	7 15	115 13
— Breakers* (ditto)	10 8	112 15	Kangelang or Cangay- ang I. N. P. . . . .	6 53	115 17
— Great Reef, N. P.*	10 7	112 9	— S. P. . . . .	7 19	115 25
— Long Island* . . . . .	10 17	112 35	— S. E. I. or Hasting's Island . . . . .	6 56	116 24
— Breakers* . . . . .	10 22	112 31	Kalkoon Islands, north- ern, about . . . . .	6 10	115 35
— First Island* . . . . .	10 35	112 38	Four small islands mi-	7 11	115 50
— Ledge* . . . . .	10 40	112 47			
— Breakers* . . . . .	10 46	112 47			

\* The longitudes of these places ought probably to be increased.

	Lat.		Long.			Lat.		Long.	
	D.	M.	D.	M.		D.	M.	D.	M.
<i>Paternosters.</i>					<i>Straits East of Java.</i>				
Great Paternoster's Is.					Bally Island.				
— W. P. . . . .	7	15S.	117	00E.	— Table Point or S. P.	8	50S.	116	22E.
— S. W. I. . . . .	7	32	117	16	— Volcano . . . . .	8	24	115	24
— S. I. . . . .	7	34	117	30	— N. E. P. . . . .	8	18	116	43
— Two low islands . . . . .	7	36	117	55	Bally Straits, S. ent.	8	50	114	40
— E. P. . . . .	6	42	118	40	A shoal near the anchorage at Balambu- ang, bears S. W. $\frac{1}{4}$ W. from the flagstaff, distant $\frac{3}{4}$ mile from shore				
Postillion's Islands, N.					Mynder's Rocks . . . . .	7	41	114	22
— W. P. . . . .	6	32	118	48	Banditti Island . . . . .	8	46	115	15
— Eastern Island . . . . .	6	45	119	15	Lombock I. S. P. about	8	50	116	00
— ditto, S. P. . . . .	6	55	119	5	— Peak, near N. E. P.	8	21	116	26
Noesa Sera Islands . . . . .	5	2	117	9	— North Point . . . . .	8	11		
Noesa Comba, about . . . . .	5	15	117	9	Lombock I.				
S. Bank off Noesa Comba . . . . .	5	46	117	00	— Isles near N. W. P.	8	13	115	59
Caloeohij or Rotterdam I . . . . .	5	15	117	36	— Ampannan Riv. ent.	8	33		
Hen & Chickens, S. P. . . . .	5	28	117	54	— Loboagee or Bally Town . . . . .	8	42	116	33
Zalinaff or Saflanaif or Laer's I. . . . .	5	31	118	25	Selonda Island . . . . .	8	8	117	44
— Coral Bank off ditto, S. P. . . . .	5	54			Pulo Majo or Mayo N. P.	8	7	117	31
— ditto, E. P. . . . .			118	26	Flat Island . . . . .	8	9	117	25
— ditto, W. P. . . . .			117	58	Sandbuy's 4 Shoals, { limits {	7	42	117	13
— Five Fathoms Bank . . . . .	5	52	118	20	— Sumbava I. S. W. P. . . . .	9	2	116	42
Tony's Islands, S. W. I.	5	31	118	36	— Timor Yung I. (off N. W. P.) . . . . .	8	21	116	57
— E. I. . . . .	5	31	118	46	— Sumbava Bay . . . . .	8	27	117	24
Shoal . . . . .	5	27	119	5	— Tumbora Mountain . . . . .	8	9	117	43
Tanakeka or Tunikik I. . . . .	5	34	119	24	— Biema Bay, rugged point . . . . .	8	11	118	51
Brill Shoal, N. P. . . . .	6	00	119	2	— ditto, rocky point . . . . .	8	8	118	36
— S. P. . . . .	6	5	119	00	— Sapy Bay, anchorage . . . . .	8	30	119	3
Mansfield Shoal . . . . .	5	45	120	13	— S. E. Point . . . . .	8	42	119	14
Middle Island . . . . .	5	10	120	28	Goonong Apee I. Peak . . . . .	8	11	119	5
Salayer I. N. P. . . . .	5	49	120	28	Comodo Island . . . . .	8	22	119	37
Cambyna I. S. P. . . . .	5	30			Flores or Mangerye I. S. W. P. about . . . . .	8	50		
— Peak . . . . .	5	21	121	1	— S. P. about . . . . .	9	00	121	30
South Island . . . . .	5	40	122	30	— Lobetobie Volcano . . . . .	8	32		
Hegadis Island . . . . .	6	13	122	40	— N. P. Flores Head, or Iron Cape . . . . .	8	5	122	2
Bouton Island, S. P. . . . .	5	42	122	44	Straits of Flores, S. en.	8	40	123	3
— Town . . . . .	5	27	122	48	Sandal Wood I. N. P. . . . .	9	15		
— N. E. Point . . . . .	4	23	123	4	— Bluff or West P. . . . .	9	42	119	00
— Calansoese Harbour . . . . .	4	55	123	11	— S. extremity . . . . .	10	22	120	20
— East Point . . . . .	5	15	123	15	— E. end . . . . .	10	00	120	35
Token Bessy's Islands,					— Padewawy or Bar- ing's Bay . . . . .	9	37	120	20
— Wangiwangi, N. W. I.	5	15	123	33	Savu Island . . . . .	10	37	122	00
— Pinnunco, S. P. . . . .	6	14	124	1	New Island . . . . .	10	46	121	3
— Velthoens or Koko I. . . . .	5	58	124	48	Pulo Comba or Cambay	7	49	123	41
— ditto . . . . .	6	10			Lomben I. Peak (on N. W. P.) . . . . .	8	12	123	52
St. Matthew's Islands, (mid.) . . . . .	5	18	124	16	— E. Point . . . . .	8	14	124	00
Mamalakjee I. (N. W. Tonin I.) . . . . .	6	41	120	14	Pantar I. N. E. P. . . . .	8	10	124	5
Schiedam Islands, N. W.	7	1	120	28	East Island, Str. of Aloo	8	20	124	00
— S. E. . . . .	7	12	120	56	Middle Island, ditto . . . . .	8	23	123	55
— Shoal . . . . .	7	27	121	13	Ombay or Mallao I. N. W. P. . . . .	8	9	124	27
Kalatoa Island . . . . .	7	12	121	40	— E. P. . . . .	8	17	125	16
Alfred's Shoal . . . . .	7	9	121	36	Rotto or Rottel, S. W. P.	11	2	122	55
Jagger's Reef or Banga- lore Shoal, about . . . . .	7	40	121	13					
— ditto, another esti- mate . . . . .			121	46					
Angelica's Shoal . . . . .	7	35	121	58					
— ditto, another esti- mate . . . . .	7	40	122	18					
Rusa Raji or Lusardy I.	8	17	121	38					
Rusa Linguette or Ro- sagalet I. . . . .	8	5	122	00					
The Three Bastards . . . . .	8	14	122	41					

TABLE XLVI. Latitudes and Longitudes.

	Lat.	Long.		Lat.	Long.
	D. M.	D. M.		D. M.	D. M.
Bouca Bay on S. side	10 46 S.	123 20 E.	Cape William	2 34 S.	118 58 E.
Timor Island, S. W. P.	10 23	123 30	Cape Temoel or Samsa, S. P.	0 8	
Copang, Fort Concordia	10 9	123 35	— N. W. P.	0 1 N.	119 26
Peak	9 41	124 11	Cape Donda	0 48	119 57
N. W. Point	9 24	123 55	Cape Rivers	1 15	120 34
Tulycaon Bay	9 12	124 23	Manado	1 28	125 4
Batto-gady	9 57	124 55	Cape Coffin	1 42	125 24
Point nearest Ombay	9 39	125 13	I. Banca	1 52	125 24
Dilly or Diely	8 35	125 40	Kema Village	1 22	125 19
East end	8 21	127 15	Castican Bay	0 48	125 00
Pulo Batto	9 16	124 5	Goonong Tella River	0 28	123 15
Pulo Cambing or Passage I. S. P.	8 21	125 39	Cape Talabo	0 48 S.	124 12
— N. P.	8 11	125 43	Weywongy Isl. about	4 3	
Wetter Island, E. P.	7 46	126 54	Waxway Island, mid.	3 34	123 14
— Pulo Baby, near S. W. P.	5		Cambyna I. Peak	5 21	122 1
Goonong apy or Burning I.	6 35	126 40	Middle Island	5 40	120 28
Dog Island	7 41	126 3	Boele-comba Hill	5 33	120 9
Kisser Island	8 00	127 7	Waller's Shoals and Laurel Rocks, limits	4 30	117 7
Pulo Jackee or Noosa Nessing	8 19	127 18	Laurel Rocks, limits	4 37	117 16
Lettee I. W. P.	8 16	127 46	Noesa Sera Islands	5 2	117 9
Roma Island	7 39	127 30	Noesa Comba	5 15	117 9
Lucapin-hay or Lucepera I.	5 40	127 21	Shoal off Noesa Comba	5 26	117 00
Turtle Islands eastern	5 25	127 38	Little Pulo Laut I. mid.	4 51	115 53
Cerowa Island, about	6 10	129 53	Moressoes or Manevessa Island	4 25	116 3
Babber Island, about	7 25	130 40	Dwaalder Island	4 12	116 21
Timor Laut, S. P.	8 15	131 50	Royal George Shoal	4 17	116 30
Arroe Island, S. ext.	9 00	135 00	Two Brothers	4 26	116 32
			Great Pulo Laut, N.E.P.	3 21	116 41
			— N. P.	3 11	
			— S. Isl. off the S.E.P.	4 7	
			The Three Alike Islands	3 39	116 54
			Dry Sand Bank	3 37	117 43
			Triangle Islands, mid.	3 3	117 53
			Little Paternosters, S.P.	2 50	
			— E. P.	2 10	117 58
			— N. W. P.	2 8	117 42
			Pamaroong or Dondrekin I. S. P.	0 54	117 36
			Seven Islands	0 32	119 43
			Banguay Peak	7 19 N.	117 6
			Balambang I. N. Harb.	7 16	116 58
			Balabac I. (Hill)	7 59	117 00
			Mangsee Islands	7 32	117 16
			St. Michael's Islands (Bangcawang)	7 48	118 40
			Toob-Bataha Shoal	9 00	119 37
			Palawan, W. end	8 24	117 14
			— N. P.	11 30	119 37
			Ragged Island	11 15	119 21
			Cagayan Soolo	7 00	118 36
			Soolo Island, Town	6 1	121 12
			Takoot Paboonoowan Shoal	6 15	121 32
			Pangootaran I.	6 15	120 40
			Belawn I. E. P.	6 00	122 4
			Tapeantana Island, E.P.	6 14	122 8
			Tamook Island	6 23	121 56
			Mataha Island, S. P.	6 32	121 50
			Peelas I. N. P.	6 41	121 45
			Balook Balook	6 47	121 50
			Basilan, I. E. P.	6 30	122 30
			Santa Cruz I.	6 50	122 30

**XLV. Borneo, Celebes, Luconia, with the adjacent Islands and Shoals, as far east as New Guinea.**

*Timor I.*

*Celebes.*

*Straits of Makassar.*

*Borneo.*

*South Sea.*

TABLE XLVI. Latitudes and Longitudes.

	Lat.	Long.		Lat.	Long.
	D. M.	D. M.		M. D.	D. M.
Sangboys or Hare's Lips	6 48N	121 41E	Group of Islands, S. P.	12 8N	120 23E
Teynga Island	6 52	121 43	N. P.	12 17	
Catanduanes I. S. P.	13 38	124 15	Turret Island	12 22	120 10
C. del Espiritu Santo.			North Rock	12 27	120 4
N. E. P. Samur I.	12 40	125 38	Mindoro I. S. P.	12 11	121 22
St. Bernardino Island	12 46	124 38	— Point Dongan or Pandan	12 48	120 55
Ticao I. Port St. Jacinto	12 34	123 34	— Point Calavite	13 27	120 20
			Luban	13 44	120 12
Manilla	14 36	121 2	Goat Island	13 51	120 7
Cavite	14 29	120 55	Babuyan Islands		
Ent. Manilla Bay	14 28		— Lapurip or Dau- pcri I.	19 15	121 34
Point Capones	14 52	120 3	— Fuga or New Babu- yan I.	19 1	121 43
Two Sisters Islands	15 50	119 47	— Camiguin I.	19 4	122 12
Point Boliano	16 27	120 00	Babuyan Islands,		
Cape Bajador	18 42	121 00	— Guinapac Rocks	19 5	122 25
Point Cavanaugh	18 48	121 14	— Didicas Rocks	19 12	122 31
Cape Enganno	18 39	122 21	— Claro (or Old) Ba- buyan	19 37	122 17
Mauban	14 8	121 44	— Calayan I.	19 28	121 46
Cape St. Idefonso	15 25	121 46	Bashee Islands		
			— Balintang or Rich- mond Isles	19 58	122 24
Samboongan	6 53	122 14	— Sabtang I.	20 14	122 12
Point Balagonan	7 51	122 24	— Bashee I.	20 14	122 9
Suriago village, near N. Point	9 47	125 25	— Goat I.	20 15	122 7
Cape St. Augustine, S. E. P.	6 4	126 48	— Batan or Monmouth I. S. P.	20 17	122 15
South or Serangi Point	5 39	125 32	— ditto Mount, N. P.	20 23	122 21
Mindanao	7 10	124 35	— Grafton or High Round I.	20 34	122 13
			— Bayat or Orange I.	20 37	122 7
Negros, South Point	9 6	123 3	North Bashee, High I.	21 3	122 8
— Point Sojoton	9 50	122 32	— Northernmost I.	21 9	122 6
Cagayanes Islands, mid.	9 34	121 23	Gadd's Reef	21 43	121 43
Panay I. Point Nasog.	10 25	122 6	Cumbrian's Reef, doubt- ful, probably the same as Gadd's Reef	21 35	121 45
— Asloman village	10 32	122 6	Little Botel Tolago		
— Point Potob or N. P.	11 48	122 2	Xima	21 56	121 45
Dry Sand Bank	11 24	121 54	Botel Tobago Xima	21 59	121 43
Sombbrero Rock	10 45	121 37	Vele-rete Rocks	21 42	120 58
White Rock	10 28	121 21	Formosa I. South Cape	21 54	121 00
Cuyos Islands					
— Quiniluban (North- ern Island)	11 28	121 11	Gomano Island	1 56 S.	127 38
— Grand Cuyo	10 52	121 21	Lissamatula I. S. E. P.	1 46	126 31
— Southern I.	10 40	121 31	Xulla Bessey, S. E. P.	2 28	125 58
Caravos or Buffalos	11 53	121 48	— N. E. P.	1 58	
Betsy's Bank, 5 fathoms	11 42	120 57	— N. W. P.	1 58	125 48
Ylin Islands, S. P. off S. P. Mindoro	12 9	121 15	Xulla Mangola, W. end	1 43	123 21
Cornal Shoal, West of ditto, about	12 11	120 57	Greyhound Straits	1 40	124 30
Apo Bank, S. P.	12 36	120 33	Haycock I. off S. W. P.	1 56	
— E. P.	12 40	120 36	Xulla Talaybo	1 58	124 36
— N. P.	12 45	120 31	Skelton's Island, on N. W. P. ditto	1 45	124 36
— S. W. P. (Islet)	12 40	120 29	Middle Island	1 45	124 28
— West. or Great Islet	12 39	120 28	Albion's Island	1 53	124 19
— Discovery Bank	12 40	120 43	Bouro Island, N. W. P.	3 6	125 57
Coron Island	11 46	120 12	— N. ext.	3 2	
Green Island	12 3	119 40	— N. E. P.	3 15	127 5
Haycock	12 9	119 51	— Cajeli or Bourou Bay	3 24	127 4
Pinnacle Rock	12 18	119 54	— South Point	3 49	
N. W. Rock	12 23	119 55	Amblaw Island	3 52	127 14
Sail Rock	12 22	119 56			
Busvagnon I. N. P.	12 19	119 56			
Calavite or High I.	12 21	119 56			

TABLE XLVI. Latitudes and Longitudes.

		Lat.		Long.				Lat.		Long.	
		D. M.	D. M.	D. M.	D. M.			D. M.	D. M.	D. M.	D. M.
Cera n.	Banda S. a.	Manipa Island . . . . .	3 17S.	127 28E.	Tidore Mountain . . . . .	0 40N.	127 22E.				
		Bonoa I. about . . . . .	3 00	127 56	— N. E. end . . . . .	0 46	127 34				
		Ceram I. S. eal or S. W. P.	3 31	127 56	Ternate Island . . . . .	0 49	127 30				
		— Kessing or E. P. . . . .	3 55	131 10	Tyfore Island . . . . .	0 58	126 27				
		— Waroo Bay . . . . .	3 25	130 40	Meyo Island . . . . .	1 22	126 39				
		— Old Lamata or Flat Point	2 53	129 42	Morty or Mortay I. (N. Cape)	2 44	128 25				
		— Sawa Bay . . . . .	2 51	129 6	Banca Island, Peak . . . . .	1 52	125 24				
		Leeuwarden Island . . . . .	3 20	130 58	Tagalondo . . . . .	2 23	125 36				
		— Shoal . . . . .	2 56	130 43	Bejaren Island, Peak . . . . .	2 6	125 34				
		Goram I. . . . .	4 00	131 44	Siao I. S. Point . . . . .	2 40	125 35				
		Matlabella Islands . . . . .	4 21	131 52	— Peak . . . . .	2 43	125 35				
		AMBOINA I. Fort Victoria	3 40	128 15	Sangir Island, S. end . . . . .	3 21	125 46				
N. esa Laut I. . . . .	3 40	128 52	— Watering place on W. side	3 28	125 44						
Banda Island, anchorage	4 31	130 00	— N. end . . . . .	3 46	125 38						
Lookisong or Landscape I. S. P.	1 46	128 10	Glatton's Rock . . . . .	3 50	125 56						
Pulo Gasses, S. P. . . . .	1 41	128 20	Sallibobo or Toulor Isl.	3 47	126 55						
Kekik . . . . .	1 33	128 37	— Kabruang S. P. . . . .								
Pulo Pisang . . . . .	1 23	128 53	— Tulour or Karkalang N. P.	4 25	126 44						
Horsburg's Rocks . . . . .	1 9	128 20	Meangis or Menangus I.	5 00	127 17						
Boo Islands . . . . .	1 12	129 18	Serangi Islands, S. P.	5 20	125 35						
Weeda Islands . . . . .	0 40	128 25	— Peak on W. Isl.		125 32						
Kanary Islands, Grand C.	1 44	129 42	— N. P. . . . .	5 31	125 43						
— Effe Harbour . . . . .	2 12										
Pulo Popo, S. E. P. . . . .	1 12	129 52									
Battanta I. Cape Cambo, W. P.	0 56	130 25									
Fisher's Island . . . . .	0 56	130 25									
Waygecooe I. S. E. P. or Point Pigot . . . . .	0 21	131 18									
— Offak Harbour . . . . .	0 00	130 50									
— Boni Road . . . . .	0 00	131 12									
Amsterdam I. . . . .	0 19	132 15									
Fow or Faux Island . . . . .	0 6	129 28									
Gagy I. about . . . . .	0 25	130 3									
Geby I. N. W. end . . . . .	0 4N.	129 19									
Syang I. . . . .	0 22	129 55									
Eye Island . . . . .	0 24	129 53									
Islet E. of Pulo Moar . . . . .	0 9	128 58									
Catharine's Islands . . . . .	0 39	129 11									
Canton Packet Shoal . . . . .	0 35	128 55									
Ormsbee's Shoal . . . . .	0 46										
Ditto soundings 15 fath.	0 42	130 3									
Yowl or Aiou Islands . . . . .											
— Aion, the largest Isle	0 25	131 00									
— N. W. Island . . . . .	0 38	131 8									
— N. E. Island . . . . .	0 36	131 15									
— Reef North part . . . . .	0 41										
Asia's Islands, S. W. Isle	1 00	131 17									
— N. E. Island . . . . .	1 4	131 23									
Gillolo I. N. end . . . . .	2 23										
— Ossa Village . . . . .	0 45	128 22									
— Maba Village . . . . .	0 53										
— Islet near Pulo Moar	0 9	128 58									
— Point ent. Straits Paticentia . . . . .	0 13S.	127 45									
— Cocoanut Pt. or S. P.	0 45										
Batchian I. S. E. P. . . . .	0 48	128 3									
Amsterdam Island . . . . .	0 20	127 53									
Kayo or Cayo I. S. P.	0 1	127 23									
— N. P. . . . .	0 7N.										
Negory Kalam, N. P. . . . .	0 28	127 37									
Wolf Rock . . . . .	0 30	127 6									
Tidore Island, S. ext. . . . .	0 34	127 24									

		Lat.		Long.	
		D. M.	D. M.	D. M.	D. M.
		23 7N.	113 14E.		
		22 27	114 30		
		22 25	114 40		
		22 31	114 51		
		22 33	114 53		
		22 19	115 8		
		22 39	115 35		
		22 45	115 50		
		22 49	116 7		
		22 52	116 11		
		22 57	116 31		
		23 14	116 50		
		23 26	116 50		
		23 28	117 00		
		23 32	117 13		
		23 17	117 21		
		23 32	117 48		
		24 11	118 20		
		24 20	118 16		
		24 54	118 40		
		24 59	119 34		
		26 10	119 57		
		28 53			
		29 22	121 52		
		30 26	121 42		
		32 5	119 00		
		30 20	122 36		
		37 00	122 41		
		37 25	122 45		
		37 36	121 28		
		37 48	120 32		
		38 1	121 1		
		38 8	120 44		

XLVI. From CANTON to KAMT-SK. ATK., with the adjacent Islands and Shoals.

China.

TABLE XLVI. Latitudes and Longitudes.

	Lat.		Long.			Lat.		Long.		
	D.	M.	D.	M.		D.	M.	D.	M.	
Tartary.	Pekin River, anchorage at Peiho . . .	38	59N	118	00E.	Formosa I. S. Cape	21	54N	121	00E.
	High Peaked Island, S. W. ext. Corea . . .	34	5	125	15	— N. W. Point . . .	25	11	121	0
	Cape Clouard . . .	36	5	129	42	— N. Point . . .	25	18	121	34
	Sanpon . . .	37	44	128	55	— N. E. Point . . .	25	11	121	56
	Ternai Bay . . .	45	13	137	29	Lamay Island . . .	22	19	120	27
	Suffren Bay . . .	47	51	139	45	Pehoc or Pescadore Is. — Southern limit . . .	23	8		
	Cape Lesseps . . .	49	30	141	30	— High Island, S. W. limit . . .	23	14	119	26
	Castrie's Bay . . .	51	29	141	59	— Largest Island . . .	23	32	119	46
	Vanjuas Point . . .	52	7	142	42	— Northern limit . . .	23	56		
	Bay de Langle . . .	47	49	141	24	— Bank, S. E. P. . .	22	52	119	23
	Bay d'Estaing . . .	48	59	141	27	— ditto, seven fathoms	22	51	119	1
	Monneron Island . . .	46	20	141	11	Pat-chow or Madjicosemah Islands — Southernmost I. . .	24	6	123	52
	La'Dangereuse Rock . . .	45	47	142	9	— Bluff Point. West ext. Great I. . .	24	17	123	45
	Cape Grillon, (ent. Perouse's straits) . . .	45	51	141	58	— Kumi I. . .	24	28	123	5
	Cape Aniwa . . .	46	2	143	30	— Eastern I. Ty-pin-san	24	42	125	36
	Cape Lowenorn . . .	46	23	143	40	— Providence Reef . . .	25	6	125	11
Bay Mordwinoff . . .	46	48	143	14	Lieu-Chew Islands — Great Lieu-Chew, S. e. . .	26	3	128	18	
Cape Tony . . .	46	50	143	33	— ditto, adjacent I. N. P. . .	27	34			
Point Siniavin . . .	47	16	143	00	— Western Island . . .	26	20	127	17	
Mount Spenberg or Bernizet . . .	47	33	142	20	Hoopinsu I. . .	25	44	123	32	
Point Muloffsky . . .	47	58	142	44	Ty-ao-yu-su I. . .	25	55	123	47	
Cape Alexander Dalrymple . . .	48	21	142	50	Sulphur Isls. southern — middle . . .	24	14	141	21	
Cape Soinsonoff . . .	48	52	143	2	— northern . . .	24	48	141	12	
River Neva, entrance . . .	49	15	143	2	Group of four Islands, } limits . . .	25	14	141	10	
Gulf Patience, North P. Robber Island Reef N. E. P. . .	49	19				29	40	128	15	
— S. W. P. . .	48	36	144	33				128	20	
Cape Patience . . .	48	28	144	10	Pinnacle Islands . . .	29	43	130	5	
Cape Billinghausen . . .	48	52	144	46	Ormsbee's Peak . . .	29	40	140	20	
Cape Ratmanoff . . .	49	35	144	26	A rock . . .	30	45	123	46	
Cape Croycere . . .	50	3	143	37	South Island . . .	31	30	140	00	
Downs Point . . .	50	48	143	53	Gotto I. S. end. . .	32	35	128	44	
Shoal . . .	51	00	143	43	Asses Ears . . .	32	3	128	37	
Wurst Point . . .	51	53	143	13	Quelpaert I. S. P. . .	33	8	126	19	
Cape Klokatschef . . .	52	30	143	29	Kiusiu Island — Cape Tschirikoff . . .	32	14	131	41	
Cape Lowenstern . . .	52	57	143	18	— Cape Danville . . .	31	27	131	27	
Cape Elizabeth . . .	53	40	143	7	— Cape Nagaeff . . .	31	15	131	11	
North Bay . . .	54	3	143	13	— Mount Schubert . . .	31	41	131	12	
Cape Maria . . .	54	24	142	47	— Mount Horner, Peak — Cape Tschitschagoff S. P. . .	31	9	130	28	
Espenberg Peak . . .	54	14	142	37		30	57	130	36	
Cape Golowgtscheff . . .	54	17	142	18	— Cape Tschesma W. P. . .	31	24	130	2	
Cape Romberg . . .	54	4	142	50	— Cape Kagul N. P. . .	31	42	130	7	
Cape Chavaroff . . .	53	30	141	55	— Mount Unga, volcano — Nangasky harbour ent. . .	31	43	130	14	
Jonas Island . . .	53	26	141	45		32	44	129	46	
Ochotsk . . .	53	39	141	26	— Cape Nomo S. P. of Bay Nan. . .	32	55	129	42	
Yamsk . . .	56	25	143	16	— Cape Seurote . . .	32	58	129	35	
Bolcheretsk . . .	59	20	143	12	Sanao-sima Island N. P. — S. P. . .	30	42	131	00	
Cape Lopatka, Kamtskatka . . .	60	46	154	30		30	24			
St. Peter and St. Paul . . .	52	54	156	42	Fenegasima I. (middle) Volcano I. . .	30	23	130	30	
Shipunskoy-noss . . .	53	6	159	50		30	43	130	17	
Nisjui Kamtskatka . . .	55	16	162	00	Scriphos I. . .	30	43	130	44	
Cape Tschulkolskoi . . .	64	13	171	24W	Apollo I. . .	30	44	130	24	
East Cape . . .	66	6	169	40	Julie I. . .	30	27	130	13	
Cape Serdze Kamen . . .	67	3	171	49	St. Claire I. . .	30	45	129	54	
North Cape . . .	68	6	179	9	Symplegados Islands N. E. P. . .	31	30	129	42	





TABLE XLVI. Latitudes and Longitudes.

	Lat.		Long.			Lat.		Long.	
	D. M.	D. M.	D. M.	D. M.		D. M.	D. M.	D. M.	D. M.
Cape Hawke	32	13S.	152	30E.	Rica de Plata	33	50N.	160	39E.
Smoky Cape	30	51	153	7	Reef	32	00	147	00
Solitary Islands	30	9	153	21	Island	31	30	140	00
	29	56			Week's Reef 36' N. E.				
Cape Byron	28	7	153	30	and S. W.	31	15	153	9
Point Danger	28	7	153	30	Island	31	00	147	6
Shoals off ditto	28	7	153	39	Ganges Island	30	45	154	25
Cape Morton	27	1	153	23	Bank of Soundings	30	30	177	30
Shoal	26	58	153	28	Island	30	00	137	00
Sandy Point	24	42	153	17	Island	30	00	139	00
Cape Capricorn	23	29	151	00	Island	30	00	141	30
Keppel Bay	23	18	150	36	Island	30	00	143	00
Barrier Reef, S. P.	22	50	152	36	Island	30	00	144	24
Cape Townsend	22	12	150	11	Rica de Oro	29	54	157	3
Cape Palmerston	21	27	149	00	Island	29	40	143	00
Cape Hillsborough	21	00	148	33	Island	29	33	137	00
Cape Conway	20	32	148	30	Island	29	30	143	00
Cape Gloucester	19	58	148	6	Island	29	00	175	45
Cape Cleveland	19	10	146	40	Calunas I.	28	55	158	00
Cape Sandwich	18	16	146	8	ditto (another account)	28	53	162	00
Cape Grafton	16	51	145	54	Island	28	30	176	50
Cape Flattery	14	52	145	18	Patrocinio Island	27	58	175	44
Cape York	10	38	142	33	Disappointment Island	27	19	139	25
New Year's Island	10	48	133	18	St. Juan	27	30	142	48
Vandiemans Cape	11	12	129	54	Basioses I.	26	6	173	27
Red Island, off P. Vulcan	15	9	124	22	Island	26	6	154	36
Minstrel's Shoal	17	14	118	57	Reef	26	6	160	00
Greyhound Shoal	19	58	114	40	Copper Island	26	00	131	48
Clarke's Reef N. of Rosemary I.	20	17			Tree Island	26	00	145	44
Eastern Rosemary I. N. E. P.	20	26			Lasker's Island	26	00	173	24
Western ditto N. P.	20	35	115	40	Island	25	53	131	17
Doubtful Shoal	21	37	112	25	Island	25	42	131	13
Piddington's Islands	21	36	114	56	Reef	25	30	152	50
Shoal (land of N. Holland in sight from the mast head)	20	15			Bishop's Rock	25	22	132	00
North West Cape	21	50	114	25	North Island	25	14	141	14
Dirk Hartog's Road, ent. to Shark's Bay	25	6	113	15	Island	25	12	131	26
Houtman's or Abrohlos Shoals	28	30	113	35	Grampus Island	25	10	146	00
Rottenest Island	31	58	114	24	Sulphur Island	24	48	141	20
Cape Leuwen or S. W. Cape	34	22	115	6	Kendrick's Rock	24	30	133	26
Cape Chatham	35	3	116	22	Marcus Island	24	18	153	42
Cape Howe	35	9	117	38	Weeks Island	24	00	164	00
K. George III. Harbour	35	6	118	1	Dexter's Island	23	24	163	5
Point Hood	34	23	119	36	Island	23	3	162	57
Termination Island	34	30	121	58	Reef	22	6	142	22
Endeavour, small Isl.	36	27	127	2	Jardines	21	35	151	30
Port Lincoln	34	48	135	45	Parel or Peru I.	21	10	141	40
Nepean Bay	35	44	137	55	Abregoes Shoal	21	1	136	43
Endeavour Shoal, off Cape Jaffa	36	58	139	31	Reef	20	42	153	00
XLVIII. Islands, Rocks and Shoals, in the NORTH PACIFIC OCEAN.					Douglas Reef	20	32	136	12
		Lat.		Long.	Lamira I.	20	30	166	42
Aleootskia I.		D. M.		D. M.	Island	20	30	152	50
— Westernmost	52	46N	170	42E.	Bishop's Rock	20	16	136	53
— Oonalaska	53	54	166	22W	Week's or Wilson's I.	19	21	166	55
Bank (64 fathoms)	34	22	178	30E.	Reef	19	10	165	42
					Halcyon I.	19	6	163	33
					Folger's I.	18	22	155	15
					Reef	17	9	156	13
					Tarquin I.	17	00	160	00
					Reef	16	36	169	42
					Island	16	00	171	42
					Pajaros Islet, northern	20	34	145	48
					Urracas, about	20	20	146	15
					Assumption Island	19	45	148	33
					Almagan Island	18	6	146	21

TABLE XLVI. Latitudes and Longitudes.

	Lat.	Long.		Lat.	Long.
	D. M.	D. M.		D. M.	D. M.
Bird Island	16 47N	146 13E.	Johannes	6 55N	132 30E.
Tinian	15 00	145 47	Lion's Island	5 16	132 13
Guam, Umatac Bay	13 21	144 20	St. Andrew's Island	5 20	132 16
Radack chain of Islands, viz.			Pulo Anna	4 38	132 3
Aour, circular group of 32 islands extending 13 miles N. W. and S. E. anchorage	9 19	171 12	Pulo Mariere	4 19	132 28
Kaven group 33 miles N. W. and S. E.			Lord North's I.	3 3	131 20
— Araksheef Island, (largest I.)	8 54	170 49	Ganges Shoal, S. W. P.	2 52	131 7
— Southern Island	8 29	171 11	— N. E. P.	3 6	131 23
Tebitchagoff, circular group of Islands N.W. & S.E. 24 miles, middle	9 6	170 4	Helen's Shoal	2 50	131 41
Romanzoff, circular group of 65 islands, E. & W. 30 miles. & 10 miles wide inclosing a sea 12 miles wide & 27 miles long			Freewill or St. David's Islands, limits	0 49	134 17
— Odia I. eastern; anchorage	9 28	170 16		1 2	134 30
Legiep or Hayden group	9 51	169 13	Pelew Islands,		
Milou group, 15 miles long, 5 miles wide			— Baubelthouap, E. P.	7 41	134 55
— Krusenstern-Capenius I. (northern)	10 27	170 00	— Northernmost, Ky-angle	8 8	134 50
I. Du Nouvel An	10 8	170 55	— Large Reef, part dry	8 18	134 41
Kutosoff or Udric group separated by a channel from a southern group called Sourvoff or Tagay, extending N. & S. 25 miles			— Southernmost, Angour	6 53	134 21
— Channel	11 11	169 50	Matelotes, N. E. I.	8 34	137 45
Group north of Kutosoff			— Southernmost	8 19	137 45
— Mille	6 16		Yap or Hunter's I. N.P.	9 40	138 8
— Medjuro	7 15		— S. P.	9 30	138 8
— Arno	7 25		Philip Islands	8 6	140 3
Bigar, south of Kutosoff	11 40		Thirteen Islands	7 18	141 21
Pescadores Is. southern	11 00	167 30	Haweis' Island	7 30	146 28
— northern	11 20	167 2	Strong's Island	5 12	162 58
Radick chain of Islands, extend nearly N. & S. about one degree west of the Radack chain, viz.			Islands	5 28	153 24
Ebon group	5 50	167 15	Islands	5 47	157 42
— Noamureck I.	5 30		Islands	6 9	160 51
Kuli group	6 40		Islands	6 17	159 12
Helut group	7 30		Hope's Islands	5 15	165 12
Odia group	8 15		Baring's Islands	5 35	168 13
Namou group	9 00		Palmyra Island	5 49	162 29
— Lital Island	8 55		Cluster of Islands	9 38	161 26
— Tebot Island	8 30		— Ditto	9 55	
Quadelon group	9 20		Brown's Range		
Oudia-Milai group	10 45		— Arthur's Island, N.	11 43	162 42
Radogala group	11 00		— Parry's Island, S.	11 19	162 53
Bigini, (northern)	11 20	167 15	Margaret's Island	8 52	166 15
			Lydia's Island	9 4	165 58
			Catharine's Island	9 14	166 2
			Arrecife's Island	9 36	161 8
			Muakitto Group, low and dangerous	7 20	163 23
				7 47	
			Peterson's Island	8 54	166 35
			Chatham Island	9 20	171 20
			Reef	10 00	179 21
			Calvert's Islands	8 48	172 00
			Ibbetson's Islands	8 6	172 8
			Elmore Islands	7 42	168 45
			Mulgrave's Islands	5 54	172 39
			Banham's Island	5 50	109 48
			Cook's Island	1 19	171 67
			Hall's Island	0 54	173 4
			Reef	1 00	179 34
			Pitt's Island	2 54	174 30
			Matthew's Island	1 50	176 10
			Simpeon's Island	0 26	175 27
			Macaogill's Islands	6 12	160 53
			St. Bartholomew	15 10	163 48
			Cornwallis or Smyth's Isles	16 46	169 29
			Wake's Island	19 00	166 46
			Lamira, W. Pt.	20 24	166 42

	Lat.		Long.			Lat.		Long.	
	D.	M.	D.	M.		D.	M.	D.	M.
Gasper Island	15	3N.	177	00E.	Massachusetts Island	22	28N.	177	5W.
Gasper Rico I.	14	42	169	3	Island	24	4	168	00
Wake's Rocks	17	48	173	45	Henderson Island	24	6	128	30
St. Peter	11	3	178	55W.	— another account	24	26		
Barbados	8	54	178	21	Gardner's Reef	24	11	168	9
Krusekern's Rock	22	15	175	37	Pollard's Island	24	48	168	00
Necker Island	23	34	164	32	Allen's Reef	25	09	167	57
French Frigate's Shoal	23	45	165	50	Cooper's Island	25	4	131	26
Lisiansky's Island	26	3	173	40	Maro's Reef	25	26	170	16
Owhyhee, N. point	20	17	155	58	Island	25	22	131	26
— E. point	19	34	154	54	A Rock	25	30	174	3
— S. point	18	54	155	45	Laysan's Island	25	50	171	51
— Karakakoa Bay	19	28	155	56	Liscanskey's Island	25	52	173	41
Mowee, E. point	20	50	155	56	Neva Island	26	5	172	25
— S. Point	20	34	156	12	Maro's Reef, (dangerous)	26	6	170	24
— W. point	20	54	156	36	Island & Rock	26	24	170	54
Tahoorowa	20	35	156	33	Pearl & Kermes group or	27	46	176	15
Ranai, S. point	20	46	156	52	Clarke's Reef 60 miles				
Morotoi, W. point	21	10	157	14	N. W. and S. E.	27	48	176	6
Woahoo	21	43	157	58	Bunker's Island	28	00	173	30
Attoi, Whymoa Bay	21	57	159	40	Island	28	25	178	14
Tahooro	21	40	160	24	Island	28	54	178	45
Ooneheow	21	50	160	15	Swift's Island	32	53	119	6
Orechooa	22	2	160	8					
Bird's Island	23	8	161	45	Culpepper's Island	1	40	92	00
Gardner's Island, disco-					Wenman's Island	1	23	91	44
covered 1820	25	3	167	40	Regondo Rock	0	15	91	34
Maro's Reef, ditto	25	28	170	20	Abington Island, C. Ib-				
					etson	0	29	90	43
Gallego Island	1	42	104	5	Albemarle I. C. Berke-				
Christmas or Noel I.	1	58	157	32	ley	0	2	91	31
Sidney or Fanning's I.	3	44	159	22	— Christopher's Point	0	50S.	91	25
Island	4	30	126	00	James I. Harbour	0	12	90	41
New-York Island	4	44	160	6	Charles I. S. P.	1	30	90	33
Cocoss Islands, or Chat-					Chatham I. N. E. P.	0	45	89	9
ham Bay	5	27	87	15	— Stephen's Bay	0	53	89	37
Palmyra I.	5	48	162	19					
Island	6	36	166	50					
Barber's Island	8	50	178	00					
Reef	10	00	179	24					
Clipperton's low Island	10	28	109	19					
A Rock	11	6	154	30					
Island	11	33	164	00					
Island	13	9	168	24					
Shoal	13	32	170	31					
Shoal	14	30	170	33					
Cluster of Islands	16	00	133	00					
	17	00	136	00					
Island	16	30	163	54					
Passion Rock	16	56	109	5					
Cornwallis I.	16	54	169	33					
New Blada	18	17	114	3					
Clarion Island	18	21	114	52					
Island	18	22	155	15					
Shoal	18	27	170	30					
Socora Island	18	48	110	10					
Island	19	15	166	32					
St. Berto	19	18	109	53					
Island	19	22	115	15					
Roca Partida	19	4	111	6					
Mallon Island	19	23	165	23					
Cloud's Island	19	46	115	00					
Copper Island	20	6	131	54					
Island	21	00	176	34					
Shaler's Island	22	6	112	14					
Massachusetts Island	22	28N.	177	5W.					
Island	24	4	168	00					
Henderson Island	24	6	128	30					
— another account	24	26							
Gardner's Reef	24	11	168	9					
Pollard's Island	24	48	168	00					
Allen's Reef	25	09	167	57					
Cooper's Island	25	4	131	26					
Maro's Reef	25	26	170	16					
Island	25	22	131	26					
A Rock	25	30	174	3					
Laysan's Island	25	50	171	51					
Liscanskey's Island	25	52	173	41					
Neva Island	26	5	172	25					
Maro's Reef, (dangerous)	26	6	170	24					
Island & Rock	26	24	170	54					
Pearl & Kermes group or	27	46	176	15					
Clarke's Reef 60 miles									
N. W. and S. E.	27	48	176	6					
Bunker's Island	28	00	173	30					
Island	28	25	178	14					
Island	28	54	178	45					
Swift's Island	32	53	119	6					
Culpepper's Island	1	40	92	00					
Wenman's Island	1	23	91	44					
Regondo Rock	0	15	91	34					
Abington Island, C. Ib-									
etson	0	29	90	43					
Albemarle I. C. Berke-									
ley	0	2	91	31					
— Christopher's Point	0	50S.	91	25					
James I. Harbour	0	12	90	41					
Charles I. S. P.	1	30	90	33					
Chatham I. N. E. P.	0	45	89	9					
— Stephen's Bay	0	53	89	37					

XLIX. Islands, Rocks and Shoals, in the SOUTH PACIFIC OCEAN.

	Lat.		Long.	
	D.	M.	D.	M.
New Guinea				
— Middleburg Island	0	20S.	132	16E.
— Cape of Good Hope	0	20	132	31
— Flat Point	0	46	134	23
— Cape Valshe	8	26	137	28
— Cape Rodney	10	2	147	58
— King William's Cape	6	40	148	31
Torres or Endeavour Straits				
Eastern Fields or Reefs,				
N. E. end	10	2	145	43
— N. W. part	9	59	145	26
Murray's Islands	9	53	144	3
Wamvax or Darnley I.	9	28	143	40
Pandora's Shoals, N. P.	9	55	144	14
— Wreck Reef, S. P.	11	25	144	00
— Portlock's Reef	9	48	144	45
— ent. Torres Straits	9	54	144	42
— Boot Reef	9	59	144	40
Indefatigable's ent. ditto	11	50	144	10
Halfway Island	10	7	143	19
Booby Isle	10	27	141	56
York I. (Mt. Adolphus)	10	37	142	40

TABLE XLVI. Latitudes and Longitudes.

	Lat. D. M.	Long. D. M.		Lat. D. M.	Long. D. M.
Prince of Wales' group, N. P. . . . .	10 00S.	142 12E.	Onaseuse or Hunter's I.	15 31S.	176 11E.
Kangaroo coral reef	13 22	143 47	De Peyster's Islands .	8 5	178 17
Providence Islands			Ocean's High Island . .	0 48	170 49
— Little Providence or			Pleasant Island . . . .	0 20	167 10
Danger I. . . . .	0 11	135 12	Gardner's Island . . . .	1 00	168 40
— N. W. ext. of Shoal			Duff's Group . . . . .	10 00	166 50
off ditto . . . . .	0 1	135 8	Ganges' Island . . . . .	9 44	166 43
Louisiade Isles . . . .			Stewart's Island . . . .	8 24	163 00
— Cape Deliverance . .	11 42	154 30	Egmont or SantaCruzI.		
Stephen's Island . . . .	0 21	137 48	— Cape Boscawen . . . .	10 55	166 10
Durour's Island . . . .	1 17	143 30	Pitt's or Alderney I. . .	11 50	166 46
Admiralty Islands, {	1 50	146 00	Cherry Island . . . . .	11 37	170 24
limits . . . . .	3 10	148 6	Volcano Island . . . . .	10 39	166 12
Sydney Shoal . . . . .	3 20	146 50	Mitre Island . . . . .	11 49	170 42
Active's first Reef (dis-			Barwell Island . . . . .	12 13	169 00
covered 1811) . . . . .	3 40	146 53	Pandora's Reef . . . . .	12 11	172 00
— secondreef (ditto)	3 41	146 37	Charlotte Bank . . . . .	11 45	174 42
New Ireland . . . . .			Sir J. Banks's Island . .	13 27	167 24
— Cape St. George . . .	4 54	152 59	Espiritu Santo, C. Lis-		
— Carteret's Harb. . . .	4 48	152 46	burne . . . . .	15 41	166 57
New Hanover W. end	2 25	149 6	— C. Cumberland . . . .	14 39	166 47
New Britain . . . . .			— Bay St. Philip and		
Cape Palliser . . . . .	4 18	152 10	St. James . . . . .	15 10	167 5
Cape Orford . . . . .	5 40	152 21	— C. Quiros . . . . .	14 56	167 20
Port Montague . . . . .	6 12	151 2	Leper's Island . . . . .	15 23	167 58
Cape Ann . . . . .	6 27	149 33	Maskelyne's Island . . .	16 32	167 59
Cocos Islands . . . . .	4 30	156 36	Mallicolo, C. Sandwich	16 28	167 59
Shoals W. of Bougan-			— Port Sandwich . . . .	16 25	167 53
ville's Strait . . . . .	6 11	154 22	St. Bartholemew's I. . .	15 42	167 17
Bouganville Strait . . .	7 00	155 55	Aurora Island . . . . .	15 8	168 17
Laughlan's Islands, S. E.			Table Island . . . . .	15 38	167 7
ext. . . . .	9 20	153 42	Whitsuntide Island . . .	15 44	168 20
Bridgewater Shoal . . . .	8 54	156 49	Ambrym Island . . . . .	16 9	168 13
Cape Deception . . . . .	8 30	156 56	Paoom Island . . . . .	16 30	168 29
Cape Nepean . . . . .	8 51	157 32	Three Hills . . . . .	16 59	168 22
Cape Marsh . . . . .	9 7	158 46	Apae Island . . . . .	16 46	168 22
Deliverance small Isld's	10 51	162 27	Sheppard's Islands . . .	16 58	168 42
Indispensable Strait, S.			Monument . . . . .	17 14	168 38
ent. . . . .	10 15	161 15	Montague Island . . . .	17 26	168 32
Bellona Island . . . . .	11 6	159 37	Hinchinbroke Island . . .	17 25	168 38
Bellona Shoal . . . . .	12 5	159 48	Sandwich Island . . . . .	17 41	168 33
Pandora and Indispens-			Erromango, Traitor's		
sible Shoal, N. P. . . . .	12 9	160 30	Head . . . . .	18 43	169 20
— S. P. . . . .	12 46	160 45	Immer Island . . . . .	19 16	169 46
Well's Shoal . . . . .	12 20	157 58	Ianna, Port Resolution	19 32	169 41
Port Praslin . . . . .	7 30	157 51	Erronam . . . . .	19 39	170 15
Stewart's Island . . . . .	8 24	163 00	Enatum . . . . .	20 10	170 4
Bradley's Shoal . . . . .	6 45	161 00	Durand's Reef . . . . .	22 6	169 2
Lord Howe's Group . . .	5 24	159 37	Walpole I. . . . .	22 39	169 16
Hunter's Islands . . . . .	4 48	157 00	Matthew's or Hunter's		
Shank's Island . . . . .	0 28	163 00	Island . . . . .	22 24	172 15
Blaney's Island . . . . .	0 39	174 15	Diana's Bank, about . . .	15 41	150 30
Dundas Island . . . . .	0 15	173 58	Bougainville's Reefs {	15 35	148 00
Drummond's Island . . .	1 12	176 24	{ . . . . .	15 12	147 51
Byron's Island . . . . .	1 11	177 13	Alert's Reef . . . . .	17 2	151 49
Hope Island . . . . .	2 47	176 59	Mellishe's Keys and		
St. Augustine Island . . .	5 36	176 15	Reefs . . . . .	17 16	156 12
Sherson's Island . . . . .	5 56	176 33	Bampton Shoal, lim-		
Ellice's Group . . . . .	8 29	179 6	its . . . . .	18 49	158 2
Mitobell's Group . . . . .	9 6	179 48	Avon's I. . . . .	19 30	158 45
Plaskett's I. . . . .	9 18	179 50	Chesterfield Bank . . . .	19 53	158 25
Independence I. . . . .	10 25	179 00	Bellona Shoals . . . . .	20 55	159 47
Mitchell I. . . . .	10 27	179 22	Booby Shoal . . . . .	21 2	159 2
Island . . . . .	10 45	179 35			

TABLE XLVI. Latitudes and Longitudes.

	Lat.		Long.			Lat.		Long.	
	D.	M.	D.	M.		D.	M.	D.	M.
<i>New Caledonia.</i>	Minerva's Shoal	20 50S.	159 23E.		Macquarie's Island	54 42S.	159 45E.		
		21 22	159 10		The Judge and his clerk	54 10	160 7		
	Baring's Shoals	20 40	158 15		The Bishop & his clerk	55 11	159 57		
	— Sandy I.	20 50	159 30		Auckland's Group	50 44	166 00		
	Keen's Reef	21 24	158 30		Campbell's I-land	52 32	169 30		
	Mid-day Reef	21 9	155 49		Bounty Islands	47 32	179 2		
		21 58	154 20		Antipodes Island	49 35	179 2		
	Small low woody Island	18 3	162 51		Chatham Island, C.				
	Moulin Island	18 31	162 52		Young	13 48	176 58W		
	Reef, about	19 00	162 52		Cornwallis Island	44 36	175 27		
	N. W. Point	19 58	163 30		Macaulay Island	30 8	179 00		
	Ballebea Island.	20 7	164 22		Sunday Island	29 12	178 13		
	Podyona, N. W. P.	20 6	164 7		Vasques	25 40	174 56		
	Cape Colnet	20 30	164 56		Nicholson's Shoals	23 59	178 20		
	Cape Coronation	22 5	167 8			23 37	177 52		
	Queen Charlotte's Fore-land	22 15	167 13			20 6	168 36		
	Isle of Pines	22 42	167 34		Rotumah or Grenville's Island	12 29	176 57E.		
	Botany Island	22 27	167 17		Solitary Island	10 40	176 00W		
	Prince of Wales Fore-land, S. P.	22 30	166 50		D. of Clarence's I.	9 9	171 31		
Port St. Vincent	22 00	165 55		D. of York's I.	8 33	172 4			
Loyalty Island	20 54	166 30		Quiros Island	10 40	170 00			
Wreck Reef and Sand Bank	22 11	155 19		Jesus Island	6 46	166 00			
Cato's Bank	23 6	155 23		Leticus I.	11 48	162 00			
Reef	23 40	160 14		Suwarrow's Islands	13 6	163 23			
Reef	23 48	164 14			13 15	163 31			
Ray's Island	25 00	166 21		Wallis Island	13 22	176 16			
Reef	26 4	160 00		Proby's Island	15 53	175 51			
	26 12			Gardner's Island	17 57	175 17			
Sir C. Middleton's Is.	28 13	160 31		Keppel's Island	15 53	174 12			
Middleton's Shoals	29 14	158 53		Boscawen's Island	15 50	174 8			
Elizabeth Reef	30 5	159 00		Navigator's Islands,					
Island	31 14	160 37		— Opoun, E. P.	14 9	169 2			
Lord Howe's I.	31 26	159 00		— Leone, S. P.	14 8	169 16			
Norfolk I (Mt. Pitt)	29 2	168 10		— Tanfoue, E. P.	14 5	169 18			
Rosavetta Reef	30 30	173 28		— Maoune, E. P.	14 17	170 3			
				— Oyolava, E. P.	14 3	171 7			
North Cape	34 27	173 4		— Otatueh	14 30	170 41			
Cape Bren	35 10	175 00		Calinasse, N. P.	13 45	171 51			
Cape Colville	36 24	175 48		Islet Plat	13 51	171 48			
Mercury Bay	36 48	176 6		Amargura	18 00	174 30			
Cape East	37 44	178 58		Vavaoo (Howe's) Is.	18 50	174 00			
Colaga Bay	38 22	178 35		Lati or Bickerton I.	18 52	174 48			
Table Cape	39 6	178 2		Savage Island	19 2	169 30			
Cape Kidnappers	39 43	177 16		Toofoa	19 46	175 6			
Cape Furnagin	40 32	176 49		Haabo	19 41	174 15			
Hanks' I. E. end	43 43	173 00		Bouhee	19 34	174 29			
Cape Saunders	45 37	170 16		Annamoka	20 14	174 50			
Molineaux Harbour	46 8	169 41		Hoonga-hapee	20 36	175 17			
The Snares	48 6	166 20		Tongataboo,					
Whitby's Island	48 15	166 44		— Van Dieman's Road	21 6	175 5			
Cape South	47 17	167 16		Eoa, E. P.	21 24	174 45			
South West Bay	46 30	167 25		Pylstaart's Island	22 22	175 41			
Solander's Island	46 28	166 33							
West Cape	45 56	166 6		Pearl & Herme's Reef	27 46	176 00			
Dusky Bay	45 40	166 16		King George's Reef	19 56	167 30			
Open Bay	43 51	168 43		Palmerston Island	18 00	162 57			
Cape Foulweather	41 58	171 30		Whytootaeke	18 56	159 45			
Cape Farewell	40 40	173 18		Hervey's Island	19 17	158 48			
Queen Charlotte's Sound	41 5	174 40		Wateoo Island	29 1	158 15			
Cape Campbell	41 34	174 56		Maria I.	21 45	155 10			
Cape Faliser	41 24	175 41		Mangeca Island	21 57	158 7			
Cape Egmont	39 23	174 12		Roxburgh Islands	21 36	159 40			
Mount Island	38 5	175 5							
				Seilly Island	16 30	155 10			
				Lord Howe's I.	16 46	154 6			
				Maururu Island	16 26	152 33			

TABLE XLVI. Latitudes and Longitudes.

	Lat		Long.			Lat.		Long.	
	D.	M.	D.	M.		D.	M.	D.	M.
Society Islands.	Bolabola Island	16 32S.	151 52W.		Onateaya Island	9 58S.	138 51W.		
	Pietea	16 45	151 31		Magdalena Island	10 25	138 49		
	— Ohameneno harb.	16 45	151 35		Bunker's Shoal	0 17	160 40		
	Huahuine, Owharrebay	16 43	151 8		Marcus Island	0 26	159 50		
	Sir C. Sander's I.	17 25	150 58		Island	1 5	138 54		
	Eimeo (Taloo harbour)	17 30	150 00		Brook's Island	1 13	159 30		
	Tethuroa	17 1	149 36		Island	3 32	173 45		
	Atacite, Point Venus	17 29	149 36		Hero Island	5 40	155 55		
	— Oaitipeba Bay	17 46	149 14		Island	6 39	166 18		
	Osnaburg or Mitea	17 52	149 6		A Rock	7 51	139 54		
	Pr. of Wales I. N. P.	14 58	147 50		Pennyryn's Island	9 1	157 35		
	Calliser's Island	15 38	146 30		Tienhoven I.	10 5	156 57		
	Chain Island	17 25	145 30		Groningue I.	10 5	156 50		
	Gloucester Island	20 31	145 54		Reirsen's Island	10 11	160 49		
	Ohetiroa	22 27	150 49		Humphrey's I.	10 27	160 55		
	Remitora I.	22 43	152 00		A Reef	10 46	166 6		
	Toobouai	23 25	149 20		Pescado I.	10 33	159 25		
	High Island	23 42	148 3		Roggewien's I.	10 51	156 7		
	Byron's Islands				Tiburones I.	10 58	143 00		
	— Taoukaa Island	14 30	145 9		Flint Island	11 28	152 6		
Disappointment Islands	14 7	141 22		Bauman's Islands	11 52	155 12			
Adventure Island	17 7	144 22		Spiridoff Island	14 41	144 59			
Furneaux Island	17 11	143 7		— Perhaps Isl. Oura	14 37	146 19			
Resolution Island	17 23	141 45		Isle de Chiens	14 50	138 47			
Island	16 00	139 00		Isle Romanzoff	14 57	144 28			
Island	17 00	138 00		Isles de Krusenstern extending N. N. E. and S. S. W. } centre	15 00	148 41			
Bird Island	17 49	142 43		15 miles					
Bow Island	18 17	140 43		Chaine du Rurick, N. E. P.	15 11				
Pr. Henry's Island	19 00	141 22		— E. P.	15 20	146 30			
Cumberland I.	19 18	140 52		— W. P.	15 20				
Gloucester Island	19 11	140 20		Dageraad Island	15 45	146 56			
Queen Charlotte's I.	19 18	138 20		Dean, or Prince of Wales, or Oanna Island	W.P. 15 00	148 22			
Whitsunday Island	19 26	138 12		Island	E. P. 15 16	147 12			
Lagoon Island	18 48	138 33		Island	16 00	139 00			
Osnaburg Island	22 8	140 37		Island	17 00	138 00			
Bligh's Lagoon, I.	21 43	140 30		Island	20 00	167 50			
Carysfoot Island	20 49	138 33		Elizabeth Island	21 6	178 36			
Lord Hood's Island	21 31	135 32		Eunice Island	21 8	178 47			
Gambier's Island	22 55	135 00		Armstrong's Island	21 21	161 4			
Crescent Island	23 12	134 32		Anderson's Island (or Elizabeth I.)	24 24	128 11			
St. Juan Baptista	24 26	135 6		Ducie's Island	24 40	124 40			
Pitcairn's Island	25 4	130 25		Island	25 13	130 28			
Oparo Island	27 36	144 11		St. Felix Islands N. P.	26 20	79 47			
Nukahiwa I. (Federal)				— W. P.	26 17	80 4			
— Port Tochitschagoff	8 57	139 42		Gray's Island	26 24	92 24			
— Port Anna Maria, ent.	8 57	139 40		Sales y Gomez	26 36	105 34			
— Cape Martin S. E. P.	8 57	139 32		Easter Island	27 8	109 40			
— South Point	8 59	139 44		Island	28 6	95 12			
— N. W. point	8 53	139 49		Group of Islands	31 3	129 24			
Uabuga I. (Washington I.) W. P.	8 58	139 13		Massafuero	33 45	80 38			
Upoa I. (Adams)	9 21	139 39		Juan Fernandez S.W.P.	33 45	79 6			
Level I. (Lincoln)	9 29			— E. P.	33 41	78 53			
Mottaui Islands (Franklin)	8 37	140 20		NEW SOUTH SHETLAND.					
Hiau I. (Knox, Roberts)	7 59	140 13		Clarence Island, Floyd's Promontory	60 57	54 6			
Small Sandy Island	7 57	140 3		— Cape Bowles	61 20	54 8			
Fattuuhu I. (Hancock)	7 50	140 6		Cornwallis Island	61 00	54 28			
Hood's Island	9 26	138 52							
Ohevaoha	9 41	139 2							
Ohitahoo, Resolution Bay	9 55	139 9							

TABLE XLVI. Latitudes and Longitudes.

	Lat.		Long.			Lat.		Long.	
	D.	M.	D.	M.		D.	M.	D.	M.
Seal Islands . . .	61	00S.	55	32W	Ditto (another ac-	62	42S.	62	20W
Cape Valentine . .	61	3	54	40	count) . . .				
Sarah Island . . .	61	22	55	30	Ditto the harbour	62	55	63	5
O'Brien's Islands .	61	28	56	35	(by another person)				
Bridgeman's Islands	62	00	67	12	New Plymouth . .	62	45	61	37
Cape Melville . . .	62	00	57	46	Monroe's Island, Presi-				
Sheriff Cape . . .	62	28	60	57	dent's Bay . . .	62	46	62	20
Ditto (another ac-					Castle Rock (west of				
count) . . .	62	21	61	47	Monroe's I.) . . .	62	50	62	30
Yankee Straits . .	62	30	60	22	Mount Pisgah . . .	63	00	63	00
Ragged Island . . .	62	40	62	10	Ditto (another ac't.	62	57	63	40

*Note to page 279, Table XLVI. line 1.*

I have considered the *Essex Shoal* to be the same as the *Fairlie Rock*, and have given its latitude and longitude as in Horsburgh's Directory, namely 3° 27' S. 107° 2' E. The place assigned by Captain Orne, of the *Essex*, is 3° 36' S. 107° 00' E. differing nine miles in latitude; and as it is possible that the rocks may not be the same, I have now given Captain Orne's estimate, made from a meridian observation two hours after striking on the shoal, June 26, 1804. He described it as "a small rock or coral patch, seen by the man at the mast head an instant before she struck; but there was no appearance of a breaker, though the breeze was fresh, and a short sea running. In the act of wearing ship, she struck rather on the side of the rock, which reduced her velocity from 8 to 2½ knots; after rubbing a few seconds, she fell off into deeper water (8 fathoms) without any material damage."

TABLE XLVII.

239

TABLE,  
Showing the TIMES of HIGH WATER at the full and change of the Moon, at the principal Ports and Harbours of the World, with the vertical rise of the Tide in feet.

PLACES.	SITUATION.	TIME. R.	PLACES.	SITUATION.	TIME. R.
<b>A</b>					
Abbeville	France	10.30	Bolt Head	England	5.55 20
Aberdeen	Scotland	12.45	Bombay	India	11.15
Aberystwith	Wales	7.30 13	Bombay Offing	India	12. 0
Achill Head	Ireland	5.30	Borkum Island	Holland	11. 0
Air Point	Isle of Man	10.30	Boston	England	6.45
Aix	France	3. 0	Boston	America	11.30 11
Alban's Head (St.)	England	7.30	Botany Bay	New Holland	8. 0
Amazon River	America	6. 0	Boulogne	France	10.45
Ambletouse	France	11. 0	Bourdeaux	France	3. 0
Ameland Island	North Sea	10.30	Brassa Sound	Shetland	10. 0 8
Amelia Harbour	America	8.30	Bray Head	Ireland	3.30
Amlwck Point	Anglesea	10.30 24	Bremen	Germany	6. 0
Amsterdam	Holland	3. 0	Brest	France	3.45 18
Amsterdam Island	Pacific Ocean	8.30	Bridgewater	England	6.45 22
Andrew's Bay, St.	Scotland	2.15	Bridport	England	6.45
Angra Bay	Terciera	2.20 8	Brighton	England	10. 6 16
Anholt Island	Cattogat	12. 0	Bristol	England	6.45
Ann (Cape)	America	11.30 11	Broad Bay	America	10.45 9
Annapolis	America	11. 0	Broad Haven	Ireland	6. 0
Anticosta I. W. end	America	3.30	Burnt Island	Scotland	2.30 14
Antwerp	France	6. 0	Button's Islands	Hudson's Bay	6.50
Annamocka	Pacific Ocean	6. 0	<b>C</b>		
Archangel	Russia	6. 0	Cadiz	Spain	3. 0
Arklow	Ireland	8.15	Caen	France	9. 0
Artan Island	Scotland	11.15 9	Caernarvon	Wales	9. 0 22
Arundel	England	9.20 16	Calais	France	11.30 18
Augustine, (St.)	America	7.30	Caldy Island	Wales	6. 0 34
Augustine's Bay St.	Madagascar	2.15	Calf of Man	St. George's Ch.	10.30
Avranches	France	6.00	Campbell (Port)	America	9. 0
<b>B</b>					
Babelmaedel Str.	Red Sea	12. 0	Canary Island	Atlantic Ocean	3. 0
Balisore	India	9.45 12	Canso (Cape)	America	8.30
Ballingskellings B.	Ireland	3.15	Cantire (Mull of)	Scotland	10.30 6
Bally Castle	Ireland	9. 0	Capricorn (Cape)	New Holland	8. 0 7
Bally Shannon	Ireland	6.45	Cardiff	Wales	6. 0
Baltimore	Ireland	4. 0	Cardigan Bar	Wales	7. 0
Bamf	Scotland	11.30	Carlingford	Ireland	10. 0 14
Bantry Bay	Ireland	3.30	Carlisle	England	12. 0
Bardsey Island	Wales	8.15	Carmarthen	Wales	6.30 24
Bardour Cape	France	7.30	Carrickfergus	Ireland	10.30 8
Barmouth	Wales	8. 0 13	Caskets	Eng. Channel	8. 0 28
Barnstable Bay	England	5.50 26	Catherine's Pt. St.	Isle of Wight	9. 0
Baudsey Cliff	England	10.30	Catness	White Sea	5.15
Bayonne	France	3.30	Cayeune	S. America	6. 0
Beachy (on shore)	England	9.45 20	Charente Riv. ent.	France	4. 0 20
Beachy, Offing	England	11. 0	Charles (Cape)	America	7.45
Bear Island	Hudson's Bay	12. 0	Charleston Bar	America	7.15 6
Beaumaris	Wales	10.15 24	Chatham	England	1. 0
Bee's Head, St.	England	11.15	Chepstow	England	7.30
Belfast	Ireland	10.30	Cherbourg	France	8.30
Bella Isle	Bay of Biscay	3. 0	Chester Bar	England	11. 0 26
Bembridge Point	Isle of Wight	11.40	Chichester Harb.	England	11.36 18
Bergen	Norway	1.30	Christmas Sound	S. America	2.30
Bermuda Island	Atlantic Ocean	7. 0 5	Churchill (Cape)	Hudson's Bay	7.20
Berwick	England	2.15 16	Clear (Cape)	Ireland	3.30
Biscay	Spain	3.45	Cod (Cape)	America	11.30 6
Bilboa	Spain	3.45	Condore Pulo	China Sea	4.15
Blakeney	England	6. 0	Conway	Wales	10.15 24
Blanco (Cape)	Africa	9.45	Copeland Island	Ireland	10.30
Blaskets	Ireland	3.40	Coringa Bay	India	9.15
Block Island	America	7.37 5	Coquet Island	England	2.45 13
Boador (Cape)	Africa	12. 0	Cornwall (Cape)	England	4.30 23
			Cornwallis (Port)	Pr. of Wales' I.	1.30 10



## TIMES OF HIGH WATER.

PLACES.	SITUATION.	TIME.	R.	PLACES.	SITUATION.	TIME.	R.
		H. M. FT.				H. M. FT.	
Cork Harbour, en.	Ireland	4.30	18	Fly or Vlie Gatway	Holland	9.15	
Corunna	Spain	3.0		Fly or Vlie Road	Holland	7.30	
Coutance	France	6.0		Foreland (North)	England	11.15	16
Cowes	Isle of Wight	10.15	15	Foreland (South)	England	11.6	15
Crocotoa Island	Str. of Sunda	7.0	3	Formby Point	England	11.0	26
Cromartie	Scotland	11.30	14	Fort St. John	Newfoundland	9.0	
Cromer	England	6.45	16	Fox Island	America	10.45	
Crookhaven	Ireland	3.30		Fowey	England	5.30	16
Cross Island	White Sea	4.15		Funchal	Madeira	11.30	7
Cuxhaven	Germany	1.0		G			
D				Gallicia (Coast of)	Spain	3.0	
Dartmouth	England	6.10	20	Galloper	Thames River	12.45	
David's Head, (St.)	Wales	6.0		Galloway Bay	Ireland	4.30	
Deadman's Pt.	England	5.30		Galloway, Mull of	Scotland	11.15	
Deal	England	11.0	15	Gambia R. ent.	Africa	10.15	
Dee (River)	Scotland	11.0	0	Gay Head	America	7.37	7
Delaware R. ent.	America	9.0		George's River	America	10.45	9
Diamond Point	India	2.15		Georgetown Bar	America	7.0	
Dieppe	France	10.30	18	Goa	India	4.30	
Dingle Bay	Ireland	3.30		Good Hope, (Cape)	Africa	3.0	
Donnegal	Ireland	6.30		Good Hope, Town	Africa	2.30	
Dover	England	11.6	14	Goree Gatway	North Sea	1.30	
Douglas	Isle of Man	10.30	21	Gouldsborough	America	11.0	12
Downs	England	11.0	15	Granville	France	7.30	
Drogheda	Ireland	10.45		Gravelines	France	11.45	18
Drontheim	Norway	2.15		Gravesend	England	1.30	16
Dublin	Ireland	9.45	12	Grizness, (Cape)	France	11.0	
Dudgeon Lights	North Sea	6.0		H			
Dunbar	Scotland	2.0		Haerlem	Holland	9.0	
Duncansbay Head	Scotland	10.0		Hague La, (Cape)	France	8.45	
Dundalk Bay	Ireland	10.45		Halifax	Nova Scotia	7.30	8
Duntledy Head	Ireland	4.0	11	Hamburg	Germany	6.0	
Dundee	Scotland	2.15		Hartland Point	England	6.0	
Dungarvon	Ireland	4.30		Hartlepool	England	3.45	
Dungeness	England	10.51	24	Harwich	England	11.30	14
Dunkirk	France	11.45	12	Hasborough Gatt	England	6.30	
Dunnose	Isle of Wight	9.15		Hastings	England	10.36	
Dursey Island	Ireland	3.30		Hatteras, (Cape)	America	9.0	
E				Havre de Grace	France	9.0	22
Eastern Brace	Bay of Bengal	9.45		Helena, St.	Atlantic Ocean	2.15	
Eddystone	Eng. Channel	5.50	18	Helens, St.	Isle of Wight	11.45	16
Edinburgh	Scotland	2.30		Helvoetsluis	Holland	1.30	
Elbe R. (red buoy)	North Sea	12.0		Henlopen, (Cape)	America	8.45	5
Elizabeth Town Pt.	America	8.54	5	Henry, (Cape)	America	7.40	
Embsen	Germany	12.0		Holyhead Bay	Wales	10.0	24
Exmouth Bar	England	6.25	14	Holy I. Harbour	England	2.30	15
Exuma Bar	Bahamas	6.35		Honfleur	France	9.30	
Eyder River	Germany	12.0		Hull	England	6.0	18
Eyemouth Harb.	Scotland	2.15		Humber R. ent.	England	5.15	15
F				Hurst Castle	England	9.30	
Fair Head	Ireland	9.0		I			
Falmouth	England	5.30	18	Ice Cove	Hudson's Bay	10.0	
Fayal Road	Azores	2.20	42	Ipswich	England	12.0	
Fear (Cape)	America	8.0		Ireland, W. Coast	Atl. Ocean	5.30	
Fecamp	France	10.30		Ireland, S. Coast	Atl. Ocean	3.0	
Ferrol	Spain	3.0		Isle de Dieu	France	3.0	
Ferriters	Ireland	3.30		Isle of Man, S. side	St. George's St.	10.20	
Fifeness	Scotland	2.0		Ives, (St.)	England	5.15	24
Filey	England	4.30		Jackson, Port	New Holland	8.15	6
Finsterre (Cape)	Spain	3.0		Janeiro Rio	S. America	4.30	
Finmark	Lapland	2.15		Johns, (St.)	Newfoundland	6.0	
Fisguard Bay	Wales	6.30		Jutland Coast	Denmark	12.0	
Flamboro' Head	England	4.30		K			
Florida Keys	America	8.50		Kedgeree	India	11.30	
Flushing	Holland	1.0		Kenmare River	Ireland	3.30	

TABLE XLVII.

297

## TIMES OF HIGH WATER.

PLACES.	SITUATION.	TIME.		PLACES.	SITUATION.	TIME.	
		H.	M. PT			H.	M. PT
Kennebeck	America	10.45	9	North Cape	Lapland	3.	0
Kentish Knock	R. Thames	11.45		O			
Kilibegs	Ireland	6.45		Olonne	France	3.30	
King's Channel	River Thames	12.50		Oporto	Portugal	3.15	
King's Road	Bristol Chan.	6.45		Orfordness	England	10.30	11
Kinsale	Ireland	4. 0		Orkney Islands	North Sea	10.30	8
Kinnaird's Head	Scotland	12. 0		Orn's Head	Wales	10.15	
L				Ortegal (Cape)	Spain	3. 0	
Lambaness	Shetland	9.30	5	Ostend	France	12.30	11
Lancaster	England	11.15		Owers	Eng. Channel	9.36	15
Land's end	England	4.30		P			
Leith Pier	Scotland	2.20	15	Padstow	England	5.45	27
Lemon and Ower	North Sea	7. 0		Passamaquoddy R.	America	11.30	25
Lerwick	Shetland	9.45		Passier Roads	Borneo	5. 0	9
Lewis Islands	Scotland	6. 0		Peamarks	France	3.30	
Lewis (Butt of)	Scotland	6. 0		Penobscot River	America	10.45	10
Limerick	Ireland	6.30	16	Pentland Frith	Scotland	10.30	8
Lisbon	Portugal	3. 0		Penzance	England	5. 0	19
Liverpool	England	11. 0	27	Peter Head	Scotland	12. 0	
Lizard	England	5. 0		Plymouth Sound	England	6. 5	15
Loch Swilly	Ireland	6.30		Plymouth	America	11.30	6
Loire River	France	3. 0		Pol de Leon (St.)	France	5.15	
London	England	2.46	19	Poole	England	9. 0	7
Londonderry	Ireland	6. 0		Port Glasgow	Scotland	11.45	
Long Sand Head	River Thames	11.30		Port Hood	Cape Breton	7.30	8
Longships	England	4.30		Port Howe	Nova Scotia	8.30	8
Lookout (Cape)	America	9. 0	7	Port Jackson	Nova Scotia	8. 0	9
Loop Head	Ireland	4.15		Portland Bill	England	7.15	8
L'Orient	France	4. 0		Portland Race	England	9.15	7
Lundy Island	Bristol Chan.	5.45	30	Portland	America	10.45	9
Lyme Regis	England	7. 5		Port Louis	France	4. 0	15
Lynn Deepes	England	6.30		Porto Praya	C. Verd Isles	11. 0	
M				Port Roseway	Nova Scotia	8.15	8
Machias	America	11. 0	12	Port Royal Island	N. America	8.15	
Madeira	Atl. Ocean	11.30	7	Portsmouth Harb.	England	11.36	18
Malacca Roads	India	10.30		Portsmouth	America	11.15	10
Maio St.	France	6.30		Portugal, Coast of	Europe	3. 0	
Marblehead	America	11.30	11	Pulo Pinang	India	1.30	10
Margate Road	River Thames	11.45	16	Q			
Martin Vas	Atl. Ocean	3.45		Quebec	Canada	8. 0	
Marys, St.	Seilly Islands	4.40		Queda Roads	India	10. 0	6
May, Cape	America	8.45		R			
Millford Haven	England	6. 0		Rachlin's Island	Ireland	9. 0	
Mizen-head	Ireland	3.15		Ram Head	England	5.45	
Montrose	Scotland	1.30		Ramsey	Isle of Man	10.30	
Morocco Coast	Africa	2.15		Ramsgate	England	11. 0	
Mount's Bay	England	5. 0	19	Rhe Island	Bay of Biscay	3. 0	
Mount Desert	America	11. 0	12	Rhode-Island	America	6.45	
N				Rio Janeiro	S. America	4.30	
Nangasaki	Japan	7.53		Robin Hood's Bay	England	3.45	
Nantz	France	4. 0		Rocheport	France	3. 0	
Nantz River ent.	France	3. 0		Rochelle	France	3.45	
Nassau	N. Providence	7.30		Rochester	England	1. 0	
Natal Rivier	Africa	10. 0	12	Rodriques Island	Indian Ocean	12.45	6
Needles	Isle of Wight	9. 0		Roman (Cape)	America	8. 0	
Newcastle	England	4. 0		Roseness	Orkney	10.30	
New-Bedford	America	7.37	5	Rotterdam	Holland	3.30	7
Newburyport	America	11.15	10	Rye Harbour	England	10.51	24
New-Haven	America	10.16		S			
New-London	America	8.54		Sable (Cape)	Nova Scotia	8. 0	
Newport	Wales	6.45		Sable Island	America	8.30	
New-York	America	8.54	5	Salem	America	11.30	11
Noatka Sound	North America	12.20		Salvador, St.	S. America	3.45	
Nore Light	River Thames	12.15	14	Sandwich	England	11. 0	
North Berwick	Scotland	2. 0		Sandwich Bay	Nova Scotia	9. 0	8

TIMES OF HIGH WATER.

PLACES.	SITUATION.	TIME.			PLACES.	SITUATION.	TIME.
		H.	M.	P.			
Sandy Hook	New-Jersey	6.37	5		Telling (Cape)	Ireland	6.0
Scarborough	England	4.30	13		Terciera	Azores	11.45
Scaw	Denmark	12.0	15		Texel, (ent. of)	Holland	6.45
Seilly Islands	Eng. Channel	4.40	18		Texel Road	Holland	7.45
Seal Islands	Bay of Fundy	8.45			Thames, R. mouth	England	12.0
Seine River	France	9.0			Tinmouth	England	3.0
Selsea Bill	England	9.36	15		Todhead	Scotland	12.45
Selsea Harbour	England	11.15	15		Torbay	England	6.10
Senegal R. ent.	Africa	11.3			Tory Island	Ireland	6.0
Seven Islands	Lapland	9.0	15		Townsend	America	10.45
Shannon R. ent.	Ireland	3.45	12		Tuskar Rock	Ireland	7.0
Sheerness	England	12.0	15		Tyra Roads	River Canton	10.0
SheepsCut	America	10.45	9		U		
Shetland I. S. end	North Sea	10.30	6		Ushant (within)	France	3.45
Shields	England	3.0	13		Ushant (without in		
Shoreham	England	9.21	16		the offing)	France	4.30
Sierra Leone	Guinea	8.15			V		
Simon's Bar (St.)	America	7.30			Vannes	France	4.30
Skerries	Scotland	5.30			Vincent (Cape St.)	Spain	2.30
Sky Island	Scotland	6.0			W		
Sligo	Ireland	6.45			Wardhuys	Lapland	4.0
Slyne	Ireland	5.15			Watchet	Bristol Chan.	6.45
Smalls	Wales	5.50			Waterford Harb.	Ireland	5.30
Somme River	France	10.30			Weser, River ent.	Germany	12.0
Southampton	England	11.45	18		Western Brace	Bay of Bengal	9.36
Southwold	England	9.0			Wexford Harbour	Ireland	7.30
Spain (N.coast of)	Bay of Biscay	3.0			Weymouth	England	6.15
Spurn Point	England	5.15	20		Whitby	England	3.45
Start Point	England	5.55	20		Whitehaven	England	11.15
Stockton	England	4.30			Wicklow	Ireland	9.0
Stonehaven	Scotland	1.0			Winterton	England	8.15
Stromeness	Orkneys	10.30			Woolwich	England	2.15
Sunbury	N. America	9.30			Wrath (Cape)	Scotland	7.0
Sunderland	England	2.45	12		Y		
Swansey	Wales	6.0	30		Yarmouth Roads	England	8.45
Sweetnose	Lapland	12.0	16		Yarmouth	Isle of Wight	9.30
T					Yorkshire Coast	England	4.30
Tees River	England	3.30	16		Youghall	Ireland	4.30

## APPENDIX,

### CONTAINING METHODS OF DETERMINING THE LONGITUDE BY OBSERVATIONS OF ECLIPSES, OCCULTATIONS, &c.

THE longitude of a place may be determined in a very accurate manner, by observing the beginning or end of a solar eclipse, or occultation of a fixed star by the moon, or the difference between the times that the moon and a known fixed star pass the meridian. These observations, when made on land with a good telescope and well regulated time-keeper, furnish by far the most accurate method of determining the longitude, and when made on board a ship without a telescope, will in general give it to a greater degree of accuracy than any other method: For this reason, it was thought proper to insert in this Appendix the usual rules of calculating such observations, by means of the Nautical Almanac. The first thing to be taken notice of, is the method of determining the longitude, latitude, &c. of the moon or other object, having regard to the unequal velocity between the times for which these quantities are given in the Nautical Almanac. This calculation is rendered much more simple by making use of the signs + and -, and performing addition and subtraction as in the introductory rules of Algebra; and as it is possible that these rules may not be familiar to some readers of this work, it was thought proper to prefix an explanation, as far as will be necessary, in the present problems.

Quantities *without a sign*, or with the sign + prefixed, are called *positive or affirmative*, as 7 or + 7; and those to which the sign - is prefixed, are called *negative*, as - 7. *Addition of quantities having the same sign, that is, all affirmative or all negative, is performed by adding them as in common arithmetic, and prefixing the common sign.* Thus the sum of + 4 and + 3 is + 7. The sum of - 4 - 3 and - 5 is - 12. *When the quantities have not the same sign, the positive quantities must be added into one sum, and the negative into another, as above; the difference of these two sums, with the sign of the greater sum prefixed, will be the sum of the proposed quantities.* Thus the sum of + 14, - 7, + 5, and - 2, is found by adding + 14 + 5, whose sum is + 19; and then - 7 and - 2, whose sum is - 9; the difference of 19 and 9 is 10, to which must be prefixed the sign of the greater number 19, which is +, so that the sought sum is + 10. The following examples will illustrate these rules.

Add + 4	Add + 4' 10"	Add - 4' 10"	Add - 4' 10"	Add + 1	Add + 8' 0"
+ 3	+ 2 5	- 2 5	- 2 5	- 1	+ 2 15
+ 7			+ 7 5		+ 4 13
- 2	Sum + 6 15	Sum - 6 15	Sum - 2 5	Sum 0	- 3 7
Sum + 12					Sum + 4 51

*Subtraction is performed by changing the sign of the number to be subtracted from + to -, or from - to +; and then adding the numbers by the preceding rule.* Thus to subtract + 3 from + 7 the sign of + 3 must be changed, and the numbers - 3 and + 7 added together as in algebra, which by the preceding rule gives + 4; and if it were required to subtract - 3 from 7, the sign of - 3 must be changed, and + 3, + 7 added together. The sum + 10 represents the sought difference. It is not usual to make an actual change of the sign in any proposed question, it being sufficient to suppose the number to be subtracted to have a different sign from that prefixed to it, and to perform the operation accordingly. To illustrate this, the following examples are added.

Pro. + 4' 10"	Pro. + 4' 10"	Pro. - 4' 10"	Pro. - 4' 10"	Pro. + 1	Pro. - 1	Pro. + 1
Sub. + 2 5	Sub. - 2 5	Sub. - 2 5	Sub. + 2 5	Sub. - 1	Sub. - 1	Sub. + 1
Re. + 2 5	Re. + 6 15	Re. - 2 5	Re. - 6 15	Re. + 2	Re. 0	Re. 0
From 108	From - 108	From 108	From - 108	From - 201	From - 201	From - 201
Sub. 201	Sub. - 201	Sub. - 201	Sub. 201	Sub. 201	Sub. 108	Sub. 108
Rem. - 93	Rem. + 93	Rem. + 309	Rem. - 309	Rem. - 309	Res. - 309	Res. - 309

Observing that when no sign is annexed to a quantity, the sign + is always understood to be prefixed.

#### PROBLEM I.

To find the longitude, latitude, &c. of the moon at any given time at Greenwich, having regard to the unequal velocity between the times marked in the Nautical Almanac. The intervals of these times being 12 hours.

#### RULE.

Take from the Nautical Almanac the two longitudes, latitudes, &c. next preceding the given time at Greenwich, and the two immediately following it, and set them down in succession below each other, prefixing the sign + to the southern latitudes or declinations, and the sign - to the northern. Subtract each of these quantities from the following for the first differences, and call the middle term arch A; subtract

O o (Tab.)

572 TO FIND THE LONGITUDE, &c. OF THE SUN, MOON, AND PLANETS.

each first difference from the following for the *second differences*, and take the half sum or mean of them, which call the arch B, noting the signs of the quantities as in algebra.

Find the difference between the given time and the second time taken from the Nautical Almanac, which call T, then to its logarithm add the log. of A and the constant logarithm 5.36452, the sum rejecting 10 in the index, will be the logarithm of the *proportional part*,\* to which prefix the sign of the arch A; observing to express all these quantities in seconds.

Enter Table XLV. with the arch B at the top and the time T at the side,† opposite to this will be the correction of second differences, to which prefix a *different sign* from that of the arch B, and place it under the proportional part found above, and the second quantity taken from the Nautical Almanac, and connect these three quantities together as in addition in Algebra; the sum will be the sought longitude, latitude, &c. The latitude or declination being *south* if it has the sign +; *north* if it has the sign —.

EXAMPLE I.

Required the longitudes and latitudes of the moon, December 12, 1806, at 15h. 45. 29<sup>th</sup> and 17h. 1m. 29<sup>th</sup> app. time by astronomical computation at Greenwich, which correspond to the immersion and emersion of Spica, calculated in Problem VII.

1806. Dec.	D long. N. A.	1st. diff.	2d. diff.	D lat. S.	1st. diff.	2d. diff.
D	8	9	10	11	12	13
12 noon	6 10 45 20	7 6 16		+ 2 40 58	-34 21	
12 midn.	6 17 51 36	A 7 11 18	+5 2	+ 2 6 37	A-36 45	-32
13 noon	6 25 2 54	7 16 5	+4 47	+ 1 29 52	-38 34	-10
13 midn.	7 2 18 59		B=+4. 54. 51	+ 0 31 18		B=-38

IMMERSION.

Constant 5.36452		..... 5.36452	
T= 5h. 48' 29" = 13709"	log. 4.13701	A= 36' 45" = 2205"	log. 4.15701
A= 7 11 18 = 25878	log. 4.41298		log. 3.54541
+ 2 16 52.2 = 8212.2	log. 3.91446	- 11 59.7 = 699.7	log. 2.54494
+6 17 51 36 Second longitude.		+ 2 6 37 Second latitude.	
- 31.9 Tab. XLV. B = 4' 54".5		+ 15.7 Tab. XLV. B = 2' 6".5	
6 20 9 58.3 D's longitude.		+ 1.55 11.0 D's latitude south.	

EMERSION.

Constant 5.36452		..... 5.36452	
T= 5h. 1' 29" = 18089"	log. 4.25742	A= 36' 45" = 2205"	log. 4.15701
A= 7 11 18 = 25878	log. 4.41298		log. 3.54541
+ 3 0 38.0 = 10836	log. 4.03487	- 15' 23" 3 = -923.3	log. 2.96895
+6 17 51 36 Second longitude.		+2 6 37 Second latitude.	
- 35.9 Table XLV. B = 4' 54".5		+ 15.4 Tab. XLV. B = 2' 6".5	
6 20 51 38.1 D's longitude.		+1 51 29.1 D's latitude south.	

These quantities are made use of in Problem VII.

EXAMPLE II.

Required the longitudes and latitudes of the moon, June 16, 1806, at 2h. 49' 50".1 and 5h. 34' 6".6 app. time, astronomical account at Greenwich, which correspond nearly to the beginning and end of the total eclipse of the sun as observed at Salem.

1806. June.	D long. N. A.	1st. diff.	2d. diff.	D lat. N. A.	1st. diff.	2d. diff.
15d. midn.	2 14 48 58	7 17 21		- 1 14 6	+88 53	
16 noon.	2 22 6 19	A 7 20 53	+3 32	- 0 34 15	A-40 46	+8
16 midn.	2 29 27 12	7 23 35	+2 42	+ 0 6 33	+88 55	+9
17 noon.	3 6 50 47		B=+3 7	+ 0 47 28		B=-13

\* This may be found to minutes by Table XXX. by entering it at the top with half the arch A (since the table extends only to 3° 45') and at the side with the time T; the result doubled will be nearly the sought proportional part; but the table not being calculated to seconds, it is hardly accurate enough to be used in calculating eclipses. This correction may also be found by proportion; by saying as 12 hours is to the time T, so is the arch A to the sought proportional part, and this method is the shortest when T is an aliquot part of 12 hours. Thus if T be 3, 6 or 9 hours, the proportional part will be  $\frac{1}{4}$ ,  $\frac{1}{2}$  or  $\frac{3}{4}$  of the arch A respectively. This method is made use of in Problem XVII. in interpolating the distances of the moon and sun.

† If the arch B consists of minutes and seconds, the correction for minutes, tens of seconds and odd seconds, must be found separately, the sum of these three parts will be the sought correction. Proportional parts for the minutes of the time T may be taken in finding the correction of this table when necessary. In this rule, part of the correction of third difference is neglected. This part never exceeds  $\frac{1}{10}$  of the third differences, and rarely amounts to a small fraction of a second.

TO FIND THE LONGITUDE, &c. OF THE SUN, MOON, AND PLANETS. 573

BEGINNING AT 2h. 49' 50", 1=T.			
Second longitude	2h. 22' 6" 19'	Second latitude N.	- 0° 54' 17"
A 7° 29' 55" Prop. part	+ 1 43 59.8	A 40' 46" Prop. part	+ 9 57.0
B 3 7 Tab. XLV.	- 18.8	B 51 Tab. XLV.	- 2.4
D's longitude	2 23 50 2.0	D's latitude N.	- 0 24 38.4
END AT 2h. 34' 6" 6=T.			
Second longitude	2h. 22' 6" 19'	Second latitude N.	- 0° 54' 17"
A 7° 29' 55" Prop. part	+ 3 24 35.3	A 40' 46" Prop. part	+ 18 55.0
B 3 7 Tab. XLV.	- 23.2	B=31" Table XLV.	- 3.3
D's longitude	2 25 50 51.1	D's latitude N.	- 0 15 21.3

The proportional parts of the arch A were calculated in this example by arithmetic without logarithms. By observations of the eclipse on that day, it was found that the moon's longitude was too great by 58".5 and her latitude too great by 11".4. These corrections are applied to the above longitudes and latitudes, in calculating the eclipse in Problem VI.

*Remark 1.* It will not be necessary to take notice of the second differences in calculating the parallax or semi-diameter of the moon, or any of the solar elements useful in calculating an eclipse or occultation. In this case the quantity immediately preceding and following the proposed time at Greenwich, must be taken from the Nautical Almanac, and their difference will be the arch A, also the difference between the proposed time and that taken first from the Nautical Almanac is to be called the time T. Then by proportion, as the interval between the times taken from the Nautical Almanac is to the time T, so is the arch A to the correction to be applied to the first quantity taken from the Nautical Almanac, additive if increasing, subtractive if decreasing. This correction may also be found by logarithms as above, using the constant logarithms 5.36452 if the interval of the times in the Nautical Almanac is 12 hours, and 5.06349 if the interval is 24 hours. The proportional part of the moon's parallax and semi-diameter may also be found by Table XI. and that of the solar elements by Tables XXX. XXXI. as taught in the explanation of these tables. To exemplify this, the rest of the quantities requisite in calculating the eclipse and occultation (Prob. VI. VII.) are here found.

EXAMPLE I.

1805.	D. S.D.	D. H.P.	1805.	☉ long.	☉ R. A.
Dec. 12 midn.	16' 17"	59' 40"	Dec. 12 noon.	2h. 20' 22" 4"	17h. 18' 4" 4
Dec. 13 noon.	16 23	60 6	13 noon.	3 21 23 10	17 22 29 5
Difference A.	6	20	Difference A.	1 1 6	4 25 1
Pro. T=3h. 48' 29"	1.9	6.3	Pro. T=15h. 48' 29"	40 15	2 54 6
Correspond. values	16 18.9	59 52.5	Correspond. val.	3 21 2 19	17 20 69 0
Pro. T=5h. 1' 29"	2.5	8.4	Pro. T=17h. 1' 29"	43 21	5 8 1
Correspond. values	16 13.5	59 54.4	Correspond. val.	3 21 5 25	17 21 12 5

EXAMPLE II.

1806.	D. E.D.	D. S.H.	1806.	☉ long.	☉ R. A.
June 16 noon.	16' 27"	60' 21"	June 16 noon.	24° 34' 18"	5h. 36' 20" 6
16 midn.	16 30	60 34	17 noon.	25 31 35	5 40 30 0
Differences A.	+ 3	+ 13	Differences A.	57 17	4 3 4
Pr. part T. 2h. 49' 50".1	+ 0.7	+ 3.1	Pr. part T. 2h. 49' 50".1	+ 6 45.4	+ 23 4
Correspond. values	16 27.7	60 24.1	Correspond. val.	24 41 3.4	5 56 50 0
Pr. part T. 5h. 34' 6".6	+ 1.4	+ 6.0	Pr. part T. 5h. 34' 6".6	+ 13 17.5	+ 57 8
Correspond. val.	16 23.4	60 27.0	Correspond. val.	24 47 35.5	5 57 18 5

The semi-diameters thus found must be decreased 2" for inflexion, and augmented by the correction Table XLIV. in calculating an eclipse or occultation by Problem XIII. or in deducing the longitude from observations by Problems VI. VII. VIII. or IX.

The sun's semi-diameter by the Nautical Almanac, June 13, 1806, was 15' 46".3 and June 19, 1806, was 15' 45".9. Hence at the above time it was 15' 46".1. This in eclipses of the sun must be decreased 3 1/2" for irradiation.

*Remark 2.* The above rule for calculating the second differences of the lunar motions when the intervals in the Nautical Almanac are 12 hours, may be made use of when the intervals are three, six, &c. days, (as is the case with the elements of the motions of the planets) by taking two longitudes, latitudes, &c. before, and two after, the given time at Greenwich, and thence deducing the arches A, B, and the longitudes, latitudes, &c. and then making use instead of T, of the *quotient* of the difference between the given time and that marked in the Nautical Almanac against the second longitude, &c. divided by the number of half days in the given interval. Thus, if the interval is one day, the divisor is two: if the interval is 3 days, the divisor is 6; and if the interval is 6 days, the divisor is 12. Thus if it were required to find the geocentric longitude of Jupiter July 14d. 13h. 30', 1802, astron. acc. at Greenwich, the work would be as follows.

574 TO FIND THE HORARY MOTIONS OF THE SUN, MOON AND PLANETS.

July 7	2l long.					Second longitude . . . . .	11s. 17 <sup>s</sup> 59 <sup>s</sup> 4
13	11s. 18 <sup>s</sup> 2'					A=11' Prop. part . . . . .	- 2 31
19	11 17 59	- 3'	- 8			B=7' Tab. XLV. . . . .	+ 0
25	11 17 48	A=11	- 6			2l longitude . . . . .	11 17 56 4
	11 17 31	-17	B=7				

In this example the time T, is 3h. 7' 30", found by dividing by 12, the interval between July 13 and July 14d. 13h. 30". In general the correction of Table XLV. may be neglected in calculating the places of the planets. In the above rule the intervals of time at which the longitudes, &c. are marked in the N. A. are supposed equal. If that should not be the case, the correction Table XLV. may be neglected, on account of the trouble of calculating it.

PROBLEM II.

To find the horary motion of the moon in long. lat. &c. at any given time at Greenwich. RULE.

Take from the Nautical Almanac the four longitudes, latitudes, &c. two immediately preceding the given time at Greenwich, and two immediately following. Prefix the sign + to the southern latitudes or declinations, and the sign - to the northern. Then find the first and second differences, the Arch B, and the time T; as in Problem I. The mean of the two first differences, noticing the signs as in algebra, will be the approximate motion in 12 hours.

To the proportional logarithm of one fourth part of the time T add the proportional logarithm of the arch B, the sum will be the proportional logarithm of the correction of the approximate motion, to be applied to it with the same sign as the arch B, and the corrected motion of the moon in 12 hours will be obtained,\* which divided by 12 will give the horary motion.

EXAMPLE I.

Required the horary motions of the moon in longitude Dec. 12, 1808, at 15h. 48' 29" and 17h. 1' 29" app. time at Greenwich.

This corresponds to Example I. preceding, in which T=3h. 48' 29" and 5h. 1' 29". The two first differences in longitude 7° 6' 16" and 7° 11' 18"; their mean 7° 8' 47" is the approximate motion in 12 hours, and the arch B is 4' 54".5. The rest of the calculation is as follows.

At 15h. 48' 29" T=3h. 48' 29"	
Arch B 4' 54".5 P. L.	1.5644
‡ T 57 7 P. L.	4985
Corr. + 1 33.....	20629
Approx. mot. 7 8 47	
Mot. 12 hours 7 10 20	
In 1 hour 35 51.7	

At 17h. 1' 29" T=5h. 1' 29"	
.....	1.5644
‡ T 1h. 15' 22".....	P. L. 5781
Corr. + 2 3.....	P. L. 15025
Approx. mot. 7 8 47	
Mo. 12 hours 7 10 50	
In 1 hour 35 54.2	

In a similar manner, if the horary motion in latitude was required at 12d. 17h. 33", the two first differences in latitude are - 34' 21", and - 36' 45", their mean - 35' 33" is the approximate motion in 12 hours. The correction found by the above rule with the time T. 5h. 33" and the arch B=-2' 6".5 is - 59", whence the true motion in 12 hours is - 36' 32" which divided by 12 gives the horary motion - 3' 2".7. The negative sign - indicates that the north polar distance is decreasing, the positive sign + that it is increasing. In the present example the north polar distance was decreasing, and as the latitude was south, it was also decreasing, as is evident.

EXAMPLE II.

Required the horary motions of the moon in longitude June 16, 1806, at 2h. 49' 50".1 and 5h. 34' 6".6 app. time by astronomical computation at Greenwich.

This corresponds to Example II. preceding, in which T=2h. 49' 50".1 and 5h. 34' 6".6; the two first differences, are 7° 17' 21" and 7° 20' 53", the mean of which 7° 19' 7" is the approximate motion in 12 hours, the arch B is + 3' 7".

\* The motion in 12 hours thus obtained, which for distinction will be called the arch M, is not perfectly accurate, since the third and higher orders of differences are neglected; but the horary motion deduced therefrom, is abundantly sufficient for the purpose of projecting an eclipse or occultation. When greater accuracy is required, the third differences may be taken into account in the following manner. Having found the second differences as above directed, subtract the first of them from the second, noting the sign as in Algebra, and call the remainder the arch b. Enter Table XLV. with this arch at the top, and the time T at the side, and take out the corresponding correction which is to be increased by one sixth part of the arch b, without noting the signs. To the quantity thus found it is to be prefixed a sign different from that of the arch b, and then it is to be applied to the arch M with its sign to obtain the true motion in 12 hours. Thus in the above example the second differences of longitude are + 3' 2" + 4' 47". Subtracting the former from the latter, leaves the third difference or arch b = - 15". Corresponding to this and the time T 3h. 48' 29" in Table XLV. is 1'.6 which increased by one sixth of b = 2'.5 gives the sought correction, 4'.1 or 4", to which must be prefixed the sign + (because the sign of b is negative) making it + 4". This connected with the arch M = + 7° 10' 20" gives the true motion in 12 hours 7° 10' 24" whence the horary motion is 35' 52". In a similar manner, if the third differences were noticed in the above example for finding the horary motion in latitude, the two second differences were + 2' 34" and - 1' 49" the arch b = + 35" the correction of the motion in 12 hours - 36' 52" is - 10" making it - 36' 42" or 3' 3".3 per hour.

TO FIND THE ECLIPTIC CONJUNCTION OF THE SUN AND MOON. 575

At 2h. 49' 50" 1=T.	1.7616	At 5h. 34' 6" 8=T	1.7616
Arch B= + 3' 7" P. L.	6274	‡ T=1h. 23' 32" P. L.	3834
‡ Time T= 42 27 P. L.		Correction + 1 27 P. L.	2.0850
Correction + 0 44 P. L.	2.3890		
Approx. mot. 7 19 7		Approx. mot. 7 19 7	
Mot. in 12 hours 7 19 51		Mot. in 12 hours 7 20 34	
Mot. in 1 hour 86 89.2		Mot. in 1 hour 36 42.8	

EXAMPLE III.

Required the motion of the moon in right ascension in 12 hours, supposing it to increase uniformly with the velocity it had July 4th, 1806, at 9h. 26' app. time at Greenwich, by astronomical computation.

July 3, mid. D R. A	236° 57'	7° 29'	B= 4' 30"	P. L.	1.6021
4, noon	233 26	A 7 35	‡ T=2h. 21 30	P. L.	1015
4, mid.	241 01	7 38	Correction + 3 32	P. L.	1.7084
5, noon	248 39		B= -4'	Approx. mot.	7 32 0

In this example T=9h. 26' and the approx. motion is the half sum of 7° 29' and 7° 35'.

REMARKS.

- When it is required to find the motion of the moon in any given interval of time, the motion in 12 hours must be found for the middle of that interval.
- In calculating an occultation of a star by the moon, the relative horary motion in longitude is the same as the horary motion of the moon, because the star is at rest; but in calculating a solar eclipse, the sun's horary motion must be found in page III. of the Nautical Almanac, and subtracted from the moon's horary motion in longitude, the remainder will be the horary motion of the moon from the sun in longitude. Thus on the 16th of June, 1806, the sun's horary motion was 2' 23".1, which subtracted from the horary motions found in Example II. 36'. 39".2 and 36'. 42".8 leaves the corresponding horary motions of the moon from the sun in longitude 34' 16".1 and 34' 19".7.  
As the sun has no sensible motion in latitude, the relative horary motion of the moon from the sun in latitude, is the same as the true horary motion of the moon in latitude.
- The horary motion of a planet may be found in a similar manner, making use of the arches A. B. T. found as in Remark 2, Problem I. Thus if the horary motion of Jupiter was required July 14, 1808, at 13h. 30', the arch B= -7' T=3h. 7' 30", and the approximate motion in the interval 6 days is the half sum of the two first differences -3' and -11', namely -7' 0". The correction found as in the adjoining calculation is -1' 49", hence the motion in 6 days is -8' 49", whence the horary motion is -3'.67. The negative sign indicates that the motion is retrograde, or contrary to the order of the signs: in this case the relative motion of the moon from the planet in longitude would be found by adding their horary motions, because the motion of the moon is always direct. Similar remarks may be made in finding the horary motion of the moon from the planet in latitude.

PROBLEM III.

To find the time of the ecliptic conjunction or opposition of the moon with the sun, a planet, or a fixed star.

The time of the ecliptic conjunction of the sun and moon is the same as the time of new moon given for the meridian of Greenwich in the first page of the month of the Nautical Almanac. Thus in January 1808, the ecliptic conjunction is on the 27th day at 4h. 9' apparent time at Greenwich. The times of the ecliptic conjunction of the moon and those fixed stars with which there may be an occultation, are also given in the same page, being marked with Bayer's characters of reference. The time of conjunction is placed first, then the characters of the moon and star, or moon and planet. Thus in 1808, December 12d. 17h. 33'  $\delta$   $\alpha$   $\Pi$ , signifies that on the 12th day of December at 17h. 33' apparent time at Greenwich, the moon was in ecliptic conjunction with the star Spica, whose character is  $\alpha$   $\Pi$ , and that there might be an occultation of that star. Also, December 15, 1808, 5h. 53'  $\delta$   $\eta$  signifies that at that moment apparent time at Greenwich, the moon and Saturn were in ecliptic conjunction, and there might be an occultation of that planet. These times being reckoned according to astronomical computation, and in calculating them, no attention is paid to the parallaxes. The time of the ecliptic opposition of the sun and moon is the same as at the time of full moon given in the same page of the Nautical Almanac. Thus the full moon or ecliptic opposition in May, 1806, was 9d. 19h. 39' at Greenwich.



576 TO FIND THE ECLIPTIC CONJUNCTION OF THE SUN AND MOON.

The time of the ecliptic conjunction, as given in the Nautical Almanac, is easily computed from the geocentric longitudes of the objects; and as it may sometimes be required to seconds, the rule is here inserted, adapted to the calculation of the conjunction of the sun and moon, which, with a slight modification, will answer for any of the planets.

RULE.

Take from the Nautical Almanac the two longitudes of the sun and moon at the noon and midnight preceding the time of the conjunction, and the two immediately following. Subtract the longitudes of the sun from those of the moon, noting the signs as in algebra, the remainders will represent the distances of the sun from the moon on the ecliptic. Subtract each of these from the following to obtain the first differences, and call the middle term the arch A, subtract each of these differences from the following for the second differences, and take their half sum or mean for the arch B, noting the signs as in algebra.

To the constant logarithm 4.63548 add the arithmetical complement of the log. of the arch A in seconds, and the log. of the second of the above found distances in seconds, the sum, rejecting 10 in the index, will be the logarithm of the approximate value of T in seconds.

With this time T at the side of Table XLV. and the arch B at the top, find the equation of second differences, the logarithm of which added to the two first logarithms used in finding T, will, in rejecting 10 in the index, give the logarithm of the correction of the approximate time T in seconds, to be applied to it with the same sign as the arch B, and the apparent time of the conjunction at Greenwich, counted from the second noon or midnight, taken from the Nautical Almanac, will be obtained. From which the time of conjunction under any other meridian may be easily obtained, by adding to it the longitude in time when east, or subtracting when west.

REMARK I. When the time of the ecliptic conjunction of the moon and a planet is required, the longitudes of the planet must be found by Problem I. for the noon and midnight immediately preceding, and those immediately following the time of the conjunction, and these are to be used in the above note instead of the sun's longitudes. If the ecliptic conjunction of the moon with a fixed star is required, its longitude must be found in Table XXXVII. and corrected for the equation of the equinoxes and aberration by Tables XL. XLI. as shown in the explanation of those Tables. This longitude is to be used instead of the sun's, in the above rule.

REMARK II. By the same rule, the time, when the moon is at any distance from the sun, may be found, by increasing the sun's longitudes given in the N. A. by the quantity the moon is supposed to be distant from the sun, counted according to the order of the signs. Then supposing a fictitious sun to move so as to have these increased longitudes at the corresponding times, and finding by the above rule the time of conjunction of the moon with this fictitious sun, which will be the sought time when the moon is at the proposed distance from the sun. Thus, to find the time of the first, second, or third quarter of the moon, the sun's longitudes must be increased 3, 6, or 9 signs respectively (rejecting as usual 12 signs when the sun exceeds that quantity.) Thus, if the first quarter of the moon which happened after midnight, July 29, 1808, was required. The sun's longitudes increased by 3 signs give the longitudes of the fictitious sun July 29d. 0h; 29d. 12h; 30d. 0h; and 30d. 12h. respectively, 7s. 6° 5' 44", 7s. 6° 34' 26", 7s. 7° 3' 9", and 7s. 7° 31' 51". The longitudes of the moon corresponding are 6s. 23° 49' 19", 7s. 0° 53' 34", 7s. 7° 57' 30", and 7s. 15° 0' 57". Hence the time of the conjunction of the moon with the fictitious sun found by the above rule, was July 29d. 22h. 31' at Greenwich, which is the time of the first quarter required. In a similar manner, by increasing the longitudes of a planet or a star, the time may be found when the moon is at any proposed distance from it.

EXAMPLE.

Required the time of the ecliptic conjunction of the sun and moon, in Jan. 1808

1808, Jan.	D Long.	☉ Long.	Distances.	1st. diff.	2d. diff.
26d. 12h.	9 27 56 46	10 5 57 26	-8 0 40	" " "	" "
27 0	10 4 25 2	10 6 27 56	-2 2 54	+ 5 57 46	- 3 15
27 12	10 10 50	10 6 58 26	+6 51 37	A = + 5 54 31	- 3 22
28 0	10 17 11 41	10 7 28 55	+9 42 46	+ 5 51 09	B = 3 18
			Constant 4.63548	4.63548	
A	5° 54' 31" = 21271	log. co ar.	5.67221	5.67221	
2 dis.	2 2 54 = 7374	log.	3.86770	Tab XLV. Cor. 22'.4 log. 1.36035	
T	14976" = 4h. 9' 56"		4.17539	Correction 45"	log. 1.68794
Correction	-45				

Conjunction 4 8 51 past noon Jan. 27, at Greenwich, apparent time, which agrees nearly with 4h. 9' marked in the Nautical Almanac. The time of conjunction is the sun's longitude at midnight is the mean of the longitudes on the preceding and following noon.

tion under any other meridian, as for example  $30^{\circ}$  W. is found by subtracting the longitude 2h. from 4h.  $8' 51''$ , which leaves 2h.  $8' 51''$ . If the longitude had been  $30^{\circ}$  E. the time of conjunction would have been 6h.  $8' 51''$ .

The usual method of calculating the parallaxes in eclipses of the sun or occultations, is that by the nonagesimal or ninetieth degree of the ecliptic above the horizon. Several methods have been proposed for calculating the altitudes and longitudes of this point, which are required at each of the phases. The following, which is an improvement on that given in La Lande's Astronomy, seems well adapted to the purpose, since several of the logarithms are the same at each of the phases, which much abridges the calculation, and on this account it admits of considerable simplification, by a table like that on page 578. The method of making these calculations will first be given at full length, and then in the abridged form, by means of the proposed table.

PROBLEM IV.

Given the apparent time at the place of observation counted from noon to noon, according to the manner of astronomers, the sun's right ascension, and the latitude of the place, reduced on account of the spheroidal figure of the earth, by subtracting the reduction of latitude, Table XXXVIII. To find the altitude and longitude of the nonagesimal degree of the ecliptic.

RULE NOT ABRIDGED.

Add 6 hours to the sum of the sun's right ascension and the apparent time of observation, and call the sum the time T, rejecting 24 hours when it exceeds that quantity. Seek for this time in the column of hours of Table XXVII. supposing that marked A. M. to be increased by 12 hours, as in the astronomical computation. The corresponding log. co-tangent being found, is to be marked in the first and second columns, as in the following examples.

If the reduced latitude is north, subtract it from  $90^{\circ}$ ; if south, add it to  $90^{\circ}$ , the sum or difference will be the polar distance. Take half of this, and half the obliquity of the ecliptic, and find their difference and sum. Place the log. co-sine of the difference in the first column, its log. sine in the second column: The log. secant of the sum in the first column, its log. co-secant in the second column, and its log. tangent in the third.

The sum of the logarithms in the first column, rejecting 20 in the index, will be the log. tangent of the arch G. The sum of these in the second column, rejecting 20 in the index, will be the log. tangent of the arch F. These arches being less than  $90^{\circ}$  when the time T is found in the column A. M. otherwise greater. This rule is general except in places situated within the polar circles. Within the north polar circle the supplement of F to  $360^{\circ}$  instead of F, must be taken, within the south polar circle the supplement of G to  $180^{\circ}$  must be taken instead of G, the other terms remaining unaltered. In all cases the longitude of the nonagesimal is equal to the sum of the arches F, G thus found, and  $90^{\circ}$ . Rejecting  $360^{\circ}$  when the sum exceeds that quantity.

Place in the third column the log. co-sine of G, and the log. secant of F, the sum of the three logarithms of this column, rejecting 20 in the index, will be the log. tangent of half the altitude of the Nonagesimal.

EXAMPLE.

Required the altitude and longitude of the Nonagesimal at Salem, in the reduced latitude  $42^{\circ} 23' 4''$  N. June 15, 1806, at 22h.  $6' 18''$ . I apparent time by astronomical computation, when by the Nautical Almanac the sun's right ascension was 5h.  $36' 50''$ , and the obliquity of the ecliptic  $23^{\circ} 27' 48''$ .

The sum of the apparent time, sun's right ascension and 6 hours, rejecting 24 hours, is 9h.  $43' 8''$ . I = T. The polar distance is  $47^{\circ} 37' 56''$ , its half is  $23^{\circ} 48' 58''$ , and the half obliquity  $11^{\circ} 43' 54''$ , hence their difference is  $12^{\circ} 5' 4''$ , their sum  $35^{\circ} 32' 52''$ . The rest of the calculation is as follows:

	Col. 1.		Col. 2.		Col. 3.
Diff.	$12^{\circ} 5' 4''$ co-sine	9.99027	Sine	9.32088	
Sum	$35 32 52$ sec.	10.08957	Co-secant	10.22554	Tangent 0.83405
T.	9h. $43' 8''$ . I P. M. cot.	9.48826		3.48826	G. Co-sine 9.97215
					F. Secant 10.50265
G.	$159^{\circ} 42' 0''$	Tan. 9.56810	F. Tan.	9.04463	
F.	$173 40 34$				$33^{\circ} 29' 25''$ = Tan. 9.32883
	99				$67 58 50$ = Alt. Nonang.

Sum 63 22 61 rejecting  $360^{\circ}$ , is longitude Nonages.

The two upper logarithms of the first and second columns, and the upper logarithm of the third column, vary but little in several centuries; and as these numbers occur

378 TO FIND THE ALTITUDE AND LONGITUDE OF THE NONAGESIMAL.

twice in calculating a partial eclipse or occultation, and four times in a total, or annular eclipse or transit, it will tend considerably to abridge the calculations, to have a table like the following, containing their values for various places, for the obliquity  $23^{\circ} 27' 40''$ , with the variations for an increase of  $100''$  in the latitude or obliquity. The logarithms A, B, C, of the table, were calculated in the following manner.

In north latitudes subtract the reduced latitude from  $90^{\circ}$ , in south latitudes add the reduced latitude to  $90^{\circ}$ , the sum or difference will be the polar distance; take half of this and half of the obliquity of the ecliptic  $11^{\circ} 43' 50''$ , and find the sum and difference. Then

Log. A is equal to the log. co-sine of the difference added to the log. secant of the sum, rejecting 20 in the index.

Log. C is equal to the log. tangent of the sum.

Log. B is equal to the log. tangent of the difference, increasing the index by 16, to the log. C.

Thus for Salem in the reduced latitude  $42^{\circ} 22' 4''$ , the half polar distance is  $23^{\circ} 27' 55''$ , the half obliquity  $11^{\circ} 43' 50''$ , the difference  $12^{\circ} 5' 8''$ , the sum  $35^{\circ} 33' 48''$ .

Difference.....	$12^{\circ} 5' 8''$	Co-sine	9.99027	Tang. +10=	19.33065
Sum.....	$35 33 48$	Secant	10.08956	Tang. =C =	9.85488
Sum A.....	.....	.....	0.07993	Diff. ....B	9.47663

In this way the logarithms may be found for places not included in the table. The changes for an increase of  $100''$  in the latitude or obliquity, are found by repeating the operation with these increased values, and ascertaining the corresponding changes in the values of A, B, C. These logarithms are given to six places of figures, though in general five will be quite sufficient, since the latitude and longitude of the nonagesimal are rarely required to a greater degree of accuracy than  $10''$ .

Places.	Reduced Latitude North.	A.	Var. A. +100".		B.	Var. B. +100".		C.	Var. C. +100".	
			Lat.	Obl.		Lat.	Obl.		Lat.	Obl.
Albany	42 27 19	0.079870	53	97	9.475733	298	739	9.855328	222	222
Berlin	52 20 24	0.081808	49	75	9.324135	818	1029	9.771197	240	240
Cambridge, E.	52 1 28	0.082168	49	76	9.331054	800	1080	9.773223	240	240
Cambridge, A.	42 12 2	0.080150	52	97	9.475883	281	733	9.855355	222	222
Dublin obs.	53 12 7	0.080390	48	73	9.304166	670	1135	9.763705	242	242
Edinburgh	55 46 2	0.085618	47	67	9.238401	871	1378	9.741011	246	246
Greenwich obs.	51 17 28	0.083468	49	77	9.346386	622	1039	9.780222	238	238
Havana	25 3 34	0.120000	64	148	9.697658	85	516	10.008045	210	210
Hindbrook	42 11 37	0.080163	52	88	9.478455	288	733	9.855411	222	222
Lancaster	39 51 18	0.084648	54	104	9.301042	348	688	9.874005	218	218
Leon I. obs.	36 16 42	0.091680	55	112	9.322940	302	634	9.902005	216	216
London	51 19 29	0.083406	49	77	9.345714	364	1040	9.778944	238	238
Natchez	31 17 36	0.101899	58	125	9.361810	152	577	9.940447	212	212
Oxford obs.	51 84 26	0.082983	50	77	9.340689	678	1054	9.777800	236	236
Paris	48 38 51	0.084207	50	83	9.339443	422	816	9.802927	232	232
Philadelphia	39 45 44	0.084823	53	104	9.301872	348	687	9.874783	218	218
Richmond obs.	51 16 56	0.083482	49	78	9.346679	622	1038	9.780308	238	238
Rutland	43 24 32	0.077896	52	95	9.465830	312	760	9.845648	224	224
Salem	42 22 4	0.079832	52	98	9.476637	291	731	9.854016	222	222
Place Prob. VII.	19 52 38	0.127487	66	157	9.607602	78	500	10.027183	211	211

These logarithms are calculated for the obliquity  $23^{\circ} 27' 40''$ . The columns marked Lat. represent the variations of A, B, C, for an increase of  $100''$  in the reduced lat. The column Obl. represents the variations of A, B, C, for an increase of  $100''$  in the obliquity of the ecliptic. The signs must be changed if the latitude or obliquity is less than that used in calculating the table.

EXAMPLE.

Required the values of A, B, C, for Salem, when the obliquity is  $23^{\circ} 27' 45''$ ?

Tabular numbers	0.079832	9.476637	9.854016
Var. for +8" Obl.	+ 8	- 58	+ 19
Sought values	A=0.079840	B=9.476579	C=9.854035

FIND THE ALTITUDE AND LONGITUDE OF THE NONAGESIMAL. 579

*Abridged method of calculating the altitude and longitude of the Nonagesimal, by the preceding Table.*

Add together the sun's right ascension, the apparent time at the place of observation, (counted from noon to noon) and 6 hours, the sum, rejecting 24 or 48 hours if greater than those quantities, is to be called the time T; this is to be sought for in the column of hours of Table XXVII. supposing the column marked A. M. to be increased 12 hours, as in the astronomical computation.\* The corresponding log. co-tangent, added to the log. A of the Table, gives the log. tangent of the arch G; this added to the log. B of the Table, rejecting 10 in the index, will be the log-tangent of the arch F; these arches being less than 90° when T is found in the column A. M. otherwise greater.† [This rule is general, except in places situated within the polar circles, which is a case that very rarely occurs. Within the north polar circle, the supplement of F to 360°, is to be used instead of F; within the south polar circle, the supplement of G to 180°, is to be taken instead of G, the other terms remaining unaltered.] Then the longitude of the Nonagesimal is equal to the sum of the arches F, G, and 90°, neglecting as usual 360° when the sum exceeds that quantity.

To the tabular log. C, add the log. co-sine of the arch G, and the log. secant of the arch F, the sum, rejecting 20 in the index, will be the log-tangent of half the altitude of the Nonagesimal.‡

EXAMPLE I.

Required the altitudes and longitudes of the Nonagesimal at Salem, June 16, 1806, at the times of the beginning and end of the eclipse, calculated in Problem VI. ?

<i>Beginning of the Eclipse.</i>				<i>End of the Eclipse.</i>															
h.	5	36	50.0	⊙ R. Ascension	h.	5	37	18.5	⊙ R. Ascension										
	22	6	18.1	Apparent time		0	50	34.6	Apparent time										
	6			A	0.07934	6			A	0.07984									
T	9	43	8.1	Co-tan.	9.48826	T	12	27	56.1	Co-tan.	8.78470								
G	159°	42'	0"	Tan.	9.56810	Co-s.	9.97215	G	4°	11'	15"	Tan.	8.50454	Co-s.	9.99854				
	90			B	9.47658	C	9.85408		90			B	9.47658	O	9.85408				
F	173	40	31	Tan.	9.04468	Sec.	10.00265	F	1	15	23	Tan.	8.34112	Sec.	10.00018				
	63	22	81	=lon. N.	33	59	25	Tan.	9.82883		93	26	36	=lon. N.	33	28	53	Tan.	9.85297
Altitude Nonages				67	58	50		Altitude Nonages				70	57	46					

EXAMPLE II.

Required the altitudes and longitudes of the Nonagesimal at the times and places mentioned in the Example of Problem VII. ?

<i>Immersion.</i>				<i>Emersion.</i>															
h.	17	20	59	⊙ R. Ascension	h.	17	21	12.5	⊙ R. Ascension										
	18	57	29	Apparent time		18	10	29	Apparent time										
	6			A	0.12748	6			A	0.12748									
T	16	18	28	Co-tan.	9.80088	T	17	31	41.5	Co-tan.	9.94622								
G	40°	18'	7"	Tan.	9.52848	Co-s.	9.82339	G	49°	50'	18"	Tan.	10.07370	Co-s.	9.80850				
	90			B	9.80761	C	10.02718		90			B	9.80761	O	10.02718				
F	18	57	48	Tan.	9.53607	Sec.	10.02423	F	25	38	40	Tan.	9.68131	Sec.	10.04824				
	149	15	55	=lon. N.	40	38	46	Tan.	9.93374		165	28	58	=lon. N.	37	17	39	Tan.	9.88175
Altitude Nonages				81	17	32		Altitude Nonages				74	55	18					

In these calculations it is usual to take the sun's right ascension, and the apparent times, to tenths of a second, and to take proportional parts for the seconds and tenths in finding the logarithms. Thus in Example I. in finding the log. co. tang. of 9h. 43' 8".1; the nearest logarithms are 9.48849, 9.48904, corresponding to the 9h. 43' 4", and 9h. 43' 12". These logarithms differ 45, the times 8", and the difference between 9h. 43' 4", and 9h. 43' 8".1, is 4".1. Hence 8" : 45 :: 4".1 : 23 the correction to be subtracted from the first log. 9.48849, (because it is decreasing) to obtain the sought log. co-tang. 9.48826.

\* Thus if the time T is 5 hours, it must be called 5h. P. M. If T is 14 hours, it must be called 2h. A. M. In making use of a common table of logarithms, you must turn the time T into degrees, and make use of the log. co-tangent of its half.

† The arches F, G, are acute when the time T is found in the column A. M. otherwise obtuse. This is easily remembered from the circumstance that a is the first letter of acute and A. M. Some writers have not taken notice of the cases of the values of F, G, within the polar circles.

‡ Strictly speaking, the quantity thus obtained is the distance between the north pole of the ecliptic and the zenith of the place, which, in southern latitudes, and between the tropic, is frequently the supplement of the altitude of the Nonagesimal. The above form is made use of to simplify the rules for applying the parallaxes. It is immaterial whether the altitude of the Nonagesimal, or its supplement, is made use of in Table XLIV.

## PROBLEM V.

Given the altitude and longitude of the Nonagesimal; the longitude, latitude and horizontal parallax of the moon, and the latitude of the place of observation, to find the moon's parallax in latitude and longitude.

## RULE BY COMMON LOGARITHMS.

From the horizontal parallax of the moon, subtract its correction from Table XXXVIII. corresponding to the latitude of the place, the remainder, in occultations of a fixed star, will be the *reduced* parallax; but in solar eclipses this quantity is to be diminished by the sun's horizontal parallax,  $8''.8^*$  to obtain the *reduced* parallax.

To the logarithm of the reduced parallax in seconds, add the log. sine of the altitude of the Nonagesimal, and the log. secant of the moon's true latitude; the sum, rejecting 20 in the index, will be a constant log. From the moon's true longitude, increased by  $360^\circ$  if necessary, subtract the longitude of the Nonagesimal, the remainder will be the moon's distance from the Nonagesimal, which if less than  $180^\circ$  is to be called the arch D, otherwise its supplement to  $360^\circ$  is to be called the arch D. To the constant logarithm, add the log. sine of D, the sum, rejecting 10 in the index, will be the logarithm of the approximate parallax in longitude in seconds, which add to the arch D, then take the log-sine of the sum, and add it to the constant logarithm, rejecting 10 in the index, and the logarithm of the corrected parallax will be obtained. This will in general be sufficiently exact, but when great accuracy is required, the operation may be again repeated, by adding the arch D to the corrected parallax; § then to the log. sine of the sum add the constant logarithm, rejecting 10 in the index, and the logarithm of the parallax in longitude P will be obtained. This is to be added to the true longitude of the moon when her distance from the Nonagesimal is less than  $180^\circ$ , otherwise subtracted to obtain her apparent longitude.

If the true latitude of the moon is south, prefix the sign + to it, if north the sign -. Then to the logarithm of the reduced parallax in seconds, add the log. co-sine of the altitude of the Nonagesimal, and the log. co-sine of the moon's apparent latitude, || the sum, rejecting 20 in the index, will be the logarithm of the first part of the parallax in latitude in seconds, to which prefix the sign + when the altitude of the Nonagesimal is less than  $90^\circ$ , otherwise the sign -, this added to the true latitude of the moon, due regard being had to the signs, will give her approximate latitude.

To the logarithm of the reduced parallax in seconds add the log. sine of the altitude of the Nonagesimal, the log. sine of the moon's approximate latitude, and the log. co-sine of the sum of the arches D and  $\frac{1}{2}$  P, the sum, rejecting 30 in the index, will be the logarithm of the second part of the parallax in latitude in seconds, to which prefix the sign - when the arches D +  $\frac{1}{2}$  P, and the approximate polar distance ¶ are both greater or both less than  $90^\circ$ , otherwise the sign +, this term connected with the approximate latitude will give the apparent latitude of the moon,\*\* which will be south if + north if -. The moon's true latitude subtracted from her apparent latitude, noticing the signs, will give the parallax in latitude.

## BY PROPORTIONAL LOGARITHMS.

The above rule will answer in calculating by proportional logarithms, with the following alterations. When the log. sine occurs, read log. co-secant; for log. co-sine read log. secant; for log. secant read log. co-sine; and for log. co-secant read

\* This is the mean value of the sun's parallax, and may be used instead of the true parallax, which varies from  $8''.7$  to  $8''.9$ . The true solar parallax at any time may be found by subtracting the logarithm of the sun's distance, given in the Nautical Almanac, from the log. of  $8''.8$ , increasing the index by 9 when necessary, the remainder will be the logarithm of the sought parallax in seconds.

† Corrected for the errors of the tables, when known.

§ This sum D + cor. par. is nearly equal to D + P the apparent distance of the moon from the Nonagesimal, to be made use of in Table XLIV. in finding the augmentation of the moon's S. D.

|| In solar eclipses the apparent latitude is so small that its log. sine may be put equal to 10.00000. In occultations you must calculate the first part of the parallax in altitude by approximation, making use of the true latitude instead of the apparent in the above rule, and deducing the approximate value of the first part of the parallax: this applied to the true latitude will give the approximate apparent latitude, with which the operation is to be repeated, and the first part of the parallax will be obtained to a sufficient degree of exactness.

¶ The apparent polar distance is found by adding  $+90^\circ$  to the approximate latitude, due regard being had to the signs. To be perfectly accurate, the apparent instead of the approximate latitude ought to be made use of in this part of the calculation, and the logarithms of this term ought to be increased by the log. secant less radius of  $\frac{1}{2}$  P; but these corrections are too small to affect the result. In calculating the second part of the parallax in latitude, it will be sufficient to take the logarithms to three or four places of the decimals.

\*\* This rule gives the apparent latitude in all cases, but it may not be amiss to observe, that in several late publications the cases where the moon is between the zenith and the elevated pole are by mistake neglected.

log. sine. The parallaxes may be calculated to the nearest second by proportional logarithms. When greater accuracy is required, common logarithms must be made use of.

To illustrate this rule, the following examples, corresponding to the times of the beginning and end of the total eclipse of the sun, of June 16, 1806, as observed at Salem, are given. The elements necessary for this purpose have already been calculated in Problems I. and IV. For greater accuracy the longitudes and latitudes of the moon are corrected for the errors—58".5 in longitude, and — 11".4 in latitude, which were found by comparing several observations of the eclipse made at different places.

EXAMPLE I.

Given the altitude of the Nonagesimal  $67^{\circ} 59' 50''$ , its longitude  $63^{\circ} 29' 31''$ , the longitude of the moon  $83^{\circ} 49' 3''.5$  her latitude  $24' 27''.4$  N. her horizontal parallax  $60' 24''.1$ , the latitude of the place of observation  $42^{\circ} 33' 30''$ : required the parallaxes in longitude and latitude?

The correction in Table XXXVIII. corresponding to the latitude  $42^{\circ} 33' 30''$ , and parallax  $60' 24''.1$  is  $5''.6$ , this and the sun's horizontal parallax  $8''.8$  subtracted from the D's horizontal parallax  $60' 24''.1$  leaves the reduced parallax  $60' 9''.7=3609''.7$ . The longitude of the Nonagesimal  $63^{\circ} 29' 31''$  subtracted from the moon's longitude  $83^{\circ} 49' 3''.5$ , leaves the moon's distance from the Nonagesimal,  $20^{\circ} 26' 32''$  equal to the arch D, because less than  $180^{\circ}$ .

Calculation by common Logarithms.

Reduced par.	3609' 7	Log.	3.55747	Reduced par.	3609 7	Log.	3.55747
Alt. Nonag.	67 58 50	Sine	9.96710	Alt. Nonag.	67 58 50	Co-sl.	9.57394
D's true lat.	24 27.4	Sec.	10.00001	D's app. lat.		Co-sl.	10.00000
Constant log.		Sine	3.52458	1 prt. p. $1358''.3 = + 22' 33''.3$		Log.	3.13141
D	20 26 32	Sine	9.54315	D's true latitude	— 24 27.4		
Appr. par.	1169''=19 29	Log.	3.06775	D's approx. lat.	— 1 54.1	Sine	6.743
D + Appr. par.	20 46 1	Sine	9.54970	Reduced parallax		Log.	3.557
Constant log.		Sine	3.52458	Alt. Nonag.		Sine	9.967
Cor. par.	=1187''=19 47	Log.	3.07423	D + 1 P.	20 36 25	Co-sl.	9.971
D + cor. par.	20 46 19	Sine	9.54980	2 part par.	— 1''.7	Log.	0.238
Constant log.		Sine	3.52458	Appr. lat.	— 1 54 1		
Par. long. P	1186''.8=19' 46.8	Log.	3.07438	D's app. lat.	— 1 55 8 or 1' 55''.8 N.		
D's true longitude	83 49 3.5						
D's app. long.	84 8 50.3						

EXAMPLE II.

Given the altitude of the Nonagesimal  $70^{\circ} 57' 46''$ , its longitude  $95^{\circ} 26' 36''$ , the longitude of the moon  $85^{\circ} 29' 32''.6$ , her latitude  $15' 10''.4$  N. her horizontal parallax  $60' 27''.0$ , the latitude of the place of observation  $42^{\circ} 33' 30''$ . Required the parallaxes in longitude and latitude?

The correction in Table XXXVIII. corresponding to the latitude  $42^{\circ} 33' 30''$  and parallax  $60' 27''.0$ , is  $5''.6$ , this and the sun's horizontal parallax  $8''.9$ , subtracted from the moon's horizontal parallax  $60' 27''.0$  leaves the reduced parallax  $60' 12''.6$ . The longitude of the Nonagesimal  $95^{\circ} 26' 36''$ , subtracted from the moon's longitude increased by  $360^{\circ}$ , viz.  $445^{\circ} 29' 33''$ , leaves the moon's distance from the Nonagesimal  $350^{\circ} 2' 57''$ , the supplement of which to  $360^{\circ}$  is  $9^{\circ} 57' 3''$ , equal the arch D.

By proportional Logarithms.

Reduced par.	60' 12''.6	P. L.	0.4756	Reduced par.	60' 12''.6	P. L.	0.4756
Alt. Nonag.	70 57 46	Co-se.	10.0244	Alt. Nonag.	70 57 46	Co-se.	10.4885
D's true lat.	15 10.4	Co-sl.	10.0000	D's app. lat.		Sec.	10.0000
Constant log.			0.5000	1 part par. lat.	+ 19 38 5	P. L.	0.9621
D	9 57 3	Co-se.	10.7624	D's true lat.	— 15 10 4		
Appr. par.	9 50	P. L.	1.2624	D's app. lat.	+ 4 28 1	Co-se.	12.686
D + appr. par.	10 6 53	Co-se.	10.7554	Reduced par.		P. L.	0.4756
Constant log.			0.5000	Alt. Nonag.		Co-se.	10.0244
Corrected par.	10 0	P. L.	1.2654	D + 1 P	10 2 3	Sec.	10.0067
D + cor. par.	10 7 3	Co-se.	10.7553	2 part par. lat.	+ 4 4	P. L.	3.2827
Constant log.			0.5000	Appr. lat.	+ 4 28.1		
Par. long. P.	10 0.0	P. L.	1.2653	Apparent lat.	+ 4 32.5 or 4' 32''.5 S.		
D's true long.	85 29 32.6						
D's app. long.	85 19 32.6						

EXAMPLE III.


Required the parallaxes in longitude and latitude at the time of the occultation of Spica, Dec. 12, 1806, at the times and place mentioned in the Example of Problem VII.

				<i>Immersion.</i>		
Reduced par.	59° 50' 9"	P. L.	0.4782	.....		0.672
Alt. Non.	81 17 32	Co-sec.	10.0050	.....		Sec. 0.029
☽'s true lat.	1 35 11	Co-sl.	9.9998	☽ app. lat.*		Sec. 10.008
Constant			4830	1 part par. lat. +	9' 3" 3"	P. L. 1.394
D	50 52 1	Co-sec.	10.1103	☽ true lat. +	1 55 11.0	
Appr. par.	45 55	P. L.	5933	☽ approx. lat. +	2 4 14.3	Co-sec. 11.621
☽ + appr. par.	51 37 56	Co-sec.	10.1057	Reduced par.		P. L. 0.672
Constant			4830	Alt. Nonag.		Co-sec. 10.008
Corrected par.	46 25	P. L.	5897	D + 1/2 P	51 15 15	Sec. 10.325
D + corr. par.	51 38 26	Co-sec.	10.1056	2 part par. lat. +	1 20.3	P. L. 2.398
Constant			4830	☽ approx. lat. +	2 4 14.3	
Par. long. P.	+ 46 25	P. L.	5896	☽ app. lat. +	2 5 34.6 South.	
☽ true long.	200 7 56.3			☽ par. lat. +	10 23.8	
☽ app. long.	200 54 21.3					

				<i>Emersion.</i>		
Reduced par.	59° 55' 0"	P. L.	0.4780	.....		0.670
Alt. Non.	74 35 18	Co-sec.	10.0159	.....		Sec. 0.275
☽ true lat.	1 51 23.1	Co-sl.	9.9898	☽ app. lat.		Sec. 10.009
Constant			4937	1 part par. lat. +	15' 54" 2"	P. L. 1.698
D	35 22 38	Co-sec.	10.2374	☽ true lat. +	1 51 22.1	
Appr. par.	63 29	P. L.	7311	☽ approx. lat. +	2 7 23.5	Co-sec. 11.633
☽ + appr. par.	35 56 4	Co-sec.	10.2315	Reduced par.		P. L. 0.670
Constant			4937	Alt. Nonag.		Co-sec. 10.0159
Corrected par.	33 54	P. L.	7252	D + 1/2 P	35 39 35	Sec. 10.002
D + corr. par.	35 56 32	Co-sec.	10.2314	2 part par. lat. +	1 44.2	P. L. 2.814
Constant			4937	☽ approx. lat. +	2 7 23.5	
Par. long. P.	+ 63 54	P. L.	7251	☽ appar. lat. +	2 9 7.5 South	
☽ true long.	200 51 36.1			☽ par. lat. +	17 38.4	
☽ app. long.	201 25 30 1					

Having thus explained the method of calculating the parallaxes of the moon, it now remains to give the rules for finding the longitude by eclipses and occultations. The main object in these calculations is to determine from the observed beginning or end of the eclipse or occultation, the precise time of the ecliptic conjunction of the sun, or star and moon, free from the effects of parallax, counted on the meridian of the place of observation, since the difference of the times of conjunction, obtained in this manner at two places, will be their difference of longitude. If the lunar and solar tables were perfectly correct, the longitude might be determined by taking the difference between the time of conjunction, given in the Nautical Almanac, and that deduced from the observations of the eclipse or occultation; but it is much more accurate to compare the times deduced from observations actually made at the places for which the difference of longitude is sought. There are two different methods of finding the ecliptic conjunction, according as the latitude of the moon is supposed to be accurately known or not. If the latitude was given correctly by the lunar tables, or was accurately known by other observations, the ecliptic conjunction, and the longitude of the place, might be determined by each of the phases of the eclipse or occultation, by the method given in Problems VIII. and IX. But the moon's latitude not being generally given to a sufficient degree of accuracy, it is usual to combine together the observations of the beginning and end of the eclipse or occultation, or the beginning and end of total darkness in a total eclipse, or the two internal contacts of an annular eclipse, to ascertain the error of the moon's latitude, by the method given in Problems VI. and VII. In making the calculations in these Problems, it will be necessary to know nearly the longitude of the place, in order to find the supposed time at Greenwich, so as to take out the elements from the Nautical Almanac: and if the longitude, deduced from the observation, should differ considerably, the operation must be repeated with the longitude obtained by this operation.

\* The moon's true latitude 1° 55' 11" must first be used, its log. secant being 10.0000, which give the 1st part par. 9' 3", which, added to the true latitude of the moon, gives the app. lat. nearly 2° 4' 14" the log. secant of which is 10.0008, as above. The calculation for the emerision is made in a similar manner.



Evans, Engineer





## PROBLEM VI.

Given the latitude of the place, and the apparent times of the beginning and end of a solar eclipse, counted from noon to noon, according to the method of Astronomers, to find the longitude of the place of observation.

In the rule for solving this Problem, references will be made to fig. 12, Plate XII. in which DSE represents a small arch of the ecliptic; S, the place of the centre of the sun, supposed at rest; F, L, the apparent places of the centre of the moon at the beginning and end of the eclipse respectively; FD, SC, and AEL, are perpendicular to DE, FA parallel to DE, and SB perpendicular to FL. Then it is evident that FD, LE represent the apparent latitudes of the moon, which fall below DE if south, above if north; and SF, SL represent the sums of the corrected semi-diameters of the sun and moon, at the beginning and end of the eclipse respectively.

## RULE.

To the apparent times of the beginning and end of the eclipse add the estimated longitude of the place in time if it is west, but subtract if east; the sum or difference will be the supposed time at Greenwich, corresponding to which, in the Nautical Almanac, find, by Problem I. the moon's semi-diameter, horizontal parallax, longitude and latitude,\* and the sun's semi-diameter, longitude and right ascension; also the moon's horary motion from the sun, by Problem II. Decrease the sun's semi-diameter  $3\frac{1}{2}''$  for irradiation, and the remainder will be his corrected semi-diameter. Decrease the moon's semi-diameter  $2''$  for flexion, and to the remainder add the correction in Table XLIV.† the sum will be the moon's corrected semi-diameter. Find also, in the Nautical Almanac, the obliquity of the ecliptic.

With these elements and the apparent time at the place of observation, calculate the altitudes and longitudes of the Nonagesimal, by Problem IV. the parallaxes in longitude and latitude, and the moon's apparent longitudes and latitudes, by Problem V.

Take the difference between the apparent longitudes of the moon at the beginning and end of the eclipse, and subtract therefrom the difference of the sun's longitudes at the same times, the remainder will be the relative motion in longitude DE or FA. The relative motion in latitude AL, is found by taking the difference of the moon's apparent latitudes at the beginning and end of the eclipse, if they are both north, or both south, but their sum, if one be north, the other south. From the logarithm of FA, increasing the index by 10, subtract the logarithm of AL, the remainder will be the log-tangent of the angle of inclination DSB; this angle is to be taken greater than  $90^\circ$  when the moon's apparent latitude FD, at the beginning of the eclipse, is greater than at the end EL, otherwise less.‡ Then to the log. co-secant of the angle of inclination, add the logarithm of the relative motion in longitude FA, the sum, rejecting 10 in the index, will be the logarithm of the apparent motion of the moon FL on her relative orbit. Then in the triangle SFL, the sides SF, SL, represent the sums of the corrected semi-diameters of the sun and moon at the beginning and end of the eclipse, and these with the relative motion FL, are given to find the angle FSB, (by Case VI. Obl. Trig.) Thus: to the log. ar. co. of FL, add the log. of the sum of SF and SL, and the log. of their difference, the sum, rejecting 10 in the index, will be the logarithm of the difference of the segments FB, BL; half of which, added to, and subtracted from half of FL, will give the two segments FB, BL, the greater segment being contiguous to the greater side, whether SF or SL. Then from the logarithm of the segment FB, increasing the index by 10, subtract the log. of SF, the remainder will be the log. sine of the angle FSB,|| which is always less than  $90^\circ$ :

\* Corrected for the errors of the tables in longitude and latitude, when known.

† This correction must be found after the altitude and longitude of the Nonagesimal are calculated.

‡ This rule is equally true whether the latitude be of the same or different names. If the latitudes are equal and of the same name, the angle DSB will be  $90^\circ$ . If they are equal, but of different names, the angle DSB may be taken acute or obtuse, since in that case the angle FSB is  $90^\circ$ . Strictly speaking, when the points F, L, fall on different sides of the line DE, the angle DSB is greater or less than

$90^\circ$ : according as the expression  $\frac{FD}{SF}$  is greater or less than  $\frac{EL}{SL}$  but as the divisors SL and SF are

nearly equal, they may be neglected, (as in the above rule) except in a case which very rarely occurs, namely, when the difference of SL, SF is greater than the difference of the two app. latitudes EL, FD, in which case the rule in this note must be made use of. Observing that the fractions

$\frac{FD}{SF}$  — represent the quotients of the moon's apparent latitudes divided by the sum of the semi-diameters of the sun and moon.

|| When SF, SL are equal, or their difference is so small that it may be neglected, the log. sine of the angle FSB may be obtained much more expeditiously by subtracting the log. of the sum of SF and SL, from the log. of FL increasing the index by 10. This method may almost always be made use of without much error. It is the rule adopted by Doctor Mackay in his treatise on longitude.

the difference between this and the angle of inclination DSB, will be the central angle DSF.

To the log. co-sine of the central angle, add the log. of the sum of the corrected semi-diameters at the beginning of the eclipse SF, rejecting 10 in the index, the sum will be the logarithm of SD, the apparent difference of longitude of the sun and moon at that time. This is to be subtracted from the longitude of the sun at the beginning of the eclipse, if the central angle is less than  $90^\circ$ , but added if greater than  $90^\circ$ , the sum or difference will be the moon's apparent longitude: to this must be added the moon's parallax in longitude, when her distance from the Nonagesimal (found as in Problem V. by subtracting the longitude of the Nonagesimal from the moon's longitude, borrowing  $360^\circ$  when necessary,) is greater than  $150'$ , otherwise the parallax must be subtracted; the sum or difference will be the moon's true longitude at the beginning of the eclipse.

Take the difference in seconds, between the sun's and moon's true longitudes at the beginning of the eclipse, to the logarithm of which add the arith. comp. log. of the moon's horary motion from the sun\* in seconds, and the constant logarithm 3.55630: the sum, rejecting 10 in the index, will be the logarithm of the time from the conjunction in seconds, which is to be added to the observed apparent time of the beginning of the eclipse, when the sun's longitude at that time is greater than the moon's true longitude, otherwise subtracted; the sum or difference will be the apparent time of the true solar conjunction of the sun and moon at the place of observation. The difference between this and the time of conjunction at Greenwich, inferred from the Nautical Almanac by Problem III. will be the longitude of the place of observation. But if corresponding observations have been made at different places, it will be much more accurate to find the times of the conjunction at each place by the above rule, and the difference of these times will be the difference of meridians, if it does not differ much from the supposed difference of longitude. If there is considerable difference, the operation must be repeated, making use of the longitude found by this operation; and thus by successive operations, the true longitude may be obtained.

The long. of the place of observation being accurately known, the errors of the lunar tables in long. and latitude may be easily found. For the difference between the moon's true longitude deduced by the above method from the observations, and the longitude found from the Nautical Almanac, will be the error of the tables in longitude. To find the error in latitude, add the log. sine of the central angle DSF to the log. of the sum of the corrected semi-diameters at the beginning of the eclipse SF, the sum, rejecting 10 in the index, will be the logarithm of the moon's apparent latitude FD at that time, which will be south, if the point F falls below D, otherwise north. Take the difference between this and the moon's apparent latitude found by Problem V. if they are both north, or both south; but their sum, if one be north and the other south, and the error of the tables in latitude will be obtained.†

#### REMARK.

The above rule will answer for deducing the longitude from the observed beginning and end of the internal contacts of a total or annular eclipse. The differences consist in reading the rule, beginning and end of the internal contacts, instead of beginning and end of the eclipse, and taking SF, SL equal to the differences of the corresponding semi-diameters, instead of their sums.

#### EXAMPLE.

At Salem, in the latitude of  $42^\circ 33' 30''$  N. longitude by estimation 4h. 43' 33" W. from Greenwich, the beginning of the total eclipse of June, 1506, was observed at 15d. 22h. 6' 18".1, and the end at the 16d. 0h. 50' 34".6, apparent time, by astronomical computation. Required the longitude of the place of observation?

Most of the following elements are calculated in Problems I. II. IV. V.

\* When the horary motion varies, it must be taken to correspond to the middle time between the beginning of the eclipse, and the conjunction or new moon.

† When the eclipse or occultation is nearly central or (in other words) when FD, EL are very small in comparison of SF, the latitude thus found cannot be depended on, as a small error in the data of observation, would produce a considerable error in the latitude. Indeed the case may occur when FD, EL are less than  $30'$ , that it may be uncertain whether the points F, L, fall above or below the line DE, because the error of the lunar tables in latitude may sometimes be equal to  $30'$ . In this case the correct latitude of the moon may be found (1) By observations made at another place where the eclipse or occultation was not so central. (2) By the number of digits eclipsed, if it was a solar eclipse. (3) By the difference of declinations of the moon and star observed before and after the immersion or emersion. (4) By the meridian altitude of the moon observed the same day, whence it may be found whether the moon was north or south of her place given by the tables.

TO FIND THE LONGITUDE BY AN ECLIPSE OF THE SUN. 585

ELEMENTS OF THE ECLIPSE.		BEGINNING.	END.
		d. h. m.	d. h. m.
Apparent times of observation		15 22 6 18.1	16 0 50 34.8
Estimated longitude W. from Greenwich		4 46 32	4 46 32
Supposed time at Greenwich		16 2 49 50.1	16 5 34 6.6
☉'s right ascension		5 36 50.0	5 37 18.5
Lat. of place 42° 33' 30" — Reduc. Tab. XXXVIII. 11' 26"		42 22 4	
Obliquity of the ecliptic		23 27 48	
☉'s long. by N. A. — Err. Tab. 58' 5" — True long. ) Prob. I.		83 49 3.5	85 29 32.6
Longitude of the Nonagesimal, by Prob. IV.		63 22 31	86 26 36
☉'s true long. — Long. Nonages. = ☉'s dist. from Nonages.		20 26 32	550 2 27
This distance or supp. if greater than 180° is arch D.	D	20 26 32	D 9 57 3
Altitude of Nonagesimal Prob. IV.		67 58 0	70 57 46
☉'s horizontal parallax, by Prob. I.		69 24.1	60 27.0
☉'s hor. par. 8' 8" — Correction, Table XXXVIII. 5' 6"		— 14.4	— 14.4
Reduced parallax		60 9.7	60 12.6
☉'s S. Diam. by N. A. — Indexion 2'		16 28.7	16 26.4
Add correction Table XLIV.		15.2	16.4
☉'s corrected semi-diameter		16 40.9	16 42.8
☉'s semi-diameter by N. A. 15' 46".1 — Irradiation 3' 5"		18 42.6	15 42.6
Sum of the corrected semi-diameters	SF=	32 23.5	32 25.4
☉'s horary motion in longitude by Problem II. Ex. II.		36 39.2	36 42.8
☉'s horary motion		2 23.1	2 23.1
☉'s horary motion from the sun*		34 16.1	34 10.7
☉'s parallax in longitude P		19 46.8	10 0.0
☉'s apparent longitude — Error Tab. 58' 5", by Prob. V.		84 8 50.3	85 19 22.6
☉'s longitude by Problem I.		84 41 3.4	84 47 35.5
☉'s app. longitude = ☉'s app. mot.			1 10 42.3
☉'s longitude = ☉'s app. mot.			6 32.1
Difference of motions of ☉			FA 64 10.2
☉'s true lat. by N. A. Prob. I. — Error Tab. 11' 4"		— 24 27.4	— 15 16.4
☉'s app. lat. cor. for error Tab. 11' 4" by Prob. V.			EL = + 4 32.5
☉'s lat. at end — Lat. at beginning	FD =	1 55.8	AL = + 6 28.3

As the apparent latitude at the beginning of the eclipse is north, and at the end south, the point F corresponding to this example falls above DE, the point L below it. The rest of the calculation is as follows.

FA 64° 10' 2" = 3850'.3 log. 3.58548	3.58548	☉'s longitude	24° 41' 3".4
AL 6 28.3 = 388.3 log. 2.58917		SD	— 32 23 5
Inclination 84° 14' tan. 10.98631	co-s. 10.00220	☉'s app. long.	84 8 39 .9 by obs.
Apparent motion FL 3868. 7 log. 3.58768		☉'s par. long.	— 19 46 .8
Its arith. comp.	6.41232	☉'s true long.	83 48 53 .1
SF + EL = 64° 48' 9"	3888 9 log. 3.58938	☉'s long.	84 41 3 .4 const. 3.25630
Dif. SF, EL	1 9 log. 0.27875	Dif. 3130'.3	= 52 10 3 log. 3.49356
Dif. segments	1 91 log. 0.28080	☉ hor. mot. fr ☉ 34' 17".1 = 2057'.1 AC	6.68678
Its half	0 85	Time fr. conj. 1h 31' 18".1 = 5478'.1 log. 3.73863	
Half of FL	1934 85	App. ti. obs.	15 22 6 18.1
Sum is great segment	1935 8	An. ti. conj.	15 23 37 36.2 at Salem
Dif. is lesser seg. FB	1933 9 log. 3.28644	Conjunct.	16 4 19 at Greenwich
SF 32' 23".5 =	1943 5 log. 3.28658	Dif. Merid.	4 41 23.8
Angle FEB	84° 19' sine 9.98796		
Inclination	84 14		
Dif. cent. ang. DGF	0 5 co-sin. 10.00000		
SF	log. 3.28856	..... sine 7.16270	
SD = 32' 23".5 =	1943 5 log. 3.28858	..... sine 3.28658	
		App. lat. FD = 2'.8 log. 0.45128	

In finding the time of conjunction or new moon, at Greenwich, 4h. 19', in the Nautical Almanac, the longitude of the moon was supposed to be given correctly by the tables. If the calculation be made by Problem III. after allowing for the error—59'.5, the result will be 4h. 20' 47", whence the difference of Meridians—4h. 43' 10".8, which differs so little from the assumed longitude 4h. 43' 32", that it will not be necessary to repeat the operation. If the eclipse was observed at Greenwich, the time of conjunction ought to be determined thereby, in a similar manner to the above calculations; or by those of Problem VIII. if only one of the phases is observed: by this means the errors of the tables will be wholly avoided. If the eclipse was not observed at Green-

\* This horary motion increases from 34' 16".1 to 34' 19".7 or 3".8, during the eclipse 2h 44' 16".5, which is 1".32 per hour. Now the ecliptic conjunction, or time of new moon at Greenwich by the N. A. was 4h. 19' or rather 4h. 20' 47", corresponding to 23h. 57' 15" at Salem, which is 1h. 20' 57" after the beginning of the eclipse: and the increase of the horary motion in half that time is 1", which added to 34' 16".1, gives the horary motion 34' 17".1, corresponding to the middle time between the beginning of the eclipse and conjunction. This is used in calculating the correct time of conjunction.

which, the observations at any other place whose longitude is known might be made use of, and thus the difference of meridians accurately obtained.

The moon's true longitude deduced from the above observation, is  $83^{\circ} 48' 53''.1$ ; by the N. A. it is  $83^{\circ} 50' 2''.0$ , the difference— $65''.9$  would be the error of the tables by this observation, if the assumed longitude  $4h. 43' 32''$  and the solar tables were correct. By repeating the operation with the assumed longitude  $4h. 43' 10''.8$  the error  $66''.9$  would be reduced to nearly the estimated value  $59''.5$ .

The eclipse was so nearly central at Salem, that a variation of a minute in the moon's latitude, would hardly alter the times, or duration of the eclipse, so that the latitude could not be determined by the above observations to any considerable degree of accuracy. From this cause it happens that the app. latitude at the beginning of the eclipse is by the above calculation  $2''.3$  instead of  $1' 55''.8$ , as found by allowing the error  $11''.4$ , deduced from other observations made where the eclipse was not so nearly central, and by the limits of the shadow of total darkness.

#### PROBLEM VII.

Given the latitude of the place, and the apparent times of the beginning and end of an occultation of a fixed star by the moon, to find the longitude of the place of observation.

In the following rule reference will be made to fig. 13, Plate XII. in which DSE represents a parallel to the ecliptic passing through the place of the star S; SF, SL the corrected semi-diameters of the moon at the beginning and end of the occultation; DF, EL the differences between the apparent latitudes of the moon and the star, when of the same name, or their sums when of different names; either of these lines falling below DE if the moon's apparent latitude is more southerly than that of the star, otherwise above.

#### RULE.

To the apparent times of the beginning and end of the occultation add the estimated longitude of the place in time if it is west, but subtract if east; the sum or difference will be the supposed time at Greenwich, corresponding to which, in the Nautical Almanac, find by Problem I. the moon's semi-diameter, horizontal parallax, longitude and latitude,\* and the sun's right ascension; also the moon's horary motion by Problem II. and the true longitude and latitude of the fixed star, by Table XXXVII. corrected for aberration and equation of equinoxes by Tables XL. XLI. Find also in the N. A. the obliquity of the ecliptic. To the moon's semi-diameter, add the correction in Table XLIV.† and from the sum subtract the inflection  $2''$ , the remainder will be her corrected semi-diameter. With these elements and the apparent times at the place of observation, calculate the altitudes and longitudes of the Nonagesimal, by Problem IV. and the parallaxes in longitude and latitude, and the moon's apparent longitudes and latitudes by Problem V.

Take the difference between the apparent longitudes of the moon at the beginning and end of the occultation, which will be the moon's apparent motion in longitude, the logarithm of which, in seconds, being added to the log. co-sine of the mean‡ of the apparent latitudes of the moon at the beginning and end of the occultation, rejecting 10 in the index, will be the logarithm of the motion of the moon on the parallel FA. The relative motion in latitude AL, is found by taking the difference of the moon's apparent latitudes at the beginning and end of the eclipse if they are both north or both south; but their sum if one be north and the other south. From the logarithm of FA, increasing the index by 10, subtract the logarithm of AL, the remainder will be the log. tangent of the angle of inclination DSB; this angle is to be taken greater than  $90^{\circ}$  when the difference of the moon's and star's apparent latitudes at the beginning of the occultation FD is greater than at the end EL, otherwise less.§ Then to the log. co-secant of the angle of inclination, add the logarithm of the relative motion FA, the sum, rejecting 10 in the index, will be the logarithm of the apparent motion of the moon in her orbit FL.

Then in the triangle SFL, the sides SF, FL (representing the corrected semi-diameters of the moon at the immersion and emersion,) and the relative motion FL are given to find the angle FSB (by Case VI. Oblique Trig.) Thus: to the log. ar. ca. of FL, add the log. of the sum of SF and SL, and the log. of their difference, the

\* Corrected for the errors of the tables in longitude and latitude, when known.

† This correction must be found after the altitude and longitude of the nonagesimal are calculated.

‡ The mean latitude is half the sum of the two latitudes, if they are of the same name, but their half difference, if of different names. In solar eclipses, the correction for the mean latitude of the moon is neglected as too small to be taken notice of, the distance FA being taken equal to the difference of longitude DE (fig. 12, P. XII.)

§ This rule is equally true whether the points F, L fall on the same or on different sides of the line DE. If DF, EL are equal, and the points F, L fall on the same side of DE, the angle DSB will be  $90^{\circ}$ . If they are equal, and those points fall on different sides of the line DE, the angle DSB may be taken acute or obtuse. In strictness when the points F, L fall on different sides of DE, the angle DSB is

greater or less than  $90^{\circ}$ , according as the quantity  $\frac{FD}{SF}$  is greater or less than  $\frac{EL}{SL}$

sum, rejecting 10 in the index, will be the log. of the difference of the segments FB, BL; half of which added to, and subtracted from half of FL, will give the two segments FB, BL, the greater segment being contiguous to the greater side, whether SF or SL. Then from the logarithm of the segment FB, increasing its index by 10, subtract the logarithm of SF, the remainder will be the log. sine of the angle FSB, which is always less than  $90^\circ$ . The difference between this and the angle of inclination DSB, will be the central angle DSF.

To the log. co-sine of the central angle, add the logarithm of the moon's corrected semi-diameter at the immersion SF, and the log. secant of the star's latitude, the sum, rejecting 20 in the index, will be the logarithm of the apparent difference of longitude of the moon and star at that time. This is to be subtracted from the true longitude of the star, if the central angle is less than  $90^\circ$ , but added, if greater than  $90^\circ$ , the sum or difference will be the moon's apparent longitude; to this must be added the moon's parallax in longitude, when her distance from the Nonagesimal (found as in Problem V. by subtracting the longitude of the Nonagesimal from the moon's longitude, borrowing  $360^\circ$  when necessary) is greater than  $180^\circ$ , otherwise the parallax must be subtracted; the sum or difference will be the moon's true longitude at the beginning of the occultation.

Take the difference in seconds between the true longitudes of the star and moon at the beginning of the occultation, to the logarithm of which, add the arithmetical comp. log. of the moon's horary motion in seconds, and the constant logarithm 3.55630, the sum, rejecting 10 in the index, will be the logarithm of the time from the conjunction in seconds, which is to be added to the observed apparent time of the beginning of the occultation, when the star's longitude is greater than the moon's true longitude at that time, otherwise subtracted; the sum, or difference, will be the apparent time of the true ecliptic conjunction of the star and moon at the place of observation. The difference between this and the time of conjunction, inferred from the Nautical Almanac by Problem III. for the meridian of Greenwich, will be the longitude of the place. If corresponding observations be made at different places, it will be much more accurate to deduce from them the time of conjunction at each place, and take the difference of those times for the difference of meridians, if it does not differ much from the supposed difference of longitude. If there is considerable difference, the operation must be repeated, making use of the longitude found by this operation; and thus by successive operations the true longitude may be obtained.

The long. of the place of observation being accurately known, the errors of the lunar tables in lat. and long. may be easily found. For the difference between the moon's true longitude, deduced from the observations by the above method, and the longitude found from the Nautical Almanac, will be the error of the tables in longitude. To find the error in latitude proceed thus: To the log. sine of the central angle DSF, add the logarithm of the corrected semi-diameter of the moon at the immersion SF, the sum, rejecting 10 in the index, will be the logarithm of the apparent difference of latitude of the moon and star, which added to the true latitude of the star, with the sign + if the point F falls below the line DE, but with the sign - if above, will give the apparent latitude of the moon at that time, the difference between this and the apparent latitude found by Problem V. will be the error of the tables, always supposing the sign + to be prefixed to southern latitudes, the sign - to northern, and noting the signs as in algebra.\*

## REMARK.

In the two preceding Problems the time of the true conjunction is calculated by means of the triangle SFD, but it will be useful for the purpose of verification, to go over the calculation by means of the triangle SLE. The process is nearly the same in both methods. The differences consist in finding the angle LSB by subtracting the logarithm of SL from the logarithm of LB, increasing its index by 10, the remainder will be the log. sine of the acute angle LSB, which, added to the angle of inclination, (found as before) will give the central angle DSL, with which and the distance SL, corresponding to the end of the eclipse or occultation, may be found the apparent diff. of longitude between the sun and moon, and moon and star; this is to be added to the longitude of the sun or star at that time, if the central angle exceed  $90^\circ$ , otherwise subtracted, the sum or difference will be the apparent longitude of the moon corresponding, from which the time of the ecliptic conjunction may be obtained as before. If the central angle exceed  $180^\circ$  the sine and co-sine of the excess of that angle above  $180^\circ$  must be found instead of the sine and co-sine of the central angle.

The apparent latitude of the moon is found as in the preceding rules, by making use of the central angle DSL and the value SL, corresponding to the end of the eclipse or occultation; whence may be deduced the apparent latitude and the error of the tables in latitude.

It is evident that both these methods ought to give the same results and thus furnish a proof of the correctness of the calculations. All these calculations may be made by proportional logarithms, by reading in the rule, log. co-tang. for log. tang. log. co-secant for log. sine, &c. as was mentioned at the end of the rule in Problem V. and by using the constant log. 0.4771 instead of 3.5563.

\* When SF=SL the angle may be found as in the note, with this mark to page 583.

† When this varies, it must be taken to correspond to the middle time between the immersion and true conjunction.

\* See note with this mark in page 584.

EXAMPLE.

Suppose in a place in the latitude of 20° 0' N. longitude 11. 3m. Os. east of Greenwich by estimate the occultation of Spica by the Moon on Dec. 12, 1808, was observed; the immersion at 16h. 57' 29", emission at 18h. 10' 29", apparent time by astronomical computation. Required the longitude of the place of observation?

Most of the elements in the following Table are calculated by Problems I. II. and VI.

ELEMENTS OF THE OCCULTATION.		IMMERSION	EMERSION
Apparent times of observation		d. h. 12 16 57 29	d. h. 12 18 10 29
Estimated longitude E. from Greenwich		1 9 0	1 9 0
Supposed time at Greenwich		12 15 48 29	12 17 1 29
☉'s right ascension		17 20 58.0	17 21 12.5
Lat. of place 20° 0'—Reduc. Tab. XXXVIII. 7' 22"		19° 52' 38"	
Obliquity of the ecliptic		23 27 39	
D's long. by N. A.—Prob. I.		200 7 56.3	200 51 56.1
Longitude of the Nonagesimal, by Prob. IV.		149 15 55	165 29 58
D's long.—Long. Nonages.—D's dist. from Nonages		50 52 1	35 22 38
This distance or its supp. to 360° is arch D.		D 50 52 1	D 35 22 38
Altitude of Nonagesimal Prob. IV.		81 17 32	74 25 11
D's horizontal parallax		59 52.3	59 54.6
—Reduction, Table XXXVIII.		1.4	1.4
Reduced parallax		59 50.9	59 53.0
D's S. Diam. by N. A.—Inflexion 2'		16 16.9	16 17.5
Add correction Table XLIV.		10.4	13.5
D's corrected semi-diameter		SF 16 27.3	SL 16 30.9
D's horary motion in longitude by Problem II. Ex. I*.		35 51.7	35 54.2
D's parallax in longitude		46 25	35 54
D's apparent longitude		200 54 21.3	201 25 30.1
Difference of D's app. longitudes			31 2.5
D's true lat. by N. A. Prob. I.	South	1 55 11.0	1 54 29.1
D's parallax in latitude		10 28.6	17 38.4
D's apparent latitude South		2 5 34.6	2 9 7.5
*'s tr. lat.—lat. T. XXXVII. 2° 2' 13". S.—T. XLI. 0°. 6'		2 2 18.3	2 2 13.5
Difference D * app. lat.		FD= 3 21.3	SL= 6 44.2
Difference of D's app. latitudes			AL= 3 32.9
*'s tr. long.—Long. Tab. XXXVII. 201° 10' 29". S.—Tab. XL. 11'. 3.—Tab. XLI. 10'. 1.		201 10 30.7	

The difference of the apparent latitudes of the Moon and Star at the beginning of the occultation 5' 21".3 being less than at the end 6' 54".2 the angle of inclination is less than 10°. In this example the moon's latitude is more southerly than the star's, hence the points F, L, fall below the line DE.

Dif. app. long. D 31' 8".8 = 1868".8	log.	3.27156	
D's mean app. lat. 2 7 21	cos.	9.99970	
Distance FA	log.	13.27126	3.2715
D's dif. lat. AL=3 32.9=212.9	log.	2.32818	
Inclination 85° 30'	tan.	10.91208	co-secant 10.0000
Apparent motion FL 1879.6			3.2705
Its arith. comp.		6.72594	
SF + SL = 32 53.1 = 1978.1	log.	3.29625	
Dif. SF, SL 3.5	log.	0.54407	
Dif. segments 3.7	log.	0.56626	
Its half 1.8			
Half FL 939.8			
FB 936.0	log.	2.97220	
SF 987.3	log.	2.99445	
FSB 71° 49'	sine	9.97775	
Inclination 83 30			
Dif. is cent. angle 11 41	co-sine	9.99091	
Star's lat. SF 2° 2' 13"	log.	2.99445	
	sec.	10.00027	
Dif. app. long. D * 967".5 = 16 7.5	log.	2.98563	FD 199".9= 5' 19".3 lon. 2.9894
* longitude 201 10 30.7			* lat. 2 2 13.3
D's app. long. 200 54 23.3	by obs.		D's ap. lat. 2 5 33.2 by obs.
D's par. long. — 46 25			D's ap. lat. 2 5 34.6 by N. A.
D's true long. 200 7 56.2	const.	3.55630	Error Tab. — 1.4 in lat.
Dif. true long. 3752.5 = 1 2 32.5	log.	3.57432	D's tr. lon. 200 7 56.2 by obs.
D's hor. mot. 2153.5 55 53.5	log.co-ar.	6.66686	D's tr. lon. 200 7 56.3 by N. A.
Time 6273 1 44 33	log.	3.79748	Error Tab. + 1.9 in long.
Immersion 16 57 29			
Conjunction 18 42 2 at place of observa-			
Conjunction 17 53 0 tion at Greenwich.			
Dif. of meridians 1 9 2			

\* The moon's horary motion varies from 35' 51".1 to 35' 54".2 during the occultation, hence of the middle time 17h. 49' 45" between the immersion 16h. 57' 29" and the conjunction 18h. 42' (deduced from the Nautical Almanac) the horary motion was 35' 53".5 as is easily found by a calculation similar to that in the Example of Problem VI.

The difference of meridians deduced from the observation 1h. 9' 2" differs but 2" from the assumed quantity 1h. 9' 0". If the difference had been considerable, it would have been necessary to repeat the operation with the difference of meridians thus calculated, and so on till the assumed and calculated longitudes agree. The errors of the tables above found were deduced upon the supposition that the observations were actually made at the place mentioned in this example, and that the true longitude of the place of observation was 1h. 9' 0". For it must be observed, that the errors of the tables in longitude cannot be found by an observation of an eclipse or occultation without knowing by other observations the precise longitude of the place of observation. This is evident by observing, that by repeating the operation till the assumed and calculated longitude of the place of observation agree with each other, the long. of the moon, deduced from the calculation, will agree also with the longitude by the tables. The time of conjunction at Greenwich 17h. 33' 0" taken from the Nautical Almanac, is liable to a small error from the incorrectness of the tables. To obviate this error it will be necessary to deduce (by the above method or by Problem IX. when only the beginning or end is observed) the time of conjunction from observations actually made at two places, the difference of these times will be the difference of meridians free from the errors of the tables.

## PROBLEM VIII.

To find the longitude of a place by an eclipse of the sun when the beginning or end only is observed, the apparent time being estimated from noon to noon, according to the method of astronomers; the latitude of the place being also known.

## RULE.

To the apparent time apply the estimated longitude of the place in time, by adding if west, subtracting if east, the sum or difference will be the supposed time at Greenwich. Corresponding to this time in the Nautical Almanac, find by Problem I. the moon's semi-diameter, horizontal parallax, longitude, and latitude; \* and the sun's semi-diameter, longitude, and right ascension; also the moon's horary motion from the sun by Problem II. Decrease the sun's semi-diameter 25" for irradiation. Decrease the moon's semi-diameter 2" for inflexion, and to the remainder add the correction to Table XLIV. † the sum will be the moon's corrected semi-diameter. Find also, in the Nautical Almanac, the obliquity of the ecliptic.

With these elements and the apparent time at the place of observation, calculate the altitude and longitude of the nonagesimal by Problem IV. and the parallaxes in longitude and latitude and the moon's apparent latitude by Problem V.

To the sum of the corrected semi-diameters of the sun and moon add and subtract the moon's apparent latitude, and find the logarithms of the sum and difference in seconds. Half the sum of these two logarithms will be the logarithm ‡ of an arch in seconds, to be added to the sun's longitude if the phase is after the apparent conjunction, but subtracted if before: § the sum or difference will be the apparent longitude of the moon. To this add the moon's parallax in longitude when the moon's distance from the nonagesimal (found as in Problem VI. by subtracting the longitude of the nonagesimal from the moon's longitude, borrowing 360° when necessary) is greater than 120°, otherwise subtracted, the sum or difference will be the true longitude of the moon.

Take the difference in seconds between the true longitudes of the sun and moon, and to its logarithm add the arithmetical complement log. of the moon's horary motion from the sun in seconds, and the constant logarithm 3.55630, the sum, rejecting 10 in the index, will be the logarithm † of the correction of the given time expressed in seconds. This is to be added to the apparent time of observation when the moon's true longitude is less than the sun's, otherwise subtracted; the sum or difference will be the time of the true conjunction at the place of observation. The difference between this and the time of conjunction inferred from the Nautical Almanac for the meridian of Greenwich by Problem III. will be the longitude of the place of observation in time, supposing the lunar and solar tables to be correct; but it is much more accurate to compare actual observations made at different places, by deducing the times of the eclipse conjunction from each observation, the difference of these times will be the difference of longitude.

## EXAMPLE.

At Salem, in the latitude of 42° 33' 20" N. longitude by estimation 4h. 45' 32" W. from Greenwich, the beginning of the total eclipse of June, 1806, was observed at 15d. 22h. 6' 18". † apparent time by astronomical computation Required the longitude of the place from this observation ‡

The elements must be calculated as in the example of Problem VI. for the beginning of the eclipse, except those marked in italics. The rest of the calculation may be made by proportional logarithms as follows:

\* The longitude and latitude must be corrected for the errors of the tables, when known, by a previous operation, or by other observations.

† This correction must be found after the altitude and longitude of the nonagesimal are calculated.

‡ These calculations may be made in the same manner by using proportional logarithms, the only difference consists in using the constant logarithm 0.4771 instead of 3.55630 in finding the time of conjunction.

§ In general, the beginning of an eclipse or occultation precedes the apparent conjunction, and the end is after the apparent conjunction, but there is a case (which very rarely occurs) where the contrary may take place: namely, where the point F or L (P. XII. fig. 12. 15) falls between C and B, which can happen only when the lines FD, EL are nearly equal to SE or SL. In this case it may be ascertained whether the phase precedes or follows the conjunction by making the calculation as in Prob. VI. or VII. with the times of beginning and end, calculated by Problem XIII. and as the central night is greater or less than 20", the phase will follow or precede the apparent conjunction. The latitudes given by the tables being supposed correct.



TO FIND THE LONGITUDE BY AN OCCULTATION.

Sum semi-diam. $\odot$	D	32' 23".5		
D App. lat.		1 55".8		
	Sum	34 19".3	P. L.	0.7197
	Diff.	30 27".7	P. L.	0.7716
			Sum	1.4912
Half sum	Arch	52 20	P. L.	7456
$\odot$ Longitude		84 41 3.4		
D App. long.		84 8 45.4		
D Par. long.		— 19 46.8		
D True long.		83 48 56.6		
$\odot$ True long.		84 41 3.4	Cons. log.	0.4771
Difference		52 6.8	P. L.	0.5323
D Hor. mot. fr. $\odot$		31 17.1	A Co. P. L.	9.2773
Time from conj.		1h. 31' 15"	P. L.	0.2452
App. time obs.		15 22 6 13		
App. conj. Salem		15 23 57 31		
App. conj. Green.		16 4 19 by N. A.		
Diff. Merid.		4 41 29		

If we suppose the time of conjunction at Greenwich to be 4h. 20' 47", as calculated in the exact Problem VI. the difference of meridians would be 4h. 43' 16", agreeing exactly with the assumed longitude, so that it will not be necessary to repeat the operation. The remarks at the end of that example respecting the errors of the lunar tables, and the comparing of actual observations at different places are equally applicable to the present Problem.

PROBLEM IX.

To find the longitude of a place by an occultation of a fixed star by the moon, when the immersion or emersion only is observed, the apparent time being estimated from noon to noon, according to the method of astronomers, and the latitude of the place being known.

RULE.

To the apparent time apply the estimated longitude of the place turned into time, by adding if west, subtracting if east, the sum or difference will be the supposed time at Greenwich. At this time find in the Nautical Almanac the sun's right ascension, the moon's semi-diameter, horizontal parallax, longitude and latitude \* by Problem I. and the moon's horary motion by Problem II. also the latitude and longitude of the fixed star by Table XXXVII. and correct it for aberration and equation of equinoxes by Tables XL. XLI. Decrease the moon's semi-diameter 2" for inflexion, and to the remainder add the augmentation from Table XLIV. † the sum will be the corrected semi-diameter. Find also, in the Nautical Almanac, the obliquity of the ecliptic. With these elements and the apparent time of observation, calculate the altitude and longitude of the Nonagesimal by Problem IV. also the parallaxes in longitude and latitude of the moon's apparent latitude by Problem V.

Take the difference between the latitude of the star and the app. lat. of the moon, which add to, and subtract from the moon's corrected semi-diameter (these quantities being expressed in seconds) half the sum of the logarithms of these quantities increased by the log. secant of the star's latitude, rejecting 10 in the index, will be the logarithm ‡ of an arch in seconds to be added to the star's longitude if the moon has passed the apparent conjunction, but subtracted if before, § the sum or difference will be the apparent longitude of the moon. To this add the moon's parallax in longitude when the moon's distance from the nonagesimal (found as in Problem VII. by subtracting the longitude of the nonagesimal from the moon's longitude, borrowing 360° when necessary) is greater than 180°, otherwise subtract it, the sum or difference will be the true longitude of the moon. Take the difference in seconds between the moon and star's true longitudes, and to its logarithm add the arithmetical comp. log. of the moon's horary motion and the constant logarithm 3.55630, the sum, rejecting 10 in the index, will be the logarithm † of a correction in seconds to be applied to the given time of observation by adding when the moon's true longitude is less than the star's, otherwise subtracting, the sum or difference will be the time of the true conjunction at the place of observation. The difference between this and the time of conjunction inferred from the Nautical Almanac by Problem III. for the meridian of Greenwich, will be the longitude of the place of observation, if the tables are correct; but it is much more accurate to compare the times of conjunction deduced

\* Corrected for the errors of the tables in longitude or latitude when known.

† This correction must be found after the altitude and longitude of the nonagesimal are calculated.

‡ See note with this mark in page 589.

§ Proportional logarithms may be used instead of common logarithms, the constant logarithm being 0.4771 instead of 3.55630, and the log. co-sine being used instead of log. secant.



from actual observations at the different places in the manner mentioned at the end of the rule given in Problem VII.

EXAMPLE.

Suppose in a place in the latitude of  $20^{\circ} 0'$  N. longitude by estimation  $1h. 9^m 0''$  east from Greenwich, the emersion of the star Spica was observed on December 12, 1806, at  $18h. 10^m 29''$ , apparent time by astronomical computation. Required the longitude of the place of observation?

The elements must be calculated as in the example of Problem VII. for the emersion of Spica. The rest of the calculation, made by common logarithms, is as follows.

▷ Semi-diameter	16' 50 .8 = 990 .8				
Diff. app. lat. ▷ *	6 54 .2 = 414 .2				
		Sum	1405 .0	log.	3.14778
		Difference	576 .6	log.	2.76087
		Sum	579.855	its half	2.95427
				* Lat. $2^{\circ} 2' 15''$ .	sec. 10.00027
					log. 2.95454
Arch	15' 0 .6	=	90 .6	log.	
* longitude	231 10 59 .7				
▷ app. long.	201 25 31 .3				
▷ par. long.	— 33 54				
▷ true long.	200 51 57 .3			Constant	3.55890
Diff. true long. ▷ *	18 53 .4 = 1133.4			log.	3.05438
▷ horary motion	35 54 .7 = 2151.7			co. log.	6.86661
Time	51 54 = 1294			log.	3.27724
Time of obs.	18 10 29				
Conj. at place obs.	18 42 3	by obs.			
Conj. at Greenwich	17 33 0	by N. A.			
Difference merid.	1 9 3				

The difference of meridians by calculation  $1h. 9^m 3''$  differs but  $3''$  from the assumed longitude, so that it will not be necessary to repeat the operation. All the remarks made at the end of the example in Problem VII. are applicable to this problem. It may also be further observed, that the emersion or immersion which happens on the dark limb of the moon can be observed with much more accuracy than on the enlightened limb; because the light from this limb prevents the observer from perceiving the star's immersion or emersion so instantaneously as on the dark side of the moon.

PROBLEM X.

To calculate an eclipse of the moon.

The time of beginning or end of a lunar eclipse at any place may be found by subtracting or adding the longitude to the times given in the Nautical Almanac for the meridian of Greenwich, according as the longitude is west or east. But as some readers may wish to know the method of deducing these times from the longitudes, latitudes, &c. of the moon and sun, given by the Nautical Almanac or by other tables, it was thought proper to insert the rule for these calculations.

An eclipse of the moon can only happen at the time of the full moon. If her longitude at that time is not distant from either node\* of the moon's orbit more than about  $12^{\circ}$ , there may be an eclipse. To find whether there will be one, and to calculate the times and phases, proceed as follows.

RULE.

Find the time of full moon at Greenwich by the Nautical Almanac or Problem III. to which add the longitude of the place turned into time if east, but subtract if west, the sum or difference will be the time of the ecliptic opposition at the proposed place.

For the time at Greenwich find by Problem I. the moon's latitude, horizontal parallax and semi-diameter (which requires no augmentation) also the sun's semi-diameter. Then by Problem II. the horary motion of the moon, from the sun in longitude, and the moon's horary motion in latitude.

Draw the line ACB (Plate XII. fig. 6) and perpendicularly thereto the line PCR. Select a scale of equal parts to measure the lines of projection, and from it take CG equal to the moon's latitude, and set it on CR from C to G, above the line AB if the latitude of the moon is north, below if south. † Take CO equal to the horary motion of the moon from the sun in longitude, and set it on the line CB to the right of

\* The longitude of the moon's ascending node is given in the third page of the Nautical Almanac. The longitude of the other node is found by adding or subtracting  $6^{\circ} 51'$ .

† The northern latitudes found by Prob. I. have the sign +, the southern -. In the figure the latitude is south. If it had been north the point G must have been placed on the continuation of RC above C.

C, from C to O. Take CP equal to the moon's horary motion in latitude, as found with its sign by Problem II. and set it on the line CR from C to P, *above* the line AB if its sign is —, *below*\* if +. Join OP which is equal to the horary motion of the moon from the sun, and parallel thereto through G draw the relative orbit of the moon from the sun NGL, on which are to be marked the places of the moon before and after the full, by means of the horary motion OP, so that the moment of full moon, or ecliptic opposition at the proposed place, may fall exactly on the point G. This may be done by making the extent OP equal to the transverse distance of 60, 60, on the line of lines of the sector, then measuring from the same lines the transverse distance corresponding to the minutes and parts of a minute in the time of full moon at the place of observation, and setting it on the line GN from G towards the right to the point x, where the whole hour preceding the full moon is to be marked.† Then the distance OP set from x to the right hand on the line LGN reaches to the hours preceding the full moon, and set to the left hand reaches successively to the following hours. These intervals are to be divided into sixty equal parts representing minutes, if the size of the scale will admit of it.

Add 50' to the moon's horizontal parallax; and from the sum subtract the sun's semi-diameter, the remainder will be the semi-diameter of the shadow CB, with which describe the circle ASB about the centre C. Add the moon's semi-diameter to the radius CB, and with that radius describe, about the centre C, the circle DRM, which if there be an eclipse will cut NL in the points E, H, representing respectively the places of the moon at the beginning and end of it. If there is no intersection there will be no eclipse. Draw the line CKST perpendicular to LN, cutting it in K and meeting the circles ASB, DRH in S, and T. With a radius equal to the moon's semi-diameter describe about the centres E, H, K, the small circles represented in the figure; of which that drawn round K cuts the line CKS in the points I, F, and if the eclipse is total the whole of this circle will fall within ASB, as in fig. 6, but if part of the circle falls without ASB, as in fig. 7, P. XII. the eclipse will be partial. In either case the number of digits eclipsed may be obtained by saying as the diameter of the moon FI is to the obscured part FS so are 13 digits to the number of digits eclipsed. When the eclipse is total, the beginning and end of total darkness may be found by taking a radius equal to CB decreased by the moon's semi-diameter, and sweeping with it round the centre C, a circle *d e h m*, cutting LN in the points e, h, representing respectively the points of beginning and end of total darkness. Then the hours and minutes marked in the line NL, at the points E, e, K, h, H, will represent respectively the times of the beginning of the eclipse, beginning of total darkness, middle of the eclipse, end of total darkness, and end of the eclipse. In this rule no allowance is made for the oblate figure of the earth, the correction from this source being much less than the errors of observation.

EXAMPLE.

Required the times of beginning, end, &c. of the eclipse of the moon of May 9th, 1808, at a place in the longitude of 30° W. from Greenwich?

By the Nautical Almanac the time of full moon at Greenwich was May 9th, at 19h. 39'. From this subtracting the longitude of the place of observation 30° W. or 2h. the remainder 17h. 39' was the time of full moon at the place of observation. Corresponding to the time at Greenwich, 19h. 39', the elements in the adjoined table were calculated by Prob. I. and II. and the values CB, CD, Cd, found by the above rule. Upon the centre C with the radii CB, CD, Cd, taken from a scale of equal parts, describe the circles ASB, MRD, *mr d*. Draw the line ACB representing the ecliptic, and

Elements of the Eclipse May 9. 19h. 39'.			
App. time conj. Greenwich, May 9			19h. 39'
Long. place 30° W			2 0
App. time conj. at place obs.			17 39
☉'s lat. by Prob. I. S. decreasing	G	+	10 44.2
☉'s Horiz. Paral.			16 13.5
☉'s Semi-diameter	BD		15 00.7
☉'s Hor. Mot. in long. Prob. II.			37 57.4
☉'s Hor. Mot. in long.			2 24.4
☉'s Hor. Mot. from ☉ in long.	CO		35 13.0
☉'s Hor. Mot. in lat. Prob. II.	CP	-	3 29.2
☉'s Hor. Par. + 50' - ☉'s S. D.	=	CB	46 12.4
☉B + ☉'s S. D.	=	CD	62 38.4
☉B - ☉'s S. D.	=	Cd	29 31.4

\* In other words the point P will fall above C if the moon is approaching to the north pole of the ecliptic, otherwise below: That is, the point P must fall *above* C if the moon's latitude is *south* decreasing or *north* increasing, otherwise below. When no great accuracy is required the horary motion in latitude need not be found by Prob. II. Instead of which the angle COP may be taken equal to 5° 40', in eclipses of the moon or sun, and the line OP equal to CO increased by 9' or 10': but this method will not answer in occultations, in which the angle COP varies above 5 degrees.

† The distance Gx may also be found by common arithmetic by saying as 60 minutes are to the minutes and seconds in the time of full moon (which in the present example is 39') so is OP to Gx. After marking the hours on the line LGN it is usual to divide them successively into halves and quarters of an hour, then into five minutes and one minute.

‡ The semi-diameter of the shadow is increased by the earth's atmosphere from 20' to 60', according to the estimates of different astronomers. Mayer supposes this correction to be one 60th part of the shadow, varying from 37' to 46'. The mean of Mayer's correction added to the sun's parallax is nearly equal to 50' assumed as above.

make CG perpendicular thereto equal to the moon's latitude  $10^{\circ} 44' .8$  S. the point G being taken below C because that latitude is south. Make CO equal to the horary motion of the moon from the sun in longitude  $35^{\circ} 13' .0$ , and CP perpendicular thereto equal to the horary motion in latitude  $-3^{\circ} 28' .2$ , the point P being placed above C, because the moon's horary motion in latitude has the sign — prefixed, or in other words, the latitude was south decreasing. Join OP, and parallel thereto draw through G the line NGL, and on it let fall the perpendicular CK. Make the distance OP a transverse distance of 60, 60, on the line of lines of the sector, and measure from the same lines the transverse distance 39,39 (corresponding to the minutes in the time of full moon at the place of observation) this distance, set on the line GN, to the right of G, reaches to the point *x*, where the hour 17h. preceding the full moon is to be marked. Take the extent OP and lay it from 17h. to the right hand to 16h. and successively to the left to 18h. 19h. &c. Subdivide these lines into 60 equal parts, representing minutes, if the scale will permit, and the times corresponding to the points E, *e*, K, *h*, H, will represent respectively the beginning of the eclipse 15h. 56m. the beginning of total darkness 16h. 54m. the middle of the eclipse 17h. 41m. the end of total darkness 18h. 28m. and the end of the eclipse 19h. 26m. which times agree nearly with those in the Nautical Almanac, allowing for the difference of meridians 2 hours.

#### Calculation by Logarithms.

The phases of the eclipse may also be calculated by logarithms in a very simple manner. Thus suppose it was required to find the time of the beginning of the eclipse in the above example. In this case in the right-angled triangle OCP, there would be given  $CO=2113' .0$  and  $CP=208' .2$ , to find  $OP=2123' .2$  and the angle  $OPC=84^{\circ} 22'$ . This angle is equal to RGE, because GE, OP are parallel, and its supplement gives the angle  $CGE=95^{\circ} 38'$ . Then in the triangle CGE there are given the angle  $CGE=95^{\circ} 38'$  the moon's latitude  $CG=644' .8$ , and the line  $CE (=CD) =3772' .9$  to find  $CEG=9^{\circ} 48'$ ,  $GCE=74^{\circ} 34'$  and  $GE=3654' .5$ . Then say as  $OP (2123' .2)$  is to 1 hour (3600') so is  $GE (3654' .5)$  to the time (6196') = 1h. 43' 16" between the beginning of the eclipse and the full moon at the place of observation 17h. 39', and as the point E falls to the right hand of G, that time must be subtracted from 17h. 39', to obtain the time of the beginning of the eclipse 15h. 55' 44", which agrees nearly with the projection. As these calculations are very simple, it will be unnecessary to take notice of the different cases, or to give the calculations at full length, the whole being sufficiently evident from the figure. The middle of the eclipse is found by means of the triangle GKC similar to OCP, in which the angles and hypotenuse CG are given to find CK, KG. The time of describing KG being added to, or subtracted from the time of full moon at the place of observation, according as the point K falls to the left or right of G, will give the time of the middle of the eclipse. The distance CK  $10' 41' .7$  subtracted from the radius CD or  $CT=62' 52' .9$  will leave a remainder equal to the eclipsed part FS (=KT)  $52' 11' .2$ . And the moon's diameter  $33' 21' .4$  is to FS  $52' 11' .2$  as 12 digits to the digits eclipsed  $18\frac{1}{2}$ . In making these calculations, common or proportional logarithms may be made use of.

#### PROBLEM XI.

To project an eclipse of the sun for any given place.

An eclipse of the sun can happen only at the time of new moon. If the moon's longitude at that time is not distant from either node of the moon's\* orbit more than  $17\frac{1}{2}^{\circ}$  there may be an eclipse. To find whether there will be one, and to calculate the times and phases, proceed by the following

#### RULE.

To the time of the new moon given in the Nautical Almanac (or calculated by Problem III.) add the longitude of the proposed place, turned into time, if east, but subtract if west, the sum or difference will be the time of conjunction at the proposed place. Corresponding to the time of new moon at Greenwich, find by Problem I. the moon's latitude, horizontal parallax, and semi-diameter, also the sun's longitude, semi-diameter and declination. Then by Problem II. find the horary motion of the moon in latitude, and the horary motion of the moon from the sun in longitude.

Draw the line ACB (Plate XII. fig. 10.) representing the ecliptic and perpendicularly thereto, the line PCR. Take a scale of equal parts to measure the lines of the projection; measure from it an interval equal to the moon's latitude, and apply it on CR from C to G, above the line ACB if the moon's latitude is north, below, if south, † Take CO equal to the horary motion of the moon from the sun in longitude and set it on the line CB to the right hand of C to O; take CP equal to the moon's horary

\* See note with this mark in page 591. All the eclipses that can happen in any part of the earth are indicated in the Nautical Almanac.

† In the figure the latitude is supposed north. If it had been as much south, the point G would have been as much below C as it is now above it.

motion in latitude, found by Prob. II. and set it on the line CR, from C to P, above the line ACB if the sign is —, below if +. Join OP which represents the horary motion of the moon from the sun on the relative orbit, and parallel to that line draw the relative orbit of the moon NGL, on which are to be marked the places of the moon before and after the conjunction, by means of the horary motion OP, so that the moment of the new moon, or eclipsic conjunction, at the proposed place may fall exactly on the point G, as in the figure where the new moon is at 23h. 35m. This may be done by taking the extent OP equal to the transverse distance of 60', 60", on the line of lines of the sector, then measuring from the same lines, the transverse distance corresponding to the minutes and parts of a minute of the time of new moon at the place of observation and setting it on the line GN from G towards the right hand to the point x, the place of the moon at the first whole hour preceding the conjunction (which in the present figure is 23h.) Then the distance OP being taken in the compasses and set from x to the right hand, gives successively the hours preceding the new moon, and the same distance set to the left gives the following hours, as in the figure, where they are marked in succession 22h. 23h. 24h. 1h. These hours are to be divided into 60 equal parts representing minutes, the scale being taken sufficiently large for that purpose. † In the present figure the subdivisions are carried only to five minutes.

From the moon's horizontal parallax subtract the sun's 8'.8, the remainder is to be taken from the scale of equal parts for the radius CB, with which, on the centre C, describe the circle BRA, cutting CR in R. Open the sector till the transverse distance of 60', 60", on the line of chords, is equal to the radius CB, and measure from the same lines the transverse distance 23' 28" (equal to the obliquity of the ecliptic) which set on the circle ARB on each side of R to T and U. Join TU cutting CR in Q. On Q as a centre, with the radius QV, describe the circle TVU, on which set off the arch TV equal the sun's longitude. Through V draw the line VP' parallel to CR to cut TU in P, the place of the pole of the earth. Draw CP' and continue it on either side so as to cut the circle ARB in the point W, situated above AB if the latitude of the proposed place is north, below, if south. In the present figure the latitude is north. If it had been south the lower part of the circle ARB ought to have been made use of. Open the sector so as to make the transverse distance 60', 60", on the chord, equal to CB, and measure off the transverse distance equal to the complement of the latitude of the place, which set from W on each side to D and d. With the same opening of the sector measure the chord of the sun's declination, and set it on the same circle from D on each side to E and e, and from d on each side to f and f. Draw the dotted lines Ff, Dd, Ee, cutting CW in l, q, n. Bisect ln in r, and erect the line VI. r, XVIII. perpendicular to CW, and make r, VI and r, XVIII, each equal to qD. Open the sector to make the transverse distance 90°, 90', on the sines, equal to qD, and measure off the transverse distance corresponding to 15°, 30°, 45°, 60°, 75° (or 1, 2, 3, 4, 5 hours,) which set on each side of the point r, on r, VI. and r, XVIII. to the points marked with those numbers 1F, 30°, &c. Through these points draw the lines I. XI; II. X; III. IX; &c. as in the figure parallel to CW. Open the sector so as to make rn equal to the transverse distance of 90°, 90', on the sines, and measure the complements of the former degrees

\* See note with this mark in page 592.

† See note with this mark in page 592.

‡ The scale I generally make use of is one inch to 10 minutes, reducing the seconds to decimals of a minute. Thus 30' 36" in decimals is 50.6, which by this scale would be 5.06 inches, obtained by placing the decimal point one figure to the left.

§ This may also be found as follows. After drawing TQU, as above, open the sector till the transverse distance 90°, 90' on the sines is equal to QF, then measure from that line the extent QP' as a transverse distance corresponding to the sine of the difference between the sun's longitude and 90° or 270°. When the sun's longitude exceeds 6 signs, the point V will fall in the semi-circle below TC. This is not drawn in the figure for want of room. When the longitude exceeds 2, 4, 8, &c. signs, it will be convenient to mark on the circle TVU the points corresponding to those signs, by setting off the radius QT as a chord from T to IL from II to S, &c. and then taking from the sector the chord corresponding to the excess of the given longitude above that of the point IL, S, &c. immediately preceding. Thus if the sun's longitude was 84° 44' it would be convenient to set off 60° from T to II, and 24° 44' from II, to the sought point V.

In case of not having a sector, an arch as RT may be marked off by a plane scale even when the radius CR differs from that of the scale, by drawing by Prob. VI. of Geometrical Problems, the line CT making an angle with CR equal to the proposed arch 23° 28'. The intersection of that line with the circle ARB will give the sought point T. In a similar manner the point V may be found by drawing the line QV making the angle TQV equal to the proposed arch TV. The points 15°, 30°, 45°, &c. on the line VI. r XVIII. may be found by describing on the line as a diameter, and on r as a centre, a semi-circle which is to be divided into 12 equal parts of 15' each. The dotted lines drawn through these points perpendicular to the diameter VI. r XVIII. will cut it in the sought points 15°, 30°, &c. This circle is not drawn in the proposed figure, to prevent confusion. Draw the line VI. k perpendicular to r VI. and equal to r. Join rk cutting the lines 75° V: 11° IV. &c. in the points 1, 2, 3, 4, 5. Make the lines 15° I: 30° II: 45° III. &c. respectively equal to 75°, 1: 89°, 2: 45°, 3: &c. and the sought points I. II. III. &c. will be obtained. This method may be used when the line rn is too small to be taken from the sector. The same method may be made use of in projecting an occultation by drawing tk (Fig. 8. P. XII.) perpendicular to r and equal to r and joining rk to cut the dotted lines drawn parallel to CP in the points 1, 2, 3, &c. as above.

the transverse distances on the sines, viz.  $75^\circ$ ,  $60^\circ$ ,  $45^\circ$ ,  $30^\circ$ ,  $15^\circ$ , and set them on the above lines I. XI; II. X; &c. from the points of intersection with the line VI.  $r$ , XYIII. above and below that line. The points I. II. III. &c. obtained in this manner, will represent the situation of the spectator at the proposed place at those hours, and a regular curve drawn through these points will represent his path. In marking the hours it must be observed, that the place of noon will be at the lower point  $p$ , if the sun's declination is north; but at the upper point  $l$ , if the declination is south; the hours must be marked from noon towards the left in numerical succession completely round the curve ending at 24h. according to the method of astronomers. In the present figure the declination is north, and the point  $n$  the place of noon or 0 hours. If it had been south the point  $l$  would have been marked 0h. and the points marked XI. X. &c. would be I. II. &c. respectively. The path touches the circle ABE in two points representing the points of sun rising and setting, which in the present figure are respectively 15h. 26' and 7h. 34'. These points divide the path into two parts, of which one represents the path by day, the other by night, as is evident from the hours marked on the curve. Half hours or any other intermediate time, may be marked in a similar manner. Thus, for the time 3h. 30' =  $52^\circ 30'$ . Set the sine of  $52^\circ 30'$  to the radius  $r$ , VI. from  $r$  to  $k$  on the line  $r$ , VI. and erect the perpendicular  $hi$  equal to the sine of  $37^\circ 30'$  (which is the complement of  $52^\circ 30'$ ) to the radius  $m$ , and the point  $i$  will be the place of the spectator at the proposed time. In this way the halves and quarters of hours may be marked on those parts of the path where necessary. The smaller subdivisions may generally be obtained to a sufficient degree of accuracy by dividing the quarters of hours into equal parts.

Take from the scale of equal parts an extent equal to the sum of the semi-diameters of the sun and moon, and beginning near  $N$ , find by trials the point  $p'$  of the moon's path and the point  $Z'$  of the path of the spectator, marked with the same time and at that distance apart. That time will be the beginning of the eclipse. If no such points can be found, there will be no eclipse at the proposed place. Proceed in the same way towards the point  $L$  and find the points  $p''$ ,  $Z''$ , at the same distance apart, the corresponding time will be the end of the eclipse. Find by trials the point  $p$  of the moon's path and the point  $Z$  of the path of the spectator marked with the same times at the nearest distance from each other (which will in general be nearly the middle time between the beginning and end of the eclipse) that time will be the middle of the eclipse. On  $Z$  as centre with a radius equal to the sun's semi-diameter, describe the circle whose diameter is  $Ss$ , representing the sun's disc, and on the centre  $p$ , with a radius equal to the moon's semi-diameter, describe the circle whose diameter is  $Mm$ , representing the moon's disc. The part of the sun's disc that is cut off by this circle will represent the part of the sun that is eclipsed. In the example of fig. 10 the centre  $p$  of the moon's disc is so near that of the sun  $Z$ , that the eclipse is nearly central, and as the moon's semi-diameter is greater than the sun's, the eclipse must be total. Under similar circumstances if the moon's semi-diameter had been least, the eclipse could have been annular. In case of a partial eclipse the sun's disc will not be wholly covered by the moon, as in fig. 11, Plate XII. where the circles representing the discs of the sun and moon are marked with the same letters as in fig. 10, but the objects are placed in a different situation. In this case the number of digits eclipsed may be obtained by drawing a line through the centres  $p$ ,  $Z$ , to meet the discs in the points  $S$ ,  $M$ ,  $s$ ,  $m$ , and by saying as the distance  $Ss$  (representing the whole disc) is to the obscured point  $M$  so are 12 digits to the number of digits eclipsed. The beginning and end of total darkness in a total eclipse are found like the beginning and end of the eclipse, except in taking in the compasses the difference between the semi-diameters of the sun and moon, instead of their sum. For the points of the path of the spectator and of the moon's orbit, marked with the same time, and at that distance from each other, will represent the situations and times of the beginning and end of total darkness. The beginning and end of the internal contacts of an annular eclipse are found in the same manner, the only difference is that in a total eclipse, the moon's semi-diameter is greatest, but in an annular eclipse the least.

In observing the beginning of a solar eclipse, it is of some importance for the accuracy of the observation, to know on what part of the sun's limb the eclipse will begin. This is easily found by means of the projection. Thus at the beginning of the eclipse, which corresponds to the point  $p'$  of the moon's path and the point  $Z'$  of the path of the spectator, the first point of contact  $g$  may be obtained by drawing about the centre  $p'$  with a radius equal to the moon's semi-diameter, a circle representing the moon's disc; about  $Z'$  as a centre with a radius equal to the sun's semi-diameter another circle representing the sun's disc, touching one another in the point  $g$ .

\* Instead of this circle, the line  $p'Z'$  may be drawn cutting the sun's disc in the sought point of contact  $g$ .

Draw the line CZ' meeting the sun's disc in the points *a*, *c*, the point *c* being the most distant from the centre C. Then the circle *g a c* being held between the eye of the observer and the sun, the engraved or marked side of the figure towards the eye, and the line *c a* in a vertical direction with the point *c* uppermost, will represent the appearance of the sun as viewed by the naked eye at that time, *c* will represent the upper part of the sun, *a* the lower, and *g* the point of contact. If the eclipse be observed with an inverting telescope, the contrary will be observed; that is, the part *a* must be uppermost, *c* the lowest, and *g* the point of contact will appear to the left hand of *ca*. In a similar manner the appearance of the objects may be obtained at any other part of the eclipse, but it is not necessary except at the beginning of it, where there is nothing to direct the eye of the observer.

## EXAMPLE.

Required the times and phases of the total eclipse of the sun, June 16, 1506, at Salem, in the latitude of  $42^{\circ} 33' 30''$  N. and the longitude of 4h. 43m. 32s. west from Greenwich?

By the Nautical Almanac the time of new moon at Greenwich was June 16d. 4h. 19', corresponding to June 15, 23h. 35' 28", at Salem. At the time at Greenwich, 4h. 19' the elements of the eclipse were as in the adjoining table calculated by the above rule.

Draw ACB (Plate XII. fig. 10.) and perpendicular thereto the line CGR. Make CG equal to the moon's latitude  $19^{\circ} 37'$  N. taken from a scale of equal parts, the point G being above C because the latitude is north. Make CO equal to the moon's horary motion from the sun  $34' 18''.1$ , to the right hand of the point C; and CP equal to the moon's horary motion in latitude  $+ 3' 22''.5$ , the point P being below C because this horary motion has the sign + prefixed. Draw Nvi. parallel to OP. Make OP a transverse distance of 60, 60,

on the line of lines of the sector, and measure from the same lines the transverse distance 35 $\frac{1}{2}$ , 35 $\frac{1}{2}$  (corresponding nearly to the minutes in the time of new moon) this distance set on the line GN to the right of G reaches to the point *r* where the hour preceding the new moon is to be marked, viz. 23h. Take OP in the compasses and mark it successively on the line NI. from *r* or 23h. to the right to 22h. and to the left to 24h. or 0h. 1h. &c. These are subdivided into five minutes, the scale not admitting smaller divisions. Take the moon's reduced horizontal parallax  $60' 16''.9$  from the scale of equal parts, and with that radius describe about the centre C the circle ARB. Set off (by means of the sector) the arches Rf, Rv, each equal to  $23^{\circ} 28'$ . Join TQU and about that diameter describe the circle TYU. Make the arch TV equal to the sun's longitude  $81^{\circ} 44' 36''$ , which is done by setting the radius QT as a chord from T to II, and then the arch  $\square V = 24^{\circ} 44' 36''$  by means of the sector. Draw PV parallel to CR to meet TU in the point P'. Join CP' and continue it to meet the circle ARB in W. Make (by the sector) the arches WD, Wd, equal the complement of the latitude of the place  $47^{\circ} 26'$  nearly, the radius being CB. In a similar manner make the arches DE, Df, de, &c. each equal to the sun's declination  $23^{\circ} 22'$ . Draw the lines Ff, Dd, Ee, cutting CW in *l*, *q*, *n*. Bisect *ln* in *r*. Draw the line VI, r, XVIII parallel to Dqd and make *r*, VI, r, XVIII, each equal to *qd*. Through the points *l*, VI, *n*, XVIII, *l*, draw the path of the spectator as taught in the above rule, and mark the hour of noon 0h. at the point *n* because the sun's declination is north. Mark the following hours in succession to the left I, II, III, &c. as in the figure. Take an extent in the compasses equal to the sum of the semi-diameters of the sun and moon  $32' 14''.2$  and beginning towards N. find, as above directed, the points *p'Z'* at that distance apart and marked with the same time 22h. 7' nearly, which is the time of the beginning of the eclipse. Proceed in the same way for the end of the eclipse corresponding to the points *p''Z''*, and to the time 0h. 5' which is the time of the end of the eclipse. Take the difference of the semi-diameters of the sun and moon  $42''$  in the compasses, and proceed in the same way to find the beginning and end of total darkness 23h. 27m. and 23h. 31m. The points corresponding could not be drawn in the figure as they are so near to *p* and Z, and the scale small. Find by trial the points *pZ* marked with the same time and at the least distance apart, this will be the time of the middle of the eclipse 23h. 29'. With an extent equal to the moon's semi-diameter  $16' 28''.1$  as a radius, describe about *p* the circle whose diameter is M-

ELEMENTS.		h. m.
Conjunction at Greenwich, June 16.		4 19
at Salem W. from Greenwich		4 43 32
Ecliptic conjunc. at Salem, June 15,		23 35 28
Latitude of Salem		42 33 30
S's Horizontal Parallax		60 23 7
S's Horizontal Refracted		34
S's Reduced Horizontal Parallax		60 16 9
S's Semi-diameter		16 24 1
S's Semi-diameter		15 46 1
Sum of semi-diameters		32 14 2
Difference of semi-diameters		42 0
S's Horary motion in Long. Prob. II.		36 41 2
S's Horary motion N. A.		2 25 1
S's Horary motion from ☉	CO	31 15 1
S's Horary motion in latitude	CP +	3 22 2
S's Latitude by Prob. I.	CG -	13 37
S's Longitude	TV	81 44 36
S's Declination	DF	23 22 N.



representing the moon's disc, and with the sun's semi-diameter  $15' 46''.1$ , describe about  $Z$  the circle whose diameter is  $Ss$  representing the sun's disc at the middle of the eclipse. The sun's disc being wholly covered by the moon, indicates that the eclipse was total. Describe in the same way about  $p$  and  $Z'$  the discs of the sun and moon, at the beginning of the eclipse, touching each other in  $g$ . Draw  $CZ'$  cutting the moon's disc in  $c$  and  $a$ . Then the arch  $cg$  will be the distance of the first point of contact of the sun and moon from the sun's zenith towards the western part of the limb.

REMARKS.

1. The correction for the spheroidal form of the earth, the augmentation of the moon's semi-diameter, inflexion and irradiation, are neglected in the above rule as not sensibly affecting the result of the projection, though these points might be attended to by the following precepts.

2. From the latitude of the place subtract the correction of latitude of Tab. XXXVIII. and from the moon's horizontal parallax decreased by  $8''.8$  subtract the correction of parallax in the same table; the remainders will be the corrected latitude and parallax to be made use of in the above rule to correct for the spheroidal form of the earth.

3. Decrease the moon's semi-diameter given by the N. A. by  $2''$  for inflexion.

4. Decrease the sun's semi-diameter  $3''.3$  for irradiation, and from the remainder subtract a correction equal to the augmentation (Tab. XV.) that the moon's semi-diameter would have when at the same altitude as the sun, the remainder will be the corrected semi-diameter of the sun, to be used in the above rule in finding all the times and phases of the eclipse. This method of decreasing the sun's semi-diameter produces nearly the same result as that by augmenting the moon's semi-diameter, horary motion and horizontal parallax, and taking the sun's semi-diameter as given in the Nautical Almanac.

5. Besides these corrections, there are others depending on the change of the moon's semi-diameter, horizontal parallax and horary motion during the eclipse, but all these corrections are usually neglected in projecting an eclipse or occultation.

6. The altitude of the sun, which is nearly the same as that of the moon during the eclipse, may easily be found by means of the projection. Thus if it were required at the beginning of the eclipse when the spectator is at  $Z$ : Take the distance  $CB$  and apply it as a transverse distance  $90^\circ, 90'$ , to the sines of the sector; then the distance  $CZ'$  applied in the same manner to those lines, will give the zenith distance of the sun, about  $31^\circ$ , corresponding to the altitude  $59^\circ$ . The correction (Table XV.) corresponding to this altitude is  $14''$ , which is nearly the correction to be subtracted from the sun's semi-diameter  $15', 42''.6$  (corrected for irradiation) to obtain the corrected semi-diameter  $15' 29''.6$ , as taught in §4. Table XV. was calculated for the mean semi-diameter  $15' 37''$  and the correction of the Table 14" ought to be increased in ratio of the sun's semi-diameter  $15' 46''.1$  to  $15' 37''$  when very great accuracy is required. The difference of the corrected semi-diameters of the sun and moon  $15' 29''.6$  and  $16' 26''.1$  is  $57''\frac{1}{2}$ , which is to be used instead of  $42''$  in finding the beginning and end total darkness. The duration of the total darkness found by the corrected values  $57''\frac{1}{2}$  is  $4\frac{1}{2}$  minutes, but with the uncorrected value  $42''$  is only 3 minutes. It was probably owing to the neglect of this correction that some of the Almanacs published in this country, for 1806, mentioned the duration as 3 minutes.

7. The path of the spectator I, II, III, IV, &c. calculated for the proposed latitude  $42^\circ 33' 30''$  may be made to answer for any other latitude by altering the centre of projection and the scale of equal parts. By this means the trouble of repeatedly describing that path, when the eclipse is to be calculated for several places, may be avoided. To do this add the Prop. Log. of the reduced parallax to the log. secant of the latitude of the place, the sum, rejecting 10 in the index, will be the Prop. Log. of an arch A. To this Prop. Log. add the log. secant of the sun's declination (or star's in an occultation) and the log. co-tangent of the latitude of the place, the sum, rejecting 20 in the index, will be the Prop. Log. of the arch B. Take the radius  $r$ , VI (or  $qD$ ) in the compasses, and make it a transverse distance on the line of lines of the sector corresponding to the arch A, and with that opening of the sector measure the transverse distance corresponding to the arch B which set from  $r$  towards C on the line  $rC$  (continued if necessary) will reach to the centre of the projection corresponding to the proposed latitude; the transverse distance corresponding to the reduced parallax measured from the line of lines, with the same opening, will be the radius of the projection, and the transverse distance corresponding to the horary motion of the moon from the sun or star in an occultation, will be the horary distance to be made use of in marking the hours on the lunar orbit  $LN$ ; lastly, the latitude of the moon at the conjunction is to be measured as a transverse distance, and set from the new centre of projection on a line drawn through it parallel to  $CR$ , and the point where it reaches will be the new point G corresponding to the place of the moon at the ecliptic conjunction. Through this point the line of the moon's path is to be drawn parallel to the line  $LN$  of the figure, and the hours are to be marked



on it as before. Whence the times of beginning and end of the eclipse may be found as in the above rule. An example of this method is not given, as it would render the scheme too confused.

### PROBLEM XII.

*To project an occultation of a fixed star by the moon, at any given place.*

The method of projecting an occultation is nearly the same as that of an eclipse of the sun, but to save the trouble of reference it was thought expedient to give the rule without abridgment.

#### RULE.

To the time of the ecliptic conjunction of the moon and star, given in the first page of the Nautical Almanac (or calculated by Prob. III.) add the longitude of the proposed place turned into time, if east, but subtract if west, the sum or difference will be the time of conjunction at the proposed place. Corresponding to the time of conjunction at Greenwich, find by Problem I. the moon's latitude, horizontal parallax and semi-diameter, also the sun's right ascension. Then by Problem II. find the horary motion of the moon in longitude and latitude, and by Tables VIII. and XXXVII. the star's Right Ascension, Declination, Longitude and Latitude.<sup>†</sup>

Draw the line ACB (Plate XII. fig. 3.) representing a parallel of the ecliptic passing through the star, and perpendicular thereto the line CPR. Take a scale of equal parts to measure the lines of the projection, and from it take an interval equal to the difference of the latitudes of the moon and star, and apply it to the line CR from C to G above the line ACB if the moon's latitude is north of the star's, otherwise below.<sup>‡</sup> Take CO equal to the horary motion of the moon in longitude, and set it on the line CB to the right hand of C to O; take CP equal to the moon's horary motion in latitude found with its sign by Problem II. and set it on the line CR from C to P, above the line ACB, if its sign is —, below if +. Join OP which represents the horary motion of the moon on her orbit, and parallel to that line draw the orbit of the moon NGL, on which are to be marked the places of the moon before and after the conjunction by means of the horary motion OP, so that the moment of the ecliptic conjunction at the proposed place may fall exactly at the point G, as in the figure where the conjunction is at 18h. 12'. This may be done by making OP equal to the transverse distance 60, 60, on the line of lines of the sector, then measuring from the same lines the transverse distance corresponding to the minutes and parts of a minute in the time of the ecliptic conjunction at the place of observation, and setting it on the line GN from G towards the right to the point x, the place of the moon at the first whole hour preceding the conjunction (which in the present figure is 18h.) Then the distance OP being taken in the compasses, and set from x to the right hand, gives successively the preceding hours, and the same distance set to the left gives the following hours, as in the figure, where they are marked 17h. 18h. 19h. 20h. These hours are to be divided into 60 equal parts representing minutes, the scale being taken sufficiently large for that purpose. In the present figure the subdivisions are carried only to five minutes. Take the moon's horizontal parallax from the scale of equal parts for the radius CB; with which on the centre C, describe the circle BRA cutting CR in R. Open the sector till the transverse distance 60, 60, on the line of chords, is equal to the radius CB, and measure from that line the transverse distance 2, 28' (equal to the obliquity of the ecliptic) which set on the circle ARB on each side of R to T and U. Join TU cutting CR in Q. On Q as a centre, with the radius QT, describe a circle TYUV, on which set off the arch TYV, equal to the star's longitude. Through V draw the line VP' parallel to CR. Open the sector till the transverse distance 90, 90, on the sines, is equal to the radius CB, then take in the compasses from the same lines an extent equal to the transverse distance corresponding to the complement of the declination of the star, and with one foot in C sweep a small arch to cut the line VP' in P' the place of the pole of the earth.<sup>§</sup> Draw CP', and continue it on either side so as to cut the circle ARB in the point W situated above AB, if the latitude of the proposed place is north, but below if south. In the proposed figure the latitude is north. (If it had been south the lower part of the circle ARB ought to have been made use of.) Open the sector

<sup>†</sup> In strictness these quantities ought to be corrected for Aberration and Nutation by Tables XXXIX. — XLIII. but the correction is so small that it may always be neglected. If the Right Ascension and Declination only are given, the latitude and longitude may be found by Problem XIX. and if the latter are given, the former may be calculated by Problem XX.

<sup>‡</sup> In the figure the point G is placed above ACB, because the moon is in a less southern latitude than the star. This part of the rule may also be thus expressed. Find the moon's latitude with its sign as in Problem II. Prefix the sign + to the star's latitude if north, the sign — if south. Add the latitudes, noticing the signs as in algebra, and the distance CG will be obtained. If its sign is — the point G is to be placed above C, but below C if the sign is +.

<sup>§</sup> See note with this mark in page 592.

<sup>¶</sup> See note with this mark in page 592.

<sup>‡</sup> See note with this mark in page 594.

<sup>¶</sup> The distance of the line WV from the line CR, the situation of the point P' and the part of the spectator, may be found as in the note § page 594.



as before so as to make the transverse distance of  $60^\circ$ ,  $60^\circ$ , on the chords, equal to  $CB$ , and take the chord of the complement of the latitude of the place, which set from  $W$  on each side, to  $D$  and  $d$ . With the same opening of the sector measure the chord of the star's declination, which set on the circle  $ARB$  from the point  $D$  on each side, to  $E$  and  $F$ , and from  $d$  on each side to  $e$  and  $f$ . Draw the dotted lines  $Ff$ ,  $Dd$ ,  $Ee$ , cutting  $CW$  in  $l$ ,  $q$ ,  $n$ . Bisect  $ln$  in  $r$ , and erect the line  $tru$  perpendicular to  $CW$  and make  $rt$ ,  $ru$  each equal to  $qD$ . Open the sector to make the transverse distance  $90^\circ$ ,  $90^\circ$ , on the sines equal to  $rt$ , and on each side of  $r$  mark on the line  $tru$  the sines of  $15^\circ$ ,  $30^\circ$ ,  $45^\circ$ ,  $60^\circ$ ,  $75^\circ$ , (equal to 1h. 2h. 3h. 4h. 5h. respectively) to that radius, and mark the points with those degrees as in the figure: through these points draw the dotted lines parallel to  $ln$  as in the figure. Open the sector so that the radius  $rl$  may correspond to the transverse distance  $90^\circ$ ,  $90^\circ$ , on the sines, and measure the complements of the former degrees as transverse distances on the sines, viz.  $75^\circ$ ,  $60^\circ$ ,  $45^\circ$ ,  $30^\circ$ ,  $15^\circ$ , and set them on the above dotted lines, on each side of the points  $15^\circ$ ,  $30^\circ$ , &c. respectively, above and below the line  $tru$ . A regular curve  $nllun$  drawn through the extremities of these dotted lines, will represent the path of the spectator in the given latitude. Subtract the sun's right ascension from the star's (increasing the latter by 24 hours when necessary) the remainder will be the hour of the star's passing the meridian,\* which is to be marked at the upper point  $l$  of the path if the star's declination is south, but at the lower point  $n$  if the declination is north. The other hours are to be marked from this point towards the left, by marking successively, at the points where the dotted lines meet the path, the hour of the star's passing the meridian, increased by 1h. 2h. 3h. &c. completely round the curve, observing to reject 24 hours when the sum exceeds 24h. In the present example the star's declination is south, consequently the upper point  $l$  of the path is taken for the hour of passing the meridian 19h. 54'. The extremities of the dotted lines to the left being marked successively 20h. 54', 21h. 54', 22h. 54', 23h. 54', 0h. 54', &c. The path touches the circle  $ARB$  in two points, representing the points of rising and setting of the star, which in the present figure are 14h. 9' and 1h. 39'. These points divide the path into two parts, of which one represents the path while the star is above the horizon, the other when below, as is evident from the hours marked on the curve. The half hours or any other intermediate time may be marked in a similar manner. Thus, for the time 4h. 24', which is 7h. 0' or 52' 30" from the time 7h. 54', marked at the point  $n$ ; set the sine of  $52^\circ 30'$  to the radius  $rt$  from  $r$  to  $h$  on the line  $rt$ , and erect the perpendicular  $hi$ , equal to the sine of  $37^\circ 30'$  (which is the complement of  $52^\circ 30'$ ) to the radius  $rn$ , and the point  $i$  will represent the place of the spectator at the proposed time. In this way the halves and quarters of hours may be marked on those parts of the path where necessary. The smaller subdivisions may generally be obtained to a sufficient degree of exactness by dividing the quarters of hours into equal parts.

Take from the scale of equal parts an extent equal to the semi-diameter of the moon, and beginning at the line  $Nl$  towards  $N$ , find by trials the point  $p'$  of the moon's path and the point  $Z'$  of the path of the spectator, marked with the same time and at that distance apart. That time will be the beginning of the occultation or immersion at the proposed place. Proceed in the same way towards the point  $l$ , and find the points  $p$ ,  $Z$ , at the same distance apart, the corresponding time will be the end of the occultation or emersion. About the points  $p'$ ,  $p$ , as centres, with a radius equal to the moon's semi-diameter, describe the small circles meeting the paths of the spectator in the points  $Z'$ ,  $Z$ . These circles will represent the moon's disc: the points  $Z'$ ,  $Z$ , the places of the star, and the lines  $CZ'$ ,  $CZ$ , the vertical circles passing through the star at the times of immersion and emersion respectively. To render this part of the scheme more distinct to the eye, it is drawn separately in Fig. 9, Plate XII. in which the point  $C$ ,  $p'$ ,  $Z'$ , are similarly situated to the corresponding points of Fig. 8, marked with the same letters. Through  $p'$  draw the line  $a'p'e'$  parallel to  $CZ'$ , to meet the moon's disc in  $a'$ ,  $e'$ . Then the circle  $a'Z'e'$  being held between the eye of the observer and the sun, the engraved or marked side of the figure towards the eye, and the line  $CZ'$  (or  $a'p'e'$ ) in a vertical position with the point  $Z'$  above  $C$ , will represent the appearance of the moon and star as viewed by the naked eye,  $e'$  will represent the upper part of the moon,  $a'$  the lower part, and  $Z'$  the point of contact. The contrary will be observed if the object be viewed by an inverting telescope. It will generally be conducive to the accuracy of an observation to estimate in this manner the point of emersion, so as to keep that point of the moon's limb in the field of view of the telescope, and the eye directed towards that point of the limb, so as to perceive the star at the first instant of its appearance.—The situation of the point of emersion with respect to the horns  $p$ ,  $\theta$ , of the moon may also be made use of for this purpose. The line  $ap$  connecting the moon's horns, is nearly parallel to the line  $CR$ , except very near the new or full moon, so that in general it will be sufficiently

\* Or rather the horary distance of the  $\odot$  and  $\star$  at the time of the celestial conjunction of the moon and star.

correct to draw through  $p$  the line  $p\theta$  parallel to CR. If greater accuracy is required, the following construction may be made use of. Subtract the sun's longitude from the moon's,\* make the arch  $TY\lambda$  equal to the remainder, and join  $\lambda\lambda$ . Set on the same circle the arch  $T\beta$  equal to the moon's latitude; *b. low* the point T if that latitude is south, *above* if north. Through  $\beta$  draw the line  $\beta\epsilon\delta$  parallel to TQ to cut  $\lambda\lambda$  in  $\epsilon$  and CR in  $\delta$ . Take the extent  $\epsilon T$  and set it on the line  $\delta\gamma$  above  $\delta$  to  $\mu$ . Join  $\mu\epsilon$  and parallel thereto through  $p$  draw the line  $p\theta$  cutting the moon's disc in the points  $p$  and  $\theta$  representing the horns, the figure being viewed as above directed. The enlightened part of the moon is that nearest to the sun, the dark part is the most distant from it.

## EXAMPLE.

Required the times of immersion and emersion of Spica, Dec. 12, 1808, at a place in the latitude of  $20^{\circ}$  N. and in the longitude of 1h. 9m. east from Greenwich?

ELEMENT			
Conjunction at Greenwich	Dec. 12	17h. 33'	
Longitude E. from do.		1	9
Conjunction at place of observation		18	42
* R. ascen. Tab. VIII.		18	15 00
* R. ascen. by N. A.		17	21 18
* passes the meridian	Sub	19	25 50
Latitude of the place		20 <sup>o</sup>	0 0'
D's horizontal parallax by N. A.	CB	59	55.2
D's semi-diameter by N. A.		16	15.2
D's horary mot. in long. Prob. II.	CO	36	35.2
D's horary mot. in lat. Prob. II.	CP	—	3 02.7
* longitude, Tab. XXXVII.	TYV	201	10 31
* latitude by N. A.		1	49 35.8
* latitude, Tab. XXXVII.		2	2 15.8
Diff. of latitudes D N. of *	CG	12	305.
* declination		19	10 E.

Draw ACB, and perpendicular thereto the line CGY. Make CG equal to the difference between the latitudes of the moon and star  $12^{\circ} 20'$  taken from a scale of equal parts, the point G being above C, because the moon is northward of the star. Make CO equal to the moon's horary motion in longitude  $35^{\circ} 55'.2$  to the right of C; and CP equal to the horary motion in latitude  $3' 2".7$ , the point P being above C because the sign is — (or the latitude is south decreasing.) Draw NGI parallel to OP. Make OP a transverse distance of 60, 60, on the line of lines of the sector, and measure from the same lines the transverse distance 42, 42 (corresponding to the minutes in the time of the conjunction) this distance set on the line GN, from G towards the right hand, reaches to the point  $r$  of the path where the hour preceding the conjunction is to be marked, viz. 18h. Take OP in the compasses, and mark it on the line GN, from  $r$  or 18h. to the right to 17h. and to the left to 19h. 20h. &c. These are subdivided into five minutes, the scale not admitting of smaller divisions. Take the moon's parallax  $59^{\circ} 55'.2$  from the scale of equal parts, and with that radius describe about the centre C the circle ARB. Set off (by means of the sector) the arches RI, RI', each equal to  $23^{\circ} 28'$ . Join TQC, and about that diameter describe the circle TYEVT. Make the arch TYV equal to the star's longitude  $201^{\circ} 10' 31"$ , which is done by making the arch UV =  $21^{\circ} 10' 31"$ . Draw PT parallel to CR, and with an extent equal to the complement of the star's declination  $79^{\circ} 50'$ , taken as a transverse distance from the sines, with the radius CB; and with one foot in C, sweep an arch cutting P'V in P'. Join CP' and continue it to meet the circle ARB in W. Set on each side of W the arches WD, Wd equal to the complement of the latitude of the place  $70^{\circ}$ . Make the arches DF, DE,  $d f d e$  each equal to the star's declination  $10^{\circ} 10'$ , and draw the lines F l f, D q d, E n e, cutting CW in l, q, n. Bisect  $ln$  in  $r$ , draw  $trv$  parallel to D q d, and make  $r t, r v$  equal to  $q D$ . Through the points l, t, n, u, t, draw the path of the spectator as taught in the above rule, and mark the hour of the star's passing the meridian 19h. 55' 50" or 19h. 54', at the upper point l, because the star's declination is south. Mark the following hours in succession 20h. 54', 21h. 54', &c. to the left, as in the figure. Take an extent in the compasses equal to the moon's semi-diameter  $16' 19".3$  and beginning towards N. find as above directed the points  $p', z'$ , at that distance apart, and marked with the same time 16h. 57', which is the time of the immersion. Proceed in the same way for the emersion corresponding to the points  $p, z$ , at the same distance apart, and the time of the emersion 18h. 10' will be obtained. With the same extent describe about  $p$  and  $p'$  the small circles representing the disc

\* In strictness the longitude and latitude of the moon at the time of immersion or emersion ought to be made use of, but it will be sufficiently exact to use the star's longitude instead of the moon's (increasing it by  $3^{\text{h}} 09^{\text{m}}$  when less than the sun's longitude) and the moon's latitude at the conjunction. Quantities of the same or less as the moon's parallax are subtracted in the value of the arch TYV.



TO CALCULATE THE BEGINNING OR END OF AN ECLIPSE. 601

of the moon at these times, and cutting the path of the spectator in the point  $Z, Z'$ . Join  $CZ', C'p'$ , and parallel to  $CZ'$ , draw  $c', p'a'$  cutting the moon's disc in  $c', a'$  (as in Fig. 9, P. XII.) and the arch  $a'Z'$  will represent the distance of the point of immersion from the lower part  $a'$  of the moon. The line  $CZ$  runs nearly through the point  $p$ , so that the top part of the moon  $c$  and the point  $Z$  nearly coincide, consequently the emersion happened near the moon's zenith. By subtracting the sun's longitude  $261^{\circ} 7'$  from the moon's or star's  $201^{\circ} 10'$ , (increased by  $360^{\circ}$ ) the remainder is  $300^{\circ} 3'$ , which is to be marked on the circle  $TUV$  to the point  $\lambda$ . Make the arch  $T\beta$  equal to the moon's latitude  $1^{\circ} 49' 53''$ , taking the point  $\beta$  below  $T$ , because the latitude is south. Draw the lines  $\lambda Q \beta \epsilon \delta, \mu \epsilon, \rho \rho \theta$  as in the rule, and the points  $\rho, \theta$ , will represent the places of the moon's horns. The point of emersion  $Z$  will be to the westward of the upper horn  $\rho$ , about  $60'$  measured on the moon's limb.

REMARKS.

1. When it is thought necessary to take notice of the spheroidal form of the earth, the corrections of latitude and parallax of Table XXXVIII. must be subtracted from the latitude of the place and the moon's horizontal parallax respectively, to obtain the latitude and parallax to be made use of in the above rule.
2. Subtract  $Z''$  from the moon's semi-diameter given by the N. A. the remainder is to be made use of *without augmentation*, on account of the altitude of the moon.
3. The corrections for the change of the moon's semi-diameter, horizontal parallax, and horary motion during the occultation, are neglected in the above rule, as not materially affecting the result.
4. The line  $CZ'$ , measured on the sines as a transverse distance to the radius  $CB$ , will be the star's zenith distance at the immersion. In a similar manner it may be found at the emersion at  $Z$ , or at any other point.
5. The curve  $ltnu$  may be made to answer for any latitude, as in Problem XI.

Remark 7.

*Calculation of an Occultation of a Planet by the Moon.*

By a similar process the times of immersion and emersion of a planet may be calculated by finding the planet's right ascension and declination, geocentric longitude and latitude from the Nautical Almanac, and using them instead of the star's. Also by Prob. II. the horary motion of the moon from the planet in longitude and latitude, which are to be used instead of the horary motion of the moon. In this projection it will not be necessary to take notice of the parallax of the planet, but it may be easily allowed for, by taking the radius  $CB$  equal to the difference of the horizontal parallaxes of the moon and planet. The apparent diameter of the planet may also be neglected, making the distances  $pZ, p'Z'$  equal to the moon's semi-diameter. When great accuracy is required, the sum of the semi-diameters of the moon and planet must be made use of for finding the external contacts, and their difference for the internal contacts.

PROBLEM XIII.

*To calculate the beginning or end of a solar Eclipse.*

RULE.

This must be done by approximation, by assuming a time for the beginning or end of the eclipse, as for example the time obtained by projection by Problem XI. the time of new moon at the place of observation, or an hour before or after, according as it is the beginning or end of the eclipse that is sought. With this time calculate the elements of the eclipse and the parallaxes, as taught in the first part of Problem VIII. The parallaxes applied to the longitude and latitude of the moon by the N. A. will give the apparent longitude and latitude. Find the difference of the apparent longitudes of the moon and sun, and from its prop. log. increasing the index by 10. subtract the prop. log. of the moon's apparent latitude, the remainder will be the log. tangent of an angle, whose corresponding log. co-sine is to be added to the prop. log. of the diff. of longitudes, the sum, rejecting 10 in the index, will be the prop. log. of the apparent distance of the centres of the sun and moon, which ought to be equal to the sum of the corrected semi-diameters, if the assumed time was correct. If this is not the case, the operation must be repeated with an assumed time differing a few minutes from the former, and the apparent distance of the centres of the sun and moon must be calculated in this new supposition. Then add together the arith. comp. of the prop. log. of the difference of the apparent distances thus calculated, the prop. log. of the difference between the first calculated distance and the sum of the semi-diameters, and the prop. log. of the interval of time between the two suppositions, the sum, rejecting 10 in the index, will be the prop. log. of the correction to be applied to the first assumed time, which at the beginning of an eclipse is to be *added* to the first assumed time, if the distance be *greater* than the sum of the semi-diameters, but *subtracted* if *less*; and the contrary in calculating the end of an eclipse: the sum or difference will be the *approximate* time of the beginning or end

of the eclipse. If great accuracy is required, the operation may be repeated with this approximate time, combining this result with one of the former suppositions, and the operation may be repeated till the apparent distance of the centres at the assumed time is found to be exactly equal to the sum of the corrected semi-diameters.

*Remark.* This rule, with some modification, will answer for calculating the time of an occultation of a fixed star or planet by the moon. In this case the star's longitude is to be found in Table XXXVII. and corrected for the equation (Tables XL. XLI. (or the planet's longitude is to be taken from the Nautical Almanac) the difference between this and the moon's apparent longitude corresponding to the assumed time being found, its prop. log. is to be added to the log. secant of the moon's apparent latitude, and the sum is to be used in finding the distance of the centres instead of the prop. log. of the diff. long. of the sun and moon, with the index increased by 10. The latitude of the star is to be found by Tables XXXVII. and XLI. or the planet's latitude by the Nautical Almanac, and added to the latitude of the moon, if of a different name, otherwise their difference is to be taken and made use of, instead of the moon's latitude in the above rule. Lastly, instead of the sum of the semi-diameters, the semi-diameter of the moon is to be made use of. When very great accuracy is required, in calculating an occultation of a planet by the moon, the difference of the parallaxes of the moon and planet decreased by the correction of Parallax (Table XXXVIII. is to be made use of as the reduced parallax, in finding the parallaxes in longitude and latitude. When the apparent distance of the centres of the moon and planet is equal to the sum of their semi-diameters, their limbs will just appear to touch each other, and when that distance is equal to the difference of the semi-diameters, the planet will be wholly covered by the moon.

EXAMPLE.

Required the time of the beginning of the solar eclipse of June, 1806, at Salem, supposing the errors of the moon's longitude and latitude in the Nautical Almanac to be unknown?

To abridge the present calculation, suppose the beginning of the eclipse to be June 15d. 22h. 6' 18".1 app. time, the elements corresponding to which have been calculated in Problem VI.; namely, J's apparent longitude  $84^{\circ} 8' 50''.3$ , J's apparent latitude,  $1^{\circ} 55'.8$  N. these being corrected for the errors of the tables,  $58''.5$  and  $11''.4$ , hence the uncorrected values are  $84^{\circ} 9'.48''.8$ , and  $2^{\circ} 7''.2$  N. The difference between this app. long. of the moon and the sun's longitude  $84^{\circ} 41' 3''.4$ , is  $31' 14''.6$ .

Diff. long.	31' 14'.6 P. L.	10.7605	0.7805
J App. Lat.	2 7'.2 P. L.	1.9289	
		Tan. 8.8318—Corresponding co-sine	8.9920
		App. Dis. ☉ J	31'. 19'.0 P. L. .7386

This apparent distance differs  $1' 4''.5$  from the sum of the semi-diameters  $32' 25''.5$ . It is therefore necessary to make a second supposition, as for example ten minutes later, or at 22h. 16' 18".1, with this time the elements are to be again calculated as in Problem VI. namely, J's app. long. uncorrected  $84^{\circ} 14' 7''.1$ , ☉'s long.  $84^{\circ} 41' 27''.2$ , their difference  $27' 10''.1$ , J's app. lat. uncorrected for error of tables  $1^{\circ} 58''.8$  N.

Diff. long.	27'.10".1	P. L.	10.6212	0.8212
J App. Lat.	1'.58".8	P. L.	1.3586	
		Tang.	8.8628	Corresp. co-sine
				8.8984
[Second App. Dist. ☉ J	27'. 14".7			P. L. .8200
First App. Dist. ☉ J	31. 19 0			
		Difference	4. 4. 3	P. L. Ar. 68.
		Diff. 1st. dist. & Semi-diam.	1. 4. 5	2.2733
		Interval	10. 0.	P. L.
				1.2643
		Correction	2. 32.	P. L.
				1.8236
First supposed time	15d. 22h. 6. 18.1			
Approximate time	15. 22. 3. 40.1			

If this approximate time had differed very much from the assumed times, it would be necessary to repeat the operation till the last assumed and calculated times agree.

PROBLEM XIV.

Given the moon's true longitude to find the apparent time at Greenwich.

RULE.

1. Take from the Nautical Almanac the two longitudes immediately preceding

the given longitude and the two following, and find the first and second differences as in Problem I. Call the middle term of the first differences the arch A, and the half sum of the second differences (noting the signs) the arch B.

2. To the constant logarithm 4.63548 add the arithmetical comp. log. of A in seconds, and the logarithm of the difference in seconds between the given longitude and the second longitude taken from the Nautical Almanac, the sum, rejecting 10 in the index, will be the logarithm of the approximate time T in seconds.

3. Enter Table XLV. with the arch B at the top, and this time T at the side, and find the corresponding correction: to the logarithm of which add the two first logarithms above found, the sum, rejecting 10 in the index, will be the correction of the approximate time to be applied with the same sign as the arch B, and the correct apparent time, counted on from the second noon or midnight, will be obtained.

## EXAMPLE.

Suppose the moon's longitude Dec. 12, 1808, was  $6s. 19^{\circ} 38' 58''$ . Required the apparent time? As in Example I. Problem I.  $A=7^{\circ} 11' 18'' = 25878''$ ,  $B=+4' 54''.5$  and the difference between the given longitude and the second longitude, taken from the Nautical Almanac,  $6s. 17^{\circ} 51' 36''$  is  $1^{\circ} 47' 22'' = 6442''$ . Hence (as in the following calculation) the approximate time past midnight is 2h. 59' 14'', this and the arch B gives, in Table XLV. the equation  $27''.5$  whence the correction is  $+46'$ , and the sought time 3h. past midnight or Dec. 12d. 15h.

	Constant log.	4.63548		4.63548
A	25878'' Ar. co. log.	5.59707		4.63707
Diff. long.	6442''	log.	3.80802	Eq. Table XLV. 27''.5 Log. 1.43333
Approx. time 2h. 59' 14'' = 10754''	log.	4.03157	Correction +46''	Log. 1.66188

## PROBLEM XV.

Given the distance of the moon from a fixed star not marked in the Nautical Almanac, together with the altitudes of the objects, the apparent time of observation, and the estimated longitude, to find the longitude of the place of observation.

## RULE.

To the apparent time of observation, by astronomical computation, add the estimated longitude in time, if west; subtract, if east, the sum or difference will be the supposed time at Greenwich, corresponding to which find the moon's latitude by Problem I. also the longitude and latitude of the Star by Table XXXVII. and correct them for aberration and nutation, by Tables XI. XII.

With the apparent altitudes and distance of the objects, find the correct distance by the usual rules of working a lunar observation.

To the correct distance add the latitudes of the moon and star, and find the difference between the half sum and the distance. Then to the log. secants of the latitudes of the moon and star, rejecting 10 in each index, add the log. co-sines of the half sum and difference if the latitudes are of the same name; or the log. sines if of a contrary name; half the sum of these four logarithms will be the log. co-sine of half the difference of longitude if the latitudes are of the same name, or its log. sine if of a different name.

The difference of longitude is to be added to the apparent longitude of the star if the moon is east of the star, otherwise subtracted (borrowing or rejecting  $360^{\circ}$  when necessary); the sum or difference will be the true longitude of the moon, whence the time at Greenwich may be found by Problem XIV. The difference between this and the apparent time at the ship will be the longitude, which will be west if the apparent time at Greenwich be greater than the time at the ship, otherwise east.

## REMARK.

This method, with a slight modification, will answer for finding the longitude from the observed distance of the moon from a planet, as Jupiter, Venus, Mars, or Saturn. The only difference consists in finding from the Nautical Almanac by Problem I. the Geocentric long. and lat. of the planet, which are to be used instead of the longitude and latitude of the star in the above rule. For the daily variation of the longitude and latitude of a planet is so small, that no error of moment can arise from calculating those quantities for the supposed instead of the true time, at Greenwich, and the parallax and semi-diameter of the planet are so small as not to affect the calculation materially.

The latitudes of the moon and the fixed star or planet made use of in these observations, ought not to differ very much, on account of the decrease of the relative motion arising from this source. If the latitudes are of a different name, their sum; otherwise their difference ought to be found, and if it does not exceed one third part of the difference of longitude of the two objects, they may in general be made use of.

E\ MPLE.

Suppose that on the 7th. January, 1808, sea account, at 6h. 57m. P. M. in the longitude of 120° W. by account, the observed distance of the farthest limb of the moon from the star Aldebaran was 39° 7' 4", the observed altitude of the star 43° 18', and the observed altitude of the moon's lower limb 52° 52'. Required the true longitude, without using the distances marked in the Nautical Almanac, upon the supposition that they were not given in it ?

In this case the supposed time at Greenwich was Jan. 6d. 14h. 37m. D's horis. par. 54° 35", D's S. D. 15° 5'. Apparent distance of centres D \* 38° 51' 59", whence (by the rule page 167) the correct distance is 38° 47' 26". The Moon's latitude deduced from the Nautical Almanac by Problem I. is 2° 37' 36" N. The Star's longitude and latitude is found by Tables XXXVII. XL. XLI. making use of the longitude of the Moon's node 7s. 28° 15', and the Sun's longitude 9s. 15° 42', as given in the Nautical Almanac.

Table XXXVII. * Long. Jan. 6, 1808,	67° 6' 11.5	* Latitude	59.28.49.6 E.
Table XLI. * Aberration	+ 15.7	* Aberration	+ 1.2
Table XL. Equat. Equinox	+ 15.2	* App. Lat.	5 58.51.5
* Apparent longitude	67 6.52		
Correct Distance	38.47.26		
D Latitude	2.37.38 N. Sec. 0.00046		
* Latitude	5.28.51 E. Sec. 0.00159		

Sum 48.53.53

Half sum	23.26.58	Sine <sup>2</sup>	9.59961
Diff. ½ sum and dist.	16 20. 30	Sine <sup>2</sup>	9.42265

19.02481

Diff. of Long.	18.59. 21	Sine <sup>2</sup>	9.51240
Diff. of Long.	37.58. 42	D West of *	
*'s Longitude	67. 6. 52		

D Longitude	23. 8. 10
D Log. Jan. 6d. 12h.	27.49. 6

Difference 1.19. 4=4744" Diff.

D Longitude, Jan.	Cd. Oh.	21. 53. 10	5.55.56	2 Diff.
	6. 12	27. 49. 6	A 5.57.25	+1° 30'
	7. 0	33. 46. 32	5.59.34	+ 2 8
	7. 12	39. 46. 6		-1. 43
	Constant log.	4.63548		4.63548
A = 59.57.28" = 2146" log. co.		5.66865		5.66865
1. 19. 4 = 4744" log.		3.67614	Eq. Tab. XLV. + 8'.4 Log.	0.97313

Approx. time 2h. 39' 16" = 9556" Log. 3.98027 Correction + 19" Log. 1.27725

Time T 2. 39. 35 Hence time at Greenwich 14h. 39' 35"  
 App. time at ship 6. 57. 0  
 Longitude 8. 2. 3=120° 53' ½ W.

PROBLEM XVI.

Given the intervals of time between the passages of the moon's limb and fixed star over two different meridians, to find the difference of longitude of the two meridians.

In making these observations it is usual to note the times of transit by a clock regulated to sidereal time, being the most convenient for calculation. If the intervals are given in mean solar time, they may be reduced to sidereal, by adding a proportional part of the daily difference 3' 56".6. Thus if the interval was 6 hours mean time, the correction would be found by saying as 24h. : 6h. :: 3' 56".6 : 59".1, which added to 6h. gives the interval in sidereal time 6h. 0' 59".1. In the following rule it is supposed that the intervals are given in sidereal time. The constant logarithm .463667 made use of in the rule, is the logarithm of 43318 seconds, the number of seconds sidereal time in half a mean solar day. In strictness this quantity ought to be equal to the logarithm of the number of seconds sidereal time in 12 hours apparent time, which may differ 15 seconds from 43318" on account of the daily variation of the equation of time. The correction arising from this source is very small, and may in general be neglected, though it can be allowed for in a very simple manner, since the logarithm varies an unit in the fifth decimal place for 1" of time. Hence the correction of the logarithm is equal to half the daily variation of the equation of time is

\* Use cosine if the latitudes are of the same name.

seconds, given in the Nautical Almanac, to be added to 4.63667 when the equation of time is marked *add* and is increasing, or *sub.* and decreasing; otherwise *subtracted*. Thus if the observation was made July 4, 1808, the equation of time is marked *add*, and is increasing daily  $10''.5$  half of which or  $5''$  is the correction to be added to 4.63667 to obtain the logarithm 4.63672, to be made use of July 4, 1808.

**RULE.**

If the moon be observed at both places on the same side of the star, take the difference of the observed intervals, otherwise the sum, which reduce to seconds of sidereal time, and find the corresponding logarithm, to which add the arith. comp. log. of the variation of the moon's right ascension\* in 12 hours in seconds, and the log. 4.63667 (corrected for the variation of the equation of time, as directed above, when very great accuracy is necessary.) The sum, rejecting 10 in the index, will be the log. of a number of seconds, from which subtract the above difference of intervals, the remainder will be the longitude in time.

The western place of observation corresponds to the greater interval if the star is west of the moon, the less if east. If the moon be observed on opposite sides of the star, the western place will be where the star is to the westward of the moon.

**EXAMPLE.**

Suppose that on the 4th. of July, 1808, the interval in sidereal time between the transit of the moon's western limb and Antares, observed at Greenwich, was  $22' 6''$ ; and the interval at a second place was  $20' 3''$ ; the increase of the moon's right ascension in 12 hours (corresponding to the middle time of the moon's transit by the meridians of the two places reduced to Greenwich time, 9h. 26') being by Prob. II. Ex. III.  $30' 22''.1$  the star being to the eastward of the moon. Required the longitude of the second place of observation?

Interval at Greenwich	22. 6"	Sid. time	
..... at second place	20. 3		
	—		
Diff. of intervals	2. 3 = 123"		log. 2.04891
Var. R. A. in 12h. $30' 22''.1$ in time = 1222".1			log. co. 6.73943
Constant log.	Corrected as above.		4.63672
			—
	2925"		log. 3.46690
Subtract diff. intervals	123		
Remains long. in time	2802 = 48° 42' W. from Greenwich.		

This method of determining the longitude admits of a very great degree of accuracy on account of the frequent opportunities of observation. Other methods of finding the longitude depending on the same principles have been proposed. One consists in observing the apparent time of the moon's passing the meridian, and comparing it with the time of passing observed at Greenwich, or deduced from the Nautical Almanac, and taking the difference of these times, and saying, as the daily difference of the moon's passing the meridian (deduced from the Nautical Almanac for the time of observation) is to  $360^\circ$ , so is the above difference to the longitude of the place. Another method consists in deducing the longitude from the change of declination of the moon, obtained from her observed altitude when on the meridian, and the known latitude of the place of observation, by a method somewhat similar to the preceding; but neither of these methods is susceptible of the same degree of accuracy as that in the above Problem.

It is not absolutely necessary that the same star should be made use of at both places; for if two stars be observed, whose difference of right ascension is accurately known, that difference will be equal to the interval of passing of the two stars to the meridian in the sidereal time, and by applying this to one of the intervals, the observations may be reduced to be the same as if one star only had been used.

**PROBLEM XVII.**

*Given the longitude of the sun and moon, and the moon's latitude, to find their distance.*

**RULE.**—Find the difference of the two longitudes, and to its log. co-sine add the log. co-sine of the moon's latitude, the sum, rejecting 10 in the index, will be the log. co-sine of the sought distance, of the same affection† as the difference of longitude.

**EXAMPLE.**

July 16, 1808, at noon at Greenwich, by the Nautical Almanac, the sun's longitude was  $3s. 23^\circ 40' 24''$ , the moon's longitude is.  $3^\circ 14' 1''$ , and her latitude  $1^\circ 24' 28''$  N. Required their distance?

\* In general it will be exact enough to take the difference between the moon's R. A. marked in the Nautical Almanac for the nearest noon and midnight, but when very great accuracy is required, it may be found as in Prob. II. Ex. III. for the middle time between the two transits of the moon by the meridians of the two places, reduced in Greenwich time by adding the longitude if west, subtracting if east. If at-his accuracy is required, it would be proper to notice the variation of the moon's semi-diameter and declination between the observations, also to compute the effect of the variation of the hourly motion, noticing the higher order of differences, but these circumstances would affect the result but very little.

† Two arches or angles are said to be of the same affection when they are both greater or both less than  $90^\circ$ , but of different affection when the one is greater and the other less than  $90^\circ$ .



606 TO CALCULATE THE LATITUDE AND LONGITUDE OF A STAR.

☉ Longitude	115° 40' 24"		
☾ Longitude	33 14 1		
Diff. long.	80 26 23	co-sine	8.22033
☽ Latitude	1 24 20	co-sine	8.99087
Distance	80 26 33	co-sine	9.22020

The same as in the Nautical Almanac. The distances being calculated from noon and midnight by this (or the following) Problem, they may be interpolated for every 3 hours by Problem I. An example will sufficiently illustrate this.

EXAMPLE.

Given the distances of the sun and moon in July, 1808, at 15d. 12h. 16d. 0h. 16d. 12h. and 17d. 0h.; respectively 85° 52' 13" | 80° 26' 33" | 75° 0' 44" | and 69° 34' 9". Required the distances July 16d. at 3h. 6h. and 9h.?

1808, July	Dist. ☉ ☽	1st diff.	2d. diff.		
15d. midnight	85° 52' 13	0	0		
16 noon	80. 26. 33	-5. 25. 40	-9		
16 midnight	75. 0. 44	A=-5. 28. 49	-46		
17 noon	69. 34. 09	-5. 28. 35	B=-27		
	At 3h.		At 6h.	At 9h.	
Second longitude	+ 80. 26. 33		+ 80. 26. 33	+ 80. 26. 33	
Prop. part. A	- 1. 21. 27.2		1/2 A - 2. 42. 54.5	- 4. 4. 21.7	
Table XLV. T 3h.	+ 2.6	T=6h.	+ 3.4	+ 3.4	
Distance at 3h.	79. 5. 8	Distance at 6h.	77. 43. 42	Distance at 9h.	76. 22. 11

These distances agree with the Nautical Almanac.

PROBLEM XVIII.

Given the longitudes and latitudes of the moon and a star, to find their distance.

RULE.

To the log. secant of the difference of longitude of the moon and star, rejecting 10 in the index, add the log. tangent of the greater latitude, the sum will be the log. tangent of the arch A, of the same affection as the difference of longitude. Take the sum of the arch A, and the less latitude, if the latitudes are of a different name, but their difference if of the same name, and call it the arch B. Then add together the log. secant of the difference of longitude, the log. secant of the greater latitude, the log. co-sine of the arch A, and the log. secant of the arch B, the sum, rejecting 30 in the index, will be the log. secant of the distance of the moon and star of the same affection as B.

EXAMPLE.

Required the distance of the moon and the star a Pegasi at noon at Greenwich, July 16, 1808, when by the Nautical Almanac the moon's longitude was 33° 14' 1", latitude 1° 24' 28" N. and by the explanation of Tables XI. XLI. the longitude of the star corrected for aberration and equation of equinoxes was 350° 49' 36", and its latitude corrected for aberration 19° 24' 41" N.?

☽'s long.	33° 14' 1"		
* long.	350 49 36		
Diff. long.	42 24 25	secant	0.13173
Greater lat.	19 24 41 N.	tang.	9.54701
Arch A	25 30 45	secant	10.02542
Lesser lat.	1 24 28 N.	tang.	9.57574
Arch B	24 6 17	co-sine	9.93544
		secant	10.03962
Distance ☽ * 45° 15' 26"		secant	10.15221

It may be observed that the log. secant of the distance is also equal to the sum of the log. co-secant of the greater latitude, the log. sine of arch A, and the log. secant of the arch B, rejecting 20 in the sum of the indices; but the above rule is in general the most convenient on account of the smallness of the greater latitude, except when the difference of longitude is nearly equal to 90°.

PROBLEM XIX.

Given the right ascension and declination of a celestial object, with the mean obliquity of the ecliptic E, to find its longitude and latitude.

RULE.

To the log. tangent of the declination add the log. co-secant of the right ascension of the object, the sum, rejecting 10 in the index, will be the log. tangent of the arch A, to be taken out less than 90°, and called north or south as the declination is. If the right ascension is less than 180°, call the obliquity of the ecliptic south, if above 180°, north. If A and E are of the same name, take their sum, otherwise their difference, which call B, and mark it with the same name as the greater number, whether N. or S. Then add together the log. secant of A, the log. co-sine of B, and the log. tangent of the right ascension, the sum, rejecting 20 in the index, will be the log. tangent of the longitude in the same quadrant as the right ascension, unless B be greater than 90°, in which case the quantity found in the same quadrant as the right ascension, subtracted from 360°, will be the longitude.

To the log. sine of the longitude add the log. tangent of B, the sum, rejecting 10 in the index, will be the log. tangent of the latitude of the same name as B.

*Remark.* As the Tables of this collection are not marked above  $180^\circ$ , you must subtract  $180^\circ$  from the right ascension when it exceeds that quantity, and find the log. tangent and log. co-secant of the remainder; and then the arch, corresponding to the log. tangent of the longitude, is to be taken of the same affection as this remainder, and  $180^\circ$ , added thereto, the sum will be the longitude, unless B is greater than  $90^\circ$ , in which case the supplement of that sum to  $360^\circ$  is to be taken as observed above.

EXAMPLE.

By Table VIII. the right ascension of a Pegasi, July 16, 1808, was  $22^h. 55^m. 14^s = 343^\circ 48' 30''$ , and its declination  $14^\circ 11' N.$  the mean obliquity of the ecliptic  $23^\circ 27' 47''$ . Required its longitude and latitude?

Declin.	$14^\circ 11' 0'' N.$	tang.	9.40266		
R. A.	$343 48 30$	co-sec.	10.83462	tang.	9.46295
A	$42 11 32 N.$	tang.	9.89729	sec.	10.13020
E	$23 27 47 N.$				
B	$65 38 59 N.$			co-sine	9.61522 tang. 10.34431
	Longitude $350^\circ 49' 19''$	tang.	9.20657	sine	9.20277
				Lat. $19^\circ 24' 51'' N.$	tang. 9.84703

PROBLEM XX.

The longitude and latitude of a celestial object being given, with the mean obliquity of the ecliptic  $E$ , to find the right ascension and declination.

RULE.

To the log. tangent of the latitude add the log. co-secant of the longitude, the sum, rejecting 10 in the index, will be the log. tangent of the arch A, which is to be called north or south as the latitude is. If the longitude is less than  $180^\circ$ , call the obliquity  $E$  north; if above  $180^\circ$ , south. If A and E are of the same name, take their sum, otherwise their difference, which call B, marking it with the same name as the greater number. Then add together the log. secant of A, the log. co-sine of B, and the log. tangent of the longitude, the sum, rejecting 20 in the index, will be the log. tangent of the right ascension in the same quadrant as the longitude, unless B be greater than  $90^\circ$ , in which case the quantity found in the same quadrant as the longitude, subtracted from  $360^\circ$ , will be the right ascension.

To the log. sine of the right ascension add the log. tangent of B, the sum, rejecting 10 in the index, will be the log. tangent of the declination of the same name as B.

*Remark.* If the longitude exceeds  $180^\circ$  you must subtract  $180^\circ$  from it, and find the log. tangent and log. co-secant of the remainder. The arch corresponding to the log. tangent of the right ascension is to be taken of the same affection as this remainder, and  $180^\circ$  added thereto will be the right ascension, unless B is greater than  $90^\circ$ , in which case the supplement of that sum to  $360^\circ$  is to be taken as was observed above.

EXAMPLE.

By Table XXXVII. the mean longitude of a Pegasi, July 16, 1808, was  $350^\circ 49' 11''$ , its latitude  $19^\circ 24' 47'' N.$  and the mean obliquity of the ecliptic  $23^\circ 27' 47''$ . Required its right ascension and declination?

Lat.	$19^\circ 24' 47'' N.$	tang.	9.54705		
Long.	$350 49 11$	co-sec.	10.79712	tang.	9.20647
A	$65 38 54 N.$	tang.	10.34437	sec.	10.28405
E	$23 27 47 E.$				
B	$42 10 47 N.$			co-sine	9.88304 tang. 9.53713
	Right ascension $342^\circ 48' 22''$	tang.	9.60297	sine	9.44339
				Declination $14^\circ 10' 59'' N.$	tang. 9.40257

If the given longitude, latitude, and obliquity are the mean values, the resulting right ascension and declination will be the mean values, but if the proposed quantities are corrected for aberration and nutation, the resulting quantities will also be corrected. This remark is equally applicable to the preceding Problem.

SPHERIC TRIGONOMETRY.

Most of the rules given in the preceding Problems may be easily demonstrated by Spheric Trigonometry. As for example that of Problem XVII. may be investigated as follows. In Plate XII. Fig. 1, let A be the place of the moon, C that of the sun, CP an arch of the ecliptic, and AP a circle of latitude passing through the moon and cutting the ecliptic at right angles at P. Then the difference of longitude of the sun and moon is equal to the arch CP, and the moon's latitude is AP, whence the distance AC may be found by the rule of Napier, radius  $\times$  co-s. AC = co-s. AP  $\times$  co-s. CP. This in logarithms gives log. co-s. AC = log. co-s. AP + log. co-s. CP - log. radius, which is the formula made use of. Want of room prevents the insertion of the demonstrations of the methods of calculating the other Problems.

The celebrated rules given by Lord Napier for solving the problems of Right-Angled Spheric Trigonometry being very easily remembered, are much made use of by mathematicians. In a paper communicated by the author of this work to the American Academy of Arts and Sciences, and published in the third volume of the memoirs of that society, a method was given for the more easy application of those rules to oblique Spheric Trigonometry, and as the tables of this collection may sometimes be made use of in solving various problems of Spherics besides those given in the former part of this work, it was thought proper to insert this improved method, with the formulas most frequently made use of, to enable any person acquainted with Spheric Trigonometry to make use of the tables, without the trouble of referring to another work, for the rules.

In every Right-angled Spheric triangle there are five circular parts; namely, the two legs, the complement of the hypotenuse, and the complements of the two oblique angles, which are named *adjacent* or *opposite*, according to their positions, with respect to each other. The right-angle is not included as one of the circular parts, neither is it supposed to separate the legs. In all cases of right-angled Spheric Trigonometry, two of these parts are given to find the third. If the three parts join, that which is in the middle is called the middle part; if they do not join, two of them must, and the other part which is separate, is called the middle part, and the other two opposite parts, as in Plate XII. fig. 1, 2. Then putting the radius equal to unity, the equations given by Napier will become

$$\begin{aligned} \text{Sine of middle part} &= \text{Rectangle of the tangents of the adjacent parts.} \\ &= \text{Rectangle of the co-sines of the opposite parts.} \end{aligned}$$

The method of applying these solutions to the various cases of Right-angled Spheric Trigonometry is very simple, and is explained in several treatises. To apply the method to Oblique-angled Spheric Trigonometry, it is necessary to divide the triangle into two right-angled spheric triangles by means of a perpendicular AP (Plate XII. fig. 3, 4, 5, 14.) let fall from the point A upon the opposite side BC: the perpendicular being so chosen as to make two of the given things fall in one of the right-angled triangles, or in other words the perpendicular ought to be let fall from the end of a given side and opposite to a given angle.\* Each triangle thus found, contains, as above, five circular parts, the perpendicular being counted and bearing the same name in each of them: consequently the parts of each triangle similarly situated with respect to the perpendicular, must have the same name. In every case of Oblique-angled Spheric Trigonometry, there are three parts given to find a fourth, and in making use of the method of a solution by means of the perpendicular, there will in general be two of these parts in each of the triangles ACP, ABP, similarly situated with respect to each other. To each of these must be joined the perpendicular AP, and there will be three parts in each triangle, which are to be named *middle*, *adjacent* or *opposite*, according to the above directions. Then the equations for solving all the cases of Right-angled, and all except two cases of Oblique-angled Spheric Trigonometry are,

$$1. \text{ Sine middle part} \quad \left\{ \begin{array}{l} = \\ \propto \end{array} \right\} \begin{array}{l} \text{Tangents of the adjacent parts.} \\ \text{Co-sines of the opposite parts.} \end{array}$$

These equations, when applied to right-angled spheric triangles, signify as before, that the sine of the middle part is equal to the rectangle of the tangents of the adjacent parts, or to the rectangle of the co-sines of the opposite parts; but when applied to an oblique-angled triangle, they signify, that the sines of the middle parts are proportional to the tangents of the adjacent parts: or that the sines of the middle parts are proportional to the co-sines of the opposite parts of the same triangle; observing that the perpendicular being common to both triangles APB, APC, and bearing the same name in each of them, must not be made use of in the analogies, nor counted as a middle part. This can produce no embarrassment, because the cases of Oblique Spheric Trigonometry may in general be solved in the shortest manner without calculating the perpendicular.

The first case not included in the above rules, is where the question is between two sides and the opposite angles, which may be solved by the noted theorem, that the sines of the sides are proportional to the sines of the opposite angles, or as it may be expressed in an abridged form or more easy reference.

2. *Sin: side*  $\propto$  *sine opp. angle.*

This, combined with the above improved formula, furnish a complete solution of the various cases of Spheric Trigonometry, except where three sides are given to find an angle, or (which is nearly the same thing, by taking the supplementary triangle) three angles to find a side. The above rules marked (1.) (2.) are simple in their

\* When this can be done in two different ways (as in Cases II. IV.) it will generally produce the shortest solution to make use of that perpendicular which does not divide the required angle or side into segments.

† It will be of considerable assistance in remembering these rules to note that the second letters of the words *tangent* and *co-sine* are the same as the first letters of *adjacent* and *opposite*.

form, and the first varies but little from that made use of by Napier, so that it is extremely easy to remember them. The case not included in these rules may be solved by one of the formulas of case V. or VI. which may be committed to memory with little trouble. To illustrate these rules, the following examples are given, which include all the cases of Oblique Spheric Trigonometry.

CASE I. PLATE XII. Fig. 3, 4, 5, 14.

Given  $AB, AC$ , and the opposite angle  $C$ , to find  $BC$  and the angles  $A, B$ .

In the right-angled spheric triangle  $APC$  are given  $AC$  and  $C$ , and by marking it as in fig. 2,  $CP$  may be found by the rules *sine mid. = tang. adj.* which gives  $\text{sine (co. } C) = \text{tang. } CP \times \text{tang. (co. } AC)$ , or  $\text{tang. } CP = \text{co-s. } C \times \text{tang. } AC$ .<sup>\*</sup> Then in the triangles  $ABP, ACP$  are given  $AB, AC$  and  $CP$  to find  $BP$ . If to these is joined the perpendicular  $AP$  it will be found that in the triangle  $ACP$  the complement of  $AC$  is the middle part (as in Fig. 3), and  $CP$  an opposite part. The triangle  $ABP$  is to be marked in a similar manner. Then the rule *sine mid.  $\propto$  co-s. opp.* gives  $\text{sine (co. } AC) : \text{co-s. } CP :: \text{sine (co. } AB) : \text{co-s. } BP$ , and  $BC = BP + CP$ . By marking the segments as in Fig. 4,

the rule *sine mid.  $\propto$  tang. adj.* gives  $\text{sine } CP : \text{tang. (co. } C) :: \text{sine } BP : \text{tang. (co. } B)$ . Having found  $BC$ , the angle  $A$  may be found by the rule *sine side.  $\propto$  sine opp. angle* which gives  $\text{sine } AB : \text{sine } C :: \text{sine } BC : \text{sine } A$ .

Otherwise—If the side  $BC$  is not required, the angles  $A, B$ , may be found in the following manner. The rule *sine mid. = tang. adj.* gives by marking as in Fig. 1.  $\text{sine (co. } AC) = \text{tang. (co. } C) \times \text{tang. (co. } CAP)$  or  $\text{cot. } CAP = \text{co-s. } AC \times \text{tang. } C$ , and by marking as in Fig. 5, the rule (*sine mid.  $\propto$  tang. adj.* or) *tang. adj.  $\propto$  sine mid.* gives  $\text{tang. (co. } AC) : \text{sine (co. } CAP) :: \text{tang. (co. } AB) : \text{sine (co. } BAP)$ , then  $A = BAP + CAP$ . By marking the segments as in Fig. 14, the rule (*sine mid.  $\propto$  co-s.*

*opp.* or) *co-s. opp.  $\propto$  sin. mid.* gives  $\text{co-s. (co. } CAP) : \text{sine (co. } C) :: \text{co-s. (co. } BAP) : \text{sine (co. } B)$  or  $\text{sine } CAP : \text{co-s. } C :: \text{sine } BAP : \text{co-s. } B$ . Having  $A, C$ , and  $AB, BC$  may be found by the rule *sine side  $\propto$  sine opp. angle*, which gives  $\text{sine } C : \text{sine } AB :: \text{sine } A : \text{sine } BC$ .

CASE II. Fig. 3, 4. Plate XII.

Given  $AC, BC$  and the included angle  $C$ , to find  $AB$ , and the angles  $A, B$ .

The rule *sine mid. = tang. adj.* gives as in Case I.  $\text{tang. } CP = \text{co-s. } C \times \text{tang. } AC$ , then  $BP = BC + CP$  and the rule *co-s. opp.  $\propto$  sine mid.* gives by marking, as in Fig. 3.  $\text{co-s.}$

$CP : \text{sine (co. } AC) :: \text{co-s. } BP : \text{sine (co. } AB)$ , and by marking as in Fig. 4, the rule *sine mid.  $\propto$  tang. adj.* gives  $\text{sine } CP : \text{tang. (co. } C) :: \text{sine } BP : \text{tang. (co. } B)$ . Having found  $AB$  we may find  $A$ , by the rule *sine side  $\propto$  sine opp. angle*, which gives  $\text{sine } AB : \text{sine } C :: \text{sine } BC : \text{sine } A$ .

If the angle  $A$  had been required and not  $B$ , it would have been shorter to let the perpendicular fall upon the point  $B$ , by which means the required angle  $A$  would not be divided into segments. In this case the side  $AB$  and the angle  $A$  might be found in a similar manner to that by which  $AB$  and  $B$  are found above.

CASE III. Fig. 3, 4, 5, 14. Plate XII.

Given the angles  $B, C$ , and the opposite side  $AC$  to find  $BC, AB$ , and the angle  $A$ .

The rule *sine mid.  $\propto$  tang. adj.* gives as in Case I.  $\text{tang. } CP = \text{co-s. } C \times \text{tang. } AC$ . Then the rule *tang. adj.  $\propto$  sine mid.* gives, by marking as in Fig. 4,  $\text{tang. (co. } C) : \text{sine } CP :: \text{tang. (co. } B) : \text{sine } BP$ , then  $BC = CP + BP$ . Again, the rule *co-s. opp.  $\propto$*

*sine mid.* gives by marking as in Fig. 3,  $\text{co-s. } CP : \text{sine (co. } AC) :: \text{co-s. } BP : \text{sine (co. } AB)$ . Having found  $BC$ , the rule *sine side  $\propto$  sine opp. angle*, gives  $\text{sine } AC : \text{sine } B :: \text{sine } BC : \text{sine } A$ .

Otherwise—The rule *sine mid. = tang. adj.* gives as in Case I.  $\text{cot. } CAP = \text{co-s. } AC \times \text{tang. } C$ , and the rule *sine mid.  $\propto$  co-s. opp.* gives by marking as in Fig. 14,  $\text{sine (co. } C) : \text{co-s. (co. } CAP) :: \text{sine (co. } B) : \text{co-s. (co. } BAP)$  or  $\text{co-s. } C : \text{sine } CAP :: \text{co-s. } B : \text{sine } BAP$ , and  $A = CAP + BAP$ . Then the rule *sine mid.  $\propto$  tang. adj.* gives by

marking as in Fig. 5,  $\text{sine (co. } CAP) : \text{tang. (co. } AC) :: \text{sine (co. } BAP) : \text{tang. (co. } AB)$ . Having found  $A$  the rule, *sine side  $\propto$  sine opp. angle* gives  $\text{sine } B : \text{sine } AC :: \text{sine } A : \text{sine } BC$ .

\* In putting this or any similar expression in logarithms, the radius must be neglected in the sum of the two logarithms of the second number.

CASE IV. Fig. 5, 14. Plate XII.

Given the angles  $A, C$  and the included side  $AC$ , to find  $AB, BC$  and the angle  $B$ .

The rule *sine mid. = tang. adj.* gives as in Case I.  $\cot. CAP = \text{co-s. } AC \text{ } \times \text{co-s. } C$ , and  $BAP = A + CAP$ . The rule *sine mid.  $\propto$  tang. adj.* gives by marking as in

Fig. 5,  $\text{sine (co. CAP) : tang. (co. AC) : : sine (co. BAP) : tang. co. (AB)}$ . Then *co-s. opp.  $\propto$  sine mid.* gives by marking as in Fig. 14,  $\text{co-s. (co. CAP) . sine (co. C) : : co-s. (co. BAP) : sine (co. B)}$  or  $\text{sine CAP : co-s. C : : sine BAP : co-s. B}$ . Having found  $B$ , the rule *sine side  $\propto$  sine opp. angle* gives  $\text{sine B : sine AC : : sine A : sine BC}$ .

If the side  $BC$  had been required and not  $AB$ , it would be shorter to let the perpendicular fall from the point  $C$ , by which means the required side  $BC$  would not be divided into segments. In this case the side  $BC$  and the angle  $B$  might be found in a similar manner to that by which  $AB$  and  $B$  are found above.

CASE V. Fig. 3.

Given  $AB, AC$ , and  $BC$ , to find either of the angles  $as A$ .

Put  $S = \frac{1}{2}(AB + AC + BC)$ , then the angle  $A$  may be found by either of the following theorems, in which for brevity the words *sine, co-sine, &c.* are used for *log. sine, log. co-sine, &c.*

$$(3) \text{Sine } \frac{1}{2} A = \frac{\text{Sine } (S - AB) + \text{sine } (S - AC) + \text{co-sec. } AB + \text{co-sec. } AC - 20}{2}$$

$$(4) \text{Co-s. } \frac{1}{2} A = \frac{\text{Sine } S + \text{sine } (S - BC) + \text{co-sec. } AB + \text{co-sec. } AC - 20}{2}$$

CASE VI. Fig. 3.

Given the angles  $A, B, C$ , to find either of the sides  $as BC$ .

Put  $S = \frac{1}{2}(A + B + C)$ . Then the side  $BC$  may be found by either of the following theorems, adapted to logarithms as in the last example.

$$(5) \text{Sine } \frac{1}{2} BC = \frac{\text{Co-sine } S + \text{co-sine } (S - A) + \text{co-sec. } B + \text{co-sec. } C - 20}{2}$$

$$(6) \text{Co-sine } \frac{1}{2} BC = \frac{\text{Co-sine } (S - B) + \text{co-sine } (S - C) + \text{co-sec. } B + \text{co-sec. } C - 20}{2}$$

The above includes all the cases of Oblique Trigonometry. The 2d. and 4th. cases may be solved in a different manner by the following theorems, which on some occasions may be found very useful. Thus both the angles in Case II. may be found by the following theorems.

$$(7) \text{Sine } \frac{1}{2}(AC + BC) : \text{sine } \frac{1}{2}(BC \propto AC) : : \cot. \frac{1}{2} C : \text{tang. } \frac{1}{2}(A - B).$$

$$(8) \text{Co-sine } \frac{1}{2}(AC + BC) : \text{co-sine } \frac{1}{2}(BC \propto AC) : : \cot. \frac{1}{2} C : \text{tang. } \frac{1}{2}(A + B).$$

$\frac{1}{2}(A - B)$  is less than  $90^\circ$  and  $\frac{1}{2}(A + B)$  is of the same affection as  $\frac{1}{2}(AC - BC)$ .

The sum and difference of the terms  $\frac{1}{2}(A - B)$  and  $\frac{1}{2}(A + B)$  will give  $A$  and  $B$ .

Both the sides in Case IV. may be found thus:

$$(9) \text{Sine } \frac{1}{2}(A + C) : \text{sine } \frac{1}{2}(A \propto C) : : \text{tang. } \frac{1}{2} AC : \text{tang. } \frac{1}{2}(BC \propto AB).$$

(10)  $\text{Co-sine } \frac{1}{2}(A + C) : \text{co-sine } \frac{1}{2}(A \propto C) : : \text{tang. } \frac{1}{2} AC : \text{tang. } \frac{1}{2}(BC + AB)$ .  $\frac{1}{2}(BC \propto AB)$  is less than  $90^\circ$ , and  $\frac{1}{2}(BC + AB)$  is of the same affection as  $\frac{1}{2}(A + C)$ . Then the sum and difference of  $\frac{1}{2}(BC \propto AB)$  and  $\frac{1}{2}(BC + AB)$  give  $AB$  and  $BC$ .

The improved rule for solving the cases of Oblique Spheric Trigonometry by the circular parts, may be easily deduced from those given by Lord Napier. For if we put  $M$  for the middle part,  $A$  for the adjacent part, and  $B$  for the opposite part of the triangle  $APC$  (Fig. 3, 4, 5, 14, Plate XII.)  $m, a, b$ , for the corresponding parts of the triangle  $APB$ ; and  $P$  for the perpendicular  $AP$ . Then if  $P$  is an adjacent part, the rules of

Napier will give  $\text{tang. } P = \frac{\text{sine } M}{\text{tang. } A}$  and  $\text{tang. } P = \frac{\text{sine } m}{\text{tang. } a}$  hence  $\frac{\text{sine } M}{\text{tang. } A} = \frac{\text{sine } m}{\text{tang. } a}$

consequently  $\text{sine } M : \text{tang. } A :: \text{sine } m : \text{tang. } a$ . If  $P$  is an opposite part, the same rule will give  $\text{co-s. } P = \frac{\text{sine } M}{\text{co-s. } B}$  and  $\text{co-s. } P = \frac{\text{sine } m}{\text{co-s. } b}$  hence  $\frac{\text{sine } M}{\text{co-s. } B} = \frac{\text{sine } m}{\text{co-s. } b}$  consequent-

ly  $\text{sine } M : \text{co-s. } B :: \text{sine } m : \text{co-s. } b$ , which are the two rules to be demonstrated.

## APPENDIX TO THE SIXTH EDITION.

### ON FINDING THE LATITUDE BY TWO ALTITUDES.

SINCE the part of this work for the finding the Latitude by two altitudes was in the press, the following Table XLVIII. has been computed, by means of which the correction of either one of the observed altitudes can be computed for the change of declination of the observed object during the elapsed time between the observations, and thus the Problems of double altitudes of the sun, moon, planet, or fixed star, can be reduced to the case of the declination, being invariably the same as at the time of the observation of the altitudes which is not corrected, and then the Problem comes under the first (or second) method of solution, which is much more simple and free from cases than the general solution by the third method. This process of correcting the altitude is somewhat similar to that before taught, for making allowance for the run of a ship during the time elapsed between the observations; and the same altitude, which is corrected for the run of the ship, can also be corrected for the change of declination. This method of correcting one of the altitudes is particularly applicable to the case where both observations are made on the same heavenly body, and the declination does not vary but few minutes, or in extreme cases more than one or two degrees; but the same process may be used when two different objects are observed, provided their declinations are nearly equal, or do not differ more than one or two degrees.

As either one of the altitudes may be corrected, the Problem admits of two different ways of solution. For the sake of precision, the altitude which is selected to be corrected, will be called the *first altitude*; and the corresponding declination, the *first declination*; the other altitude, which is not corrected, will be called the *second altitude*, and the corresponding declination, the *second declination*. These terms, *first and second*, having no reference to the order in which these observations are taken, since the altitude here defined as the *first altitude*, may be actually observed either *before* or *after* the other observation.

The proposed table gives for various declinations, altitudes, and latitudes, the change of the *first altitude*, corresponding to a variation of  $100''$  in the *first declination*. Thus, with the latitude  $50^\circ$  N. the sun's altitude  $30^\circ$ , and the declination  $14^\circ$  N. the Table gives  $77''$  for the variation of that altitude arising from a change of  $100''$  in the declination. If the actual change of declination is greater, or less than  $100''$  the tabular number  $77''$  must be increased or decreased in the same proportion. Thus, if the change of declination be  $200''$ , the change of altitude will be  $200'' \times \frac{77}{100} = 154''$ . If the change of declination be  $60''$ , the change of altitude will be  $60'' \times \frac{77}{100} = 46''$ . The correction of this *first altitude* having been found, it is to be applied to the first altitude, corrected as usual, for dip, refraction, semi-diameter and parallax, and the corrected first altitude will be obtained, such as it would have been, if the declination at the time of observing that altitude had been equal to the *second declination*. With this corrected first altitude, the second altitude and second declination without correction, and the observed elapsed time, or hour angle, the computation of the latitude may be made by the *First Method*, explained in page 133.

This Table is calculated for every  $2^\circ$  of declination, from  $0^\circ$  to  $26^\circ$ . If the change of declination is not very great during the elapsed time, it will in general be sufficiently exact to enter the table with the nearest declination, and take proportional parts for the degrees of altitude and latitude. The latitude by account is to be used in finding the numbers from this table, it being sufficiently accurate, since an error of  $1^\circ$  of latitude rarely produces more than  $2'$  change in the numbers of the Table. Suppose now, that the tabular number was required, when the latitude was  $37^\circ$  N. the first altitude  $28^\circ$ , the first declination  $6^\circ 25'$  S. In this case, using the declination  $6^\circ$ , and the altitude  $20^\circ$ , be tabular numbers corresponding to the latitudes  $30^\circ$  S. and  $40^\circ$  S. are, respectively,  $57''$  and  $73''$ , whose difference  $16''$  corresponds to a change of  $10^\circ$  of latitude, and by

T T Tab.

proportion, the change corresponding to  $7^\circ$  of latitude is  $16'' \times \frac{7}{15} = 11''.2$ , this added to  $57''$ , gives the correction corresponding to the altitude  $20^\circ$  and the latitude  $37^\circ$  S. equal to  $68''.2$ . Repeating now the same operation with the altitude  $30^\circ$ , the two tabular numbers are  $64''$  and  $81''$ , whose difference  $17''$  multiplied by  $\frac{7}{15}$  gives  $11''.9$  to be added to  $64''$  to get  $75''.9$ , the correction corresponding to the altitude  $30^\circ$  and the latitude  $37^\circ$  S. Hence it appears by changing the altitude from  $20^\circ$  to  $30^\circ$ , the correction changes from  $68''.2$  to  $75''.9$ , increasing  $7''.7$ , by an increase of  $10^\circ$  in the altitude, the corresponding increase for a change of  $8^\circ$  in the altitude is equal to  $7''.7 \times \frac{8}{15} = 6''.3$  nearly. This added to  $68''.2$  gives  $74''.4$ , for the tabular number corresponding to the declination  $6^\circ$ , the altitude  $28^\circ$ , and the latitude  $37^\circ$  S. If the same calculation be repeated, using the declination  $9^\circ$ , the tabular number will be  $76''.3$  instead of  $74''.4$ , increasing only  $1''.8$  for an increase of  $2^\circ = 120'$  in the declination, and the corresponding correction for the  $25'$  of the first declination is  $1''.8 \times \frac{25}{30} = 0''.4$ , nearly. This added to  $76''.3$  gives the correct tabular number  $76''.6$ , or  $77''$  nearly, corresponding to the proposed latitude,  $37^\circ$  S. altitude  $28^\circ$ , or declination  $6^\circ 25'$  S. The correction for the minute of declination is in this case small, and in general it will be so, and when the change of declination during the elapsed time is only a few minutes, it will be sufficiently exact to take out, as was directed above, the numbers corresponding to the nearest declination in the table. As there is nothing peculiar in this method of finding the corrections for the intermediate degrees of altitude and latitude (several tables in the work having been arranged upon a somewhat similar plan) it will not be necessary to go into any further detail relative to the manner of finding the number from the table corresponding to any proposed declination, altitude or latitude. The use of these numbers in finding the correction of the first altitude, is, for the sake of easy reference, drawn up in the following rules.

## RULE.

1. If the two declinations are of the same name, take their difference; if they are of different names, take their sum, and this difference, or sum, will be the change of declination corresponding to the two observations, or two objects.

2. Find in Table XLVIII. the number corresponding to the first declination, the first altitude, and the latitude by account. Multiply this by the change of declination, in seconds, between the two observations; the product, rejecting the two right hand figures, will be the number of seconds to be applied to the first altitude, with the same sign as in the table,\* if at the second observation, the object is nearer to the elevated pole than at the first observation; but with a different sign from the Table, if at the second observation, the object is farther from the elevated pole than at the first observation.

Thus, in the above example, where the tabular correction was  $77''$ , if the second altitude was  $48^\circ$  and the second declination  $6^\circ 15'$  S. which is  $10'$  or  $600''$  less than the first declination  $6^\circ 25'$  S. the product of  $600''$  by  $77$  (rejecting the two right hand figures) is  $462'' = 7' 42''$ , being the correction to be added to the first altitude  $28^\circ$ , making it  $28^\circ 7' 42''$ , because the second declination is nearest to the elevated pole. If the second declination had been  $6^\circ 35'$  S. instead of  $6^\circ 15'$  S. the correction  $7' 42''$  would be subtractive, making it  $27^\circ 59' 18''$ .

It may be observed, that the method of correcting one of the altitudes does not alter the horary angles in any way whatever, and the regulation of the watch used in the observation is calculated in exactly the same manner as if the correction had not been made, and whichever altitude is corrected, the result will be very nearly the same; a difference of a few seconds will sometimes be found, owing to the small quantities neglected.

To illustrate this, the following examples are given.

## EXAMPLE I.

The sun's correct central altitude was  $32^\circ 25'$ , his declination  $17^\circ$  N. Eight hours afterwards, by a watch, his correct central altitude was  $30^\circ 8'$  and declination  $15^\circ 55'$  N. Required the latitude, supposing the latitude by account  $53^\circ 20'$  N?

The tabular correction corresponding to the first altitude  $32^\circ 25'$ , declination  $17^\circ$  N. and latitude by account  $53^\circ 20'$  N. is  $80''$ . Multiplying this by the difference of the de-

\* The signs in the Table are positive except in a few places between the tropics. In all cases without the tropics, when the distance from the elevated pole decreases, the altitude is to be increased, and when the polar distance increases, the altitude is to be decreased. The contrary takes place in those latitudes between the tropics where the tabular numbers have the sign — prefixed. It may also be observed, that the tabular number, corresponding to any possible situation of the object, cannot exceed  $100''$ ; it was however found convenient to insert a few numbers exceeding  $100''$ , for the purpose of finding more accurately the proportional parts for the intermediate degrees of altitude or latitude corresponding to possible cases.

clination  $17^{\circ} - 16^{\circ} 55' = 5' = 300''$ , the product (rejecting the two right hand figures) is  $240'.00 = 4'$ , the correction of altitude. This is to be subtracted from  $32^{\circ} 25'$  because the sun recedes from the elevated pole, while the declination changes from  $17^{\circ} N.$  to  $16^{\circ} 55' N.$  therefore the corrected first altitude is  $32^{\circ} 21'$ . Using this with the second altitude  $30^{\circ} 8'$  the second declination  $16^{\circ} 55'$ , and the elapsed time 8 hours, the calculation may be thus made by the first method, as follows—

		COL. 1.	COL. 2.	COL. 3.
Elapsed time	8h. [P. M.]	co-sec. 10.06247		
Declination	$16^{\circ} 55' N.$	sec. 10.01821		co-sec. 10.86814
A		co-sec. 10.04188	co-sine 9.74812	co-sine 9.74812
$\frac{1}{2}$ Sum Alt's.	$31^{\circ} 14'$	co-sine 9.98196	co-sec. 10.28512	B $31^{\circ} 18' N.$ co-sec. 10.28428
$\frac{1}{2}$ Diff. Alt's.	$1^{\circ} 6'$	sine 9.29850	sec. 10.00008	[B less than $90^{\circ}$ named as decl.]
C	$1^{\circ} 9'$	sine 9.30014	co-sine 9.98931	co-sine 9.98931
[Z less than $90^{\circ}$ named as bearing of zenith.]			Z sec. 10.03322	Z $22^{\circ} 8' N.$
				E $53^{\circ} 28' N.$ sine 9.90480
				Latitude $53^{\circ} 25' N.$ sine 9.90471

As it is entirely arbitrary which altitude is considered as the first, or the one to be corrected, it may not be amiss to repeat the operation, considering  $30^{\circ} 8'$  as the first altitude, and  $16^{\circ} 55'$  as the first declination. The tabular number corresponding to these quantities, and the latitude by account is  $79'$  which multiplied by the change of declination  $300''$  (rejecting the two right hand figures) is  $237'' = 3' 57''$  or  $4'$  nearly. This is to be added to  $30^{\circ} 8'$  to give the corrected first altitude  $30^{\circ} 12'$ , because the Sun approaches the elevated pole, while his declination changes from  $16^{\circ} 55'$  to  $17^{\circ}$ . Assuming, therefore, the corrected first altitude as  $30^{\circ} 12'$ , the second altitude  $32^{\circ} 25'$ , the second declination corresponding thereto  $17^{\circ} N.$  and the elapsed time, as before, 8 hours, the calculation may be then made as follows—

		COL. 1.	COL. 2.	COL. 3.
Elapsed time	8h. [P. M.]	co-sec. 10.06247		
Declination	$17^{\circ} N.$	sec. 10.01940		co-sec. 10.58408
A		co-sec. 10.06187	co-sine 9.74850	co-sine 9.74850
$\frac{1}{2}$ Sum Alt's.	$31^{\circ} 18'$	co-sine 9.98165	co-sec. 10.28429	B $31^{\circ} 27' N.$ co-sec. 10.28326
$\frac{1}{2}$ Diff. Alt's.	$1^{\circ} 6'$	sine 9.29850	sec. 10.00008	[B less than $90^{\circ}$ named as decl.]
C	$1^{\circ} 9'$	sine 9.30002	co-sine 9.98991	co-sine 9.98991
[Z less than $90^{\circ}$ like bearing of zenith.]			sec. 10.03278	Z $21^{\circ} 59' N.$
				Latitude E $53^{\circ} 28' N.$ sine 9.90480
				$53^{\circ} 25' N.$ sine 9.90471

So that the latitude is exactly the same by both methods.

If the middle time between the two observations was required, it would be obtained by adding the log. tangent of C 8.30263 to the log. secant of E 10.28493, whose sum, rejecting 10 in the index, is 8.52762 which sought for in the log. tangents correspond in the Col. P. M. to 0h. 15m. 26s. whose half 0h. 7m. 43s. is the middle time between the two observations. Taking the sum and difference of this and half the elapsed time, 4h. gives the times from noon when the observations were made, 4h. 7m. 43s. and 3h. 52m. 17s. the one being before noon, the other afternoon. The same result is obtained which ever altitude is corrected.

EXAMPLE II. [Same as Example XIII. page 145.]

Given the moon's correct central altitude  $55^{\circ} 20'$ , the moon's declination  $0^{\circ} 36' N.$  The sun's correct central altitude at the same time  $37^{\circ} 40'$ , his declination  $0^{\circ} 17' S.$  The hour angle, or difference of the right ascensions of the sun and moon 5 hours. Required the true latitude, the latitude by account being  $23^{\circ} 20' N.$

The tabular correction corresponding to the latitude by account  $23^{\circ} 20' N.$  the sun's altitude  $37^{\circ} 40'$ , considered as the first altitude, and declination  $0^{\circ} 17' S.$  is  $50''$ , and the change of the two declinations from  $0^{\circ} 17' S.$  to  $0^{\circ} 36' N.$  is  $(53' =) 3180''$ . this multiplied by 50, and the two right hand figures rejected, gives the correction of altitude  $1590'' = 26' 30''$ , this is to be added to the altitude  $37^{\circ} 40'$  because the change from  $0^{\circ} 17' S.$  to  $0^{\circ} 36' N.$  approaches the sun to the elevated pole, therefore the sun's corrected



FINDING THE LATITUDE BY TWO ALTITUDES.

altitude is  $38^{\circ} 6' 30''$  or simply  $38^{\circ} 6'$ . Using this with the moon's altitude  $55^{\circ} 20'$ , the moon's declination  $0^{\circ} 36' N.$  and the hour angle 5 hours, the latitude may be found by the *first method*, in the following manner :

COL. 1.		COL. 2.		COL. 3.	
Elapsed time 5h.	co-sec. 10.21556				
Declination $0^{\circ} 36' N.$	sec. 10.00002				co-sec. 11.1738
A	co-sec. 10.21557	co-sine 9.89847			co-sine 9.89847
½ Sum Alt's. 46 43	co-sine 9.83608	co-sec. 10.17261	B $0^{\circ} 45\frac{1}{2}' N.$		co-sec. 11.13947
½ Diff. Alt's. 8 37	sine 9.17658	sec. 10.00495			
C	sine 9.22723	co-sine 9.96372			co-sine 9.96372
		Z sec. 10.03601	Z 23 0½ N.		
			E 23 46 N.	sine	9.6032
			Latitude 23° 24' N.	sine	9.5984

This agrees with the calculation by the third method.

If the moon's altitude  $55^{\circ} 20'$  had been considered as the *first altitude* and corrected, the tabular number corresponding to this altitude, the moon's declination  $0^{\circ} 36' N.$  and the latitude by account  $23^{\circ} 20' N.$  will be  $70''$ . Multiplying this by the change of declination  $3180''$ , and neglecting the two right hand figures, gives the correction of altitude  $2236 = 37' 6''$  or simply  $37'$ , which is to be subtracted from the moon's altitude  $55^{\circ} 20'$  to obtain the corrected altitude  $54^{\circ} 43'$ , because the change from  $0^{\circ} 36' N.$  to  $0^{\circ} 17' S.$  makes the moon recede from the elevated pole. Using the corrected altitude  $54^{\circ} 43'$  the sun's declination  $0^{\circ} 17' S.$  and the sun's altitude  $37^{\circ} 40'$  with the hour angle 5h. the latitude may be found by the *first method*, in the following manner :

COL. 1.		COL. 2.		COL. 3.	
Elapsed time 5h.	co-sec. 10.21556				
Declination $0^{\circ} 17' S.$	sec. 10.00001				co-sec. 12.50523
A	co-sec. 10.21656	co-sine 9.89947			co-sine 9.89947
½ Sum Alt's. 46 11½'	co-sine 9.84026	co-sec. 10.14167	B $0^{\circ} 21\frac{1}{2}' S.$		co-sec. 12.30490
½ Diff. Alt's. 8 31½'	sine 9.17097	sec. 10.00482			
C	sine 9.22679	co-sine 9.96374			co-sine 9.96374
		Z sec. 10.03970	Z 24 7½ N.		
			F 23 46 N.	sine	9.6032
			Latitude 23° 24' N.	sine	9.5984

• Which agrees with the preceding calculations.

EXAMPLES FOR EXERCISE.

1. The sun's correct central altitude was  $41^{\circ} 33' 12''$ , his declination  $14^{\circ} N.$  After an interval of 1h. 30m. his correct central altitude was  $50^{\circ} 1' 12''$  and declination  $13^{\circ} 58' 38''$ . Latitude by account  $52^{\circ} 5' N.$  Required the true latitude ?

The tabular number corresponding to the altitude  $41^{\circ} 33' 12''$  is  $87''$  and this being taken for the first altitude, is also corrected  $41^{\circ} 32' 0''$ , the second altitude  $50^{\circ} 1' 12''$ , elapsed time 1h. 30m. and declination  $13^{\circ} 58' 38'' N.$  These make the latitude  $52^{\circ} 5' N.$

Or, by taking  $50^{\circ} 1' 12''$  for the first altitude, and using the corresponding declination, the tabular number is  $95''$ , the corrected *first* altitude becomes  $50^{\circ} 2' 30''$ , using this with the *second* altitude  $41^{\circ} 33' 12''$  the declination  $14^{\circ} N.$  and the elapsed time 1h. 30. The latitude becomes as before  $52^{\circ} 5' N.$

2. Given the correct central altitude of the moon  $53^{\circ} 43'$ , her declination  $14^{\circ} 16' N.$  After an interval in which the hour angle was 1h. 44m. 15s. her correct central altitude was  $42^{\circ} 29'$  and declination  $13^{\circ} 52' N.$  The latitude by account  $48^{\circ} 54' N.$  Required the true latitude ?

With the first altitude and first declination the tabular number is  $98''$ , and the corrected first altitude  $53^{\circ} 19' 28''$ , the second altitude  $42^{\circ} 29'$  with which and the declination  $13^{\circ} 52' N.$  and the corrected elapsed time or hour angle 1h. 44m. 15s. the latitude will be found  $48^{\circ} 55' N.$

\* In taking the half sum and half difference of the altitudes, it will be convenient to prove the accuracy of the calculation by adding this half sum to the half difference, for the sum will be the greater altitude. The difference of the same numbers will be the least altitude. Thus in the present example  $46^{\circ} 11\frac{1}{2}' + 8^{\circ} 31\frac{1}{2}' = 54^{\circ} 43'$  the greater altitude, and  $46^{\circ} 11\frac{1}{2}' - 8^{\circ} 31\frac{1}{2}' = 37^{\circ} 40'$  the least altitude.



Or, by taking  $48^{\circ} 29'$  for the first altitude, and  $13^{\circ} 52'$  N. for the first declination, the tabular correction will be  $83''$ , the corrected first altitude  $48^{\circ} 49'$ , using this and the second altitude  $53^{\circ} 43'$ , the corresponding second declination  $14^{\circ} 16'$  N. and the hour angle 1h. 44m. 15s. the latitude will be found  $49^{\circ} 54'$  N. nearly agreeing with the former calculation.

3. Given the correct central altitude of the moon  $55^{\circ} 38'$ , her declination  $0^{\circ} 20'$  S. After an interval in which the hour angle was 5h. 30m. 49s. her correct central altitude was  $29^{\circ} 57'$ , and her declination  $1^{\circ} 10'$  N. The latitude by account  $23^{\circ} 25'$  S. Required the true latitude ?

With the first altitude  $55^{\circ} 38'$  and the first declination  $0^{\circ} 20'$  S. the tabular correction is  $71''$  and the first corrected altitude  $54^{\circ} 34' 6''$ . Using this with the second altitude  $29^{\circ} 57'$ , the second declination  $1^{\circ} 10'$  N. and the hour angle 5h. 30m. 49s. the true altitude will be found  $23^{\circ} 23'$  S.

Or, by taking  $29^{\circ} 57'$  for the first altitude, and  $1^{\circ} 10'$  N. for the first declination, the tabular correction will be  $45''$  and the first corrected altitude  $30^{\circ} 37'$ . Using this with the second altitude  $55^{\circ} 38'$  the second declination  $0^{\circ} 20'$  S. and the hour angle 5h. 30m. 49s. the true latitude will be found to be  $23^{\circ} 24'$  S. nearly agreeing with the preceding calculations.

In making the calculations of these three examples the seconds were noticed, which is always best to be done, particularly when the altitudes are nearly equal; some difference might be found in the above results if the nearest minutes only were taken. Thus, Example XII. page 144, calculating to the nearest minute, only gives the latitude  $55^{\circ} 28'$ . If the calculation be made as in Ex. I. of this appendix, it becomes  $53^{\circ} 25'$ , differing  $3'$ . This would be avoided by taking the angles to seconds, and in some extreme case it would require the use of 6 or 7 places of decimals.

TABLE XLVIII.

TABLE showing the variation of the altitude of an object arising from a change of 100 seconds in the declination. If the change moves the body towards the elevated pole, apply the correction to the altitude with the sign in the Table; otherwise, change the signs.

Dec.	Alt.	LATITUDE Of same name as declination.							LATITUDE Of different name from declination.							Alt.	Dec.	
		70°	60°	50°	40°	30°	20°	10°	0°	10°	20°	30°	40°	50°	60°			70°
0°	0	94"	87"	76"	64"	50"	34"	17"	0"	17"	34"	50"	64"	76"	87"	94"	0	0°
	10	95	88	78	65	51	35	18	0"	18	35	51	65	78	88	95	10	
	20	100	92	89	68	53	36	18	0"	18	36	53	68	82	92	100	20	
	30		100		88	74	57	39	20	0"	20	39	57	74	88	100	30	
	40			100		84	65	45	22	0"	23	45	65	84	100		40	
	50				100		78	53	27	0"	27	53	78	100			50	
	60					100		68	35	0"	35	68	100				60	
70						100	51		0"	51	100					70		
2°	0	94	87	77	64	50	34	17	0	17	34	50	64	77	87	94	0	2°
	10	95	87	77	65	50	34	17	-1	18	35	51	66	78	88	96	10	
	20	99	91	81	67	52	35	17	-1	19	37	54	69	83	93	101	20	
	30	107	98	87	73	56	38	18	-2	22	41	59	76	90	102		30	
	40			111	98	82	63	42	20	-2	25	47	68	86	102		40	
	50				116	97	74	50	24	-3	30	57	81	103			50	
	60					124	95	64	30	-5	40	73	105				60	
70						139	92	43	-8	59	108					70		
4°	0	94	87	77	64	50	34	17	0	17	34	50	64	77	87	94	0	4°
	10	94	87	77	64	50	34	16	-1	19	36	52	67	79	89	97	10	
	20	98	90	79	66	51	34	16	-3	21	39	56	71	84	95	103	20	
	30	105	96	85	70	54	36	16	-4	24	44	62	78	93	104		30	
	40			107	94	78	59	39	17	-6	29	51	71	90	106		40	
	50				111	92	70	45	19	-8	35	62	86	109			50	
	60					117	88	56	23	-12	47	81	112				60	
70						127	81	32	-19	70	119					70		
6°	0	94	87	77	65	50	34	17	-0	17	34	50	65	77	87	94	0	6°
	10	94	87	76	64	49	33	16	-2	20	37	53	67	80	90	98	10	
	20	97	89	78	65	50	33	15	-4	22	40	57	73	86	96	104	20	
	30	103	94	83	69	52	34	14	-6	26	46	64	81	95	107		30	
	40			105	92	76	57	36	14	-9	32	54	74	93	109		40	
	50				107	88	66	41	15	-13	40	66	91	113			50	
	60					111	82	51	17	-18	53	87	119				60	
70						118	72	22	-29	80	129					70		
8°	0	95	87	77	65	50	35	18	-0	18	35	50	65	77	87	95	0	8°
	10	94	86	76	63	49	33	15	-3	20	38	54	68	81	91	99	10	
	20	96	88	77	64	49	32	14	-5	24	40	59	74	87	98	106	20	
	30	101	93	81	67	50	32	12	-8	28	48	66	83	97	109		30	
	40			102	89	73	54	33	11	-12	35	57	78	97	113		40	
	50				104	84	62	37	11	-17	44	70	95	118			50	
	60					105	77	45	11	-24	59	93	125				60	
70						109	62	13	-39	90	140					70		
10°	0	95	88	78	65	51	35	18	-0	18	35	51	65	78	88	95	0	10°
	10	94	86	75	63	48	32	15	-3	21	38	55	69	82	92	100	10	
	20	95	87	76	63	48	31	12	-6	25	43	60	76	89	100		20	
	30	100	91	80	65	49	30	10	-10	30	50	69	86	100			30	
	40			100	87	70	51	31	8	-15	38	60	81	100			40	
	50				100	81	58	33	6	-21	48	75	100				50	
	60					100	71	39	5	-31	66	100					60	
70						100	53	3	-48	100						70		
12°	0	96	89	78	66	51	35	18	-0	18	35	51	66	78	89	96	0	12°
	10	94	86	76	63	48	32	14	-4	22	39	56	70	83	94	101	10	
	20	94	86	76	62	47	29	11	-8	27	45	62	78	91	102		20	
	30	99	90	78	64	47	28	8	-12	33	53	71	88	103			30	
	40	108	98	84	68	49	28	5	-18	41	63	85	104				40	
	50			112	97	77	54	29	2	-25	53	80	105				50	
	60				120	95	65	33	-1	-37	72	107					60	
70					134	91	44	-6	-58	110						70		

TABLE XLVIII.

TABLE shewing the variation of the altitude of an object arising from a change of 100 seconds in the declination. If this change moves the body towards the elevated pole, apply the correction to the altitude with the signs in the Table; otherwise, change the sign.

Dec.	Alt.	LATITUDE <i>Of same name as declination.</i>								LATITUDE <i>Of different name from declination.</i>								Alt.	Dec.
		70°	60°	50°	40°	30°	20°	10°	0°	10°	20°	30°	40°	50°	60°	70°			
	0°	97'	89'	79'	66'	52'	35'	18''		0	18''	35'	52'	66'	79'	89'	97'	0'	
	10	94	86	76	63	48	31	14	-4	23	40	57	72	85	95	103		10	
	20	94	86	75	61	46	27	10	-9	28	45	64	80	93	104			20	
	30	97	89	77	62	45	26	6	-14	35	55	74	91	106				30	
14°	40	106	96	82	66	46	25	2	-21	44	67	88	107					40	
	50		109	93	73	50	25	-2	-30	58	85	110						50	
	60			115	99	60	27	-7	-43	79	114							60	
	70				125	82	35	-16	-69	121								70	
	0	98	90	80	67	52	36	18	-0	18	36	52	67	80	90	98		0	
	10	94	86	76	63	48	31	13	-5	23	41	58	73	86	97	104		10	
	20	94	85	74	61	45	27	9	-10	30	48	66	82	95	106			20	
	30	96	87	75	61	44	25	4	-17	37	58	77	94	109				30	
16°	40	104	94	80	63	44	22	0	-24	48	70	99	111					40	
	50		106	90	70	47	21	-6	-34	62	90	115						50	
	60			110	84	54	21	-14	-50	86	121							60	
	70				117	73	25	-26	-79	132								70	
	0	99	91	81	68	53	36	18	-0	18	36	53	68	81	91	99		0	
	10	95	87	76	63	48	31	13	-6	24	42	59	74	88	98	106		10	
	20	93	85	74	60	44	26	8	-12	31	50	68	84	98	109			20	
	30	95	86	74	59	42	23	2	-19	40	60	79	97	112				30	
18°	40	102	92	78	61	41	20	-3	-27	51	74	96	116					40	
	50		103	87	66	43	17	-10	-39	67	95	121						50	
	60			105	79	49	16	-20	-56	93	128							60	
	70				108	64	16	-36	-89	143								70	
	0	100	92	82	68	53	36	18	-0	18	36	53	68	82	92	100		0	
	10	95	87	76	63	48	31	12	-6	25	43	60	76	89	100			10	
	20	93	85	74	60	43	25	6	-13	33	52	70	86	100				20	
	30	94	85	73	58	40	21	0	-21	42	63	82	100					30	
20°	40	100	90	76	59	39	17	-6	-31	55	78	100						40	
	50		100	83	63	39	13	-15	-43	72	100							50	
	60			100	74	43	10	-26	-63	100								60	
	70				100	56	6	-46	-100									70	
	0		93	83	69	54	37	19	-0	19	37	54	69	83	93	101		0	
	10	96	88	77	63	48	30	12	-7	26	45	62	78	91	102			10	
	20	93	85	73	59	43	25	5	-15	35	54	72	88	103				20	
	30	94	85	72	57	39	19	-2	-23	45	66	86	103					30	
22°	40	98	88	74	57	36	14	-9	-34	58	82	104						40	
	50	110	97	80	60	36	9	-19	-48	77	106							50	
	60		117	95	68	38	4	-33	-70	107								60	
	70			131	92	47	-3	-56	-111									70	
	0		95	84	70	55	37	19	-0	19	37	55	70	84	95	103		0	
	10	97	88	77	64	48	30	11	-8	27	46	63	79	93	104			10	
	20	93	85	73	59	42	24	4	-16	36	56	74	91	105				20	
	30	93	84	71	56	38	18	-4	-26	48	69	89	107					30	
24°	40	97	86	72	54	34	12	-12	-37	62	86	109						40	
	50	107	93	77	56	32	5	-23	-53	83	111							50	
	60		112	91	64	32	-2	-39	-77	115								60	
	70			123	83	38	-13	-67	-122									70	
	0		96	85	72	56	38	19	-0	19	38	56	72	85	96	105		0	
	10	98	89	78	64	48	30	11	-9	28	47	65	81	95	106			10	
	20	95	85	73	59	41	23	3	-18	38	58	77	94	108				20	
	30	93	83	70	54	36	16	-6	-28	50	72	92	111					30	
26°	40	96	85	70	52	32	9	-16	-41	66	91	114						40	
	50	105	92	74	53	28	1	-28	-58	88	117							50	
	60		108	86	58	27	-8	-46	-84	123								60	
	70			115	75	29	-23	-78	-134									70	
Dec.	Alt.	70°	60°	50°	40°	30°	20°	10°	0°	10°	20°	30°	40°	50°	60°	70°	Alt.	Dec.	
		LATITUDE <i>Of same name as declination.</i>								LATITUDE <i>Of different name from declination.</i>									

*New Form of Table XX. for working a Lunar Observation.*

SINCE the former part of this work was printed, a new form has been given to Table XX. by which the last corrections of a Lunar Observation may be found very expeditiously. The correction in this new Table will frequently exceed those deduced from the former one by two or three seconds, on account of having introduced the fourth and fifth corrections, which were formerly omitted.

In using this new Table, it will in general be sufficiently accurate to find the nearest altitudes and distance, and take out the corresponding correction, without the trouble of making a proportion for the neglected degrees and minutes. Thus in Example I. enter the new table with the  $\kappa$ 's altitude 50°,  $\delta$ 's altitude 70°, distance 50°, which are the nearest numbers in the Table, the corresponding correction is 27" as found before. In the second example the  $\kappa$ 's altitude 10°,  $\delta$ 's 20°, distance 60°, give the correction 27", being 4" more than the former method. In the third example the correction is 24". In the fourth 22". In the fifth 17". In the sixth 19". These corrections are always additive.

In using the second and third methods of working a lunar observation, this correction is to be found in the same manner, and added to the corrected distance, subtracting 18" from the sum. Thus, in Example I. the correction 27" is to be added, and the constant quantity 18" subtracted, leaving 27" to be added instead of 17", found by the former method.

**TABLE XX. (New Form.) Correction in Seconds, additive.**

*True distance of the Moon from the Sun or a Star.*

$\delta$ Alt.	20°	25°	30°	35°	40°	45°	50°	60°	70°	80°	90°	100°	110°	120°	$\kappa$ Alt.
10°	96"	79"	67"	60"	53"	48"	44"	37"	31"	27"	23"	19"	16"	13"	10°
20	88	71	64	58	52	48	43	37	31	27	22	18	15	11	20
30	18	39	46	46	44	42	39	34	30	25	22	18	15	13	30
40			18	28	32	33	33	30	27	24	21	18	16	15	40
50					18	23	25	26	24	22	20	18	17	18	50
60							18	22	22	21	19	18	18	18	60
70								18	19	19	18	18	18	18	70
80								18	18	18	18	18	18	18	80
20°	60	64	58	51	46	42	39	33	28	24	20	17	15	13	10°
30	89	73	63	56	49	44	40	33	28	24	20	17	14	11	20°
40	67	62	56	50	45	41	38	32	27	23	20	17	15	14	30°
50	18	33	39	39	38	36	33	29	25	22	19	17	15	13	40°
60			18	25	28	28	26	23	21	19	18	18	18	18	50°
70					18	21	23	23	21	20	19	18	18	18	60°
80							18	20	20	19	18	18	18	18	70°
80								18	18	18	18	18	18	18	80°
30°	12	35	40	40	38	36	34	30	26	22	19	16	14	12	10°
20	66	60	53	49	44	40	36	31	26	22	19	16	15	14	20°
30	78	64	55	48	43	39	36	30	25	22	19	17	16	18	30°
40	57	53	48	43	39	36	33	28	24	21	19	17	17	13	40°
50	18	31	34	34	32	30	29	25	22	20	18	18	18	18	50°
60			18	23	25	25	24	22	20	19	18	18	18	18	60°
70					18	20	21	20	19	18	18	18	18	18	70°
80							18	19	18	18	18	18	18	18	80°
40°	10	34	38	38	36	34	32	28	24	21	19	17	15	15	10°
20	18	52	47	42	38	35	32	27	24	21	19	17	16	18	20°
30	58	54	46	41	37	33	30	26	22	20	18	17	18	18	30°
40	64	54	39	35	32	30	27	24	21	19	18	18	18	18	40°
50	47	43	28	27	25	24	21	19	18	18	18	18	18	18	50°
60	18	27	18	21	22	21	21	19	18	18	18	18	18	18	60°
70					18	19	19	18	18	18	18	18	18	18	70°
80							18	19	18	18	18	18	18	18	80°
50°	10	30	33	33	32	30	28	25	22	20	18	17	17	18	10°
20			18	25	27	27	25	22	20	18	18	18	18	18	20°
30	18	30	33	33	32	30	28	25	22	20	18	18	18	18	30°
40	48	43	39	35	32	30	27	24	21	19	18	18	18	18	40°
50	50	42	37	33	30	27	25	22	19	18	18	18	18	18	50°
60	36	34	31	28	26	24	22	20	18	18	18	18	18	18	60°
70	18	25	23	23	22	21	20	18	18	18	18	18	18	18	70°
80			18	19	19	19	18	18	18	18	18	18	18	18	80°
60°	10	26	18	23	24	24	22	20	19	18	18	18	18	18	10°
20			18	28	27	26	24	21	19	18	18	18	18	18	20°
30	18	33	31	28	25	24	22	20	18	18	18	18	18	18	30°
40	36	33	28	25	23	22	20	18	18	18	18	18	18	18	40°
50	36	31	28	25	23	22	20	18	18	18	18	18	18	18	50°
60	27	25	23	22	20	19	18	18	18	18	18	18	18	18	60°
70	27	25	23	22	20	19	18	18	18	18	18	18	18	18	70°
80	18	20	19	19	18	18	18	18	18	18	18	18	18	18	80°
70°	10	23	18	21	22	21	20	18	18	18	18	18	18	18	10°
20				18	20	20	19	18	18	18	18	18	18	18	20°
30					18	20	20	19	18	18	18	18	18	18	30°
40					18	21	21	19	18	18	18	18	18	18	40°
50	18	23	18	23	23	22	21	18	18	18	18	18	18	18	50°
60	27	25	23	22	20	19	18	18	18	18	18	18	18	18	60°
70	27	25	23	22	20	19	18	18	18	18	18	18	18	18	70°
80	20	19	18	18	18	18	18	18	18	18	18	18	18	18	80°
80°	10	20	18	19	19	19	18	18	18	18	18	18	18	18	10°
20					18	19	19	18	18	18	18	18	18	18	20°
30					18	19	19	18	18	18	18	18	18	18	30°
40					18	19	19	18	18	18	18	18	18	18	40°
50	18	20	18	19	19	19	18	18	18	18	18	18	18	18	50°
60	18	19	18	19	19	19	18	18	18	18	18	18	18	18	60°
70	20	19	18	19	19	19	18	18	18	18	18	18	18	18	70°
80	18	19	18	19	19	19	18	18	18	18	18	18	18	18	80°

END OF THE APPENDIX.

## CHART AND QUADRANT STORE.

EDMUND AND GEORGE W. BLUNT,  
**HYDROGRAPHERS,**  
HAVE OPENED A CHART AND QUADRANT STORE,  
No. 149 FLY-MARKET-STREET,

One door above the North corner of Front-Street, NEW-YORK; where, by personal attention to business, they hope to receive that patronage which industry and reverence merit. They have for sale—

### BOOKS :

OWDITCH'S PRACTICAL NAVIGATOR, 6th edition, stereotyped.  
LUNT'S AMERICAN COAST PILOT, 10th edition.  
THE MERCHANT'S AND SHIP-MASTER'S ASSISTANT, containing information useful to merchants, masters of ships, &c.  
NAUTICAL ALMANACS, from the year 1811 to 1828, both inclusive—to be continued annually. Explanation stereotyped, and English copy corrected.  
SEAMANSHIP AND NAVAL TACTICS, second edition.  
WARD'S LUNAR TABLES.

### CHARTS :

- NEW CHART, extending from New-York to Havana, including Bahama Banks and Channels, improved by actual surveys of the Chesapeake Bay, by order of the Navy Department, and of Capes Hatteras, Lood Out, and Fear Shoals, in conformity to an act of Congress of the United States, and conducted under the direction of J. D. ELLIOT, Esq. Capt. in the U. S. Navy, and by permission of Hon. SMITH THOMPSON, Secretary of the Navy, copied, and contains all the Surveys made on the Coast of North Carolina, to the present time (1826.) This Chart has been since improved by a survey from Sandy Hook to Cape May, under the direction of Capt. JONATHAN COLESWORTHY, and EDMUND BLUNT, Hydrographer. It has also several PLANS of HARBOURS, from actual surveys.
- NO. of the Mississippi River, extending to New-Orleans, including Mobile, &c. with sailing directions, and plan of Mobile, on a large scale, from actual survey.
  - NO. of Bahama Banks, from actual survey, made in sloop Orbit, in 1820, with sailing directions.
  - NO. from New-York to Nova Scotia, extending from latitude 38° N. to latitude 47° N. longitude 68° W. to longitude 74° W. including the whole of St. George's Bank, improved to August, 1821, by government and other surveys, by which the latitude of the South Shoal of Nantucket was found 22' wrong, and is here, for the first time, published correct.
  - NO. of the Atlantic or Western Ocean, improved to 1820, with an Analysis of the authorities upon which the dangers have been inserted on the Chart. The Tracks extend to the Equator, and are continued on the Chart of the South Atlantic Ocean. This is the only general Chart extant which has the latitude of the South Shoal of Nantucket within 22 miles correct.
  - NO. of the South Atlantic Ocean, containing more authentic information than any extant, part of which describes dangers lately discovered, with original plans of harbours and views.
  - NO. of the North Coast of Brazil, showing the entrances and courses of the Rivers Para and Amazon.
  - DO. of the West-Indies, on four sheets, which may be had separate.
  - DO. of the Coast of Guyana.
  - DO. of the Coast of Brazil.
  - DO. of the Island of Bermudas, with sailing directions on the chart.
  - DO. of Long Island Sound, improved to 1821.
  - DO. of the Coast of Labrador.
  - DO. of Newfoundland.
- PLAN of New-London Harbour, surveyed by CHARLES MORRIS, Esq. of the United States Navy, by order of Commodore RODGERS, and to him respectfully dedicated. Repeating Circles; Brass Sextants, with Telescopes complete, in mahogany cases; Brass Sextants for the pocket; Ebony Sextants; Quadrants of superior make, with Telescopes; ditto without; Artificial Horizons; Steering, Storm, Amplitude, Azimuth, Pocket and Hanging Compasses; Day Telescopes for sea or land; Night and Day Telescopes; Night Telescopes, either to invert the object or show it erect; Cases of Instruments for Navigation and Drawing in general; Scales and Dividers, Common and Sliding Gunter's Scales; Mast-makers', Ship-carpenters', and Cordage Rules; Marine and Common Thermometers; Log and Time Glasses; Bar and Compound Magnets;

Jack and Pen-Knives of various kinds ; Writing and Letter Paper ; Ink and Ink Powder ; Lead and Slate Pencils ; Log and Account Books ; Seaman's Journals :—with every article in the stationary line useful at sea.

Also, every CHART and NAVIGATION BOOK required by gentlemen navigating any part of the globe, it being their sole object to furnish an universal assortment on the most reasonable terms.

☞ Compasses, Sextants, Quadrants, Thermometers, Barometers, and Spy Glasses correctly repaired ; and orders left at their store will be punctually attended to by sending for the article, and when repaired, carefully returned.

Cash given for second hand Instruments.

Published by E. & G. W. BLUNT,

PLAN of New-York Harbour, from actual survey, and which may be used with the greatest confidence when a Pilot cannot be obtained, also—a second edition of WARD'S Lunar Tables.

#### Preparing for Publishing,

Which will appear at the commencement of the year 1827, a CHART of the Coast of North America, on a Scale, and with such improvements, as are not to be found on any extant.

May, 1826.

### NOAH T. PIKE,

*Draper, Mercer, and Merchant Tailor,*

No. 319 Pearl-Street NEW-YORK, Franklin-Square,

Respectfully informs the public in general, that he has constantly on hand (at his establishment) a choice assortment of fashionable Cloths, Cassimeres, and Vestings, of a handsome variety and taste.

He would, in particular, inform those who may please to favour him with patronage, that his goods are constantly of such variety in style and quality, as is calculated to accommodate his customers with any article of CLOTHING in his line, suitable for any season of the year, which he will guarantee to furnish them with at the shortest notice, executed in the most durable and fashionable style, and on the most reasonable terms.

☞ He thus solicits, as he hopes to merit, a generous share of public patronage. April, 1826.

### LOOKING GLASSES.

The New-York Looking Glass Manufacturing Company, No. 20 Wall-street, respectfully inform Shippers, Country Merchants and the public in general, that they are now ready to supply them with Mantel and Pier Looking Glasses, of every size and variety of pattern, equal in quality to any offered in this city, and at the most reduced prices. Those therefore, who wish to purchase, will find it to their advantage to call and examine for themselves.

Masters of Vessels, having orders for the above articles, may depend on that punctuality and liberality in prices, which will ever give satisfaction, and the greatest attention will be paid in packing.

New-York, April, 1826.

M. O'CONNOR, Agent.

### HALF-PRICE BOOK-STORE,

No. 4 South Front-street, PHILADELPHIA.

Books in almost every department of literature may be bought at the *Half-Price Book-Store*, at an average of about one-half the usual retail prices. Scarce and copyright books, which cannot be afforded so low, will, in every instance, be sold at the lowest prices.

Blank Books, Paper, Quills, Inkpowder, and a general assortment of Stationary.

#### NAUTICAL BOOKS.

Blunt's Coast Pilot, Bowditch's Navigator, Nautical Almanacs, Ship-Master's Assistant, Charts, &c.

Passengers and others, who may want Books to amuse themselves with during their leisure hours, may often buy here such as Novels, Magazines, or other light reading, much lower than half or even one-fourth the nominal prices.

May, 1826.

## WASHINGTON HALL.

M'INTYRE, Washington Hall, 282 Broadway, corner of

Reed-street, NEW-YORK,

Respectfully informs the public, he is at all times ready to accommodate with BOARD and LODGING private families, and gentlemen who may resort to this city for business or pleasure, and with confidence assures them, his establishment is not exceeded by any other in the city for convenience and comfort; and being in the neighbourhood of the Theatre, Museum, City Hall, and places of amusement, he flatters himself in giving the greatest satisfaction.

May, 1826.

JOHN J. RICKERS,

IMPORTER AND MANUFACTURER OF

**PIANO FORTES, &c. AND MUSIC SELLER,**

No 187 BROADWAY, NEW-YORK.

Piano Fortes repaired in a very superior style.

May, 1826.

WILLIAM H. PRIEST'S

**JEWELLERY AND WATCH STORE.**

No. 189 Broadway, opposite John-street,

NEW-YORK.

A general assortment of Fashionable Jewellery, Silver, Plated, and Britannia Ware, Fine Cutlery, Clocks, Watches, and Fancy Articles.

\*\*\* Particular attention paid to Watch Repairing.

April, 1826.

**MERCHANT TAILORS.**

ALEXANDER DOUGHERTY & SON, Merchant Tailors, No. 39 South Front-Street, PHILADELPHIA, have for sale a variety of

CLOTHING OF FIRST QUALITY.

\*\*\* Navy and Army Officers may supply themselves on the most reasonable terms, and with the neatest fashions.

May, 1826.

**CLOTHING STORE.**

ALEXANDER DOUGHERTY & SON, Tailors, No. 40 South Water-street, PHILADELPHIA, have constantly on hand a regular and extensive assortment of CLOTHING, where Officers and Seamen may supply themselves on the most satisfactory terms.

May, 1826.

JAMES B. STANSBURY,

**DRUGGIST.**

No. 83 Thames-street, Fell's Point.

BALTIMORE,

Has for sale a general assortment of MEDICINES and DRUGS, of the best qualities, wholesale and retail.

MEDICINE CHESTS of every description for shipping and private families put up at the shortest notice and in the neatest manner. Old Medicine Chests refitted with the greatest care and despatch, with plain and simple directions, and on the lowest terms.

May, 1826.

PETER McLAUGHLIN,

**CHEAP CLOTHING STORE,**

No. 59 Pratt-street, Baltimore.

☞ Fine and coarse goods made up and sold at the lowest prices.

May, 1826.



## BEDDING WAREHOUSE.

No. 270 North Second-street, above the Golden Lamb,

PHILADELPHIA.

BENJAMIN O. HODGES, respectfully informs his friends and the public in general that he keeps on hand a constant supply of Beds and Bedding, Mattresses of all kinds, Sacking-Bottoms—*FEATHERS* of the best quality, Curled Hair, Moss, Flocks, Cat-tails, Cotton, Wool, and a general assortment of *CABINET WARE*, such as Bedsteads, Bureaus, Tables, Sideboards, Children's Cribs, Cradles, Wash-stands, &c. and a general assortment of *CHAIRS*, and a number of other articles in his line, all of which he will sell on reasonable terms. Young persons who are about to commence house-keeping will find it to their advantage to call and see his assortment, and Ship-Masters will be furnished on the most liberal terms.

May, 1826.



## TWEED & BONNEL,

*Fancy and Windsor Chair Manufacturers,*

No. 2 Cherry-street, one door from Dover-street,

NEW-YORK,

Orders thankfully received, and executed with punctuality and despatch. A liberal allowance made to shippers.

*Old Chairs repaired, painted, and regilt.*

April, 1826.

J. W. DURYEE,

## DRUGGIST.

No. 206 Pearl-street, next door to the corner of Fly-Market-stip

NEW-YORK,

Has for sale a general assortment of Drugs, Medicines of all kinds, Perfumery, Dyers' and Fullers' articles, Patent Medicines, &c. of the best qualities and low prices.

**MEDICINE CHESTS** put up and repaired with care and despatch, by a professional character, and all orders left at 206 Pearl-street, will be promptly attended to.

May, 1826.

## ISAAC W. GOODRICH,

*STATIONER,*

No. 76 State-Street—Boston, (Mass.)

Has for sale, Ledgers, Journals, Cash, Sales, Invoice, and Letter-Books, ruled and bound, in the neatest manner; Paper, warranted of the very first quality, prices low; English, Italian, and American writing paper; Letter, do.; Dutch, English, and American Quills; Ink powder; Wax, Wafers; Red and Black Ink; Penknives, of Rodger's manufacture, 150 different patterns, one to eight blades, 12 cent: to \$5 each; John Barber's Old English Razors, warranted good, or money returned; Emerson's Razor Strops, superior to any in use; Playing Cards, by groce, dozen, or single pack, at manufacturer's prices; Day & Martin's Real Japan Liquid Blacking, by cask, dozen, or single jug; Bowditch's new edition Navigator; Blunt's American Coast Pilot; Nautical Almanacs; Ready Calculators; Taylor's Physician; Peckman's Journals, printed forms, any size or thickness, bound.

Merchants will always find a complete assortment of books, such as Checks, Bills, Lading, Entries, Manifests, Shipping papers, &c. &c. Account Books, in sets, ruled and bound to any pattern. Old books re-bound.

I. W. G. has a manufactory of *Calf-Skin Pocket Books*, and can furnish them in a style superior to any manufactured in the United States, and as low. Purchasers are invited to call and examine for themselves.

\*\* Sea-faring persons can be supplied with Stationary, Nautical Books and Charts, by sending their orders, and on as good terms as can be purchased for in Boston. Store open till 9 o'clock evenings. Goods sent to any part of the town, gratis.

April, 1826.



## EDMUND HAVILAND,

IMPORTER OF

### CHINA, GLASS AND EARTHENWARE,

HAS constantly on hand an extensive assortment of FINE CUT and PLAIN GLASS, CHINA and EARTHENWARE, at the lowest prices, by the package or less quantity, at his store

No. 306 Pearl-street, just below Peck-slip, New-York.

N. B. The most approved articles and patterns for ship's use. May, 1826.

### CABINET WAREHOUSE,

No. 48 Canal-street,

HENRY M. BRITON, informs the public that he has constantly on hand, an extensive assortment of Furniture, of every description in his line, together with Mahogany Chairs of the first style; all of which he will dispose of on the most reasonable terms. A share of the public patronage is solicited. New-York, May, 1826.

S. HUTCHINSON,

### CABINET MAKER,

No. 98 Canal-street, NEW-YORK.

Sideboards, Secretaries, Sofas, Dining, Breakfast and Card Tables, &c. &c. of the newest fashions, and made of the best materials, constantly for sale—or made to order, on the most accommodating terms. May, 1826.

### PIANO FORTES.

T. LOUD,—PIANO FORTE MAKER, (from London,) respectfully informs the public that he has replenished his stock, and has for sale a handsome assortment of very superior Piano Fortes of *touch and tone*, seldom to be equalled; one of which, just finished, with four pedals, is of unusual and unrivalled splendour, united with real excellence. Merchants visiting the city, would consult the interest of themselves and friends, (from whom they may have brought orders) by examining the above. Prices moderate, and all Pianos warranted. Pianos tuned and repaired, and old ones taken in exchange. No. 102 Canal-street, (between Broadway and Lafayette Circus.) April, 1826.

### FIRTH & HALL,

*Musical Instrument Makers, and Importers of*

ALL KINDS OF MUSICAL MERCHANDISE,

No. 358 Pearl-street, near Franklin-square,

NEW-YORK,

Have constantly for sale an assortment of Piano Fortes, and Musical Instruments of the most celebrated Makers and of their own manufacture; together with every other article of Musical Merchandise, wholesale and retail, on the most liberal terms. BANDS supplied with Instruments, &c. Musical Instruments of all kinds tuned and repaired in the neatest manner. All orders thankfully received and attended to with care and despatch. April, 1826.

N. KNIGHT,

BOOK, STATIONARY, AND VARIETY STORE,

*Thames-street, late Fell-street, Fell's Point,*

BALTIMORE.

April 1826.

## CABINET WAREHOUSE. BOSS & FAIRCHILD

Beq leave to inform their friends and the public that they have commenced the CABINET MAKING business at their Warehouse, No. 607 Broadway, where all orders will be thankfully received and punctually attended to: they will also find a large assortment of imitations of wood of all descriptions, painted by one of the first painters in the country.

April, 1826.



### A GENERAL ASSORTMENT OF **SPORTING TACKLE,**

WHOLESALE AND RETAIL,

AT ISRAEL HORSFIELD S HARDWARE STORE,

No. 230 Water-street, New-York.

*Fishing Tackle.*—Fish rods, swivels, shrimp nets, India grass, hair, gut and flax lines, brass and wood reals, floats, sinkers, gentlemen's fish cars, silkworm gut, single and twisted, Kirby and taper point fish-hooks fastened on gut, grass, hair, and flax snells, Patent spring pickerel, R. Hemming & Son's royal improved cast, and best steel Kirby, taper point mussel, mackerel, whiting, cod, and, sea fish-hooks, stamped I. P.

*Shooting Tackle.*—Dartford canister, English and American gunpowder, patent shot, shot bags, powder flasks, horns, game bags, gun worms, locks, &c. &c.

ALSO, A GENERAL ASSORTMENT OF HARDWARE.

May, 1826.

## FLOUR STORE.

The subscribers have constantly on hand and for sale at No. 223 Front-street New-York, a large and general assortment of New-York Canal, Philadelphia, Baltimore, and Richmond Superfine and Fine FLOUR—Also, Rye, Indian, and Buckwheat MEAL, which they sell at the lowest market prices, and warrant all Flour sold by them to be equal to the representation.

Merchants, Masters of vessels, and private families, will always be supplied with a superior article.

New-York, April, 1826.

NEWELL & PARSONS,

No. 223 Front-st. near Peck-slip.

## SELDEN BRAYNARD'S

*Lottery and Exchange Office, No. 16 State-street, Boston.*

FIVE DOORS ABOVE THE BRANCH BANK,

Where have recently been sold the following Capital Prizes, viz:—

1	Prize of	\$50,000	97	Prizes of	\$10,000
2	do.	15,000	84	do.	500
4	do.	10,000	218	do.	100
6	do.	5,000	318	do.	50

The Capital Prize of \$50,000 is the highest ever sold in Boston; and the cash was advanced on presentation of the ticket at the above office, on the day the drawing was received. Tickets may be had in all the Lotteries drawn in the United States, and the cash paid for prizes soon as drawn.

Orders enclosing cash (post paid) will meet with immediate attention.

May, 1826.

## CARPETING.

**J. & J. H. SACKETT,**

Offer for sale at their Store, 96 Division-st., nearly opposite Market-st.

An extensive assortment of VENETIAN, BRUSSELS, and ENGLISH INGRAINED CARPETING, large and elegant patterns, of all qualities; Nankin and Canton Matting; Brussels, Wilton and Imperial Rugs; Table and Piano Covers, &c. &c.

Merchants and Ship-Masters, in furnishing ship's cabins, will find it greatly for their interest to apply as above.

N. B. Also—a splendid assortment of light Carpeting, patterns and quality equal to any ever imported, at prices which will be an object to those who are in want of the above articles. New-York, April, 1826.

## YORK HOUSE,

NOS. 5 AND 7, COURTLANDT-STREET,

NEW-YORK,

**BY A. YOUNG.**

May, 1826.

## GILBERT' & SONS,

EXCHANGE-STREET, BOSTON.

U. S. Stocks,  
Bank Stock,  
Inland Exchange,  
Notes of Hand, &c.

} Negotiated.

Dollars,  
Doublions,  
Foreign Gold,  
Bank Notes,

} Bought and Sold.

LOTTERY TICKETS in all legally authorized Lotteries, constantly for sale.—Attend generally to all business relating to Stock Exchange, Money and Lottery Brokers. April, 1826.

## J. HORSPOOL,

CABINET, CHAIR, AND SOFA

MANUFACTURER,

16 WHITE-ST.

J. H. assures the public, that all orders in his line will be attended to with punctuality and despatch.

Orders from the Southward will meet with immediate attention. New-York, May, 1826.

## WILLIAM BIGELOW,

**BOOKBINDER,**

No. 50 Fulton-street, BROOKLYN.

BOOKBINDING, in all its various branches, executed with neatness and despatch. Merchants' account Books, Writing Books, &c. ruled to patterns at the shortest notice.

Backgammon Tables, Chess Boards, Battledores, Dice Boxes, &c. wholesale and retail.—Maps, Pictures, &c. varnished in the neatest manner.

Brooklyn, 1826.

## G. & R. WAITE'S LOTTERY AND

EXCHANGE OFFICES,

Corner of Broadway and Maiden-lane, and the corner of Broadway and Fulton-street, New-York—south-west corner of Third and Chesnut-streets, Philadelphia—and corner of Charles and Market-streets, Baltimore. At all the above offices, Bank Notes are discounted at the lowest rates, and the highest premium given for Gold. Tickets and shares in all the Lotteries for sale. Cash advanced for prizes as soon as drawn. At Waites' offices have been sold and paid Prizes amounting to EIGHT MILLIONS OF DOLLARS. April, 1826.

# NATIONAL HOTEL.

The public is respectfully informed, that the splendid edifice recently erected in the city of New-York, by Joseph Delacroix, Esq. is opened for their accommodation.—This establishment is situated in one of the most airy and agreeable parts of Broadway, nearly opposite the City Hotel, was built expressly for a house of public accommodation, and is believed to possess advantages for rendering a residence to strangers of business or pleasure, pleasant and comfortable, not surpassed in this country.

The Lessees, anxious to render the National Hotel alike creditable to themselves and to this commercial metropolis, have spared no exertion or expense, to finish the establishment in a style they are fully confident will secure public approbation and support. Its immediate superintendance is confided to Mr. E. BOARDMAN, a gentleman whose experience and capacity of conducting a concern of this kind are well known to the public, and renders any pledge on the part of the proprietors for its proper management, unnecessary.

Extensive arrangements have been made for the reception of permanent BOARDERS, and the accommodation of gentlemen with their families, with private suits of apartments.  
May, 1826.

## GEDNEY KING, MATHEMATICAL INSTRUMENT MAKER,

NO. 118

State-Street, opposite Broad-Street,  
BOSTON,

Has constantly for sale, wholesale and retail, a general assortment of Mathematical and Philosophical Instruments, of the best quality, (warranted,) comprising articles of almost every description in the mathematical line, viz :—

Sextants of ebony and metal, with silver, brass and ivory arches—Quadrants, with and without tangent and vertical screws—Day and Night Telescopes, with and without brass shades, and Telescopes of every description—azimuth, amplitude, storm, brass, and wood binnacle, hanging, and pocket Compasses—Binnacle Lamps, Time Glasses of every quality, Thermometers, Marine Barometers, Scales and Dividers, Parallel Rules, Protractors, cases of Instruments, &c. &c.

Bowditch's Practical Navigator, Blunt's American Coast Pilot, do. Seamanship and Naval Tactics, do. Nautical Almanacs, Shipmaster's Assistant, Merchant and Seaman's EXPEDITIOUS MEASURER, consisting of a set of Tables, which shew at one view the Solid Contents of all kinds of packages and casks, according to their several Lengths, Breadths, and Depths : also, Rules for determining the contents of all sorts of casks in wine and beer measure—Stereotype Edition ; Corrected by EDMUND M. BLUNT, Author of the American Coast Pilot, &c.—WARD'S Lunar Tables, together with every Nautical publication of merit, including an assortment of the most useful CHARTS.

Sextants, Quadrants, Compasses, Time Glasses, and other Instruments, cleaned and repaired at the shortest notice, and on the most reasonable terms.

April, 1826.

## J. M. ELFORD'S CHART AND MATHEMATICAL STORE,

No. 119 East Bay, sign of the Quadrant, CHARLESTON, S. C.

OLD ESTABLISHED STAND.

FOR SALE—Charts, Nautical Books, and Mathematical Instruments of every description. Compasses, Quadrants, Spy-Glasses, &c. repaired and for sale. Chronometers rated.

Published and for sale, J. M. Elford's LONGITUDE TABLES, being the shortest and most simple method of working Lunar Observations of any in practice. Elford's Circular POLAR TABLES, for finding the Latitude at any time of night by an Altitude of the Polar Star. Elford's Universal and Perpetual Circular TIDE TABLES, for finding the time of High Water every day in the year, at all the principal places in the world, by inspection or at sight. Also—The UNIVERSAL SIGNAL BOOK, with improvements, by J. M. Elford.

NAVIGATION taught in all its branches, including Astronomical and Lunar Observations.

N. B. An EVENING SCHOOL from 6 till 9—and private lessons given upon Lunar Observations at intervals.  
April, 1826.

## BAROMETERS AND THERMOMETERS,

WHOLESALE AND RETAIL.

### CHARLES POOL,

BAROMETER AND THERMOMETER MAKER,

No. 280½ Broadway,

Next door to Washington Hall,

NEW-YORK,

Respectfully acquaints his friends and the public, that he has to offer for inspection, Parlour, Marine, and Mountain Barometers; with a large assortment of Thermometers, suitable for Brewers, Distillers, Chymists, Sugar Bakers, Dyers, Bath, Botanical and Marine purposes. Likewise, Hydrometers, Saccharometers, Plate Electrical Machines, compound Microscopes, Telescopes, and a general assortment of Spectacles, suitable for all ages.

N. B. Barometers and Thermometers accurately repaired.

April, 1826.



## THIMBLE MANUFACTORY.

### GEORGE W. PLATT

CONTINUES HIS MANUFACTURING ESTABLISHMENT, AT

NO. 361 PEARL-STREET,

NEW-YORK.

Where he offers for sale a great variety of Gold and Silver Thimbles, Fancy articles, &c.

N. B. All orders will be thankfully received, and punctually attended to.

April, 1826.

## FASHIONABLE CLOTHING STORE,

No. 153½ SOUTH FRONT-STREET, (DRAWBRIDGE.)

THE Subscriber grateful for past favours, informs his friends and the public that he has now on hand, an elegant and extensive assortment of ready made clothing, of every description, suitable for the season, which will be disposed of on the lowest terms for Cash.

Also, a handsome selection of Cloths, Cassimeres, and Vestings, which will be made to order, in the most fashionable manner, and on the most reasonable terms.

Philadelphia, May, 1826.

S. DEWEES.

## PORTER, ALE AND CIDER.

### GILLIN & HILL,

RETURN their thanks to their customers for the liberal Patronage they have received, respectfully inform them and the public, that they still continue Eotting, at their old established stands,

No. 3 Pear-street, and 244 South Second-street,

Where they have on hand, a quantity of Porter, Ale and Cider, in large Bottles of a superior quality, which they will sell on reasonable terms.

N. B. On hand, 390 Hogsheads of superfine CIDER, equal to any ever offered for sale in this City, which will be sold by the Hogshead or Barrel, or put up for Exportation at the shortest notice.

Merchants, Captains of vessels and others, can have their sea stores put up in the best order and at the shortest notice, by applying as above.—Highest price given for empty bottles, or they will be received in exchange for Porter.

Philadelphia, May, 1826.



## SWAIM'S PANACEA.

THIS medicine is offered as a remedy for Scrofula or King's Evil, Ulcerated Sore Throat, long standing Rheumatic Affections, Cutaneous Diseases, White Swelling and Diseases of the Bones, and all cases generally of an ulcerous character, and chronic diseases arising in debilitated constitutions, but more especially for Syphilis, or affections arising therefrom, Ulcers of the Larynx, Nodes, &c. and that dreadful disease occasioned by a long and excessive use of mercury, &c. &c.—It has been found to be a most useful spring and autumn alterative for debilitated persons; it has also been found useful in Diseases of the Liver.

In all disorders arising from an impure or contaminated state of the Blood, it will be found a powerful and an effectual remedy. The discovery of this medicine has been the effect of long and attentive study, and it is now made public from the most decided conviction, founded on ample experience, of its power in eradicating those diseases, after every other medicine has failed.

It cannot, however, be supposed, that this PANACEA will invariably cure—the most esteemed medicines, employed by the Faculty, will often fail in the very diseases for which they are considered specifics; but if the use of it be persevered in, it will radically remove almost every case of the disorders specified. Thousands are lingering under those complaints, in some form, sinking to the grave, without a remedy, whom this medicine would certainly restore to perfect health and vigour. Its safety and innocence have been fully tested, so that it may be administered to the tenderest infant. The most distinguished physicians in the United States recommend it, and admit, that a more important discovery in medical science has not been made; and to use the language of one of the most eminent Professors of the age, it is a triumph in the healing art. To the present and rising generations the benefit must prove incalculable, not only by saving many valuable lives, but imparting strength and soundness to debilitated and corrupted constitutions,—thereby preserving their offspring from hereditary diseases. These facts, together with the numerous cures made, form irresistible proof of the high value of this remedy. No one, however, is advised to take it, without first fully convincing himself of the truth of what is here stated, and the rectitude of the Proprietor's intentions.

The cures performed in this city alone, establish its superior virtues on a basis too solid to be affected by the malignity of the envious. It is worthy of remark, that the greater part of the patients who have been permanently cured, had, previous to the Proprietor's undertaking them, received the ablest assistance, and several were abandoned by their Physicians, as being beyond the reach of human skill. Such is the fact, and so extraordinary were many of the cases, that an exhibition was made of them in the University of Pennsylvania, by the Professor of Surgery, before a crowded audience of Students, who pronounced them wonders in the healing art. It has been introduced into the PHILADELPHIA ALMS-HOUSE and PENNSYLVANIA and NEW-YORK HOSPITALS, and such were its surprising effects—its success after all other medicines had failed, that the Surgeon of the Pennsylvania Hospital, Dr. Wm. Price, was induced to abandon his highly respectable office, from the laudable design of benefiting his fellow creatures, by carrying the Panacea to England; where it has already superseded the use of the genuine French Rob of Lafacteur in a number of instances, in diseases for which that is intended, and its virtues are publicly acknowledged by some of the most eminent Surgeons there.

In all complicated cases of Scrofula and Syphilis, and where the Syphilitic Virus of the parent causes a development of Scrofula in the child, this is the only remedy upon

which a single hope of recovery can be reasonably founded; there has been no instance of its failure, where properly used. It imparts vigour to the whole system while the cure is going on—an operation so long looked for in vain by the medical world; at the same time the patient is enabled to take nourishing food, which under the common modes of practice, is usually withheld from the sufferer. In many instances where the horrible ravages of ulceration had laid bare ligament and bone, and where, to all appearance, no human means but amputation could have saved life, in cases extreme even as here described, have patients been snatched from the grave and restored to good health, and the devouring disease completely eradicated. The discovery of a remedy like this now offered for sale has been a desideratum from time immemorial.

### CERTIFICATES.

"I have within the last two years had an opportunity of seeing several cases of very inveterate ulcers, which, having resisted previously the regular modes of treatment, were healed by the use of Mr. Swaim's Panacea; and I do believe, from what I have seen, that it will prove an important remedy in scrofulous, venereal, and mercurial diseases.

N. CHAPMAN, M. D.

*Professor of the Institutes and Practice of Physic, and Clinical Practice, in the University of Pennsylvania, President of the Academy of Medicine of Philadelphia, &c. &c.*  
Philadelphia, February 16, 1823."

"I have employed the Panacea of Mr. Swaim, in numerous instances, within the last three years, and I have always found it extremely efficacious, especially in secondary syphilis and in mercurial disease. I have no hesitation in pronouncing it a medicine of inestimable value.

W. GIBSON, M. D.

*Professor of Surgery in the University of Pennsylvania, Surgeon and Clinical Lecturer to the Alms-House Infirmary, &c. &c.*  
February 17, 1823."

"I have repeatedly used Swaim's Panacea, both in the Hospital and in private practice, and have found it to be a valuable medicine in chronic, syphilitic and scrofulous complaints, and in obstinate cutaneous affections.

VALENTINE MOTT, M. D.

*Professor of Surgery in the University of New-York, Surgeon of the New-York Hospital, &c. &c.*  
New-York, 1st Mo. 5th, 1824."

"I have much pleasure in saying I witnessed the most decided and happy effects in several instances of inveterate diseases from Mr. Swaim's Panacea, where other remedies had failed—one was that of Mrs. Brown.\*

WM. P. DEWEES, M. D.

*Adjunct Professor of Midwifery in the University of Pennsylvania, &c. &c.*  
Philadelphia, February 20, 1823."

"I cheerfully add my testimony in favour of Mr. Swaim's Panacea, as a remedy in Scrofula. I saw two inveterate cases perfectly cured by it, after the usual remedies had been long tried without effect—those of Mrs. Offner\* and Mrs. Campbell.\*

JAMES MEASE, M. D.

*Member of the American Philosophical Society, &c.*  
Philadelphia, February 19, 1823."

"Washington City, March 25th, 1824.

Sir,—With regard to your Panacea, I hesitate not to say, after a good deal of experience of its use in such diseases as you have announced it as a remedy for, that I think it a valuable acquisition to valetudinarians from those diseases, and that they may confidently expect from it benefits, which I believe cannot be derived from any other medicinal aid now known. Yours, &c.

THOMAS H. HALL, M. D.

*Member of Congress from the State of North Carolina, &c.*

Mr. Wm. Swaim, Philadelphia."

"At the request of W. Swaim, I hereby certify that in the few cases I have seen his Panacea given, I have observed great benefit derived from its use, and particularly in the case of R. C. Tregomaine,\* who was for many years afflicted with very inveterate ulcers, that were deemed incurable by some eminent surgeons, who had attended her.—In this hopeless situation, she was (in September, 1821,) admitted a patient in the Pennsylvania Hospital, and had the advice of all the surgeons of that benevolent institution, without receiving much relief, when she began the use of the Panacea, which, to the surprise of all who witnessed its effects, restored her to good health, in a short time. In October, 1823, she was discharged from the Hospital, perfectly cured.

From observing the wonderful effects of Swaim's Panacea in R. C. Tregomaine's case, and from several well attested reports of many of our most eminent surgeons, I am

\* See "A Treatise on Swaim's Panacea," for a history of the cases referred to.



induced to believe it is a very useful remedy in chronic, syphilitic, mercurial and scrofulous complaints.

THOMAS PARKE, M. D.

President of the College of Physicians, formerly Physician to the Pennsylvania Hospital, &c. &c.  
Locust-street, Phila. 11th Mo. 1st, 1834"

"Having had frequent opportunities, of witnessing the effects of the article denominated *Swaim's Panacea*, I must candidly say, that I have been much pleased with the results of its success, particularly in the following diseases, viz. Scrofula, Syphilitic, and Mercurial diseases, Tumours, and Ulcers, where there has not only been great destruction of the soft parts, but also where caries of the bones have extended to a very considerable extent.

JOHN Y. CLARK, M. D.

Philadelphia, January 18th, 1825."

"Having witnessed the decided efficacy of the medicine called *Swaim's Panacea* in several cases of inveterate disease, that had resisted the usual remedies, justice requires that I should give my testimony in its favour. Among other cases that have come under my notice, those of Mrs. Hocker,\* of Kensington, and J. Lambert's child,\* are the most worthy of notice. In the former case, there was extensive ulceration and caries of the bones of the face, that was rapidly extending its ravages to the nose and palate. In the latter, a gangrenous ulceration, commencing on the inside of the cheek, had extended to the outside, and destroyed a portion of the cheek, and threatened its entire destruction. In both these cases, the diseases were in a progressive state, although very active treatment had been used, without benefit; but were speedily arrested in their progress, and in a short time perfectly cured by the use of Mr. Swaim's medicine.

ALEX. KNIGHT, M. D.

Port Physician of Philadelphia, &c.

Philadelphia, December, 1824."

"I have used Mr. Swaim's *Panacea* in several cases of secondary syphilis, which were sent to the Navy Hospital at Brooklyn, and feel pleased to say with complete success.

SAMUEL R. MARSHALL, M. D.

Surgeon of the United States' Naval Hospital, New-York, &c.

New-York, August 19, 1825."



## AGENTS.

Boston—J. P. Hall, Druggist, No. 1 Union-Street. New-York—D. D. Smith, Bookseller, Greenwich-street, near Vesey-street, and Hull & Bowne, Druggists, Pearl-street, near Wall-street. Albany—Mancius & Vandenberg, Druggists. Portland, (Maine)—James Dorance. Newark, (N. J.)—Benjamin Olds, Bookseller. New Brunswick, (N. J.)—Terhune & Letson, Booksellers. Trenton, (N. J.)—Thomas L. Woodruff. Lancaster, (Pa.)—Henry Keffer. Pittsburg, (Pa.)—Charles Avery & Co. Druggists. Harrisburgh, (Pa.)—N. Callender, Druggist. Cincinnati, (Ohio)—M. Wolfe & Co. Wilmington, (Del.)—Joseph Bringhurst, and M. Johnson. Baltimore—Henry Price, Druggist, Market-street. Washington City—William Gunton, Druggist. Alexandria—Edward Stabler & Son, Druggists. Richmond, (Va.)—James M'Kildoe, Druggist. Petersburg, (Va.)—Bragg & Jones, Druggists. Fredericksburgh, (Va.)—Dr. James Cooke. Lynchburgh, (Va.)—Walter H. Middleton, Druggist. Norfolk—Christopher Hall, Bookseller. Newbern, (N. C.)—Salmon Hall, Bookseller. Raleigh, (N. C.)—Webb & Williams. Washington, (N. C.)—John Gallagher, Postmaster. Turbrough, (N. C.)—Dr. Ward. Charleston, (S. C.)—S. Huard, Druggist, Broad-street. Savannah, (Geo.)—Anson Parsons, Druggist. Augusta, (Geo.)—William H. Turpin, Druggist. Natchez—Franklin Beaumont, Druggist. New Orleans—William M'Kee. Lexington, (Ky.)—H. & I. Ritchie, Druggists, Sole Agents for the State.—They will promptly attend to-all orders for the *Panacea*.

## CAUTION TO PURCHASERS.

The great demand and wonderful success of this medicine, have induced a number of persons to imitate it in various ways—Some are selling Sarsaparilla and other syrups, imposing them on the ignorant for the *Panacea*; others are mixing the genuine medicine with molasses, &c., making three bottles out of one; thus retaining some of its virtues. Those imitations and adulterations have, in many instances, protracted the sufferings of patients in cases where the genuine medicine would have proved instantly efficacious. I therefore deem it a duty I owe the public, to acquaint them, that it is impossible, from the very nature of its constituents, to be discovered by chymical analysis; and consequently, that all other mixtures represented to be mine and sold as such, are

\* See "A Treatise on Swaim's Panacea," for a history of the cases referred to.

fraudulent and base impositions, calculated to deceive the ignorant and unwary.—The genuine medicine has my signature on a label representing *Hercules and the Hydra*, and my name on the seal.

Price Three Dollars per bottle, or Thirty Dollars per dozen.

Communications, post paid, and orders from any part of the world, will receive immediate attention.

Printed Directions accompany the Medicine.

WM. SWAIM,

No. 221 Chestnut-street, near the Masonic Hall.

Philadelphia, May, 1826.

COMMUNICATION.

SWAIM'S PANACEA.

Having made the proper inquiry, we can vouch for the accuracy of the statement contained in the subjoined communication. No one should hesitate to bear just evidence to the merits of a medicine like that of Mr. Swaim, which would seem to be very different from the nostrums of the day.—*Ed. Nat. Gaz.*

To the Editor of the *National Gazette*.

Dr. Gibson, professor of surgery in the University of Pennsylvania, in his lecture on Monday last, spoke in high terms of Mr. Swaim's Panacea. He remarked that he had found it decidedly beneficial in chronic cases of Syphilis, &c., and that he had known patients who had laboured under this disease for a length of time, and tried almost every remedy commonly employed for its cure with very little if any effect, but who, after using the Panacea, recovered quickly and entirely. He related several instances of rapid and extraordinary restoration to robust health, from a state of the most miserable weakness and infection, wherein repeated salivations had produced only the mischief incident to the use of mercury. He spoke likewise of Mr. Swaim personally, acknowledging the generosity which he had shown in the distribution of his medicine to the poor, and in the support, even of whole families, until a cure was effected.

The professor mentioned that he had been censured by surgeons and physicians for recommending the Panacea of Swaim; but that he thought it a duty which he owed to suffering humanity, not to withhold the expression of his opinion and experience of its efficacious character.

N. B. It is to be regretted that there are a number of spurious mixtures in imitation of this most valuable remedy, which have done much mischief; we are glad to find that no respectable druggist is concerned in the fraud.

Philadelphia, January, 1825.

MEDICUS.

REDUCTION OF ONE HALF.

*Philadelphia Silver Spoon and Fork Manufactory,*

N. W. corner of Fifth and Cherry-streets.

The Subscribers, Wholesale Manufacturers of Silver Spoons, Forks, Ladles, &c. have now commenced *Retailing* all articles in their line, at a reduction of 50 per cent below the retail price of manufacturing. Table Spoons, for which the public have been paying from 12 to \$16 per dozen for manufacturing, they now make for \$6. Tea Spoons, the store price of which is \$5 per dozen for making, they retail at \$2 50, above the cost of silver, and other work in proportion.

This will reduce heavy Spoons to about \$1 40, or \$1 45 per ounce. None can, nor shall undersell them. They are the only Manufacturers in this city, who have been brought up to this business exclusively. They have Manufactured for the principal stores in this place and elsewhere for many years, and assure the public that their work, both polished and burnished, shall be finished in a very superior manner, and always, for cash, at the wholesale prices, let them be what they may. The public are invited to call, and see the superior finish of the work, and judge for themselves. Their burnished work, marked "Standard," shall be Manufactured of Spanish Dollars, when they can be procured, but never under the standard of our country; polished work, marked "Crowns," shall be Manufactured of French Crowns. This is the finest silver manufactured in the United States, and to give the public a guarantee, they engage to pay \$100 to any person who will assay their work, so marked, and prove it below its stamp, also to forfeit double the amount of work purchased. As there is no assay office in this place, they deem such a guarantee absolutely necessary, and in justice to the public, every one who sells Silver ought to come under some such regulation, as it is well known that it can be manufactured from 10 to 20 per cent worse than Standard, and none can tell the difference in appearance.

Philadelphia, May, 1826.

R. & W. WILSON.

**ABRAHAM CARGILL'S  
TIN WARE MANUFACTORY,**

AND

**KITCHEN FURNITURE WAREHOUSE,  
232 WATER-STREET,**

*Third House East of Beckman-street,  
NEW-YORK,*

Has constantly for sale a large assortment of *Tin Ware*. Also—Brass kettles, bell metal kettles, copper tea kettles, iron pots and kettles, pewter ware, iron and lead weights, tin and pewter liquor measures, scales and beams, block tin taps, wooden measures, composition tea kettles and sauce-pans, patent scale beams, &c. Together with a variety of house-keeping articles, all of good quality, and at fair prices.

May, 1826.

---



**CLOTH HAT AND FUR CAP MANUFACTORY,**

**No. 102 WILLIAM-STREET, NEW-YORK.**

**LUKE DAVIES,**

Manufactures gentlemen's Cloth, Morocco, and Fur Travelling Caps; children's Cloth and Morocco Caps and Hats, of different shapes and colours; ladies' Seal, Gennet, and Chinchilli Caps, wholesale and retail:—Also, an assortment of *Fancy Articles*; and many other articles, too numerous to mention—all of which will be sold low.

N. B. A constant supply of children's Morocco Hats, suitable for the Southern Market.  
April, 1826.

---

**GEORGE WILLIG,**

AT HIS

**MUSICAL MAGAZINE,**

**No. 171 CHESNUT-STREET,**

OFFERS FOR SALE,

Grand and Square German Pianos, superior quality, with Turkish music.

Grand and Square English Pianos, superior quality.

Elegant English and French Harps.

Flutes, Fifes, Clarionets, Guitars, Bassoons, French Horns, Trumpets and Flagelets.

Extra fine Violins, and low priced Violins, by the dozen.

Violin Bows; Italian, French and German Violin Strings, Violin Basses, Harp and Guitar Strings, &c. &c.

G. W. receives regularly from England, France, and Germany, the newest Music, and is daily making additions to his own publications.

Country Merchants supplied with all kinds of Instruments and Music on liberal terms.

Military Bands supplied with warranted instruments.

Philadelphia, May, 1826.

---

**ANTHONY DAVENPORT,**

*Mathematical and Nautical Instrument Maker,*

At the sign of the Quadrant and Compass, No. 10 Jones'-Row, Exchange-street. Informs his friends and the public that he continues to carry on the above business exclusive from any other, and will pay his whole attention to the same, where ship owners, masters of vessels, and others, can be assured that their work will be done with correctness and despatch. Also keeps constantly on hand, Brass, Wood, and Cabin Compasses—Half hour and log Glasses, Quadrants, Spy Glasses, Scales, and Dividers, Thermometers, Parallel Rules—Gauging Rods, with a variety of Surveyor's Instruments.

N. B. Grateful for past favours, and solicits a continuance of the same.  
Portland, May, 1826.

## FANCY AND WINDSOR CHAIRS.

**JOSEPH BURDEN,**

*No. 97 South Third-street, nearly opposite the Mansion House,*

PHILADELPHIA,

MANUFACTURES Fancy and Windsor Chairs, Lounges and Settees, and has also, constantly on hand, an extensive assortment of Cane, Rush, and Common Chairs as *knock-downs*, suitable for exportation.

SPLIT RATTAN,

for Chair, Coach, and Cabinet Makers, as also *Copal Varnish* of the first quality, for sale. May, 1826.

## COPPER-WARE MANUFACTORY AND STORE.



**FRANCIS HARLEY,**

*No. 78 South Front-street, (West side,)*

PHILADELPHIA,

HAS constantly on hand, of his own Manufacturing, Stills, with Patent Pewter Worms, calculated for the West India Market. Kettles for Manufacturers. Varnish and Glue Kettles. Sauce Pans and Coal Scuttles. Ship Chandlers furnished with every article in their line. Stills for Fruit, Grain, and Turpentine Distillation. Hatters' Plank and Colouring Kettles. Copper and Brass Wash and Preserving Kettles. Ships' Water Casks, and Tank Pumps. Grocers' Pumps and Measures. Sugar Refiners' Boilers, Ladles, &c. Tallow Chandlers' Boilers, Ladles, &c. Gun Ladies, Powder Measures and Magazines.

ALSO,—For Sale: An assortment of Sheathing Copper, Nails for Coppering, Wood Sheathing, Boat Building, and Pump Boxes. Bells for Churches, Ships, Plantations, &c. Block Tin and Lead in Pigs and Bars. Spelter and Borax. Black Lead Crucibles.

Orders thankfully received and punctually attended to.—All the above Repaired.

N. B. Old Copper, Brass and Lead, bought or taken in payment.

May, 1826.

**EDWARD COOK,**

*No. 6, BOWERY,—NEW-YORK,*

HAS constantly on hand, a full and complete assortment of China, Glass and Earthenware, of his own importation, which he will sell on the most reasonable terms, wholesale and retail.

N. B. Country orders put up, and Ships fitted out on the shortest notice, cheap for Cash. May, 1826.


## SHIPS' MEDICINE CHESTS.

Fifty Medicine Chests for vessels of 100 to 600 tons, put up in the best and most economical manner, by M. S. LITTLE, No. 29 Bowery, (near Chatham-st.) corner Bayard-street, who has constantly on hand Drugs and Medicines, Dye Woods and Dye Stuffs, Paints, Glass, Oil, &c.

Saratoga and Ballston Water put up in boxes of 1 to 4 dozen each.

April, 1826.

## FASHIONABLE FURNITURE.



### **ANTHONY G. QUERVILLE,**

*No. 126 South Second-street, (a few doors below the Custom House.)*

RESPECTFULLY informs the public that he has so enlarged his *Manufactory* as to enable him to keep constantly on hand an extensive supply of **CABINETWARE**, such as

Elegant Fashionable **SIDEBARDS**, various patterns. **BUREAUS**, various fashions. **SOFAS**, very elegant. **DRESSING TABLES**, of all descriptions. **WASH STANDS**, closed and open. **TABLES**, Breakfast, Dining and Card. **BEDSTEADS**, Mahogany, Maple and Cherry, of all sizes.

Shipping Merchants and others, will find it greatly to their interest to give him a call before purchasing elsewhere, as he is determined to sell at the most reasonable prices; and his furniture being manufactured immediately under his own direction, will be warranted equal both in material and workmanship to any made in this country.  
Philadelphia, May, 1826.

---

### **JOHN LEADBEATER,** **PATENT LAMP MANUFACTORY,**

*No. 93 Walnut-street,—PHILADELPHIA.*

May, 1826.

---

### **FASHIONABLE CLOTHING WAREHOUSE,** *S. W. corner of Second and Chesnut-streets,* **PHILADELPHIA.**

**SILVEIRA & BROWNE** respectfully inform their friends and the public generally, that they have on hand a large and extensive assortment of ready made Garments of every description, among which are the following:—

Black and blue dress coats. Olive and brown do. do. Olive, brown and blue frock coats. Drab, newmarket and box do. Olive and mixed double breasted surtouts. Black and white dress vests. Fancy toillet and valenciado. Black and white casimere dress pantaloons. Milled, drab and mixed dress pantaloons. Blue, white and pink under vests. Super blue camblet and tartan plaid cloaks. Patent suspenders. Fine flannel long and short drawers. Superfine linen shirts, ruffled and plain. Do. white, corded and plain muslin cravats. Do. fancy, do. Superfine black silk handkerchiefs large sizes. English white and black silk half hose. White and coloured Woodstock gloves. Black and white hoskin do. Black English silk stocks. English and German silk pocket handkerchiefs.

\* \* \* All the above articles will be disposed of for cash on the most moderate terms by the single garment or quantity, to suit purchasers.

†† Embroidery and ornamental needlework of all descriptions handsomely executed.

N. B. Any number of Garments made at 10 hours' notice.

May, 1826.

---

### **HOFFMAN & ROACH,** **WHOLESALE AND RETAIL GROCERS,**

*No. 114 Canal-street, corner of Lawrence,*

Keep constantly on hand a complete assortment of **GROCERIES** of the best quality, for Family and Ship use.

☞ Sent to any part of the city, free of expense.

New-York, 1826.

**CLARKSON CROLIUS & SON**

HAVE ON HAND, AT THEIR

**MANUFACTORIES,**

*No. 8 Cross, & 67 Bayard-streets,*

**NEW-YORK,**

A GENERAL ASSORTMENT OF

**STONE-WARE,**

OF THE BEST QUALITY,

WHICH they offer for sale by the crate or dozen, at fair prices, and on reasonable terms.

•• Articles of every description made to order.

☞ Orders put up at the shortest notice, and in the best manner.  
July, 1826.

---


**WM. PLYMPTON,**

*No. 7 WALL-STREET, NEW-YORK,*

**COMMISSION WINE MERCHANT.**

PROPRIETORS of Hotels, and MASTERS of Vessels may at all times have their orders supplied with WINES and SPIRITS of the first quality, and being near the Custom House, it will be very convenient to call and examine for themselves.

July, 1826.



**JAMES KELLY,**

**GRATE & FENDER MAKER,**

**SMOKE-JACK & LOCKSMITH,**

**NO. 20 NASSAU-STREET,**

**NEW-YORK.**

GRATES and FENDERS Wholesale and Retail. (The store lately occupied by G. Thorburn & Son, Seedsmen and Florists.)

July, 1826.

---

FOR SALE

BY

**ZINA HYDE,**

AT HIS STORE IN BATH, (MAINE.)

A constant supply of NAUTICAL BOOKS, CHARTS, and INSTRUMENTS, together with an extensive assortment of SHIP CHANDLERY, HARDWARE GOODS, PAINTS, and NAVAL STORES.

June, 1826.

---

**JOHN GRAHAM,**

*Cabinet, Chair, and Sofa Manufacturer,*

**NO. 94 SOUTH THIRD STREET,**

(Nearly opposite St. Paul's Church.)

**PHILADELPHIA.**

June, 1826.

**AARON H. PALMER'S**  
**STOCK EXCHANGE, AGENCY AND LOAN OFFICE,**  
**33 WALL-STREET, NEW-YORK, (UP STAIRS.)**

IN this establishment, Public Securities of the Government of the United States, Stocks, &c. are bought and sold exclusively on commission; Bills of Exchange on London, Paris, Amsterdam, and Hamburg, negotiated—Bills, Notes and Drafts collected, and Debts, Claims, Inheritances, &c. recovered in the principal cities and towns in the United States and Canada; Money taken on deposits, at interest, secured by a transfer of Public Securities or Stock; Loans and Advances made on collateral assignment of stocks, and on Bond and Mortgage of unincumbered Real Estate. The highest premium given for Doubletons, Sovereigns, all other foreign Gold, R. Union, and Bank of England Notes. July, 1826.

**OFICINA DE CAMBIO,**

*Préstamo, Negociacion de fondos Públicos y Agencia General,*  
*en Nueva-York, No. 33 Wall-street, Cuarto Principal.*


EN este establecimiento se compran y venden (exclusivamente en Comision,) las acciones de fondos públicos del gobierno de los Estados Unidos en general. Se negocian Letras de Cambio sobre Londres, Paris, Amsterdam, Hamburgo, &c.; y se procura y agencia el cobro de libranzas, deudas, reclamaciones, herencias, cuentas, &c. Se recibe dinero en depósito con causa de rédito; y tambien se presta bajo las seguridades correspondientes. Se paga un buen premio por los *Doblonos, Soberanos, Onzas, y toda especie de oro en pasta ó acuñada; y plata en barras ó pesos fuertes; y se cambian Billetes del Banco de Inglaterra por.* AARON H. PALMER.  
 July, 1826.



**BLIND FACTORY.**

*Wholesale and Retail, by James Bolen, 350*  
*Broadway, corner of Leonard-street.*

EVERY description for sale on hand or manufactured at order, including those for Windows, Doors, Screens, &c. &c. on moderate condition terms. Communications received from a distance immediately complied with. Merchants and Ship-Masters will



find every accommodation and facility in the execution of order.

July, 1826.



**HAT MANUFACTORY.**

*100 Delancey-street, New-York.*

WELLS & REDFIELD, Hat Manufacturers, No. 100 Delancey-street, New-York, have constantly for sale, manufactured under their personal direction, and from the best materials, a very general assortment of Beaver and imitation Beaver HATS, where wholesale orders will be immediately supplied.

Southern Merchants, whose object is to purchase where a general assortment and liberal terms may be found, will find it for their interest to apply as above.  
 July, 1826

**JOHN I. RICKER,**  
**IMPORTER AND MANUFACTURER,**  
**OF PIANO FORTES, &c.**

*And Music Seller, No. 187 Broadway, New-York.*

Also constantly on hand, an extensive assortment of Flutes, Clarionets, Drums, Fifes, Horns, Bugles, with every article belonging to his line of business.—June, 1826.



**CHARLES FREDERICKS,**

Manufacturer of Curled Maple, Rose Wood, Mahogany Chairs, and Cabinet Ware, wholesale and retail, No. 79 Broad-street.

New-York, July, 1826.

**E. RILEY,**  
**FACTEUR D'INSTRUMENS DE MUSIQUE,**  
 NO. 29 RUE DE CHATHAM, NEW-YORK.

Des tambours de cuire, (avec des cottes d'armes selon l'ordre) un article d'objects particulièrement adopti dans les pays chauds, où les tambours collés ou cloués ne durent pas.

\*. Instruments de Musique réparés et accordés de la meilleure manière.

**E. RILEY,**  
**FABRICANTE DE INSTRUMENTOS**  
**MUSICOS,**

EN LA CALLE DE CHATHAM, NO. 29 NUEVA-YORKE.

Tiene tambores de bronce, (con escudos de armas segun se ordene) un articulo proprio para los climas calidos, donde no duran los clavados ò pegados con cola.

\*. Se tiemplan y componen per fectamente da close de instrumentos

**Franklin Lottery and Exchange Office,**

No. 20 SOUTH THIRD-STREET, PHILADELPHIA.

**VANNEST & MONELL,**

GRATEFUL for favours which they have heretofore received, inform their patrons and the public that they are still ready and willing to dispose of all the good chances which they may at any time have on hand, in the Lotteries about to be drawn, and that it is their determination to select such tickets and shares as will afford the most reasonable expectation of good luck.

V. & M. will also transact all kinds of Exchange business, at the above establishment upon the most favourable and reasonable terms.

N. B. Most uncurrent notes will be received at par for Tickets.

Philadelphia, May, 1826.

**COMB AND FANCY STORE,**



**G. BUSHNELL,**

No. 593 Broadway, nearly opposite Washington Hall,  
 NEW-YORK.

Has constantly for sale, wholesale and retail, a very complete assortment of COMBS and FANCY ARTICLES, suitable for toilets, where persons of taste and fashion may always furnish themselves.

N. B. Cash given for TORTOISE SHELL.

May, 1826.

**WALTON HOUSE,**

KEPT BY

**SIMON BACKUS,**

NO. 328 PEARL-STREET, (FRANKLIN SQUARE.)

NEW-YORK.

May, 1826.

**House, Sign & Ornamental Painting,**

GILDING AND GLAZING, BY

**ROE & ELMENDORF,**

Corner of North-Moore and Chapel-streets,

NEW-YORK.

N. B. Paints, Oil Glass, &c. of the best quality.

June, 1826.

Y Y



**LIST OF  
MAPS, CHARTS, & GEOGRAPHICAL WORKS  
RECENTLY PUBLISHED, AND FOR SALE BY**

**H. S. TANNER,**

GEOGRAPHER AND MAP PUBLISHER,

*No. 177 Chesnut-street, PHILADELPHIA,*

Where most other Publications, connected with American Geography, &c. may be had

- |         |   |         |
|---------|---|---------|
| No. 1.  | A new American Atlas, containing Maps of the several States of the North American Union, projected and drawn on a uniform scale of fifteen miles to the inch, from documents found in the public offices of the United States, and state governments: to which are added, Maps of the World and Quarters; one of North America on four sheets, and one of South America on two sheets, together with Geographical Memoir, giving a detailed account of the materials used in the construction of the various Maps. The whole exhibiting a full and complete geographical view of the two continents of North and South America, in connexion with the other parts of the known world. This work has already passed through two editions, within the period of two years, and has received the approbation and patronage of many of the most distinguished, scientific, and literary characters both in this country and in Europe; special resolutions of Congress and other public bodies in its favour have been passed, and as the author is constantly engaged in the improvements of the plates, by inserting all new information, he trusts that it will continue to be what it has been since its publication, the standard as an American Atlas. Price of the work in half binding, | \$35 00 |
| No. 2.  | The same, with the Maps mounted on rollers and varnished,   | 40 00   |
| No. 3.  | The same omitting the Maps of the World and Quarters, and reserving all those relating to North and South America, the States, &c. Price in half binding,   | 25 00   |
| No. 4.  | The same as the preceding, omitting the Map of South America, and the Geographical Memoir, and reserving all the Maps relating to the continent of North America, including the State Maps. Price,  | 24 00   |
| No. 5.  | Atlas of the United States, comprehended in eleven large sheet maps, drawn on a uniform scale of fifteen geographical miles to the inch. Price half bound,  | 17 50   |
| No. 6.  | The same pasted on pasteboards, bound and varnished, suitable for the use of schools. Price,  | 20 00   |
| No. 7.  | A new General Atlas, consisting of imperial sheet Maps of the World on the Globular projection, 2 sheets; World on Mercator projection, Europe, Asia, Africa, America, North America, South America, two sheets; United States and British possessions. Price half bound,   | 8 00    |
| No. 8.  | A new College Atlas, consisting of a series of General Maps of the various grand divisions of the known world, adapted to the course of geographical instruction, pursued in the colleges and high schools of the United States, imperial folio. Price half bound,  | 5 00    |
| No. 9.  | The same as the preceding, with the Maps pasted on thick paste board and varnished, for the use of schools. Price,  | 7 50    |
| No. 10. | Atlas of Ancient Geography, designed to illustrate the works of the ancient writers, both sacred and profane, sixteen select Maps in imperial quarto. Price half bound,   | 2 50    |
| No. 11. | A new Map of North America on four sheets, embracing all the recent discoveries of Ross, Parry, Franklin, Long, &c. &c. Price, mounted on rollers, or in a portable form,   | 8 00    |
| No. 12. | Arrowsmith's 4 sheet Map of Europe, improved to 1826. Price,  | 8 00    |
| No. 13. | Do. do. Asia, do. do. do.   | 8 00    |
| No. 14. | Do. do. Africa, do. do. do.   | 8 00    |
| No. 15. | A new Map of South America, in 2 sheets, do. do.  | 4 00    |
|         | The Maps numbered 11, 12, 13, 14, and 15, are usually sold together; they form a set on which is delineated the entire surface of the earth, and present as complete a body of geographical information on the known world, as the existing state of knowledge will admit. Price of the set, mounted on rollers and varnished,  | 33 00   |

- No. 16. Map of the World on the Globular projection, 2 sheets. This Map, although designed for the library and counting house, will be found highly useful in schools for which it is well adapted; its grand divisions are distinctly marked, and the various governments readily distinguished. Price on rollers and varnished, \$3 50
- No. 17. A new Map of the United States of Mexico, on one imperial sheet, drawn from the latest and best authorities, and exhibiting their subdivisions as they now exist; with numerous tables, &c. Price in pocket case, 2 00
- No. 18. Map of the Roads, Canals, and Steam Boat routes of the United States with the distances from place to place, and a series of tables showing the principal Steam Boat routes throughout the country. Price in pocket cases, 1 00
- No. 19. Map of the existing and contemplated canals of the state of Pennsylvania, coloured so as to distinguish between such as are finished or in progress, and those merely proposed. Price, 1 50
- No. 20. Map of the New England states, for travellers, in pocket case, 1 50
- No. 21. Map of the state of New-York, do. do. 1 50
- No. 22. Map of the states of Pennsylvania and New-Jersey, for travellers, in pocket case, 1 50
- No. 23. Map of the states of Ohio and Indiana, do. 1 50
- No. 24. Map of the states of Virginia, Maryland and Delaware, do. 1 50
- No. 25. Map of the states of Kentucky and Tennessee, do. 1 50
- No. 26. Map of the states of North and South Carolina, do. 1 50
- No. 27. Map of the states of Georgia and Alabama, do. 1 50
- No. 28. Map of the states of Louisiana and Mississippi, do. 1 50
- No. 29. Map of the states of Illinois and Missouri, do. 1 50
- No. 30. Map of the territory of Florida, do. 2 00

The State Maps numbered from 20 to 30 inclusive, are from the American Atlas, projected and drawn on a uniform scale of fifteen miles to the inch; they embrace in addition to former surveys, those made by order of the United States government; copies of these surveys, as they progress, are regularly forwarded to the author, by whom they are immediately inserted on the plates. By these means, and the facilities of procuring other information, afforded by an extensive correspondence, the maps are made to keep pace with the improvement of the country, and to exhibit at *all times*, the existing state of geographical information regarding the United States, and contiguous countries. The set, consisting of eleven Maps, printed on silk paper, is put up in a portable case for the convenience of travellers. Price, 15 00

- The same Maps are put up separately on muslin, in a portable case. Price, each, 2 00
- No. 31. Chart of the World on Mercator's projection, 1 large sheet, 1 00
- No. 32. Map of Europe, 1 large sheet, 1 00
- No. 33. Map of Asia, do. 1 00
- No. 34. Map of Africa, do. 1 00
- No. 35. Map of America, do. 1 00
- No. 36. The four preceding Maps pasted together on one sheet of canvass, and roller, suitable for schools. Price, 5 50
- No. 37. Map of North America, one large sheet, 1 00
- No. 38. Map of the United States, medium sheet, 0 65
- No. 39. Map of New-Brunswick, Nova Scotia, Newfoundland, &c. 1 00
- No. 40. Chart of Delaware Bay, 2 sheets, 1 00
- No. 41. Dissected Map of the World, one large sheet, 2 50
- No. 42. Do. Europe, do. 2 50
- No. 43. Do. Asia, do. 2 50
- No. 44. Do. Africa, do. 2 50
- No. 45. Do. United States, do. 2 00
- No. 46. The Mariner's Atmospherical Register or Weather Book, 2 50
- No. 47. A general outline of the United States, with plates, 2 50
- No. 48. Atlas of outline Maps of the World, and Quarters, the set, 50
- No. 49. School Atlas, consisting of the World, Quarters, and United States, 50

A liberal deduction from the above prices will be made to colleges and schools.

\*\*\* In preparation, a four sheet Map of the World, and a four sheet Map of the United States, on a scale of 30 miles to the inch. Also, Wilkinson's Atlas Classica, consisting of 57 Maps of Ancient Geography, in imperial quarto.

July, 1826.

# TICKETS & SHARES

For sale at the **SCHEME PRICE** until **SATURDAY evening, 8th July**, at the "**GOLD MINE," FORTUNE'S HOME, P. CANFIELD'S Office, 142 Broadway.**

By Authority of the State of **Maryland.**

## UNIVERSITY LOTTERY, Ninth Class, New Series.

**P. CANFIELD, Manager.**

**\$20,000 Highest Prize.**

### Scheme.

1	Prize of	\$20,000	is	\$20,000
1	::	10,000	::	10,000
1	::	5,000	::	5,000
1	::	2,500	::	2,500
1	::	1,308	::	1,308
5	::	1,000	::	5,000
10	::	500	::	5,000
44	::	100	::	4,400
88	::	50	::	4,400
528	::	12	::	6,336
5,676	::	6	::	34,056

**6,336 Prizes, { 19,600 } \$98,000**  
**13,244 Blanks, { Tickets. }**

The tickets in this Lottery are formed by the ternary combination of 50 numbers, from 1 to 50 inclusive; and to determine the fate of all the tickets therein, 50 numbers, as above, will severally be put into a wheel on the day of drawing, and 6 of them will be drawn; and that ticket having on it as a combination, the 1st, 2d, and 3d numbers drawn, will be entitled to the Capital Prize of.....\$20,000

That having on it the 4th, 5th, and 6th, will be entitled to a Prize of .....10,000

That having on it the 2d, 3d, and 4th, will be entitled to a Prize of .....5,000

That having on it the 1st, 3d, and 5th, will be entitled to a Prize of.....2,500

That having on it the 2d, 5th, and 6th, will be entitled to a Prize of .....1,308

Those having on them the 1st, 2d, and 4th,—1st, 2d, and 5th,—1st, 4th, and 5th, 2d, 3d, and 6th, and the 3d, 4th, and 6th, will each be entitled to a Prize of....1,000

Those having on them the 1st, 2d, and 6th,—1st, 3d, and 4th,—1st, 3d, and 6th,—1st, 4th, and 6th,—1st, 5th, and 6th,—2d, 3d, and 5th,—2d, 4th, and 5th,—2d, 4th, and 6th,—3d, 4th, and 5th,—and 3d, 5th, and 6th, will each be entitled to a Prize of.....500

Those having on them the 1st and 2d numbers drawn, will each be entitled to a Prize of.....100

Those having on them the 3d and 4th, and the 5th and 6th numbers drawn, will each be entitled to a prize of.....50

All others having on them any two of the drawn numbers, will each be entitled to a prize of .....13

And all others having on them one of the drawn numbers, will each be entitled to a prize of.....6

No ticket which shall have drawn a Prize of a superior denomination can be entitled to an inferior Prize.

A considerable portion of this Lottery is put up in Packages of 17 Tickets, each of which is warranted to draw \$36, less the 15 per cent. deducted by the State, with so many chances for the Capital Prizes.

This Lottery will positively take place in the city of Baltimore, on the 18th day of August, or sooner.

Prizes payable forty days after the drawing, and subject, as usual, to a deduction of fifteen per cent.

Tickets and Shares will be sold at the scheme price, viz. \$5 each, until Saturday, the 8th of July inclusive, at either of the Manager's Offices, 142 Broadway, New-York, 129 Chesnut-street, Philadelphia, and at 180 Market-street, Baltimore, for Cash, current at any of the banks in the cities of New-York, Philadelphia, or Balti-

more. Prize tickets will be received from vendors, *at par*, in payment. After the 8th of July, the price of Tickets will be advanced to \$6 each—Shares in proportion. Tickets and Shares, or Certificates, in the above, may be ordered from the Office of the Subscriber, No. 129 Chesnut-street, Philadelphia, as well as from Baltimore, and remittances for the same may be made to either of the Subscriber's Offices, as may be most convenient to those who shall send for tickets in the above Lottery.

The Cash will be advanced for Prizes in the above, at any time after the drawing, at 142 Broadway, New-York, 129 Chesnut-street, Philadelphia, and at No. 180 Market, near Charles-street, Baltimore.

Orders (*post paid*) enclosing the Cash, for one ticket, or more, will be thankfully received, and punctually attended to, if addressed to P. CANFIELD,

New-York, Philadelphia, or Baltimore.

P. C. constantly keeps tickets in all the Lotteries for the accommodation of his friends and the public.

June, 1826.



## FASHIONABLE HAT STORES.

E. BLOOMER,

HAT MANUFACTURER,

No. 156 Broadway, New-York,

HAS constantly for sale a very general assortment of fashionable HATS, on the most reasonable terms.

E. BLOOMER has also, at his Store, No. 194 Canal-street, New-York, a handsome and fashionable assortment of the various qualities of Men's, Youths' and Boys' HATS, to which he respectfully invites public attention: wholesale purchasers will especially be pleased to observe that they will find an advantage in examining the samples there exhibited.

All the Goods on sale shall be *manufactured by himself*, and he is well aware that he consults his own interest *most effectively* by furnishing those articles alone which will afford satisfaction to his Customers.

ELISHA BLOOMER.

July, 1826.

## "JUDD'S HOTEL,"

REVIVED, IMPROVED, AND ENLARGED.

THE Subscriber, with unusual solicitude to gratify and accommodate Travellers, the Public generally, and visitors to the United States from Europe and elsewhere, respectfully announces that he has rendered more commodious than ever that central and extensive Establishment, so long and universally known and frequented, under the appellation of JUDD'S HOTEL, 27 South Third-street, between Market and Chesnut, Philadelphia—where, in the vicinity of the Banks, Coffee House, Custom House, and hum and bustle of active and fashionable life, Gentlemen of business or pleasure will ever find themselves at home; and from the numerous retired and private apartments, families travelling will always be certain of a desirable resting place.

Similar establishments throughout the United States have been lately eulogised, by citizens and foreigners, as possessing increased comforts and conveniences; and the present Proprietor of Judd's Hotel, while soliciting public favour and patronage, requests permission to express his assurance that it shall be equal to any—superior to many—inferior to none—as his assistants and servants, equally with himself, will be studious to please, and always anxious to anticipate the wants and wishes, of his friends and supporters. The abundant luxuries and delicacies of the season shall be as abundantly supplied; and the best market in the world yield its best and most nutritious variety to gratify the taste and palates of his Visitors and Boarders.

The usual beverages shall be of the first quality, and foreign Wines and Liqueurs, as imported, shall be purchased by himself only, and furnished at his table in their purest state.

A personal inspection of the careful performance of his hostler's duties shall be considered all-important; and, in a word, he pledges himself to those who may honour him with their company, that every thing tending to their comfort and convenience, that can be done, shall be done. D. SAINT.

June, 1826.

## MARBLE WORKS.

**DIXON & OATWELL,**

INFORM their friends and the public, that they continue the Marble Business, in all its branches, at the corner of Varick and Canal-streets, New-York.

N. B. Engraving on Marble at the shortest notice. Foreign Marble purchased. May, 1826.

---



**LA FAYETTE**

ELASTIC WATER PROOF  
**HAT MANUFACTORY.**

**S. C. KEYSER**

Respectfully informs his friends, and the public in general, that he has commenced the above business in all its various branches, at No. 24 South Third-street, opposite JUDD'S HOTEL, where he hopes to meet with a share of public patronage.

Philadelphia, Sept. 1, 1826.

---

**TRYON & CHASE,**

MANUFACTURERS OF

*Looking Glasses, Combs, Suspenders, and*

IMPORTERS OF JAPANESE WARE,

*No. 54, Market-street, a few doors West of Second-street,  
(South side,) Philadelphia,*

HAVE constantly on hand a very extensive assortment of Looking Glasses, viz—Mantle, Pier and Moulding Mahogany; Moulding and Pillar Pied Pillar and Fluted Toilets, and wings and covers, and in fact every description. Statia and German Toilets, Turtle Shell tucking, long, bent, neck, and side Combs, Mock Shell tucking, long, bent, neck, and side pocket heading dressing and ivory combs, also cotton and silk suspenders of all descriptions. Also, Japanned trays and waiters, of all colours, with and without centres, of the most superb patterns—and a great variety of other goods in the Fancy line, all of which are warranted to be excelled by none in the United States, in point of workmanship, sold together with the above on the most reasonable terms for cash or approved paper.

N. B. All orders attended to with the greatest punctuality, and packed in such a manner as to insure their safety, which is a very important matter to those dealing largely in Looking Glasses. From the advantage this establishment has above any other in the Union, they can sell lower in consequence, than any other.

May, 1826.

---

## HEALTH BITTERS.

*Prepared by a PHYSICIAN.*

AND sold, wholesale and retail, at the corner of North-Moore and Varick-streets, and can be had at 293 and 284 Front-street, and at 37 and 13 South-street.


N. B. Said Bitters have been well attested, and have not failed to prevent bile on the stomach, brace, promote appetite, &c

DIRECTIONS FOR USING.

Take one or two teaspoonfuls at a time, in Wine, Cordial, or any kind of Spirits, three times a day, fasting.

P. S. To use said bitters is all the recommendation they require.  
July, 1826.





3 2044 011 475 175

THE BORROWER WILL BE CHARGED AN OVERDUE FEE IF THIS BOOK IS NOT RETURNED TO THE LIBRARY ON OR BEFORE THE LAST DATE STAMPED BELOW. NON-RECEIPT OF OVERDUE NOTICES DOES NOT EXEMPT THE BORROWER FROM OVERDUE FEES.

Harvard College Widener Library  
Cambridge, MA 02138 (617) 495-2413

WIDENER  
WIDENER  
MAY 5 2000  
BOOK DUE

WIDENER  
WIDENER  
JUN 29 5 1995  
BOOK DUE  
CANCELLED

WIDENER  
WIDENER  
MAY 23 1997  
BOOK DUE  
FEB 26 1997

WIDENER  
WIDENER  
FEB 10 2000  
BOOK DUE  
CANCELLED

